Savannah River
NUCLEAR SOLUTIONS℠
FLUOR • NEWPORT NEWS NUCLEAR • HONEYWELL

2015 Environmental Monitoring Program Data Report

Volume II

December 15, 2016

SRNS-TR-2016-00175

SAVANNAH RIVER SITE • AIKEN, SOUTH CAROLINA

For more information about this report or to obtain data files contact:

Teresa Eddy
Savannah River Nuclear Solutions, LLC
Building 730-4B, Savannah River Site
Aiken, SC 29808
Telephone: (803) 952-8253
E-mail address: teresa.eddy@srnl.doe.gov

This document was prepared in conjunction with work accomplished under Contract No. DE-AC09-08SR22470 with the U.S. Department of Energy. This work was conducted under an agreement with, and funded by, the U.S. Government. Neither the U.S. Government nor its employees, nor any of its contractors or subcontractors or their employees, makes any expressed or implied 1) warranty or assumes any legal liability for the accuracy or completeness - or for the use or results of such use - of any information, product, or process disclosed; or 2) representation that such use or results of such use would not infringe on privately owned rights; or 3) endorsement or recommendation of any specifically identified commercial product, process, or service. Any views and opinions of authors expressed in this document do not necessarily state or reflect those of the U.S. Government, or of its contractors or subcontractors.

SRNS-TR-2016-00175

Savannah River Site

2015 Environmental Monitoring Program Data Report

Volume II

Prepared by
Savannah River Nuclear Solutions, LLC
Savannah River Site

PREFACE

The SRS Environmental Monitoring Program consists of both nonradiological and radiological monitoring of the environment within the SRS boundary and a 2,000-square-mile area beyond the Site's boundary. The purpose of this monitoring is to determine impacts, if any, from SRS operations to the surrounding communities and the environment.

This document presents data from Savannah River Site (SRS) routine effluent monitoring, environmental surveillance and groundwater monitoring programs. Volume I presents the routine effluent monitoring and environmental surveillance data. Volume II presents the groundwater monitoring program data. Information in this document is summarized in the *Savannah River Site Environmental Report for 2015* (SRNS-RP-2016-00089), referred to hereafter as the ASER. Every effort has been made to present the data in this report in the same order in which it is discussed in the ASER.

The data provided in this report is used to:

- Meet requirements of multiple environmental permits under which SRS operates,
- Meet requirements of DOE Order 458.1, "Radiation Protection of the Public and the Environment," that established as annual public dose standard for the public and biota dose limits for plants and animals that are at levels that would provide protection of the public and environment from the effects of radiation resulting from DOE activities,
- Meet groundwater sampling requirements identified in the Federal Facility Agreement for the Savannah River Site approved monitoring plans and Resource Conservation and Recovery Act permits.

Tritium Results from Monitoring Wells Located in Burke and Screven Counties, Georgia

Aquifer*	Station ID	Collection Date	Detection Limit	Sample Quantitation Limit	Lab Qualifier	Result	Units	Error
UTR	GSTW 1	09/02/15	0.434	0.915	U	-0.144	pCi/mL	0.240
UTR	MHTW 1	09/01/15	0.447	0.978	U	0.123	pCi/mL	0.265
UTR	MHTW 2	09/01/15	0.448	0.974	U	0.073	pCi/mL	0.263
UTR	MHTW 3	09/01/15	0.449	0.954	U	-0.080	pCi/mL	0.252
UTR	MPTW 4	09/03/15	0.433	0.919	U	-0.086	pCi/mL	0.243
UTR	TR92 1A	09/09/15	0.472	1.020	U	0.031	pCi/mL	0.274
UTR	TR92 1F	09/09/15	0.476	1.030	U	0.028	pCi/mL	0.276
UTR	TR92 1G	09/09/15	0.472	1.000	U	-0.089	pCi/mL	0.266
UTR	TR92 1H	09/09/15	0.474	1.040	U	0.140	pCi/mL	0.282
UTR	TR92 1I	09/09/15	0.473	1.040	U	0.142	pCi/mL	0.282
UTR	TR92 1J	09/09/15	0.469	1.020	U	0.049	pCi/mL	0.273
UTR	TR92 1K	09/09/15	0.474	1.010	U	-0.055	pCi/mL	0.270
UTR	TR92 1L	09/09/15	0.470	1.000	U	-0.080	pCi/mL	0.266
UTR	TR92 1M	09/09/15	0.473	1.020	U	-0.016	pCi/mL	0.271
UTR	TR92 2A	09/09/15	0.472	1.040	U	0.160	pCi/mL	0.283
UTR	TR92 4A2	09/02/15	0.436	0.952	U	0.092	pCi/mL	0.258
UTR	TR92 5A	09/10/15	0.457	0.962	U	-0.140	pCi/mL	0.252
UTR	TR92 6A2	09/08/15	0.525	1.150	U	0.080	pCi/mL	0.311
McQueen	BLTW 1	09/02/15	0.452	0.958	U	-0.108	pCi/mL	0.253
McQueen	BLTW 1	09/02/15	0.448	0.960	U	-0.035	pCi/mL	0.256
McQueen	GSTW 3	09/02/15	0.403	0.896	U	0.215	pCi/mL	0.247
McQueen	MHTW 5	09/01/15	0.450	0.963	U	-0.022	pCi/mL	0.257
McQueen	MPTW 1	09/03/15	0.435	0.895	U	-0.292	pCi/mL	0.230
McQueen	MPTW 2	09/08/15	0.531	1.150	U	0.006	pCi/mL	0.311
McQueen	MPTW 3	09/08/15	0.530	1.160	U	0.049	pCi/mL	0.313

Tritium Results from Monitoring Wells Located in Burke and Screven Counties, Georgia (continued)

Aquifer*	Station ID	Collection Date	Detection Limit	Sample Quantitation Limit	Lab Qualifier	Result	Units	Error
McQueen	MPTW 3	09/08/15	0.536	1.170	U	0.053	pCi/mL	0.316
McQueen	TR92 6D	09/08/15	0.527	1.140	U	-0.007	pCi/mL	0.308
Gordon	TR92 1B	09/09/15	0.473	0.984	U	-0.253	pCi/mL	0.255
Gordon	TR92 2B	09/09/15	0.472	0.978	U	-0.271	pCi/mL	0.253
Gordon	TR92 3B	09/10/15	0.453	0.958	U	-0.105	pCi/mL	0.253
Gordon	TR92 4B	09/02/15	0.434	0.928	U	-0.049	pCi/mL	0.247
Gordon	TR92 5B	09/10/15	0.456	0.980	U	0.004	pCi/mL	0.262
Gordon	TR92 5C	09/10/15	0.453	0.954	U	-0.139	pCi/mL	0.251
Crouch Branch	BLTW 2	09/02/15	0.437	0.968	U	0.206	pCi/mL	0.265
Crouch Branch	GSTW 2	09/02/15	0.434	0.933	U	-0.007	pCi/mL	0.249
Crouch Branch	MHTW 4	09/01/15	0.448	0.975	U	0.082	pCi/mL	0.263
Crouch Branch	MPTW 5	09/03/15	0.434	0.907	U	-0.195	pCi/mL	0.236
Crouch Branch	MPTW 6	09/03/15	0.434	0.935	U	0.010	pCi/mL	0.251
Crouch Branch	MPTW 7	09/03/15	0.436	0.917	U	-0.158	pCi/mL	0.240
Crouch Branch	TR92 1C	09/09/15	0.475	1.020	U	-0.002	pCi/mL	0.274
Crouch Branch	TR92 1D	09/09/15	0.471	1.010	U	-0.047	pCi/mL	0.268
Crouch Branch	TR92 6C	09/08/15	0.531	1.150	U	0.022	pCi/mL	0.312

Note: * UTR = Upper Three Runs

Analytical Results from Monitoring Wells located on the Savannah River Site

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ABP 3	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ABP 3	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ABP 3	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ABP 3	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 3	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ABP 3	8/18/2015	ACETONE	2	ug/L	U				0.34	2
ABP 3	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ABP 3	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ABP 3	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ABP 3	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ABP 3	8/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ABP 3	8/18/2015	TOLUENE	1	ug/L	U				0.07	1
ABP 3	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 3	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ABP 3	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ABP 3C	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ABP 3C	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ABP 3C	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ABP 3C	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 3C	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ABP 3C	8/18/2015	ACETONE	2	ug/L	U				0.34	2
ABP 3C	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ABP 3C	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ABP 3C	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Analytical Results from Monitoring Wells located on the Savannah River Site (continued)

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ABP 3C	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ABP 3C	8/18/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
ABP 3C	8/18/2015	TOLUENE	1.1	ug/L					0.07	1
ABP 3C	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 3C	8/18/2015	TRICHLOROETHYLENE (TCE)	6.8	ug/L					0.25	1
ABP 3C	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ABP 8D	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ABP 8D	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ABP 8D	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ABP 8D	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 8D	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ABP 8D	8/18/2015	ACETONE	2	ug/L	U				0.34	2
ABP 8D	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ABP 8D	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ABP 8D	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ABP 8D	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ABP 8D	8/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ABP 8D	8/18/2015	TOLUENE	0.32	ug/L	J		21		0.07	1
ABP 8D	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 8D	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ABP 8D	8/18/2015	1,4-DIOXANE	6.9	ug/L					1.2	5
ABP 9B	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ABP 9B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ABP 9B	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ABP 9B	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 9B	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ABP 9B	8/31/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ABP 9B	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ABP 9B	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ABP 9B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ABP 9B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
ABP 9B	8/31/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
ABP 9B	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
ABP 9B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 9B	8/31/2015	TRICHLOROETHYLENE (TCE)	9	ug/L					0.25	1
ABP 9B	8/31/2015	1,4-DIOXANE	11	ug/L					1.2	5
ABP 9C	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ABP 9C	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ABP 9C	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ABP 9C	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 9C	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ABP 9C	8/18/2015	ACETONE	2	ug/L	U				0.34	2
ABP 9C	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ABP 9C	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ABP 9C	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ABP 9C	8/18/2015	CIS-1,2-DICHLOROETHYLENE	0.98	ug/L	J		21		0.09	1
ABP 9C	8/18/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
ABP 9C	8/18/2015	TOLUENE	0.63	ug/L	J		21		0.07	1
ABP 9C	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ABP 9C	8/18/2015	TRICHLOROETHYLENE (TCE)	9	ug/L					0.25	1
ABP 9C	8/18/2015	1,4-DIOXANE	9.4	ug/L					1.2	5
AC 3A	3/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AC 3A	3/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AC 3A	3/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AC 3A	3/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AC 3A	3/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AC 3A	3/26/2015	ACETONE	2	ug/L	U				0.34	2
AC 3A	3/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AC 3A	3/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AC 3A	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AC 3A	3/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AC 3A	3/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AC 3A	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AC 3A	3/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AC 3A	3/26/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
AC 3A	8/18/2015	ALUMINUM	109	ug/L	J		21		40	400
AC 3A	8/18/2015	BARIUM	25.1	ug/L					2	20
AC 3A	8/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
AC 3A	8/18/2015	CADMIUM	1	ug/L	U				0.1	1
AC 3A	8/18/2015	CHROMIUM	100	ug/L	U				10	100
AC 3A	8/18/2015	COBALT	5	ug/L	U				0.5	5
AC 3A	8/18/2015	COPPER	5	ug/L	U				0.5	5
AC 3A	8/18/2015	IRON	29.2	ug/L	U		21, V		10	100
AC 3A	8/18/2015	LEAD	5	ug/L	U				0.5	5
AC 3A	8/18/2015	MANGANESE	10	ug/L	U				1	10
AC 3A	8/18/2015	NICKEL	5	ug/L	U				0.5	5
AC 3A	8/18/2015	SELENIUM	20	ug/L	U				2	20
AC 3A	8/18/2015	SODIUM	1860	ug/L					20	200
AC 3A	8/18/2015	VANADIUM	7.53	ug/L	J		21		5	50
AC 3A	8/18/2015	ZINC	54.6	ug/L					4	40
AC 3A	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AC 3A	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AC 3A	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AC 3A	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AC 3A	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AC 3A	8/18/2015	ACETONE	2	ug/L	U				0.34	2
AC 3A	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AC 3A	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AC 3A	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AC 3A	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AC 3A	8/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AC 3A	8/18/2015	TOLUENE	1	ug/L	U				0.07	1
AC 3A	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AC 3A	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AC 3A	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 4A	2/18/2015	ALUMINUM	360	ug/L					22	200
AMB 4A	2/18/2015	BARIUM	7.2	ug/L	J		21		2.1	50
AMB 4A	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 4A	2/18/2015	COPPER	6.6	ug/L	J		21		2.1	25
AMB 4A	2/18/2015	LEAD	4.8	ug/L	J		21		0.6	10
AMB 4A	2/18/2015	NICKEL	3.6	ug/L	J		21		2.6	40
AMB 4A	2/18/2015	ZINC	15	ug/L	J		21		8.3	20
AMB 4A	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 4A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 4A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 4A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 4A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 4A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 4A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	0.23	ug/L	J		21		0.09	1
AMB 4A	2/18/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
AMB 4A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4A	2/18/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
AMB 4A	8/19/2015	NITRATE-NITRITE AS NITROGEN	1.01	mg/L					0.017	0.05
AMB 4A	8/19/2015	ALUMINUM	170	ug/L					15	50
AMB 4A	8/19/2015	BARIUM	7.25	ug/L					0.6	2
AMB 4A	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 4A	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 4A	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10
AMB 4A	8/19/2015	COBALT	0.304	ug/L	J	J	21		0.1	1
AMB 4A	8/19/2015	COPPER	5.31	ug/L					0.35	1
AMB 4A	8/19/2015	IRON	217	ug/L					33	100
AMB 4A	8/19/2015	LEAD	2	ug/L	U	U			0.5	2
AMB 4A	8/19/2015	MANGANESE	11.5	ug/L					1	5
AMB 4A	8/19/2015	NICKEL	1.83	ug/L	J	J	21		0.5	2
AMB 4A	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 4A	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 4A	8/19/2015	SODIUM	2290	ug/L					80	250
AMB 4A	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 4A	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 4A	8/19/2015	VANADIUM	7.18	ug/L	J	J	21		3	10
AMB 4A	8/19/2015	ZINC	12.5	ug/L					3.5	10
AMB 4A	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 4A	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4A	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 4A	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 4A	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 4A	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 4A	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 4A	8/19/2015	TETRACHLOROETHYLENE (PCE)	1.81	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4A	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	TRICHLOROETHYLENE (TCE)	3.07	ug/L					0.3	1
AMB 4A	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4A	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 4A	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 4A	8/19/2015	TOTAL ORGANIC HALOGENS	0.00624	mg/L	J	J	21		0.00333	0.01
AMB 4A	8/19/2015	CHLORIDE	2.16	mg/L					0.067	0.2
AMB 4A	8/19/2015	SULFATE	0.722	mg/L					0.133	0.4
AMB 4A	8/19/2015	TOTAL ORGANIC CARBON	0.363	mg/L	J	J	21		0.33	1
AMB 4A	8/19/2015	TOTAL ORGANIC CARBON	0.366	mg/L	J	J	21		0.33	1
AMB 4A	8/19/2015	TOTAL ORGANIC CARBON	0.391	mg/L	J	J	21		0.33	1
AMB 4A	8/19/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.33	1
AMB 4A	8/19/2015	TOTAL ORGANIC CARBON	0.386	mg/L	J	J	21		0.33	1
AMB 4A	8/19/2015	GROSS ALPHA	0.756	pCi/L	U	U		1.31	2.39	5.01
AMB 4A	8/19/2015	NONVOLATILE BETA	0.566	pCi/L	U	U		1.97	3.55	7.49
AMB 4A	8/19/2015	RADIUM-226	0.893	pCi/L	J	J	21	0.364	0.424	1.15
AMB 4A	8/19/2015	RADIUM-228	0.423	pCi/L	J	J	21	0.236	0.328	0.8
AMB 4B	2/18/2015	ALUMINUM	62	ug/L	J		21		22	200
AMB 4B	2/18/2015	BARIUM	8.1	ug/L	J		21		2.1	50
AMB 4B	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 4B	2/18/2015	COPPER	3.1	ug/L	J		21		2.1	25
AMB 4B	2/18/2015	LEAD	5.6	ug/L	J		21		0.6	10
AMB 4B	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 4B	2/18/2015	ZINC	20	ug/L	U				8.3	20
AMB 4B	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4B	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4B	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 4B	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4B	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4B	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 4B	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 4B	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 4B	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 4B	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 4B	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 4B	2/18/2015	TETRACHLOROETHYLENE (PCE)	0.68	ug/L	J		21		0.18	1
AMB 4B	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4B	2/18/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
AMB 4B	8/25/2015	NITRATE-NITRITE AS NITROGEN	0.89	mg/L					0.0094	0.1
AMB 4B	8/25/2015	ALUMINUM	100	ug/L			V		17	30
AMB 4B	8/25/2015	BARIUM	6.4	ug/L			V		0.22	2
AMB 4B	8/25/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 4B	8/25/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 4B	8/25/2015	CHROMIUM	10	ug/L	U				1	10
AMB 4B	8/25/2015	COBALT	0.32	ug/L	J		21		0.22	2
AMB 4B	8/25/2015	COPPER	1	ug/L	U				0.68	1
AMB 4B	8/25/2015	IRON	50	ug/L	U				33	50
AMB 4B	8/25/2015	LEAD	0.5	ug/L	J		21, V		0.17	3
AMB 4B	8/25/2015	MANGANESE	2.3	ug/L					0.88	2
AMB 4B	8/25/2015	NICKEL	5	ug/L	U				0.8	5
AMB 4B	8/25/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 4B	8/25/2015	SODIUM	2600	ug/L			V		24	50
AMB 4B	8/25/2015	VANADIUM	10	ug/L	U				2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4B	8/25/2015	ZINC	10	ug/L	U				9.3	10
AMB 4B	8/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 4B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 4B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 4B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
AMB 4B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 4B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 4B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 4B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 4B	8/25/2015	TETRACHLOROETHYLENE (PCE)	0.7	ug/L	J		21		0.18	1
AMB 4B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 4B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4B	8/25/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
AMB 4B	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 4B	8/25/2015	GROSS ALPHA	1.33	pCi/L	U			0.982	1.48	3.444
AMB 4B	8/25/2015	NONVOLATILE BETA	0.473	pCi/L	U			0.649	1.08	2.378
AMB 4B	8/25/2015	TOTAL ORGANIC HALOGENS	11	ug/L					1.8	5
AMB 4B	8/25/2015	RADIUM-226	0.331	pCi/L	J		21	0.155	0.185	0.495
AMB 4B	8/25/2015	RADIUM-228	0.803	pCi/L	J		21	0.274	0.379	0.927
AMB 4B	8/25/2015	CHLORIDE	2.6	mg/L					0.02	0.2
AMB 4B	8/25/2015	SULFATE	0.49	mg/L	J		21		0.05	0.5
AMB 4B	8/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 4D	2/18/2015	ALUMINUM	43	ug/L	J		21		22	200
AMB 4D	2/18/2015	BARIUM	16	ug/L	J		21		2.1	50
AMB 4D	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4D	2/18/2015	COPPER	25	ug/L	U				2.1	25
AMB 4D	2/18/2015	LEAD	2.5	ug/L	J		21		0.6	10
AMB 4D	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 4D	2/18/2015	ZINC	9	ug/L	J		21		8.3	20
AMB 4D	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 4D	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4D	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 4D	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 4D	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4D	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 4D	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 4D	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 4D	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 4D	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 4D	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 4D	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 4D	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 4D	2/18/2015	TRICHLOROETHYLENE (TCE)	1.6	ug/L					0.25	1
AMB 4D	8/19/2015	NITRATE-NITRITE AS NITROGEN	2.58	mg/L					0.085	0.25
AMB 4D	8/19/2015	ALUMINUM	18.1	ug/L	J	J	21		15	50
AMB 4D	8/19/2015	BARIUM	12.2	ug/L					0.6	2
AMB 4D	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 4D	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 4D	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10
AMB 4D	8/19/2015	COBALT	0.53	ug/L	J	J	21		0.1	1
AMB 4D	8/19/2015	COPPER	0.686	ug/L	J	J	21		0.35	1
AMB 4D	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 4D	8/19/2015	LEAD	2	ug/L	U	U			0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4D	8/19/2015	MANGANESE	14.5	ug/L					1	5
AMB 4D	8/19/2015	NICKEL	0.504	ug/L	J	J	21		0.5	2
AMB 4D	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 4D	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 4D	8/19/2015	SODIUM	5040	ug/L					80	250
AMB 4D	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 4D	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 4D	8/19/2015	VANADIUM	5.35	ug/L	J	J	21		3	10
AMB 4D	8/19/2015	ZINC	4.8	ug/L	J	J	21		3.5	10
AMB 4D	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 4D	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 4D	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 4D	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4D	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 4D	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 4D	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 4D	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	TRICHLOROETHYLENE (TCE)	1.06	ug/L					0.3	1
AMB 4D	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 4D	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 4D	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 4D	8/19/2015	TOTAL ORGANIC HALOGENS	0.00478	mg/L	J	J	21		0.00333	0.01
AMB 4D	8/19/2015	CHLORIDE	3.39	mg/L					0.067	0.2
AMB 4D	8/19/2015	SULFATE	0.646	mg/L					0.133	0.4
AMB 4D	8/19/2015	TOTAL ORGANIC CARBON	0.42	mg/L	J	J	21		0.33	1
AMB 4D	8/19/2015	TOTAL ORGANIC CARBON	0.426	mg/L	J	J	21		0.33	1
AMB 4D	8/19/2015	TOTAL ORGANIC CARBON	0.504	mg/L	J	J	21		0.33	1
AMB 4D	8/19/2015	TOTAL ORGANIC CARBON	0.454	mg/L	J	J	21		0.33	1
AMB 4D	8/19/2015	TOTAL ORGANIC CARBON	0.465	mg/L	J	J	21		0.33	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 4D	8/19/2015	GROSS ALPHA	2.12	pCi/L	U	U		1.83	2.81	6.47
AMB 4D	8/19/2015	NONVOLATILE BETA	2.35	pCi/L	U	U		1.75	2.8	6.3
AMB 4D	8/19/2015	RADIUM-226	0.337	pCi/L	U	U		0.259	0.389	0.907
AMB 4D	8/19/2015	RADIUM-228	0.653	pCi/L	J	J	21	0.324	0.443	1.09
AMB 7B	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 7B	2/18/2015	BARIUM	3.4	ug/L	J		21		2.1	50
AMB 7B	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 7B	2/18/2015	COPPER	4.9	ug/L	J		21		2.1	25
AMB 7B	2/18/2015	LEAD	3.3	ug/L	J		21		0.6	10
AMB 7B	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 7B	2/18/2015	ZINC	11	ug/L	J		21		8.3	20
AMB 7B	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 7B	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 7B	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 7B	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 7B	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 7B	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 7B	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 7B	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 7B	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 7B	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 7B	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 7B	2/18/2015	TETRACHLOROETHYLENE (PCE)	0.61	ug/L	J		21		0.18	1
AMB 7B	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 7B	2/18/2015	TRICHLOROETHYLENE (TCE)	1.6	ug/L					0.25	1
AMB 7B	8/18/2015	NITRATE-NITRITE AS NITROGEN	0.75	mg/L					0.0094	0.1
AMB 7B	8/18/2015	ALUMINUM	26	ug/L	J		21		17	30
AMB 7B	8/18/2015	BARIUM	3.4	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 7B	8/18/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 7B	8/18/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 7B	8/18/2015	CHROMIUM	10	ug/L	U				1	10
AMB 7B	8/18/2015	COBALT	0.3	ug/L	J		21		0.22	2
AMB 7B	8/18/2015	COPPER	2.9	ug/L					0.68	1
AMB 7B	8/18/2015	IRON	50	ug/L	U				33	50
AMB 7B	8/18/2015	LEAD	0.25	ug/L	J		21		0.17	3
AMB 7B	8/18/2015	MANGANESE	3.7	ug/L					0.88	2
AMB 7B	8/18/2015	NICKEL	5	ug/L	U				0.8	5
AMB 7B	8/18/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 7B	8/18/2015	SODIUM	3000	ug/L			V		24	50
AMB 7B	8/18/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 7B	8/18/2015	ZINC	10	ug/L	U				9.3	10
AMB 7B	8/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 7B	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 7B	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 7B	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 7B	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 7B	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 7B	8/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 7B	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 7B	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 7B	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 7B	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 7B	8/18/2015	TETRACHLOROETHYLENE (PCE)	0.55	ug/L	J		21		0.18	1
AMB 7B	8/18/2015	TOLUENE	0.48	ug/L	J		21		0.07	1
AMB 7B	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 7B	8/18/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
AMB 7B	8/18/2015	TOTAL ORGANIC HALOGENS	10	ug/L					1.8	5
AMB 7B	8/18/2015	CHLORIDE	3	mg/L					0.02	0.2
AMB 7B	8/18/2015	SULFATE	0.47	mg/L	J		21		0.05	0.5
AMB 7B	8/18/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 9D	3/23/2015	ALUMINUM	200	ug/L	U				22	200
AMB 9D	3/23/2015	BARIUM	14	ug/L	J		21		2.1	50
AMB 9D	3/23/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 9D	3/23/2015	COPPER	25	ug/L	U				2.1	25
AMB 9D	3/23/2015	LEAD	10	ug/L	U				0.6	10
AMB 9D	3/23/2015	NICKEL	40	ug/L	U				2.6	40
AMB 9D	3/23/2015	ZINC	20	ug/L	U				8.3	20
AMB 9D	3/23/2015	MERCURY	0.13	ug/L	J		21, V		0.06	0.2
AMB 9D	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 9D	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 9D	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 9D	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 9D	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 9D	3/23/2015	ACETONE	2	ug/L	U				0.34	2
AMB 9D	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 9D	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 9D	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 9D	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 9D	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 9D	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 9D	3/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 9D	8/18/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.0094	0.1
AMB 9D	8/18/2015	ALUMINUM	30	ug/L	U				17	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 9D	8/18/2015	BARIUM	13	ug/L					0.22	2
AMB 9D	8/18/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 9D	8/18/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 9D	8/18/2015	CHROMIUM	10	ug/L	U				1	10
AMB 9D	8/18/2015	COBALT	2	ug/L	U				0.22	2
AMB 9D	8/18/2015	COPPER	1	ug/L	U				0.68	1
AMB 9D	8/18/2015	IRON	50	ug/L	U				33	50
AMB 9D	8/18/2015	LEAD	0.17	ug/L	J		21		0.17	3
AMB 9D	8/18/2015	MANGANESE	2.6	ug/L					0.88	2
AMB 9D	8/18/2015	NICKEL	5	ug/L	U				0.8	5
AMB 9D	8/18/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 9D	8/18/2015	SODIUM	7700	ug/L			V		24	50
AMB 9D	8/18/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 9D	8/18/2015	ZINC	10	ug/L	U				9.3	10
AMB 9D	8/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 9D	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 9D	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 9D	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 9D	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 9D	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 9D	8/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 9D	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 9D	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 9D	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 9D	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 9D	8/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 9D	8/18/2015	TOLUENE	0.54	ug/L	J		21		0.07	1
AMB 9D	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 9D	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 9D	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 9D	8/18/2015	GROSS ALPHA	5.71	pCi/L				1.57	1.72	4.86
AMB 9D	8/18/2015	NONVOLATILE BETA	2.66	pCi/L				0.74	0.944	2.424
AMB 9D	8/18/2015	TOTAL ORGANIC HALOGENS	6.5	ug/L					1.8	5
AMB 9D	8/18/2015	RADIUM-226	2.1	pCi/L				0.197	0.089	0.4825
AMB 9D	8/18/2015	RADIUM-228	0.944	pCi/L				0.235	0.297	0.767
AMB 9D	8/18/2015	CHLORIDE	2.7	mg/L					0.02	0.2
AMB 9D	8/18/2015	SULFATE	20	mg/L					0.05	0.5
AMB 9D	8/18/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 10A	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 10A	2/18/2015	BARIUM	8.7	ug/L	J		21		2.1	50
AMB 10A	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 10A	2/18/2015	COPPER	2.7	ug/L	J		21		2.1	25
AMB 10A	2/18/2015	LEAD	4.9	ug/L	J		21		0.6	10
AMB 10A	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 10A	2/18/2015	ZINC	20	ug/L	U				8.3	20
AMB 10A	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 10A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 10A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 10A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 10A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 10A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 10A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 10A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10A	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 10A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10A	2/18/2015	TRICHLOROETHYLENE (TCE)	0.93	ug/L	J		21		0.25	1
AMB 10A	8/25/2015	NITRATE-NITRITE AS NITROGEN	0.36	mg/L					0.0047	0.05
AMB 10A	8/25/2015	ALUMINUM	41	ug/L			V		17	30
AMB 10A	8/25/2015	BARIUM	9.5	ug/L			V		0.22	2
AMB 10A	8/25/2015	BERYLLIUM	0.37	ug/L	J		21		0.35	0.5
AMB 10A	8/25/2015	CADMIUM	0.18	ug/L	J		21		0.1	0.5
AMB 10A	8/25/2015	CHROMIUM	10	ug/L	U				1	10
AMB 10A	8/25/2015	COBALT	0.29	ug/L	J		21		0.22	2
AMB 10A	8/25/2015	COPPER	1	ug/L	U				0.68	1
AMB 10A	8/25/2015	IRON	58	ug/L					33	50
AMB 10A	8/25/2015	LEAD	0.63	ug/L	J		21, V		0.17	3
AMB 10A	8/25/2015	MANGANESE	8.7	ug/L					0.88	2
AMB 10A	8/25/2015	NICKEL	5	ug/L	U				0.8	5
AMB 10A	8/25/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 10A	8/25/2015	SODIUM	2100	ug/L			V		24	50
AMB 10A	8/25/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 10A	8/25/2015	ZINC	10	ug/L	U				9.3	10
AMB 10A	8/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 10A	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10A	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 10A	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10A	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10A	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 10A	8/25/2015	ACETONE	2	ug/L	U				0.34	2
AMB 10A	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 10A	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10A	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 10A	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 10A	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 10A	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 10A	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10A	8/25/2015	TRICHLOROETHYLENE (TCE)	0.94	ug/L	J		21		0.25	1
AMB 10A	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 10A	8/25/2015	GROSS ALPHA	0.525	pCi/L	U			0.848	1.45	3.146
AMB 10A	8/25/2015	NONVOLATILE BETA	0.212	pCi/L	U			0.53	0.915	1.975
AMB 10A	8/25/2015	TOTAL ORGANIC HALOGENS	14	ug/L					1.8	5
AMB 10A	8/25/2015	RADIUM-226	0.149	pCi/L	U			0.122	0.18	0.424
AMB 10A	8/25/2015	RADIUM-228	0.535	pCi/L	J		21	0.246	0.359	0.851
AMB 10A	8/25/2015	CHLORIDE	2.1	mg/L					0.02	0.2
AMB 10A	8/25/2015	SULFATE	1.9	mg/L					0.05	0.5
AMB 10A	8/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 10B	2/18/2015	ALUMINUM	50	ug/L	J		21		22	200
AMB 10B	2/18/2015	BARIUM	73	ug/L					2.1	50
AMB 10B	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 10B	2/18/2015	COPPER	3.7	ug/L	J		21		2.1	25
AMB 10B	2/18/2015	LEAD	18	ug/L					0.6	10
AMB 10B	2/18/2015	NICKEL	2.7	ug/L	J		21		2.6	40
AMB 10B	2/18/2015	ZINC	25	ug/L					8.3	20
AMB 10B	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 10B	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10B	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 10B	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10B	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10B	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 10B	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 10B	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 10B	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 10B	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 10B	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 10B	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10B	2/18/2015	TRICHLOROETHYLENE (TCE)	0.65	ug/L	J		21		0.25	1
AMB 10B	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.581	mg/L					0.017	0.05
AMB 10B	8/19/2015	ALUMINUM	50	ug/L	U	U			15	50
AMB 10B	8/19/2015	BARIUM	15.2	ug/L					0.6	2
AMB 10B	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 10B	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 10B	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10
AMB 10B	8/19/2015	COBALT	1	ug/L	U	U			0.1	1
AMB 10B	8/19/2015	COPPER	0.362	ug/L	J	J	21		0.35	1
AMB 10B	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 10B	8/19/2015	LEAD	0.532	ug/L	J	J	21		0.5	2
AMB 10B	8/19/2015	MANGANESE	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	NICKEL	2	ug/L	U	U			0.5	2
AMB 10B	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 10B	8/19/2015	SODIUM	5270	ug/L					80	250
AMB 10B	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 10B	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	VANADIUM	4.28	ug/L	J	J	21		3	10
AMB 10B	8/19/2015	ZINC	10	ug/L	U	U			3.5	10
AMB 10B	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 10B	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 10B	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRICHLOROETHYLENE (TCE)	0.82	ug/L	J	J	21		0.3	1
AMB 10B	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 10B	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 10B	8/19/2015	TOTAL ORGANIC HALOGENS	0.00392	mg/L	J	J	21		0.00333	0.01
AMB 10B	8/19/2015	CHLORIDE	2.3	mg/L					0.067	0.2
AMB 10B	8/19/2015	SULFATE	2.17	mg/L					0.133	0.4
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.44	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.474	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.489	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.491	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.475	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	GROSS ALPHA	2.27	pCi/L	J	J	21	1.41	1.67	4.49
AMB 10B	8/19/2015	NONVOLATILE BETA	1.25	pCi/L	U	U		1.83	3.13	6.79
AMB 10B	8/19/2015	RADIUM-226	0.693	pCi/L	J	J	21	0.314	0.369	0.997
AMB 10B	8/19/2015	RADIUM-228	0.535	pCi/L	U	U		0.361	0.559	1.28
AMB 10B	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.576	mg/L					0.017	0.05
AMB 10B	8/19/2015	ALUMINUM	50	ug/L	U	U			15	50
AMB 10B	8/19/2015	BARIUM	13.8	ug/L					0.6	2
AMB 10B	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 10B	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 10B	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	8/19/2015	COBALT	1	ug/L	U	U			0.1	1
AMB 10B	8/19/2015	COPPER	1	ug/L	U	U			0.35	1
AMB 10B	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 10B	8/19/2015	LEAD	0.582	ug/L	J	J	21		0.5	2
AMB 10B	8/19/2015	MANGANESE	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	NICKEL	2	ug/L	U	U			0.5	2
AMB 10B	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 10B	8/19/2015	SODIUM	5370	ug/L					80	250
AMB 10B	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 10B	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	VANADIUM	3.23	ug/L	J	J	21		3	10
AMB 10B	8/19/2015	ZINC	10	ug/L	U	U			3.5	10
AMB 10B	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 10B	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 10B	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 10B	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 10B	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 10B	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	TRICHLOROETHYLENE (TCE)	0.79	ug/L	J	J	21		0.3	1
AMB 10B	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 10B	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 10B	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 10B	8/19/2015	TOTAL ORGANIC HALOGENS	0.00482	mg/L	J	J	21		0.00333	0.01
AMB 10B	8/19/2015	CHLORIDE	2.24	mg/L					0.067	0.2
AMB 10B	8/19/2015	SULFATE	2.14	mg/L					0.133	0.4
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.458	mg/L	J	J	21		0.33	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.487	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.494	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.497	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	TOTAL ORGANIC CARBON	0.498	mg/L	J	J	21		0.33	1
AMB 10B	8/19/2015	GROSS ALPHA	-0.276	pCi/L	U	U		1.14	2.61	4.89
AMB 10B	8/19/2015	NONVOLATILE BETA	-0.292	pCi/L	U	U		1.52	2.84	5.88
AMB 10B	8/19/2015	RADIUM-226	0.39	pCi/L	J	J	21	0.258	0.371	0.887
AMB 10B	8/19/2015	RADIUM-228	0.22	pCi/L	U	U		0.27	0.456	0.996
AMB 10D	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 10D	2/18/2015	BARIUM	30	ug/L	J		21		2.1	50
AMB 10D	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 10D	2/18/2015	COPPER	25	ug/L	U				2.1	25
AMB 10D	2/18/2015	LEAD	2.1	ug/L	J		21		0.6	10
AMB 10D	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 10D	2/18/2015	ZINC	19	ug/L	J		21		8.3	20
AMB 10D	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 10D	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10D	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 10D	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10D	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10D	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 10D	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 10D	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 10D	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 10D	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 10D	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 10D	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 10D	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10D	2/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 10D	8/25/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.0094	0.1
AMB 10D	8/25/2015	ALUMINUM	30	ug/L			S, V		17	30
AMB 10D	8/25/2015	BARIUM	20	ug/L			V		0.22	2
AMB 10D	8/25/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 10D	8/25/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 10D	8/25/2015	CHROMIUM	10	ug/L	U				1	10
AMB 10D	8/25/2015	COBALT	2	ug/L	U				0.22	2
AMB 10D	8/25/2015	COPPER	1	ug/L	U				0.68	1
AMB 10D	8/25/2015	IRON	50	ug/L	U				33	50
AMB 10D	8/25/2015	LEAD	0.2	ug/L	J		21, V		0.17	3
AMB 10D	8/25/2015	MANGANESE	2	ug/L	U				0.88	2
AMB 10D	8/25/2015	NICKEL	5	ug/L	U				0.8	5
AMB 10D	8/25/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 10D	8/25/2015	SODIUM	8900	ug/L			V		24	50
AMB 10D	8/25/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 10D	8/25/2015	ZINC	10	ug/L	U				9.3	10
AMB 10D	8/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 10D	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10D	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 10D	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 10D	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10D	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 10D	8/25/2015	ACETONE	2	ug/L	U				0.34	2
AMB 10D	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 10D	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 10D	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 10D	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 10D	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 10D	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 10D	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 10D	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 10D	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 10D	8/25/2015	GROSS ALPHA	1.88	pCi/L	J		21	0.918	1.07	2.906
AMB 10D	8/25/2015	NONVOLATILE BETA	0.76	pCi/L	U			0.512	0.784	1.808
AMB 10D	8/25/2015	TOTAL ORGANIC HALOGENS	7.9	ug/L					1.8	5
AMB 10D	8/25/2015	RADIUM-226	0.638	pCi/L				0.196	0.189	0.581
AMB 10D	8/25/2015	RADIUM-228	0.09	pCi/L	U			0.189	0.323	0.701
AMB 10D	8/25/2015	CHLORIDE	3.7	mg/L					0.02	0.2
AMB 10D	8/25/2015	SULFATE	9.4	mg/L					0.05	0.5
AMB 10D	8/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 14D	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 14D	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 14D	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 14D	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 14D	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 14D	3/11/2015	ACETONE	2	ug/L	U				0.34	2
AMB 14D	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 14D	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 14D	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 14D	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 14D	3/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 14D	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 14D	3/11/2015	TRICHLOROETHYLENE (TCE)	4	ug/L					0.25	1
AMB 14D	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 14D	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 14D	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 14D	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 14D	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 14D	8/20/2015	ACETONE	2	ug/L	U				0.34	2
AMB 14D	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 14D	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 14D	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 14D	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 14D	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 14D	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 14D	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 14D	8/20/2015	TRICHLOROETHYLENE (TCE)	6	ug/L					0.25	1
AMB 15D	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 15D	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 15D	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 15D	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 15D	2/18/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
AMB 15D	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 15D	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 15D	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 15D	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 15D	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 15D	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 15D	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 15D	2/18/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.25	1
AMB 15D	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 15D	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 15D	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 15D	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 15D	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 15D	8/20/2015	ACETONE	2	ug/L	U				0.34	2
AMB 15D	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 15D	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 15D	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 15D	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 15D	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 15D	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 15D	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 15D	8/20/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J		21		0.25	1
AMB 16D	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 16D	2/18/2015	BARIUM	2.5	ug/L	J		21		2.1	50
AMB 16D	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 16D	2/18/2015	COPPER	25	ug/L	U				2.1	25
AMB 16D	2/18/2015	LEAD	1.8	ug/L	J		21		0.6	10
AMB 16D	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 16D	2/18/2015	ZINC	20	ug/L	U				8.3	20
AMB 16D	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 16D	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 16D	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 16D	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 16D	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 16D	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 16D	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 16D	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 16D	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 16D	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 16D	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 16D	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 16D	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 16D	2/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 16D	8/25/2015	NITRATE-NITRITE AS NITROGEN	0.92	mg/L					0.0047	0.05
AMB 16D	8/25/2015	ALUMINUM	46	ug/L			V		17	30
AMB 16D	8/25/2015	BARIUM	5.9	ug/L			V		0.22	2
AMB 16D	8/25/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 16D	8/25/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 16D	8/25/2015	CHROMIUM	10	ug/L	U				1	10
AMB 16D	8/25/2015	COBALT	0.47	ug/L	J		21		0.22	2
AMB 16D	8/25/2015	COPPER	1	ug/L	U				0.68	1
AMB 16D	8/25/2015	IRON	68	ug/L					33	50
AMB 16D	8/25/2015	LEAD	3	ug/L	U				0.17	3
AMB 16D	8/25/2015	MANGANESE	5.6	ug/L					0.88	2
AMB 16D	8/25/2015	NICKEL	5	ug/L	U				0.8	5
AMB 16D	8/25/2015	SELENIUM	1.9	ug/L	J		21		1.6	5
AMB 16D	8/25/2015	SODIUM	2900	ug/L			V		24	50
AMB 16D	8/25/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 16D	8/25/2015	ZINC	10	ug/L	U				9.3	10
AMB 16D	8/25/2015	MERCURY	0.063	ug/L	J		21		0.06	0.2
AMB 16D	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 16D	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 16D	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 16D	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 16D	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 16D	8/25/2015	ACETONE	2	ug/L	U				0.34	2
AMB 16D	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 16D	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 16D	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 16D	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 16D	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 16D	8/25/2015	TOLUENE	0.47	ug/L	J		21		0.07	1
AMB 16D	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 16D	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 16D	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 16D	8/25/2015	GROSS ALPHA	3.85	pCi/L	J		21	1.37	1.7	4.44
AMB 16D	8/25/2015	NONVOLATILE BETA	1.27	pCi/L	J		21	0.683	1.03	2.396
AMB 16D	8/25/2015	TOTAL ORGANIC HALOGENS	8.2	ug/L					1.8	5
AMB 16D	8/25/2015	RADIUM-226	1.31	pCi/L				0.284	0.267	0.835
AMB 16D	8/25/2015	RADIUM-228	0.411	pCi/L	U			0.269	0.418	0.956
AMB 16D	8/25/2015	CHLORIDE	2.3	mg/L					0.02	0.2
AMB 16D	8/25/2015	SULFATE	1	mg/L					0.05	0.5
AMB 16D	8/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 17A	2/18/2015	ALUMINUM	22	ug/L	J		21		22	200
AMB 17A	2/18/2015	BARIUM	48	ug/L	J		21		2.1	50
AMB 17A	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 17A	2/18/2015	COPPER	3	ug/L	J		21		2.1	25
AMB 17A	2/18/2015	LEAD	3.2	ug/L	J		21		0.6	10
AMB 17A	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 17A	2/18/2015	ZINC	20	ug/L	U				8.3	20
AMB 17A	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 17A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 17A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 17A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 17A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 17A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 17A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 17A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 17A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 17A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 17A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 17A	2/18/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
AMB 17A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 17A	2/18/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
AMB 17A	8/24/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.0094	0.1
AMB 17A	8/24/2015	ALUMINUM	75	ug/L			V		17	30
AMB 17A	8/24/2015	BARIUM	61	ug/L			V		0.22	2
AMB 17A	8/24/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
AMB 17A	8/24/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
AMB 17A	8/24/2015	CHROMIUM	10	ug/L	U				1	10
AMB 17A	8/24/2015	COBALT	2	ug/L	U				0.22	2
AMB 17A	8/24/2015	COPPER	0.91	ug/L	J		21		0.68	1
AMB 17A	8/24/2015	IRON	50	ug/L	U				33	50
AMB 17A	8/24/2015	LEAD	0.19	ug/L	J		21, V		0.17	3
AMB 17A	8/24/2015	MANGANESE	2	ug/L	U				0.88	2
AMB 17A	8/24/2015	NICKEL	5	ug/L	U				0.8	5
AMB 17A	8/24/2015	SELENIUM	5	ug/L	U				1.6	5
AMB 17A	8/24/2015	SODIUM	2400	ug/L			V		24	50
AMB 17A	8/24/2015	VANADIUM	10	ug/L	U				2.4	10
AMB 17A	8/24/2015	ZINC	10	ug/L	U				9.3	10
AMB 17A	8/24/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 17A	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 17A	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 17A	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 17A	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 17A	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AMB 17A	8/24/2015	ACETONE	2	ug/L	U				0.34	2
AMB 17A	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 17A	8/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 17A	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 17A	8/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 17A	8/24/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
AMB 17A	8/24/2015	TOLUENE	1	ug/L	U				0.07	1
AMB 17A	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 17A	8/24/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
AMB 17A	8/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
AMB 17A	8/24/2015	GROSS ALPHA	1.29	pCi/L	J		21	0.847	1.16	2.854
AMB 17A	8/24/2015	NONVOLATILE BETA	1.14	pCi/L	J		21	0.673	1.03	2.376
AMB 17A	8/24/2015	TOTAL ORGANIC HALOGENS	6.6	ug/L					1.8	5
AMB 17A	8/24/2015	RADIUM-226	0.594	pCi/L				0.18	0.148	0.508
AMB 17A	8/24/2015	RADIUM-228	0.268	pCi/L	U			0.243	0.393	0.879
AMB 17A	8/24/2015	CHLORIDE	2.2	mg/L					0.02	0.2
AMB 17A	8/24/2015	SULFATE	0.34	mg/L	J		21		0.05	0.5
AMB 17A	8/24/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
AMB 18A	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 18A	2/18/2015	BARIUM	4.1	ug/L	J		21		2.1	50
AMB 18A	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 18A	2/18/2015	COPPER	3.4	ug/L	J		21		2.1	25
AMB 18A	2/18/2015	LEAD	2.2	ug/L	J		21		0.6	10
AMB 18A	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 18A	2/18/2015	ZINC	20	ug/L	U				8.3	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18A	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 18A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 18A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 18A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 18A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 18A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 18A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 18A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 18A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 18A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 18A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	0.24	ug/L	J		21		0.09	1
AMB 18A	2/18/2015	TETRACHLOROETHYLENE (PCE)	0.59	ug/L	J		21		0.18	1
AMB 18A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 18A	2/18/2015	TRICHLOROETHYLENE (TCE)	4.1	ug/L					0.25	1
AMB 18A	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.682	mg/L					0.017	0.05
AMB 18A	8/19/2015	ALUMINUM	17.4	ug/L	J	J	21		15	50
AMB 18A	8/19/2015	BARIUM	3.84	ug/L					0.6	2
AMB 18A	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 18A	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 18A	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10
AMB 18A	8/19/2015	COBALT	0.248	ug/L	J	J	21		0.1	1
AMB 18A	8/19/2015	COPPER	0.376	ug/L	J	J	21		0.35	1
AMB 18A	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 18A	8/19/2015	LEAD	2	ug/L	U	U			0.5	2
AMB 18A	8/19/2015	MANGANESE	1.19	ug/L	J	J	21		1	5
AMB 18A	8/19/2015	NICKEL	2	ug/L	U	U			0.5	2
AMB 18A	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 18A	8/19/2015	SILVER	1	ug/L	U	U			0.2	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18A	8/19/2015	SODIUM	2690	ug/L					80	250
AMB 18A	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 18A	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 18A	8/19/2015	VANADIUM	6.36	ug/L	J	J	21		3	10
AMB 18A	8/19/2015	ZINC	10	ug/L	U	U			3.5	10
AMB 18A	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 18A	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 18A	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 18A	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18A	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 18A	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 18A	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 18A	8/19/2015	TETRACHLOROETHYLENE (PCE)	0.67	ug/L	J	J	21		0.3	1
AMB 18A	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	TRICHLOROETHYLENE (TCE)	5.5	ug/L					0.3	1
AMB 18A	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18A	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 18A	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 18A	8/19/2015	TOTAL ORGANIC HALOGENS	0.00712	mg/L	J	J	21		0.00333	0.01
AMB 18A	8/19/2015	CHLORIDE	2.63	mg/L					0.067	0.2
AMB 18A	8/19/2015	SULFATE	0.595	mg/L					0.133	0.4
AMB 18A	8/19/2015	TOTAL ORGANIC CARBON	0.355	mg/L	J	J	21		0.33	1
AMB 18A	8/19/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.33	1
AMB 18A	8/19/2015	TOTAL ORGANIC CARBON	0.347	mg/L	J	J	21		0.33	1
AMB 18A	8/19/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.33	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18A	8/19/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.33	1
AMB 18A	8/19/2015	GROSS ALPHA	0.775	pCi/L	U	U		1.39	2.54	5.32
AMB 18A	8/19/2015	NONVOLATILE BETA	30.2	pCi/L				4.04	3.55	11.6
AMB 18A	8/19/2015	RADIUM-226	1.24	pCi/L				0.379	0.35	1.11
AMB 18A	8/19/2015	RADIUM-228	0.562	pCi/L	J	J	21	0.325	0.486	1.14
AMB 18C	2/18/2015	ALUMINUM	23	ug/L	J		21		22	200
AMB 18C	2/18/2015	BARIUM	50	ug/L	U				2.1	50
AMB 18C	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 18C	2/18/2015	COPPER	11	ug/L	J		21		2.1	25
AMB 18C	2/18/2015	LEAD	4.2	ug/L	J		21		0.6	10
AMB 18C	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 18C	2/18/2015	ZINC	20	ug/L					8.3	20
AMB 18C	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 18C	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 18C	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 18C	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 18C	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 18C	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 18C	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 18C	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 18C	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 18C	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 18C	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 18C	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 18C	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 18C	2/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AMB 18C	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.482	mg/L					0.017	0.05
AMB 18C	8/19/2015	ALUMINUM	15.7	ug/L	J	J	21		15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18C	8/19/2015	BARIUM	2.37	ug/L					0.6	2
AMB 18C	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 18C	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 18C	8/19/2015	CHROMIUM	2.06	ug/L	J	J	21		2	10
AMB 18C	8/19/2015	COBALT	0.411	ug/L	J	J	21		0.1	1
AMB 18C	8/19/2015	COPPER	7.23	ug/L					0.35	1
AMB 18C	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 18C	8/19/2015	LEAD	1.38	ug/L	J	J	21		0.5	2
AMB 18C	8/19/2015	MANGANESE	5	ug/L	U	U			1	5
AMB 18C	8/19/2015	NICKEL	1.17	ug/L	J	J	21		0.5	2
AMB 18C	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 18C	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 18C	8/19/2015	SODIUM	5980	ug/L					80	250
AMB 18C	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 18C	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 18C	8/19/2015	VANADIUM	6	ug/L	J	J	21		3	10
AMB 18C	8/19/2015	ZINC	5.06	ug/L	J	J	21		3.5	10
AMB 18C	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 18C	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18C	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 18C	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 18C	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CHLOROFORM	0.35	ug/L	J	J	21		0.3	1
AMB 18C	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 18C	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 18C	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 18C	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 18C	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 18C	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18C	8/19/2015	TOTAL ORGANIC HALOGENS	0.00422	mg/L	J	J	21		0.00333	0.01
AMB 18C	8/19/2015	CHLORIDE	1.73	mg/L					0.067	0.2
AMB 18C	8/19/2015	SULFATE	3.95	mg/L					0.133	0.4
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	0.458	mg/L	J	J	21		0.33	1
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	0.495	mg/L	J	J	21		0.33	1
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	0.481	mg/L	J	J	21		0.33	1
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	0.519	mg/L	J	J	21		0.33	1
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	0.523	mg/L	J	J	21		0.33	1
AMB 18C	8/19/2015	GROSS ALPHA	0.526	pCi/L	U	U		1.37	2.66	5.4
AMB 18C	8/19/2015	NONVOLATILE BETA	-0.246	pCi/L	U	U		1.82	3.45	7.09
AMB 18C	8/19/2015	RADIUM-226	0.486	pCi/L	J	J	21	0.309	0.437	1.06
AMB 18C	8/19/2015	RADIUM-228	0.248	pCi/L	U	U		0.274	0.457	1.01
AMB 18C	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.52	mg/L					0.0047	0.05
AMB 18C	8/19/2015	ALUMINUM	29	ug/L	J	J	21		17	30
AMB 18C	8/19/2015	BARIUM	1.9	ug/L	J	J	21		0.22	2
AMB 18C	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
AMB 18C	8/19/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
AMB 18C	8/19/2015	CHROMIUM	2.1	ug/L	J	J	21		1	10
AMB 18C	8/19/2015	COBALT	0.56	ug/L	J	J	21		0.22	2
AMB 18C	8/19/2015	COPPER	7.7	ug/L					0.68	1
AMB 18C	8/19/2015	IRON	34	ug/L	J	J	21		33	50
AMB 18C	8/19/2015	LEAD	1.7	ug/L	J	J	21		0.17	3
AMB 18C	8/19/2015	MANGANESE	1.6	ug/L	J	J	21		0.88	2
AMB 18C	8/19/2015	NICKEL	1.2	ug/L	J	J	21		0.8	5
AMB 18C	8/19/2015	SELENIUM	5	ug/L	U	U			1.6	5
AMB 18C	8/19/2015	SILVER	2	ug/L	U	U			0.82	2
AMB 18C	8/19/2015	SODIUM	6200	ug/L			V		24	50
AMB 18C	8/19/2015	THALLIUM	2	ug/L	U	U			0.55	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18C	8/19/2015	TIN	2	ug/L	U	U			1.1	2
AMB 18C	8/19/2015	VANADIUM	10	ug/L	U	U			2.4	10
AMB 18C	8/19/2015	ZINC	10	ug/L	U	U			9.3	10
AMB 18C	8/19/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
AMB 18C	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
AMB 18C	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
AMB 18C	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
AMB 18C	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
AMB 18C	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
AMB 18C	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
AMB 18C	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
AMB 18C	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
AMB 18C	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
AMB 18C	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
AMB 18C	8/19/2015	ACETONE	2	ug/L	U	U			0.34	2
AMB 18C	8/19/2015	BENZENE	1	ug/L	U	U			0.06	1
AMB 18C	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
AMB 18C	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
AMB 18C	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
AMB 18C	8/19/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
AMB 18C	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
AMB 18C	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
AMB 18C	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
AMB 18C	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
AMB 18C	8/19/2015	CHLOROFORM	0.29	ug/L	J	J	21		0.1	1
AMB 18C	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
AMB 18C	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
AMB 18C	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 18C	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
AMB 18C	8/19/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
AMB 18C	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
AMB 18C	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
AMB 18C	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
AMB 18C	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
AMB 18C	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
AMB 18C	8/19/2015	TOLUENE	0.22	ug/L	J	J	21		0.07	1
AMB 18C	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
AMB 18C	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
AMB 18C	8/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
AMB 18C	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
AMB 18C	8/19/2015	XYLENES	3	ug/L	U	U			0.2	3
AMB 18C	8/19/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
AMB 18C	8/19/2015	GROSS ALPHA	0.752	pCi/L	U	U		0.685	1.05	2.42
AMB 18C	8/19/2015	NONVOLATILE BETA	0.732	pCi/L	U	U		0.549	0.86	1.958
AMB 18C	8/19/2015	TOTAL ORGANIC HALOGENS	6.4	ug/L					1.8	5
AMB 18C	8/19/2015	RADIUM-226	0.108	pCi/L	U	U		0.075	0.111	0.26
AMB 18C	8/19/2015	RADIUM-228	-0.00616	pCi/L	U	U		0.25	0.444	0.944
AMB 18C	8/19/2015	CHLORIDE	1.9	mg/L					0.02	0.2
AMB 18C	8/19/2015	SULFATE	3.9	mg/L					0.05	0.5
AMB 18C	8/19/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
AMB 19C	2/18/2015	ALUMINUM	200	ug/L	U				22	200
AMB 19C	2/18/2015	BARIUM	50	ug/L	U				2.1	50
AMB 19C	2/18/2015	CHROMIUM	10	ug/L	U				3.4	10
AMB 19C	2/18/2015	COPPER	2.7	ug/L	J		21		2.1	25
AMB 19C	2/18/2015	LEAD	2.3	ug/L	J		21		0.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 19C	2/18/2015	NICKEL	40	ug/L	U				2.6	40
AMB 19C	2/18/2015	ZINC	11	ug/L	J		21		8.3	20
AMB 19C	2/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
AMB 19C	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AMB 19C	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AMB 19C	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AMB 19C	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 19C	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AMB 19C	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AMB 19C	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AMB 19C	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AMB 19C	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AMB 19C	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AMB 19C	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AMB 19C	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AMB 19C	2/18/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.25	1
AMB 19C	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.399	mg/L					0.017	0.05
AMB 19C	8/19/2015	ALUMINUM	50	ug/L	U	U			15	50
AMB 19C	8/19/2015	BARIUM	1.03	ug/L	J	J	21		0.6	2
AMB 19C	8/19/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
AMB 19C	8/19/2015	CADMIUM	1	ug/L	U	U			0.11	1
AMB 19C	8/19/2015	CHROMIUM	10	ug/L	U	U			2	10
AMB 19C	8/19/2015	COBALT	1	ug/L	U	U			0.1	1
AMB 19C	8/19/2015	COPPER	0.405	ug/L	J	J	21		0.35	1
AMB 19C	8/19/2015	IRON	100	ug/L	U	U			33	100
AMB 19C	8/19/2015	LEAD	2	ug/L	U	U			0.5	2
AMB 19C	8/19/2015	MANGANESE	5	ug/L	U	U			1	5
AMB 19C	8/19/2015	NICKEL	0.894	ug/L	J	J	21		0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 19C	8/19/2015	SELENIUM	5	ug/L	U	U			1.5	5
AMB 19C	8/19/2015	SILVER	1	ug/L	U	U			0.2	1
AMB 19C	8/19/2015	SODIUM	8640	ug/L					80	250
AMB 19C	8/19/2015	THALLIUM	2	ug/L	U	U			0.45	2
AMB 19C	8/19/2015	TIN	5	ug/L	U	U			1	5
AMB 19C	8/19/2015	VANADIUM	5.74	ug/L	J	J	21		3	10
AMB 19C	8/19/2015	ZINC	10	ug/L	U	U			3.5	10
AMB 19C	8/19/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
AMB 19C	8/19/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
AMB 19C	8/19/2015	BENZENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
AMB 19C	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 19C	8/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
AMB 19C	8/19/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
AMB 19C	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
AMB 19C	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	TOLUENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
AMB 19C	8/19/2015	XYLENES	3	ug/L	U	U			0.3	3
AMB 19C	8/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
AMB 19C	8/19/2015	TOTAL ORGANIC HALOGENS	0.00418	mg/L	J	J	21		0.00333	0.01
AMB 19C	8/19/2015	CHLORIDE	2.5	mg/L					0.067	0.2
AMB 19C	8/19/2015	SULFATE	6.86	mg/L					0.133	0.4
AMB 19C	8/19/2015	TOTAL ORGANIC CARBON	0.418	mg/L	J	J	21		0.33	1
AMB 19C	8/19/2015	TOTAL ORGANIC CARBON	0.468	mg/L	J	J	21		0.33	1
AMB 19C	8/19/2015	TOTAL ORGANIC CARBON	0.5	mg/L	J	J	21		0.33	1
AMB 19C	8/19/2015	TOTAL ORGANIC CARBON	0.467	mg/L	J	J	21		0.33	1
AMB 19C	8/19/2015	TOTAL ORGANIC CARBON	0.487	mg/L	J	J	21		0.33	1
AMB 19C	8/19/2015	GROSS ALPHA	-0.648	pCi/L	U	U		1.2	2.97	5.37
AMB 19C	8/19/2015	NONVOLATILE BETA	4.05	pCi/L	J	J	21	2.13	3.15	7.41

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AMB 19C	8/19/2015	RADIUM-226	0.415	pCi/L	J	J	21	0.247	0.332	0.826
AMB 19C	8/19/2015	RADIUM-228	0.284	pCi/L	U	U		0.261	0.423	0.945
AOB 1	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AOB 1	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AOB 1	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AOB 1	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AOB 1	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
AOB 1	2/18/2015	ACETONE	2	ug/L	U				0.34	2
AOB 1	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AOB 1	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AOB 1	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AOB 1	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AOB 1	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AOB 1	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AOB 1	2/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AOB 1	8/18/2015	ALUMINUM	60.2	ug/L	J		21		40	400
AOB 1	8/18/2015	BARIUM	8.92	ug/L	J		21		2	20
AOB 1	8/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
AOB 1	8/18/2015	CADMIUM	1	ug/L	U				0.1	1
AOB 1	8/18/2015	CHROMIUM	100	ug/L	U				10	100
AOB 1	8/18/2015	COBALT	5	ug/L	U				0.5	5
AOB 1	8/18/2015	COPPER	0.712	ug/L	J		21		0.5	5
AOB 1	8/18/2015	IRON	81.8	ug/L	U		21, V		10	100
AOB 1	8/18/2015	LEAD	0.508	ug/L	J		21		0.5	5
AOB 1	8/18/2015	MANGANESE	6.66	ug/L	J		21		1	10
AOB 1	8/18/2015	NICKEL	0.534	ug/L	J		21		0.5	5
AOB 1	8/18/2015	SELENIUM	20	ug/L	U				2	20
AOB 1	8/18/2015	SODIUM	3570	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
AOB 1	8/18/2015	VANADIUM	50	ug/L	U				5	50
AOB 1	8/18/2015	ZINC	40	ug/L	U				4	40
AOB 1	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
AOB 1	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
AOB 1	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
AOB 1	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AOB 1	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
AOB 1	8/18/2015	ACETONE	2	ug/L	U				0.34	2
AOB 1	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
AOB 1	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
AOB 1	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
AOB 1	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
AOB 1	8/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
AOB 1	8/18/2015	TOLUENE	1	ug/L			S		0.07	1
AOB 1	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
AOB 1	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
AOB 1	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 1A	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 1A	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 1A	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 1A	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 1A	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 1A	10/20/2015	ACETONE	2	ug/L	U				0.34	2
ARP 1A	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 1A	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 1A	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 1A	10/20/2015	CIS-1,2-DICHLOROETHYLENE	2.9	ug/L					0.09	1
ARP 1A	10/20/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 1A	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 1A	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 1A	10/20/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
ARP 1A	10/20/2015	1,4-DIOXANE	300	ug/L					2.5	10
ARP 3DR	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 3DR	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 3DR	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 3DR	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 3DR	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ARP 3DR	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ARP 3DR	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 3DR	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 3DR	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 3DR	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 3DR	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ARP 3DR	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 3DR	2/18/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J		21		0.25	1
ARP 3DR	2/18/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
ARP 3DR	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 3DR	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 3DR	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 3DR	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 3DR	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 3DR	8/20/2015	ACETONE	2	ug/L	U				0.34	2
ARP 3DR	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 3DR	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 3DR	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 3DR	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 3DR	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ARP 3DR	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 3DR	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 3DR	8/20/2015	TRICHLOROETHYLENE (TCE)	0.54	ug/L	J		21		0.25	1
ARP 3DR	8/20/2015	1,4-DIOXANE	4	ug/L	J		21		1.2	5
ARP 4	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 4	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 4	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 4	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 4	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 4	8/20/2015	ACETONE	2	ug/L	U				0.34	2
ARP 4	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 4	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 4	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 4	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 4	8/20/2015	TETRACHLOROETHYLENE (PCE)	0.63	ug/L	J		21		0.18	1
ARP 4	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 4	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 4	8/20/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
ARP 4	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 12B1	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 12B1	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 12B1	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 12B1	9/28/2015	1,1-DICHLOROETHYLENE	0.57	ug/L	J		21		0.08	1
ARP 12B1	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 12B1	9/28/2015	ACETONE	2	ug/L	U				0.34	2
ARP 12B1	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 12B1	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 12B1	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 12B1	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J		21		0.09	1
ARP 12B1	9/28/2015	TETRACHLOROETHYLENE (PCE)	5.8	ug/L					0.18	1
ARP 12B1	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 12B1	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 12B1	9/28/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
ARP 12B1	9/28/2015	1,4-DIOXANE	5.3	ug/L					1.2	5
ARP 12C3	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 12C3	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 12C3	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 12C3	9/28/2015	1,1-DICHLOROETHYLENE	0.39	ug/L	J		21		0.08	1
ARP 12C3	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 12C3	9/28/2015	ACETONE	2	ug/L	U				0.34	2
ARP 12C3	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 12C3	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 12C3	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 12C3	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 12C3	9/28/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L					0.18	1
ARP 12C3	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 12C3	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 12C3	9/28/2015	TRICHLOROETHYLENE (TCE)	4.7	ug/L					0.25	1
ARP 12C3	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 13B1	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 13B1	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 13B1	9/24/2015	1,1-DICHLOROETHANE	0.21	ug/L	J		21		0.07	1
ARP 13B1	9/24/2015	1,1-DICHLOROETHYLENE	4.4	ug/L					0.08	1
ARP 13B1	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 13B1	9/24/2015	ACETONE	1.7	ug/L	J		21		0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 13B1	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 13B1	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 13B1	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 13B1	9/24/2015	CIS-1,2-DICHLOROETHYLENE	2.6	ug/L					0.09	1
ARP 13B1	9/24/2015	TETRACHLOROETHYLENE (PCE)	73	ug/L					0.9	5
ARP 13B1	9/24/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
ARP 13B1	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 13B1	9/24/2015	TRICHLOROETHYLENE (TCE)	33	ug/L					1.3	5
ARP 13B1	9/24/2015	1,4-DIOXANE	17	ug/L					1.2	5
ARP 13C1	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 13C1	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 13C1	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 13C1	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 13C1	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 13C1	9/24/2015	ACETONE	2	ug/L	U				0.34	2
ARP 13C1	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 13C1	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 13C1	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 13C1	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 13C1	9/24/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
ARP 13C1	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 13C1	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 13C1	9/24/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1
ARP 13C1	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 13C3	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 13C3	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 13C3	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 13C3	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 13C3	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 13C3	9/24/2015	ACETONE	3.3	ug/L					0.34	2
ARP 13C3	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 13C3	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 13C3	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 13C3	9/24/2015	CIS-1,2-DICHLOROETHYLENE	0.32	ug/L	J		21		0.09	1
ARP 13C3	9/24/2015	TETRACHLOROETHYLENE (PCE)	6.5	ug/L					0.18	1
ARP 13C3	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 13C3	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 13C3	9/24/2015	TRICHLOROETHYLENE (TCE)	8.5	ug/L					0.25	1
ARP 13C3	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 14B1	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 14B1	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 14B1	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 14B1	9/28/2015	1,1-DICHLOROETHYLENE	1.1	ug/L					0.08	1
ARP 14B1	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 14B1	9/28/2015	ACETONE	2	ug/L	U				0.34	2
ARP 14B1	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 14B1	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 14B1	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 14B1	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.8	ug/L	J		21		0.09	1
ARP 14B1	9/28/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
ARP 14B1	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 14B1	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 14B1	9/28/2015	TRICHLOROETHYLENE (TCE)	6	ug/L					0.25	1
ARP 14B1	9/28/2015	1,4-DIOXANE	9.7	ug/L					1.2	5
ARP 14C3	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 14C3	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 14C3	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 14C3	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 14C3	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 14C3	9/28/2015	ACETONE	2	ug/L	U				0.34	2
ARP 14C3	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 14C3	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 14C3	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 14C3	9/28/2015	CIS-1,2-DICHLOROETHYLENE	9	ug/L					0.09	1
ARP 14C3	9/28/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
ARP 14C3	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 14C3	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 14C3	9/28/2015	TRICHLOROETHYLENE (TCE)	34	ug/L					2.5	10
ARP 14C3	9/28/2015	1,4-DIOXANE	33	ug/L					1.2	5
ARP 15B1	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 15B1	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 15B1	9/28/2015	1,1-DICHLOROETHANE	0.39	ug/L	J		21		0.07	1
ARP 15B1	9/28/2015	1,1-DICHLOROETHYLENE	4.5	ug/L					0.08	1
ARP 15B1	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 15B1	9/28/2015	ACETONE	1.9	ug/L	J		21		0.34	2
ARP 15B1	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 15B1	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 15B1	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 15B1	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.86	ug/L	J		21		0.09	1
ARP 15B1	9/28/2015	TETRACHLOROETHYLENE (PCE)	42	ug/L					0.9	5
ARP 15B1	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 15B1	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 15B1	9/28/2015	TRICHLOROETHYLENE (TCE)	7.5	ug/L					0.25	1
ARP 15B1	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 15C3	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 15C3	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 15C3	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 15C3	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 15C3	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 15C3	9/28/2015	ACETONE	2.1	ug/L					0.34	2
ARP 15C3	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 15C3	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 15C3	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 15C3	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 15C3	9/28/2015	TETRACHLOROETHYLENE (PCE)	4.9	ug/L					0.18	1
ARP 15C3	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 15C3	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 15C3	9/28/2015	TRICHLOROETHYLENE (TCE)	3.3	ug/L					0.25	1
ARP 15C3	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 17B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 17B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17B	8/25/2015	1,1-DICHLOROETHYLENE	0.76	ug/L	J		21		0.08	1
ARP 17B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 17B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
ARP 17B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 17B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 17B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 17B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
ARP 17B	8/25/2015	TETRACHLOROETHYLENE (PCE)	26	ug/L					0.18	1
ARP 17B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 17B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 17B	8/25/2015	TRICHLOROETHYLENE (TCE)	73	ug/L					2.5	10
ARP 17B	8/25/2015	1,4-DIOXANE	33	ug/L					1.2	5
ARP 17C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 17C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 17C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
ARP 17C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 17C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 17C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 17C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	6.9	ug/L					0.09	1
ARP 17C	8/25/2015	TETRACHLOROETHYLENE (PCE)	4.6	ug/L					0.18	1
ARP 17C	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 17C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17C	8/25/2015	TRICHLOROETHYLENE (TCE)	36	ug/L					0.25	1
ARP 17C	8/25/2015	1,4-DIOXANE	87	ug/L					1.2	5
ARP 17TA1	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TA1	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 17TA1	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TA1	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TA1	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 17TA1	9/23/2015	ACETONE	2.6	ug/L					0.34	2
ARP 17TA1	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 17TA1	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 17TA1	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 17TA1	9/23/2015	CIS-1,2-DICHLOROETHYLENE	0.56	ug/L	J		21		0.09	1
ARP 17TA1	9/23/2015	TETRACHLOROETHYLENE (PCE)	4.1	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 17TA1	9/23/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 17TA1	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TA1	9/23/2015	TRICHLOROETHYLENE (TCE)	4.6	ug/L					0.25	1
ARP 17TA1	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 17TB1	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TB1	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 17TB1	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TB1	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TB1	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 17TB1	9/24/2015	ACETONE	7.4	ug/L					0.34	2
ARP 17TB1	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 17TB1	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 17TB1	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 17TB1	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 17TB1	9/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ARP 17TB1	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 17TB1	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TB1	9/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ARP 17TB1	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 17TC1	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TC1	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 17TC1	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 17TC1	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TC1	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 17TC1	9/24/2015	ACETONE	1.7	ug/L	J		21		0.34	2
ARP 17TC1	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 17TC1	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 17TC1	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 17TC1	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 17TC1	9/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ARP 17TC1	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 17TC1	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 17TC1	9/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ARP 17TC1	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 19DR	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 19DR	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 19DR	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 19DR	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 19DR	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 19DR	9/30/2015	ACETONE	2	ug/L	U				0.34	2
ARP 19DR	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 19DR	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 19DR	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 19DR	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ARP 19DR	9/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ARP 19DR	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 19DR	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 19DR	9/30/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ARP 19DR	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ARP 20C	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 20C	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 20C	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 20C	9/29/2015	1,1-DICHLOROETHYLENE	0.38	ug/L	J		21		0.08	1
ARP 20C	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 20C	9/29/2015	ACETONE	2	ug/L	U				0.34	2
ARP 20C	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 20C	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 20C	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 20C	9/29/2015	CIS-1,2-DICHLOROETHYLENE	0.16	ug/L	J		21		0.09	1
ARP 20C	9/29/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					0.18	1
ARP 20C	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 20C	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 20C	9/29/2015	TRICHLOROETHYLENE (TCE)	7.5	ug/L					0.25	1
ARP 20C	9/29/2015	1,4-DIOXANE	2.9	ug/L	J		21		1.2	5
ARP 21C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 21C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 21C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 21C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 21C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ARP 21C	8/27/2015	ACETONE	2	ug/L	U				0.34	2
ARP 21C	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 21C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 21C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 21C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	0.57	ug/L	J		21		0.09	1
ARP 21C	8/27/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J		21		0.18	1
ARP 21C	8/27/2015	TOLUENE	1	ug/L	U				0.07	1
ARP 21C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 21C	8/27/2015	TRICHLOROETHYLENE (TCE)	2.4	ug/L					0.25	1
ARP 21C	8/27/2015	1,4-DIOXANE	8.3	ug/L					1.2	5
ARP 22A	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ARP 22A	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ARP 22A	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ARP 22A	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 22A	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ARP 22A	8/19/2015	ACETONE	2	ug/L	U				0.34	2
ARP 22A	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ARP 22A	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ARP 22A	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ARP 22A	8/19/2015	CIS-1,2-DICHLOROETHYLENE	4	ug/L					0.09	1
ARP 22A	8/19/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
ARP 22A	8/19/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
ARP 22A	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ARP 22A	8/19/2015	TRICHLOROETHYLENE (TCE)	28	ug/L					0.25	1
ARP 22A	8/19/2015	1,4-DIOXANE	9.3	ug/L					1.2	5
ASB 2CR	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 2CR	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 2CR	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 2CR	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 2CR	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 2CR	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ASB 2CR	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 2CR	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 2CR	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 2CR	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 2CR	2/18/2015	TETRACHLOROETHYLENE (PCE)	0.38	ug/L	J		21		0.18	1
ASB 2CR	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 2CR	2/18/2015	TRICHLOROETHYLENE (TCE)	6.6	ug/L					0.25	1
ASB 2CR	10/14/2015	ALUMINUM	400	ug/L	U				40	400
ASB 2CR	10/14/2015	BARIUM	14.6	ug/L	J		21		2	20
ASB 2CR	10/14/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 2CR	10/14/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 2CR	10/14/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 2CR	10/14/2015	COBALT	5	ug/L	U				0.5	5
ASB 2CR	10/14/2015	COPPER	0.629	ug/L	J		21		0.5	5
ASB 2CR	10/14/2015	IRON	12.8	ug/L	U		21, V		10	100
ASB 2CR	10/14/2015	LEAD	5	ug/L	U				0.5	5
ASB 2CR	10/14/2015	MANGANESE	2.21	ug/L	J		21		1	10
ASB 2CR	10/14/2015	NICKEL	5	ug/L	U				0.5	5
ASB 2CR	10/14/2015	SELENIUM	20	ug/L	U				2	20
ASB 2CR	10/14/2015	SODIUM	8090	ug/L					20	200
ASB 2CR	10/14/2015	VANADIUM	50	ug/L	U				5	50
ASB 2CR	10/14/2015	ZINC	40	ug/L	U				4	40
ASB 2CR	10/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 2CR	10/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 2CR	10/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 2CR	10/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 2CR	10/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 2CR	10/14/2015	ACETONE	1.8	ug/L	J		21		0.34	2
ASB 2CR	10/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 2CR	10/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 2CR	10/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 2CR	10/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 2CR	10/14/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J		21		0.18	1
ASB 2CR	10/14/2015	TOLUENE	0.3	ug/L	J		21		0.07	1
ASB 2CR	10/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 2CR	10/14/2015	TRICHLOROETHYLENE (TCE)	8.3	ug/L					0.25	1
ASB 2CR	10/14/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 2CR	10/14/2015	SULFATE	1.6	mg/L					0.05	0.5
ASB 3AR	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3AR	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 3AR	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3AR	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3AR	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 3AR	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ASB 3AR	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 3AR	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 3AR	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 3AR	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 3AR	2/18/2015	TETRACHLOROETHYLENE (PCE)	0.47	ug/L	J		21		0.18	1
ASB 3AR	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3AR	2/18/2015	TRICHLOROETHYLENE (TCE)	3.9	ug/L					0.25	1
ASB 3AR	8/19/2015	ALUMINUM	1070	ug/L					40	400
ASB 3AR	8/19/2015	BARIUM	20	ug/L	U				2	20
ASB 3AR	8/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 3AR	8/19/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 3AR	8/19/2015	CHROMIUM	100	ug/L	U				10	100
ASB 3AR	8/19/2015	COBALT	5	ug/L	U				0.5	5
ASB 3AR	8/19/2015	COPPER	1.01	ug/L	J		21		0.5	5
ASB 3AR	8/19/2015	IRON	56.5	ug/L	U		21, V		10	100
ASB 3AR	8/19/2015	LEAD	5	ug/L	U				0.5	5
ASB 3AR	8/19/2015	MANGANESE	10	ug/L	U				1	10
ASB 3AR	8/19/2015	NICKEL	0.534	ug/L	J		21		0.5	5
ASB 3AR	8/19/2015	SELENIUM	20	ug/L	U				2	20
ASB 3AR	8/19/2015	SODIUM	6150	ug/L					20	200
ASB 3AR	8/19/2015	VANADIUM	50	ug/L	U				5	50
ASB 3AR	8/19/2015	ZINC	4.1	ug/L	J		21		4	40
ASB 3AR	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3AR	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 3AR	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3AR	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3AR	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 3AR	8/19/2015	ACETONE	2	ug/L	U				0.34	2
ASB 3AR	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 3AR	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 3AR	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 3AR	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 3AR	8/19/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
ASB 3AR	8/19/2015	TOLUENE	0.31	ug/L	J		21		0.07	1
ASB 3AR	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3AR	8/19/2015	TRICHLOROETHYLENE (TCE)	2.4	ug/L					0.25	1
ASB 3AR	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 3AR	8/19/2015	SULFATE	1.2	mg/L					0.05	0.5
ASB 3CR	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3CR	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 3CR	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3CR	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3CR	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 3CR	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ASB 3CR	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 3CR	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 3CR	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 3CR	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 3CR	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L					0.18	1
ASB 3CR	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3CR	2/18/2015	TRICHLOROETHYLENE (TCE)	5.7	ug/L					0.25	1
ASB 3CR	8/19/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 3CR	8/19/2015	BARIUM	111	ug/L					2	20
ASB 3CR	8/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 3CR	8/19/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 3CR	8/19/2015	CHROMIUM	100	ug/L	U				10	100
ASB 3CR	8/19/2015	COBALT	5	ug/L	U				0.5	5
ASB 3CR	8/19/2015	COPPER	5	ug/L	U				0.5	5
ASB 3CR	8/19/2015	IRON	32.8	ug/L	U		21, V		10	100
ASB 3CR	8/19/2015	LEAD	5	ug/L	U				0.5	5
ASB 3CR	8/19/2015	MANGANESE	10	ug/L	U				1	10
ASB 3CR	8/19/2015	NICKEL	5	ug/L	U				0.5	5
ASB 3CR	8/19/2015	SELENIUM	20	ug/L	U				2	20
ASB 3CR	8/19/2015	SODIUM	6720	ug/L					20	200
ASB 3CR	8/19/2015	VANADIUM	50	ug/L	U				5	50
ASB 3CR	8/19/2015	ZINC	40	ug/L	U				4	40
ASB 3CR	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3CR	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 3CR	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 3CR	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3CR	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 3CR	8/19/2015	ACETONE	3.9	ug/L					0.34	2
ASB 3CR	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 3CR	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 3CR	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 3CR	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 3CR	8/19/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
ASB 3CR	8/19/2015	TOLUENE	0.34	ug/L	J		21		0.07	1
ASB 3CR	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 3CR	8/19/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 3CR	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 3CR	8/19/2015	SULFATE	1.1	mg/L					0.05	0.5
ASB 5C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 5C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 5C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 5C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 5C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 5C	3/11/2015	ACETONE	2	ug/L	U				0.34	2
ASB 5C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 5C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 5C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 5C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
ASB 5C	3/11/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
ASB 5C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 5C	3/11/2015	TRICHLOROETHYLENE (TCE)	210	ug/L					2.5	10
ASB 5C	8/27/2015	ALUMINUM	134	ug/L	J		21		40	400
ASB 5C	8/27/2015	BARIUM	8.12	ug/L	J		21		2	20
ASB 5C	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 5C	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 5C	8/27/2015	CHROMIUM	100	ug/L	U				10	100
ASB 5C	8/27/2015	COBALT	5	ug/L	U				0.5	5
ASB 5C	8/27/2015	COPPER	1.54	ug/L	J		21		0.5	5
ASB 5C	8/27/2015	IRON	41.8	ug/L	U		21, V		10	100
ASB 5C	8/27/2015	LEAD	5	ug/L	U				0.5	5
ASB 5C	8/27/2015	MANGANESE	3.19	ug/L	J		21		1	10
ASB 5C	8/27/2015	NICKEL	5	ug/L	U				0.5	5
ASB 5C	8/27/2015	SELENIUM	20	ug/L	U				2	20
ASB 5C	8/27/2015	SODIUM	3810	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 5C	8/27/2015	VANADIUM	50	ug/L	U				5	50
ASB 5C	8/27/2015	ZINC	6.13	ug/L	J		21		4	40
ASB 5C	8/27/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
ASB 5C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
ASB 5C	8/27/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
ASB 5C	8/27/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
ASB 5C	8/27/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
ASB 5C	8/27/2015	ACETONE	27	ug/L					3.4	20
ASB 5C	8/27/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
ASB 5C	8/27/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
ASB 5C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
ASB 5C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	2.6	ug/L	J		21		0.9	10
ASB 5C	8/27/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					1.8	10
ASB 5C	8/27/2015	TOLUENE	10	ug/L	U				0.7	10
ASB 5C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
ASB 5C	8/27/2015	TRICHLOROETHYLENE (TCE)	210	ug/L					2.5	10
ASB 5C	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 5C	8/27/2015	SULFATE	0.24	mg/L	J		21		0.05	0.5
ASB 6AA	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6AA	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 6AA	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6AA	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6AA	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 6AA	3/11/2015	ACETONE	2	ug/L	U				0.34	2
ASB 6AA	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 6AA	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 6AA	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 6AA	3/11/2015	CIS-1,2-DICHLOROETHYLENE	0.68	ug/L	J		21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 6AA	3/11/2015	TETRACHLOROETHYLENE (PCE)	9.2	ug/L					0.18	1
ASB 6AA	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6AA	3/11/2015	TRICHLOROETHYLENE (TCE)	57	ug/L					1.3	5
ASB 6AA	5/21/2015	TETRACHLOROETHYLENE (PCE)	8.4	ug/L					0.18	1
ASB 6AA	5/21/2015	TRICHLOROETHYLENE (TCE)	60	ug/L					1.3	5
ASB 6AA	8/27/2015	ALUMINUM	1760	ug/L					40	400
ASB 6AA	8/27/2015	BARIUM	18.3	ug/L	J		21		2	20
ASB 6AA	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 6AA	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 6AA	8/27/2015	CHROMIUM	100	ug/L	U				10	100
ASB 6AA	8/27/2015	COBALT	5	ug/L	U				0.5	5
ASB 6AA	8/27/2015	COPPER	1.31	ug/L	J		21		0.5	5
ASB 6AA	8/27/2015	IRON	491	ug/L			V		10	100
ASB 6AA	8/27/2015	LEAD	1.39	ug/L	J		21		0.5	5
ASB 6AA	8/27/2015	MANGANESE	7.5	ug/L	J		21		1	10
ASB 6AA	8/27/2015	NICKEL	0.908	ug/L	J		21		0.5	5
ASB 6AA	8/27/2015	SELENIUM	20	ug/L	U				2	20
ASB 6AA	8/27/2015	SODIUM	2000	ug/L					20	200
ASB 6AA	8/27/2015	VANADIUM	50	ug/L	U				5	50
ASB 6AA	8/27/2015	ZINC	6.69	ug/L	J		21		4	40
ASB 6AA	8/27/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
ASB 6AA	8/27/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
ASB 6AA	8/27/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
ASB 6AA	8/27/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
ASB 6AA	8/27/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
ASB 6AA	8/27/2015	ACETONE	10	ug/L	U				1.7	10
ASB 6AA	8/27/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
ASB 6AA	8/27/2015	CHLOROBENZENE	5	ug/L	U				0.75	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 6AA	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
ASB 6AA	8/27/2015	CIS-1,2-DICHLOROETHYLENE	0.82	ug/L	J		21		0.45	5
ASB 6AA	8/27/2015	TETRACHLOROETHYLENE (PCE)	8.6	ug/L					0.9	5
ASB 6AA	8/27/2015	TOLUENE	5	ug/L	U				0.35	5
ASB 6AA	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
ASB 6AA	8/27/2015	TRICHLOROETHYLENE (TCE)	59	ug/L					1.3	5
ASB 6AA	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 6AA	8/27/2015	SULFATE	0.55	mg/L					0.05	0.5
ASB 6AA	12/7/2015	TETRACHLOROETHYLENE (PCE)	6.8	ug/L					0.18	1
ASB 6AA	12/7/2015	TRICHLOROETHYLENE (TCE)	54	ug/L					1.3	5
ASB 6C	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6C	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 6C	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6C	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6C	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 6C	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ASB 6C	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 6C	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 6C	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 6C	2/18/2015	CIS-1,2-DICHLOROETHYLENE	0.74	ug/L	J		21		0.09	1
ASB 6C	2/18/2015	TETRACHLOROETHYLENE (PCE)	3.6	ug/L					0.18	1
ASB 6C	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6C	2/18/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					2.5	10
ASB 6C	8/19/2015	ALUMINUM	82.6	ug/L	J		21		40	400
ASB 6C	8/19/2015	BARIUM	60	ug/L					2	20
ASB 6C	8/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 6C	8/19/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 6C	8/19/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 6C	8/19/2015	COBALT	5	ug/L	U				0.5	5
ASB 6C	8/19/2015	COPPER	22.7	ug/L					0.5	5
ASB 6C	8/19/2015	IRON	47	ug/L	U		21, V		10	100
ASB 6C	8/19/2015	LEAD	0.528	ug/L	J		21		0.5	5
ASB 6C	8/19/2015	MANGANESE	7.06	ug/L	J		21		1	10
ASB 6C	8/19/2015	NICKEL	1.18	ug/L	J		21		0.5	5
ASB 6C	8/19/2015	SELENIUM	20	ug/L	U				2	20
ASB 6C	8/19/2015	SODIUM	5210	ug/L					20	200
ASB 6C	8/19/2015	VANADIUM	50	ug/L	U				5	50
ASB 6C	8/19/2015	ZINC	59.8	ug/L					4	40
ASB 6C	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6C	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 6C	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6C	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6C	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 6C	8/19/2015	ACETONE	2.3	ug/L					0.34	2
ASB 6C	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 6C	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 6C	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 6C	8/19/2015	CIS-1,2-DICHLOROETHYLENE	0.66	ug/L	J		21		0.09	1
ASB 6C	8/19/2015	TETRACHLOROETHYLENE (PCE)	3.5	ug/L					0.18	1
ASB 6C	8/19/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 6C	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6C	8/19/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					2.5	10
ASB 6C	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 6C	8/19/2015	SULFATE	0.36	mg/L	J		21		0.05	0.5
ASB 6TA	2/17/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
ASB 6TA	2/17/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					2.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 6TA	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6TA	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 6TA	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6TA	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6TA	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 6TA	2/23/2015	ACETONE	2	ug/L	U				0.34	2
ASB 6TA	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 6TA	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 6TA	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 6TA	2/23/2015	CIS-1,2-DICHLOROETHYLENE	0.78	ug/L	J		21		0.09	1
ASB 6TA	2/23/2015	TETRACHLOROETHYLENE (PCE)	4.4	ug/L					0.18	1
ASB 6TA	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6TA	2/23/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					1.3	5
ASB 6TA	5/21/2015	TETRACHLOROETHYLENE (PCE)	4.5	ug/L					0.18	1
ASB 6TA	5/21/2015	TRICHLOROETHYLENE (TCE)	97	ug/L					1.3	5
ASB 6TA	8/19/2015	ALUMINUM	87.4	ug/L	J		21		40	400
ASB 6TA	8/19/2015	BARIUM	15.4	ug/L	J		21		2	20
ASB 6TA	8/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 6TA	8/19/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 6TA	8/19/2015	CHROMIUM	100	ug/L	U				10	100
ASB 6TA	8/19/2015	COBALT	5	ug/L	U				0.5	5
ASB 6TA	8/19/2015	COPPER	0.502	ug/L	J		21		0.5	5
ASB 6TA	8/19/2015	IRON	90.9	ug/L	U		21, V		10	100
ASB 6TA	8/19/2015	LEAD	5	ug/L	U				0.5	5
ASB 6TA	8/19/2015	MANGANESE	10	ug/L	U				1	10
ASB 6TA	8/19/2015	NICKEL	5	ug/L	U				0.5	5
ASB 6TA	8/19/2015	SELENIUM	20	ug/L	U				2	20
ASB 6TA	8/19/2015	SODIUM	2540	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 6TA	8/19/2015	VANADIUM	50	ug/L	U				5	50
ASB 6TA	8/19/2015	ZINC	9.07	ug/L	J		21		4	40
ASB 6TA	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6TA	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 6TA	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 6TA	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6TA	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 6TA	8/19/2015	ACETONE	2	ug/L	U				0.34	2
ASB 6TA	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 6TA	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 6TA	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 6TA	8/19/2015	CIS-1,2-DICHLOROETHYLENE	0.72	ug/L	J		21		0.09	1
ASB 6TA	8/19/2015	TETRACHLOROETHYLENE (PCE)	4.3	ug/L					0.18	1
ASB 6TA	8/19/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 6TA	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 6TA	8/19/2015	TRICHLOROETHYLENE (TCE)	89	ug/L					2.5	10
ASB 6TA	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 6TA	9/23/2015	TETRACHLOROETHYLENE (PCE)	4.06	ug/L					0.3	1
ASB 6TA	9/23/2015	TRICHLOROETHYLENE (TCE)	88.3	ug/L					0.3	1
ASB 6TA	12/7/2015	TETRACHLOROETHYLENE (PCE)	3.7	ug/L					0.18	1
ASB 6TA	12/7/2015	TRICHLOROETHYLENE (TCE)	83	ug/L					2.5	10
ASB 8	8/20/2015	ALUMINUM	155	ug/L	J		21		40	400
ASB 8	8/20/2015	BARIUM	20	ug/L	U				2	20
ASB 8	8/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 8	8/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 8	8/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 8	8/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 8	8/20/2015	COPPER	3.4	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8	8/20/2015	IRON	42.7	ug/L	U		21, V		10	100
ASB 8	8/20/2015	LEAD	1.1	ug/L	J		21		0.5	5
ASB 8	8/20/2015	MANGANESE	1.04	ug/L	J		21		1	10
ASB 8	8/20/2015	NICKEL	0.902	ug/L	J		21		0.5	5
ASB 8	8/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 8	8/20/2015	SODIUM	4170	ug/L					20	200
ASB 8	8/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 8	8/20/2015	ZINC	9.18	ug/L	J		21		4	40
ASB 8	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 8	8/20/2015	ACETONE	5.1	ug/L					0.34	2
ASB 8	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 8	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8	8/20/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
ASB 8	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 8	8/20/2015	SULFATE	0.85	mg/L					0.05	0.5
ASB 8A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 8A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8A	2/18/2015	TETRACHLOROETHYLENE (PCE)	3.2	ug/L					0.18	1
ASB 8A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8A	2/18/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
ASB 8A	8/19/2015	ALUMINUM	53.1	ug/L	J		21		40	400
ASB 8A	8/19/2015	BARIUM	10.3	ug/L	J		21		2	20
ASB 8A	8/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 8A	8/19/2015	CADMIUM	0.192	ug/L	J		21		0.1	1
ASB 8A	8/19/2015	CHROMIUM	100	ug/L	U				10	100
ASB 8A	8/19/2015	COBALT	5	ug/L	U				0.5	5
ASB 8A	8/19/2015	COPPER	1.32	ug/L	J		21		0.5	5
ASB 8A	8/19/2015	IRON	55.5	ug/L	U		21, V		10	100
ASB 8A	8/19/2015	LEAD	0.654	ug/L	J		21		0.5	5
ASB 8A	8/19/2015	MANGANESE	4.11	ug/L	J		21		1	10
ASB 8A	8/19/2015	NICKEL	2.91	ug/L	J		21		0.5	5
ASB 8A	8/19/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8A	8/19/2015	SODIUM	1500	ug/L					20	200
ASB 8A	8/19/2015	VANADIUM	50	ug/L	U				5	50
ASB 8A	8/19/2015	ZINC	20.2	ug/L	J		21		4	40
ASB 8A	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8A	8/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8A	8/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8A	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8A	8/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 8A	8/19/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8A	8/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8A	8/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8A	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8A	8/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8A	8/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8A	8/19/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
ASB 8A	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8A	8/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 8A	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 8A	8/19/2015	SULFATE	0.22	mg/L	J		21		0.05	0.5
ASB 8B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 8B	2/23/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
ASB 8B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8B	2/23/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.25	1
ASB 8B	8/20/2015	ALUMINUM	74.3	ug/L	J		21		40	400
ASB 8B	8/20/2015	BARIUM	3.44	ug/L	J		21		2	20
ASB 8B	8/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 8B	8/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 8B	8/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 8B	8/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 8B	8/20/2015	COPPER	0.611	ug/L	J		21		0.5	5
ASB 8B	8/20/2015	IRON	21.9	ug/L	U		21, V		10	100
ASB 8B	8/20/2015	LEAD	5	ug/L	U				0.5	5
ASB 8B	8/20/2015	MANGANESE	1.45	ug/L	J		21		1	10
ASB 8B	8/20/2015	NICKEL	5	ug/L	U				0.5	5
ASB 8B	8/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 8B	8/20/2015	SODIUM	1330	ug/L					20	200
ASB 8B	8/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 8B	8/20/2015	ZINC	13.5	ug/L	J		21		4	40
ASB 8B	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8B	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8B	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8B	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8B	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 8B	8/20/2015	ACETONE	5.3	ug/L					0.34	2
ASB 8B	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8B	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8B	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8B	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8B	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8B	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 8B	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8B	8/20/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
ASB 8B	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 8B	8/20/2015	SULFATE	0.28	mg/L	J		21		0.05	0.5
ASB 8C	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8C	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8C	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8C	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8C	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 8C	3/30/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8C	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8C	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8C	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8C	3/30/2015	CIS-1,2-DICHLOROETHYLENE	7.1	ug/L					0.09	1
ASB 8C	3/30/2015	TETRACHLOROETHYLENE (PCE)	7.5	ug/L					0.18	1
ASB 8C	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8C	3/30/2015	TRICHLOROETHYLENE (TCE)	890	ug/L					13	50
ASB 8C	3/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
ASB 8C	8/24/2015	ALUMINUM	400	ug/L	U				40	400
ASB 8C	8/24/2015	BARIUM	6.17	ug/L	J		21		2	20
ASB 8C	8/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 8C	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 8C	8/24/2015	CHROMIUM	100	ug/L	U				10	100
ASB 8C	8/24/2015	COBALT	5	ug/L	U				0.5	5
ASB 8C	8/24/2015	COPPER	2.07	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8C	8/24/2015	IRON	25.4	ug/L	U		21, V		10	100
ASB 8C	8/24/2015	LEAD	5	ug/L	U				0.5	5
ASB 8C	8/24/2015	MANGANESE	2.03	ug/L	J		21		1	10
ASB 8C	8/24/2015	NICKEL	0.544	ug/L	J		21		0.5	5
ASB 8C	8/24/2015	SELENIUM	20	ug/L	U				2	20
ASB 8C	8/24/2015	SODIUM	4240	ug/L					20	200
ASB 8C	8/24/2015	VANADIUM	15.5	ug/L	J		21		5	50
ASB 8C	8/24/2015	ZINC	6.01	ug/L	J		21		4	40
ASB 8C	8/24/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
ASB 8C	8/24/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
ASB 8C	8/24/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
ASB 8C	8/24/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
ASB 8C	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
ASB 8C	8/24/2015	ACETONE	20	ug/L	U				3.4	20
ASB 8C	8/24/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
ASB 8C	8/24/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
ASB 8C	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
ASB 8C	8/24/2015	CIS-1,2-DICHLOROETHYLENE	8.3	ug/L	J		21		0.9	10
ASB 8C	8/24/2015	TETRACHLOROETHYLENE (PCE)	9.2	ug/L	J		21		1.8	10
ASB 8C	8/24/2015	TOLUENE	10	ug/L	U				0.7	10
ASB 8C	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
ASB 8C	8/24/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					25	100
ASB 8C	8/24/2015	1,4-DIOXANE	1.3	ug/L	J		21		1.2	5
ASB 8C	8/24/2015	SULFATE	0.27	mg/L	J		21		0.05	0.5
ASB 8TA	2/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8TA	2/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 8TA	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8TA	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8TA	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8TA	2/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8TA	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 8TA	2/19/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8TA	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8TA	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8TA	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8TA	2/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8TA	2/19/2015	TETRACHLOROETHYLENE (PCE)	0.27	ug/L	J		21		0.18	1
ASB 8TA	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8TA	2/19/2015	TRICHLOROETHYLENE (TCE)	0.95	ug/L	J		21		0.25	1
ASB 8TA	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8TA	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 8TA	8/20/2015	ALUMINUM	1470	ug/L					40	400
ASB 8TA	8/20/2015	BARIUM	4.19	ug/L	J		21		2	20
ASB 8TA	8/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 8TA	8/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 8TA	8/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 8TA	8/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 8TA	8/20/2015	COPPER	3.18	ug/L	J		21		0.5	5
ASB 8TA	8/20/2015	IRON	11800	ug/L			V		10	100
ASB 8TA	8/20/2015	LEAD	3.31	ug/L	J		21		0.5	5
ASB 8TA	8/20/2015	MANGANESE	74.9	ug/L					1	10
ASB 8TA	8/20/2015	NICKEL	1.62	ug/L	J		21		0.5	5
ASB 8TA	8/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 8TA	8/20/2015	SODIUM	2080	ug/L					20	200
ASB 8TA	8/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 8TA	8/20/2015	ZINC	18.6	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 8TA	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8TA	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 8TA	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 8TA	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8TA	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 8TA	8/20/2015	ACETONE	2	ug/L	U				0.34	2
ASB 8TA	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 8TA	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 8TA	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 8TA	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 8TA	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8TA	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 8TA	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 8TA	8/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 8TA	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 8TA	9/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
ASB 8TA	9/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
ASB 8TA	12/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ASB 8TA	12/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 9B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 9B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 9B	2/23/2015	ACETONE	2	ug/L	U				0.34	2
ASB 9B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 9B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 9B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 9B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 9B	2/23/2015	TETRACHLOROETHYLENE (PCE)	0.28	ug/L	J		21		0.18	1
ASB 9B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9B	2/23/2015	TRICHLOROETHYLENE (TCE)	0.48	ug/L	J		21		0.25	1
ASB 9B	8/20/2015	ALUMINUM	94	ug/L	J		21		40	400
ASB 9B	8/20/2015	BARIUM	68.9	ug/L					2	20
ASB 9B	8/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 9B	8/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 9B	8/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 9B	8/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 9B	8/20/2015	COPPER	5.53	ug/L					0.5	5
ASB 9B	8/20/2015	IRON	34.5	ug/L	U		21, V		10	100
ASB 9B	8/20/2015	LEAD	11.8	ug/L					0.5	5
ASB 9B	8/20/2015	MANGANESE	2.47	ug/L	J		21		1	10
ASB 9B	8/20/2015	NICKEL	5	ug/L	U				0.5	5
ASB 9B	8/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 9B	8/20/2015	SODIUM	3190	ug/L					20	200
ASB 9B	8/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 9B	8/20/2015	ZINC	4.35	ug/L	J		21		4	40
ASB 9B	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9B	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 9B	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9B	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9B	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 9B	8/20/2015	ACETONE	2.9	ug/L					0.34	2
ASB 9B	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 9B	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 9B	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 9B	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 9B	8/20/2015	TETRACHLOROETHYLENE (PCE)	0.36	ug/L	J		21		0.18	1
ASB 9B	8/20/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
ASB 9B	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9B	8/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ASB 9B	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 9B	8/20/2015	SULFATE	0.48	mg/L	J		21		0.05	0.5
ASB 9C	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 9C	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9C	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9C	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
ASB 9C	2/23/2015	ACETONE	2	ug/L	U				0.34	2
ASB 9C	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 9C	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 9C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 9C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 9C	2/23/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
ASB 9C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9C	2/23/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
ASB 9C	8/20/2015	ALUMINUM	400	ug/L	U				40	400
ASB 9C	8/20/2015	BARIUM	11.5	ug/L	J		21		2	20
ASB 9C	8/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 9C	8/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 9C	8/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 9C	8/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 9C	8/20/2015	COPPER	0.868	ug/L	J		21		0.5	5
ASB 9C	8/20/2015	IRON	21.9	ug/L	U		21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 9C	8/20/2015	LEAD	5	ug/L	U				0.5	5
ASB 9C	8/20/2015	MANGANESE	1.59	ug/L	J		21		1	10
ASB 9C	8/20/2015	NICKEL	5	ug/L	U				0.5	5
ASB 9C	8/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 9C	8/20/2015	SODIUM	2440	ug/L					20	200
ASB 9C	8/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 9C	8/20/2015	ZINC	40	ug/L	U				4	40
ASB 9C	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9C	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 9C	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 9C	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9C	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB 9C	8/20/2015	ACETONE	8.6	ug/L					0.34	2
ASB 9C	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 9C	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 9C	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 9C	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 9C	8/20/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
ASB 9C	8/20/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
ASB 9C	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 9C	8/20/2015	TRICHLOROETHYLENE (TCE)	0.7	ug/L	J		21		0.25	1
ASB 9C	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 9C	8/20/2015	SULFATE	0.16	mg/L	J		21		0.05	0.5
ASB 10CR	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 10CR	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 10CR	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 10CR	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 10CR	3/23/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 10CR	3/23/2015	ACETONE	2	ug/L	U				0.34	2
ASB 10CR	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 10CR	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 10CR	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 10CR	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 10CR	3/23/2015	TETRACHLOROETHYLENE (PCE)	0.4	ug/L	J		21		0.18	1
ASB 10CR	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 10CR	3/23/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
ASB 10CR	10/20/2015	ALUMINUM	400	ug/L	U				40	400
ASB 10CR	10/20/2015	BARIUM	8.4	ug/L	J		21		2	20
ASB 10CR	10/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
ASB 10CR	10/20/2015	CADMIUM	1	ug/L	U				0.1	1
ASB 10CR	10/20/2015	CHROMIUM	100	ug/L	U				10	100
ASB 10CR	10/20/2015	COBALT	5	ug/L	U				0.5	5
ASB 10CR	10/20/2015	COPPER	3.86	ug/L	J		21		0.5	5
ASB 10CR	10/20/2015	IRON	26.3	ug/L	U		21, V		10	100
ASB 10CR	10/20/2015	LEAD	5	ug/L	U				0.5	5
ASB 10CR	10/20/2015	MANGANESE	10	ug/L	U				1	10
ASB 10CR	10/20/2015	NICKEL	5	ug/L	U				0.5	5
ASB 10CR	10/20/2015	SELENIUM	20	ug/L	U				2	20
ASB 10CR	10/20/2015	SODIUM	5370	ug/L					20	200
ASB 10CR	10/20/2015	VANADIUM	50	ug/L	U				5	50
ASB 10CR	10/20/2015	ZINC	6.52	ug/L	J		21		4	40
ASB 10CR	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB 10CR	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
ASB 10CR	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB 10CR	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 10CR	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB 10CR	10/20/2015	ACETONE	2.3	ug/L					0.34	2
ASB 10CR	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
ASB 10CR	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB 10CR	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
ASB 10CR	10/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB 10CR	10/20/2015	TETRACHLOROETHYLENE (PCE)	0.38	ug/L	J		21		0.18	1
ASB 10CR	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
ASB 10CR	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB 10CR	10/20/2015	TRICHLOROETHYLENE (TCE)	14	ug/L					0.25	1
ASB 10CR	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
ASB 10CR	10/20/2015	SULFATE	0.49	mg/L	J		21		0.05	0.5
ASB002B	8/18/2015	NITRATE-NITRITE AS NITROGEN	0.821	mg/L					0.017	0.05
ASB002B	8/18/2015	TOTAL PHOSPHATES (AS P)	0.0353	mg/L	J		21		0.017	0.05
ASB002B	8/18/2015	ALUMINUM	1340	ug/L					15	50
ASB002B	8/18/2015	ANTIMONY	3	ug/L	U				1	3
ASB002B	8/18/2015	ARSENIC	1.99	ug/L	J		21		1.7	5
ASB002B	8/18/2015	BARIUM	9.89	ug/L					0.6	2
ASB002B	8/18/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
ASB002B	8/18/2015	BORON	17.4	ug/L					4	15
ASB002B	8/18/2015	CADMIUM	1	ug/L	U				0.11	1
ASB002B	8/18/2015	CHROMIUM	5.52	ug/L	J		21		2	10
ASB002B	8/18/2015	COBALT	1.34	ug/L					0.1	1
ASB002B	8/18/2015	COPPER	0.98	ug/L	J		21		0.35	1
ASB002B	8/18/2015	IRON	1860	ug/L					33	100
ASB002B	8/18/2015	LEAD	1.25	ug/L	J		21		0.5	2
ASB002B	8/18/2015	MAGNESIUM	604	ug/L					10	30
ASB002B	8/18/2015	MANGANESE	19.6	ug/L					1	5
ASB002B	8/18/2015	NICKEL	1.36	ug/L	J		21		0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB002B	8/18/2015	SELENIUM	5	ug/L	U				1.5	5
ASB002B	8/18/2015	SILVER	1	ug/L	U				0.2	1
ASB002B	8/18/2015	THALLIUM	2	ug/L	U				0.45	2
ASB002B	8/18/2015	TIN	5	ug/L	U				1	5
ASB002B	8/18/2015	URANIUM	0.571	ug/L					0.067	0.2
ASB002B	8/18/2015	VANADIUM	4.78	ug/L	U		21, V		3	10
ASB002B	8/18/2015	ZINC	4.13	ug/L	J		21		3.5	10
ASB002B	8/18/2015	MERCURY	0.2	ug/L	U				0.067	0.2
ASB002B	8/18/2015	ALDRIN	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	ALPHA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	DDD	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	DDE	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	DDT	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	DIELDRIN	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	ENDOSULFAN I	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	ENDOSULFAN II	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	ENDOSULFAN SULFATE	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	ENDRIN	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	ENDRIN ALDEHYDE	0.04	ug/L	U				0.00665	0.04
ASB002B	8/18/2015	ENDRIN KETONE	0.04	ug/L	U				0.01	0.04
ASB002B	8/18/2015	GAMMA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	HEPTACHLOR	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
ASB002B	8/18/2015	METHOXYCHLOR	0.2	ug/L	U				0.05	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB002B	8/18/2015	TOTAL CHLORDANE	0.25	ug/L	U				0.0765	0.25
ASB002B	8/18/2015	TOXAPHENE	0.5	ug/L	U				0.15	0.5
ASB002B	8/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
ASB002B	8/18/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
ASB002B	8/18/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
ASB002B	8/18/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
ASB002B	8/18/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
ASB002B	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	1,4-DIOXANE	50	ug/L	U				15	50
ASB002B	8/18/2015	2-HEXANONE	5	ug/L	U				1.5	5
ASB002B	8/18/2015	ACETONE	5	ug/L	U				1.5	5
ASB002B	8/18/2015	BENZENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
ASB002B	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB002B	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
ASB002B	8/18/2015	CHLOROFORM	0.39	ug/L	J		21		0.3	1
ASB002B	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
ASB002B	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
ASB002B	8/18/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
ASB002B	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
ASB002B	8/18/2015	TETRACHLOROETHYLENE (PCE)	1.49	ug/L					0.3	1
ASB002B	8/18/2015	TOLUENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	TRICHLOROETHYLENE (TCE)	13.1	ug/L					0.3	1
ASB002B	8/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
ASB002B	8/18/2015	XYLENES	3	ug/L	U				0.3	3
ASB002B	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
ASB002B	8/18/2015	PHENOL	10	ug/L	U				3	10
ASB002B	8/18/2015	CYANIDE	5	ug/L	U				1.67	5
ASB002B	8/18/2015	FLUORIDE	0.1	mg/L	U				0.033	0.1
ASB002B	8/18/2015	SULFATE	2.69	mg/L					0.133	0.4
ASB002B	8/18/2015	GROSS ALPHA	4.14	pCi/L	J		21	2.18	2.86	7.22
ASB002B	8/18/2015	NONVOLATILE BETA	2.72	pCi/L	J		21	1.43	2.02	4.88
ASB002B	8/18/2015	TRITIUM	0.272	pCi/mL	U			0.365	0.62	1.35
ASB002B	8/18/2015	RADIUM-226	1.39	pCi/L	J		21	0.553	0.606	1.71
ASB002B	8/18/2015	RADIUM, TOTAL ALPHA-EMITTING	1.13	pCi/L	U			0.965	1.47	3.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ASB002B	8/18/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
ASB002B	12/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
ASB002B	12/3/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
ASB002B	12/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
ASB002B	12/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB002B	12/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
ASB002B	12/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
ASB002B	12/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
ASB002B	12/3/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
ASB002B	12/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
ASB002B	12/3/2015	TRICHLOROETHYLENE (TCE)	4.4	ug/L					0.25	1
ASB002B	12/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
BGO 1D	1/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 1D	1/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 1D	1/20/2015	BARIUM	8.31	ug/L	J				2	20
BGO 1D	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 1D	1/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 1D	1/20/2015	COBALT	0.5	ug/L	J				0.5	5
BGO 1D	1/20/2015	COPPER	1.49	ug/L	J				0.5	5
BGO 1D	1/20/2015	LEAD	0.836	ug/L	J				0.5	5
BGO 1D	1/20/2015	NICKEL	5	ug/L	U				0.5	5
BGO 1D	1/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 1D	1/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 1D	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 1D	1/20/2015	TIN	10	ug/L	U				1	10
BGO 1D	1/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 1D	1/20/2015	ZINC	40	ug/L	U				4	40
BGO 1D	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 1D	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 1D	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 1D	1/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 1D	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 1D	1/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 1D	1/20/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 1D	1/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 1D	1/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 1D	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 1D	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 1D	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 1D	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 1D	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 1D	1/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 1D	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 1D	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 1D	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 1D	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 1D	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 1D	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 1D	1/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 1D	1/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 1D	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.11	pCi/L				0.264	0.248	0.776
BGO 1D	1/20/2015	RADIUM-226	0.71	pCi/L				0.107	0.064	0.2779
BGO 1D	1/20/2015	URANIUM-233/234	0.04	pCi/L	U			0.066	0.115	0.247
BGO 1D	1/20/2015	URANIUM-235	0.0282	pCi/L	U			0.0566	0.0764	0.19
BGO 1D	1/20/2015	URANIUM-238	0.0342	pCi/L	U			0.0667	0.137	0.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	1/20/2015	GROSS ALPHA	2.72	pCi/L	J		21	2.18	2.19	6.54
BGO 1D	1/20/2015	NONVOLATILE BETA	4.01	pCi/L	J		21	2.87	3.98	9.73
BGO 1D	1/20/2015	STRONTIUM-90	1.14	pCi/L	U			1.85	3.11	6.81
BGO 1D	1/20/2015	CARBON-14	-0.152	pCi/L	U			4.12	6.92	15.2
BGO 1D	1/20/2015	TECHNETIUM-99	1.56	pCi/L	U			2.55	4.22	9.33
BGO 1D	1/20/2015	TRITIUM	6.07	pCi/mL				0.543	0.482	1.57
BGO 1D	1/20/2015	IODINE-129	0.141	pCi/L	U			0.633	0.953	2.22
BGO 1D	7/13/2015	ETHANE	0.0043	ug/L	J		21		0.002	0.1
BGO 1D	7/13/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
BGO 1D	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 1D	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 1D	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 1D	7/13/2015	BARIUM	7.8	ug/L	J	J	21		2	20
BGO 1D	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 1D	7/13/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 1D	7/13/2015	COPPER	5.91	ug/L					0.5	5
BGO 1D	7/13/2015	LEAD	1.29	ug/L	J	J	21		0.5	5
BGO 1D	7/13/2015	NICKEL	1.32	ug/L	J	J	21		0.5	5
BGO 1D	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 1D	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 1D	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 1D	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 1D	7/13/2015	ZINC	16.6	ug/L	J	J	21		4	40
BGO 1D	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 1D	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 1D	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 1D	7/13/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 1D	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 1D	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 1D	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 1D	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 1D	7/13/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 1D	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 1D	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 1D	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 1D	7/13/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
BGO 1D	7/13/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
BGO 1D	7/13/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98
BGO 1D	7/13/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
BGO 1D	7/13/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
BGO 1D	7/13/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
BGO 1D	7/13/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
BGO 1D	7/13/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
BGO 1D	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
BGO 1D	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.71	1.9
BGO 1D	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 1D	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 1D	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 1D	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 1D	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 1D	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 1D	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 1D	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 1D	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 1D	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 1D	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 1D	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 1D	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 1D	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 1D	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 1D	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 1D	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 1D	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 1D	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 1D	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 1D	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 1D	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 1D	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 1D	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 1D	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 1D	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 1D	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 1D	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 1D	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 1D	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 1D	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 1D	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 1D	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 1D	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 1D	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 1D	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 1D	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 1D	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 1D	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 1D	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 1D	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 1D	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 1D	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 1D	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 1D	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 1D	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 1D	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 1D	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 1D	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 1D	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 1D	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 1D	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 1D	7/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 1D	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 1D	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 1D	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 1D	7/13/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
BGO 1D	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,4-DIOXANE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 1D	7/13/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 1D	7/13/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
BGO 1D	7/13/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U	14		0.98	98
BGO 1D	7/13/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 1D	7/13/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 1D	7/13/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 1D	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 1D	7/13/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 1D	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.98	20
BGO 1D	7/13/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 1D	7/13/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 1D	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 1D	7/13/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U	14		4.9	98
BGO 1D	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 1D	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.98	20
BGO 1D	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 1D	7/13/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	ANILINE	9.8	ug/L	U	U			1.2	9.8
BGO 1D	7/13/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 1D	7/13/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.9	9.8
BGO 1D	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	CHLOROBENZILATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 1D	7/13/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 1D	7/13/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 1D	7/13/2015	DISULFOTON	49	ug/L	U	U	14		0.98	49
BGO 1D	7/13/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	FAMPHUR	98	ug/L	U	U	14		1.7	98
BGO 1D	7/13/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.8	240
BGO 1D	7/13/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 1D	7/13/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	ISODRIN	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 1D	7/13/2015	KEPONE	98	ug/L	U	U			20	98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 1D	7/13/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 1D	7/13/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	METHYL PARATHION	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 1D	7/13/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
BGO 1D	7/13/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 1D	7/13/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	PARATHION	49	ug/L	U	U	14		0.98	49
BGO 1D	7/13/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 1D	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 1D	7/13/2015	PHENACETIN	20	ug/L	U	U			0.98	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 1D	7/13/2015	PHORATE	49	ug/L	U	U			2	49
BGO 1D	7/13/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 1D	7/13/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 1D	7/13/2015	PRONAMIDE	20	ug/L	U	U			0.98	20
BGO 1D	7/13/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 1D	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 1D	7/13/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 1D	7/13/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 1D	7/13/2015	2,3,7,8-TCDD	0.0099	ng/L	U	U			0.0012	0.0099
BGO 1D	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.049	ng/L	U	U			0.00051	0.049
BGO 1D	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00028	0.049
BGO 1D	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.049	ng/L	U	U			0.00063	0.049
BGO 1D	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00051	0.049
BGO 1D	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0099	ng/L	U	U			0.0012	0.0099
BGO 1D	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.0099	ng/L	U	U			0.00089	0.0099
BGO 1D	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 1D	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.59	pCi/L				0.103	0.075	0.2809
BGO 1D	7/13/2015	RADIUM-226	0.565	pCi/L				0.091	0.047	0.2298
BGO 1D	7/13/2015	RADIUM-228	0.295	pCi/L	J	J	21	0.186	0.28	0.652
BGO 1D	7/13/2015	AMERICIUM-241	0.0224	pCi/L	U	U		0.0449	0.0606	0.15
BGO 1D	7/13/2015	CURIUM-242	0.0229	pCi/L	U	U		0.046	0.0597	0.152
BGO 1D	7/13/2015	CURIUM-243/244	-0.011	pCi/L	U	U	V	0.0157	0.132	0.164
BGO 1D	7/13/2015	CURIUM-245/246	0.0684	pCi/L	U	U	V	0.0796	0.0618	0.221
BGO 1D	7/13/2015	NEPTUNIUM-237	0	pCi/L	U	U		0	0.0566	0.0566
BGO 1D	7/13/2015	PLUTONIUM-238	0.16	pCi/L	J	J	21	0.123	0.104	0.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 1D	7/13/2015	PLUTONIUM-239/240	0.0259	pCi/L	U	U	V	0.0769	0.183	0.337
BGO 1D	7/13/2015	THORIUM-228	0	pCi/L	U	U	V	0	0.157	0.157
BGO 1D	7/13/2015	THORIUM-230	0.184	pCi/L	U	U	21, V	0.0869	0.0588	0.233
BGO 1D	7/13/2015	THORIUM-232	0.0271	pCi/L	J	J	21	0.0314	0.0245	0.0873
BGO 1D	7/13/2015	URANIUM-233/234	0.0312	pCi/L	U	U	V	0.0607	0.125	0.246
BGO 1D	7/13/2015	URANIUM-235	0.0512	pCi/L	U	U	V	0.0729	0.0694	0.215
BGO 1D	7/13/2015	URANIUM-238	-0.00518	pCi/L	U	U	V	0.0104	0.104	0.125
BGO 1D	7/13/2015	GROSS ALPHA	1.98	pCi/L	U	U		1.89	2.11	5.89
BGO 1D	7/13/2015	NONVOLATILE BETA	1.42	pCi/L	U	U		2.43	3.99	8.85
BGO 1D	7/13/2015	STRONTIUM-90	0.575	pCi/L	U	U		2.48	2.97	7.93
BGO 1D	7/13/2015	CARBON-14	1.84	pCi/L	U	U		4.53	7.53	16.6
BGO 1D	7/13/2015	NICKEL-63	1.02	pCi/L	U	U		3.09	5.35	11.5
BGO 1D	7/13/2015	TECHNETIUM-99	-2.51	pCi/L	U	U		2.57	4.45	9.59
BGO 1D	7/13/2015	TRITIUM	6.56	pCi/mL				0.569	0.478	1.61
BGO 1D	7/13/2015	CESIUM-134	-1.28	pCi/L	U	U		5.93	8.95	20.8
BGO 1D	7/13/2015	CESIUM-137	-6.11	pCi/L	U	U		5.59	8.88	20
BGO 1D	7/13/2015	COBALT-60	0.407	pCi/L	U	U		5.03	9.49	19.6
BGO 1D	7/13/2015	EUROPIUM-152	96.7	pCi/L	U	U		69.4	112	251
BGO 1D	7/13/2015	EUROPIUM-154	-5.41	pCi/L	U	U		10.7	18.4	39.9
BGO 1D	7/13/2015	EUROPIUM-155	3.48	pCi/L	U	U		16.2	26.8	59.2
BGO 1D	7/13/2015	IODINE-129	0.548	pCi/L	U	U		0.668	1.15	2.49
BGO 1D	7/13/2015	SODIUM-22	-6.79	pCi/L	U	U		5.64	8.67	20
BGO 2D	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 2D	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 2D	1/7/2015	BARIUM	22.7	ug/L					2	20
BGO 2D	1/7/2015	BERYLLIUM	0.212	ug/L	J				0.1	1
BGO 2D	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 2D	1/7/2015	COBALT	0.868	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	1/7/2015	COPPER	0.584	ug/L	J				0.5	5
BGO 2D	1/7/2015	LEAD	1.33	ug/L	J				0.5	5
BGO 2D	1/7/2015	NICKEL	1.62	ug/L	J				0.5	5
BGO 2D	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 2D	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 2D	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 2D	1/7/2015	TIN	10	ug/L	U				1	10
BGO 2D	1/7/2015	VANADIUM	36.7	ug/L	U				5	50
BGO 2D	1/7/2015	ZINC	40	ug/L	U				4	40
BGO 2D	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 2D	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 2D	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 2D	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 2D	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 2D	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 2D	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 2D	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 2D	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 2D	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 2D	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 2D	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 2D	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 2D	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 2D	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 2D	1/7/2015	DICHLORODIFLUOROMETHANE	3.8	ug/L					0.08	2
BGO 2D	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 2D	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 2D	1/7/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 2D	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 2D	1/7/2015	TRICHLOROFLUOROMETHANE	2.1	ug/L					0.11	1
BGO 2D	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 2D	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 2D	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.51	pCi/L				0.261	0.127	0.649
BGO 2D	1/7/2015	RADIUM-226	1.48	pCi/L				0.153	0.086	0.392
BGO 2D	1/7/2015	URANIUM-233/234	0.0438	pCi/L	U			0.0623	0.0594	0.184
BGO 2D	1/7/2015	URANIUM-235	0	pCi/L	U			0	0.0732	0.0732
BGO 2D	1/7/2015	URANIUM-238	0.0219	pCi/L	U			0.0438	0.0592	0.147
BGO 2D	1/7/2015	GROSS ALPHA	5.69	pCi/L	J		21	3.03	2.16	8.22
BGO 2D	1/7/2015	NONVOLATILE BETA	4.07	pCi/L	J		21	2.91	4.05	9.87
BGO 2D	1/7/2015	STRONTIUM-90	0.163	pCi/L	U			1.94	3.3	7.19
BGO 2D	1/7/2015	CARBON-14	4.43	pCi/L	U			4.23	6.92	15.4
BGO 2D	1/7/2015	TECHNETIUM-99	2.33	pCi/L	U			2.62	4.3	9.54
BGO 2D	1/7/2015	TRITIUM	3.87	pCi/mL				0.44	0.43	1.31
BGO 2D	1/7/2015	IODINE-129	0.455	pCi/L	U			0.547	0.96	2.05
BGO 2D	7/6/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
BGO 2D	7/6/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
BGO 2D	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 2D	7/6/2015	ANTIMONY	10	ug/L	U	U	V		1	10
BGO 2D	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 2D	7/6/2015	BARIUM	20.8	ug/L					2	20
BGO 2D	7/6/2015	BERYLLIUM	0.24	ug/L	J	J	21		0.1	1
BGO 2D	7/6/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	CHROMIUM	14.5	ug/L	J	J	21		10	100
BGO 2D	7/6/2015	COBALT	1.02	ug/L	J	J	21		0.5	5
BGO 2D	7/6/2015	COPPER	0.853	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	LEAD	1.56	ug/L	J	J	21		0.5	5
BGO 2D	7/6/2015	NICKEL	1.27	ug/L	J	J	21		0.5	5
BGO 2D	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 2D	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 2D	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 2D	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 2D	7/6/2015	ZINC	5.33	ug/L	U	U	21, V		4	40
BGO 2D	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 2D	7/6/2015	ALDRIN	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	ALPHA-CHLORDANE	0.053	ug/L	U	U			0.016	0.053
BGO 2D	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.014	0.053
BGO 2D	7/6/2015	DDD	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	DDE	0.053	ug/L	U	U			0.015	0.053
BGO 2D	7/6/2015	DDT	0.053	ug/L	U	U			0.024	0.053
BGO 2D	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	DIELDRIN	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	ENDOSULFAN I	0.053	ug/L	U	U			0.02	0.053
BGO 2D	7/6/2015	ENDOSULFAN II	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	ENDOSULFAN SULFATE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	ENDRIN	0.053	ug/L	U	U			0.019	0.053
BGO 2D	7/6/2015	ENDRIN ALDEHYDE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	GAMMA-CHLORDANE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	HEPTACHLOR	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	HEPTACHLOR EPOXIDE	0.053	ug/L	U	U			0.018	0.053
BGO 2D	7/6/2015	LINDANE	0.053	ug/L	U	U			0.011	0.053
BGO 2D	7/6/2015	METHOXYCHLOR	0.53	ug/L	U	U			0.014	0.53

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	TOTAL CHLORDANE	0.53	ug/L	U	U			0.11	0.53
BGO 2D	7/6/2015	TOXAPHENE	2.1	ug/L	U	U			0.29	2.1
BGO 2D	7/6/2015	AROCLOR 1016	1.1	ug/L	U	U			0.37	1.1
BGO 2D	7/6/2015	AROCLOR 1221	1.1	ug/L	U	U			0.37	1.1
BGO 2D	7/6/2015	AROCLOR 1232	1.1	ug/L	U	U			0.37	1.1
BGO 2D	7/6/2015	AROCLOR 1242	1.1	ug/L	U	U			0.37	1.1
BGO 2D	7/6/2015	AROCLOR 1248	1.1	ug/L	U	U			0.37	1.1
BGO 2D	7/6/2015	AROCLOR 1254	1.1	ug/L	U	U			0.18	1.1
BGO 2D	7/6/2015	AROCLOR 1260	1.1	ug/L	U	U			0.18	1.1
BGO 2D	7/6/2015	2,4,5-T	1.1	ug/L	U	U			0.29	1.1
BGO 2D	7/6/2015	2,4,5-TP (SILVEX)	1.1	ug/L	U	U			0.2	1.1
BGO 2D	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.6	ug/L	U	U			4.5	8.6
BGO 2D	7/6/2015	DINOSEB	2.1	ug/L	U	U			0.78	2.1
BGO 2D	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 2D	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 2D	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 2D	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 2D	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 2D	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 2D	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 2D	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 2D	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 2D	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 2D	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 2D	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 2D	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 2D	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 2D	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 2D	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 2D	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 2D	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 2D	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 2D	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 2D	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 2D	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 2D	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 2D	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 2D	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 2D	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 2D	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 2D	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 2D	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 2D	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 2D	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 2D	7/6/2015	DICHLORODIFLUOROMETHANE	4.8	ug/L					0.08	2
BGO 2D	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 2D	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 2D	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 2D	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 2D	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 2D	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 2D	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 2D	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 2D	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 2D	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 2D	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 2D	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 2D	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 2D	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 2D	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 2D	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 2D	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 2D	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 2D	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 2D	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 2D	7/6/2015	TRICHLOROFLUOROMETHANE	2.2	ug/L					0.11	1
BGO 2D	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 2D	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 2D	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 2D	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,2,4-TRICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,2-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,3,5-TRINITROBENZENE	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	1,3-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,3-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,4-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,4-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,4-DIOXANE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	1,4-NAPHTHOQUINONE	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	1-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	55	ug/L	U	UJ	14		1.1	55
BGO 2D	7/6/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	2,4-DINITROPHENOL	55	ug/L	U	UJ	14		2.2	55
BGO 2D	7/6/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	2,6-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.4	11
BGO 2D	7/6/2015	2-ACETYLAMINOFLUORENE	110	ug/L	U	U			1.1	110
BGO 2D	7/6/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	2-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
BGO 2D	7/6/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.7	11
BGO 2D	7/6/2015	2-PICOLINE	22	ug/L	U	U			2.2	22
BGO 2D	7/6/2015	3,3-DICHLOROBENZIDINE	55	ug/L	U	U			1.4	55
BGO 2D	7/6/2015	3,3'-DIMETHYLBENZIDINE	55	ug/L	U	U			2.9	55
BGO 2D	7/6/2015	3-METHYLCHOLANTHRENE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	4-AMINOBIPHENYL	55	ug/L	U	U			1.2	55
BGO 2D	7/6/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	4-CHLOROANILINE	11	ug/L	U	U			2.2	11
BGO 2D	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.2	11
BGO 2D	7/6/2015	4-NITROQUINOLINE-1-OXIDE	110	ug/L	U	U			5.5	110
BGO 2D	7/6/2015	5-NITRO-O-TOLUIDINE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	55	ug/L	U	U			24	55
BGO 2D	7/6/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ANILINE	11	ug/L	U	U			1.4	11
BGO 2D	7/6/2015	ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ARAMITE	22	ug/L	U	U			5.5	22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BENZO[A]PYRENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BENZYL ALCOHOL	11	ug/L	U	U			3.3	11
BGO 2D	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U			2.1	11
BGO 2D	7/6/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	CHLOROBENZILATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	CHRYSENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DIALLATE	22	ug/L	U	U			2.2	22
BGO 2D	7/6/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DIMETHOATE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.4	11
BGO 2D	7/6/2015	DISULFOTON	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	ETHYL METHACRYLATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ETHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	FAMPHUR	110	ug/L	U	U			1.9	110
BGO 2D	7/6/2015	FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	FLUORENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	HEXACHLOROPHENE	280	ug/L	U	U			11	280
BGO 2D	7/6/2015	HEXACHLOROPROPENE	110	ug/L	U	U			1.1	110
BGO 2D	7/6/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ISODRIN	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	ISOSAFROLE	22	ug/L	U	U			5.5	22
BGO 2D	7/6/2015	KEPONE	110	ug/L	U	U			22	110
BGO 2D	7/6/2015	M/P-CRESOL	22	ug/L	U	UJ	14		2.2	22
BGO 2D	7/6/2015	METHAPYRILENE	55	ug/L	U	U			1.4	55
BGO 2D	7/6/2015	METHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	METHYL PARATHION	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSODIETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSODIMETHYLAMINE	11	ug/L	U	U			2.2	11
BGO 2D	7/6/2015	N-NITROSODI-N-BUTYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.7	11
BGO 2D	7/6/2015	N-NITROSOMORPHOLINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSOPIPERIDINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	N-NITROSOPYRROLIDINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	55	ug/L	U	U			1.3	55

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	PARATHION	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
BGO 2D	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	PENTACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	PENTACHLOROETHANE	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	PENTACHLORONITROBENZENE	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
BGO 2D	7/6/2015	PHENACETIN	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	PHENANTHRENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	PHENOL	11	ug/L	U	UJ	14		2.2	11
BGO 2D	7/6/2015	PHORATE	55	ug/L	U	U			2.2	55
BGO 2D	7/6/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	P-PHENYLENEDIAMINE	110	ug/L	U	U			1.1	110
BGO 2D	7/6/2015	PRONAMIDE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	PYRENE	11	ug/L	U	U			1.1	11
BGO 2D	7/6/2015	PYRIDINE	22	ug/L	U	U			2.2	22
BGO 2D	7/6/2015	SAFROLE	22	ug/L	U	U			1.1	22
BGO 2D	7/6/2015	SULFOTEPP	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	THIONAZIN	55	ug/L	U	U			1.1	55
BGO 2D	7/6/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.0025	0.011
BGO 2D	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.00086	0.053
BGO 2D	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.0005	0.053
BGO 2D	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.001	0.053
BGO 2D	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.0008	0.053
BGO 2D	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.011	ng/L	U	U			0.0025	0.011
BGO 2D	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.0017	0.053
BGO 2D	7/6/2015	CYANIDE	4.6	ug/L	J	J	21		2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	2.76	pCi/L				0.336	0.172	0.844
BGO 2D	7/6/2015	RADIUM-226	1.24	pCi/L				0.134	0.043	0.3109
BGO 2D	7/6/2015	RADIUM-228	0.731	pCi/L	J	J	21	0.304	0.451	1.059
BGO 2D	7/6/2015	AMERICIUM-241	0.0367	pCi/L	U	U	V	0.0715	0.147	0.29
BGO 2D	7/6/2015	CURIUM-242	0.0486	pCi/L	U	U	V	0.0691	0.0653	0.204
BGO 2D	7/6/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0653	0.0653
BGO 2D	7/6/2015	CURIUM-245/246	0.324	pCi/L	U	U	21, V	0.186	0.0676	0.439
BGO 2D	7/6/2015	NEPTUNIUM-237	0	pCi/L	U	U	V	0	0.0785	0.0785
BGO 2D	7/6/2015	PLUTONIUM-238	0.0215	pCi/L	U	U	V	0.0594	0.144	0.263
BGO 2D	7/6/2015	PLUTONIUM-239/240	-0.00717	pCi/L	U	U	V	0.0145	0.144	0.173
BGO 2D	7/6/2015	THORIUM-228	0.0127	pCi/L	U	U		0.0576	0.121	0.236
BGO 2D	7/6/2015	THORIUM-230	0.121	pCi/L	J	J	21, V	0.0755	0.0769	0.228
BGO 2D	7/6/2015	THORIUM-232	0.0127	pCi/L	U	U	V	0.0298	0.0618	0.121
BGO 2D	7/6/2015	URANIUM-233/234	0.143	pCi/L	J	J	21	0.119	0.0647	0.302
BGO 2D	7/6/2015	URANIUM-235	-0.00736	pCi/L	U	U		0.0148	0.148	0.178
BGO 2D	7/6/2015	URANIUM-238	0.0894	pCi/L	U	U	V	0.0969	0.12	0.314
BGO 2D	7/6/2015	GROSS ALPHA	3.1	pCi/L	J	J	21	2.29	2.1	6.69
BGO 2D	7/6/2015	NONVOLATILE BETA	4.62	pCi/L	J	J	21	3	4.01	10
BGO 2D	7/6/2015	STRONTIUM-90	0.586	pCi/L	U	U		1.21	2.97	5.4
BGO 2D	7/6/2015	CARBON-14	4.13	pCi/L	U	U		4.26	6.97	15.5
BGO 2D	7/6/2015	NICKEL-63	2.79	pCi/L	U	U		3.08	5.31	11.5
BGO 2D	7/6/2015	TECHNETIUM-99	-0.349	pCi/L	U	U		2.58	4.37	9.54
BGO 2D	7/6/2015	TRITIUM	4.18	pCi/mL				0.473	0.47	1.42
BGO 2D	7/6/2015	CESIUM-134	-0.935	pCi/L	U	U		6.02	9.15	21.2
BGO 2D	7/6/2015	CESIUM-137	3.14	pCi/L	U	U		5.37	10.1	20.8
BGO 2D	7/6/2015	COBALT-60	0.0143	pCi/L	U	U		4.82	9.04	18.7
BGO 2D	7/6/2015	EUROPIUM-152	-72.2	pCi/L	U	U		71.2	99.1	241
BGO 2D	7/6/2015	EUROPIUM-154	-6.06	pCi/L	U	U		10.6	17.6	38.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 2D	7/6/2015	EUROPIUM-155	-11.2	pCi/L	U	U		16.5	25.7	58.7
BGO 2D	7/6/2015	IODINE-129	0.0875	pCi/L	U	U		0.583	0.992	2.16
BGO 2D	7/6/2015	SODIUM-22	-0.621	pCi/L	U	U		4.38	8.15	16.9
BGO 3A	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 3A	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 3A	1/7/2015	BARIUM	37.5	ug/L					2	20
BGO 3A	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 3A	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 3A	1/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 3A	1/7/2015	COPPER	1.14	ug/L	J				0.5	5
BGO 3A	1/7/2015	LEAD	5	ug/L	U				0.5	5
BGO 3A	1/7/2015	NICKEL	0.936	ug/L	J				0.5	5
BGO 3A	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 3A	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 3A	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 3A	1/7/2015	TIN	10	ug/L	U				1	10
BGO 3A	1/7/2015	VANADIUM	42.1	ug/L	U				5	50
BGO 3A	1/7/2015	ZINC	40	ug/L	U				4	40
BGO 3A	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 3A	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3A	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3A	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3A	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3A	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 3A	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 3A	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 3A	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 3A	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 3A	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 3A	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3A	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 3A	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 3A	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 3A	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 3A	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 3A	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 3A	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3A	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 3A	1/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 3A	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 3A	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 3A	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.434	pCi/L				0.115	0.101	0.331
BGO 3A	1/7/2015	RADIUM-226	0.307	pCi/L				0.076	0.07	0.2214
BGO 3A	1/7/2015	URANIUM-233/234	0.0118	pCi/L	U			0.0499	0.141	0.241
BGO 3A	1/7/2015	URANIUM-235	0.0217	pCi/L	U			0.0599	0.146	0.266
BGO 3A	1/7/2015	URANIUM-238	0.0235	pCi/L	U			0.0471	0.0636	0.158
BGO 3A	1/7/2015	GROSS ALPHA	0.0588	pCi/L	U			0.868	2.28	4.02
BGO 3A	1/7/2015	NONVOLATILE BETA	0.19	pCi/L	U			2.13	3.93	8.2
BGO 3A	1/7/2015	STRONTIUM-90	1.94	pCi/L	U			2.18	3.11	7.48
BGO 3A	1/7/2015	CARBON-14	0.593	pCi/L	U			4.1	6.85	15
BGO 3A	1/7/2015	TECHNETIUM-99	12.8	pCi/L				2.91	4.28	10.1
BGO 3A	1/7/2015	TRITIUM	7.3	pCi/mL				0.56	0.433	1.55
BGO 3A	1/7/2015	IODINE-129	-0.127	pCi/L	U			0.536	0.896	1.97
BGO 3A	7/6/2015	ETHANE	0.0029	ug/L	J		21		0.002	0.1
BGO 3A	7/6/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 3A	7/6/2015	ANTIMONY	10	ug/L	U	U	V		1	10
BGO 3A	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 3A	7/6/2015	BARIUM	36.3	ug/L					2	20
BGO 3A	7/6/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	CHROMIUM	11.9	ug/L	J	J	21		10	100
BGO 3A	7/6/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 3A	7/6/2015	COPPER	0.844	ug/L	J	J	21		0.5	5
BGO 3A	7/6/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 3A	7/6/2015	NICKEL	0.939	ug/L	J	J	21		0.5	5
BGO 3A	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 3A	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 3A	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 3A	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 3A	7/6/2015	ZINC	6.3	ug/L	U	U	21, V		4	40
BGO 3A	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 3A	7/6/2015	ALDRIN	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	ALPHA-CHLORDANE	0.052	ug/L	U	U			0.015	0.052
BGO 3A	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.013	0.052
BGO 3A	7/6/2015	DDD	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	DDE	0.052	ug/L	U	U			0.014	0.052
BGO 3A	7/6/2015	DDT	0.052	ug/L	U	U			0.024	0.052
BGO 3A	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	DIELDRIN	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	ENDOSULFAN I	0.052	ug/L	U	U			0.02	0.052

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	ENDOSULFAN II	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	ENDOSULFAN SULFATE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	ENDRIN	0.052	ug/L	U	U			0.019	0.052
BGO 3A	7/6/2015	ENDRIN ALDEHYDE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	GAMMA-CHLORDANE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	HEPTACHLOR	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	HEPTACHLOR EPOXIDE	0.052	ug/L	U	U			0.018	0.052
BGO 3A	7/6/2015	LINDANE	0.052	ug/L	U	U			0.01	0.052
BGO 3A	7/6/2015	METHOXYCHLOR	0.52	ug/L	U	U			0.013	0.52
BGO 3A	7/6/2015	TOTAL CHLORDANE	0.52	ug/L	U	U			0.1	0.52
BGO 3A	7/6/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
BGO 3A	7/6/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
BGO 3A	7/6/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
BGO 3A	7/6/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
BGO 3A	7/6/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
BGO 3A	7/6/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
BGO 3A	7/6/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 3A	7/6/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 3A	7/6/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 3A	7/6/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 3A	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.1	ug/L	U	U			4.3	8.1
BGO 3A	7/6/2015	DINOSEB	2	ug/L	U	U			0.74	2
BGO 3A	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 3A	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 3A	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 3A	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 3A	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 3A	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 3A	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 3A	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 3A	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 3A	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 3A	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 3A	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 3A	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 3A	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 3A	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 3A	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 3A	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 3A	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 3A	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 3A	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 3A	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 3A	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 3A	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 3A	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 3A	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 3A	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 3A	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 3A	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 3A	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 3A	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 3A	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 3A	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 3A	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 3A	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 3A	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 3A	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 3A	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 3A	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 3A	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 3A	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 3A	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 3A	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 3A	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 3A	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 3A	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 3A	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 3A	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 3A	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 3A	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 3A	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 3A	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 3A	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 3A	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 3A	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 3A	7/6/2015	TOLUENE	0.21	ug/L	J	U	21, 8		0.07	1
BGO 3A	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 3A	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 3A	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 3A	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 3A	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 3A	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 3A	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 3A	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,4-DIOXANE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 3A	7/6/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 3A	7/6/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
BGO 3A	7/6/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U			0.98	98
BGO 3A	7/6/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 3A	7/6/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 3A	7/6/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 3A	7/6/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U			1.3	49
BGO 3A	7/6/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U			2.6	49
BGO 3A	7/6/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 3A	7/6/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 3A	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 3A	7/6/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U			4.9	98
BGO 3A	7/6/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 3A	7/6/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ANILINE	9.8	ug/L	U	U			1.3	9.8
BGO 3A	7/6/2015	ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ARAMITE	20	ug/L	U	U			4.9	20
BGO 3A	7/6/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BENZO[A]PYRENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			3	9.8
BGO 3A	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U			1.8	9.8
BGO 3A	7/6/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	CHLOROBENZILATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	CHRYSENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 3A	7/6/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 3A	7/6/2015	DISULFOTON	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	FAMPHUR	98	ug/L	U	U			1.7	98
BGO 3A	7/6/2015	FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	HEXACHLOROPHENE	250	ug/L	U	U			9.8	250
BGO 3A	7/6/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 3A	7/6/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ISODRIN	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 3A	7/6/2015	KEPONE	98	ug/L	U	U			20	98
BGO 3A	7/6/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 3A	7/6/2015	METHAPYRILENE	49	ug/L	U	U			1.2	49
BGO 3A	7/6/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	METHYL PARATHION	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 3A	7/6/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 3A	7/6/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	PARATHION	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 3A	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.3	9.8
BGO 3A	7/6/2015	PHENACETIN	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	PHENANTHRENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 3A	7/6/2015	PHORATE	49	ug/L	U	U			2	49
BGO 3A	7/6/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 3A	7/6/2015	PRONAMIDE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	PYRENE	9.8	ug/L	U	U			0.98	9.8
BGO 3A	7/6/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 3A	7/6/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 3A	7/6/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 3A	7/6/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0013	0.01
BGO 3A	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.00052	0.051
BGO 3A	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.00028	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.00052	0.051
BGO 3A	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.00037	0.051
BGO 3A	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0013	0.01
BGO 3A	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.00083	0.01
BGO 3A	7/6/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 3A	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.338	pCi/L	J	J	21	0.136	0.156	0.428
BGO 3A	7/6/2015	RADIUM-226	0.279	pCi/L				0.075	0.071	0.2201
BGO 3A	7/6/2015	RADIUM-228	0.331	pCi/L	U	U		0.225	0.347	0.797
BGO 3A	7/6/2015	AMERICIUM-241	0	pCi/L	U	U	V	0	0.0649	0.0649
BGO 3A	7/6/2015	CURIUM-242	0.0715	pCi/L	U	U	V	0.0832	0.064	0.23
BGO 3A	7/6/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.064	0.064
BGO 3A	7/6/2015	CURIUM-245/246	0.367	pCi/L	U	U	21, V	0.196	0.0662	0.459
BGO 3A	7/6/2015	NEPTUNIUM-237	0.0277	pCi/L	U	U	V	0.0659	0.149	0.281
BGO 3A	7/6/2015	PLUTONIUM-238	-0.011	pCi/L	U	U	V	0.0157	0.132	0.163
BGO 3A	7/6/2015	PLUTONIUM-239/240	0	pCi/L	U	U	V	0	0.0595	0.0595
BGO 3A	7/6/2015	THORIUM-228	0.0331	pCi/L	U	U		0.0976	0.188	0.383
BGO 3A	7/6/2015	THORIUM-230	0.177	pCi/L	J	J	21, V	0.088	0.0727	0.249
BGO 3A	7/6/2015	THORIUM-232	0.021	pCi/L	J	U	21, V	0.0335	0.0585	0.125
BGO 3A	7/6/2015	URANIUM-233/234	0.11	pCi/L	U	U		0.112	0.146	0.37
BGO 3A	7/6/2015	URANIUM-235	0	pCi/L	U	U		0	0.0816	0.0816
BGO 3A	7/6/2015	URANIUM-238	-0.0122	pCi/L	U	U	V	0.0173	0.146	0.181
BGO 3A	7/6/2015	GROSS ALPHA	0.488	pCi/L	U	U		1.18	2.19	4.55
BGO 3A	7/6/2015	NONVOLATILE BETA	3.85	pCi/L	U	U		2.85	3.97	9.67
BGO 3A	7/6/2015	STRONTIUM-90	0.455	pCi/L	U	U		1.44	2.98	5.86
BGO 3A	7/6/2015	CARBON-14	2.79	pCi/L	U	U		4.24	6.99	15.5
BGO 3A	7/6/2015	NICKEL-63	1.8	pCi/L	U	U		3	5.17	11.2
BGO 3A	7/6/2015	TECHNETIUM-99	2.8	pCi/L	U	U		2.68	4.38	9.75
BGO 3A	7/6/2015	TRITIUM	6.93	pCi/mL				0.569	0.471	1.61

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3A	7/6/2015	CESIUM-134	0.314	pCi/L	U	U		5.46	8.56	19.5
BGO 3A	7/6/2015	CESIUM-137	-0.818	pCi/L	U	U		5.16	9.13	19.4
BGO 3A	7/6/2015	COBALT-60	-0.00328	pCi/L	U	U		4.91	9.18	19
BGO 3A	7/6/2015	EUROPIUM-152	-77.1	pCi/L	U	U		62.7	99.9	225
BGO 3A	7/6/2015	EUROPIUM-154	-4.16	pCi/L	U	U		10.6	17.7	38.9
BGO 3A	7/6/2015	EUROPIUM-155	-10.4	pCi/L	U	U		15.8	24.6	56.1
BGO 3A	7/6/2015	IODINE-129	-0.2	pCi/L	U	U		0.675	0.937	2.29
BGO 3A	7/6/2015	SODIUM-22	-1.14	pCi/L	U	U		4.17	7.63	16
BGO 3C	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 3C	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 3C	1/7/2015	BARIUM	6.23	ug/L	J				2	20
BGO 3C	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 3C	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 3C	1/7/2015	COBALT	0.705	ug/L	J				0.5	5
BGO 3C	1/7/2015	COPPER	3.5	ug/L	J				0.5	5
BGO 3C	1/7/2015	LEAD	3.16	ug/L	J				0.5	5
BGO 3C	1/7/2015	NICKEL	1.39	ug/L	J				0.5	5
BGO 3C	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 3C	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 3C	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 3C	1/7/2015	TIN	10	ug/L	U				1	10
BGO 3C	1/7/2015	VANADIUM	36.8	ug/L	U				5	50
BGO 3C	1/7/2015	ZINC	5.86	ug/L	J				4	40
BGO 3C	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 3C	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3C	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3C	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3C	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3C	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 3C	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 3C	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 3C	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 3C	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 3C	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 3C	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 3C	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3C	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 3C	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 3C	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 3C	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 3C	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 3C	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 3C	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3C	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 3C	1/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 3C	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 3C	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 3C	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.159	pCi/L	J		21	0.096	0.138	0.33
BGO 3C	1/7/2015	RADIUM-226	0.0867	pCi/L	J		21	0.046	0.062	0.154
BGO 3C	1/7/2015	URANIUM-233/234	0.0239	pCi/L	U			0.0479	0.0647	0.16
BGO 3C	1/7/2015	URANIUM-235	0.0294	pCi/L	U			0.0591	0.0798	0.198
BGO 3C	1/7/2015	URANIUM-238	0.0238	pCi/L	U			0.0478	0.0645	0.16
BGO 3C	1/7/2015	GROSS ALPHA	0.056	pCi/L	U			0.835	2.2	3.87
BGO 3C	1/7/2015	NONVOLATILE BETA	2.3	pCi/L	U			2.55	3.92	9.01
BGO 3C	1/7/2015	STRONTIUM-90	-0.862	pCi/L	U			1.73	3.27	6.74
BGO 3C	1/7/2015	CARBON-14	1.44	pCi/L	U			4.18	6.95	15.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3C	1/7/2015	TECHNETIUM-99	0.584	pCi/L	U			2.58	4.31	9.47
BGO 3C	1/7/2015	TRITIUM	24.3	pCi/mL				0.951	0.435	2.34
BGO 3C	1/7/2015	IODINE-129	0.345	pCi/L	U			0.546	0.952	2.04
BGO 3C	7/7/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 3C	7/7/2015	ETHYLENE	0.024	ug/L	J		21		0.003	0.1
BGO 3C	7/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 3C	7/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 3C	7/7/2015	BARIUM	6.96	ug/L	J		21		2	20
BGO 3C	7/7/2015	BERYLLIUM	0.122	ug/L	J		21		0.1	1
BGO 3C	7/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 3C	7/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 3C	7/7/2015	COPPER	3.33	ug/L	J		21		0.5	5
BGO 3C	7/7/2015	LEAD	2.69	ug/L	J		21		0.5	5
BGO 3C	7/7/2015	NICKEL	0.905	ug/L	J		21		0.5	5
BGO 3C	7/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 3C	7/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 3C	7/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	TIN	10	ug/L	U				1	10
BGO 3C	7/7/2015	VANADIUM	8.64	ug/L	J		21		5	50
BGO 3C	7/7/2015	ZINC	13.4	ug/L	U		21, V		4	40
BGO 3C	7/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 3C	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 3C	7/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 3C	7/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3C	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 3C	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 3C	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 3C	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 3C	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 3C	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 3C	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 3C	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 3C	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 3C	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 3C	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 3C	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 3C	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 3C	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 3C	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 3C	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 3C	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 3C	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 3C	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 3C	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 3C	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 3C	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3C	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 3C	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 3C	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3C	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3C	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 3C	7/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 3C	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 3C	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 3C	7/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 3C	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 3C	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 3C	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 3C	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 3C	7/7/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
BGO 3C	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 3C	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 3C	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 3C	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 3C	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 3C	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 3C	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 3C	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 3C	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 3C	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3C	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 3C	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 3C	7/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 3C	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 3C	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 3C	7/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 3C	7/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 3C	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 3C	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 3C	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 3C	7/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0418	pCi/L	U			0.098	0.173	0.3696
BGO 3C	7/7/2015	RADIUM-226	0.0617	pCi/L	U			0.049	0.075	0.173
BGO 3C	7/7/2015	URANIUM-233/234	0.0348	pCi/L	U			0.0678	0.139	0.275
BGO 3C	7/7/2015	URANIUM-235	0.0286	pCi/L	U			0.0574	0.0775	0.192
BGO 3C	7/7/2015	URANIUM-238	0.0174	pCi/L	U		V	0.0478	0.117	0.212
BGO 3C	7/7/2015	GROSS ALPHA	0.0926	pCi/L	U			0.851	2.11	3.81
BGO 3C	7/7/2015	NONVOLATILE BETA	0.355	pCi/L	U			2.19	3.94	8.32
BGO 3C	7/7/2015	STRONTIUM-90	0.115	pCi/L	U			1.8	2.97	6.58
BGO 3C	7/7/2015	CARBON-14	-0.953	pCi/L	UJ			4.25	7.16	15.7
BGO 3C	7/7/2015	TECHNETIUM-99	0.855	pCi/L	U			2.6	4.34	9.54
BGO 3C	7/7/2015	TRITIUM	23.2	pCi/mL				0.952	0.469	2.37
BGO 3C	7/7/2015	IODINE-129	0.203	pCi/L	U			0.568	0.976	2.11
BGO 3DR	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 3DR	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 3DR	1/7/2015	BARIUM	17.9	ug/L	J				2	20
BGO 3DR	1/7/2015	BERYLLIUM	0.223	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 3DR	1/7/2015	COBALT	0.7	ug/L	J				0.5	5
BGO 3DR	1/7/2015	COPPER	1.54	ug/L	J				0.5	5
BGO 3DR	1/7/2015	LEAD	1.07	ug/L	J				0.5	5
BGO 3DR	1/7/2015	NICKEL	0.772	ug/L	J				0.5	5
BGO 3DR	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 3DR	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 3DR	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 3DR	1/7/2015	TIN	10	ug/L	U				1	10
BGO 3DR	1/7/2015	VANADIUM	37.3	ug/L	U				5	50
BGO 3DR	1/7/2015	ZINC	6.51	ug/L	J				4	40
BGO 3DR	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 3DR	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3DR	1/7/2015	1,1-DICHLOROETHANE	1.8	ug/L					0.07	1
BGO 3DR	1/7/2015	1,1-DICHLOROETHYLENE	0.97	ug/L	J		21		0.08	1
BGO 3DR	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3DR	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 3DR	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 3DR	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 3DR	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 3DR	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 3DR	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 3DR	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 3DR	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3DR	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 3DR	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 3DR	1/7/2015	DICHLORODIFLUOROMETHANE	0.79	ug/L	J		21		0.08	2
BGO 3DR	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 3DR	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 3DR	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3DR	1/7/2015	TRICHLOROETHYLENE (TCE)	0.48	ug/L	J		21		0.25	1
BGO 3DR	1/7/2015	TRICHLOROFLUOROMETHANE	0.46	ug/L	J		21		0.11	1
BGO 3DR	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 3DR	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 3DR	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.51	pCi/L				0.254	0.112	0.62
BGO 3DR	1/7/2015	RADIUM-226	1.88	pCi/L				0.167	0.064	0.3983
BGO 3DR	1/7/2015	URANIUM-233/234	0.186	pCi/L	J		21	0.131	0.107	0.37
BGO 3DR	1/7/2015	URANIUM-235	0	pCi/L	U			0	0.0711	0.0711
BGO 3DR	1/7/2015	URANIUM-238	0.0372	pCi/L	U			0.0612	0.107	0.229
BGO 3DR	1/7/2015	GROSS ALPHA	3.84	pCi/L	J		21	2.53	2.17	7.24
BGO 3DR	1/7/2015	NONVOLATILE BETA	4.18	pCi/L	J		21	2.91	4.01	9.83
BGO 3DR	1/7/2015	STRONTIUM-90	-0.309	pCi/L	U			1.86	3.3	7.02
BGO 3DR	1/7/2015	CARBON-14	-2.4	pCi/L	U			4.08	6.94	15.1
BGO 3DR	1/7/2015	TECHNETIUM-99	-0.349	pCi/L	U			2.51	4.25	9.26
BGO 3DR	1/7/2015	TRITIUM	57.4	pCi/mL				1.43	0.432	3.29
BGO 3DR	1/7/2015	IODINE-129	0.137	pCi/L	U			0.555	0.95	2.06
BGO 3DR	7/7/2015	ETHANE	0.0082	ug/L	J		21		0.002	0.1
BGO 3DR	7/7/2015	ETHYLENE	0.042	ug/L	J		21		0.003	0.1
BGO 3DR	7/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 3DR	7/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 3DR	7/7/2015	BARIUM	18.5	ug/L	J		21		2	20
BGO 3DR	7/7/2015	BERYLLIUM	0.261	ug/L	J		21		0.1	1
BGO 3DR	7/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 3DR	7/7/2015	COBALT	0.834	ug/L	J		21		0.5	5
BGO 3DR	7/7/2015	COPPER	1.27	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	7/7/2015	LEAD	0.521	ug/L	J		21		0.5	5
BGO 3DR	7/7/2015	NICKEL	0.627	ug/L	J		21		0.5	5
BGO 3DR	7/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 3DR	7/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 3DR	7/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	TIN	10	ug/L	U				1	10
BGO 3DR	7/7/2015	VANADIUM	50	ug/L	U				5	50
BGO 3DR	7/7/2015	ZINC	10.7	ug/L	U		21, V		4	40
BGO 3DR	7/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 3DR	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 3DR	7/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 3DR	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	51	ug/L					0.5	5
BGO 3DR	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 3DR	7/7/2015	1,1-DICHLOROETHANE	1.4	ug/L					0.07	1
BGO 3DR	7/7/2015	1,1-DICHLOROETHYLENE	0.81	ug/L	J		21		0.08	1
BGO 3DR	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 3DR	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 3DR	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 3DR	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 3DR	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 3DR	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 3DR	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 3DR	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 3DR	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 3DR	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 3DR	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 3DR	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 3DR	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 3DR	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 3DR	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 3DR	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 3DR	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 3DR	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 3DR	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 3DR	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 3DR	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 3DR	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 3DR	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 3DR	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 3DR	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3DR	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 3DR	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 3DR	7/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 3DR	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 3DR	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 3DR	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 3DR	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	7/7/2015	DICHLORODIFLUOROMETHANE	0.74	ug/L	J		21		0.08	2
BGO 3DR	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 3DR	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 3DR	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 3DR	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 3DR	7/7/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
BGO 3DR	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 3DR	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 3DR	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 3DR	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 3DR	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 3DR	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 3DR	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 3DR	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 3DR	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 3DR	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 3DR	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 3DR	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 3DR	7/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 3DR	7/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 3DR	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 3DR	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 3DR	7/7/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.25	1
BGO 3DR	7/7/2015	TRICHLOROFLUOROMETHANE	0.44	ug/L	J		21		0.11	1
BGO 3DR	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 3DR	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 3DR	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 3DR	7/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.59	pCi/L				0.292	0.16	0.744
BGO 3DR	7/7/2015	RADIUM-226	2.12	pCi/L				0.176	0.055	0.4072
BGO 3DR	7/7/2015	URANIUM-233/234	0.126	pCi/L	U			0.115	0.138	0.368
BGO 3DR	7/7/2015	URANIUM-235	0.0779	pCi/L	U			0.0999	0.143	0.343
BGO 3DR	7/7/2015	URANIUM-238	0.0401	pCi/L	U		V	0.0661	0.115	0.248
BGO 3DR	7/7/2015	GROSS ALPHA	2.36	pCi/L	J		21	2.04	2.11	6.2
BGO 3DR	7/7/2015	NONVOLATILE BETA	4.67	pCi/L	J		21	3	4	9.99
BGO 3DR	7/7/2015	STRONTIUM-90	-0.105	pCi/L	U			1.96	2.99	6.91
BGO 3DR	7/7/2015	CARBON-14	73.9	pCi/L	J			5.73	7.14	18.6
BGO 3DR	7/7/2015	TECHNETIUM-99	0.742	pCi/L	U			2.61	4.36	9.58
BGO 3DR	7/7/2015	TRITIUM	47.2	pCi/mL				1.33	0.47	3.13
BGO 3DR	7/7/2015	IODINE-129	-0.19	pCi/L	U			0.554	0.92	2.03
BGO 4D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 4D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 4D	1/12/2015	BARIUM	6.07	ug/L	J				2	20
BGO 4D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 4D	1/12/2015	CHROMIUM	10.3	ug/L	J				10	100
BGO 4D	1/12/2015	COBALT	6.6	ug/L					0.5	5
BGO 4D	1/12/2015	COPPER	7.29	ug/L					0.5	5
BGO 4D	1/12/2015	LEAD	7.44	ug/L					0.5	5
BGO 4D	1/12/2015	NICKEL	7.28	ug/L					0.5	5
BGO 4D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 4D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 4D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 4D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 4D	1/12/2015	VANADIUM	38.8	ug/L	U				5	50
BGO 4D	1/12/2015	ZINC	16.3	ug/L	J				4	40
BGO 4D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 4D	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 4D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 4D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 4D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 4D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 4D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 4D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 4D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 4D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 4D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 4D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 4D	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 4D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 4D	1/12/2015	DICHLORODIFLUOROMETHANE	1.4	ug/L	J		21		0.08	2
BGO 4D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 4D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 4D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 4D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 4D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 4D	1/12/2015	TRICHLOROFLUOROMETHANE	0.74	ug/L	J		21		0.11	1
BGO 4D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 4D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 4D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	0.947	pCi/L				0.154	0.109	0.417
BGO 4D	1/12/2015	RADIUM-226	0.711	pCi/L				0.102	0.062	0.2661
BGO 4D	1/12/2015	URANIUM-233/234	0	pCi/L	U			0	0.0596	0.0596
BGO 4D	1/12/2015	URANIUM-235	0	pCi/L	U			0	0.0735	0.0735
BGO 4D	1/12/2015	URANIUM-238	0.0165	pCi/L	U			0.0453	0.11	0.201

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	1/12/2015	GROSS ALPHA	1.58	pCi/L	U			1.74	2.19	5.66
BGO 4D	1/12/2015	NONVOLATILE BETA	-0.367	pCi/L	U			2.02	3.95	7.99
BGO 4D	1/12/2015	STRONTIUM-90	1.41	pCi/L	U			2.07	3.12	7.26
BGO 4D	1/12/2015	CARBON-14	-2.79	pCi/L	UJ			4.11	7	15.2
BGO 4D	1/12/2015	TECHNETIUM-99	0.847	pCi/L	U			2.53	4.21	9.27
BGO 4D	1/12/2015	TRITIUM	135	pCi/mL				2.14	0.397	4.68
BGO 4D	1/12/2015	IODINE-129	-0.27	pCi/L	U			0.596	0.949	2.14
BGO 4D	7/14/2015	ETHANE	0.004	ug/L	J		21		0.002	0.1
BGO 4D	7/14/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1
BGO 4D	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 4D	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 4D	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 4D	7/14/2015	BARIUM	7.94	ug/L	J	J	21		2	20
BGO 4D	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 4D	7/14/2015	COBALT	2.91	ug/L	J	J	21		0.5	5
BGO 4D	7/14/2015	COPPER	4.69	ug/L	J	J	21		0.5	5
BGO 4D	7/14/2015	LEAD	4.77	ug/L	J	J	21		0.5	5
BGO 4D	7/14/2015	NICKEL	6.63	ug/L					0.5	5
BGO 4D	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 4D	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 4D	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 4D	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 4D	7/14/2015	ZINC	22	ug/L	U	U	21, V		4	40
BGO 4D	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 4D	7/14/2015	ALDRIN	0.048	ug/L	U	U			0.0096	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
BGO 4D	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.012	0.048
BGO 4D	7/14/2015	DDD	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	DDE	0.048	ug/L	U	U			0.013	0.048
BGO 4D	7/14/2015	DDT	0.048	ug/L	U	U			0.022	0.048
BGO 4D	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	DIELDRIN	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
BGO 4D	7/14/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
BGO 4D	7/14/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
BGO 4D	7/14/2015	LINDANE	0.048	ug/L	U	U			0.0096	0.048
BGO 4D	7/14/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.012	0.48
BGO 4D	7/14/2015	TOTAL CHLORDANE	0.48	ug/L	U	U			0.096	0.48
BGO 4D	7/14/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
BGO 4D	7/14/2015	AROCLOR 1016	0.96	ug/L	U	U			0.34	0.96
BGO 4D	7/14/2015	AROCLOR 1221	0.96	ug/L	U	U			0.34	0.96
BGO 4D	7/14/2015	AROCLOR 1232	0.96	ug/L	U	U			0.34	0.96
BGO 4D	7/14/2015	AROCLOR 1242	0.96	ug/L	U	U			0.34	0.96
BGO 4D	7/14/2015	AROCLOR 1248	0.96	ug/L	U	U			0.34	0.96
BGO 4D	7/14/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
BGO 4D	7/14/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
BGO 4D	7/14/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
BGO 4D	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
BGO 4D	7/14/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 4D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 4D	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.38	ug/L	J	J	21		0.1	1
BGO 4D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 4D	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 4D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 4D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 4D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 4D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 4D	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 4D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 4D	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 4D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 4D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 4D	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 4D	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 4D	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 4D	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 4D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 4D	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 4D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 4D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 4D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 4D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 4D	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 4D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 4D	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 4D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 4D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 4D	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 4D	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 4D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 4D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 4D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 4D	7/14/2015	DICHLORODIFLUOROMETHANE	1	ug/L	J	J	21		0.08	2
BGO 4D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 4D	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 4D	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 4D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 4D	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 4D	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 4D	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 4D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 4D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 4D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 4D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 4D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 4D	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 4D	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 4D	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 4D	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 4D	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 4D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 4D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 4D	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 4D	7/14/2015	TRICHLOROFLUOROMETHANE	0.41	ug/L	J	J	21		0.11	1
BGO 4D	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 4D	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 4D	7/14/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
BGO 4D	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	1,3-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,4-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,4-DIOXANE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	1-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
BGO 4D	7/14/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
BGO 4D	7/14/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6
BGO 4D	7/14/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U	U	14		0.96	96
BGO 4D	7/14/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	2-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
BGO 4D	7/14/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
BGO 4D	7/14/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 4D	7/14/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
BGO 4D	7/14/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U	14		2.5	48
BGO 4D	7/14/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.96	19
BGO 4D	7/14/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
BGO 4D	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
BGO 4D	7/14/2015	4-NITROQUINOLINE-1-OXIDE	96	ug/L	U	U	14		4.8	96
BGO 4D	7/14/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.96	19
BGO 4D	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
BGO 4D	7/14/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	ANILINE	9.6	ug/L	U	U			1.2	9.6
BGO 4D	7/14/2015	ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	ARAMITE	19	ug/L	U	U	14		4.8	19
BGO 4D	7/14/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	BENZO[A]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	BENZYL ALCOHOL	9.6	ug/L	U	U			2.9	9.6
BGO 4D	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U	14		1.8	9.6
BGO 4D	7/14/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	CHLOROBENZILATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	CHRYSENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	DIALLATE	19	ug/L	U	U			1.9	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	DIMETHOATE	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 4D	7/14/2015	DISULFOTON	48	ug/L	U	U	14		0.96	48
BGO 4D	7/14/2015	ETHYL METHACRYLATE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	ETHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	FAMPHUR	96	ug/L	U	U	14		1.6	96
BGO 4D	7/14/2015	FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.6	240
BGO 4D	7/14/2015	HEXACHLOROPROPENE	96	ug/L	U	U			0.96	96
BGO 4D	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	ISODRIN	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
BGO 4D	7/14/2015	KEPONE	96	ug/L	U	U			19	96
BGO 4D	7/14/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 4D	7/14/2015	METHAPYRILENE	48	ug/L	U	U	14		1.2	48
BGO 4D	7/14/2015	METHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	METHYL PARATHION	9.6	ug/L	U	U	14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U	U			1.9	9.6
BGO 4D	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6
BGO 4D	7/14/2015	N-NITROSOMORPHOLINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
BGO 4D	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	PARATHION	48	ug/L	U	U	14		0.96	48
BGO 4D	7/14/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 4D	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	PENTACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 4D	7/14/2015	PHENACETIN	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	PHENANTHRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	PHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
BGO 4D	7/14/2015	PHORATE	48	ug/L	U	U			1.9	48
BGO 4D	7/14/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 4D	7/14/2015	P-PHENYLENEDIAMINE	96	ug/L	U	U			0.96	96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	PRONAMIDE	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 4D	7/14/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 4D	7/14/2015	SAFROLE	19	ug/L	U	U			0.96	19
BGO 4D	7/14/2015	SULFOTEPP	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	THIONAZIN	48	ug/L	U	U			0.96	48
BGO 4D	7/14/2015	2,3,7,8-TCDD	0.0096	ng/L	U	U			0.0015	0.0096
BGO 4D	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00077	0.048
BGO 4D	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00037	0.048
BGO 4D	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00077	0.048
BGO 4D	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00065	0.048
BGO 4D	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0096	ng/L	U	U			0.0015	0.0096
BGO 4D	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.0096	ng/L	U	U			0.0011	0.0096
BGO 4D	7/14/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 4D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	1.27	pCi/L				0.204	0.146	0.554
BGO 4D	7/14/2015	RADIUM-226	0.647	pCi/L				0.103	0.075	0.2813
BGO 4D	7/14/2015	RADIUM-228	0.102	pCi/L	U	U		0.249	0.424	0.922
BGO 4D	7/14/2015	AMERICIUM-241	-0.00656	pCi/L	U	U		0.0132	0.132	0.159
BGO 4D	7/14/2015	CURIUM-242	0.0824	pCi/L	U	U	21, V	0.0959	0.0701	0.262
BGO 4D	7/14/2015	CURIUM-243/244	0.0518	pCi/L	U	U	V	0.0736	0.0701	0.217
BGO 4D	7/14/2015	CURIUM-245/246	0.134	pCi/L	J	U	21, V	0.121	0.0725	0.315
BGO 4D	7/14/2015	NEPTUNIUM-237	0.0621	pCi/L	U	U	V	0.0894	0.0842	0.263
BGO 4D	7/14/2015	PLUTONIUM-238	-0.00769	pCi/L	U	U		0.0155	0.155	0.186
BGO 4D	7/14/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0833	0.0833
BGO 4D	7/14/2015	THORIUM-228	-0.0602	pCi/L	U	U		0.0616	0.253	0.376
BGO 4D	7/14/2015	THORIUM-230	0.103	pCi/L	U	U	V	0.0985	0.109	0.306
BGO 4D	7/14/2015	THORIUM-232	0.0216	pCi/L	U	U		0.0433	0.0585	0.145
BGO 4D	7/14/2015	URANIUM-233/234	0.0635	pCi/L	J	J	21	0.0739	0.0573	0.205

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 4D	7/14/2015	URANIUM-235	0.0522	pCi/L	U	U		0.0743	0.0707	0.219
BGO 4D	7/14/2015	URANIUM-238	0.0211	pCi/L	U	U		0.0423	0.0572	0.142
BGO 4D	7/14/2015	GROSS ALPHA	2.47	pCi/L	J	J	21	2.13	2.15	6.41
BGO 4D	7/14/2015	NONVOLATILE BETA	1.4	pCi/L	U	U		2.37	3.81	8.55
BGO 4D	7/14/2015	STRONTIUM-90	-0.904	pCi/L	U	U		2.01	3.23	7.25
BGO 4D	7/14/2015	CARBON-14	2.57	pCi/L	U	U		4.32	7.14	15.8
BGO 4D	7/14/2015	NICKEL-63	2.53	pCi/L	U	U		3.35	6.06	12.8
BGO 4D	7/14/2015	TECHNETIUM-99	-0.816	pCi/L	U	U		2.6	4.42	9.62
BGO 4D	7/14/2015	TRITIUM	60	pCi/mL				1.45	0.387	3.29
BGO 4D	7/14/2015	CESIUM-134	1.2	pCi/L	U	U		6.62	10.4	23.6
BGO 4D	7/14/2015	CESIUM-137	3.16	pCi/L	U	U		6.92	12.7	26.5
BGO 4D	7/14/2015	COBALT-60	-1.25	pCi/L	U	U		6.73	12	25.5
BGO 4D	7/14/2015	EUROPIUM-152	43.1	pCi/L	U	U		78.9	123	281
BGO 4D	7/14/2015	EUROPIUM-154	5.77	pCi/L	U	U		11.9	21.3	45.1
BGO 4D	7/14/2015	EUROPIUM-155	26.9	pCi/L	U	U		23.4	40.6	87.5
BGO 4D	7/14/2015	IODINE-129	-0.255	pCi/L	U	U		0.569	0.937	2.07
BGO 4D	7/14/2015	SODIUM-22	-2.73	pCi/L	U	U		5.89	10.1	21.9
BGO 5C	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 5C	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 5C	1/7/2015	BARIUM	7.66	ug/L	J				2	20
BGO 5C	1/7/2015	BERYLLIUM	0.278	ug/L	J				0.1	1
BGO 5C	1/7/2015	CHROMIUM	17.4	ug/L	J				10	100
BGO 5C	1/7/2015	COBALT	6.22	ug/L					0.5	5
BGO 5C	1/7/2015	COPPER	1.8	ug/L	J				0.5	5
BGO 5C	1/7/2015	LEAD	0.765	ug/L	J				0.5	5
BGO 5C	1/7/2015	NICKEL	5.67	ug/L					0.5	5
BGO 5C	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 5C	1/7/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 5C	1/7/2015	TIN	10	ug/L	U				1	10
BGO 5C	1/7/2015	VANADIUM	39.1	ug/L	U				5	50
BGO 5C	1/7/2015	ZINC	14.5	ug/L	J				4	40
BGO 5C	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 5C	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 5C	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 5C	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 5C	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 5C	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 5C	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 5C	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 5C	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 5C	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 5C	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 5C	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 5C	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 5C	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 5C	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 5C	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 5C	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 5C	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 5C	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 5C	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 5C	1/7/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
BGO 5C	1/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 5C	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 5C	1/7/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.261	pCi/L	J		21	0.119	0.159	0.397
BGO 5C	1/7/2015	RADIUM-226	0.0954	pCi/L	J		21	0.059	0.085	0.2024
BGO 5C	1/7/2015	URANIUM-233/234	0.0399	pCi/L	U			0.0659	0.115	0.247
BGO 5C	1/7/2015	URANIUM-235	0	pCi/L	U			0	0.0763	0.0763
BGO 5C	1/7/2015	URANIUM-238	0.0228	pCi/L	U			0.0457	0.0617	0.153
BGO 5C	1/7/2015	GROSS ALPHA	0.436	pCi/L	U			1.13	2.19	4.44
BGO 5C	1/7/2015	NONVOLATILE BETA	3.44	pCi/L	U			2.75	3.93	9.43
BGO 5C	1/7/2015	STRONTIUM-90	-0.545	pCi/L	U			1.77	3.27	6.82
BGO 5C	1/7/2015	CARBON-14	1.11	pCi/L	U			4.16	6.93	15.3
BGO 5C	1/7/2015	TECHNETIUM-99	1.79	pCi/L	U			2.6	4.29	9.48
BGO 5C	1/7/2015	TRITIUM	194	pCi/mL				2.59	0.43	5.61
BGO 5C	1/7/2015	IODINE-129	-0.0322	pCi/L	U			0.558	0.942	2.06
BGO 5C	7/6/2015	ETHANE	0.0024	ug/L	J		21		0.002	0.1
BGO 5C	7/6/2015	ETHYLENE	0.022	ug/L	J		21		0.003	0.1
BGO 5C	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 5C	7/6/2015	ANTIMONY	10	ug/L	U	U	V		1	10
BGO 5C	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 5C	7/6/2015	BARIUM	7.67	ug/L	J	J	21		2	20
BGO 5C	7/6/2015	BERYLLIUM	0.282	ug/L	J	J	21		0.1	1
BGO 5C	7/6/2015	CADMIUM	0.198	ug/L	J	J	21		0.1	1
BGO 5C	7/6/2015	CHROMIUM	14.5	ug/L	J	J	21		10	100
BGO 5C	7/6/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 5C	7/6/2015	COPPER	0.969	ug/L	J	J	21		0.5	5
BGO 5C	7/6/2015	LEAD	0.536	ug/L	J	J	21		0.5	5
BGO 5C	7/6/2015	NICKEL	1.96	ug/L	J	J	21		0.5	5
BGO 5C	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 5C	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 5C	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 5C	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 5C	7/6/2015	ZINC	13.2	ug/L	U	U	21, V		4	40
BGO 5C	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 5C	7/6/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 5C	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 5C	7/6/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 5C	7/6/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 5C	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 5C	7/6/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 5C	7/6/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 5C	7/6/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 5C	7/6/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 5C	7/6/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 5C	7/6/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 5C	7/6/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 5C	7/6/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 5C	7/6/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 5C	7/6/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 5C	7/6/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 5C	7/6/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 5C	7/6/2015	2,4,5-T	1.1	ug/L	U	U			0.28	1.1
BGO 5C	7/6/2015	2,4,5-TP (SILVEX)	1.1	ug/L	U	U			0.2	1.1
BGO 5C	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.4	ug/L	U	U			4.4	8.4
BGO 5C	7/6/2015	DINOSEB	2.1	ug/L	U	U			0.77	2.1
BGO 5C	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 5C	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 5C	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 5C	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 5C	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 5C	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 5C	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 5C	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 5C	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 5C	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 5C	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 5C	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 5C	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 5C	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 5C	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 5C	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 5C	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 5C	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 5C	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 5C	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 5C	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 5C	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 5C	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 5C	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 5C	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 5C	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 5C	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 5C	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 5C	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 5C	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 5C	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 5C	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 5C	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 5C	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 5C	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 5C	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 5C	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 5C	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 5C	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 5C	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 5C	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 5C	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 5C	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 5C	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 5C	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 5C	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 5C	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 5C	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 5C	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 5C	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 5C	7/6/2015	TOLUENE	0.14	ug/L	J	U	21, 8		0.07	1
BGO 5C	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 5C	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 5C	7/6/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
BGO 5C	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 5C	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 5C	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 5C	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,2,4-TRICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,2-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,3,5-TRINITROBENZENE	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	1,3-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,3-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,4-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,4-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,4-DIOXANE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	1,4-NAPHTHOQUINONE	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	1-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	55	ug/L	U	UJ	14		1.1	55
BGO 5C	7/6/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2,4-DINITROPHENOL	55	ug/L	U	UJ	14		2.2	55
BGO 5C	7/6/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	2,6-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.4	11
BGO 5C	7/6/2015	2-ACETYLAMINOFLUORENE	110	ug/L	U	U			1.1	110
BGO 5C	7/6/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	2-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
BGO 5C	7/6/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.7	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	2-PICOLINE	22	ug/L	U	U			2.2	22
BGO 5C	7/6/2015	3,3-DICHLOROBENZIDINE	55	ug/L	U	U			1.4	55
BGO 5C	7/6/2015	3,3'-DIMETHYLBENZIDINE	55	ug/L	U	U			2.9	55
BGO 5C	7/6/2015	3-METHYLCHOLANTHRENE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	4-AMINOBIPHENYL	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	4-CHLOROANILINE	11	ug/L	U	U			2.2	11
BGO 5C	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.2	11
BGO 5C	7/6/2015	4-NITROQUINOLINE-1-OXIDE	110	ug/L	U	U			5.5	110
BGO 5C	7/6/2015	5-NITRO-O-TOLUIDINE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	55	ug/L	U	U			24	55
BGO 5C	7/6/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ANILINE	11	ug/L	U	U			1.4	11
BGO 5C	7/6/2015	ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ARAMITE	22	ug/L	U	U			5.5	22
BGO 5C	7/6/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BENZO[A]PYRENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BENZYL ALCOHOL	11	ug/L	U	U			3.3	11
BGO 5C	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U			2	11
BGO 5C	7/6/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	CHLOROBENZILATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	CHRYSENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DIALLATE	22	ug/L	U	U			2.2	22
BGO 5C	7/6/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DIMETHOATE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.4	11
BGO 5C	7/6/2015	DISULFOTON	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	ETHYL METHACRYLATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ETHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	FAMPHUR	110	ug/L	U	U			1.9	110
BGO 5C	7/6/2015	FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	FLUORENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	HEXACHLOROPHENE	270	ug/L	U	U			11	270
BGO 5C	7/6/2015	HEXACHLOROPROPENE	110	ug/L	U	U			1.1	110
BGO 5C	7/6/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ISODRIN	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	ISOSAFROLE	22	ug/L	U	U			5.5	22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	KEPONE	110	ug/L	U	U			22	110
BGO 5C	7/6/2015	M/P-CRESOL	22	ug/L	U	UJ	14		2.2	22
BGO 5C	7/6/2015	METHAPYRILENE	55	ug/L	U	U			1.4	55
BGO 5C	7/6/2015	METHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	METHYL PARATHION	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSODIETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSODIMETHYLAMINE	11	ug/L	U	U			2.2	11
BGO 5C	7/6/2015	N-NITROSODI-N-BUTYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
BGO 5C	7/6/2015	N-NITROSOMORPHOLINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSOPIPERIDINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	N-NITROSOPYRROLIDINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	55	ug/L	U	U			1.2	55
BGO 5C	7/6/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	PARATHION	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
BGO 5C	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	PENTACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	PENTACHLOROETHANE	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	PENTACHLORONITROBENZENE	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
BGO 5C	7/6/2015	PHENACETIN	22	ug/L	U	U			1.1	22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	PHENANTHRENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	PHENOL	11	ug/L	U	UJ	14		2.2	11
BGO 5C	7/6/2015	PHORATE	55	ug/L	U	U			2.2	55
BGO 5C	7/6/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	P-PHENYLENEDIAMINE	110	ug/L	U	U			1.1	110
BGO 5C	7/6/2015	PRONAMIDE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	PYRENE	11	ug/L	U	U			1.1	11
BGO 5C	7/6/2015	PYRIDINE	22	ug/L	U	U			2.2	22
BGO 5C	7/6/2015	SAFROLE	22	ug/L	U	U			1.1	22
BGO 5C	7/6/2015	SULFOTEPP	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	THIONAZIN	55	ug/L	U	U			1.1	55
BGO 5C	7/6/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.0029	0.011
BGO 5C	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.0012	0.053
BGO 5C	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.00061	0.053
BGO 5C	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.0012	0.053
BGO 5C	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.00092	0.053
BGO 5C	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.011	ng/L	U	U			0.0029	0.011
BGO 5C	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.011	ng/L	U	U			0.002	0.011
BGO 5C	7/6/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 5C	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0849	pCi/L	U	U		0.142	0.243	0.527
BGO 5C	7/6/2015	RADIUM-226	0.136	pCi/L	J	J	21	0.063	0.085	0.2104
BGO 5C	7/6/2015	RADIUM-228	-0.268	pCi/L	U	U		0.246	0.463	0.955
BGO 5C	7/6/2015	AMERICIUM-241	0.0237	pCi/L	U	U	V	0.0475	0.0643	0.159
BGO 5C	7/6/2015	CURIUM-242	0.0708	pCi/L	U	U	V	0.0823	0.0633	0.228
BGO 5C	7/6/2015	CURIUM-243/244	0.0234	pCi/L	U	U	V	0.0468	0.0633	0.157
BGO 5C	7/6/2015	CURIUM-245/246	0.0967	pCi/L	U	U	V	0.0977	0.0655	0.261
BGO 5C	7/6/2015	NEPTUNIUM-237	0	pCi/L	U	U	V	0	0.0841	0.0841
BGO 5C	7/6/2015	PLUTONIUM-238	0	pCi/L	U	U	V	0	0.0833	0.0833

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5C	7/6/2015	PLUTONIUM-239/240	0.023	pCi/L	U	U	V	0.0636	0.155	0.282
BGO 5C	7/6/2015	THORIUM-228	0.00961	pCi/L	U	U		0.0638	0.135	0.263
BGO 5C	7/6/2015	THORIUM-230	0.0192	pCi/L	U	U		0.0273	0.026	0.0806
BGO 5C	7/6/2015	THORIUM-232	0.00958	pCi/L	U	U		0.0192	0.026	0.0644
BGO 5C	7/6/2015	URANIUM-233/234	0.0642	pCi/L	U	U		0.0822	0.117	0.282
BGO 5C	7/6/2015	URANIUM-235	0	pCi/L	U	U		0	0.078	0.078
BGO 5C	7/6/2015	URANIUM-238	0.0116	pCi/L	U	U	V	0.0718	0.196	0.339
BGO 5C	7/6/2015	GROSS ALPHA	-0.288	pCi/L	U	U		0.388	2.12	2.9
BGO 5C	7/6/2015	NONVOLATILE BETA	3.19	pCi/L	U	U		2.73	3.93	9.39
BGO 5C	7/6/2015	STRONTIUM-90	-0.174	pCi/L	U	U		1.23	2.98	5.44
BGO 5C	7/6/2015	CARBON-14	51.6	pCi/L				5.32	7.01	17.6
BGO 5C	7/6/2015	NICKEL-63	3.74	pCi/L	U	U		2.96	4.81	10.7
BGO 5C	7/6/2015	TECHNETIUM-99	1.34	pCi/L	U	U		2.66	4.41	9.72
BGO 5C	7/6/2015	TRITIUM	216	pCi/mL				2.79	0.467	6.06
BGO 5C	7/6/2015	CESIUM-134	2.89	pCi/L	U	U		5.8	9.45	21.1
BGO 5C	7/6/2015	CESIUM-137	0.516	pCi/L	U	U		5.58	10	21.2
BGO 5C	7/6/2015	COBALT-60	0.8	pCi/L	U	U		4.56	8.78	17.9
BGO 5C	7/6/2015	EUROPIUM-152	-22.2	pCi/L	U	U		58.2	98.1	215
BGO 5C	7/6/2015	EUROPIUM-154	12	pCi/L	U	U		11	19.2	41.3
BGO 5C	7/6/2015	EUROPIUM-155	-9.4	pCi/L	U	U		16	25	57
BGO 5C	7/6/2015	IODINE-129	0.506	pCi/L	U	U		0.573	1	2.15
BGO 5C	7/6/2015	SODIUM-22	-3.57	pCi/L	U	U		4	6.46	14.5
BGO 5D	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 5D	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 5D	1/7/2015	BARIUM	20.4	ug/L					2	20
BGO 5D	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 5D	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 5D	1/7/2015	COBALT	0.882	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	1/7/2015	COPPER	6.17	ug/L					0.5	5
BGO 5D	1/7/2015	LEAD	4	ug/L	J				0.5	5
BGO 5D	1/7/2015	NICKEL	1.31	ug/L	J				0.5	5
BGO 5D	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 5D	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 5D	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 5D	1/7/2015	TIN	10	ug/L	U				1	10
BGO 5D	1/7/2015	VANADIUM	43	ug/L	U				5	50
BGO 5D	1/7/2015	ZINC	13.7	ug/L	J				4	40
BGO 5D	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 5D	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 5D	1/7/2015	1,1-DICHLOROETHANE	0.61	ug/L	J		21		0.07	1
BGO 5D	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 5D	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 5D	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 5D	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 5D	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 5D	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 5D	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 5D	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 5D	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 5D	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 5D	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 5D	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 5D	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 5D	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 5D	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 5D	1/7/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 5D	1/7/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
BGO 5D	1/7/2015	TRICHLOROFLUOROMETHANE	0.21	ug/L	J		21		0.11	1
BGO 5D	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 5D	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 5D	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.1	pCi/L				0.265	0.158	0.688
BGO 5D	1/7/2015	RADIUM-226	1.71	pCi/L				0.165	0.075	0.405
BGO 5D	1/7/2015	URANIUM-233/234	0.0503	pCi/L	U			0.0716	0.0682	0.211
BGO 5D	1/7/2015	URANIUM-235	0	pCi/L	U			0	0.0841	0.0841
BGO 5D	1/7/2015	URANIUM-238	0.0188	pCi/L	U			0.0518	0.126	0.23
BGO 5D	1/7/2015	GROSS ALPHA	1.97	pCi/L	U			1.9	2.2	6.01
BGO 5D	1/7/2015	NONVOLATILE BETA	2.19	pCi/L	U			2.55	3.97	9.06
BGO 5D	1/7/2015	STRONTIUM-90	0.971	pCi/L	U			2.04	3.11	7.19
BGO 5D	1/7/2015	CARBON-14	23.7	pCi/L	J			4.71	7.01	16.4
BGO 5D	1/7/2015	TECHNETIUM-99	0.635	pCi/L	U			2.56	4.29	9.42
BGO 5D	1/7/2015	TRITIUM	1190	pCi/mL				6.41	0.435	13.3
BGO 5D	1/7/2015	IODINE-129	-0.0897	pCi/L	U			0.546	0.916	2.01
BGO 5D	7/6/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 5D	7/6/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BGO 5D	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 5D	7/6/2015	ANTIMONY	10	ug/L	U	U	V		1	10
BGO 5D	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 5D	7/6/2015	BARIUM	18.1	ug/L	J	J	21		2	20
BGO 5D	7/6/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	CHROMIUM	13.9	ug/L	J	J	21		10	100
BGO 5D	7/6/2015	COBALT	1.31	ug/L	J	J	21		0.5	5
BGO 5D	7/6/2015	COPPER	5.6	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	LEAD	3.62	ug/L	J	J	21		0.5	5
BGO 5D	7/6/2015	NICKEL	1.39	ug/L	J	J	21		0.5	5
BGO 5D	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 5D	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 5D	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 5D	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 5D	7/6/2015	ZINC	13.2	ug/L	U	U	21, V		4	40
BGO 5D	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 5D	7/6/2015	ALDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	ALPHA-CHLORDANE	0.047	ug/L	U	U			0.014	0.047
BGO 5D	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.012	0.047
BGO 5D	7/6/2015	DDD	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	DDE	0.047	ug/L	U	U			0.013	0.047
BGO 5D	7/6/2015	DDT	0.047	ug/L	U	U			0.022	0.047
BGO 5D	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	DIELDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	ENDOSULFAN I	0.047	ug/L	U	U			0.018	0.047
BGO 5D	7/6/2015	ENDOSULFAN II	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	ENDOSULFAN SULFATE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	ENDRIN	0.047	ug/L	U	U			0.017	0.047
BGO 5D	7/6/2015	ENDRIN ALDEHYDE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	GAMMA-CHLORDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	HEPTACHLOR	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U	U			0.016	0.047
BGO 5D	7/6/2015	LINDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 5D	7/6/2015	METHOXYCHLOR	0.47	ug/L	U	U			0.012	0.47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	TOTAL CHLORDANE	0.47	ug/L	U	U			0.095	0.47
BGO 5D	7/6/2015	TOXAPHENE	1.9	ug/L	U	U			0.25	1.9
BGO 5D	7/6/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
BGO 5D	7/6/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
BGO 5D	7/6/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
BGO 5D	7/6/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
BGO 5D	7/6/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
BGO 5D	7/6/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
BGO 5D	7/6/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
BGO 5D	7/6/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97
BGO 5D	7/6/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
BGO 5D	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.7	ug/L	U	U			4.1	7.7
BGO 5D	7/6/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 5D	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 5D	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.73	ug/L	J	J	21		0.1	1
BGO 5D	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 5D	7/6/2015	1,1-DICHLOROETHANE	1	ug/L			S		0.07	1
BGO 5D	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 5D	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 5D	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 5D	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 5D	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 5D	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	1,2-DICHLOROETHYLENE	0.25	ug/L	J	J	21		0.15	2
BGO 5D	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 5D	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 5D	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 5D	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 5D	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 5D	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 5D	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 5D	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 5D	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 5D	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 5D	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 5D	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 5D	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 5D	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 5D	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 5D	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 5D	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 5D	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 5D	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 5D	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 5D	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 5D	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 5D	7/6/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J	J	21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 5D	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 5D	7/6/2015	DICHLORODIFLUOROMETHANE	0.81	ug/L	J	J	21		0.08	2
BGO 5D	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 5D	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 5D	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 5D	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 5D	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 5D	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 5D	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 5D	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 5D	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 5D	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 5D	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 5D	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 5D	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 5D	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 5D	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 5D	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 5D	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 5D	7/6/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 5D	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 5D	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
BGO 5D	7/6/2015	TRICHLOROFLUOROMETHANE	0.51	ug/L	J	J	21		0.11	1
BGO 5D	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 5D	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 5D	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 5D	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,3,5-TRINITROBENZENE	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,3-DINITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,4-DINITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,4-DIOXANE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	1,4-NAPHTHOQUINONE	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	1-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U	UJ	14		0.95	47
BGO 5D	7/6/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	2,4-DINITROPHENOL	47	ug/L	U	UJ	14		1.9	47
BGO 5D	7/6/2015	2,4-DINITROTOLUENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	2,6-DINITROTOLUENE	9.5	ug/L	U	U			2.1	9.5
BGO 5D	7/6/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U	U			0.95	95
BGO 5D	7/6/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	2-CHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	2-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	2-NITROANILINE	9.5	ug/L	U	U			1	9.5
BGO 5D	7/6/2015	2-NITROPHENOL	9.5	ug/L	U	UJ	14		1.4	9.5
BGO 5D	7/6/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 5D	7/6/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U	U			1.2	47
BGO 5D	7/6/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U	U			2.5	47
BGO 5D	7/6/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	4-AMINOBIPHENYL	47	ug/L	U	U			1	47
BGO 5D	7/6/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	4-CHLOROANILINE	9.5	ug/L	U	U			1.9	9.5
BGO 5D	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	4-NITROPHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
BGO 5D	7/6/2015	4-NITROQUINOLINE-1-OXIDE	95	ug/L	U	U			4.7	95
BGO 5D	7/6/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U	U			21	47
BGO 5D	7/6/2015	ACENAPHTHENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ACENAPHTHYLENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ACETOPHENONE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ANILINE	9.5	ug/L	U	U			1.2	9.5
BGO 5D	7/6/2015	ANTHRACENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ARAMITE	19	ug/L	U	U			4.7	19
BGO 5D	7/6/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BENZO[A]PYRENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U	U			0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BENZYL ALCOHOL	9.5	ug/L	U	U			2.8	9.5
BGO 5D	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U	U			1.8	9.5
BGO 5D	7/6/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	CHLOROBENZILATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	CHRYSENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 5D	7/6/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DIBENZOFURAN	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DIETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DIMETHOATE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	DIMETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	DINITRO-O-CRESOL	9.5	ug/L	U	UJ	14		1.2	9.5
BGO 5D	7/6/2015	DISULFOTON	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	ETHYL METHACRYLATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ETHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	FAMPHUR	95	ug/L	U	U			1.6	95
BGO 5D	7/6/2015	FLUORANTHENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	FLUORENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	HEXACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	HEXACHLOROETHANE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	HEXACHLOROPHENE	240	ug/L	U	U			9.5	240

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	HEXACHLOROPROPENE	95	ug/L	U	U			0.95	95
BGO 5D	7/6/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ISODRIN	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ISOPHORONE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	ISOSAFROLE	19	ug/L	U	U			4.7	19
BGO 5D	7/6/2015	KEPONE	95	ug/L	U	U			19	95
BGO 5D	7/6/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 5D	7/6/2015	METHAPYRILENE	47	ug/L	U	U			1.2	47
BGO 5D	7/6/2015	METHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	METHYL PARATHION	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	M-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	NAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	NITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U	U			1.9	9.5
BGO 5D	7/6/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U	U			1.4	9.5
BGO 5D	7/6/2015	N-NITROSOMORPHOLINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U	U			1.1	47
BGO 5D	7/6/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	PARATHION	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 5D	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U	U			0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	PENTACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	PENTACHLOROETHANE	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	PENTACHLORONITROBENZENE	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	PENTACHLOROPHENOL	9.5	ug/L	U	UJ	14		1.2	9.5
BGO 5D	7/6/2015	PHENACETIN	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	PHENANTHRENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	PHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
BGO 5D	7/6/2015	PHORATE	47	ug/L	U	U			1.9	47
BGO 5D	7/6/2015	P-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	P-PHENYLENEDIAMINE	95	ug/L	U	U			0.95	95
BGO 5D	7/6/2015	PRONAMIDE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	PYRENE	9.5	ug/L	U	U			0.95	9.5
BGO 5D	7/6/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 5D	7/6/2015	SAFROLE	19	ug/L	U	U			0.95	19
BGO 5D	7/6/2015	SULFOTEPP	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	THIONAZIN	47	ug/L	U	U			0.95	47
BGO 5D	7/6/2015	2,3,7,8-TCDD	0.0098	ng/L	U	U			0.002	0.0098
BGO 5D	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.049	ng/L	U	U			0.00075	0.049
BGO 5D	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00049	0.049
BGO 5D	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.049	ng/L	U	U			0.00087	0.049
BGO 5D	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00071	0.049
BGO 5D	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0098	ng/L	U	U			0.002	0.0098
BGO 5D	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.0098	ng/L	U	U			0.0013	0.0098
BGO 5D	7/6/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 5D	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	2.41	pCi/L				0.339	0.264	0.942
BGO 5D	7/6/2015	RADIUM-226	1.41	pCi/L				0.143	0.049	0.335
BGO 5D	7/6/2015	RADIUM-228	0.418	pCi/L	U	U		0.278	0.437	0.993
BGO 5D	7/6/2015	AMERICIUM-241	0	pCi/L	U	U	V	0	0.0667	0.0667

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 5D	7/6/2015	CURIUM-242	0.049	pCi/L	U	U	V	0.0696	0.0657	0.205
BGO 5D	7/6/2015	CURIUM-243/244	0.0485	pCi/L	U	U	V	0.0689	0.0657	0.204
BGO 5D	7/6/2015	CURIUM-245/246	0.1	pCi/L	U	U	V	0.101	0.068	0.271
BGO 5D	7/6/2015	NEPTUNIUM-237	0.0396	pCi/L	J	U	21, V	0.0656	0.114	0.245
BGO 5D	7/6/2015	PLUTONIUM-238	0	pCi/L	U	U	V	0	0.0607	0.0607
BGO 5D	7/6/2015	PLUTONIUM-239/240	-0.0056	pCi/L	U	U	V	0.0113	0.113	0.135
BGO 5D	7/6/2015	THORIUM-228	0.0475	pCi/L	U	U		0.0553	0.088	0.199
BGO 5D	7/6/2015	THORIUM-230	0.133	pCi/L	J	J	21, V	0.0736	0.0257	0.173
BGO 5D	7/6/2015	THORIUM-232	0	pCi/L	U	U	V	0	0.0257	0.0257
BGO 5D	7/6/2015	URANIUM-233/234	0.0439	pCi/L	U	U		0.0623	0.0594	0.184
BGO 5D	7/6/2015	URANIUM-235	-0.00676	pCi/L	U	U		0.0136	0.136	0.163
BGO 5D	7/6/2015	URANIUM-238	0.0109	pCi/L	U	U	V	0.0464	0.131	0.224
BGO 5D	7/6/2015	GROSS ALPHA	0.856	pCi/L	U	U		1.38	2.12	4.88
BGO 5D	7/6/2015	NONVOLATILE BETA	1.25	pCi/L	U	U		2.39	3.96	8.73
BGO 5D	7/6/2015	STRONTIUM-90	-0.444	pCi/L	U	U		1.26	2.99	5.5
BGO 5D	7/6/2015	CARBON-14	3.75	pCi/L	U	U		4.25	6.97	15.5
BGO 5D	7/6/2015	NICKEL-63	2.15	pCi/L	U	U		3.06	5.34	11.5
BGO 5D	7/6/2015	TECHNETIUM-99	0.696	pCi/L	U	U		2.61	4.36	9.58
BGO 5D	7/6/2015	TRITIUM	1950	pCi/mL				8.36	0.466	17.2
BGO 5D	7/6/2015	CESIUM-134	-2.7	pCi/L	U	U		5.64	8.26	19.5
BGO 5D	7/6/2015	CESIUM-137	-1.16	pCi/L	U	U		5.32	9.35	20
BGO 5D	7/6/2015	COBALT-60	1.38	pCi/L	U	U		4.93	9.51	19.4
BGO 5D	7/6/2015	EUROPIUM-152	-21.2	pCi/L	U	U		68	100	236
BGO 5D	7/6/2015	EUROPIUM-154	-1.99	pCi/L	U	U		11.3	19.1	41.6
BGO 5D	7/6/2015	EUROPIUM-155	-9.96	pCi/L	U	U		17	26.7	60.8
BGO 5D	7/6/2015	IODINE-129	0.0335	pCi/L	U	U		0.555	0.943	2.05
BGO 5D	7/6/2015	SODIUM-22	3	pCi/L	U	U		4.88	9.82	19.6
BGO 6A	1/7/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 6A	1/7/2015	BARIUM	42.2	ug/L					2	20
BGO 6A	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 6A	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 6A	1/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 6A	1/7/2015	COPPER	0.648	ug/L	J				0.5	5
BGO 6A	1/7/2015	LEAD	5	ug/L	U				0.5	5
BGO 6A	1/7/2015	NICKEL	1.06	ug/L	J				0.5	5
BGO 6A	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 6A	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 6A	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6A	1/7/2015	TIN	10	ug/L	U				1	10
BGO 6A	1/7/2015	VANADIUM	36.2	ug/L	U				5	50
BGO 6A	1/7/2015	ZINC	40	ug/L	U				4	40
BGO 6A	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 6A	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6A	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6A	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6A	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 6A	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 6A	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 6A	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 6A	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 6A	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 6A	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 6A	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 6A	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6A	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 6A	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 6A	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 6A	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 6A	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 6A	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6A	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 6A	1/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 6A	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 6A	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 6A	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.438	pCi/L				0.126	0.136	0.388
BGO 6A	1/7/2015	RADIUM-226	0.33	pCi/L				0.087	0.087	0.261
BGO 6A	1/7/2015	URANIUM-233/234	-0.00544	pCi/L	U			0.0109	0.109	0.131
BGO 6A	1/7/2015	URANIUM-235	0	pCi/L	U			0	0.0727	0.0727
BGO 6A	1/7/2015	URANIUM-238	0.0868	pCi/L	U			0.0878	0.0588	0.234
BGO 6A	1/7/2015	GROSS ALPHA	2.61	pCi/L	J		21	2.28	2.44	6.99
BGO 6A	1/7/2015	NONVOLATILE BETA	0.517	pCi/L	U			2.25	4.02	8.52
BGO 6A	1/7/2015	STRONTIUM-90	2.6	pCi/L	U			2.25	3.3	7.81
BGO 6A	1/7/2015	CARBON-14	3.21	pCi/L	U			4.21	6.94	15.4
BGO 6A	1/7/2015	TECHNETIUM-99	0.164	pCi/L	U			2.57	4.32	9.45
BGO 6A	1/7/2015	TRITIUM	0.0775	pCi/mL	U			0.254	0.433	0.942
BGO 6A	1/7/2015	IODINE-129	-0.0884	pCi/L	U			0.56	0.94	2.06
BGO 6A	7/8/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 6A	7/8/2015	ETHYLENE	0.018	ug/L	J		21		0.003	0.1
BGO 6A	7/8/2015	ANTIMONY	10	ug/L	U				1	10
BGO 6A	7/8/2015	ARSENIC	50	ug/L	U				5	50
BGO 6A	7/8/2015	BARIUM	45.1	ug/L					2	20
BGO 6A	7/8/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	7/8/2015	CHROMIUM	100	ug/L	U				10	100
BGO 6A	7/8/2015	COBALT	5	ug/L	U				0.5	5
BGO 6A	7/8/2015	COPPER	2.26	ug/L	J		21		0.5	5
BGO 6A	7/8/2015	LEAD	5	ug/L	U				0.5	5
BGO 6A	7/8/2015	NICKEL	1.18	ug/L	J		21		0.5	5
BGO 6A	7/8/2015	SELENIUM	20	ug/L	U				2	20
BGO 6A	7/8/2015	SILVER	5	ug/L	U				0.5	5
BGO 6A	7/8/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	TIN	10	ug/L	U				1	10
BGO 6A	7/8/2015	VANADIUM	50	ug/L	U				5	50
BGO 6A	7/8/2015	ZINC	11	ug/L	U		21, V		4	40
BGO 6A	7/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 6A	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 6A	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 6A	7/8/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 6A	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 6A	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 6A	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 6A	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 6A	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 6A	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 6A	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 6A	7/8/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 6A	7/8/2015	ACETONE	2	ug/L	U				0.34	2
BGO 6A	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 6A	7/8/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 6A	7/8/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 6A	7/8/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 6A	7/8/2015	BENZENE	1	ug/L	U				0.06	1
BGO 6A	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 6A	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 6A	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 6A	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 6A	7/8/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 6A	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 6A	7/8/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 6A	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 6A	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6A	7/8/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6A	7/8/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 6A	7/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 6A	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	7/8/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 6A	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 6A	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 6A	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 6A	7/8/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 6A	7/8/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 6A	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 6A	7/8/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
BGO 6A	7/8/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 6A	7/8/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 6A	7/8/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 6A	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 6A	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 6A	7/8/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 6A	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 6A	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 6A	7/8/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 6A	7/8/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 6A	7/8/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 6A	7/8/2015	STYRENE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 6A	7/8/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 6A	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 6A	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 6A	7/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 6A	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6A	7/8/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 6A	7/8/2015	XYLENES	3	ug/L	U				0.2	3
BGO 6A	7/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 6A	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.381	pCi/L	J		21	0.17	0.226	0.566
BGO 6A	7/8/2015	RADIUM-226	0.299	pCi/L				0.082	0.091	0.2558
BGO 6A	7/8/2015	URANIUM-233/234	0.0606	pCi/L	U		V	0.0776	0.111	0.266
BGO 6A	7/8/2015	URANIUM-235	0.0272	pCi/L	U		V	0.0545	0.0736	0.183
BGO 6A	7/8/2015	URANIUM-238	0.0659	pCi/L	J		21	0.0767	0.0596	0.213
BGO 6A	7/8/2015	GROSS ALPHA	0.948	pCi/L	U			1.53	2.35	5.41
BGO 6A	7/8/2015	NONVOLATILE BETA	2.91	pCi/L	U			2.71	4	9.43
BGO 6A	7/8/2015	STRONTIUM-90	-0.22	pCi/L	U			1.99	3.26	7.24
BGO 6A	7/8/2015	CARBON-14	-0.209	pCi/L	UJ			4.27	7.16	15.7
BGO 6A	7/8/2015	TECHNETIUM-99	-0.604	pCi/L	U			2.57	4.36	9.51
BGO 6A	7/8/2015	TRITIUM	-0.158	pCi/mL	U			0.26	0.469	0.989
BGO 6A	7/8/2015	IODINE-129	0.552	pCi/L	U			0.618	1.08	2.31
BGO 6B	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 6B	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 6B	1/7/2015	BARIUM	81.9	ug/L					2	20
BGO 6B	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 6B	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 6B	1/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 6B	1/7/2015	COPPER	5	ug/L	U				0.5	5
BGO 6B	1/7/2015	LEAD	5	ug/L	U				0.5	5
BGO 6B	1/7/2015	NICKEL	0.54	ug/L	J				0.5	5
BGO 6B	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 6B	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 6B	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6B	1/7/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	1/7/2015	VANADIUM	40.2	ug/L	U				5	50
BGO 6B	1/7/2015	ZINC	40	ug/L	U				4	40
BGO 6B	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 6B	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6B	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6B	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6B	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 6B	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 6B	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 6B	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 6B	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 6B	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 6B	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 6B	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 6B	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6B	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 6B	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 6B	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 6B	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 6B	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 6B	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 6B	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6B	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 6B	1/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 6B	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 6B	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 6B	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.844	pCi/L				0.151	0.1	0.402
BGO 6B	1/7/2015	RADIUM-226	0.459	pCi/L				0.087	0.064	0.2371

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	1/7/2015	URANIUM-233/234	0.00593	pCi/L	U			0.0517	0.16	0.263
BGO 6B	1/7/2015	URANIUM-235	-0.00732	pCi/L	U			0.0147	0.147	0.177
BGO 6B	1/7/2015	URANIUM-238	0.0178	pCi/L	U			0.0489	0.119	0.217
BGO 6B	1/7/2015	GROSS ALPHA	2.82	pCi/L	J		21	2.26	2.27	6.78
BGO 6B	1/7/2015	NONVOLATILE BETA	0.265	pCi/L	U			2.19	4	8.37
BGO 6B	1/7/2015	STRONTIUM-90	-0.798	pCi/L	U			1.82	3.3	6.94
BGO 6B	1/7/2015	CARBON-14	2.63	pCi/L	U			4.19	6.92	15.3
BGO 6B	1/7/2015	TECHNETIUM-99	-0.468	pCi/L	U			2.55	4.32	9.42
BGO 6B	1/7/2015	TRITIUM	20.3	pCi/mL				0.874	0.434	2.18
BGO 6B	1/7/2015	IODINE-129	-0.134	pCi/L	U			0.563	0.94	2.07
BGO 6B	7/13/2015	ETHANE	0.0043	ug/L	J		21		0.002	0.1
BGO 6B	7/13/2015	ETHYLENE	0.038	ug/L	J		21		0.003	0.1
BGO 6B	7/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 6B	7/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 6B	7/13/2015	BARIUM	75.2	ug/L					2	20
BGO 6B	7/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 6B	7/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 6B	7/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 6B	7/13/2015	COPPER	5	ug/L	U				0.5	5
BGO 6B	7/13/2015	LEAD	5	ug/L	U				0.5	5
BGO 6B	7/13/2015	NICKEL	0.648	ug/L	J		21		0.5	5
BGO 6B	7/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 6B	7/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 6B	7/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6B	7/13/2015	TIN	10	ug/L	U				1	10
BGO 6B	7/13/2015	VANADIUM	50	ug/L	U				5	50
BGO 6B	7/13/2015	ZINC	5	ug/L	U		21, V		4	40
BGO 6B	7/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 6B	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 6B	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 6B	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 6B	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 6B	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 6B	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 6B	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 6B	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 6B	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 6B	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 6B	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 6B	7/13/2015	ACETONE	2	ug/L	U	U	18		0.34	2
BGO 6B	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 6B	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 6B	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 6B	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 6B	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6B	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 6B	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 6B	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 6B	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 6B	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 6B	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 6B	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 6B	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6B	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6B	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 6B	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 6B	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6B	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 6B	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 6B	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 6B	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6B	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 6B	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 6B	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 6B	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 6B	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 6B	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 6B	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 6B	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 6B	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 6B	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 6B	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 6B	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 6B	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 6B	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 6B	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 6B	7/13/2015	TOLUENE	0.14	ug/L	J	J	21		0.07	1
BGO 6B	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6B	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 6B	7/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 6B	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 6B	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6B	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 6B	7/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 6B	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.347	pCi/L				0.107	0.092	0.3056
BGO 6B	7/13/2015	RADIUM-226	0.365	pCi/L				0.086	0.088	0.2608
BGO 6B	7/13/2015	URANIUM-233/234	0.122	pCi/L	U		V	0.106	0.107	0.318
BGO 6B	7/13/2015	URANIUM-235	0	pCi/L	U		V	0	0.0708	0.0708
BGO 6B	7/13/2015	URANIUM-238	0.0423	pCi/L	U			0.0601	0.0573	0.178
BGO 6B	7/13/2015	GROSS ALPHA	0.929	pCi/L	U			1.49	2.23	5.21
BGO 6B	7/13/2015	NONVOLATILE BETA	3.41	pCi/L	U			2.74	3.79	9.26
BGO 6B	7/13/2015	STRONTIUM-90	1.27	pCi/L	U			1.91	3.26	7.08
BGO 6B	7/13/2015	CARBON-14	28.8	pCi/L				5.09	7.46	17.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6B	7/13/2015	TECHNETIUM-99	-0.925	pCi/L	U			2.58	4.38	9.54
BGO 6B	7/13/2015	TRITIUM	21.5	pCi/mL				0.94	0.475	2.36
BGO 6B	7/13/2015	IODINE-129	-0.526	pCi/L	U			0.585	0.935	2.11
BGO 6C	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 6C	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 6C	1/6/2015	BARIUM	9.18	ug/L	J				2	20
BGO 6C	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 6C	1/6/2015	CHROMIUM	10.4	ug/L	J				10	100
BGO 6C	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 6C	1/6/2015	COPPER	1.71	ug/L	J				0.5	5
BGO 6C	1/6/2015	LEAD	0.568	ug/L	J				0.5	5
BGO 6C	1/6/2015	NICKEL	0.594	ug/L	J				0.5	5
BGO 6C	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 6C	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 6C	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6C	1/6/2015	TIN	10	ug/L	U				1	10
BGO 6C	1/6/2015	VANADIUM	33.7	ug/L	U				5	50
BGO 6C	1/6/2015	ZINC	6.28	ug/L	J				4	40
BGO 6C	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 6C	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6C	1/6/2015	1,1-DICHLOROETHANE	0.21	ug/L	J		21		0.07	1
BGO 6C	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6C	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 6C	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 6C	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 6C	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 6C	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 6C	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 6C	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 6C	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6C	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 6C	1/6/2015	CIS-1,2-DICHLOROETHYLENE	0.22	ug/L	J		21		0.09	1
BGO 6C	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 6C	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 6C	1/6/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
BGO 6C	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 6C	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6C	1/6/2015	TRICHLOROETHYLENE (TCE)	2.4	ug/L					0.25	1
BGO 6C	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 6C	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 6C	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 6C	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.108	pCi/L	J		21	0.068	0.095	0.2307
BGO 6C	1/6/2015	RADIUM-226	0.0525	pCi/L	U			0.05	0.08	0.18
BGO 6C	1/6/2015	URANIUM-233/234	-0.00516	pCi/L	U			0.0473	0.163	0.258
BGO 6C	1/6/2015	URANIUM-235	0	pCi/L	U			0	0.069	0.069
BGO 6C	1/6/2015	URANIUM-238	0.0618	pCi/L	U			0.0854	0.152	0.323
BGO 6C	1/6/2015	GROSS ALPHA	0.443	pCi/L	U			1.14	2.22	4.51
BGO 6C	1/6/2015	NONVOLATILE BETA	2.04	pCi/L	U			2.51	3.93	8.95
BGO 6C	1/6/2015	STRONTIUM-90	-0.012	pCi/L	U			1.93	3.24	7.11
BGO 6C	1/6/2015	CARBON-14	-1.11	pCi/L	U			4.12	6.95	15.2
BGO 6C	1/6/2015	TECHNETIUM-99	8.04	pCi/L	J		21	2.81	4.34	9.96
BGO 6C	1/6/2015	TRITIUM	302	pCi/mL				3.26	0.415	6.94
BGO 6C	1/6/2015	IODINE-129	0.11	pCi/L	U			0.545	0.957	2.05
BGO 6C	7/6/2015	ETHANE	0.0027	ug/L	J		21		0.002	0.1
BGO 6C	7/6/2015	ETHYLENE	0.005	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 6C	7/6/2015	ANTIMONY	1.38	ug/L	U	U	21, V		1	10
BGO 6C	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 6C	7/6/2015	BARIUM	9.08	ug/L	J	J	21		2	20
BGO 6C	7/6/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	CHROMIUM	13.8	ug/L	J	J	21		10	100
BGO 6C	7/6/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 6C	7/6/2015	COPPER	0.856	ug/L	J	J	21		0.5	5
BGO 6C	7/6/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 6C	7/6/2015	NICKEL	0.638	ug/L	J	J	21		0.5	5
BGO 6C	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 6C	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 6C	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 6C	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 6C	7/6/2015	ZINC	8.21	ug/L	U	U	21, V		4	40
BGO 6C	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 6C	7/6/2015	ALDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	ALPHA-CHLORDANE	0.047	ug/L	U	U			0.014	0.047
BGO 6C	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.012	0.047
BGO 6C	7/6/2015	DDD	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	DDE	0.047	ug/L	U	U			0.013	0.047
BGO 6C	7/6/2015	DDT	0.047	ug/L	U	U			0.022	0.047
BGO 6C	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	DIELDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	ENDOSULFAN I	0.047	ug/L	U	U			0.018	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	ENDOSULFAN II	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	ENDOSULFAN SULFATE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	ENDRIN	0.047	ug/L	U	U			0.017	0.047
BGO 6C	7/6/2015	ENDRIN ALDEHYDE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	GAMMA-CHLORDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	HEPTACHLOR	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U	U			0.016	0.047
BGO 6C	7/6/2015	LINDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 6C	7/6/2015	METHOXYCHLOR	0.47	ug/L	U	U			0.012	0.47
BGO 6C	7/6/2015	TOTAL CHLORDANE	0.47	ug/L	U	U			0.095	0.47
BGO 6C	7/6/2015	TOXAPHENE	1.9	ug/L	U	U			0.25	1.9
BGO 6C	7/6/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
BGO 6C	7/6/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
BGO 6C	7/6/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
BGO 6C	7/6/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
BGO 6C	7/6/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
BGO 6C	7/6/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
BGO 6C	7/6/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
BGO 6C	7/6/2015	2,4,5-T	0.96	ug/L	U	U			0.26	0.96
BGO 6C	7/6/2015	2,4,5-TP (SILVEX)	0.96	ug/L	U	U			0.18	0.96
BGO 6C	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.7	ug/L	U	U			4	7.7
BGO 6C	7/6/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 6C	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 6C	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.49	ug/L	J	J	21		0.1	1
BGO 6C	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 6C	7/6/2015	1,1-DICHLOROETHANE	0.2	ug/L	J	J	21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 6C	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 6C	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 6C	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 6C	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 6C	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	1,2-DICHLOROETHYLENE	0.18	ug/L	J	J	21		0.15	2
BGO 6C	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 6C	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 6C	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 6C	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 6C	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 6C	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 6C	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 6C	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 6C	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 6C	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 6C	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 6C	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6C	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 6C	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 6C	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 6C	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 6C	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 6C	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 6C	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6C	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6C	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 6C	7/6/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J	J	21		0.09	1
BGO 6C	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6C	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 6C	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 6C	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 6C	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6C	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 6C	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 6C	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 6C	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 6C	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 6C	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 6C	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 6C	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 6C	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 6C	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 6C	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 6C	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 6C	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 6C	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	TETRACHLOROETHYLENE (PCE)	0.43	ug/L	J	J	21		0.18	1
BGO 6C	7/6/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 6C	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6C	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 6C	7/6/2015	TRICHLOROETHYLENE (TCE)	2	ug/L					0.25	1
BGO 6C	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 6C	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6C	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 6C	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 6C	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,2,4-TRICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,3-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,4-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,4-DIOXANE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	1-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.97	48
BGO 6C	7/6/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
BGO 6C	7/6/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	2,6-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
BGO 6C	7/6/2015	2-ACETYLAMINOFLUORENE	97	ug/L	U	U			0.97	97
BGO 6C	7/6/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	2-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
BGO 6C	7/6/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
BGO 6C	7/6/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 6C	7/6/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U			1.2	48
BGO 6C	7/6/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U			2.5	48
BGO 6C	7/6/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48
BGO 6C	7/6/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
BGO 6C	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 6C	7/6/2015	4-NITROQUINOLINE-1-OXIDE	97	ug/L	U	U			4.8	97
BGO 6C	7/6/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
BGO 6C	7/6/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ANILINE	9.7	ug/L	U	U			1.2	9.7
BGO 6C	7/6/2015	ANTHRACENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ARAMITE	19	ug/L	U	U			4.8	19
BGO 6C	7/6/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BENZO[A]PYRENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BENZYL ALCOHOL	9.7	ug/L	U	U			2.9	9.7
BGO 6C	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U			1.8	9.7
BGO 6C	7/6/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	CHLOROBENZILATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	CHRYSENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 6C	7/6/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DIMETHOATE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 6C	7/6/2015	DISULFOTON	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	ETHYL METHACRYLATE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	ETHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	FAMPHUR	97	ug/L	U	U			1.6	97
BGO 6C	7/6/2015	FLUORANTHENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	HEXACHLOROPHENE	240	ug/L	U	U			9.7	240
BGO 6C	7/6/2015	HEXACHLOROPROPENE	97	ug/L	U	U			0.97	97
BGO 6C	7/6/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ISODRIN	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
BGO 6C	7/6/2015	KEPONE	97	ug/L	U	U			19	97
BGO 6C	7/6/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 6C	7/6/2015	METHAPYRILENE	48	ug/L	U	U			1.2	48
BGO 6C	7/6/2015	METHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	METHYL PARATHION	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSODIETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSODIMETHYLAMINE	9.7	ug/L	U	U			1.9	9.7
BGO 6C	7/6/2015	N-NITROSODI-N-BUTYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	N-NITROSOMORPHOLINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSOPIPERIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	N-NITROSOPYRROLIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
BGO 6C	7/6/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	PARATHION	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 6C	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	PENTACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 6C	7/6/2015	PHENACETIN	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	PHENANTHRENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	PHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 6C	7/6/2015	PHORATE	48	ug/L	U	U			1.9	48
BGO 6C	7/6/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	P-PHENYLENEDIAMINE	97	ug/L	U	U			0.97	97
BGO 6C	7/6/2015	PRONAMIDE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	PYRENE	9.7	ug/L	U	U			0.97	9.7
BGO 6C	7/6/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 6C	7/6/2015	SAFROLE	19	ug/L	U	U			0.97	19
BGO 6C	7/6/2015	SULFOTEPP	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	THIONAZIN	48	ug/L	U	U			0.97	48
BGO 6C	7/6/2015	2,3,7,8-TCDD	0.0095	ng/L	U	U			0.0017	0.0095
BGO 6C	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00064	0.048
BGO 6C	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00032	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00071	0.048
BGO 6C	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00048	0.048
BGO 6C	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0095	ng/L	U	U			0.0017	0.0095
BGO 6C	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.0095	ng/L	U	U			0.0012	0.0095
BGO 6C	7/6/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 6C	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.17	pCi/L	J	J	21	0.098	0.123	0.319
BGO 6C	7/6/2015	RADIUM-226	0.0895	pCi/L	J	J	21	0.043	0.049	0.1341
BGO 6C	7/6/2015	RADIUM-228	1.05	pCi/L				0.294	0.386	0.974
BGO 6C	7/6/2015	AMERICIUM-241	0.0171	pCi/L	U	U	V	0.047	0.115	0.209
BGO 6C	7/6/2015	CURIUM-242	-0.00566	pCi/L	U	U	V	0.0114	0.113	0.136
BGO 6C	7/6/2015	CURIUM-243/244	0.0224	pCi/L	U	U	V	0.045	0.0608	0.151
BGO 6C	7/6/2015	CURIUM-245/246	0.0697	pCi/L	U	U	V	0.081	0.0629	0.225
BGO 6C	7/6/2015	NEPTUNIUM-237	-0.00584	pCi/L	U	U	V	0.0118	0.118	0.141
BGO 6C	7/6/2015	PLUTONIUM-238	0	pCi/L	U	U	V	0	0.0627	0.0627
BGO 6C	7/6/2015	PLUTONIUM-239/240	-0.00578	pCi/L	U	U	V	0.0116	0.116	0.14
BGO 6C	7/6/2015	THORIUM-228	0.0583	pCi/L	U	U		0.0617	0.0975	0.221
BGO 6C	7/6/2015	THORIUM-230	0.108	pCi/L	J	J	21, V	0.0658	0.0568	0.188
BGO 6C	7/6/2015	THORIUM-232	0.0174	pCi/L	J	U	21, V	0.0248	0.0236	0.0731
BGO 6C	7/6/2015	URANIUM-233/234	0.047	pCi/L	U	U		0.0668	0.0637	0.197
BGO 6C	7/6/2015	URANIUM-235	0	pCi/L	U	U		0	0.0786	0.0786
BGO 6C	7/6/2015	URANIUM-238	0.0645	pCi/L	U	U	V	0.0826	0.118	0.283
BGO 6C	7/6/2015	GROSS ALPHA	0.094	pCi/L	U	U		0.866	2.15	3.88
BGO 6C	7/6/2015	NONVOLATILE BETA	1.06	pCi/L	U	U		2.34	3.95	8.63
BGO 6C	7/6/2015	STRONTIUM-90	-0.26	pCi/L	U	U		1.12	2.98	5.22
BGO 6C	7/6/2015	CARBON-14	3.47	pCi/L	U	U		4.37	7.2	15.9
BGO 6C	7/6/2015	NICKEL-63	3.17	pCi/L	U	U		2.97	4.92	10.9
BGO 6C	7/6/2015	TECHNETIUM-99	-0.765	pCi/L	U	U		2.56	4.36	9.48
BGO 6C	7/6/2015	TRITIUM	277	pCi/mL				3.17	0.469	6.81

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6C	7/6/2015	CESIUM-134	0.509	pCi/L	U	U		5.34	8.42	19.1
BGO 6C	7/6/2015	CESIUM-137	-1.32	pCi/L	U	U		5.31	9.3	19.9
BGO 6C	7/6/2015	COBALT-60	-0.209	pCi/L	U	U		4.6	8.61	17.8
BGO 6C	7/6/2015	EUROPIUM-152	-12.4	pCi/L	U	U		58.6	99.8	217
BGO 6C	7/6/2015	EUROPIUM-154	-4.44	pCi/L	U	U		10.5	17.5	38.5
BGO 6C	7/6/2015	EUROPIUM-155	-12.3	pCi/L	U	U		16.4	25.4	58.3
BGO 6C	7/6/2015	IODINE-129	1.07	pCi/L	J	J	21	0.679	0.92	2.28
BGO 6C	7/6/2015	SODIUM-22	-1.92	pCi/L	U	U		5.38	9.54	20.3
BGO 6D	1/14/2015	ANTIMONY	10	ug/L	U				1	10
BGO 6D	1/14/2015	ARSENIC	50	ug/L	U				5	50
BGO 6D	1/14/2015	BARIUM	30.4	ug/L					2	20
BGO 6D	1/14/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 6D	1/14/2015	CHROMIUM	100	ug/L	U				10	100
BGO 6D	1/14/2015	COBALT	5	ug/L	U				0.5	5
BGO 6D	1/14/2015	COPPER	2.16	ug/L	J				0.5	5
BGO 6D	1/14/2015	LEAD	5	ug/L	U				0.5	5
BGO 6D	1/14/2015	NICKEL	1.12	ug/L	J				0.5	5
BGO 6D	1/14/2015	SELENIUM	20	ug/L	U				2	20
BGO 6D	1/14/2015	SILVER	5	ug/L	U				0.5	5
BGO 6D	1/14/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 6D	1/14/2015	TIN	10	ug/L	U				1	10
BGO 6D	1/14/2015	VANADIUM	50	ug/L	U				5	50
BGO 6D	1/14/2015	ZINC	40	ug/L	U				4	40
BGO 6D	1/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 6D	1/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 6D	1/14/2015	1,1-DICHLOROETHANE	1.6	ug/L					0.07	1
BGO 6D	1/14/2015	1,1-DICHLOROETHYLENE	2	ug/L					0.08	1
BGO 6D	1/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	1/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 6D	1/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 6D	1/14/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 6D	1/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 6D	1/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 6D	1/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 6D	1/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 6D	1/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 6D	1/14/2015	CHLOROFORM	0.22	ug/L	J		21		0.1	1
BGO 6D	1/14/2015	CIS-1,2-DICHLOROETHYLENE	1.3	ug/L					0.09	1
BGO 6D	1/14/2015	DICHLORODIFLUOROMETHANE	2.2	ug/L					0.08	2
BGO 6D	1/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 6D	1/14/2015	TETRACHLOROETHYLENE (PCE)	5.1	ug/L					0.18	1
BGO 6D	1/14/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 6D	1/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 6D	1/14/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
BGO 6D	1/14/2015	TRICHLOROFLUOROMETHANE	1.2	ug/L					0.11	1
BGO 6D	1/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 6D	1/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 6D	1/14/2015	RADIUM, TOTAL ALPHA-EMITTING	1.83	pCi/L				0.342	0.297	0.981
BGO 6D	1/14/2015	RADIUM-226	1.38	pCi/L				0.148	0.076	0.3722
BGO 6D	1/14/2015	URANIUM-233/234	0.0363	pCi/L	U			0.0598	0.104	0.224
BGO 6D	1/14/2015	URANIUM-235	0	pCi/L	U			0	0.0693	0.0693
BGO 6D	1/14/2015	URANIUM-238	-0.00517	pCi/L	U			0.0104	0.104	0.125
BGO 6D	1/14/2015	GROSS ALPHA	1.57	pCi/L	U			1.73	2.18	5.64
BGO 6D	1/14/2015	NONVOLATILE BETA	1.51	pCi/L	U			2.41	3.95	8.78
BGO 6D	1/14/2015	STRONTIUM-90	2.16	pCi/L	U			2.12	3.11	7.36
BGO 6D	1/14/2015	CARBON-14	2.58	pCi/L	U			4.2	6.94	15.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	1/14/2015	TECHNETIUM-99	0.537	pCi/L	U			2.5	4.18	9.17
BGO 6D	1/14/2015	TRITIUM	230	pCi/mL				2.8	0.432	6.04
BGO 6D	1/14/2015	IODINE-129	0.487	pCi/L	U			0.559	0.981	2.1
BGO 6D	7/14/2015	ETHANE	0.0059	ug/L	J		21		0.002	0.1
BGO 6D	7/14/2015	ETHYLENE	0.0056	ug/L	J		21		0.003	0.1
BGO 6D	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 6D	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 6D	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 6D	7/14/2015	BARIUM	28.5	ug/L					2	20
BGO 6D	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 6D	7/14/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 6D	7/14/2015	COPPER	2.43	ug/L	J	J	21		0.5	5
BGO 6D	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 6D	7/14/2015	NICKEL	1.4	ug/L	J	J	21		0.5	5
BGO 6D	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 6D	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 6D	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 6D	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 6D	7/14/2015	ZINC	12.9	ug/L	J	J	21		4	40
BGO 6D	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 6D	7/14/2015	ALDRIN	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.015	0.048
BGO 6D	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.013	0.048
BGO 6D	7/14/2015	DDD	0.048	ug/L	U	U			0.0097	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	DDE	0.048	ug/L	U	U			0.014	0.048
BGO 6D	7/14/2015	DDT	0.048	ug/L	U	U			0.022	0.048
BGO 6D	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	DIELDRIN	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
BGO 6D	7/14/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
BGO 6D	7/14/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
BGO 6D	7/14/2015	LINDANE	0.048	ug/L	U	U			0.0097	0.048
BGO 6D	7/14/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.013	0.48
BGO 6D	7/14/2015	TOTAL CHLORDANE	0.48	ug/L	U	U			0.097	0.48
BGO 6D	7/14/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
BGO 6D	7/14/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
BGO 6D	7/14/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
BGO 6D	7/14/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
BGO 6D	7/14/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
BGO 6D	7/14/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
BGO 6D	7/14/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
BGO 6D	7/14/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
BGO 6D	7/14/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95
BGO 6D	7/14/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
BGO 6D	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 6D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 6D	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 6D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5.2	ug/L					0.1	1
BGO 6D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 6D	7/14/2015	1,1-DICHLOROETHANE	1.2	ug/L					0.07	1
BGO 6D	7/14/2015	1,1-DICHLOROETHYLENE	1.9	ug/L					0.08	1
BGO 6D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 6D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 6D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 6D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 6D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 6D	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	1,2-DICHLOROETHYLENE	0.81	ug/L	J	J	21		0.15	2
BGO 6D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 6D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 6D	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 6D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 6D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 6D	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 6D	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 6D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 6D	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 6D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 6D	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 6D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 6D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 6D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 6D	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 6D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 6D	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 6D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 6D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6D	7/14/2015	CHLOROFORM	0.16	ug/L	J	J	21		0.1	1
BGO 6D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 6D	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 6D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	0.81	ug/L	J	J	21		0.09	1
BGO 6D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 6D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 6D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 6D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 6D	7/14/2015	DICHLORODIFLUOROMETHANE	2.5	ug/L					0.08	2
BGO 6D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 6D	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6D	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 6D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 6D	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 6D	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 6D	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 6D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 6D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 6D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 6D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 6D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 6D	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 6D	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 6D	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 6D	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 6D	7/14/2015	TETRACHLOROETHYLENE (PCE)	4.4	ug/L					0.18	1
BGO 6D	7/14/2015	TOLUENE	0.19	ug/L	J	J	21		0.07	1
BGO 6D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 6D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 6D	7/14/2015	TRICHLOROETHYLENE (TCE)	7.8	ug/L					0.25	1
BGO 6D	7/14/2015	TRICHLOROFLUOROMETHANE	1.1	ug/L					0.11	1
BGO 6D	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 6D	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 6D	7/14/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
BGO 6D	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,3-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	1,4-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,4-DIOXANE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	1-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
BGO 6D	7/14/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
BGO 6D	7/14/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6
BGO 6D	7/14/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U	U	14		0.96	96
BGO 6D	7/14/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	2-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
BGO 6D	7/14/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
BGO 6D	7/14/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 6D	7/14/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
BGO 6D	7/14/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U	14		2.5	48
BGO 6D	7/14/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.96	19
BGO 6D	7/14/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48
BGO 6D	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
BGO 6D	7/14/2015	4-NITROQUINOLINE-1-OXIDE	96	ug/L	U	U	14		4.8	96
BGO 6D	7/14/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.96	19
BGO 6D	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
BGO 6D	7/14/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	ANILINE	9.6	ug/L	U	U			1.2	9.6
BGO 6D	7/14/2015	ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	ARAMITE	19	ug/L	U	U	14		4.8	19
BGO 6D	7/14/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	BENZO[A]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	BENZYL ALCOHOL	9.6	ug/L	U	U			2.9	9.6
BGO 6D	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U	14		1.8	9.6
BGO 6D	7/14/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	CHLOROBENZILATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	CHRYSENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 6D	7/14/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	DIMETHOATE	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 6D	7/14/2015	DISULFOTON	48	ug/L	U	U	14		0.96	48
BGO 6D	7/14/2015	ETHYL METHACRYLATE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	ETHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	FAMPHUR	96	ug/L	U	U	14		1.6	96
BGO 6D	7/14/2015	FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.6	240
BGO 6D	7/14/2015	HEXACHLOROPROPENE	96	ug/L	U	U			0.96	96
BGO 6D	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	ISODRIN	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
BGO 6D	7/14/2015	KEPONE	96	ug/L	U	U			19	96
BGO 6D	7/14/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 6D	7/14/2015	METHAPYRILENE	48	ug/L	U	U	14		1.2	48
BGO 6D	7/14/2015	METHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	METHYL PARATHION	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U	U			1.9	9.6
BGO 6D	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6
BGO 6D	7/14/2015	N-NITROSOMORPHOLINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
BGO 6D	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	PARATHION	48	ug/L	U	U	14		0.96	48
BGO 6D	7/14/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 6D	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	PENTACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 6D	7/14/2015	PHENACETIN	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	PHENANTHRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 6D	7/14/2015	PHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
BGO 6D	7/14/2015	PHORATE	48	ug/L	U	U			1.9	48
BGO 6D	7/14/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 6D	7/14/2015	P-PHENYLENEDIAMINE	96	ug/L	U	U			0.96	96
BGO 6D	7/14/2015	PRONAMIDE	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	PYRENE	9.6	ug/L	U	U	14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 6D	7/14/2015	SAFROLE	19	ug/L	U	U			0.96	19
BGO 6D	7/14/2015	SULFOTEPP	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	THIONAZIN	48	ug/L	U	U			0.96	48
BGO 6D	7/14/2015	2,3,7,8-TCDD	0.0096	ng/L	U	U			0.00086	0.0096
BGO 6D	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00085	ng/L	NJ	NJ	1, 21		0.00045	0.048
BGO 6D	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00021	0.048
BGO 6D	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00045	0.048
BGO 6D	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00041	0.048
BGO 6D	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0096	ng/L	U	U			0.00086	0.0096
BGO 6D	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.0096	ng/L	U	U			0.0006	0.0096
BGO 6D	7/14/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 6D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	1.28	pCi/L				0.151	0.096	0.3981
BGO 6D	7/14/2015	RADIUM-226	1.22	pCi/L				0.136	0.069	0.3408
BGO 6D	7/14/2015	RADIUM-228	0.723	pCi/L	J	J	21	0.261	0.35	0.872
BGO 6D	7/14/2015	AMERICIUM-241	-0.0121	pCi/L	U	U		0.0173	0.146	0.18
BGO 6D	7/14/2015	CURIUM-242	0.299	pCi/L	J	J	21, V	0.182	0.12	0.484
BGO 6D	7/14/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0648	0.0648
BGO 6D	7/14/2015	CURIUM-245/246	0.26	pCi/L	J	U	21, V	0.169	0.149	0.487
BGO 6D	7/14/2015	NEPTUNIUM-237	0	pCi/L	U	U	V	0	0.0653	0.0653
BGO 6D	7/14/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0646	0.0646
BGO 6D	7/14/2015	PLUTONIUM-239/240	-0.0119	pCi/L	U	U		0.0171	0.143	0.177
BGO 6D	7/14/2015	THORIUM-228	-0.0532	pCi/L	U	U		0.0588	0.239	0.357
BGO 6D	7/14/2015	THORIUM-230	0.0578	pCi/L	U	U	V	0.0741	0.106	0.254
BGO 6D	7/14/2015	THORIUM-232	0.021	pCi/L	U	U		0.0421	0.0569	0.141
BGO 6D	7/14/2015	URANIUM-233/234	0.0108	pCi/L	U	U		0.0459	0.13	0.222
BGO 6D	7/14/2015	URANIUM-235	-0.00668	pCi/L	U	U		0.0134	0.134	0.161
BGO 6D	7/14/2015	URANIUM-238	0.0108	pCi/L	U	U		0.0459	0.13	0.221

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 6D	7/14/2015	GROSS ALPHA	1.67	pCi/L	U	U		1.81	2.15	5.76
BGO 6D	7/14/2015	NONVOLATILE BETA	3.83	pCi/L	J	J	21	2.81	3.79	9.42
BGO 6D	7/14/2015	STRONTIUM-90	1.24	pCi/L	U	U		2.35	3.32	8.02
BGO 6D	7/14/2015	CARBON-14	4.67	pCi/L	U	U		4.39	7.17	16
BGO 6D	7/14/2015	NICKEL-63	-0.087	pCi/L	U	U		3.19	5.7	12.1
BGO 6D	7/14/2015	TECHNETIUM-99	1.64	pCi/L	U	U		2.69	4.45	9.84
BGO 6D	7/14/2015	TRITIUM	289	pCi/mL				3.11	0.375	6.59
BGO 6D	7/14/2015	CESIUM-134	-2.51	pCi/L	U	U		6.52	9.49	22.5
BGO 6D	7/14/2015	CESIUM-137	-3.06	pCi/L	U	U		7.07	11.9	26.1
BGO 6D	7/14/2015	COBALT-60	0.954	pCi/L	U	U		5.31	10.2	20.9
BGO 6D	7/14/2015	EUROPIUM-152	81.1	pCi/L	U	U		73	118	264
BGO 6D	7/14/2015	EUROPIUM-154	0.0317	pCi/L	U	U		12.6	22.1	47.2
BGO 6D	7/14/2015	EUROPIUM-155	6.74	pCi/L	U	U		24.3	41	89.7
BGO 6D	7/14/2015	IODINE-129	0.143	pCi/L	U	U		0.56	0.959	2.08
BGO 6D	7/14/2015	SODIUM-22	2.49	pCi/L	U	U		6.4	12.4	25.2
BGO 7D	1/14/2015	ANTIMONY	10	ug/L	U				1	10
BGO 7D	1/14/2015	ARSENIC	50	ug/L	U				5	50
BGO 7D	1/14/2015	BARIUM	8.87	ug/L	J				2	20
BGO 7D	1/14/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 7D	1/14/2015	CHROMIUM	100	ug/L	U				10	100
BGO 7D	1/14/2015	COBALT	3.31	ug/L	J				0.5	5
BGO 7D	1/14/2015	COPPER	1.24	ug/L	J				0.5	5
BGO 7D	1/14/2015	LEAD	5	ug/L	U				0.5	5
BGO 7D	1/14/2015	NICKEL	0.613	ug/L	J				0.5	5
BGO 7D	1/14/2015	SELENIUM	20	ug/L	U				2	20
BGO 7D	1/14/2015	SILVER	5	ug/L	U				0.5	5
BGO 7D	1/14/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 7D	1/14/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	1/14/2015	VANADIUM	50	ug/L	U				5	50
BGO 7D	1/14/2015	ZINC	40	ug/L	U				4	40
BGO 7D	1/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 7D	1/14/2015	1,1,1-TRICHLOROETHANE	0.67	ug/L	J		21		0.07	1
BGO 7D	1/14/2015	1,1-DICHLOROETHANE	18	ug/L					0.07	1
BGO 7D	1/14/2015	1,1-DICHLOROETHYLENE	7.8	ug/L					0.08	1
BGO 7D	1/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 7D	1/14/2015	1,2-DICHLOROETHANE (EDC)	0.26	ug/L	J		21		0.1	1
BGO 7D	1/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 7D	1/14/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 7D	1/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 7D	1/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 7D	1/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 7D	1/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 7D	1/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 7D	1/14/2015	CHLOROFORM	3	ug/L					0.1	1
BGO 7D	1/14/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L					0.09	1
BGO 7D	1/14/2015	DICHLORODIFLUOROMETHANE	10	ug/L					0.08	2
BGO 7D	1/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 7D	1/14/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L					0.18	1
BGO 7D	1/14/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 7D	1/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 7D	1/14/2015	TRICHLOROETHYLENE (TCE)	65	ug/L					1.3	5
BGO 7D	1/14/2015	TRICHLOROFLUOROMETHANE	2.3	ug/L					0.11	1
BGO 7D	1/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 7D	1/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 7D	1/14/2015	RADIUM, TOTAL ALPHA-EMITTING	2.24	pCi/L				0.404	0.318	1.126
BGO 7D	1/14/2015	RADIUM-226	1.44	pCi/L				0.154	0.089	0.3972

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	1/14/2015	URANIUM-233/234	0.0566	pCi/L	U			0.0806	0.136	0.297
BGO 7D	1/14/2015	URANIUM-235	0	pCi/L	U			0	0.0757	0.0757
BGO 7D	1/14/2015	URANIUM-238	0.0283	pCi/L	U			0.067	0.152	0.286
BGO 7D	1/14/2015	GROSS ALPHA	1.57	pCi/L	U			1.73	2.18	5.63
BGO 7D	1/14/2015	NONVOLATILE BETA	2.91	pCi/L	U			2.67	3.95	9.3
BGO 7D	1/14/2015	STRONTIUM-90	-0.948	pCi/L	U			1.51	3.11	6.12
BGO 7D	1/14/2015	CARBON-14	1.38	pCi/L	U			4.12	6.85	15.1
BGO 7D	1/14/2015	TECHNETIUM-99	1.69	pCi/L	U			2.51	4.14	9.15
BGO 7D	1/14/2015	TRITIUM	722	pCi/mL				4.94	0.431	10.3
BGO 7D	1/14/2015	IODINE-129	0.516	pCi/L	U			0.515	0.919	1.95
BGO 7D	7/14/2015	ETHANE	0.014	ug/L	J		21		0.002	0.1
BGO 7D	7/14/2015	ETHYLENE	0.0082	ug/L	J		21		0.003	0.1
BGO 7D	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 7D	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 7D	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 7D	7/14/2015	BARIUM	9.28	ug/L	J	J	21		2	20
BGO 7D	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 7D	7/14/2015	COBALT	5.4	ug/L					0.5	5
BGO 7D	7/14/2015	COPPER	0.697	ug/L	J	J	21		0.5	5
BGO 7D	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 7D	7/14/2015	NICKEL	0.856	ug/L	J	J	21		0.5	5
BGO 7D	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 7D	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 7D	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 7D	7/14/2015	VANADIUM	50	ug/L	U	U			5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	ZINC	4.7	ug/L	J	J	21		4	40
BGO 7D	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 7D	7/14/2015	ALDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	ALPHA-CHLORDANE	0.047	ug/L	U	U			0.014	0.047
BGO 7D	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.012	0.047
BGO 7D	7/14/2015	DDD	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	DDE	0.047	ug/L	U	U			0.013	0.047
BGO 7D	7/14/2015	DDT	0.047	ug/L	U	U			0.022	0.047
BGO 7D	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	DIELDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	ENDOSULFAN I	0.047	ug/L	U	U			0.018	0.047
BGO 7D	7/14/2015	ENDOSULFAN II	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	ENDOSULFAN SULFATE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	ENDRIN	0.047	ug/L	U	U			0.017	0.047
BGO 7D	7/14/2015	ENDRIN ALDEHYDE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	GAMMA-CHLORDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	HEPTACHLOR	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U	U			0.016	0.047
BGO 7D	7/14/2015	LINDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 7D	7/14/2015	METHOXYCHLOR	0.47	ug/L	U	U			0.012	0.47
BGO 7D	7/14/2015	TOTAL CHLORDANE	0.47	ug/L	U	U			0.095	0.47
BGO 7D	7/14/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
BGO 7D	7/14/2015	AROCLOR 1016	0.96	ug/L	U	U			0.33	0.96
BGO 7D	7/14/2015	AROCLOR 1221	0.96	ug/L	U	U			0.33	0.96
BGO 7D	7/14/2015	AROCLOR 1232	0.96	ug/L	U	U			0.33	0.96
BGO 7D	7/14/2015	AROCLOR 1242	0.96	ug/L	U	U			0.33	0.96
BGO 7D	7/14/2015	AROCLOR 1248	0.96	ug/L	U	U			0.33	0.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
BGO 7D	7/14/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
BGO 7D	7/14/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95
BGO 7D	7/14/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
BGO 7D	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
BGO 7D	7/14/2015	DINOSEB	1.9	ug/L	U	U			0.69	1.9
BGO 7D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	1,1,1-TRICHLOROETHANE	0.61	ug/L	J	J	21		0.07	1
BGO 7D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	18	ug/L					0.1	1
BGO 7D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	1,1-DICHLOROETHANE	17	ug/L					0.07	1
BGO 7D	7/14/2015	1,1-DICHLOROETHYLENE	8.6	ug/L					0.08	1
BGO 7D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 7D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	1,2-DICHLOROETHANE (EDC)	0.26	ug/L	J	J	21		0.1	1
BGO 7D	7/14/2015	1,2-DICHLOROETHYLENE	23	ug/L					0.15	2
BGO 7D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 7D	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 7D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 7D	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 7D	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 7D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 7D	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 7D	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 7D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 7D	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 7D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 7D	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 7D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 7D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 7D	7/14/2015	CHLOROFORM	2.9	ug/L					0.1	1
BGO 7D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 7D	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L					0.09	1
BGO 7D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 7D	7/14/2015	DICHLORODIFLUOROMETHANE	14	ug/L					0.08	2
BGO 7D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 7D	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 7D	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 7D	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 7D	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 7D	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 7D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 7D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 7D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 7D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 7D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 7D	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 7D	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 7D	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	TETRACHLOROETHYLENE (PCE)	23	ug/L					0.18	1
BGO 7D	7/14/2015	TOLUENE	0.19	ug/L	J	J	21		0.07	1
BGO 7D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 7D	7/14/2015	TRICHLOROETHYLENE (TCE)	63	ug/L					1.3	5
BGO 7D	7/14/2015	TRICHLOROFLUOROMETHANE	2.3	ug/L					0.11	1
BGO 7D	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 7D	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 7D	7/14/2015	1,4-DIOXANE	6	ug/L		J	14		0.85	3
BGO 7D	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,3-DINITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,4-DINITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	1,4-DIOXANE	2.9	ug/L	J	J	21		0.95	9.5
BGO 7D	7/14/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	1-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.95	48
BGO 7D	7/14/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
BGO 7D	7/14/2015	2,4-DINITROTOLUENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2,6-DINITROTOLUENE	9.5	ug/L	U	U			2.1	9.5
BGO 7D	7/14/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U	U	14		0.95	95
BGO 7D	7/14/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	2-CHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	2-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	2-NITROANILINE	9.5	ug/L	U	U			1	9.5
BGO 7D	7/14/2015	2-NITROPHENOL	9.5	ug/L	U	UJ	14		1.4	9.5
BGO 7D	7/14/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 7D	7/14/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U	14		2.5	48
BGO 7D	7/14/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.95	19
BGO 7D	7/14/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48
BGO 7D	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	4-CHLOROANILINE	9.5	ug/L	U	U			1.9	9.5
BGO 7D	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	4-NITROPHENOL	9.5	ug/L	U	UJ	11, 14		1.9	9.5
BGO 7D	7/14/2015	4-NITROQUINOLINE-1-OXIDE	95	ug/L	U	U	14		4.8	95
BGO 7D	7/14/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.95	19
BGO 7D	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
BGO 7D	7/14/2015	ACENAPHTHENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	ACENAPHTHYLENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	ACETOPHENONE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	ANILINE	9.5	ug/L	U	U			1.2	9.5
BGO 7D	7/14/2015	ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	ARAMITE	19	ug/L	U	U	14		4.8	19
BGO 7D	7/14/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	BENZO[A]PYRENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	BENZYL ALCOHOL	9.5	ug/L	U	U			2.9	9.5
BGO 7D	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U	U	14		1.8	9.5
BGO 7D	7/14/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	CHLOROBENZILATE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	CHRYSENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 7D	7/14/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	DIBENZOFURAN	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	DIETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	DIMETHOATE	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	DIMETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	DINITRO-O-CRESOL	9.5	ug/L	U	UJ	14		1.2	9.5
BGO 7D	7/14/2015	DISULFOTON	48	ug/L	U	U	14		0.95	48
BGO 7D	7/14/2015	ETHYL METHACRYLATE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	ETHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	FAMPHUR	95	ug/L	U	U	14		1.6	95
BGO 7D	7/14/2015	FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	FLUORENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	HEXACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	HEXACHLOROETHANE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.5	240
BGO 7D	7/14/2015	HEXACHLOROPROPENE	95	ug/L	U	U			0.95	95
BGO 7D	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	ISODRIN	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	ISOPHORONE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
BGO 7D	7/14/2015	KEPONE	95	ug/L	U	U			19	95
BGO 7D	7/14/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	METHAPYRILENE	48	ug/L	U	U	14		1.2	48
BGO 7D	7/14/2015	METHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	METHYL PARATHION	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	M-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	NAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	NITROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U	U			1.9	9.5
BGO 7D	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U	U			1.4	9.5
BGO 7D	7/14/2015	N-NITROSOMORPHOLINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
BGO 7D	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	PARATHION	48	ug/L	U	U	14		0.95	48
BGO 7D	7/14/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U	UJ	14		0.95	9.5
BGO 7D	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	PENTACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	PENTACHLOROPHENOL	9.5	ug/L	U	UJ	14		1.2	9.5
BGO 7D	7/14/2015	PHENACETIN	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	PHENANTHRENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	PHENOL	9.5	ug/L	U	UJ	11, 14		1.9	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	PHORATE	48	ug/L	U	U			1.9	48
BGO 7D	7/14/2015	P-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
BGO 7D	7/14/2015	P-PHENYLENEDIAMINE	95	ug/L	U	U			0.95	95
BGO 7D	7/14/2015	PRONAMIDE	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	PYRENE	9.5	ug/L	U	U	14		0.95	9.5
BGO 7D	7/14/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 7D	7/14/2015	SAFROLE	19	ug/L	U	U			0.95	19
BGO 7D	7/14/2015	SULFOTEPP	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	THIONAZIN	48	ug/L	U	U			0.95	48
BGO 7D	7/14/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0013	0.01
BGO 7D	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.00054	0.052
BGO 7D	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00027	0.052
BGO 7D	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.00071	0.052
BGO 7D	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00052	0.052
BGO 7D	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0013	0.01
BGO 7D	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.00094	0.01
BGO 7D	7/14/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 7D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	1.61	pCi/L				0.161	0.071	0.3927
BGO 7D	7/14/2015	RADIUM-226	1.44	pCi/L				0.144	0.054	0.3419
BGO 7D	7/14/2015	RADIUM-228	0.615	pCi/L	J	J	21	0.272	0.395	0.939
BGO 7D	7/14/2015	AMERICIUM-241	-0.00557	pCi/L	U	U		0.0112	0.112	0.134
BGO 7D	7/14/2015	CURIUM-242	0	pCi/L	U	U	V	0	0.0594	0.0594
BGO 7D	7/14/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0594	0.0594
BGO 7D	7/14/2015	CURIUM-245/246	0.113	pCi/L	U	U	21, V	0.103	0.0615	0.267
BGO 7D	7/14/2015	NEPTUNIUM-237	-0.00734	pCi/L	U	U	V	0.0148	0.148	0.177
BGO 7D	7/14/2015	PLUTONIUM-238	-0.00727	pCi/L	U	U		0.0147	0.146	0.176
BGO 7D	7/14/2015	PLUTONIUM-239/240	0.0509	pCi/L	U	U		0.0845	0.146	0.315
BGO 7D	7/14/2015	THORIUM-228	0.0873	pCi/L	U	U		0.122	0.232	0.476

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	THORIUM-230	0.151	pCi/L	U	U	21, V	0.116	0.0584	0.291
BGO 7D	7/14/2015	THORIUM-232	0	pCi/L	U	U		0	0.0583	0.0583
BGO 7D	7/14/2015	URANIUM-233/234	0.1	pCi/L	U	U		0.108	0.159	0.375
BGO 7D	7/14/2015	URANIUM-235	0.0509	pCi/L	U	U		0.0839	0.146	0.314
BGO 7D	7/14/2015	URANIUM-238	0.094	pCi/L	J	J	21	0.095	0.0637	0.254
BGO 7D	7/14/2015	GROSS ALPHA	2.07	pCi/L	U	U		1.97	2.14	6.08
BGO 7D	7/14/2015	NONVOLATILE BETA	0.704	pCi/L	U	U		2.22	3.8	8.24
BGO 7D	7/14/2015	STRONTIUM-90	1.63	pCi/L	U	U		3.1	3.26	9.45
BGO 7D	7/14/2015	CARBON-14	449	pCi/L		J	9	10.6	7.24	28.3
BGO 7D	7/14/2015	NICKEL-63	-0.725	pCi/L	U	U		3.31	6.2	12.8
BGO 7D	7/14/2015	TECHNETIUM-99	-3.74	pCi/L	U	U		2.47	4.35	9.29
BGO 7D	7/14/2015	TRITIUM	841	pCi/mL				5.3	0.376	11
BGO 7D	7/14/2015	CESIUM-134	-0.953	pCi/L	U	U		5.56	8.47	19.6
BGO 7D	7/14/2015	CESIUM-137	-4.61	pCi/L	U	U		5.04	8.17	18.2
BGO 7D	7/14/2015	COBALT-60	-1.39	pCi/L	U	U		5.16	9.3	19.6
BGO 7D	7/14/2015	EUROPIUM-152	10.7	pCi/L	U	U		64.3	98.2	227
BGO 7D	7/14/2015	EUROPIUM-154	-0.429	pCi/L	U	U		10.1	17.6	37.8
BGO 7D	7/14/2015	EUROPIUM-155	2.66	pCi/L	U	U		15.8	26.2	57.8
BGO 7D	7/14/2015	IODINE-129	-0.0779	pCi/L	U	U		0.569	0.954	2.09
BGO 7D	7/14/2015	SODIUM-22	0.404	pCi/L	U	U		4.94	9.36	19.2
BGO 7D	7/14/2015	ETHANE	0.11	ug/L					0.002	0.1
BGO 7D	7/14/2015	ETHYLENE	0.072	ug/L	J		21		0.003	0.1
BGO 7D	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 7D	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 7D	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 7D	7/14/2015	BARIUM	9.31	ug/L	J	J	21		2	20
BGO 7D	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 7D	7/14/2015	COBALT	5.35	ug/L					0.5	5
BGO 7D	7/14/2015	COPPER	0.618	ug/L	J	J	21		0.5	5
BGO 7D	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 7D	7/14/2015	NICKEL	1.03	ug/L	J	J	21		0.5	5
BGO 7D	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 7D	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 7D	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 7D	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 7D	7/14/2015	ZINC	7.26	ug/L	U	U	21, V		4	40
BGO 7D	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 7D	7/14/2015	ALDRIN	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
BGO 7D	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
BGO 7D	7/14/2015	DDD	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	DDE	0.049	ug/L	U	U			0.014	0.049
BGO 7D	7/14/2015	DDT	0.049	ug/L	U	U			0.023	0.049
BGO 7D	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	DIELDRIN	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
BGO 7D	7/14/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
BGO 7D	7/14/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0099	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
BGO 7D	7/14/2015	LINDANE	0.049	ug/L	U	U			0.0099	0.049
BGO 7D	7/14/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
BGO 7D	7/14/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.099	0.49
BGO 7D	7/14/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 7D	7/14/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
BGO 7D	7/14/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
BGO 7D	7/14/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
BGO 7D	7/14/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
BGO 7D	7/14/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
BGO 7D	7/14/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
BGO 7D	7/14/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
BGO 7D	7/14/2015	2,4,5-T	0.98	ug/L	U	U			0.26	0.98
BGO 7D	7/14/2015	2,4,5-TP (SILVEX)	0.98	ug/L	U	U			0.18	0.98
BGO 7D	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
BGO 7D	7/14/2015	DINOSEB	2	ug/L	U	U			0.71	2
BGO 7D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	1,1,1-TRICHLOROETHANE	0.6	ug/L	J	J	21		0.07	1
BGO 7D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	19	ug/L					0.1	1
BGO 7D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	1,1-DICHLOROETHANE	18	ug/L					0.07	1
BGO 7D	7/14/2015	1,1-DICHLOROETHYLENE	9.3	ug/L					0.08	1
BGO 7D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	1,2-DICHLOROETHANE (EDC)	0.29	ug/L	J	J	21		0.1	1
BGO 7D	7/14/2015	1,2-DICHLOROETHYLENE	24	ug/L					0.15	2
BGO 7D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 7D	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 7D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 7D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 7D	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 7D	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 7D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 7D	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 7D	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 7D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 7D	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 7D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 7D	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 7D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 7D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 7D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 7D	7/14/2015	CHLOROFORM	2.8	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 7D	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 7D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L					0.09	1
BGO 7D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 7D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 7D	7/14/2015	DICHLORODIFLUOROMETHANE	14	ug/L					0.08	2
BGO 7D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 7D	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 7D	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 7D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 7D	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 7D	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 7D	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 7D	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 7D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 7D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 7D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 7D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 7D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 7D	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 7D	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 7D	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 7D	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 7D	7/14/2015	TETRACHLOROETHYLENE (PCE)	24	ug/L					0.18	1
BGO 7D	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 7D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 7D	7/14/2015	TRICHLOROETHYLENE (TCE)	62	ug/L					1.3	5
BGO 7D	7/14/2015	TRICHLOROFLUOROMETHANE	2.4	ug/L					0.11	1
BGO 7D	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 7D	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 7D	7/14/2015	1,4-DIOXANE	7.3	ug/L		J	14		0.85	3
BGO 7D	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	1,4-DIOXANE	2.8	ug/L	J	J	21		0.98	9.8
BGO 7D	7/14/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 7D	7/14/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 7D	7/14/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U	14		0.98	98
BGO 7D	7/14/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 7D	7/14/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 7D	7/14/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 7D	7/14/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 7D	7/14/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 7D	7/14/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.98	20
BGO 7D	7/14/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 7D	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 7D	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8
BGO 7D	7/14/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U	14		4.9	98
BGO 7D	7/14/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.98	20
BGO 7D	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 7D	7/14/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	ANILINE	9.8	ug/L	U	U			1.2	9.8
BGO 7D	7/14/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 7D	7/14/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.9	9.8
BGO 7D	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8
BGO 7D	7/14/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	CHLOROBENZILATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 7D	7/14/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 7D	7/14/2015	DISULFOTON	49	ug/L	U	U	14		0.98	49
BGO 7D	7/14/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	FAMPHUR	98	ug/L	U	U	14		1.7	98
BGO 7D	7/14/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		9.8	250
BGO 7D	7/14/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 7D	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	ISODRIN	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 7D	7/14/2015	KEPONE	98	ug/L	U	U			20	98
BGO 7D	7/14/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 7D	7/14/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 7D	7/14/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	METHYL PARATHION	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 7D	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
BGO 7D	7/14/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 7D	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	PARATHION	49	ug/L	U	U	14		0.98	49
BGO 7D	7/14/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 7D	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 7D	7/14/2015	PHENACETIN	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	PHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8
BGO 7D	7/14/2015	PHORATE	49	ug/L	U	U			2	49
BGO 7D	7/14/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 7D	7/14/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 7D	7/14/2015	PRONAMIDE	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 7D	7/14/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 7D	7/14/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 7D	7/14/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 7D	7/14/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0013	0.01
BGO 7D	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.00057	0.051
BGO 7D	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.00034	0.051
BGO 7D	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.00065	0.051
BGO 7D	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.0005	0.051
BGO 7D	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00083	ng/L	NJ	NJ	1		0.0013	0.01
BGO 7D	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.00092	0.01
BGO 7D	7/14/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 7D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	1.27	pCi/L				0.141	0.068	0.3499

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	RADIUM-226	1.29	pCi/L				0.141	0.086	0.3683
BGO 7D	7/14/2015	RADIUM-228	0.362	pCi/L	U	U		0.279	0.442	1
BGO 7D	7/14/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0673	0.0673
BGO 7D	7/14/2015	CURIUM-242	0	pCi/L	U	U	V	0	0.0663	0.0663
BGO 7D	7/14/2015	CURIUM-243/244	0.0184	pCi/L	U	U	V	0.0506	0.123	0.224
BGO 7D	7/14/2015	CURIUM-245/246	0.177	pCi/L	J	U	21, V	0.137	0.0687	0.342
BGO 7D	7/14/2015	NEPTUNIUM-237	0.0206	pCi/L	U	U	V	0.0569	0.138	0.252
BGO 7D	7/14/2015	PLUTONIUM-238	0.0204	pCi/L	U	U		0.0563	0.137	0.25
BGO 7D	7/14/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0737	0.0737
BGO 7D	7/14/2015	THORIUM-228	0.217	pCi/L	U	U		0.212	0.358	0.782
BGO 7D	7/14/2015	THORIUM-230	0.135	pCi/L	U	U	V	0.13	0.144	0.404
BGO 7D	7/14/2015	THORIUM-232	0.0356	pCi/L	U	U		0.0844	0.192	0.361
BGO 7D	7/14/2015	URANIUM-233/234	0.0556	pCi/L	U	U		0.0935	0.187	0.374
BGO 7D	7/14/2015	URANIUM-235	0	pCi/L	U	U		0	0.0744	0.0744
BGO 7D	7/14/2015	URANIUM-238	0.00555	pCi/L	U	U		0.0484	0.15	0.247
BGO 7D	7/14/2015	GROSS ALPHA	2.07	pCi/L	U	U		1.97	2.15	6.09
BGO 7D	7/14/2015	NONVOLATILE BETA	3.33	pCi/L	U	U		2.73	3.8	9.26
BGO 7D	7/14/2015	STRONTIUM-90	-0.344	pCi/L	U	U		2.13	3.23	7.48
BGO 7D	7/14/2015	CARBON-14	5.64	pCi/L	U	UJ	9	4.45	7.24	16.1
BGO 7D	7/14/2015	NICKEL-63	0.372	pCi/L	U	U		3.3	6.09	12.7
BGO 7D	7/14/2015	TECHNETIUM-99	-1.24	pCi/L	U	U		2.6	4.44	9.64
BGO 7D	7/14/2015	TRITIUM	925	pCi/mL				5.63	0.386	11.6
BGO 7D	7/14/2015	CESIUM-134	-7.52	pCi/L	U	U		6.47	8.15	21.1
BGO 7D	7/14/2015	CESIUM-137	-5.99	pCi/L	U	U		6.06	9.54	21.7
BGO 7D	7/14/2015	COBALT-60	0.415	pCi/L	U	U		6.29	11.7	24.3
BGO 7D	7/14/2015	EUROPIUM-152	52.1	pCi/L	U	U		71.8	114	258
BGO 7D	7/14/2015	EUROPIUM-154	3.27	pCi/L	U	U		11.8	21.1	44.8
BGO 7D	7/14/2015	EUROPIUM-155	26.1	pCi/L	U	U		22.8	39.5	85.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 7D	7/14/2015	IODINE-129	0.216	pCi/L	U	U		0.587	0.948	2.12
BGO 7D	7/14/2015	SODIUM-22	-1.59	pCi/L	U	U		5.72	10.2	21.6
BGO 8AR	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 8AR	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 8AR	1/6/2015	BARIUM	11.3	ug/L	J				2	20
BGO 8AR	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 8AR	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 8AR	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 8AR	1/6/2015	COPPER	0.953	ug/L	J				0.5	5
BGO 8AR	1/6/2015	LEAD	5	ug/L	U				0.5	5
BGO 8AR	1/6/2015	NICKEL	1.09	ug/L	J				0.5	5
BGO 8AR	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 8AR	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 8AR	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 8AR	1/6/2015	TIN	10	ug/L	U				1	10
BGO 8AR	1/6/2015	VANADIUM	31.9	ug/L	U				5	50
BGO 8AR	1/6/2015	ZINC	40	ug/L	U				4	40
BGO 8AR	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 8AR	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 8AR	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 8AR	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8AR	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 8AR	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 8AR	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 8AR	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 8AR	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 8AR	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 8AR	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 8AR	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 8AR	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 8AR	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 8AR	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 8AR	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 8AR	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 8AR	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 8AR	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8AR	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 8AR	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 8AR	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 8AR	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 8AR	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.076	pCi/L	U			0.08	0.129	0.2888
BGO 8AR	1/6/2015	RADIUM-226	-0.0208	pCi/L	U			0.043	0.091	0.177
BGO 8AR	1/6/2015	URANIUM-233/234	0.404	pCi/L	J		21	0.255	0.211	0.72
BGO 8AR	1/6/2015	URANIUM-235	0.163	pCi/L	U			0.177	0.218	0.573
BGO 8AR	1/6/2015	URANIUM-238	0.0351	pCi/L	U			0.0704	0.095	0.236
BGO 8AR	1/6/2015	GROSS ALPHA	0.061	pCi/L	U			0.904	2.38	4.19
BGO 8AR	1/6/2015	NONVOLATILE BETA	1.37	pCi/L	U			2.39	3.95	8.72
BGO 8AR	1/6/2015	STRONTIUM-90	-0.171	pCi/L	U			1.88	3.24	6.99
BGO 8AR	1/6/2015	CARBON-14	3.61	pCi/L	U			8.37	13.9	30.6
BGO 8AR	1/6/2015	TECHNETIUM-99	-0.187	pCi/L	U			2.55	4.31	9.41
BGO 8AR	1/6/2015	TRITIUM	0.131	pCi/mL	U			0.247	0.414	0.907
BGO 8AR	1/6/2015	IODINE-129	0.903	pCi/L	U			0.716	0.918	2.35
BGO 8AR	7/6/2015	ETHANE	0.0044	ug/L	J		21		0.002	0.1
BGO 8AR	7/6/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
BGO 8AR	7/6/2015	SULFIDE	1	mg/L	U	U			0.45	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	ANTIMONY	10	ug/L	U	U	V		1	10
BGO 8AR	7/6/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 8AR	7/6/2015	BARIUM	10.9	ug/L	J	J	21		2	20
BGO 8AR	7/6/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 8AR	7/6/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 8AR	7/6/2015	COPPER	0.835	ug/L	J	J	21		0.5	5
BGO 8AR	7/6/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 8AR	7/6/2015	NICKEL	1.1	ug/L	J	J	21		0.5	5
BGO 8AR	7/6/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 8AR	7/6/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 8AR	7/6/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	TIN	10	ug/L	U	U			1	10
BGO 8AR	7/6/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 8AR	7/6/2015	ZINC	6.47	ug/L	U	U	21, V		4	40
BGO 8AR	7/6/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 8AR	7/6/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 8AR	7/6/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 8AR	7/6/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 8AR	7/6/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 8AR	7/6/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 8AR	7/6/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 8AR	7/6/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 8AR	7/6/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 8AR	7/6/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 8AR	7/6/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 8AR	7/6/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 8AR	7/6/2015	AROCLOR 1016	0.99	ug/L	U	U			0.34	0.99
BGO 8AR	7/6/2015	AROCLOR 1221	0.99	ug/L	U	U			0.34	0.99
BGO 8AR	7/6/2015	AROCLOR 1232	0.99	ug/L	U	U			0.34	0.99
BGO 8AR	7/6/2015	AROCLOR 1242	0.99	ug/L	U	U			0.34	0.99
BGO 8AR	7/6/2015	AROCLOR 1248	0.99	ug/L	U	U			0.34	0.99
BGO 8AR	7/6/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
BGO 8AR	7/6/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
BGO 8AR	7/6/2015	2,4,5-T	0.96	ug/L	U	U			0.26	0.96
BGO 8AR	7/6/2015	2,4,5-TP (SILVEX)	0.96	ug/L	U	U			0.18	0.96
BGO 8AR	7/6/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.7	ug/L	U	U			4	7.7
BGO 8AR	7/6/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 8AR	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 8AR	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 8AR	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 8AR	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 8AR	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 8AR	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 8AR	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 8AR	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 8AR	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 8AR	7/6/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 8AR	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 8AR	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 8AR	7/6/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 8AR	7/6/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 8AR	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 8AR	7/6/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 8AR	7/6/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 8AR	7/6/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 8AR	7/6/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 8AR	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 8AR	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 8AR	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 8AR	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 8AR	7/6/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 8AR	7/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 8AR	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 8AR	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 8AR	7/6/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 8AR	7/6/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 8AR	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 8AR	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 8AR	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 8AR	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 8AR	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 8AR	7/6/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 8AR	7/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 8AR	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 8AR	7/6/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 8AR	7/6/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 8AR	7/6/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 8AR	7/6/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 8AR	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 8AR	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 8AR	7/6/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 8AR	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 8AR	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 8AR	7/6/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 8AR	7/6/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 8AR	7/6/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 8AR	7/6/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 8AR	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 8AR	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 8AR	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 8AR	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 8AR	7/6/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 8AR	7/6/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 8AR	7/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 8AR	7/6/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,2,4-TRICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,3-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,4-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,4-DIOXANE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	1-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
BGO 8AR	7/6/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49
BGO 8AR	7/6/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	2,6-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
BGO 8AR	7/6/2015	2-ACETYLAMINOFLUORENE	97	ug/L	U	U	14		0.97	97
BGO 8AR	7/6/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	2-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
BGO 8AR	7/6/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
BGO 8AR	7/6/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 8AR	7/6/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 8AR	7/6/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 8AR	7/6/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.97	19
BGO 8AR	7/6/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 8AR	7/6/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
BGO 8AR	7/6/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 8AR	7/6/2015	4-NITROQUINOLINE-1-OXIDE	97	ug/L	U	U	14		4.9	97
BGO 8AR	7/6/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.97	19
BGO 8AR	7/6/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 8AR	7/6/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	ANILINE	9.7	ug/L	U	U			1.2	9.7
BGO 8AR	7/6/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	ARAMITE	19	ug/L	U	U	14		4.9	19
BGO 8AR	7/6/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	BENZYL ALCOHOL	9.7	ug/L	U	U			2.9	9.7
BGO 8AR	7/6/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
BGO 8AR	7/6/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	CHLOROBENZILATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 8AR	7/6/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	DIMETHOATE	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 8AR	7/6/2015	DISULFOTON	49	ug/L	U	U	14		0.97	49
BGO 8AR	7/6/2015	ETHYL METHACRYLATE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	ETHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	FAMPHUR	97	ug/L	U	U	14		1.7	97
BGO 8AR	7/6/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.7	240
BGO 8AR	7/6/2015	HEXACHLOROPROPENE	97	ug/L	U	U			0.97	97
BGO 8AR	7/6/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	ISODRIN	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	ISOSAFROLE	19	ug/L	U	U			4.9	19
BGO 8AR	7/6/2015	KEPONE	97	ug/L	U	U			19	97
BGO 8AR	7/6/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 8AR	7/6/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 8AR	7/6/2015	METHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	METHYL PARATHION	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSODIETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSODIMETHYLAMINE	9.7	ug/L	U	U			1.9	9.7
BGO 8AR	7/6/2015	N-NITROSODI-N-BUTYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
BGO 8AR	7/6/2015	N-NITROSOMORPHOLINE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	N-NITROSO-N-METHYLETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSOPIPERIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	N-NITROSOPYRROLIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 8AR	7/6/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	PARATHION	49	ug/L	U	U	14		0.97	49
BGO 8AR	7/6/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 8AR	7/6/2015	P-DIMETHYLAMINOAZOBENZENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	PENTACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 8AR	7/6/2015	PHENACETIN	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	PHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 8AR	7/6/2015	PHORATE	49	ug/L	U	U			1.9	49
BGO 8AR	7/6/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 8AR	7/6/2015	P-PHENYLENEDIAMINE	97	ug/L	U	U			0.97	97
BGO 8AR	7/6/2015	PRONAMIDE	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 8AR	7/6/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 8AR	7/6/2015	SAFROLE	19	ug/L	U	U			0.97	19
BGO 8AR	7/6/2015	SULFOTEPP	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	THIONAZIN	49	ug/L	U	U			0.97	49
BGO 8AR	7/6/2015	2,3,7,8-TCDD	0.0095	ng/L	U	U			0.0018	0.0095
BGO 8AR	7/6/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00072	0.048
BGO 8AR	7/6/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00043	0.048
BGO 8AR	7/6/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.00084	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.0006	0.048
BGO 8AR	7/6/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0095	ng/L	U	U			0.0018	0.0095
BGO 8AR	7/6/2015	TETRACHLORODIBENZO-P-FURANS	0.0095	ng/L	U	U			0.0012	0.0095
BGO 8AR	7/6/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 8AR	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.146	pCi/L	U	U		0.132	0.208	0.472
BGO 8AR	7/6/2015	RADIUM-226	0.0361	pCi/L	U	U		0.052	0.088	0.1921
BGO 8AR	7/6/2015	RADIUM-228	-0.12	pCi/L	U	U		0.203	0.378	0.784
BGO 8AR	7/6/2015	AMERICIUM-241	0.0366	pCi/L	U	U	V	0.0603	0.105	0.226
BGO 8AR	7/6/2015	CURIUM-242	-0.0104	pCi/L	U	U	V	0.0148	0.123	0.153
BGO 8AR	7/6/2015	CURIUM-243/244	0.0309	pCi/L	U	U	V	0.0602	0.123	0.244
BGO 8AR	7/6/2015	CURIUM-245/246	0.17	pCi/L	U	U	21, V	0.123	0.0578	0.303
BGO 8AR	7/6/2015	NEPTUNIUM-237	-0.0129	pCi/L	U	U	V	0.0186	0.155	0.192
BGO 8AR	7/6/2015	PLUTONIUM-238	0.0768	pCi/L	U	U	V	0.0906	0.0694	0.251
BGO 8AR	7/6/2015	PLUTONIUM-239/240	0.0192	pCi/L	U	U	V	0.053	0.129	0.235
BGO 8AR	7/6/2015	THORIUM-228	-0.0138	pCi/L	U	U		0.0791	0.169	0.328
BGO 8AR	7/6/2015	THORIUM-230	0.143	pCi/L	J	J	21, V	0.0739	0.0538	0.202
BGO 8AR	7/6/2015	THORIUM-232	0.0165	pCi/L	J	U	21, V	0.0235	0.0224	0.0693
BGO 8AR	7/6/2015	URANIUM-233/234	0.0557	pCi/L	U	U		0.0792	0.134	0.292
BGO 8AR	7/6/2015	URANIUM-235	0	pCi/L	U	U		0	0.0745	0.0745
BGO 8AR	7/6/2015	URANIUM-238	0.0445	pCi/L	U	U	V	0.0632	0.0603	0.187
BGO 8AR	7/6/2015	GROSS ALPHA	0.101	pCi/L	U	U		0.926	2.3	4.15
BGO 8AR	7/6/2015	NONVOLATILE BETA	0.829	pCi/L	U	U		2.31	3.97	8.59
BGO 8AR	7/6/2015	STRONTIUM-90	0.725	pCi/L	U	U		1.31	2.98	5.6
BGO 8AR	7/6/2015	CARBON-14	-0.0594	pCi/L	U	U		4.26	7.14	15.7
BGO 8AR	7/6/2015	NICKEL-63	1.89	pCi/L	U	U		2.95	4.96	10.9
BGO 8AR	7/6/2015	TECHNETIUM-99	-1.48	pCi/L	U	U		2.58	4.42	9.58
BGO 8AR	7/6/2015	TRITIUM	0.0756	pCi/mL	U	U		0.275	0.469	1.02
BGO 8AR	7/6/2015	CESIUM-134	-5.73	pCi/L	U	U		5.49	8.92	19.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8AR	7/6/2015	CESIUM-137	-0.339	pCi/L	U	U		5.15	9.21	19.5
BGO 8AR	7/6/2015	COBALT-60	1.65	pCi/L	U	U		4.19	8.39	16.8
BGO 8AR	7/6/2015	EUROPIUM-152	-49.9	pCi/L	U	U		57.1	93.4	208
BGO 8AR	7/6/2015	EUROPIUM-154	0.412	pCi/L	U	U		10.5	17.9	39
BGO 8AR	7/6/2015	EUROPIUM-155	-10.6	pCi/L	U	U		16.1	25.1	57.3
BGO 8AR	7/6/2015	IODINE-129	0.432	pCi/L	U	U		0.582	1.01	2.18
BGO 8AR	7/6/2015	SODIUM-22	0.735	pCi/L	U	U		4.37	8.51	17.3
BGO 8C	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 8C	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 8C	1/6/2015	BARIUM	6.87	ug/L	J				2	20
BGO 8C	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 8C	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 8C	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 8C	1/6/2015	COPPER	17	ug/L					0.5	5
BGO 8C	1/6/2015	LEAD	0.746	ug/L	J				0.5	5
BGO 8C	1/6/2015	NICKEL	0.676	ug/L	J				0.5	5
BGO 8C	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 8C	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 8C	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 8C	1/6/2015	TIN	10	ug/L	U				1	10
BGO 8C	1/6/2015	VANADIUM	32.7	ug/L	U				5	50
BGO 8C	1/6/2015	ZINC	14	ug/L	J				4	40
BGO 8C	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 8C	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 8C	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 8C	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8C	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 8C	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8C	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 8C	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 8C	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 8C	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 8C	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 8C	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 8C	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 8C	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 8C	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 8C	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 8C	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 8C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 8C	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 8C	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8C	1/6/2015	TRICHLOROETHYLENE (TCE)	0.45	ug/L	J		21		0.25	1
BGO 8C	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 8C	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 8C	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 8C	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.105	pCi/L	U			0.079	0.117	0.2752
BGO 8C	1/6/2015	RADIUM-226	0.0953	pCi/L	J		21	0.054	0.074	0.1808
BGO 8C	1/6/2015	URANIUM-233/234	0.0167	pCi/L	U			0.0461	0.112	0.204
BGO 8C	1/6/2015	URANIUM-235	0.0482	pCi/L	U			0.0795	0.139	0.297
BGO 8C	1/6/2015	URANIUM-238	-0.00557	pCi/L	U			0.0112	0.112	0.134
BGO 8C	1/6/2015	GROSS ALPHA	0.0568	pCi/L	U			0.84	2.21	3.89
BGO 8C	1/6/2015	NONVOLATILE BETA	0.892	pCi/L	U			2.28	3.92	8.47
BGO 8C	1/6/2015	STRONTIUM-90	1.58	pCi/L	U			2.27	3.27	7.8
BGO 8C	1/6/2015	CARBON-14	-0.21	pCi/L	U			4.13	6.93	15.2
BGO 8C	1/6/2015	TECHNETIUM-99	2.09	pCi/L	U			2.61	4.29	9.51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8C	1/6/2015	TRITIUM	120	pCi/mL				2.06	0.414	4.53
BGO 8C	1/6/2015	IODINE-129	1.08	pCi/L	J		21	0.868	0.911	2.65
BGO 8C	7/13/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
BGO 8C	7/13/2015	ETHYLENE	0.009	ug/L	J		21		0.003	0.1
BGO 8C	7/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 8C	7/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 8C	7/13/2015	BARIUM	5.65	ug/L	J		21		2	20
BGO 8C	7/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 8C	7/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 8C	7/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 8C	7/13/2015	COPPER	18.6	ug/L					0.5	5
BGO 8C	7/13/2015	LEAD	1.34	ug/L	J		21		0.5	5
BGO 8C	7/13/2015	NICKEL	0.829	ug/L	J		21		0.5	5
BGO 8C	7/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 8C	7/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 8C	7/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 8C	7/13/2015	TIN	10	ug/L	U				1	10
BGO 8C	7/13/2015	VANADIUM	50	ug/L	U				5	50
BGO 8C	7/13/2015	ZINC	22.6	ug/L	U		21, V		4	40
BGO 8C	7/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 8C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 8C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 8C	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 8C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 8C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 8C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 8C	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 8C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 8C	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 8C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 8C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 8C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 8C	7/13/2015	ACETONE	2	ug/L	U	U	18		0.34	2
BGO 8C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 8C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 8C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 8C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 8C	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 8C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 8C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 8C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 8C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 8C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 8C	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 8C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 8C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 8C	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 8C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 8C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 8C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 8C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 8C	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 8C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 8C	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 8C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 8C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 8C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 8C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 8C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 8C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 8C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 8C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 8C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 8C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 8C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 8C	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 8C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 8C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 8C	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 8C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 8C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 8C	7/13/2015	TRICHLOROETHYLENE (TCE)	0.41	ug/L	J	J	21		0.25	1
BGO 8C	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 8C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 8C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 8C	7/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 8C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.177	pCi/L	J		21	0.088	0.104	0.279
BGO 8C	7/13/2015	RADIUM-226	0.151	pCi/L	J		21	0.064	0.082	0.21
BGO 8C	7/13/2015	URANIUM-233/234	0.0308	pCi/L	U		V	0.06	0.123	0.243
BGO 8C	7/13/2015	URANIUM-235	0	pCi/L	U		V	0	0.0686	0.0686
BGO 8C	7/13/2015	URANIUM-238	0.041	pCi/L	U			0.0582	0.0555	0.172
BGO 8C	7/13/2015	GROSS ALPHA	0.114	pCi/L	U			0.922	2.18	4.02
BGO 8C	7/13/2015	NONVOLATILE BETA	1.05	pCi/L	U			2.27	3.76	8.3
BGO 8C	7/13/2015	STRONTIUM-90	3.66	pCi/L	J		21	2.39	3.32	8.11
BGO 8C	7/13/2015	CARBON-14	-2.85	pCi/L	U			4.33	7.38	16
BGO 8C	7/13/2015	TECHNETIUM-99	-0.347	pCi/L	U			2.6	4.39	9.58
BGO 8C	7/13/2015	TRITIUM	104	pCi/mL				2	0.474	4.47
BGO 8C	7/13/2015	IODINE-129	-0.0315	pCi/L	U			0.585	0.985	2.15
BGO 8D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 8D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 8D	1/12/2015	BARIUM	18.6	ug/L	J				2	20
BGO 8D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 8D	1/12/2015	CHROMIUM	10.3	ug/L	J				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	1/12/2015	COBALT	4.78	ug/L	J				0.5	5
BGO 8D	1/12/2015	COPPER	4.66	ug/L	J				0.5	5
BGO 8D	1/12/2015	LEAD	5	ug/L	U				0.5	5
BGO 8D	1/12/2015	NICKEL	0.72	ug/L	J				0.5	5
BGO 8D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 8D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 8D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 8D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 8D	1/12/2015	VANADIUM	41.1	ug/L	U				5	50
BGO 8D	1/12/2015	ZINC	6.44	ug/L	J				4	40
BGO 8D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 8D	1/12/2015	1,1,1-TRICHLOROETHANE	1.3	ug/L					0.07	1
BGO 8D	1/12/2015	1,1-DICHLOROETHANE	2.1	ug/L					0.07	1
BGO 8D	1/12/2015	1,1-DICHLOROETHYLENE	2.2	ug/L					0.08	1
BGO 8D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 8D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 8D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 8D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 8D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 8D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 8D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 8D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 8D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 8D	1/12/2015	CHLOROFORM	0.15	ug/L	J		21		0.1	1
BGO 8D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	0.72	ug/L	J		21		0.09	1
BGO 8D	1/12/2015	DICHLORODIFLUOROMETHANE	2.6	ug/L					0.08	2
BGO 8D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 8D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 8D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8D	1/12/2015	TRICHLOROETHYLENE (TCE)	7.1	ug/L					0.25	1
BGO 8D	1/12/2015	TRICHLOROFLUOROMETHANE	12	ug/L					0.11	1
BGO 8D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 8D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 8D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	1.99	pCi/L				0.222	0.125	0.569
BGO 8D	1/12/2015	RADIUM-226	1.73	pCi/L				0.162	0.061	0.3849
BGO 8D	1/12/2015	URANIUM-233/234	0.115	pCi/L	J		21	0.105	0.0625	0.272
BGO 8D	1/12/2015	URANIUM-235	0.0285	pCi/L	U			0.0571	0.0771	0.191
BGO 8D	1/12/2015	URANIUM-238	0.0115	pCi/L	U			0.0489	0.138	0.236
BGO 8D	1/12/2015	GROSS ALPHA	2.78	pCi/L	J		21	2.23	2.24	6.69
BGO 8D	1/12/2015	NONVOLATILE BETA	3.55	pCi/L	U			2.8	3.99	9.59
BGO 8D	1/12/2015	STRONTIUM-90	1.94	pCi/L	U			2.09	3.13	7.32
BGO 8D	1/12/2015	CARBON-14	0.817	pCi/L	UJ			4.23	7.06	15.5
BGO 8D	1/12/2015	TECHNETIUM-99	1.42	pCi/L	U			2.54	4.2	9.28
BGO 8D	1/12/2015	TRITIUM	68.7	pCi/mL				1.54	0.398	3.47
BGO 8D	1/12/2015	IODINE-129	0.744	pCi/L	U			0.897	0.905	2.7
BGO 8D	7/15/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
BGO 8D	7/15/2015	ETHYLENE	0.0088	ug/L	J		21		0.003	0.1
BGO 8D	7/15/2015	ANTIMONY	10	ug/L	U				1	10
BGO 8D	7/15/2015	ARSENIC	50	ug/L	U				5	50
BGO 8D	7/15/2015	BARIUM	18.5	ug/L	J		21		2	20
BGO 8D	7/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	CHROMIUM	100	ug/L	U				10	100
BGO 8D	7/15/2015	COBALT	3.26	ug/L	J		21		0.5	5
BGO 8D	7/15/2015	COPPER	1.56	ug/L	J		21		0.5	5
BGO 8D	7/15/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	7/15/2015	NICKEL	0.599	ug/L	J		21		0.5	5
BGO 8D	7/15/2015	SELENIUM	20	ug/L	U				2	20
BGO 8D	7/15/2015	SILVER	5	ug/L	U				0.5	5
BGO 8D	7/15/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	TIN	10	ug/L	U				1	10
BGO 8D	7/15/2015	VANADIUM	50	ug/L	U				5	50
BGO 8D	7/15/2015	ZINC	5.77	ug/L	U		21, V		4	40
BGO 8D	7/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 8D	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 8D	7/15/2015	1,1,1-TRICHLOROETHANE	0.96	ug/L	J		21		0.07	1
BGO 8D	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	7.7	ug/L					0.1	1
BGO 8D	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 8D	7/15/2015	1,1-DICHLOROETHANE	2	ug/L					0.07	1
BGO 8D	7/15/2015	1,1-DICHLOROETHYLENE	2.5	ug/L					0.08	1
BGO 8D	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 8D	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 8D	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 8D	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 8D	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 8D	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	1,2-DICHLOROETHYLENE	0.81	ug/L	J		21		0.15	2
BGO 8D	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 8D	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 8D	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 8D	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 8D	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 8D	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 8D	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 8D	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 8D	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 8D	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 8D	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 8D	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 8D	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 8D	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 8D	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 8D	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 8D	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 8D	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 8D	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 8D	7/15/2015	CHLOROFORM	0.16	ug/L	J		21		0.1	1
BGO 8D	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 8D	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 8D	7/15/2015	CIS-1,2-DICHLOROETHYLENE	0.81	ug/L	J		21		0.09	1
BGO 8D	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 8D	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 8D	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 8D	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 8D	7/15/2015	DICHLORODIFLUOROMETHANE	3.1	ug/L					0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 8D	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 8D	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 8D	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 8D	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 8D	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 8D	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 8D	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 8D	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 8D	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 8D	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 8D	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 8D	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 8D	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 8D	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 8D	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 8D	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 8D	7/15/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
BGO 8D	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 8D	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 8D	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 8D	7/15/2015	TRICHLOROETHYLENE (TCE)	7.3	ug/L					0.25	1
BGO 8D	7/15/2015	TRICHLOROFLUOROMETHANE	12	ug/L					0.11	1
BGO 8D	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 8D	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 8D	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 8D	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	1.86	pCi/L				0.185	0.096	0.4663

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 8D	7/15/2015	RADIUM-226	1.7	pCi/L				0.156	0.062	0.3736
BGO 8D	7/15/2015	URANIUM-233/234	0.146	pCi/L	U		V	0.112	0.0565	0.281
BGO 8D	7/15/2015	URANIUM-235	-0.00643	pCi/L	U		V	0.0129	0.13	0.155
BGO 8D	7/15/2015	URANIUM-238	0.0624	pCi/L	J		21	0.0726	0.0564	0.202
BGO 8D	7/15/2015	GROSS ALPHA	2.5	pCi/L	J		21	2.16	2.19	6.5
BGO 8D	7/15/2015	NONVOLATILE BETA	5.95	pCi/L	J		21	3.16	3.82	10.1
BGO 8D	7/15/2015	STRONTIUM-90	0.638	pCi/L	U			1.68	3.26	6.63
BGO 8D	7/15/2015	CARBON-14	-1.01	pCi/L	U			4.24	7.14	15.6
BGO 8D	7/15/2015	TECHNETIUM-99	-1.03	pCi/L	U			2.52	4.3	9.33
BGO 8D	7/15/2015	TRITIUM	72.5	pCi/mL				1.61	0.522	3.74
BGO 8D	7/15/2015	IODINE-129	0.522	pCi/L	U			0.735	0.986	2.46
BGO 9AA	7/6/2015	ETHANE	0.24	ug/L					0.002	0.1
BGO 9AA	7/6/2015	ETHYLENE	1.8	ug/L					0.003	0.1
BGO 9AA	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 9AA	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9AA	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 9AA	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 9AA	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 9AA	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9AA	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 9AA	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 9AA	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 9AA	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 9AA	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 9AA	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9AA	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 9AA	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 9AA	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 9AA	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 9AA	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 9AA	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 9AA	7/6/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 9AA	7/6/2015	ACETONE	4.9	ug/L					0.34	2
BGO 9AA	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 9AA	7/6/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 9AA	7/6/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 9AA	7/6/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 9AA	7/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 9AA	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 9AA	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 9AA	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 9AA	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 9AA	7/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 9AA	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 9AA	7/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 9AA	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 9AA	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 9AA	7/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 9AA	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 9AA	7/6/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 9AA	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 9AA	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9AA	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 9AA	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 9AA	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 9AA	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 9AA	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 9AA	7/6/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 9AA	7/6/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 9AA	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 9AA	7/6/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 9AA	7/6/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 9AA	7/6/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 9AA	7/6/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 9AA	7/6/2015	METHYL ETHYL KETONE	1.8	ug/L	J		21		0.52	5
BGO 9AA	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 9AA	7/6/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 9AA	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 9AA	7/6/2015	METHYLCYCLOHEXANE	0.46	ug/L	J		21		0.1	4
BGO 9AA	7/6/2015	NAPHTHALENE	0.24	ug/L	J		21		0.16	1
BGO 9AA	7/6/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 9AA	7/6/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 9AA	7/6/2015	STYRENE	1	ug/L	U				0.07	1
BGO 9AA	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 9AA	7/6/2015	TOLUENE	1.1	ug/L					0.07	1
BGO 9AA	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 9AA	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 9AA	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9AA	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 9AA	7/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 9AA	7/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 9AA	7/6/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 9AA	7/6/2015	TRITIUM	0.786	pCi/mL	J		21	0.319	0.471	1.11
BGO 9D	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 9D	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 9D	1/6/2015	BARIUM	14.4	ug/L	J				2	20
BGO 9D	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 9D	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 9D	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 9D	1/6/2015	COPPER	3.62	ug/L	J				0.5	5
BGO 9D	1/6/2015	LEAD	0.946	ug/L	J				0.5	5
BGO 9D	1/6/2015	NICKEL	1.38	ug/L	J				0.5	5
BGO 9D	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 9D	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 9D	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 9D	1/6/2015	TIN	10	ug/L	U				1	10
BGO 9D	1/6/2015	VANADIUM	50	ug/L	U				5	50
BGO 9D	1/6/2015	ZINC	5.33	ug/L	J				4	40
BGO 9D	1/6/2015	MERCURY	0.148	ug/L	J		21		0.02	0.2
BGO 9D	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9D	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9D	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9D	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 9D	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 9D	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 9D	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9D	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 9D	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 9D	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 9D	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 9D	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 9D	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 9D	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 9D	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 9D	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 9D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 9D	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 9D	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 9D	1/6/2015	TRICHLOROFLUOROMETHANE	0.6	ug/L	J		21		0.11	1
BGO 9D	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 9D	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 9D	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	3.39	pCi/L				0.302	0.138	0.742
BGO 9D	1/6/2015	RADIUM-226	2.86	pCi/L				0.212	0.083	0.5066
BGO 9D	1/6/2015	URANIUM-233/234	0.0341	pCi/L	U			0.0664	0.136	0.269
BGO 9D	1/6/2015	URANIUM-235	-0.007	pCi/L	U			0.0141	0.141	0.169
BGO 9D	1/6/2015	URANIUM-238	0.136	pCi/L	U			0.113	0.0614	0.287
BGO 9D	1/6/2015	GROSS ALPHA	4.22	pCi/L	J		21	2.65	2.18	7.47
BGO 9D	1/6/2015	NONVOLATILE BETA	3.22	pCi/L	U			2.76	4.02	9.53
BGO 9D	1/6/2015	STRONTIUM-90	-0.531	pCi/L	U			1.73	3.27	6.73
BGO 9D	1/6/2015	CARBON-14	2.76	pCi/L	U			4.2	6.94	15.3
BGO 9D	1/6/2015	TECHNETIUM-99	-0.415	pCi/L	U			2.51	4.26	9.29
BGO 9D	1/6/2015	TRITIUM	3.98	pCi/mL				0.443	0.414	1.3
BGO 9D	1/6/2015	IODINE-129	0.413	pCi/L	U			0.583	1.04	2.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9D	7/6/2015	ETHANE	0.014	ug/L	J		21		0.002	0.1
BGO 9D	7/6/2015	ETHYLENE	0.032	ug/L	J		21		0.003	0.1
BGO 9D	7/6/2015	ANTIMONY	10	ug/L	U		V		1	10
BGO 9D	7/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 9D	7/6/2015	BARIUM	15	ug/L	J		21		2	20
BGO 9D	7/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	CHROMIUM	17.2	ug/L	J		21		10	100
BGO 9D	7/6/2015	COBALT	0.701	ug/L	J		21		0.5	5
BGO 9D	7/6/2015	COPPER	4.17	ug/L	J		21		0.5	5
BGO 9D	7/6/2015	LEAD	1.42	ug/L	J		21		0.5	5
BGO 9D	7/6/2015	NICKEL	2.32	ug/L	J		21		0.5	5
BGO 9D	7/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 9D	7/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 9D	7/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	TIN	10	ug/L	U				1	10
BGO 9D	7/6/2015	VANADIUM	50	ug/L	U				5	50
BGO 9D	7/6/2015	ZINC	7.82	ug/L	U		21, V		4	40
BGO 9D	7/6/2015	MERCURY	1.17	ug/L					0.02	0.2
BGO 9D	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 9D	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.35	ug/L	J		21		0.1	1
BGO 9D	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 9D	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 9D	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9D	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 9D	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 9D	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 9D	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 9D	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 9D	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 9D	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 9D	7/6/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 9D	7/6/2015	ACETONE	2	ug/L	U				0.34	2
BGO 9D	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 9D	7/6/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 9D	7/6/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 9D	7/6/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 9D	7/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 9D	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 9D	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 9D	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 9D	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 9D	7/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 9D	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 9D	7/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 9D	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 9D	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9D	7/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 9D	7/6/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 9D	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 9D	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 9D	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 9D	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 9D	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 9D	7/6/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 9D	7/6/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 9D	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 9D	7/6/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 9D	7/6/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 9D	7/6/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 9D	7/6/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 9D	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 9D	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 9D	7/6/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 9D	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 9D	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 9D	7/6/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 9D	7/6/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 9D	7/6/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 9D	7/6/2015	STYRENE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 9D	7/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 9D	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 9D	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 9D	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 9D	7/6/2015	TRICHLOROFLUOROMETHANE	0.53	ug/L	J		21		0.11	1
BGO 9D	7/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 9D	7/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 9D	7/6/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 9D	7/6/2015	RADIUM, TOTAL ALPHA-EMITTING	3.34	pCi/L				0.36	0.177	0.897
BGO 9D	7/6/2015	RADIUM-226	2.68	pCi/L				0.202	0.094	0.4976
BGO 9D	7/6/2015	URANIUM-233/234	0.0223	pCi/L	U			0.0447	0.0604	0.15
BGO 9D	7/6/2015	URANIUM-235	0	pCi/L	U			0	0.0745	0.0745
BGO 9D	7/6/2015	URANIUM-238	0.111	pCi/L	J		21, V	0.101	0.0603	0.262
BGO 9D	7/6/2015	GROSS ALPHA	3.5	pCi/L	J		21	2.43	2.11	6.97
BGO 9D	7/6/2015	NONVOLATILE BETA	3.67	pCi/L	U			2.85	4.02	9.72
BGO 9D	7/6/2015	STRONTIUM-90	0.921	pCi/L	U			1.93	2.98	6.85
BGO 9D	7/6/2015	CARBON-14	125	pCi/L	J			6.57	7.16	20.3
BGO 9D	7/6/2015	TECHNETIUM-99	-2.36	pCi/L	U			2.54	4.39	9.47
BGO 9D	7/6/2015	TRITIUM	3.46	pCi/mL				0.443	0.466	1.35
BGO 9D	7/6/2015	IODINE-129	0.406	pCi/L	U			0.509	0.975	1.99
BGO 10AA	7/6/2015	ETHANE	0.027	ug/L	J		21		0.002	0.1
BGO 10AA	7/6/2015	ETHYLENE	0.046	ug/L	J		21		0.003	0.1
BGO 10AA	7/6/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 10AA	7/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AA	7/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 10AA	7/6/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 10AA	7/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 10AA	7/6/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 10AA	7/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 10AA	7/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 10AA	7/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 10AA	7/6/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 10AA	7/6/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 10AA	7/6/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 10AA	7/6/2015	ACETONE	2	ug/L	U				0.34	2
BGO 10AA	7/6/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 10AA	7/6/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 10AA	7/6/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 10AA	7/6/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 10AA	7/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 10AA	7/6/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10AA	7/6/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 10AA	7/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 10AA	7/6/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AA	7/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10AA	7/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10AA	7/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10AA	7/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 10AA	7/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10AA	7/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10AA	7/6/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 10AA	7/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10AA	7/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10AA	7/6/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 10AA	7/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 10AA	7/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10AA	7/6/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 10AA	7/6/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 10AA	7/6/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 10AA	7/6/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 10AA	7/6/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 10AA	7/6/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 10AA	7/6/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 10AA	7/6/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 10AA	7/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 10AA	7/6/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 10AA	7/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 10AA	7/6/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AA	7/6/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 10AA	7/6/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 10AA	7/6/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 10AA	7/6/2015	STYRENE	1	ug/L	U				0.07	1
BGO 10AA	7/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10AA	7/6/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
BGO 10AA	7/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10AA	7/6/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 10AA	7/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 10AA	7/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 10AA	7/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10AA	7/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10AA	7/6/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 10AA	7/6/2015	TRITIUM	0.727	pCi/mL	J		21	0.314	0.467	1.1
BGO 10AR	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10AR	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 10AR	1/6/2015	BARIUM	32.1	ug/L					2	20
BGO 10AR	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 10AR	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10AR	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 10AR	1/6/2015	COPPER	5	ug/L	U				0.5	5
BGO 10AR	1/6/2015	LEAD	5	ug/L	U				0.5	5
BGO 10AR	1/6/2015	NICKEL	0.649	ug/L	J				0.5	5
BGO 10AR	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 10AR	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 10AR	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10AR	1/6/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	1/6/2015	VANADIUM	50	ug/L	U				5	50
BGO 10AR	1/6/2015	ZINC	40	ug/L	U				4	40
BGO 10AR	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10AR	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AR	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AR	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AR	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10AR	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10AR	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10AR	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 10AR	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 10AR	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10AR	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10AR	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10AR	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10AR	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10AR	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10AR	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 10AR	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10AR	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10AR	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 10AR	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AR	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 10AR	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 10AR	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10AR	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10AR	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.317	pCi/L	J		21	0.104	0.12	0.328
BGO 10AR	1/6/2015	RADIUM-226	0.332	pCi/L				0.084	0.086	0.2535

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	1/6/2015	URANIUM-233/234	0.219	pCi/L	J		21	0.143	0.0593	0.345
BGO 10AR	1/6/2015	URANIUM-235	-0.00674	pCi/L	U			0.0135	0.136	0.163
BGO 10AR	1/6/2015	URANIUM-238	0.0546	pCi/L	U			0.0776	0.131	0.286
BGO 10AR	1/6/2015	GROSS ALPHA	1.26	pCi/L	U			1.64	2.31	5.59
BGO 10AR	1/6/2015	NONVOLATILE BETA	1.77	pCi/L	U			2.47	3.97	8.91
BGO 10AR	1/6/2015	STRONTIUM-90	-0.715	pCi/L	U			1.78	3.27	6.84
BGO 10AR	1/6/2015	CARBON-14	1.4	pCi/L	U			4.15	6.9	15.2
BGO 10AR	1/6/2015	TECHNETIUM-99	0.699	pCi/L	U			2.57	4.3	9.45
BGO 10AR	1/6/2015	TRITIUM	0.214	pCi/mL	U			0.253	0.414	0.92
BGO 10AR	1/6/2015	IODINE-129	1.03	pCi/L	J		21	0.864	0.963	2.69
BGO 10AR	7/7/2015	ETHANE	0.0059	ug/L	J		21		0.002	0.1
BGO 10AR	7/7/2015	ETHYLENE	0.046	ug/L	J		21		0.003	0.1
BGO 10AR	7/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10AR	7/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 10AR	7/7/2015	BARIUM	38.3	ug/L					2	20
BGO 10AR	7/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	CADMIUM	0.411	ug/L	J		21		0.1	1
BGO 10AR	7/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10AR	7/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 10AR	7/7/2015	COPPER	0.773	ug/L	J		21		0.5	5
BGO 10AR	7/7/2015	LEAD	5	ug/L	U				0.5	5
BGO 10AR	7/7/2015	NICKEL	2.36	ug/L	J		21		0.5	5
BGO 10AR	7/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 10AR	7/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 10AR	7/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	TIN	10	ug/L	U				1	10
BGO 10AR	7/7/2015	VANADIUM	13.4	ug/L	J		21		5	50
BGO 10AR	7/7/2015	ZINC	9.83	ug/L	U		21, V		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	7/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10AR	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 10AR	7/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 10AR	7/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 10AR	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 10AR	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 10AR	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 10AR	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 10AR	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 10AR	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 10AR	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 10AR	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 10AR	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 10AR	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 10AR	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 10AR	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 10AR	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 10AR	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 10AR	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10AR	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 10AR	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 10AR	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 10AR	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10AR	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10AR	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10AR	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 10AR	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10AR	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10AR	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 10AR	7/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10AR	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10AR	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 10AR	7/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 10AR	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10AR	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 10AR	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 10AR	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 10AR	7/7/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 10AR	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 10AR	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 10AR	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 10AR	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 10AR	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 10AR	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 10AR	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 10AR	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 10AR	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 10AR	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 10AR	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10AR	7/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 10AR	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10AR	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 10AR	7/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 10AR	7/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 10AR	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10AR	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10AR	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 10AR	7/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.395	pCi/L	J		21	0.162	0.206	0.53
BGO 10AR	7/7/2015	RADIUM-226	0.32	pCi/L				0.072	0.053	0.1959
BGO 10AR	7/7/2015	URANIUM-233/234	0.182	pCi/L	J		21	0.132	0.128	0.392
BGO 10AR	7/7/2015	URANIUM-235	0.0264	pCi/L	U			0.0529	0.0714	0.177
BGO 10AR	7/7/2015	URANIUM-238	0.128	pCi/L	J		21, V	0.106	0.0578	0.27
BGO 10AR	7/7/2015	GROSS ALPHA	0.0981	pCi/L	U			0.905	2.25	4.06
BGO 10AR	7/7/2015	NONVOLATILE BETA	2	pCi/L	U			2.53	3.97	9.03
BGO 10AR	7/7/2015	STRONTIUM-90	0.432	pCi/L	U			1.8	2.97	6.57

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10AR	7/7/2015	CARBON-14	-1.4	pCi/L	UJ			4.24	7.16	15.6
BGO 10AR	7/7/2015	TECHNETIUM-99	0.626	pCi/L	U			2.6	4.36	9.56
BGO 10AR	7/7/2015	TRITIUM	0.0144	pCi/mL	U			0.273	0.471	1.02
BGO 10AR	7/7/2015	IODINE-129	0.977	pCi/L	J		21	0.872	0.75	2.5
BGO 10C	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10C	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 10C	1/6/2015	BARIUM	27.9	ug/L					2	20
BGO 10C	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 10C	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10C	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 10C	1/6/2015	COPPER	18.9	ug/L					0.5	5
BGO 10C	1/6/2015	LEAD	4.66	ug/L	J				0.5	5
BGO 10C	1/6/2015	NICKEL	2.42	ug/L	J				0.5	5
BGO 10C	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 10C	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 10C	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10C	1/6/2015	TIN	10	ug/L	U				1	10
BGO 10C	1/6/2015	VANADIUM	33.9	ug/L	U				5	50
BGO 10C	1/6/2015	ZINC	30.6	ug/L	J				4	40
BGO 10C	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10C	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10C	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 10C	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10C	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10C	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10C	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10C	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 10C	1/6/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10C	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10C	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10C	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10C	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10C	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10C	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10C	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 10C	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10C	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 10C	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10C	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 10C	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 10C	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10C	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10C	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.249	pCi/L	J		21	0.095	0.112	0.3024
BGO 10C	1/6/2015	RADIUM-226	0.15	pCi/L	J		21	0.064	0.083	0.2118
BGO 10C	1/6/2015	URANIUM-233/234	0.36	pCi/L	J		21	0.189	0.061	0.439
BGO 10C	1/6/2015	URANIUM-235	0.0208	pCi/L	U			0.0573	0.14	0.254
BGO 10C	1/6/2015	URANIUM-238	0.18	pCi/L	J		21	0.13	0.0608	0.321
BGO 10C	1/6/2015	GROSS ALPHA	1.7	pCi/L	U			1.87	2.35	6.09
BGO 10C	1/6/2015	NONVOLATILE BETA	1.04	pCi/L	U			2.34	3.99	8.66
BGO 10C	1/6/2015	STRONTIUM-90	2.31	pCi/L	U			2.35	3.24	7.94
BGO 10C	1/6/2015	CARBON-14	425	pCi/L				10.1	6.91	27.1
BGO 10C	1/6/2015	TECHNETIUM-99	0.93	pCi/L	U			2.57	4.29	9.44
BGO 10C	1/6/2015	TRITIUM	6.62	pCi/mL				0.54	0.418	1.5
BGO 10C	1/6/2015	IODINE-129	-0.334	pCi/L	U			0.539	0.905	1.98
BGO 10C	7/13/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10C	7/13/2015	ETHYLENE	0.023	ug/L	J		21		0.003	0.1
BGO 10C	7/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10C	7/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 10C	7/13/2015	BARIUM	24.9	ug/L					2	20
BGO 10C	7/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 10C	7/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10C	7/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 10C	7/13/2015	COPPER	23.5	ug/L					0.5	5
BGO 10C	7/13/2015	LEAD	9.93	ug/L					0.5	5
BGO 10C	7/13/2015	NICKEL	2.13	ug/L	J		21		0.5	5
BGO 10C	7/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 10C	7/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 10C	7/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10C	7/13/2015	TIN	10	ug/L	U				1	10
BGO 10C	7/13/2015	VANADIUM	50	ug/L	U				5	50
BGO 10C	7/13/2015	ZINC	39.1	ug/L	U		21, V		4	40
BGO 10C	7/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 10C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 10C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 10C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 10C	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 10C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 10C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 10C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 10C	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 10C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 10C	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 10C	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 10C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 10C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 10C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 10C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 10C	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 10C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 10C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 10C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 10C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 10C	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 10C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 10C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 10C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 10C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 10C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 10C	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 10C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 10C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 10C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 10C	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 10C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 10C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 10C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 10C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 10C	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 10C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 10C	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 10C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 10C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 10C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 10C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 10C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 10C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 10C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 10C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 10C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 10C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 10C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 10C	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 10C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 10C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 10C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 10C	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 10C	7/13/2015	TOLUENE	0.15	ug/L	J	J	21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 10C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 10C	7/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 10C	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 10C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 10C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 10C	7/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 10C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.383	pCi/L	J		21	0.139	0.165	0.443
BGO 10C	7/13/2015	RADIUM-226	0.174	pCi/L	J		21	0.071	0.093	0.2346
BGO 10C	7/13/2015	URANIUM-233/234	0.347	pCi/L	J		21, V	0.193	0.0672	0.453
BGO 10C	7/13/2015	URANIUM-235	0.0918	pCi/L	U		V	0.107	0.0829	0.297
BGO 10C	7/13/2015	URANIUM-238	0.347	pCi/L	J		21	0.192	0.0671	0.451
BGO 10C	7/13/2015	GROSS ALPHA	1.38	pCi/L	U			1.76	2.31	5.82
BGO 10C	7/13/2015	NONVOLATILE BETA	2.19	pCi/L	U			2.53	3.81	8.86
BGO 10C	7/13/2015	STRONTIUM-90	0.586	pCi/L	U			1.93	3.26	7.13
BGO 10C	7/13/2015	CARBON-14	92.6	pCi/L				6.36	7.57	20.3
BGO 10C	7/13/2015	TECHNETIUM-99	-0.0695	pCi/L	U			2.61	4.39	9.6
BGO 10C	7/13/2015	TRITIUM	7.35	pCi/mL				0.593	0.476	1.66
BGO 10C	7/13/2015	IODINE-129	0.182	pCi/L	U			0.556	0.955	2.07
BGO 10DR	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10DR	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 10DR	1/6/2015	BARIUM	26	ug/L					2	20
BGO 10DR	1/6/2015	BERYLLIUM	0.105	ug/L	J				0.1	1
BGO 10DR	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10DR	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 10DR	1/6/2015	COPPER	4.6	ug/L	J				0.5	5
BGO 10DR	1/6/2015	LEAD	10.4	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	1/6/2015	NICKEL	3.46	ug/L	J				0.5	5
BGO 10DR	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 10DR	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 10DR	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10DR	1/6/2015	TIN	10	ug/L	U				1	10
BGO 10DR	1/6/2015	VANADIUM	21.4	ug/L	U				5	50
BGO 10DR	1/6/2015	ZINC	28.9	ug/L	J				4	40
BGO 10DR	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10DR	1/6/2015	1,1,1-TRICHLOROETHANE	0.6	ug/L	J		21		0.07	1
BGO 10DR	1/6/2015	1,1-DICHLOROETHANE	0.55	ug/L	J		21		0.07	1
BGO 10DR	1/6/2015	1,1-DICHLOROETHYLENE	0.42	ug/L	J		21		0.08	1
BGO 10DR	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10DR	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10DR	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10DR	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 10DR	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 10DR	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10DR	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10DR	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10DR	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10DR	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10DR	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10DR	1/6/2015	DICHLORODIFLUOROMETHANE	1.3	ug/L	J		21		0.08	2
BGO 10DR	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10DR	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10DR	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 10DR	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10DR	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	1/6/2015	TRICHLOROFLUOROMETHANE	1.6	ug/L					0.11	1
BGO 10DR	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10DR	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10DR	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	1.6	pCi/L				0.194	0.092	0.4804
BGO 10DR	1/6/2015	RADIUM-226	1.23	pCi/L				0.137	0.066	0.3402
BGO 10DR	1/6/2015	URANIUM-233/234	0.0818	pCi/L	U			0.0954	0.0739	0.265
BGO 10DR	1/6/2015	URANIUM-235	0.0336	pCi/L	U			0.0675	0.0911	0.226
BGO 10DR	1/6/2015	URANIUM-238	0	pCi/L	U			0	0.0737	0.0737
BGO 10DR	1/6/2015	GROSS ALPHA	1.59	pCi/L	U			1.75	2.21	5.71
BGO 10DR	1/6/2015	NONVOLATILE BETA	1.04	pCi/L	U			2.32	3.96	8.61
BGO 10DR	1/6/2015	STRONTIUM-90	1.72	pCi/L	U			2.25	3.27	7.76
BGO 10DR	1/6/2015	CARBON-14	3.97	pCi/L	U			4.21	6.9	15.3
BGO 10DR	1/6/2015	TECHNETIUM-99	0.35	pCi/L	U			2.57	4.31	9.45
BGO 10DR	1/6/2015	TRITIUM	67.8	pCi/mL				1.56	0.415	3.54
BGO 10DR	1/6/2015	IODINE-129	0.215	pCi/L	U			0.499	0.874	1.87
BGO 10DR	7/7/2015	ETHANE	0.01	ug/L	J		21		0.002	0.1
BGO 10DR	7/7/2015	ETHYLENE	0.029	ug/L	J		21		0.003	0.1
BGO 10DR	7/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 10DR	7/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 10DR	7/7/2015	BARIUM	23.1	ug/L					2	20
BGO 10DR	7/7/2015	BERYLLIUM	0.102	ug/L	J		21		0.1	1
BGO 10DR	7/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 10DR	7/7/2015	COBALT	5	ug/L	U				0.5	5
BGO 10DR	7/7/2015	COPPER	4.07	ug/L	J		21		0.5	5
BGO 10DR	7/7/2015	LEAD	10.3	ug/L					0.5	5
BGO 10DR	7/7/2015	NICKEL	3.88	ug/L	J		21		0.5	5
BGO 10DR	7/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 10DR	7/7/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	7/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	TIN	10	ug/L	U				1	10
BGO 10DR	7/7/2015	VANADIUM	50	ug/L	U				5	50
BGO 10DR	7/7/2015	ZINC	34.8	ug/L	U		21, V		4	40
BGO 10DR	7/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 10DR	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 10DR	7/7/2015	1,1,1-TRICHLOROETHANE	0.55	ug/L	J		21		0.07	1
BGO 10DR	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.9	ug/L					0.1	1
BGO 10DR	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 10DR	7/7/2015	1,1-DICHLOROETHANE	0.55	ug/L	J		21		0.07	1
BGO 10DR	7/7/2015	1,1-DICHLOROETHYLENE	0.45	ug/L	J		21		0.08	1
BGO 10DR	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 10DR	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 10DR	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 10DR	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 10DR	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 10DR	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 10DR	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 10DR	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 10DR	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 10DR	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 10DR	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 10DR	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 10DR	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 10DR	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 10DR	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 10DR	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 10DR	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10DR	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 10DR	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 10DR	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 10DR	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 10DR	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 10DR	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 10DR	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 10DR	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10DR	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 10DR	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 10DR	7/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 10DR	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 10DR	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 10DR	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 10DR	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 10DR	7/7/2015	DICHLORODIFLUOROMETHANE	1.9	ug/L	J		21		0.08	2
BGO 10DR	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 10DR	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 10DR	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 10DR	7/7/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 10DR	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 10DR	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 10DR	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 10DR	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 10DR	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 10DR	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 10DR	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 10DR	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 10DR	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 10DR	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 10DR	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 10DR	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 10DR	7/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 10DR	7/7/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
BGO 10DR	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 10DR	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 10DR	7/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 10DR	7/7/2015	TRICHLOROFLUOROMETHANE	1.7	ug/L					0.11	1
BGO 10DR	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 10DR	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 10DR	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 10DR	7/7/2015	RADIUM, TOTAL ALPHA-EMITTING	1.93	pCi/L				0.281	0.159	0.721
BGO 10DR	7/7/2015	RADIUM-226	1.26	pCi/L				0.138	0.063	0.3389
BGO 10DR	7/7/2015	URANIUM-233/234	0.0391	pCi/L	U			0.0815	0.177	0.34
BGO 10DR	7/7/2015	URANIUM-235	0	pCi/L	U			0	0.0747	0.0747

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 10DR	7/7/2015	URANIUM-238	0.0223	pCi/L	U		V	0.0447	0.0604	0.15
BGO 10DR	7/7/2015	GROSS ALPHA	2.01	pCi/L	U			1.92	2.13	5.96
BGO 10DR	7/7/2015	NONVOLATILE BETA	-0.458	pCi/L	U			2.04	3.99	8.07
BGO 10DR	7/7/2015	STRONTIUM-90	1.02	pCi/L	U			2.18	2.98	7.34
BGO 10DR	7/7/2015	CARBON-14	-1.39	pCi/L	UJ			4.22	7.12	15.6
BGO 10DR	7/7/2015	TECHNETIUM-99	1.03	pCi/L	U			2.63	4.38	9.64
BGO 10DR	7/7/2015	TRITIUM	88.5	pCi/mL				1.8	0.469	4.07
BGO 10DR	7/7/2015	IODINE-129	0.683	pCi/L	U			0.556	0.985	2.1
BGO 11DR	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 11DR	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 11DR	1/12/2015	BARIUM	9.42	ug/L	J				2	20
BGO 11DR	1/12/2015	BERYLLIUM	0.133	ug/L	J				0.1	1
BGO 11DR	1/12/2015	CHROMIUM	12.4	ug/L	J				10	100
BGO 11DR	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 11DR	1/12/2015	COPPER	1.36	ug/L	J				0.5	5
BGO 11DR	1/12/2015	LEAD	1.65	ug/L	J				0.5	5
BGO 11DR	1/12/2015	NICKEL	1.48	ug/L	J				0.5	5
BGO 11DR	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 11DR	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 11DR	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 11DR	1/12/2015	TIN	10	ug/L	U				1	10
BGO 11DR	1/12/2015	VANADIUM	37.7	ug/L	U				5	50
BGO 11DR	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 11DR	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 11DR	1/12/2015	1,1,1-TRICHLOROETHANE	0.22	ug/L	J		21		0.07	1
BGO 11DR	1/12/2015	1,1-DICHLOROETHANE	14	ug/L					0.07	1
BGO 11DR	1/12/2015	1,1-DICHLOROETHYLENE	2	ug/L					0.08	1
BGO 11DR	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 11DR	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 11DR	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 11DR	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 11DR	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 11DR	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 11DR	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 11DR	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 11DR	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 11DR	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 11DR	1/12/2015	DICHLORODIFLUOROMETHANE	3.2	ug/L					0.08	2
BGO 11DR	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 11DR	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L					0.18	1
BGO 11DR	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 11DR	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 11DR	1/12/2015	TRICHLOROETHYLENE (TCE)	2.8	ug/L					0.25	1
BGO 11DR	1/12/2015	TRICHLOROFLUOROMETHANE	1.7	ug/L					0.11	1
BGO 11DR	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 11DR	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 11DR	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	6.66	pCi/L				0.397	0.126	0.92
BGO 11DR	1/12/2015	RADIUM-226	6.09	pCi/L				0.296	0.06	0.6517
BGO 11DR	1/12/2015	URANIUM-233/234	0.155	pCi/L	J		21	0.12	0.0601	0.3
BGO 11DR	1/12/2015	URANIUM-235	-0.00684	pCi/L	U			0.0137	0.138	0.165
BGO 11DR	1/12/2015	URANIUM-238	0.105	pCi/L	J		21	0.101	0.111	0.313
BGO 11DR	1/12/2015	GROSS ALPHA	6.19	pCi/L	J		21	3.18	2.2	8.57
BGO 11DR	1/12/2015	NONVOLATILE BETA	4.05	pCi/L	U			2.92	4.07	9.9
BGO 11DR	1/12/2015	STRONTIUM-90	-0.0896	pCi/L	U			1.88	3.12	6.89
BGO 11DR	1/12/2015	CARBON-14	-0.743	pCi/L	UJ			4.12	6.93	15.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	1/12/2015	TECHNETIUM-99	0.000009	pCi/L	U			2.5	4.22	9.22
BGO 11DR	1/12/2015	TRITIUM	102	pCi/mL				1.86	0.399	4.13
BGO 11DR	1/12/2015	IODINE-129	0.479	pCi/L	U			0.54	0.972	2.05
BGO 11DR	7/15/2015	ETHANE	0.025	ug/L	J		21		0.002	0.1
BGO 11DR	7/15/2015	ETHYLENE	0.0079	ug/L	J		21		0.003	0.1
BGO 11DR	7/15/2015	SULFIDE	0.6	mg/L	J	J	21		0.45	1
BGO 11DR	7/15/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 11DR	7/15/2015	BARIUM	10.7	ug/L	J	J	21		2	20
BGO 11DR	7/15/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 11DR	7/15/2015	COBALT	0.543	ug/L	J	J	21		0.5	5
BGO 11DR	7/15/2015	COPPER	1.27	ug/L	J	J	21		0.5	5
BGO 11DR	7/15/2015	LEAD	1.65	ug/L	J	J	21		0.5	5
BGO 11DR	7/15/2015	NICKEL	0.791	ug/L	J	J	21		0.5	5
BGO 11DR	7/15/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 11DR	7/15/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 11DR	7/15/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	TIN	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 11DR	7/15/2015	ZINC	40	ug/L	U	U			4	40
BGO 11DR	7/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 11DR	7/15/2015	ALDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	ALPHA-CHLORDANE	0.047	ug/L	U	U			0.014	0.047
BGO 11DR	7/15/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.012	0.047
BGO 11DR	7/15/2015	DDD	0.047	ug/L	U	U			0.0095	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	DDE	0.047	ug/L	U	U			0.013	0.047
BGO 11DR	7/15/2015	DDT	0.047	ug/L	U	U			0.022	0.047
BGO 11DR	7/15/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	DIELDRIN	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	ENDOSULFAN I	0.047	ug/L	U	U			0.018	0.047
BGO 11DR	7/15/2015	ENDOSULFAN II	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	ENDOSULFAN SULFATE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	ENDRIN	0.047	ug/L	U	U			0.017	0.047
BGO 11DR	7/15/2015	ENDRIN ALDEHYDE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	GAMMA-CHLORDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	HEPTACHLOR	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U	U			0.016	0.047
BGO 11DR	7/15/2015	LINDANE	0.047	ug/L	U	U			0.0095	0.047
BGO 11DR	7/15/2015	METHOXYCHLOR	0.47	ug/L	U	U			0.012	0.47
BGO 11DR	7/15/2015	TOTAL CHLORDANE	0.47	ug/L	U	U			0.095	0.47
BGO 11DR	7/15/2015	TOXAPHENE	1.9	ug/L	U	U			0.25	1.9
BGO 11DR	7/15/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
BGO 11DR	7/15/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
BGO 11DR	7/15/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
BGO 11DR	7/15/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
BGO 11DR	7/15/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
BGO 11DR	7/15/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
BGO 11DR	7/15/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
BGO 11DR	7/15/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95
BGO 11DR	7/15/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
BGO 11DR	7/15/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
BGO 11DR	7/15/2015	DINOSEB	1.9	ug/L	U	U			0.69	1.9
BGO 11DR	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	1,1,1-TRICHLOROETHANE	0.21	ug/L	J	J	21		0.07	1
BGO 11DR	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	21	ug/L					0.1	1
BGO 11DR	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 11DR	7/15/2015	1,1-DICHLOROETHANE	13	ug/L					0.07	1
BGO 11DR	7/15/2015	1,1-DICHLOROETHYLENE	1.9	ug/L					0.08	1
BGO 11DR	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 11DR	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 11DR	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 11DR	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 11DR	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 11DR	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 11DR	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 11DR	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 11DR	7/15/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 11DR	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 11DR	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 11DR	7/15/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 11DR	7/15/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 11DR	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 11DR	7/15/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 11DR	7/15/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 11DR	7/15/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 11DR	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 11DR	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 11DR	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 11DR	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 11DR	7/15/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 11DR	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 11DR	7/15/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 11DR	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 11DR	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 11DR	7/15/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 11DR	7/15/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 11DR	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 11DR	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 11DR	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 11DR	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 11DR	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 11DR	7/15/2015	DICHLORODIFLUOROMETHANE	3.5	ug/L					0.08	2
BGO 11DR	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 11DR	7/15/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 11DR	7/15/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 11DR	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 11DR	7/15/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 11DR	7/15/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 11DR	7/15/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 11DR	7/15/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 11DR	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 11DR	7/15/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 11DR	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 11DR	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 11DR	7/15/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 11DR	7/15/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 11DR	7/15/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 11DR	7/15/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 11DR	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.87	ug/L	J	J	21		0.18	1
BGO 11DR	7/15/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 11DR	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 11DR	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 11DR	7/15/2015	TRICHLOROETHYLENE (TCE)	2.5	ug/L					0.25	1
BGO 11DR	7/15/2015	TRICHLOROFLUOROMETHANE	1.8	ug/L					0.11	1
BGO 11DR	7/15/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 11DR	7/15/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 11DR	7/15/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 11DR	7/15/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,3,5-TRINITROBENZENE	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	1,4-DIOXANE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	1,4-NAPHTHOQUINONE	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
BGO 11DR	7/15/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2	51
BGO 11DR	7/15/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 11DR	7/15/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 11DR	7/15/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 11DR	7/15/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 11DR	7/15/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 11DR	7/15/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 11DR	7/15/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U	14		1.3	51
BGO 11DR	7/15/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U	U	14		2.7	51
BGO 11DR	7/15/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 11DR	7/15/2015	4-AMINOBIPHENYL	51	ug/L	U	U			1.1	51
BGO 11DR	7/15/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 11DR	7/15/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5.1	100
BGO 11DR	7/15/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 11DR	7/15/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 11DR	7/15/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U	U			23	51
BGO 11DR	7/15/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 11DR	7/15/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	ARAMITE	20	ug/L	U	U	14		5.1	20
BGO 11DR	7/15/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	BENZYL ALCOHOL	10	ug/L	U	U			3.1	10
BGO 11DR	7/15/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 11DR	7/15/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 11DR	7/15/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	DIMETHOATE	20	ug/L	U	U			1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 11DR	7/15/2015	DISULFOTON	51	ug/L	U	U	14		1	51
BGO 11DR	7/15/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 11DR	7/15/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 11DR	7/15/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 11DR	7/15/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	ISOSAFROLE	20	ug/L	U	U			5.1	20
BGO 11DR	7/15/2015	KEPONE	100	ug/L	U	U			20	100
BGO 11DR	7/15/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 11DR	7/15/2015	METHAPYRILENE	51	ug/L	U	U	14		1.3	51
BGO 11DR	7/15/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	NITROBENZENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 11DR	7/15/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 11DR	7/15/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U	U			1.2	51
BGO 11DR	7/15/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	PARATHION	51	ug/L	U	U	14		1	51
BGO 11DR	7/15/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 11DR	7/15/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	PENTACHLOROETHANE	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	PENTACHLORONITROBENZENE	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 11DR	7/15/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 11DR	7/15/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	PHENOL	10	ug/L	U	UJ	11, 14		2	10
BGO 11DR	7/15/2015	PHORATE	51	ug/L	U	U			2	51
BGO 11DR	7/15/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 11DR	7/15/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 11DR	7/15/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 11DR	7/15/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 11DR	7/15/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 11DR	7/15/2015	SAFROLE	20	ug/L	U	U			1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	SULFOTEPP	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	THIONAZIN	51	ug/L	U	U			1	51
BGO 11DR	7/15/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.000076	0.01
BGO 11DR	7/15/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00026	ng/L	NJ	NJ	1, 21, V		0.000078	0.051
BGO 11DR	7/15/2015	HEXACHLORODIBENZO-P-FURANS	0.00063	ng/L	NJ	NJ	1, 21, V		0.00011	0.051
BGO 11DR	7/15/2015	PENTACHLORODIBENZO-P-DIOXINS	0.00028	ng/L	NJ	NJ	1, 21		0.000044	0.051
BGO 11DR	7/15/2015	PENTACHLORODIBENZO-P-FURANS	0.0007	ng/L	J	U	Q, 21, V		0.000069	0.051
BGO 11DR	7/15/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00013	ng/L	J	J	Q, 21, V		0.000076	0.01
BGO 11DR	7/15/2015	TETRACHLORODIBENZO-P-FURANS	0.00042	ng/L	J	U	Q, 21, V		0.000062	0.01
BGO 11DR	7/15/2015	CYANIDE	8.3	ug/L	J	U	21, V		2.9	10
BGO 11DR	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	5.95	pCi/L				0.321	0.098	0.7395
BGO 11DR	7/15/2015	RADIUM-226	6.04	pCi/L				0.305	0.078	0.6876
BGO 11DR	7/15/2015	RADIUM-228	1.49	pCi/L				0.371	0.477	1.219
BGO 11DR	7/15/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0617	0.0617
BGO 11DR	7/15/2015	CURIUM-242	0.0174	pCi/L	U	U		0.0478	0.113	0.208
BGO 11DR	7/15/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0608	0.0608
BGO 11DR	7/15/2015	CURIUM-245/246	0.163	pCi/L	U	U	21, V	0.125	0.0629	0.313
BGO 11DR	7/15/2015	NEPTUNIUM-237	0.0147	pCi/L	U	U		0.0406	0.0988	0.18
BGO 11DR	7/15/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0526	0.0526
BGO 11DR	7/15/2015	PLUTONIUM-239/240	0	pCi/L	U	U	V	0	0.0526	0.0526
BGO 11DR	7/15/2015	THORIUM-228	0.0521	pCi/L	U	U	V	0.0781	0.139	0.295
BGO 11DR	7/15/2015	THORIUM-230	0.134	pCi/L	U	U	21, V	0.0767	0.0735	0.227
BGO 11DR	7/15/2015	THORIUM-232	-0.00606	pCi/L	U	U		0.0121	0.0591	0.0834
BGO 11DR	7/15/2015	URANIUM-233/234	0.117	pCi/L	U	U	21, V	0.106	0.0636	0.276
BGO 11DR	7/15/2015	URANIUM-235	-0.00724	pCi/L	U	U	V	0.0145	0.146	0.175
BGO 11DR	7/15/2015	URANIUM-238	0.187	pCi/L	J	J	21, V	0.135	0.0635	0.334
BGO 11DR	7/15/2015	GROSS ALPHA	11.9	pCi/L				4.42	2.17	11
BGO 11DR	7/15/2015	NONVOLATILE BETA	7.12	pCi/L	J	J	21	3.41	4.03	10.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 11DR	7/15/2015	STRONTIUM-90	0.453	pCi/L	U	U		2.1	2.99	7.18
BGO 11DR	7/15/2015	CARBON-14	133	pCi/L	J	J	18	6.75	7.29	20.8
BGO 11DR	7/15/2015	NICKEL-63	-2.04	pCi/L	U	U		3.18	5.88	12.3
BGO 11DR	7/15/2015	TECHNETIUM-99	0.417	pCi/L	U	U		2.54	4.27	9.36
BGO 11DR	7/15/2015	TRITIUM	125	pCi/mL				2.09	0.522	4.71
BGO 11DR	7/15/2015	CESIUM-134	0.94	pCi/L	U	U		7.73	11.9	27.4
BGO 11DR	7/15/2015	CESIUM-137	-10.4	pCi/L	U	U		7.68	11.6	27
BGO 11DR	7/15/2015	COBALT-60	-2.31	pCi/L	U	U		7.1	12.4	26.6
BGO 11DR	7/15/2015	EUROPIUM-152	28.8	pCi/L	U	U		93.7	143	330
BGO 11DR	7/15/2015	EUROPIUM-154	-3.44	pCi/L	U	U		14.8	25.8	55.4
BGO 11DR	7/15/2015	EUROPIUM-155	57.2	pCi/L	J	J	21	38.3	51.7	128
BGO 11DR	7/15/2015	IODINE-129	0.513	pCi/L	U	U		0.749	1.12	2.62
BGO 11DR	7/15/2015	SODIUM-22	-3.47	pCi/L	U	U		7.51	12.8	27.8
BGO 12AX	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 12AX	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 12AX	1/6/2015	BARIUM	21.6	ug/L					2	20
BGO 12AX	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 12AX	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 12AX	1/6/2015	COBALT	5	ug/L	U				0.5	5
BGO 12AX	1/6/2015	COPPER	0.732	ug/L	J				0.5	5
BGO 12AX	1/6/2015	LEAD	5	ug/L	U				0.5	5
BGO 12AX	1/6/2015	NICKEL	0.766	ug/L	J				0.5	5
BGO 12AX	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 12AX	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 12AX	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 12AX	1/6/2015	TIN	10	ug/L	U				1	10
BGO 12AX	1/6/2015	VANADIUM	32.5	ug/L	U				5	50
BGO 12AX	1/6/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 12AX	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 12AX	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 12AX	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 12AX	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 12AX	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 12AX	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 12AX	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 12AX	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 12AX	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 12AX	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 12AX	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 12AX	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 12AX	1/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 12AX	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 12AX	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 12AX	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 12AX	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 12AX	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 12AX	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 12AX	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 12AX	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 12AX	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 12AX	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 12AX	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.543	pCi/L				0.136	0.128	0.4
BGO 12AX	1/6/2015	RADIUM-226	0.319	pCi/L				0.075	0.062	0.2124
BGO 12AX	1/6/2015	URANIUM-233/234	0.118	pCi/L	J		21	0.126	0.196	0.448
BGO 12AX	1/6/2015	URANIUM-235	0.0535	pCi/L	U			0.0883	0.154	0.331

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	1/6/2015	URANIUM-238	0.118	pCi/L	U			0.113	0.125	0.35
BGO 12AX	1/6/2015	GROSS ALPHA	0.461	pCi/L	U			1.19	2.31	4.69
BGO 12AX	1/6/2015	NONVOLATILE BETA	1.81	pCi/L	U			2.47	3.95	8.89
BGO 12AX	1/6/2015	STRONTIUM-90	1.36	pCi/L	U			2.04	3.24	7.32
BGO 12AX	1/6/2015	CARBON-14	5.04	pCi/L	U			4.26	6.93	15.4
BGO 12AX	1/6/2015	TECHNETIUM-99	-0.351	pCi/L	U			2.55	4.32	9.42
BGO 12AX	1/6/2015	TRITIUM	0.00000027	pCi/mL	U			0.239	0.416	0.893
BGO 12AX	1/6/2015	IODINE-129	-0.246	pCi/L	U			0.559	0.947	2.06
BGO 12AX	7/14/2015	ETHANE	0.002	ug/L	J		21		0.002	0.1
BGO 12AX	7/14/2015	ETHYLENE	0.0052	ug/L	J		21		0.003	0.1
BGO 12AX	7/14/2015	ANTIMONY	10	ug/L	U				1	10
BGO 12AX	7/14/2015	ARSENIC	50	ug/L	U				5	50
BGO 12AX	7/14/2015	BARIUM	20.8	ug/L					2	20
BGO 12AX	7/14/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 12AX	7/14/2015	CHROMIUM	100	ug/L	U				10	100
BGO 12AX	7/14/2015	COBALT	5	ug/L	U				0.5	5
BGO 12AX	7/14/2015	COPPER	0.971	ug/L	J		21		0.5	5
BGO 12AX	7/14/2015	LEAD	0.914	ug/L	J		21		0.5	5
BGO 12AX	7/14/2015	NICKEL	0.804	ug/L	J		21		0.5	5
BGO 12AX	7/14/2015	SELENIUM	20	ug/L	U				2	20
BGO 12AX	7/14/2015	SILVER	5	ug/L	U				0.5	5
BGO 12AX	7/14/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 12AX	7/14/2015	TIN	10	ug/L	U				1	10
BGO 12AX	7/14/2015	VANADIUM	50	ug/L	U				5	50
BGO 12AX	7/14/2015	ZINC	7.79	ug/L	U		21, V		4	40
BGO 12AX	7/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 12AX	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 12AX	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 12AX	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 12AX	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 12AX	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 12AX	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 12AX	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 12AX	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 12AX	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 12AX	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 12AX	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 12AX	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 12AX	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 12AX	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 12AX	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 12AX	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 12AX	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 12AX	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 12AX	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 12AX	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 12AX	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 12AX	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 12AX	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 12AX	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 12AX	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 12AX	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12AX	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12AX	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 12AX	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 12AX	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 12AX	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 12AX	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 12AX	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 12AX	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12AX	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 12AX	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 12AX	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 12AX	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 12AX	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 12AX	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 12AX	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 12AX	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 12AX	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 12AX	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 12AX	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 12AX	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 12AX	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 12AX	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 12AX	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 12AX	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 12AX	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 12AX	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 12AX	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 12AX	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12AX	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 12AX	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 12AX	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.636	pCi/L				0.165	0.175	0.505
BGO 12AX	7/14/2015	RADIUM-226	0.28	pCi/L				0.078	0.087	0.2427
BGO 12AX	7/14/2015	URANIUM-233/234	0.0971	pCi/L	U		V	0.0987	0.129	0.327
BGO 12AX	7/14/2015	URANIUM-235	0	pCi/L	U		V	0	0.0721	0.0721
BGO 12AX	7/14/2015	URANIUM-238	0.0162	pCi/L	U			0.0445	0.108	0.197
BGO 12AX	7/14/2015	GROSS ALPHA	1.78	pCi/L	U			1.92	2.28	6.13
BGO 12AX	7/14/2015	NONVOLATILE BETA	0.483	pCi/L	U			2.18	3.82	8.17
BGO 12AX	7/14/2015	STRONTIUM-90	1.06	pCi/L	U			1.79	3.32	6.9
BGO 12AX	7/14/2015	CARBON-14	2.35	pCi/L	U			4.3	7.11	15.7
BGO 12AX	7/14/2015	TECHNETIUM-99	1.31	pCi/L	U			2.6	4.31	9.5
BGO 12AX	7/14/2015	TRITIUM	0.174	pCi/mL	U			0.227	0.375	0.83

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12AX	7/14/2015	IODINE-129	-0.00959	pCi/L	U			0.584	0.986	2.15
BGO 12CX	1/6/2015	ANTIMONY	10	ug/L	U				1	10
BGO 12CX	1/6/2015	ARSENIC	50	ug/L	U				5	50
BGO 12CX	1/6/2015	BARIUM	75.9	ug/L					2	20
BGO 12CX	1/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 12CX	1/6/2015	CHROMIUM	100	ug/L	U				10	100
BGO 12CX	1/6/2015	COBALT	4.38	ug/L	J				0.5	5
BGO 12CX	1/6/2015	COPPER	1.89	ug/L	J				0.5	5
BGO 12CX	1/6/2015	LEAD	1.13	ug/L	J				0.5	5
BGO 12CX	1/6/2015	NICKEL	1.91	ug/L	J				0.5	5
BGO 12CX	1/6/2015	SELENIUM	20	ug/L	U				2	20
BGO 12CX	1/6/2015	SILVER	5	ug/L	U				0.5	5
BGO 12CX	1/6/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 12CX	1/6/2015	TIN	10	ug/L	U				1	10
BGO 12CX	1/6/2015	VANADIUM	33.8	ug/L	U				5	50
BGO 12CX	1/6/2015	ZINC	40	ug/L	U				4	40
BGO 12CX	1/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 12CX	1/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 12CX	1/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 12CX	1/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 12CX	1/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 12CX	1/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 12CX	1/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 12CX	1/6/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 12CX	1/6/2015	BENZENE	1	ug/L	U				0.06	1
BGO 12CX	1/6/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 12CX	1/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 12CX	1/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	1/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 12CX	1/6/2015	CHLOROFORM	0.12	ug/L	J		21		0.1	1
BGO 12CX	1/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 12CX	1/6/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 12CX	1/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 12CX	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 12CX	1/6/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 12CX	1/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 12CX	1/6/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
BGO 12CX	1/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 12CX	1/6/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 12CX	1/6/2015	XYLENES	3	ug/L	U				0.2	3
BGO 12CX	1/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.22	pCi/L	J		21	0.108	0.149	0.365
BGO 12CX	1/6/2015	RADIUM-226	0.189	pCi/L				0.06	0.06	0.1791
BGO 12CX	1/6/2015	URANIUM-233/234	0.0559	pCi/L	U			0.0717	0.102	0.246
BGO 12CX	1/6/2015	URANIUM-235	0.00627	pCi/L	U			0.0547	0.169	0.278
BGO 12CX	1/6/2015	URANIUM-238	0.0406	pCi/L	U			0.0577	0.055	0.17
BGO 12CX	1/6/2015	GROSS ALPHA	-0.344	pCi/L	U			0.352	2.31	3.02
BGO 12CX	1/6/2015	NONVOLATILE BETA	6.8	pCi/L	J		21	3.28	3.93	10.5
BGO 12CX	1/6/2015	STRONTIUM-90	-0.596	pCi/L	U			1.73	3.3	6.76
BGO 12CX	1/6/2015	CARBON-14	-0.449	pCi/L	U			4.12	6.93	15.2
BGO 12CX	1/6/2015	TECHNETIUM-99	2.84	pCi/L	U			2.61	4.26	9.48
BGO 12CX	1/6/2015	TRITIUM	67.8	pCi/mL				1.56	0.414	3.53
BGO 12CX	1/6/2015	IODINE-129	-0.122	pCi/L	U			0.571	0.955	2.1
BGO 12CX	7/13/2015	ETHANE	0.04	ug/L	J		21		0.002	0.1
BGO 12CX	7/13/2015	ETHYLENE	1.6	ug/L					0.003	0.1
BGO 12CX	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 12CX	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 12CX	7/13/2015	BARIUM	88.5	ug/L					2	20
BGO 12CX	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 12CX	7/13/2015	COBALT	1.46	ug/L	J	J	21		0.5	5
BGO 12CX	7/13/2015	COPPER	0.75	ug/L	J	J	21		0.5	5
BGO 12CX	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 12CX	7/13/2015	NICKEL	1.43	ug/L	J	J	21		0.5	5
BGO 12CX	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 12CX	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 12CX	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 12CX	7/13/2015	ZINC	8.75	ug/L	J	J	21		4	40
BGO 12CX	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 12CX	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 12CX	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 12CX	7/13/2015	DDD	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 12CX	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 12CX	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 12CX	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 12CX	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 12CX	7/13/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 12CX	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 12CX	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 12CX	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 12CX	7/13/2015	AROCLOR 1016	1.1	ug/L	U	U			0.38	1.1
BGO 12CX	7/13/2015	AROCLOR 1221	1.1	ug/L	U	U			0.38	1.1
BGO 12CX	7/13/2015	AROCLOR 1232	1.1	ug/L	U	U			0.38	1.1
BGO 12CX	7/13/2015	AROCLOR 1242	1.1	ug/L	U	U			0.38	1.1
BGO 12CX	7/13/2015	AROCLOR 1248	1.1	ug/L	U	U			0.38	1.1
BGO 12CX	7/13/2015	AROCLOR 1254	1.1	ug/L	U	U			0.18	1.1
BGO 12CX	7/13/2015	AROCLOR 1260	1.1	ug/L	U	U			0.18	1.1
BGO 12CX	7/13/2015	2,4,5-T	0.99	ug/L	U	U			0.27	0.99
BGO 12CX	7/13/2015	2,4,5-TP (SILVEX)	0.99	ug/L	U	U			0.19	0.99
BGO 12CX	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8	ug/L	U	U			4.2	8
BGO 12CX	7/13/2015	DINOSEB	2	ug/L	U	U			0.73	2
BGO 12CX	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 12CX	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.31	ug/L	J	J	21		0.1	1
BGO 12CX	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 12CX	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 12CX	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 12CX	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 12CX	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 12CX	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 12CX	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 12CX	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 12CX	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 12CX	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 12CX	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 12CX	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 12CX	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 12CX	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 12CX	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 12CX	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 12CX	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 12CX	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 12CX	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 12CX	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 12CX	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 12CX	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 12CX	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 12CX	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 12CX	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 12CX	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12CX	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12CX	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 12CX	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 12CX	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 12CX	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 12CX	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 12CX	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 12CX	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12CX	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 12CX	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 12CX	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 12CX	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 12CX	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 12CX	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 12CX	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 12CX	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 12CX	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 12CX	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 12CX	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 12CX	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 12CX	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 12CX	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 12CX	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 12CX	7/13/2015	TOLUENE	0.25	ug/L	J	J	21		0.07	1
BGO 12CX	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 12CX	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 12CX	7/13/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
BGO 12CX	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 12CX	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12CX	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 12CX	7/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 12CX	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,3,5-TRINITROBENZENE	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	1,4-NAPHTHOQUINONE	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
BGO 12CX	7/13/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
BGO 12CX	7/13/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 12CX	7/13/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 12CX	7/13/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 12CX	7/13/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 12CX	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 12CX	7/13/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
BGO 12CX	7/13/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U	U	14		2.6	50
BGO 12CX	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 12CX	7/13/2015	4-AMINOBIPHENYL	50	ug/L	U	U			1.1	50
BGO 12CX	7/13/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 12CX	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 12CX	7/13/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5	100
BGO 12CX	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 12CX	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U	U			22	50
BGO 12CX	7/13/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	ACETOPHENONE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 12CX	7/13/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	ARAMITE	20	ug/L	U	U	14		5	20
BGO 12CX	7/13/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
BGO 12CX	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 12CX	7/13/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 12CX	7/13/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 12CX	7/13/2015	DISULFOTON	50	ug/L	U	U	14		1	50
BGO 12CX	7/13/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 12CX	7/13/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 12CX	7/13/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	ISOSAFROLE	20	ug/L	U	U			5	20
BGO 12CX	7/13/2015	KEPONE	100	ug/L	U	U			20	100
BGO 12CX	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 12CX	7/13/2015	METHAPYRILENE	50	ug/L	U	U	14		1.3	50
BGO 12CX	7/13/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 12CX	7/13/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 12CX	7/13/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U	U			1.1	50
BGO 12CX	7/13/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	PARATHION	50	ug/L	U	U	14		1	50
BGO 12CX	7/13/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 12CX	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	PENTACHLOROETHANE	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	PENTACHLORONITROBENZENE	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 12CX	7/13/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	PHENOL	10	ug/L	U	UJ	14		2	10
BGO 12CX	7/13/2015	PHORATE	50	ug/L	U	U			2	50
BGO 12CX	7/13/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 12CX	7/13/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 12CX	7/13/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 12CX	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 12CX	7/13/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 12CX	7/13/2015	SULFOTEPP	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	THIONAZIN	50	ug/L	U	U			1	50
BGO 12CX	7/13/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.000074	0.011
BGO 12CX	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.000082	0.053
BGO 12CX	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.00014	0.053
BGO 12CX	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.000036	0.053
BGO 12CX	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.000092	0.053

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.011	ng/L	U	U			0.000074	0.011
BGO 12CX	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00015	ng/L	NJ	U	1, 21, V		0.00005	0.011
BGO 12CX	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 12CX	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.153	pCi/L	J	J	21	0.099	0.143	0.341
BGO 12CX	7/13/2015	RADIUM-226	0.179	pCi/L	J	J	21	0.071	0.093	0.2362
BGO 12CX	7/13/2015	RADIUM-228	0.0642	pCi/L	U	U		0.267	0.461	0.995
BGO 12CX	7/13/2015	AMERICIUM-241	0.0229	pCi/L	U	U		0.0459	0.0621	0.154
BGO 12CX	7/13/2015	CURIUM-242	0.399	pCi/L	J	J	21	0.202	0.0611	0.465
BGO 12CX	7/13/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0611	0.0611
BGO 12CX	7/13/2015	CURIUM-245/246	0.327	pCi/L	U	U	21, V	0.181	0.0633	0.425
BGO 12CX	7/13/2015	NEPTUNIUM-237	-0.00574	pCi/L	U	U		0.0116	0.116	0.139
BGO 12CX	7/13/2015	PLUTONIUM-238	0.0227	pCi/L	U	U		0.0458	0.0616	0.153
BGO 12CX	7/13/2015	PLUTONIUM-239/240	0.0455	pCi/L	U	U	V	0.0651	0.0616	0.192
BGO 12CX	7/13/2015	THORIUM-228	-0.0259	pCi/L	U	U	V	0.0714	0.16	0.303
BGO 12CX	7/13/2015	THORIUM-230	0.0797	pCi/L	U	U	21, V	0.0561	0.0556	0.168
BGO 12CX	7/13/2015	THORIUM-232	-0.017	pCi/L	U	U		0.0198	0.0791	0.119
BGO 12CX	7/13/2015	URANIUM-233/234	0.115	pCi/L	U	U	V	0.105	0.125	0.335
BGO 12CX	7/13/2015	URANIUM-235	-0.00644	pCi/L	U	U	V	0.0129	0.13	0.156
BGO 12CX	7/13/2015	URANIUM-238	0.0365	pCi/L	U	U	V	0.0601	0.105	0.225
BGO 12CX	7/13/2015	GROSS ALPHA	0.518	pCi/L	U	U		1.25	2.32	4.83
BGO 12CX	7/13/2015	NONVOLATILE BETA	3.64	pCi/L	U	U		2.83	3.99	9.65
BGO 12CX	7/13/2015	STRONTIUM-90	1.89	pCi/L	U	U		2.7	2.97	8.37
BGO 12CX	7/13/2015	CARBON-14	3.35	pCi/L	U	U		4.52	7.45	16.5
BGO 12CX	7/13/2015	NICKEL-63	2.27	pCi/L	U	U		3.04	5.04	11.1
BGO 12CX	7/13/2015	TECHNETIUM-99	-0.606	pCi/L	U	U		2.63	4.46	9.72
BGO 12CX	7/13/2015	TRITIUM	138	pCi/mL				2.3	0.476	5.07
BGO 12CX	7/13/2015	CESIUM-134	0.512	pCi/L	U	U		5.09	8.06	18.2
BGO 12CX	7/13/2015	CESIUM-137	3.89	pCi/L	U	U		4.77	9.27	18.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12CX	7/13/2015	COBALT-60	-1.18	pCi/L	U	U		4.17	7.62	16
BGO 12CX	7/13/2015	EUROPIUM-152	29.8	pCi/L	U	U		60.8	95.2	217
BGO 12CX	7/13/2015	EUROPIUM-154	-0.632	pCi/L	U	U		9.97	17.4	37.3
BGO 12CX	7/13/2015	EUROPIUM-155	14.7	pCi/L	U	U		14.6	24.8	54
BGO 12CX	7/13/2015	IODINE-129	0.151	pCi/L	U	U		0.653	1.11	2.42
BGO 12CX	7/13/2015	SODIUM-22	-0.795	pCi/L	U	U		4.98	9.13	19.1
BGO 12DR	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 12DR	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 12DR	1/13/2015	BARIUM	8.37	ug/L	J				2	20
BGO 12DR	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 12DR	1/13/2015	CHROMIUM	10.2	ug/L	J				10	100
BGO 12DR	1/13/2015	COBALT	0.911	ug/L	J				0.5	5
BGO 12DR	1/13/2015	COPPER	1.6	ug/L	J				0.5	5
BGO 12DR	1/13/2015	LEAD	5	ug/L	U				0.5	5
BGO 12DR	1/13/2015	NICKEL	1.5	ug/L	J				0.5	5
BGO 12DR	1/13/2015	SELENIUM	2.6	ug/L	J				2	20
BGO 12DR	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 12DR	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 12DR	1/13/2015	TIN	10	ug/L	U				1	10
BGO 12DR	1/13/2015	VANADIUM	42.1	ug/L	U				5	50
BGO 12DR	1/13/2015	ZINC	8.1	ug/L	J				4	40
BGO 12DR	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 12DR	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 12DR	1/13/2015	1,1-DICHLOROETHANE	0.25	ug/L	J		21		0.07	1
BGO 12DR	1/13/2015	1,1-DICHLOROETHYLENE	0.72	ug/L	J		21		0.08	1
BGO 12DR	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 12DR	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 12DR	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 12DR	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 12DR	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 12DR	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 12DR	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 12DR	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 12DR	1/13/2015	CHLOROFORM	0.14	ug/L	J		21		0.1	1
BGO 12DR	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
BGO 12DR	1/13/2015	DICHLORODIFLUOROMETHANE	5.8	ug/L					0.08	2
BGO 12DR	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 12DR	1/13/2015	TETRACHLOROETHYLENE (PCE)	0.52	ug/L	J		21		0.18	1
BGO 12DR	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 12DR	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 12DR	1/13/2015	TRICHLOROETHYLENE (TCE)	62	ug/L					1.3	5
BGO 12DR	1/13/2015	TRICHLOROFLUOROMETHANE	2.5	ug/L					0.11	1
BGO 12DR	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 12DR	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 12DR	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.18	pCi/L				0.26	0.217	0.737
BGO 12DR	1/13/2015	RADIUM-226	0.614	pCi/L				0.104	0.076	0.2838
BGO 12DR	1/13/2015	URANIUM-233/234	0.0208	pCi/L	U			0.0418	0.0564	0.14
BGO 12DR	1/13/2015	URANIUM-235	0.0128	pCi/L	U			0.0545	0.154	0.263
BGO 12DR	1/13/2015	URANIUM-238	0.0156	pCi/L	U			0.0429	0.105	0.19
BGO 12DR	1/13/2015	GROSS ALPHA	2.02	pCi/L	U			1.95	2.26	6.17
BGO 12DR	1/13/2015	NONVOLATILE BETA	0.546	pCi/L	U			2.23	3.98	8.44
BGO 12DR	1/13/2015	STRONTIUM-90	0.255	pCi/L	U			1.65	3.11	6.41
BGO 12DR	1/13/2015	CARBON-14	-4.28	pCi/L	U			4.09	7.03	15.2
BGO 12DR	1/13/2015	TECHNETIUM-99	0.836	pCi/L	U			2.49	4.16	9.15
BGO 12DR	1/13/2015	TRITIUM	45.7	pCi/mL				1.29	0.471	3.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	1/13/2015	IODINE-129	-0.273	pCi/L	U			0.553	0.935	2.04
BGO 12DR	7/15/2015	ETHANE	0.016	ug/L	J		21		0.002	0.1
BGO 12DR	7/15/2015	ETHYLENE	0.031	ug/L	J		21		0.003	0.1
BGO 12DR	7/15/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 12DR	7/15/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 12DR	7/15/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 12DR	7/15/2015	BARIUM	16.2	ug/L	J	J	21		2	20
BGO 12DR	7/15/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 12DR	7/15/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 12DR	7/15/2015	COPPER	0.671	ug/L	J	J	21		0.5	5
BGO 12DR	7/15/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 12DR	7/15/2015	NICKEL	1.2	ug/L	J	J	21		0.5	5
BGO 12DR	7/15/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 12DR	7/15/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 12DR	7/15/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	TIN	10	ug/L	U	U			1	10
BGO 12DR	7/15/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 12DR	7/15/2015	ZINC	4.47	ug/L	J	J	21		4	40
BGO 12DR	7/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 12DR	7/15/2015	ALDRIN	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
BGO 12DR	7/15/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
BGO 12DR	7/15/2015	DDD	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	DDE	0.049	ug/L	U	U			0.014	0.049
BGO 12DR	7/15/2015	DDT	0.049	ug/L	U	U			0.022	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	DIELDRIN	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
BGO 12DR	7/15/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
BGO 12DR	7/15/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
BGO 12DR	7/15/2015	LINDANE	0.049	ug/L	U	U			0.0098	0.049
BGO 12DR	7/15/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
BGO 12DR	7/15/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.098	0.49
BGO 12DR	7/15/2015	TOXAPHENE	2	ug/L	U	U			0.26	2
BGO 12DR	7/15/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 12DR	7/15/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 12DR	7/15/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 12DR	7/15/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 12DR	7/15/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 12DR	7/15/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 12DR	7/15/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 12DR	7/15/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 12DR	7/15/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 12DR	7/15/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.1	ug/L	U	U			4.3	8.1
BGO 12DR	7/15/2015	DINOSEB	2	ug/L	U	U			0.74	2
BGO 12DR	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 12DR	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 12DR	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	48	ug/L					0.5	5
BGO 12DR	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 12DR	7/15/2015	1,1-DICHLOROETHANE	0.23	ug/L	J	J	21		0.07	1
BGO 12DR	7/15/2015	1,1-DICHLOROETHYLENE	0.61	ug/L	J	J	21		0.08	1
BGO 12DR	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 12DR	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 12DR	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 12DR	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 12DR	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 12DR	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	1,2-DICHLOROETHYLENE	1	ug/L	J	J	21		0.15	2
BGO 12DR	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 12DR	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 12DR	7/15/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 12DR	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 12DR	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 12DR	7/15/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 12DR	7/15/2015	ACETONE	9.8	ug/L		J	18		0.34	2
BGO 12DR	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 12DR	7/15/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 12DR	7/15/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 12DR	7/15/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 12DR	7/15/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 12DR	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 12DR	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 12DR	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 12DR	7/15/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 12DR	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 12DR	7/15/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 12DR	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 12DR	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12DR	7/15/2015	CHLOROFORM	0.13	ug/L	J	J	21		0.1	1
BGO 12DR	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 12DR	7/15/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 12DR	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L			S		0.09	1
BGO 12DR	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 12DR	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 12DR	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 12DR	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 12DR	7/15/2015	DICHLORODIFLUOROMETHANE	6.3	ug/L					0.08	2
BGO 12DR	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 12DR	7/15/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12DR	7/15/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 12DR	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 12DR	7/15/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 12DR	7/15/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 12DR	7/15/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 12DR	7/15/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 12DR	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 12DR	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 12DR	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 12DR	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 12DR	7/15/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 12DR	7/15/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 12DR	7/15/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 12DR	7/15/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 12DR	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.48	ug/L	J	J	21		0.18	1
BGO 12DR	7/15/2015	TOLUENE	0.2	ug/L	J	J	21		0.07	1
BGO 12DR	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 12DR	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 12DR	7/15/2015	TRICHLOROETHYLENE (TCE)	49	ug/L					1.3	5
BGO 12DR	7/15/2015	TRICHLOROFLUOROMETHANE	2.6	ug/L					0.11	1
BGO 12DR	7/15/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 12DR	7/15/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 12DR	7/15/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 12DR	7/15/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,2,4-TRICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,2-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,3,5-TRINITROBENZENE	56	ug/L	U	U			1.1	56
BGO 12DR	7/15/2015	1,3-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,3-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,4-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,4-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,4-DIOXANE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	1,4-NAPHTHOQUINONE	56	ug/L	U	U			1.1	56
BGO 12DR	7/15/2015	1-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	2,3,4,6-TETRACHLOROPHENOL	56	ug/L	U	UJ	14		1.1	56
BGO 12DR	7/15/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2,4-DINITROPHENOL	56	ug/L	U	UJ	14		2.3	56
BGO 12DR	7/15/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	2,6-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.4	11
BGO 12DR	7/15/2015	2-ACETYLAMINOFLUORENE	110	ug/L	U	U	14		1.1	110
BGO 12DR	7/15/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	2-METHYLANILINE (O-TOLUIDINE)	23	ug/L	U	U			1.1	23
BGO 12DR	7/15/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	2-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
BGO 12DR	7/15/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.7	11
BGO 12DR	7/15/2015	2-PICOLINE	23	ug/L	U	U			2.3	23
BGO 12DR	7/15/2015	3,3-DICHLOROBENZIDINE	56	ug/L	U	U	14		1.5	56
BGO 12DR	7/15/2015	3,3'-DIMETHYLBENZIDINE	56	ug/L	U	U	14		2.9	56
BGO 12DR	7/15/2015	3-METHYLCHOLANTHRENE	23	ug/L	U	U	14		1.1	23
BGO 12DR	7/15/2015	4-AMINOBIPHENYL	56	ug/L	U	U			1.2	56
BGO 12DR	7/15/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	4-CHLOROANILINE	11	ug/L	U	U			2.3	11
BGO 12DR	7/15/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	4-NITROPHENOL	11	ug/L	U	UJ	11, 14		2.3	11
BGO 12DR	7/15/2015	4-NITROQUINOLINE-1-OXIDE	110	ug/L	U	U	14		5.6	110
BGO 12DR	7/15/2015	5-NITRO-O-TOLUIDINE	23	ug/L	U	U			1.1	23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	23	ug/L	U	U	14		1.1	23
BGO 12DR	7/15/2015	A,A-DIMETHYLPHENETHYLAMINE	56	ug/L	U	U			25	56
BGO 12DR	7/15/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	ANILINE	11	ug/L	U	U			1.4	11
BGO 12DR	7/15/2015	ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	ARAMITE	23	ug/L	U	U	14		5.6	23
BGO 12DR	7/15/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	BENZO[A]PYRENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	BENZYL ALCOHOL	11	ug/L	U	U			3.4	11
BGO 12DR	7/15/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U	14		2.1	11
BGO 12DR	7/15/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	CHLOROBENZILATE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	CHRYSENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	DIALLATE	23	ug/L	U	U			2.3	23
BGO 12DR	7/15/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	DIMETHOATE	23	ug/L	U	U			1.1	23
BGO 12DR	7/15/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.4	11
BGO 12DR	7/15/2015	DISULFOTON	56	ug/L	U	U	14		1.1	56
BGO 12DR	7/15/2015	ETHYL METHACRYLATE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	ETHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	FAMPHUR	110	ug/L	U	U	14		1.9	110
BGO 12DR	7/15/2015	FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	FLUORENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	HEXACHLOROPHENE	280	ug/L	U	U	14		11	280
BGO 12DR	7/15/2015	HEXACHLOROPROPENE	110	ug/L	U	U			1.1	110
BGO 12DR	7/15/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	ISODRIN	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	ISOSAFROLE	23	ug/L	U	U			5.6	23
BGO 12DR	7/15/2015	KEPONE	110	ug/L	U	U			23	110
BGO 12DR	7/15/2015	M/P-CRESOL	23	ug/L	U	UJ	14		2.3	23
BGO 12DR	7/15/2015	METHAPYRILENE	56	ug/L	U	U	14		1.4	56
BGO 12DR	7/15/2015	METHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	METHYL PARATHION	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSODIETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSODIMETHYLAMINE	11	ug/L	U	U			2.3	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	N-NITROSODI-N-BUTYLAMINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.7	11
BGO 12DR	7/15/2015	N-NITROSOMORPHOLINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSO-N-METHYLETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSOPIPERIDINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	N-NITROSOPYRROLIDINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	56	ug/L	U	U			1.3	56
BGO 12DR	7/15/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	PARATHION	56	ug/L	U	U	14		1.1	56
BGO 12DR	7/15/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
BGO 12DR	7/15/2015	P-DIMETHYLAMINOAZOBENZENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	PENTACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	PENTACHLOROETHANE	56	ug/L	U	U			1.1	56
BGO 12DR	7/15/2015	PENTACHLORONITROBENZENE	56	ug/L	U	U			1.1	56
BGO 12DR	7/15/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
BGO 12DR	7/15/2015	PHENACETIN	23	ug/L	U	U			1.1	23
BGO 12DR	7/15/2015	PHENANTHRENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	PHENOL	11	ug/L	U	UJ	11, 14		2.3	11
BGO 12DR	7/15/2015	PHORATE	56	ug/L	U	U			2.3	56
BGO 12DR	7/15/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 12DR	7/15/2015	P-PHENYLENEDIAMINE	110	ug/L	U	U			1.1	110
BGO 12DR	7/15/2015	PRONAMIDE	23	ug/L	U	U			1.1	23
BGO 12DR	7/15/2015	PYRENE	11	ug/L	U	U	14		1.1	11
BGO 12DR	7/15/2015	PYRIDINE	23	ug/L	U	U			2.3	23
BGO 12DR	7/15/2015	SAFROLE	23	ug/L	U	U			1.1	23
BGO 12DR	7/15/2015	SULFOTEPP	56	ug/L	U	U			1.1	56
BGO 12DR	7/15/2015	THIONAZIN	56	ug/L	U	U			1.1	56

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.000066	0.01
BGO 12DR	7/15/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00056	ng/L	NJ	NJ	1, 21, V		0.00011	0.051
BGO 12DR	7/15/2015	HEXACHLORODIBENZO-P-FURANS	0.00056	ng/L	NJ	NJ	1, 21, V		0.0001	0.051
BGO 12DR	7/15/2015	PENTACHLORODIBENZO-P-DIOXINS	0.00037	ng/L	J	J	21		0.00005	0.051
BGO 12DR	7/15/2015	PENTACHLORODIBENZO-P-FURANS	0.0008	ng/L	NJ	NJ	1, 21, V		0.000077	0.051
BGO 12DR	7/15/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0003	ng/L	NJ	NJ	1, 21		0.000066	0.01
BGO 12DR	7/15/2015	TETRACHLORODIBENZO-P-FURANS	0.00022	ng/L	NJ	NJ	1, 21, V		0.000044	0.01
BGO 12DR	7/15/2015	CYANIDE	7.6	ug/L	J	U	21, V		2.9	10
BGO 12DR	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.915	pCi/L				0.137	0.109	0.383
BGO 12DR	7/15/2015	RADIUM-226	0.769	pCi/L				0.108	0.054	0.2697
BGO 12DR	7/15/2015	RADIUM-228	0.924	pCi/L	J	J	21	0.486	0.732	1.704
BGO 12DR	7/15/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0603	0.0603
BGO 12DR	7/15/2015	CURIUM-242	0.107	pCi/L	U	U		0.103	0.11	0.316
BGO 12DR	7/15/2015	CURIUM-243/244	0.0219	pCi/L	U	U	V	0.044	0.0594	0.147
BGO 12DR	7/15/2015	CURIUM-245/246	0.182	pCi/L	U	U	21, V	0.131	0.0615	0.323
BGO 12DR	7/15/2015	NEPTUNIUM-237	0.00648	pCi/L	U	U		0.0565	0.175	0.288
BGO 12DR	7/15/2015	PLUTONIUM-238	0.0385	pCi/L	U	U		0.0754	0.154	0.305
BGO 12DR	7/15/2015	PLUTONIUM-239/240	0.0963	pCi/L	U	U	V	0.106	0.129	0.341
BGO 12DR	7/15/2015	THORIUM-228	-0.0616	pCi/L	U	U	V	0.0514	0.158	0.261
BGO 12DR	7/15/2015	THORIUM-230	0.219	pCi/L	U	U	21, V	0.104	0.07	0.277
BGO 12DR	7/15/2015	THORIUM-232	0.0143	pCi/L	U	U		0.0336	0.0699	0.137
BGO 12DR	7/15/2015	URANIUM-233/234	0.0681	pCi/L	U	U	V	0.0793	0.0615	0.22
BGO 12DR	7/15/2015	URANIUM-235	0.021	pCi/L	U	U	V	0.0578	0.141	0.257
BGO 12DR	7/15/2015	URANIUM-238	0.0227	pCi/L	U	U	V	0.0454	0.0614	0.152
BGO 12DR	7/15/2015	GROSS ALPHA	1.74	pCi/L	U	U		1.88	2.23	5.98
BGO 12DR	7/15/2015	NONVOLATILE BETA	3.84	pCi/L	J	J	21	2.82	3.81	9.45
BGO 12DR	7/15/2015	STRONTIUM-90	1.29	pCi/L	U	U		2.3	2.97	7.57
BGO 12DR	7/15/2015	CARBON-14	-1.2	pCi/L	UJ	UJ	18	4.31	7.26	15.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 12DR	7/15/2015	NICKEL-63	0.975	pCi/L	U	U		3.15	5.48	11.8
BGO 12DR	7/15/2015	TECHNETIUM-99	1.92	pCi/L	U	U		2.59	4.27	9.45
BGO 12DR	7/15/2015	TRITIUM	42.9	pCi/mL				1.25	0.519	3.02
BGO 12DR	7/15/2015	CESIUM-134	-2	pCi/L	U	U		6.66	9.82	23.1
BGO 12DR	7/15/2015	CESIUM-137	0.211	pCi/L	U	U		6.61	11.8	25
BGO 12DR	7/15/2015	COBALT-60	-0.212	pCi/L	U	U		6.05	11.1	23.2
BGO 12DR	7/15/2015	EUROPIUM-152	30.3	pCi/L	U	U		78.6	121	279
BGO 12DR	7/15/2015	EUROPIUM-154	-5.7	pCi/L	U	U		12.8	22	47.6
BGO 12DR	7/15/2015	EUROPIUM-155	-5.23	pCi/L	U	U		23.7	39.1	86.6
BGO 12DR	7/15/2015	IODINE-129	0.263	pCi/L	U	U		0.667	1.13	2.46
BGO 12DR	7/15/2015	SODIUM-22	-3.97	pCi/L	U	U		6.7	10.1	23.5
BGO 13DR	1/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 13DR	1/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 13DR	1/7/2015	BARIUM	41.2	ug/L					2	20
BGO 13DR	1/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 13DR	1/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 13DR	1/7/2015	COBALT	0.617	ug/L	J				0.5	5
BGO 13DR	1/7/2015	COPPER	1.94	ug/L	J				0.5	5
BGO 13DR	1/7/2015	LEAD	0.931	ug/L	J				0.5	5
BGO 13DR	1/7/2015	NICKEL	1.28	ug/L	J				0.5	5
BGO 13DR	1/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 13DR	1/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 13DR	1/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 13DR	1/7/2015	TIN	10	ug/L	U				1	10
BGO 13DR	1/7/2015	VANADIUM	37.5	ug/L	U				5	50
BGO 13DR	1/7/2015	ZINC	5.75	ug/L	J				4	40
BGO 13DR	1/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 13DR	1/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	1/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 13DR	1/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 13DR	1/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 13DR	1/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 13DR	1/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 13DR	1/7/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 13DR	1/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 13DR	1/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 13DR	1/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 13DR	1/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 13DR	1/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 13DR	1/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 13DR	1/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 13DR	1/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 13DR	1/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 13DR	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 13DR	1/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 13DR	1/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 13DR	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 13DR	1/7/2015	TRICHLOROFLUOROMETHANE	0.98	ug/L	J		21		0.11	1
BGO 13DR	1/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 13DR	1/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 13DR	1/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.713	pCi/L				0.147	0.121	0.415
BGO 13DR	1/7/2015	RADIUM-226	0.594	pCi/L				0.096	0.059	0.2513
BGO 13DR	1/7/2015	URANIUM-233/234	0.0388	pCi/L	U			0.064	0.112	0.24
BGO 13DR	1/7/2015	URANIUM-235	-0.00684	pCi/L	U			0.0137	0.138	0.165
BGO 13DR	1/7/2015	URANIUM-238	0.0221	pCi/L	U			0.0444	0.06	0.149
BGO 13DR	1/7/2015	GROSS ALPHA	1.98	pCi/L	U			1.91	2.21	6.03

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	1/7/2015	NONVOLATILE BETA	0.547	pCi/L	U			2.23	3.97	8.42
BGO 13DR	1/7/2015	STRONTIUM-90	0.544	pCi/L	U			1.97	3.27	7.22
BGO 13DR	1/7/2015	CARBON-14	2.19	pCi/L	U			4.19	6.93	15.3
BGO 13DR	1/7/2015	TECHNETIUM-99	0.877	pCi/L	U			2.55	4.26	9.37
BGO 13DR	1/7/2015	TRITIUM	3.03	pCi/mL				0.409	0.434	1.25
BGO 13DR	1/7/2015	IODINE-129	-0.0752	pCi/L	U			0.663	0.935	2.26
BGO 13DR	5/20/2015	NITRATE-NITRITE AS NITROGEN	0.841	mg/L					0.017	0.05
BGO 13DR	5/20/2015	BARIUM	17.9	ug/L					0.6	2
BGO 13DR	5/20/2015	CHROMIUM	3.94	ug/L	J		21		2	10
BGO 13DR	5/20/2015	COPPER	1.51	ug/L					0.35	1
BGO 13DR	5/20/2015	LEAD	2	ug/L	U				0.5	2
BGO 13DR	5/20/2015	NICKEL	0.911	ug/L	J		21		0.5	2
BGO 13DR	5/20/2015	ZINC	6.71	ug/L	J		21		3.5	10
BGO 13DR	5/20/2015	SULFATE	0.903	mg/L					0.133	0.4
BGO 13DR	7/16/2015	ETHANE	0.0034	ug/L	J		21		0.002	0.1
BGO 13DR	7/16/2015	ETHYLENE	0.024	ug/L	J		21		0.003	0.1
BGO 13DR	7/16/2015	ANTIMONY	10	ug/L	U				1	10
BGO 13DR	7/16/2015	ARSENIC	50	ug/L	U				5	50
BGO 13DR	7/16/2015	BARIUM	28.2	ug/L					2	20
BGO 13DR	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	CHROMIUM	100	ug/L	U				10	100
BGO 13DR	7/16/2015	COBALT	5	ug/L	U				0.5	5
BGO 13DR	7/16/2015	COPPER	1.15	ug/L	J		21		0.5	5
BGO 13DR	7/16/2015	LEAD	5	ug/L	U				0.5	5
BGO 13DR	7/16/2015	NICKEL	0.93	ug/L	J		21		0.5	5
BGO 13DR	7/16/2015	SELENIUM	20	ug/L	U				2	20
BGO 13DR	7/16/2015	SILVER	5	ug/L	U				0.5	5
BGO 13DR	7/16/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	7/16/2015	TIN	10	ug/L	U				1	10
BGO 13DR	7/16/2015	VANADIUM	50	ug/L	U				5	50
BGO 13DR	7/16/2015	ZINC	5.15	ug/L	U		21, V		4	40
BGO 13DR	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 13DR	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 13DR	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.27	ug/L	J		21		0.1	1
BGO 13DR	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 13DR	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 13DR	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 13DR	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 13DR	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 13DR	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 13DR	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 13DR	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 13DR	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 13DR	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 13DR	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 13DR	7/16/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 13DR	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 13DR	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 13DR	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 13DR	7/16/2015	BENZENE	1	ug/L	U				0.06	1
BGO 13DR	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 13DR	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 13DR	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 13DR	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 13DR	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 13DR	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 13DR	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 13DR	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 13DR	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 13DR	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 13DR	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 13DR	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 13DR	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 13DR	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 13DR	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 13DR	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 13DR	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 13DR	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 13DR	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 13DR	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 13DR	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 13DR	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 13DR	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 13DR	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 13DR	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 13DR	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 13DR	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 13DR	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 13DR	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 13DR	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 13DR	7/16/2015	STYRENE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 13DR	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 13DR	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 13DR	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 13DR	7/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 13DR	7/16/2015	TRICHLOROFLUOROMETHANE	0.61	ug/L	J		21		0.11	1
BGO 13DR	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 13DR	7/16/2015	XYLENES	3	ug/L	U				0.2	3
BGO 13DR	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 13DR	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.617	pCi/L				0.107	0.081	0.295
BGO 13DR	7/16/2015	RADIUM-226	0.733	pCi/L				0.106	0.063	0.2746
BGO 13DR	7/16/2015	URANIUM-233/234	-0.0112	pCi/L	U		V	0.0524	0.188	0.292
BGO 13DR	7/16/2015	URANIUM-235	0.0551	pCi/L	U		V	0.0784	0.0746	0.231

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 13DR	7/16/2015	URANIUM-238	0.139	pCi/L	U			0.121	0.15	0.392
BGO 13DR	7/16/2015	GROSS ALPHA	1.2	pCi/L	U			1.61	2.31	5.54
BGO 13DR	7/16/2015	NONVOLATILE BETA	0.948	pCi/L	U			2.51	4.29	9.3
BGO 13DR	7/16/2015	STRONTIUM-90	0.58	pCi/L	U			2.2	3.14	7.54
BGO 13DR	7/16/2015	CARBON-14	-3.22	pCi/L	UJ			4.28	7.29	15.9
BGO 13DR	7/16/2015	TECHNETIUM-99	-1.02	pCi/L	U			2.57	4.37	9.51
BGO 13DR	7/16/2015	TRITIUM	3.53	pCi/mL				0.446	0.458	1.35
BGO 13DR	7/16/2015	IODINE-129	-0.157	pCi/L	U			0.565	0.941	2.07
BGO 13DR	11/30/2015	NITRATE-NITRITE AS NITROGEN	0.682	mg/L					0.017	0.05
BGO 13DR	11/30/2015	BARIUM	23.9	ug/L					0.6	2
BGO 13DR	11/30/2015	CHROMIUM	10	ug/L	U				2	10
BGO 13DR	11/30/2015	COPPER	1.63	ug/L					0.35	1
BGO 13DR	11/30/2015	LEAD	1.57	ug/L	J		21		0.5	2
BGO 13DR	11/30/2015	NICKEL	1.15	ug/L	J		21		0.5	2
BGO 13DR	11/30/2015	ZINC	7.74	ug/L	J		21		3.5	10
BGO 13DR	11/30/2015	SULFATE	2.36	mg/L					0.133	0.4
BGO 14AR	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 14AR	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 14AR	1/12/2015	BARIUM	100	ug/L					2	20
BGO 14AR	1/12/2015	BERYLLIUM	0.303	ug/L	J				0.1	1
BGO 14AR	1/12/2015	CHROMIUM	10	ug/L	J				10	100
BGO 14AR	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 14AR	1/12/2015	COPPER	1.84	ug/L	J				0.5	5
BGO 14AR	1/12/2015	LEAD	5	ug/L	U				0.5	5
BGO 14AR	1/12/2015	NICKEL	1.72	ug/L	J				0.5	5
BGO 14AR	1/12/2015	SELENIUM	2.04	ug/L	J				2	20
BGO 14AR	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 14AR	1/12/2015	THALLIUM	0.212	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	1/12/2015	TIN	10	ug/L	U				1	10
BGO 14AR	1/12/2015	VANADIUM	36.5	ug/L	U				5	50
BGO 14AR	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 14AR	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 14AR	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 14AR	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 14AR	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 14AR	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 14AR	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 14AR	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 14AR	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 14AR	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 14AR	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 14AR	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 14AR	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 14AR	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 14AR	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 14AR	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 14AR	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 14AR	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 14AR	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 14AR	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 14AR	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 14AR	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 14AR	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 14AR	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 14AR	1/12/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	0.851	pCi/L				0.153	0.13	0.436
BGO 14AR	1/12/2015	RADIUM-226	0.661	pCi/L				0.105	0.079	0.2887
BGO 14AR	1/12/2015	URANIUM-233/234	0.198	pCi/L	J		21	0.139	0.114	0.393
BGO 14AR	1/12/2015	URANIUM-235	0	pCi/L	U			0	0.0756	0.0756
BGO 14AR	1/12/2015	URANIUM-238	0.135	pCi/L	J		21	0.112	0.0612	0.286
BGO 14AR	1/12/2015	GROSS ALPHA	0.0592	pCi/L	U			0.892	2.35	4.13
BGO 14AR	1/12/2015	NONVOLATILE BETA	4.67	pCi/L	J		21	2.96	3.94	9.87
BGO 14AR	1/12/2015	STRONTIUM-90	-0.86	pCi/L	U			1.66	3.11	6.43
BGO 14AR	1/12/2015	CARBON-14	-0.149	pCi/L	UJ			4.16	6.97	15.3
BGO 14AR	1/12/2015	TECHNETIUM-99	2.83	pCi/L	U			2.6	4.23	9.43
BGO 14AR	1/12/2015	TRITIUM	14.8	pCi/mL				0.745	0.401	1.89
BGO 14AR	1/12/2015	IODINE-129	0.295	pCi/L	U			0.562	0.997	2.12
BGO 14AR	7/8/2015	ETHANE	0.0051	ug/L	J		21		0.002	0.1
BGO 14AR	7/8/2015	ETHYLENE	0.052	ug/L	J		21		0.003	0.1
BGO 14AR	7/8/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 14AR	7/8/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 14AR	7/8/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 14AR	7/8/2015	BARIUM	121	ug/L					2	20
BGO 14AR	7/8/2015	BERYLLIUM	0.24	ug/L	J	J	21		0.1	1
BGO 14AR	7/8/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 14AR	7/8/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 14AR	7/8/2015	COPPER	0.925	ug/L	J	J	21		0.5	5
BGO 14AR	7/8/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 14AR	7/8/2015	NICKEL	1.56	ug/L	J	J	21		0.5	5
BGO 14AR	7/8/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 14AR	7/8/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 14AR	7/8/2015	THALLIUM	0.209	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	TIN	10	ug/L	U	U			1	10
BGO 14AR	7/8/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 14AR	7/8/2015	ZINC	4.88	ug/L	J	J	21		4	40
BGO 14AR	7/8/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 14AR	7/8/2015	ALDRIN	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
BGO 14AR	7/8/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
BGO 14AR	7/8/2015	DDD	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	DDE	0.049	ug/L	U	U			0.014	0.049
BGO 14AR	7/8/2015	DDT	0.049	ug/L	U	U			0.022	0.049
BGO 14AR	7/8/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	DIELDRIN	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
BGO 14AR	7/8/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
BGO 14AR	7/8/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
BGO 14AR	7/8/2015	LINDANE	0.049	ug/L	U	U			0.0098	0.049
BGO 14AR	7/8/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
BGO 14AR	7/8/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.098	0.49
BGO 14AR	7/8/2015	TOXAPHENE	2	ug/L	U	U			0.26	2
BGO 14AR	7/8/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
BGO 14AR	7/8/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
BGO 14AR	7/8/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
BGO 14AR	7/8/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
BGO 14AR	7/8/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
BGO 14AR	7/8/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
BGO 14AR	7/8/2015	2,4,5-T	0.96	ug/L	U	U			0.26	0.96
BGO 14AR	7/8/2015	2,4,5-TP (SILVEX)	0.96	ug/L	U	U			0.18	0.96
BGO 14AR	7/8/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.7	ug/L	U	U			4	7.7
BGO 14AR	7/8/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 14AR	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 14AR	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 14AR	7/8/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 14AR	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14AR	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 14AR	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 14AR	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 14AR	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 14AR	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 14AR	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 14AR	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 14AR	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 14AR	7/8/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 14AR	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 14AR	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 14AR	7/8/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 14AR	7/8/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 14AR	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 14AR	7/8/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 14AR	7/8/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 14AR	7/8/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 14AR	7/8/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 14AR	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 14AR	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 14AR	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 14AR	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 14AR	7/8/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 14AR	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 14AR	7/8/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 14AR	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 14AR	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14AR	7/8/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14AR	7/8/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 14AR	7/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 14AR	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 14AR	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 14AR	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 14AR	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 14AR	7/8/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14AR	7/8/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 14AR	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 14AR	7/8/2015	ISOBUTANOL	80	ug/L	U	U	18		8.7	80
BGO 14AR	7/8/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 14AR	7/8/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 14AR	7/8/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 14AR	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 14AR	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 14AR	7/8/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 14AR	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 14AR	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 14AR	7/8/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 14AR	7/8/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 14AR	7/8/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 14AR	7/8/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 14AR	7/8/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 14AR	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 14AR	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14AR	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 14AR	7/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 14AR	7/8/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14AR	7/8/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 14AR	7/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 14AR	7/8/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,4-DIOXANE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 14AR	7/8/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 14AR	7/8/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
BGO 14AR	7/8/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U	14		0.98	98
BGO 14AR	7/8/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 14AR	7/8/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 14AR	7/8/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 14AR	7/8/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 14AR	7/8/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 14AR	7/8/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.98	20
BGO 14AR	7/8/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 14AR	7/8/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 14AR	7/8/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 14AR	7/8/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U	14		4.9	98
BGO 14AR	7/8/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.98	20
BGO 14AR	7/8/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 14AR	7/8/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	ANILINE	9.8	ug/L	U	U			1.2	9.8
BGO 14AR	7/8/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 14AR	7/8/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.9	9.8
BGO 14AR	7/8/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8
BGO 14AR	7/8/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	CHLOROBENZILATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 14AR	7/8/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 14AR	7/8/2015	DISULFOTON	49	ug/L	U	U	14		0.98	49
BGO 14AR	7/8/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	FAMPHUR	98	ug/L	U	U	14		1.7	98
BGO 14AR	7/8/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		9.8	250
BGO 14AR	7/8/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 14AR	7/8/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	ISODRIN	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 14AR	7/8/2015	KEPONE	98	ug/L	U	U			20	98
BGO 14AR	7/8/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 14AR	7/8/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 14AR	7/8/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	METHYL PARATHION	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 14AR	7/8/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
BGO 14AR	7/8/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 14AR	7/8/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	PARATHION	49	ug/L	U	U	14		0.98	49
BGO 14AR	7/8/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14AR	7/8/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 14AR	7/8/2015	PHENACETIN	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 14AR	7/8/2015	PHORATE	49	ug/L	U	U			2	49
BGO 14AR	7/8/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 14AR	7/8/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 14AR	7/8/2015	PRONAMIDE	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14AR	7/8/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 14AR	7/8/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 14AR	7/8/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 14AR	7/8/2015	2,3,7,8-TCDD	0.0097	ng/L	U	U			0.0025	0.0097
BGO 14AR	7/8/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0011	0.048
BGO 14AR	7/8/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00068	0.048
BGO 14AR	7/8/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0014	0.048
BGO 14AR	7/8/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.0012	0.048
BGO 14AR	7/8/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0097	ng/L	U	U			0.0025	0.0097
BGO 14AR	7/8/2015	TETRACHLORODIBENZO-P-FURANS	0.0097	ng/L	U	U			0.0019	0.0097
BGO 14AR	7/8/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 14AR	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.889	pCi/L				0.185	0.167	0.537

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	RADIUM-226	0.863	pCi/L				0.124	0.096	0.3442
BGO 14AR	7/8/2015	RADIUM-228	0.377	pCi/L	J	J	21	0.219	0.33	0.768
BGO 14AR	7/8/2015	AMERICIUM-241	0.041	pCi/L	U	U		0.0583	0.0556	0.172
BGO 14AR	7/8/2015	CURIUM-242	0.0207	pCi/L	U	U	V	0.0621	0.149	0.273
BGO 14AR	7/8/2015	CURIUM-243/244	0.0202	pCi/L	U	U		0.0405	0.0547	0.136
BGO 14AR	7/8/2015	CURIUM-245/246	0.188	pCi/L	U	U	21, V	0.128	0.0567	0.313
BGO 14AR	7/8/2015	NEPTUNIUM-237	-0.00637	pCi/L	U	U	V	0.0128	0.128	0.154
BGO 14AR	7/8/2015	PLUTONIUM-238	-0.0126	pCi/L	U	U		0.0181	0.151	0.187
BGO 14AR	7/8/2015	PLUTONIUM-239/240	-0.0126	pCi/L	U	U		0.0181	0.151	0.187
BGO 14AR	7/8/2015	THORIUM-228	0.0467	pCi/L	U	U		0.0846	0.171	0.34
BGO 14AR	7/8/2015	THORIUM-230	0.186	pCi/L	U	U	21, V	0.135	0.063	0.332
BGO 14AR	7/8/2015	THORIUM-232	0	pCi/L	U	U		0	0.0629	0.0629
BGO 14AR	7/8/2015	URANIUM-233/234	0.268	pCi/L	J	J	21	0.163	0.115	0.442
BGO 14AR	7/8/2015	URANIUM-235	0.0282	pCi/L	U	U	V	0.0565	0.0763	0.189
BGO 14AR	7/8/2015	URANIUM-238	0.182	pCi/L	J	J	21, V	0.131	0.0618	0.325
BGO 14AR	7/8/2015	GROSS ALPHA	1.75	pCi/L	U	U		1.89	2.3	6.08
BGO 14AR	7/8/2015	NONVOLATILE BETA	8.52	pCi/L	J	J	21	3.56	4.01	11.1
BGO 14AR	7/8/2015	STRONTIUM-90	-0.0241	pCi/L	U	U		1.83	3.32	6.98
BGO 14AR	7/8/2015	CARBON-14	70.4	pCi/L		J	Q	5.78	7.27	18.8
BGO 14AR	7/8/2015	NICKEL-63	0.771	pCi/L	U	U		3.02	5.24	11.3
BGO 14AR	7/8/2015	TECHNETIUM-99	-0.7	pCi/L	U	U		2.63	4.46	9.73
BGO 14AR	7/8/2015	TRITIUM	8.16	pCi/mL				0.571	0.505	1.65
BGO 14AR	7/8/2015	CESIUM-134	-7.44	pCi/L	U	U		5.34	8.3	19
BGO 14AR	7/8/2015	CESIUM-137	-0.871	pCi/L	U	U		5.07	8.98	19.1
BGO 14AR	7/8/2015	COBALT-60	-3.28	pCi/L	U	U		4.6	7.78	17
BGO 14AR	7/8/2015	EUROPIUM-152	-3.87	pCi/L	U	U		59.7	102	222
BGO 14AR	7/8/2015	EUROPIUM-154	4.21	pCi/L	U	U		10	17.8	37.8
BGO 14AR	7/8/2015	EUROPIUM-155	7.4	pCi/L	U	U		16.5	24.9	58

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14AR	7/8/2015	IODINE-129	0.0596	pCi/L	U	U		0.586	0.995	2.17
BGO 14AR	7/8/2015	SODIUM-22	-1.18	pCi/L	U	U		3.74	6.87	14.4
BGO 14CR	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 14CR	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 14CR	1/12/2015	BARIUM	9.33	ug/L	J				2	20
BGO 14CR	1/12/2015	BERYLLIUM	0.211	ug/L	J				0.1	1
BGO 14CR	1/12/2015	CHROMIUM	100	ug/L	U				10	100
BGO 14CR	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 14CR	1/12/2015	COPPER	0.601	ug/L	J				0.5	5
BGO 14CR	1/12/2015	LEAD	5	ug/L	U				0.5	5
BGO 14CR	1/12/2015	NICKEL	1.45	ug/L	J				0.5	5
BGO 14CR	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 14CR	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 14CR	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 14CR	1/12/2015	TIN	10	ug/L	U				1	10
BGO 14CR	1/12/2015	VANADIUM	50	ug/L	U				5	50
BGO 14CR	1/12/2015	ZINC	5.15	ug/L	J				4	40
BGO 14CR	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 14CR	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 14CR	1/12/2015	1,1-DICHLOROETHANE	1.1	ug/L					0.07	1
BGO 14CR	1/12/2015	1,1-DICHLOROETHYLENE	0.6	ug/L	J		21		0.08	1
BGO 14CR	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 14CR	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 14CR	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 14CR	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 14CR	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 14CR	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 14CR	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 14CR	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 14CR	1/12/2015	CHLOROFORM	0.25	ug/L	J		21		0.1	1
BGO 14CR	1/12/2015	CIS-1,2-DICHLOROETHYLENE	8.4	ug/L					0.09	1
BGO 14CR	1/12/2015	DICHLORODIFLUOROMETHANE	4.4	ug/L					0.08	2
BGO 14CR	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 14CR	1/12/2015	TETRACHLOROETHYLENE (PCE)	5.5	ug/L					0.18	1
BGO 14CR	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 14CR	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 14CR	1/12/2015	TRICHLOROETHYLENE (TCE)	33	ug/L					0.25	1
BGO 14CR	1/12/2015	TRICHLOROFLUOROMETHANE	0.93	ug/L	J		21		0.11	1
BGO 14CR	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 14CR	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 14CR	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	0.427	pCi/L				0.118	0.128	0.364
BGO 14CR	1/12/2015	RADIUM-226	0.249	pCi/L				0.071	0.077	0.2199
BGO 14CR	1/12/2015	URANIUM-233/234	0.0444	pCi/L	U			0.0632	0.0602	0.187
BGO 14CR	1/12/2015	URANIUM-235	-0.00685	pCi/L	U			0.0137	0.138	0.165
BGO 14CR	1/12/2015	URANIUM-238	0.0222	pCi/L	U			0.0445	0.0601	0.149
BGO 14CR	1/12/2015	GROSS ALPHA	0.0571	pCi/L	U			0.846	2.23	3.92
BGO 14CR	1/12/2015	NONVOLATILE BETA	1.36	pCi/L	U			2.37	3.92	8.67
BGO 14CR	1/12/2015	STRONTIUM-90	0.871	pCi/L	U			1.89	3.12	6.91
BGO 14CR	1/12/2015	CARBON-14	-2.42	pCi/L	UJ			4.1	6.96	15.2
BGO 14CR	1/12/2015	TECHNETIUM-99	0.415	pCi/L	U			2.53	4.25	9.31
BGO 14CR	1/12/2015	TRITIUM	924	pCi/mL				5.62	0.404	11.6
BGO 14CR	1/12/2015	IODINE-129	0.129	pCi/L	U			0.559	0.956	2.07
BGO 14CR	7/8/2015	ETHANE	0.0097	ug/L	J		21		0.002	0.1
BGO 14CR	7/8/2015	ETHYLENE	0.021	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	SULFIDE	0.6	mg/L	J	J	21		0.45	1
BGO 14CR	7/8/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 14CR	7/8/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 14CR	7/8/2015	BARIUM	9.67	ug/L	J	J	21		2	20
BGO 14CR	7/8/2015	BERYLLIUM	0.263	ug/L	J	J	21		0.1	1
BGO 14CR	7/8/2015	CADMIUM	0.102	ug/L	J	J	21		0.1	1
BGO 14CR	7/8/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 14CR	7/8/2015	COBALT	0.802	ug/L	J	J	21		0.5	5
BGO 14CR	7/8/2015	COPPER	0.875	ug/L	J	J	21		0.5	5
BGO 14CR	7/8/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 14CR	7/8/2015	NICKEL	3.44	ug/L	J	J	21		0.5	5
BGO 14CR	7/8/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 14CR	7/8/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 14CR	7/8/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 14CR	7/8/2015	TIN	10	ug/L	U	U			1	10
BGO 14CR	7/8/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 14CR	7/8/2015	ZINC	11.3	ug/L	J	J	21		4	40
BGO 14CR	7/8/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 14CR	7/8/2015	ALDRIN	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
BGO 14CR	7/8/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
BGO 14CR	7/8/2015	DDD	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	DDE	0.049	ug/L	U	U			0.014	0.049
BGO 14CR	7/8/2015	DDT	0.049	ug/L	U	U			0.022	0.049
BGO 14CR	7/8/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	DIELDRIN	0.049	ug/L	U	U			0.0097	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.018	0.049
BGO 14CR	7/8/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	ENDRIN	0.049	ug/L	U	U			0.017	0.049
BGO 14CR	7/8/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
BGO 14CR	7/8/2015	LINDANE	0.049	ug/L	U	U			0.0097	0.049
BGO 14CR	7/8/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
BGO 14CR	7/8/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.097	0.49
BGO 14CR	7/8/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
BGO 14CR	7/8/2015	AROCLOR 1016	0.99	ug/L	U	U			0.35	0.99
BGO 14CR	7/8/2015	AROCLOR 1221	0.99	ug/L	U	U			0.35	0.99
BGO 14CR	7/8/2015	AROCLOR 1232	0.99	ug/L	U	U			0.35	0.99
BGO 14CR	7/8/2015	AROCLOR 1242	0.99	ug/L	U	U			0.35	0.99
BGO 14CR	7/8/2015	AROCLOR 1248	0.99	ug/L	U	U			0.35	0.99
BGO 14CR	7/8/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
BGO 14CR	7/8/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
BGO 14CR	7/8/2015	2,4,5-T	0.98	ug/L	U	U			0.27	0.98
BGO 14CR	7/8/2015	2,4,5-TP (SILVEX)	0.98	ug/L	U	U			0.19	0.98
BGO 14CR	7/8/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.9	ug/L	U	U			4.1	7.9
BGO 14CR	7/8/2015	DINOSEB	2	ug/L	U	U			0.72	2
BGO 14CR	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 14CR	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 14CR	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	11	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 14CR	7/8/2015	1,1-DICHLOROETHANE	1.2	ug/L					0.07	1
BGO 14CR	7/8/2015	1,1-DICHLOROETHYLENE	0.66	ug/L	J	J	21		0.08	1
BGO 14CR	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 14CR	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 14CR	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 14CR	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 14CR	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 14CR	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 14CR	7/8/2015	1,2-DICHLOROETHYLENE	8.3	ug/L					0.15	2
BGO 14CR	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 14CR	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 14CR	7/8/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 14CR	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 14CR	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 14CR	7/8/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 14CR	7/8/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 14CR	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 14CR	7/8/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 14CR	7/8/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 14CR	7/8/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 14CR	7/8/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 14CR	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 14CR	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 14CR	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 14CR	7/8/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 14CR	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 14CR	7/8/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 14CR	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 14CR	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14CR	7/8/2015	CHLOROFORM	0.22	ug/L	J	J	21		0.1	1
BGO 14CR	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14CR	7/8/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 14CR	7/8/2015	CIS-1,2-DICHLOROETHYLENE	8.3	ug/L					0.09	1
BGO 14CR	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 14CR	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 14CR	7/8/2015	DICHLORODIFLUOROMETHANE	4.4	ug/L		UJ	8, 14		0.08	2
BGO 14CR	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 14CR	7/8/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14CR	7/8/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 14CR	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 14CR	7/8/2015	ISOBUTANOL	80	ug/L	U	U	18		8.7	80
BGO 14CR	7/8/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 14CR	7/8/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 14CR	7/8/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 14CR	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 14CR	7/8/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 14CR	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 14CR	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 14CR	7/8/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 14CR	7/8/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 14CR	7/8/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 14CR	7/8/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	TETRACHLOROETHYLENE (PCE)	5.6	ug/L					0.18	1
BGO 14CR	7/8/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 14CR	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14CR	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 14CR	7/8/2015	TRICHLOROETHYLENE (TCE)	28	ug/L					0.25	1
BGO 14CR	7/8/2015	TRICHLOROFLUOROMETHANE	1.1	ug/L					0.11	1
BGO 14CR	7/8/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14CR	7/8/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 14CR	7/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 14CR	7/8/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 14CR	7/8/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,4-DIOXANE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 14CR	7/8/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 14CR	7/8/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
BGO 14CR	7/8/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U	14		0.98	98
BGO 14CR	7/8/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 14CR	7/8/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 14CR	7/8/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 14CR	7/8/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 14CR	7/8/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 14CR	7/8/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 14CR	7/8/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.98	20
BGO 14CR	7/8/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 14CR	7/8/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 14CR	7/8/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U	14		4.9	98
BGO 14CR	7/8/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 14CR	7/8/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.98	20
BGO 14CR	7/8/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 14CR	7/8/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	ANILINE	9.8	ug/L	U	U			1.2	9.8
BGO 14CR	7/8/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 14CR	7/8/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.9	9.8
BGO 14CR	7/8/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8
BGO 14CR	7/8/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	CHLOROBENZILATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 14CR	7/8/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 14CR	7/8/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 14CR	7/8/2015	DISULFOTON	49	ug/L	U	U	14		0.98	49
BGO 14CR	7/8/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	FAMPHUR	98	ug/L	U	U	14		1.7	98
BGO 14CR	7/8/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.8	240
BGO 14CR	7/8/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 14CR	7/8/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	ISODRIN	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 14CR	7/8/2015	KEPONE	98	ug/L	U	U			20	98
BGO 14CR	7/8/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 14CR	7/8/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 14CR	7/8/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	METHYL PARATHION	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 14CR	7/8/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
BGO 14CR	7/8/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 14CR	7/8/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	PARATHION	49	ug/L	U	U	14		0.98	49
BGO 14CR	7/8/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 14CR	7/8/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 14CR	7/8/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 14CR	7/8/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 14CR	7/8/2015	PHENACETIN	20	ug/L	U	U			0.98	20
BGO 14CR	7/8/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
BGO 14CR	7/8/2015	PHORATE	49	ug/L	U	U			2	49
BGO 14CR	7/8/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 14CR	7/8/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 14CR	7/8/2015	PRONAMIDE	20	ug/L	U	U			0.98	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 14CR	7/8/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 14CR	7/8/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 14CR	7/8/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 14CR	7/8/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 14CR	7/8/2015	2,3,7,8-TCDD	0.0096	ng/L	U	U			0.0037	0.0096
BGO 14CR	7/8/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0014	0.048
BGO 14CR	7/8/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00084	0.048
BGO 14CR	7/8/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0018	0.048
BGO 14CR	7/8/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.0015	0.048
BGO 14CR	7/8/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0096	ng/L	U	U			0.0037	0.0096
BGO 14CR	7/8/2015	TETRACHLORODIBENZO-P-FURANS	0.0096	ng/L	U	U			0.0026	0.0096
BGO 14CR	7/8/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 14CR	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.474	pCi/L				0.144	0.127	0.415
BGO 14CR	7/8/2015	RADIUM-226	0.254	pCi/L				0.076	0.089	0.2409
BGO 14CR	7/8/2015	RADIUM-228	0.385	pCi/L	U	U		0.302	0.483	1.087
BGO 14CR	7/8/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0633	0.0633
BGO 14CR	7/8/2015	CURIUM-242	0	pCi/L	U	U	V	0	0.0623	0.0623
BGO 14CR	7/8/2015	CURIUM-243/244	0	pCi/L	U	U		0	0.0623	0.0623
BGO 14CR	7/8/2015	CURIUM-245/246	0.31	pCi/L	J	J	21, V	0.177	0.0645	0.419
BGO 14CR	7/8/2015	NEPTUNIUM-237	-0.0266	pCi/L	U	U	V	0.0245	0.168	0.217
BGO 14CR	7/8/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0571	0.0571
BGO 14CR	7/8/2015	PLUTONIUM-239/240	0.0211	pCi/L	U	U		0.0424	0.0571	0.142
BGO 14CR	7/8/2015	THORIUM-228	-0.0119	pCi/L	U	U		0.131	0.344	0.607
BGO 14CR	7/8/2015	THORIUM-230	0.142	pCi/L	U	U	V	0.129	0.174	0.433
BGO 14CR	7/8/2015	THORIUM-232	0	pCi/L	U	U		0	0.0641	0.0641
BGO 14CR	7/8/2015	URANIUM-233/234	0.0608	pCi/L	U	U		0.0779	0.111	0.267

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14CR	7/8/2015	URANIUM-235	-0.00682	pCi/L	U	U	V	0.0137	0.137	0.165
BGO 14CR	7/8/2015	URANIUM-238	0.0662	pCi/L	U	U	V	0.077	0.0598	0.214
BGO 14CR	7/8/2015	GROSS ALPHA	0.85	pCi/L	U	U		1.37	2.11	4.84
BGO 14CR	7/8/2015	NONVOLATILE BETA	0.311	pCi/L	U	U		2.19	3.96	8.34
BGO 14CR	7/8/2015	STRONTIUM-90	-0.958	pCi/L	U	U		1.81	3.29	6.91
BGO 14CR	7/8/2015	CARBON-14	-2.37	pCi/L	U	U		4.19	7.12	15.5
BGO 14CR	7/8/2015	NICKEL-63	1.93	pCi/L	U	U		2.96	4.89	10.8
BGO 14CR	7/8/2015	TECHNETIUM-99	-1.27	pCi/L	U	U		2.59	4.43	9.61
BGO 14CR	7/8/2015	TRITIUM	1020	pCi/mL				5.47	0.505	11.4
BGO 14CR	7/8/2015	CESIUM-134	-0.545	pCi/L	U	U		5.3	8.16	18.8
BGO 14CR	7/8/2015	CESIUM-137	-1.28	pCi/L	U	U		5.08	8.92	19.1
BGO 14CR	7/8/2015	COBALT-60	0.871	pCi/L	U	U		4.3	8.39	17
BGO 14CR	7/8/2015	EUROPIUM-152	-1.96	pCi/L	U	U		58.2	100	216
BGO 14CR	7/8/2015	EUROPIUM-154	2.15	pCi/L	U	U		10.4	18.2	38.9
BGO 14CR	7/8/2015	EUROPIUM-155	22.3	pCi/L	U	U		16	27.1	59.1
BGO 14CR	7/8/2015	IODINE-129	0.624	pCi/L	U	U		0.582	1.02	2.19
BGO 14CR	7/8/2015	SODIUM-22	0.353	pCi/L	U	U		4.57	8.74	17.9
BGO 14DR	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 14DR	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 14DR	1/12/2015	BARIUM	3.53	ug/L	J				2	20
BGO 14DR	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 14DR	1/12/2015	CHROMIUM	100	ug/L	U				10	100
BGO 14DR	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 14DR	1/12/2015	COPPER	0.507	ug/L	J				0.5	5
BGO 14DR	1/12/2015	LEAD	0.608	ug/L	J				0.5	5
BGO 14DR	1/12/2015	NICKEL	5	ug/L	U				0.5	5
BGO 14DR	1/12/2015	SELENIUM	2.1	ug/L	J				2	20
BGO 14DR	1/12/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 14DR	1/12/2015	TIN	10	ug/L	U				1	10
BGO 14DR	1/12/2015	VANADIUM	50	ug/L	U				5	50
BGO 14DR	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 14DR	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 14DR	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 14DR	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 14DR	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 14DR	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 14DR	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 14DR	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 14DR	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 14DR	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 14DR	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 14DR	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 14DR	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 14DR	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 14DR	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 14DR	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 14DR	1/12/2015	DICHLORODIFLUOROMETHANE	2.4	ug/L					0.08	2
BGO 14DR	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 14DR	1/12/2015	TETRACHLOROETHYLENE (PCE)	0.4	ug/L	J		21		0.18	1
BGO 14DR	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 14DR	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 14DR	1/12/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.25	1
BGO 14DR	1/12/2015	TRICHLOROFLUOROMETHANE	0.55	ug/L	J		21		0.11	1
BGO 14DR	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 14DR	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	2.24	pCi/L				0.219	0.096	0.5337
BGO 14DR	1/12/2015	RADIUM-226	1.95	pCi/L				0.172	0.085	0.4286
BGO 14DR	1/12/2015	URANIUM-233/234	0.0429	pCi/L	U			0.061	0.0581	0.18
BGO 14DR	1/12/2015	URANIUM-235	0	pCi/L	U			0	0.0716	0.0716
BGO 14DR	1/12/2015	URANIUM-238	0.0856	pCi/L	J		21	0.0865	0.058	0.231
BGO 14DR	1/12/2015	GROSS ALPHA	1.95	pCi/L	U			1.88	2.18	5.95
BGO 14DR	1/12/2015	NONVOLATILE BETA	4.06	pCi/L	J		21	2.87	3.96	9.7
BGO 14DR	1/12/2015	STRONTIUM-90	0.904	pCi/L	U			1.87	3.1	6.84
BGO 14DR	1/12/2015	CARBON-14	-2.5	pCi/L	UJ			4.12	7.02	15.3
BGO 14DR	1/12/2015	TECHNETIUM-99	0.731	pCi/L	U			2.52	4.21	9.25
BGO 14DR	1/12/2015	TRITIUM	1.83	pCi/mL				0.336	0.396	1.07
BGO 14DR	1/12/2015	IODINE-129	0.843	pCi/L	U			0.635	0.985	2.25
BGO 14DR	7/8/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
BGO 14DR	7/8/2015	ETHYLENE	0.044	ug/L	J		21		0.003	0.1
BGO 14DR	7/8/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 14DR	7/8/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 14DR	7/8/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 14DR	7/8/2015	BARIUM	2.93	ug/L	J	J	21		2	20
BGO 14DR	7/8/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	CADMIUM	0.736	ug/L	J	J	21		0.1	1
BGO 14DR	7/8/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 14DR	7/8/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 14DR	7/8/2015	COPPER	0.662	ug/L	J	J	21		0.5	5
BGO 14DR	7/8/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 14DR	7/8/2015	NICKEL	5	ug/L	U	U			0.5	5
BGO 14DR	7/8/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 14DR	7/8/2015	SILVER	5	ug/L	U	U			0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	TIN	10	ug/L	U	U			1	10
BGO 14DR	7/8/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 14DR	7/8/2015	ZINC	8.8	ug/L	J	J	21		4	40
BGO 14DR	7/8/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 14DR	7/8/2015	ALDRIN	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	ALPHA-BENZENE HEXACHLORIDE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	ALPHA-CHLORDANE	0.054	ug/L	U	U			0.016	0.054
BGO 14DR	7/8/2015	BETA-BENZENE HEXACHLORIDE	0.054	ug/L	U	U			0.014	0.054
BGO 14DR	7/8/2015	DDD	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	DDE	0.054	ug/L	U	U			0.015	0.054
BGO 14DR	7/8/2015	DDT	0.054	ug/L	U	U			0.025	0.054
BGO 14DR	7/8/2015	DELTA-BENZENE HEXACHLORIDE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	DIELDRIN	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	ENDOSULFAN I	0.054	ug/L	U	U			0.02	0.054
BGO 14DR	7/8/2015	ENDOSULFAN II	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	ENDOSULFAN SULFATE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	ENDRIN	0.054	ug/L	U	U			0.019	0.054
BGO 14DR	7/8/2015	ENDRIN ALDEHYDE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	GAMMA-CHLORDANE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	HEPTACHLOR	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	HEPTACHLOR EPOXIDE	0.054	ug/L	U	U			0.018	0.054
BGO 14DR	7/8/2015	LINDANE	0.054	ug/L	U	U			0.011	0.054
BGO 14DR	7/8/2015	METHOXYCHLOR	0.54	ug/L	U	U			0.014	0.54
BGO 14DR	7/8/2015	TOTAL CHLORDANE	0.54	ug/L	U	U			0.11	0.54
BGO 14DR	7/8/2015	TOXAPHENE	2.2	ug/L	U	U			0.29	2.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
BGO 14DR	7/8/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
BGO 14DR	7/8/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
BGO 14DR	7/8/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
BGO 14DR	7/8/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
BGO 14DR	7/8/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 14DR	7/8/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 14DR	7/8/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 14DR	7/8/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 14DR	7/8/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8	ug/L	U	U			4.2	8
BGO 14DR	7/8/2015	DINOSEB	2	ug/L	U	U			0.73	2
BGO 14DR	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 14DR	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.2	ug/L					0.1	1
BGO 14DR	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 14DR	7/8/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 14DR	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 14DR	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 14DR	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 14DR	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 14DR	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 14DR	7/8/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 14DR	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 14DR	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 14DR	7/8/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 14DR	7/8/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 14DR	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 14DR	7/8/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 14DR	7/8/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 14DR	7/8/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 14DR	7/8/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 14DR	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 14DR	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 14DR	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 14DR	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 14DR	7/8/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 14DR	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 14DR	7/8/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 14DR	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 14DR	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14DR	7/8/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 14DR	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 14DR	7/8/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 14DR	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 14DR	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 14DR	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L		U	S, 8		0.08	2
BGO 14DR	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 14DR	7/8/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14DR	7/8/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 14DR	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 14DR	7/8/2015	ISOBUTANOL	80	ug/L	U	U	18		8.7	80
BGO 14DR	7/8/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 14DR	7/8/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 14DR	7/8/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 14DR	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 14DR	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 14DR	7/8/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 14DR	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 14DR	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 14DR	7/8/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 14DR	7/8/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 14DR	7/8/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 14DR	7/8/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 14DR	7/8/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 14DR	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 14DR	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 14DR	7/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 14DR	7/8/2015	TRICHLOROFLUOROMETHANE	0.37	ug/L	J	J	21		0.11	1
BGO 14DR	7/8/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 14DR	7/8/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 14DR	7/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 14DR	7/8/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,2,4-TRICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,2-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,3,5-TRINITROBENZENE	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	1,3-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,3-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,4-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,4-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,4-DIOXANE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	1,4-NAPHTHOQUINONE	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	1-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	2,3,4,6-TETRACHLOROPHENOL	53	ug/L	U	UJ	14		1.1	53
BGO 14DR	7/8/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2,4-DINITROPHENOL	53	ug/L	U	UJ	14		2.1	53
BGO 14DR	7/8/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	2,6-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.3	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	2-ACETYLAMINOFLUORENE	110	ug/L	U	U			1.1	110
BGO 14DR	7/8/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	2-METHYLANILINE (O-TOLUIDINE)	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	2-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
BGO 14DR	7/8/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.6	11
BGO 14DR	7/8/2015	2-PICOLINE	21	ug/L	U	U			2.1	21
BGO 14DR	7/8/2015	3,3-DICHLOROBENZIDINE	53	ug/L	U	U			1.4	53
BGO 14DR	7/8/2015	3,3'-DIMETHYLBENZIDINE	53	ug/L	U	U			2.8	53
BGO 14DR	7/8/2015	3-METHYLCHOLANTHRENE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	4-AMINOBIPHENYL	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	4-CHLOROANILINE	11	ug/L	U	U			2.1	11
BGO 14DR	7/8/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.1	11
BGO 14DR	7/8/2015	4-NITROQUINOLINE-1-OXIDE	110	ug/L	U	U			5.3	110
BGO 14DR	7/8/2015	5-NITRO-O-TOLUIDINE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	A,A-DIMETHYLPHENETHYLAMINE	53	ug/L	U	U			24	53
BGO 14DR	7/8/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ANILINE	11	ug/L	U	U			1.4	11
BGO 14DR	7/8/2015	ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ARAMITE	21	ug/L	U	U			5.3	21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BENZO[A]PYRENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BENZYL ALCOHOL	11	ug/L	U	U			3.2	11
BGO 14DR	7/8/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U			2	11
BGO 14DR	7/8/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	CHLOROBENZILATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	CHRYSENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DIALLATE	21	ug/L	U	U			2.1	21
BGO 14DR	7/8/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DIMETHOATE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.3	11
BGO 14DR	7/8/2015	DISULFOTON	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	ETHYL METHACRYLATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ETHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	FAMPHUR	110	ug/L	U	U			1.8	110
BGO 14DR	7/8/2015	FLUORANTHENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	FLUORENE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	HEXACHLOROPHENE	270	ug/L	U	U			11	270
BGO 14DR	7/8/2015	HEXACHLOROPROPENE	110	ug/L	U	U			1.1	110
BGO 14DR	7/8/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ISODRIN	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	ISOSAFROLE	21	ug/L	U	U			5.3	21
BGO 14DR	7/8/2015	KEPONE	110	ug/L	U	U			21	110
BGO 14DR	7/8/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
BGO 14DR	7/8/2015	METHAPYRILENE	53	ug/L	U	U			1.3	53
BGO 14DR	7/8/2015	METHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	METHYL PARATHION	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSODIETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSODIMETHYLAMINE	11	ug/L	U	U			2.1	11
BGO 14DR	7/8/2015	N-NITROSODI-N-BUTYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
BGO 14DR	7/8/2015	N-NITROSOMORPHOLINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSO-N-METHYLETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	N-NITROSOPIPERIDINE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	N-NITROSOPYRROLIDINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	53	ug/L	U	U			1.2	53
BGO 14DR	7/8/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	PARATHION	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
BGO 14DR	7/8/2015	P-DIMETHYLAMINOAZOBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	PENTACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	PENTACHLOROETHANE	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	PENTACHLORONITROBENZENE	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
BGO 14DR	7/8/2015	PHENACETIN	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	PHENANTHRENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	PHENOL	11	ug/L	U	UJ	14		2.1	11
BGO 14DR	7/8/2015	PHORATE	53	ug/L	U	U			2.1	53
BGO 14DR	7/8/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	P-PHENYLENEDIAMINE	110	ug/L	U	U			1.1	110
BGO 14DR	7/8/2015	PRONAMIDE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	PYRENE	11	ug/L	U	U			1.1	11
BGO 14DR	7/8/2015	PYRIDINE	21	ug/L	U	U			2.1	21
BGO 14DR	7/8/2015	SAFROLE	21	ug/L	U	U			1.1	21
BGO 14DR	7/8/2015	SULFOTEPP	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	THIONAZIN	53	ug/L	U	U			1.1	53
BGO 14DR	7/8/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.0029	0.011
BGO 14DR	7/8/2015	HEXACHLORODIBENZO-P-DIOXINS	0.029	ng/L	NJ	NJ	1, 21		0.0012	0.054
BGO 14DR	7/8/2015	HEXACHLORODIBENZO-P-FURANS	0.047	ng/L	NJ	NJ	1, 21		0.00084	0.054
BGO 14DR	7/8/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0086	ng/L	NJ	NJ	1, 21		0.0016	0.054
BGO 14DR	7/8/2015	PENTACHLORODIBENZO-P-FURANS	0.016	ng/L	NJ	NJ	1, 21		0.0013	0.054
BGO 14DR	7/8/2015	TETRACHLORODIBENZO-P-DIOXIN	0.011	ng/L	U	U			0.0029	0.011

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	TETRACHLORODIBENZO-P-FURANS	0.011	ng/L	U	U			0.0021	0.011
BGO 14DR	7/8/2015	CYANIDE	3	ug/L	J	J	21		2.9	10
BGO 14DR	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	2.94	pCi/L				0.344	0.21	0.898
BGO 14DR	7/8/2015	RADIUM-226	1.63	pCi/L				0.169	0.062	0.4001
BGO 14DR	7/8/2015	RADIUM-228	1.04	pCi/L				0.286	0.366	0.938
BGO 14DR	7/8/2015	AMERICIUM-241	0.016	pCi/L	U	U		0.0442	0.108	0.196
BGO 14DR	7/8/2015	CURIUM-242	0.0377	pCi/L	U	U	V	0.0621	0.106	0.23
BGO 14DR	7/8/2015	CURIUM-243/244	0	pCi/L	U	U		0	0.0571	0.0571
BGO 14DR	7/8/2015	CURIUM-245/246	0.153	pCi/L	U	U	21, V	0.117	0.0591	0.294
BGO 14DR	7/8/2015	NEPTUNIUM-237	0.0177	pCi/L	U	U	V	0.0755	0.213	0.364
BGO 14DR	7/8/2015	PLUTONIUM-238	0.0351	pCi/L	U	U		0.0709	0.0952	0.237
BGO 14DR	7/8/2015	PLUTONIUM-239/240	0.0264	pCi/L	U	U		0.0728	0.177	0.323
BGO 14DR	7/8/2015	THORIUM-228	-0.0468	pCi/L	U	U		0.142	0.387	0.672
BGO 14DR	7/8/2015	THORIUM-230	0.163	pCi/L	U	U	V	0.136	0.171	0.443
BGO 14DR	7/8/2015	THORIUM-232	0	pCi/L	U	U		0	0.063	0.063
BGO 14DR	7/8/2015	URANIUM-233/234	0.065	pCi/L	J	U	21	0.0757	0.0587	0.21
BGO 14DR	7/8/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.0725	0.0725
BGO 14DR	7/8/2015	URANIUM-238	0.0433	pCi/L	U	U	V	0.0615	0.0586	0.182
BGO 14DR	7/8/2015	GROSS ALPHA	4.99	pCi/L	J	J	21	2.85	2.1	7.8
BGO 14DR	7/8/2015	NONVOLATILE BETA	1.47	pCi/L	U	U		2.48	4.06	9.01
BGO 14DR	7/8/2015	STRONTIUM-90	1.41	pCi/L	U	U		2.12	3.26	7.49
BGO 14DR	7/8/2015	CARBON-14	-4.07	pCi/L	U	U		4.17	7.14	15.5
BGO 14DR	7/8/2015	NICKEL-63	2.96	pCi/L	U	U		3.12	5.36	11.6
BGO 14DR	7/8/2015	TECHNETIUM-99	-0.0693	pCi/L	U	U		2.62	4.42	9.66
BGO 14DR	7/8/2015	TRITIUM	2.17	pCi/mL				0.388	0.505	1.28
BGO 14DR	7/8/2015	CESIUM-134	-0.535	pCi/L	U	U		5.73	8.79	20.3
BGO 14DR	7/8/2015	CESIUM-137	2.55	pCi/L	U	U		5.63	10.4	21.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 14DR	7/8/2015	COBALT-60	-0.131	pCi/L	U	U		4.56	8.57	17.7
BGO 14DR	7/8/2015	EUROPIUM-152	38.2	pCi/L	U	U		67.1	105	239
BGO 14DR	7/8/2015	EUROPIUM-154	-3.7	pCi/L	U	U		10.2	17.7	38.1
BGO 14DR	7/8/2015	EUROPIUM-155	0.2	pCi/L	U	U		16.3	26.9	59.5
BGO 14DR	7/8/2015	IODINE-129	0.354	pCi/L	U	U		0.577	1	2.15
BGO 14DR	7/8/2015	SODIUM-22	-3.45	pCi/L	U	U		4.92	8.28	18.1
BGO 15D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 15D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 15D	1/13/2015	BARIUM	9.65	ug/L	J				2	20
BGO 15D	1/13/2015	BERYLLIUM	0.158	ug/L	J				0.1	1
BGO 15D	1/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 15D	1/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 15D	1/13/2015	COPPER	5	ug/L	U				0.5	5
BGO 15D	1/13/2015	LEAD	5	ug/L	U				0.5	5
BGO 15D	1/13/2015	NICKEL	5	ug/L	U				0.5	5
BGO 15D	1/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 15D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 15D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 15D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 15D	1/13/2015	VANADIUM	40	ug/L	U				5	50
BGO 15D	1/13/2015	ZINC	40	ug/L	U				4	40
BGO 15D	1/13/2015	MERCURY	0.479	ug/L					0.02	0.2
BGO 15D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 15D	1/13/2015	1,1-DICHLOROETHANE	5.1	ug/L					0.07	1
BGO 15D	1/13/2015	1,1-DICHLOROETHYLENE	0.9	ug/L	J		21		0.08	1
BGO 15D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 15D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 15D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 15D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 15D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 15D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 15D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 15D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 15D	1/13/2015	CHLOROFORM	0.34	ug/L	J		21		0.1	1
BGO 15D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	9.9	ug/L					0.09	1
BGO 15D	1/13/2015	DICHLORODIFLUOROMETHANE	8.1	ug/L					0.08	2
BGO 15D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 15D	1/13/2015	TETRACHLOROETHYLENE (PCE)	4	ug/L					0.18	1
BGO 15D	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 15D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 15D	1/13/2015	TRICHLOROETHYLENE (TCE)	9	ug/L					0.25	1
BGO 15D	1/13/2015	TRICHLOROFLUOROMETHANE	1.5	ug/L					0.11	1
BGO 15D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 15D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 15D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.76	pCi/L				0.207	0.102	0.516
BGO 15D	1/13/2015	RADIUM-226	1.62	pCi/L				0.176	0.085	0.4369
BGO 15D	1/13/2015	URANIUM-233/234	0.0183	pCi/L	U			0.0503	0.123	0.223
BGO 15D	1/13/2015	URANIUM-235	0.03	pCi/L	U			0.0603	0.0814	0.202
BGO 15D	1/13/2015	URANIUM-238	-0.00608	pCi/L	U			0.0122	0.122	0.147
BGO 15D	1/13/2015	GROSS ALPHA	2.37	pCi/L	J		21	2.07	2.21	6.34
BGO 15D	1/13/2015	NONVOLATILE BETA	2.16	pCi/L	U			2.55	3.98	9.08
BGO 15D	1/13/2015	STRONTIUM-90	1.75	pCi/L	U			1.96	3.11	7.04
BGO 15D	1/13/2015	CARBON-14	125	pCi/L				6.52	6.94	20
BGO 15D	1/13/2015	TECHNETIUM-99	0.301	pCi/L	U			2.54	4.26	9.34

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	1/13/2015	TRITIUM	2750	pCi/mL				9.78	0.472	20
BGO 15D	1/13/2015	IODINE-129	0.362	pCi/L	U			0.61	0.912	2.13
BGO 15D	7/13/2015	ETHANE	0.053	ug/L	J		21		0.002	0.1
BGO 15D	7/13/2015	ETHYLENE	0.026	ug/L	J		21		0.003	0.1
BGO 15D	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 15D	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 15D	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 15D	7/13/2015	BARIUM	12.3	ug/L	J	J	21		2	20
BGO 15D	7/13/2015	BERYLLIUM	0.145	ug/L	J	J	21		0.1	1
BGO 15D	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 15D	7/13/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 15D	7/13/2015	COPPER	5	ug/L	U	U			0.5	5
BGO 15D	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 15D	7/13/2015	NICKEL	0.561	ug/L	J	J	21		0.5	5
BGO 15D	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 15D	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 15D	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 15D	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 15D	7/13/2015	ZINC	6.34	ug/L	J	J	21		4	40
BGO 15D	7/13/2015	MERCURY	1.06	ug/L					0.02	0.2
BGO 15D	7/13/2015	ALDRIN	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	ALPHA-CHLORDANE	0.052	ug/L	U	U			0.015	0.052
BGO 15D	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.013	0.052
BGO 15D	7/13/2015	DDD	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	DDE	0.052	ug/L	U	U			0.014	0.052

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	DDT	0.052	ug/L	U	U			0.024	0.052
BGO 15D	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	DIELDRIN	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	ENDOSULFAN I	0.052	ug/L	U	U			0.02	0.052
BGO 15D	7/13/2015	ENDOSULFAN II	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	ENDOSULFAN SULFATE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	ENDRIN	0.052	ug/L	U	U			0.019	0.052
BGO 15D	7/13/2015	ENDRIN ALDEHYDE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	GAMMA-CHLORDANE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	HEPTACHLOR	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	HEPTACHLOR EPOXIDE	0.052	ug/L	U	U			0.018	0.052
BGO 15D	7/13/2015	LINDANE	0.052	ug/L	U	U			0.01	0.052
BGO 15D	7/13/2015	METHOXYCHLOR	0.52	ug/L	U	U			0.013	0.52
BGO 15D	7/13/2015	TOTAL CHLORDANE	0.52	ug/L	U	U			0.1	0.52
BGO 15D	7/13/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
BGO 15D	7/13/2015	AROCLOR 1016	0.99	ug/L	U	U			0.35	0.99
BGO 15D	7/13/2015	AROCLOR 1221	0.99	ug/L	U	U			0.35	0.99
BGO 15D	7/13/2015	AROCLOR 1232	0.99	ug/L	U	U			0.35	0.99
BGO 15D	7/13/2015	AROCLOR 1242	0.99	ug/L	U	U			0.35	0.99
BGO 15D	7/13/2015	AROCLOR 1248	0.99	ug/L	U	U			0.35	0.99
BGO 15D	7/13/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
BGO 15D	7/13/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
BGO 15D	7/13/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 15D	7/13/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 15D	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8	ug/L	U	U			4.2	8
BGO 15D	7/13/2015	DINOSEB	2	ug/L	U	U			0.73	2
BGO 15D	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	22	ug/L					0.1	1
BGO 15D	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 15D	7/13/2015	1,1-DICHLOROETHANE	10	ug/L					0.07	1
BGO 15D	7/13/2015	1,1-DICHLOROETHYLENE	1.8	ug/L					0.08	1
BGO 15D	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 15D	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 15D	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 15D	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 15D	7/13/2015	1,2-DICHLOROBENZENE	0.16	ug/L	J	J	21		0.06	1
BGO 15D	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	1,2-DICHLOROETHYLENE	17	ug/L					0.15	2
BGO 15D	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	1,4-DICHLOROBENZENE	0.12	ug/L	J	J	21		0.12	1
BGO 15D	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 15D	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 15D	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 15D	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 15D	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 15D	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 15D	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 15D	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 15D	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	BENZENE	0.23	ug/L	J	J	21		0.06	1
BGO 15D	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 15D	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 15D	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 15D	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 15D	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 15D	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 15D	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 15D	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 15D	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 15D	7/13/2015	CHLOROFORM	0.55	ug/L	J	J	21		0.1	1
BGO 15D	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 15D	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 15D	7/13/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L					0.09	1
BGO 15D	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 15D	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 15D	7/13/2015	DICHLORODIFLUOROMETHANE	9.2	ug/L					0.08	2
BGO 15D	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.1	ug/L					0.27	1
BGO 15D	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 15D	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 15D	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 15D	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 15D	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 15D	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 15D	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 15D	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 15D	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 15D	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 15D	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 15D	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 15D	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 15D	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 15D	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	TETRACHLOROETHYLENE (PCE)	8.7	ug/L					0.18	1
BGO 15D	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 15D	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 15D	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 15D	7/13/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
BGO 15D	7/13/2015	TRICHLOROFLUOROMETHANE	2.2	ug/L					0.11	1
BGO 15D	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 15D	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 15D	7/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 15D	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,2,4-TRICHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,2-DICHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	1,3-DICHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,3-DINITROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,4-DICHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,4-DINITROBENZENE	9.9	ug/L	U	U			0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	1,4-DIOXANE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	1-NAPHTHYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.99	49
BGO 15D	7/13/2015	2,4,5-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2,4,6-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2,4-DICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2,4-DIMETHYLPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 15D	7/13/2015	2,4-DINITROTOLUENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	2,6-DICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2,6-DINITROTOLUENE	9.9	ug/L	U	U			2.1	9.9
BGO 15D	7/13/2015	2-ACETYLAMINOFLUORENE	99	ug/L	U	U	14		0.99	99
BGO 15D	7/13/2015	2-CHLORONAPHTHALENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	2-CHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	2-METHYLNAPHTHALENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	2-NAPHTHYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	2-NITROANILINE	9.9	ug/L	U	U			1.1	9.9
BGO 15D	7/13/2015	2-NITROPHENOL	9.9	ug/L	U	UJ	14		1.5	9.9
BGO 15D	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 15D	7/13/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 15D	7/13/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 15D	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.99	20
BGO 15D	7/13/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 15D	7/13/2015	4-BROMOPHENYL PHENYL ETHER	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	4-CHLOROANILINE	9.9	ug/L	U	U			2	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	4-NITROPHENOL	9.9	ug/L	U	UJ	14		2	9.9
BGO 15D	7/13/2015	4-NITROQUINOLINE-1-OXIDE	99	ug/L	U	U	14		4.9	99
BGO 15D	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.99	20
BGO 15D	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 15D	7/13/2015	ACENAPHTHENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	ACENAPHTHYLENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	ACETOPHENONE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	ANILINE	9.9	ug/L	U	U			1.3	9.9
BGO 15D	7/13/2015	ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 15D	7/13/2015	BENZO(G,H,I)PERYLENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	BENZO[A]ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	BENZO[A]PYRENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	BENZO[B]FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	BENZO[K]FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	BENZYL ALCOHOL	9.9	ug/L	U	U			3	9.9
BGO 15D	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	BIS(2-CHLOROETHYL)ETHER	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.9	ug/L	U	U	14		1.8	9.9
BGO 15D	7/13/2015	BUTYL BENZYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	CHLOROBENZILATE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	CHRYSENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 15D	7/13/2015	DIBENZ[AH]ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	DIBENZOFURAN	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	DIETHYL PHTHALATE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	DIMETHOATE	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	DIMETHYL PHTHALATE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	DI-N-BUTYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	DINITRO-O-CRESOL	9.9	ug/L	U	UJ	14		1.2	9.9
BGO 15D	7/13/2015	DISULFOTON	49	ug/L	U	U	14		0.99	49
BGO 15D	7/13/2015	ETHYL METHACRYLATE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	ETHYL METHANESULFONATE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	FAMPHUR	99	ug/L	U	U	14		1.7	99
BGO 15D	7/13/2015	FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	FLUORENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	HEXACHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	HEXACHLOROBUTADIENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	HEXACHLOROCYCLOPENTADIENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	HEXACHLOROETHANE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		9.9	250
BGO 15D	7/13/2015	HEXACHLOROPROPENE	99	ug/L	U	U			0.99	99
BGO 15D	7/13/2015	INDENO[1,2,3-CD]PYRENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	ISODRIN	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	ISOPHORONE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 15D	7/13/2015	KEPONE	99	ug/L	U	U			20	99
BGO 15D	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 15D	7/13/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 15D	7/13/2015	METHYL METHANESULFONATE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	METHYL PARATHION	9.9	ug/L	U	U	14		0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	M-NITROANILINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	NAPHTHALENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-DIOCTYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	NITROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSODIETHYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSODIMETHYLAMINE	9.9	ug/L	U	U			2	9.9
BGO 15D	7/13/2015	N-NITROSODI-N-BUTYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSODIPROPYLAMINE	9.9	ug/L	U	U			1.5	9.9
BGO 15D	7/13/2015	N-NITROSOMORPHOLINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSOPIPERIDINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	N-NITROSOPYRROLIDINE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 15D	7/13/2015	O-CRESOL (2-METHYLPHENOL)	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	PARATHION	49	ug/L	U	U	14		0.99	49
BGO 15D	7/13/2015	P-CHLORO-M-CRESOL	9.9	ug/L	U	UJ	14		0.99	9.9
BGO 15D	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	PENTACHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
BGO 15D	7/13/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	PENTACHLOROPHENOL	9.9	ug/L	U	UJ	14		1.3	9.9
BGO 15D	7/13/2015	PHENACETIN	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	PHENANTHRENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	PHENOL	9.9	ug/L	U	UJ	14		2	9.9
BGO 15D	7/13/2015	PHORATE	49	ug/L	U	U			2	49
BGO 15D	7/13/2015	P-NITROANILINE	9.9	ug/L	U	U			0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	P-PHENYLENEDIAMINE	99	ug/L	U	U			0.99	99
BGO 15D	7/13/2015	PRONAMIDE	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	PYRENE	9.9	ug/L	U	U	14		0.99	9.9
BGO 15D	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 15D	7/13/2015	SAFROLE	20	ug/L	U	U			0.99	20
BGO 15D	7/13/2015	SULFOTEPP	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	THIONAZIN	49	ug/L	U	U			0.99	49
BGO 15D	7/13/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.000074	0.01
BGO 15D	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00038	ng/L	NJ	U	1, 21, V		0.000067	0.051
BGO 15D	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.0001	0.051
BGO 15D	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.000079	ng/L	NJ	NJ	1, 21		0.00004	0.051
BGO 15D	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.00016	ng/L	NJ	U	1, 21, V		0.000085	0.051
BGO 15D	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.000074	0.01
BGO 15D	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00027	ng/L	NJ	U	1, 21, V		0.000055	0.01
BGO 15D	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 15D	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.99	pCi/L				0.243	0.118	0.604
BGO 15D	7/13/2015	RADIUM-226	1.55	pCi/L				0.148	0.068	0.3641
BGO 15D	7/13/2015	RADIUM-228	0.161	pCi/L	U	U		0.21	0.349	0.769
BGO 15D	7/13/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0626	0.0626
BGO 15D	7/13/2015	CURIUM-242	0.118	pCi/L	J	J	21	0.107	0.0616	0.276
BGO 15D	7/13/2015	CURIUM-243/244	-0.0114	pCi/L	U	U	V	0.0162	0.136	0.169
BGO 15D	7/13/2015	CURIUM-245/246	0.165	pCi/L	U	U	21, V	0.127	0.0638	0.317
BGO 15D	7/13/2015	NEPTUNIUM-237	0.0328	pCi/L	U	U		0.0781	0.177	0.333
BGO 15D	7/13/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0704	0.0704
BGO 15D	7/13/2015	PLUTONIUM-239/240	0.104	pCi/L	J	U	21, V	0.107	0.0704	0.284
BGO 15D	7/13/2015	THORIUM-228	-0.0568	pCi/L	U	U	V	0.0639	0.162	0.29
BGO 15D	7/13/2015	THORIUM-230	0.118	pCi/L	U	U	21, V	0.0761	0.0912	0.243
BGO 15D	7/13/2015	THORIUM-232	0.0147	pCi/L	U	U		0.0349	0.0714	0.141

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 15D	7/13/2015	URANIUM-233/234	0.0676	pCi/L	U	U	V	0.0836	0.143	0.31
BGO 15D	7/13/2015	URANIUM-235	0.0222	pCi/L	U	U	V	0.0446	0.0603	0.149
BGO 15D	7/13/2015	URANIUM-238	0.018	pCi/L	U	U	V	0.0361	0.0487	0.121
BGO 15D	7/13/2015	GROSS ALPHA	2.73	pCi/L	J	J	21	2.17	2.1	6.45
BGO 15D	7/13/2015	NONVOLATILE BETA	4.41	pCi/L	J	J	21	2.96	4	9.92
BGO 15D	7/13/2015	STRONTIUM-90	0.566	pCi/L	U	U		2.36	2.97	7.69
BGO 15D	7/13/2015	CARBON-14	3.49	pCi/L	U	U		4.54	7.47	16.5
BGO 15D	7/13/2015	NICKEL-63	2.26	pCi/L	U	U		3.09	5.21	11.4
BGO 15D	7/13/2015	TECHNETIUM-99	0.000009	pCi/L	U	U		2.62	4.41	9.65
BGO 15D	7/13/2015	TRITIUM	1810	pCi/mL				8.25	0.476	17
BGO 15D	7/13/2015	CESIUM-134	-0.521	pCi/L	U	U		6.79	10.3	23.9
BGO 15D	7/13/2015	CESIUM-137	3.65	pCi/L	U	U		7.55	12.1	27.2
BGO 15D	7/13/2015	COBALT-60	-0.763	pCi/L	U	U		5.76	10.5	22
BGO 15D	7/13/2015	EUROPIUM-152	103	pCi/L	U	U		80.2	141	301
BGO 15D	7/13/2015	EUROPIUM-154	-4.71	pCi/L	U	U		13.4	23.1	50
BGO 15D	7/13/2015	EUROPIUM-155	67.1	pCi/L	J	J	21	34.7	38.5	108
BGO 15D	7/13/2015	IODINE-129	0.194	pCi/L	U	U		0.645	1.11	2.4
BGO 15D	7/13/2015	SODIUM-22	-4.29	pCi/L	U	U		6.57	11.1	24.2
BGO 16AR	7/14/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 16AR	7/14/2015	ETHYLENE	0.01	ug/L	J		21		0.003	0.1
BGO 16AR	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 16AR	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 16AR	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16AR	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 16AR	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 16AR	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 16AR	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 16AR	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 16AR	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	1,2-DICHLOROETHYLENE	0.55	ug/L	J		21		0.15	2
BGO 16AR	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 16AR	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 16AR	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 16AR	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 16AR	7/14/2015	ACETONE	2	ug/L	U				0.34	2
BGO 16AR	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 16AR	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 16AR	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 16AR	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 16AR	7/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 16AR	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16AR	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 16AR	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 16AR	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 16AR	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 16AR	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 16AR	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16AR	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 16AR	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16AR	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16AR	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 16AR	7/14/2015	CIS-1,2-DICHLOROETHYLENE	0.55	ug/L	J		21		0.09	1
BGO 16AR	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16AR	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 16AR	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 16AR	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 16AR	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 16AR	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 16AR	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 16AR	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 16AR	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 16AR	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 16AR	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 16AR	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 16AR	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 16AR	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 16AR	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 16AR	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 16AR	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 16AR	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16AR	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 16AR	7/14/2015	STYRENE	1	ug/L	U				0.07	1
BGO 16AR	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 16AR	7/14/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
BGO 16AR	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 16AR	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 16AR	7/14/2015	TRICHLOROETHYLENE (TCE)	0.6	ug/L	J		21		0.25	1
BGO 16AR	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 16AR	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 16AR	7/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 16AR	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 16AR	7/14/2015	TRITIUM	5.36	pCi/mL				0.477	0.38	1.33
BGO 16B	7/14/2015	ETHANE	0.0022	ug/L	J		21		0.002	0.1
BGO 16B	7/14/2015	ETHYLENE	0.017	ug/L	J		21		0.003	0.1
BGO 16B	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 16B	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 16B	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 16B	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 16B	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16B	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 16B	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 16B	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 16B	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 16B	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 16B	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 16B	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 16B	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 16B	7/14/2015	ACETONE	2	ug/L	U				0.34	2
BGO 16B	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 16B	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 16B	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 16B	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 16B	7/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 16B	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16B	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 16B	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 16B	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 16B	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 16B	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 16B	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 16B	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16B	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16B	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16B	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 16B	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 16B	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16B	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 16B	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 16B	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 16B	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 16B	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 16B	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 16B	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 16B	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 16B	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 16B	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 16B	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 16B	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 16B	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 16B	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 16B	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 16B	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 16B	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 16B	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16B	7/14/2015	STYRENE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 16B	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 16B	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 16B	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 16B	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 16B	7/14/2015	TRICHLOROFLUOROMETHANE	0.28	ug/L	J		21		0.11	1
BGO 16B	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 16B	7/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 16B	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 16B	7/14/2015	TRITIUM	12.5	pCi/mL				0.684	0.38	1.75
BGO 16D	7/16/2015	ETHANE	0.023	ug/L	J		21		0.002	0.1
BGO 16D	7/16/2015	ETHYLENE	0.025	ug/L	J		21		0.003	0.1
BGO 16D	7/16/2015	ANTIMONY	10	ug/L	U				1	10
BGO 16D	7/16/2015	ARSENIC	50	ug/L	U				5	50
BGO 16D	7/16/2015	BARIUM	27.5	ug/L					2	20
BGO 16D	7/16/2015	BERYLLIUM	0.122	ug/L	J		21		0.1	1
BGO 16D	7/16/2015	CHROMIUM	100	ug/L	U				10	100
BGO 16D	7/16/2015	COBALT	5	ug/L	U				0.5	5
BGO 16D	7/16/2015	COPPER	22.4	ug/L					0.5	5
BGO 16D	7/16/2015	LEAD	1.67	ug/L	J		21		0.5	5
BGO 16D	7/16/2015	NICKEL	3.43	ug/L	J		21		0.5	5
BGO 16D	7/16/2015	SELENIUM	20	ug/L	U				2	20
BGO 16D	7/16/2015	SILVER	5	ug/L	U				0.5	5
BGO 16D	7/16/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16D	7/16/2015	TIN	10	ug/L	U				1	10
BGO 16D	7/16/2015	VANADIUM	50	ug/L	U				5	50
BGO 16D	7/16/2015	ZINC	143	ug/L			V		4	40
BGO 16D	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 16D	7/16/2015	1,4-DIOXANE	61	ug/L					0.85	3
BGO 16D	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.478	pCi/L				0.115	0.123	0.353
BGO 16D	7/16/2015	RADIUM-226	0.463	pCi/L				0.096	0.093	0.285
BGO 16D	7/16/2015	URANIUM-233/234	0.0544	pCi/L	U		V	0.0774	0.131	0.285
BGO 16D	7/16/2015	URANIUM-235	0.0269	pCi/L	U		V	0.0539	0.0728	0.181
BGO 16D	7/16/2015	URANIUM-238	0.0217	pCi/L	U			0.0436	0.0589	0.146
BGO 16D	7/16/2015	GROSS ALPHA	1.29	pCi/L	U			1.64	2.17	5.45
BGO 16D	7/16/2015	NONVOLATILE BETA	7.44	pCi/L	J		21	3.37	3.79	10.5
BGO 16D	7/16/2015	STRONTIUM-90	-0.506	pCi/L	U			2.12	3.12	7.37
BGO 16D	7/16/2015	CARBON-14	40.3	pCi/L	J			5.06	7.02	17.2
BGO 16D	7/16/2015	TECHNETIUM-99	5.06	pCi/L	J		21	2.67	4.24	9.57
BGO 16D	7/16/2015	TRITIUM	708	pCi/mL				5.01	0.481	10.5
BGO 16D	7/16/2015	IODINE-129	-0.15	pCi/L	U			0.652	1.09	2.39
BGO 16D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 16D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 16D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.87	ug/L	J		21		0.1	1
BGO 16D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 16D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 16D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 16D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 16D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 16D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 16D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 16D	7/23/2015	1,2-DICHLOROETHYLENE	4.3	ug/L					0.15	2
BGO 16D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 16D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 16D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 16D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 16D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 16D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGO 16D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 16D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 16D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 16D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 16D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGO 16D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 16D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 16D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 16D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 16D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 16D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 16D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 16D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 16D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 16D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	4.3	ug/L					0.09	1
BGO 16D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 16D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 16D	7/23/2015	DICHLORODIFLUOROMETHANE	0.75	ug/L	J		21		0.08	2
BGO 16D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 16D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 16D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 16D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 16D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 16D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 16D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 16D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 16D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 16D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 16D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 16D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 16D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 16D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 16D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 16D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 16D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	TETRACHLOROETHYLENE (PCE)	0.45	ug/L	J		21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 16D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 16D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 16D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 16D	7/23/2015	TRICHLOROETHYLENE (TCE)	3.2	ug/L					0.25	1
BGO 16D	7/23/2015	TRICHLOROFLUOROMETHANE	3.6	ug/L					0.11	1
BGO 16D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 16D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGO 17DR	7/13/2015	ETHANE	0.003	ug/L	J		21		0.002	0.1
BGO 17DR	7/13/2015	ETHYLENE	0.0084	ug/L	J		21		0.003	0.1
BGO 17DR	7/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 17DR	7/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 17DR	7/13/2015	BARIUM	2.99	ug/L	J		21		2	20
BGO 17DR	7/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 17DR	7/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 17DR	7/13/2015	COBALT	0.795	ug/L	J		21		0.5	5
BGO 17DR	7/13/2015	COPPER	2.85	ug/L	J		21		0.5	5
BGO 17DR	7/13/2015	LEAD	0.877	ug/L	J		21		0.5	5
BGO 17DR	7/13/2015	NICKEL	1.14	ug/L	J		21		0.5	5
BGO 17DR	7/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 17DR	7/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 17DR	7/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 17DR	7/13/2015	TIN	10	ug/L	U				1	10
BGO 17DR	7/13/2015	VANADIUM	50	ug/L	U				5	50
BGO 17DR	7/13/2015	ZINC	19.8	ug/L	U		21, V		4	40
BGO 17DR	7/13/2015	MERCURY	6.76	ug/L					0.02	0.2
BGO 17DR	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 17DR	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 17DR	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 17DR	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	15	ug/L					0.1	1
BGO 17DR	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 17DR	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 17DR	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 17DR	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 17DR	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 17DR	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 17DR	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 17DR	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 17DR	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 17DR	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 17DR	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 17DR	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 17DR	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 17DR	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 17DR	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 17DR	7/13/2015	ACETONE	2	ug/L	U	U	18		0.34	2
BGO 17DR	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 17DR	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 17DR	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 17DR	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 17DR	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 17DR	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 17DR	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 17DR	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 17DR	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 17DR	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 17DR	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 17DR	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 17DR	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 17DR	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 17DR	7/13/2015	CHLOROFORM	0.16	ug/L	J	J	21		0.1	1
BGO 17DR	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 17DR	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 17DR	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 17DR	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 17DR	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 17DR	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 17DR	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 17DR	7/13/2015	DICHLORODIFLUOROMETHANE	9.8	ug/L					0.08	2
BGO 17DR	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 17DR	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 17DR	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 17DR	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 17DR	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 17DR	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 17DR	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 17DR	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 17DR	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 17DR	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 17DR	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 17DR	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 17DR	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 17DR	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 17DR	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 17DR	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 17DR	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 17DR	7/13/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
BGO 17DR	7/13/2015	TOLUENE	0.23	ug/L	J	J	21		0.07	1
BGO 17DR	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 17DR	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 17DR	7/13/2015	TRICHLOROETHYLENE (TCE)	4.9	ug/L					0.25	1
BGO 17DR	7/13/2015	TRICHLOROFLUOROMETHANE	2.5	ug/L					0.11	1
BGO 17DR	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 17DR	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 17DR	7/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 17DR	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.2	pCi/L				0.202	0.147	0.551
BGO 17DR	7/13/2015	RADIUM-226	0.78	pCi/L				0.116	0.087	0.3188
BGO 17DR	7/13/2015	URANIUM-233/234	0.0591	pCi/L	U		V	0.0757	0.108	0.26
BGO 17DR	7/13/2015	URANIUM-235	0.0729	pCi/L	U		V	0.0935	0.133	0.321
BGO 17DR	7/13/2015	URANIUM-238	0.0161	pCi/L	U			0.0443	0.108	0.197
BGO 17DR	7/13/2015	GROSS ALPHA	2.06	pCi/L	U			1.97	2.14	6.08
BGO 17DR	7/13/2015	NONVOLATILE BETA	2.14	pCi/L	U			2.51	3.8	8.82
BGO 17DR	7/13/2015	STRONTIUM-90	-1.12	pCi/L	U			1.46	3.23	6.14
BGO 17DR	7/13/2015	CARBON-14	-1.95	pCi/L	U			4.4	7.45	16.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 17DR	7/13/2015	TECHNETIUM-99	-0.278	pCi/L	U			2.6	4.4	9.6
BGO 17DR	7/13/2015	TRITIUM	10.7	pCi/mL				0.69	0.475	1.85
BGO 17DR	7/13/2015	IODINE-129	-0.33	pCi/L	U			0.566	0.924	2.06
BGO 18A	7/15/2015	ETHANE	0.0039	ug/L	J		21		0.002	0.1
BGO 18A	7/15/2015	ETHYLENE	0.018	ug/L	J		21		0.003	0.1
BGO 18A	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 18A	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 18A	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 18A	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 18A	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 18A	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 18A	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 18A	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 18A	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 18A	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 18A	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 18A	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 18A	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 18A	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 18A	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 18A	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 18A	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 18A	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 18A	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 18A	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 18A	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 18A	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 18A	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 18A	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 18A	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 18A	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 18A	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 18A	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 18A	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 18A	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 18A	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 18A	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 18A	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 18A	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 18A	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 18A	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 18A	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 18A	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 18A	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 18A	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 18A	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 18A	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 18A	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 18A	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 18A	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 18A	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 18A	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 18A	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 18A	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 18A	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 18A	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 18A	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 18A	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 18A	7/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 18A	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 18A	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 18A	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 18A	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 18A	7/15/2015	TRITIUM	0.246	pCi/mL	U			0.317	0.522	1.16
BGO 20A	7/13/2015	ETHANE	0.0052	ug/L	J		21		0.002	0.1
BGO 20A	7/13/2015	ETHYLENE	0.028	ug/L	J		21		0.003	0.1
BGO 20A	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 20A	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 20A	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 20A	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 20A	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 20A	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 20A	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 20A	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 20A	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 20A	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 20A	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 20A	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 20A	7/13/2015	ACETONE	2	ug/L	U	U	18		0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20A	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 20A	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 20A	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 20A	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 20A	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 20A	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 20A	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 20A	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 20A	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 20A	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 20A	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 20A	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 20A	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 20A	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 20A	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 20A	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 20A	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 20A	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 20A	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 20A	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 20A	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 20A	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 20A	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20A	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 20A	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 20A	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 20A	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 20A	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 20A	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 20A	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 20A	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 20A	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 20A	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 20A	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 20A	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 20A	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 20A	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 20A	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 20A	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 20A	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 20A	7/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 20A	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 20A	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 20A	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 20A	7/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 20A	7/13/2015	TRITIUM	-0.0217	pCi/mL	U			0.262	0.458	0.982
BGO 20AA	7/16/2015	ETHANE	0.016	ug/L	J		21		0.002	0.1
BGO 20AA	7/16/2015	ETHYLENE	0.32	ug/L					0.003	0.1
BGO 20AA	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20AA	7/16/2015	TRITIUM	-0.0889	pCi/mL	U			0.266	0.473	1.01
BGO 20AA	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 20AA	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 20AA	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 20AA	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 20AA	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 20AA	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 20AA	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 20AA	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 20AA	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 20AA	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 20AA	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 20AA	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 20AA	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGO 20AA	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 20AA	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20AA	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 20AA	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 20AA	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGO 20AA	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20AA	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 20AA	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 20AA	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 20AA	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 20AA	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 20AA	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 20AA	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 20AA	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20AA	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20AA	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 20AA	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 20AA	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20AA	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 20AA	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 20AA	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 20AA	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 20AA	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 20AA	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20AA	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 20AA	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 20AA	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 20AA	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 20AA	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 20AA	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 20AA	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 20AA	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 20AA	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 20AA	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 20AA	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 20AA	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 20AA	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 20AA	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 20AA	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20AA	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 20AA	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 20AA	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 20AA	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 20AA	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGO 20C	7/14/2015	ETHANE	0.0022	ug/L	J		21		0.002	0.1
BGO 20C	7/14/2015	ETHYLENE	0.0064	ug/L	J		21		0.003	0.1
BGO 20C	7/14/2015	ANTIMONY	10	ug/L	U				1	10
BGO 20C	7/14/2015	ARSENIC	50	ug/L	U				5	50
BGO 20C	7/14/2015	BARIUM	5.29	ug/L	J		21		2	20
BGO 20C	7/14/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20C	7/14/2015	CHROMIUM	100	ug/L	U				10	100
BGO 20C	7/14/2015	COBALT	5	ug/L	U				0.5	5
BGO 20C	7/14/2015	COPPER	1.81	ug/L	J		21		0.5	5
BGO 20C	7/14/2015	LEAD	5	ug/L	U				0.5	5
BGO 20C	7/14/2015	NICKEL	0.752	ug/L	J		21		0.5	5
BGO 20C	7/14/2015	SELENIUM	20	ug/L	U				2	20
BGO 20C	7/14/2015	SILVER	5	ug/L	U				0.5	5
BGO 20C	7/14/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	TIN	10	ug/L	U				1	10
BGO 20C	7/14/2015	VANADIUM	8.02	ug/L	J		21		5	50
BGO 20C	7/14/2015	ZINC	12.1	ug/L	U		21, V		4	40
BGO 20C	7/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 20C	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 20C	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 20C	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 20C	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 20C	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 20C	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 20C	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 20C	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20C	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 20C	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 20C	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 20C	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 20C	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 20C	7/14/2015	ACETONE	2	ug/L	U				0.34	2
BGO 20C	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 20C	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 20C	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 20C	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 20C	7/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 20C	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20C	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 20C	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 20C	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 20C	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 20C	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 20C	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 20C	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 20C	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20C	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20C	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 20C	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 20C	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20C	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20C	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 20C	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 20C	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 20C	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 20C	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 20C	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 20C	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 20C	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 20C	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 20C	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 20C	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 20C	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 20C	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 20C	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 20C	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 20C	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 20C	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 20C	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 20C	7/14/2015	STYRENE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 20C	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 20C	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20C	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20C	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 20C	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 20C	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 20C	7/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 20C	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 20C	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0445	pCi/L	U			0.051	0.084	0.1863
BGO 20C	7/14/2015	RADIUM-226	0.0831	pCi/L	J		21	0.056	0.082	0.1931
BGO 20C	7/14/2015	URANIUM-233/234	0.118	pCi/L	U		V	0.108	0.129	0.344
BGO 20C	7/14/2015	URANIUM-235	0.0464	pCi/L	U		V	0.0764	0.133	0.286
BGO 20C	7/14/2015	URANIUM-238	0.0804	pCi/L	U			0.0871	0.108	0.282
BGO 20C	7/14/2015	GROSS ALPHA	0.51	pCi/L	U			1.21	2.17	4.59
BGO 20C	7/14/2015	NONVOLATILE BETA	0.308	pCi/L	U			2.11	3.77	8
BGO 20C	7/14/2015	STRONTIUM-90	1.1	pCi/L	U			1.74	3.29	6.77
BGO 20C	7/14/2015	CARBON-14	50.7	pCi/L				5.34	7.14	17.8
BGO 20C	7/14/2015	TECHNETIUM-99	0.644	pCi/L	U			2.54	4.24	9.32
BGO 20C	7/14/2015	TRITIUM	47.6	pCi/mL				1.29	0.381	2.95
BGO 20C	7/14/2015	IODINE-129	0.793	pCi/L	U			0.898	0.944	2.74
BGO 20D	7/14/2015	ETHANE	0.0042	ug/L	J		21		0.002	0.1
BGO 20D	7/14/2015	ETHYLENE	0.0093	ug/L	J		21		0.003	0.1
BGO 20D	7/14/2015	ANTIMONY	10	ug/L	U				1	10
BGO 20D	7/14/2015	ARSENIC	50	ug/L	U				5	50
BGO 20D	7/14/2015	BARIUM	27.3	ug/L					2	20
BGO 20D	7/14/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	CHROMIUM	100	ug/L	U				10	100
BGO 20D	7/14/2015	COBALT	5	ug/L	U				0.5	5
BGO 20D	7/14/2015	COPPER	227	ug/L					0.5	5
BGO 20D	7/14/2015	LEAD	5.27	ug/L					0.5	5
BGO 20D	7/14/2015	NICKEL	2.07	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20D	7/14/2015	SELENIUM	20	ug/L	U				2	20
BGO 20D	7/14/2015	SILVER	5	ug/L	U				0.5	5
BGO 20D	7/14/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	TIN	10	ug/L	U				1	10
BGO 20D	7/14/2015	VANADIUM	50	ug/L	U				5	50
BGO 20D	7/14/2015	ZINC	139	ug/L			V		4	40
BGO 20D	7/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 20D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 20D	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.87	ug/L	J		21		0.1	1
BGO 20D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 20D	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 20D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 20D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 20D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 20D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 20D	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 20D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 20D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 20D	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 20D	7/14/2015	ACETONE	2	ug/L	U				0.34	2
BGO 20D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 20D	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 20D	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 20D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 20D	7/14/2015	BENZENE	1	ug/L	U				0.06	1
BGO 20D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 20D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 20D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 20D	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 20D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 20D	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 20D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 20D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20D	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 20D	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 20D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 20D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 20D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 20D	7/14/2015	DICHLORODIFLUOROMETHANE	1.4	ug/L	J		21		0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 20D	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 20D	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 20D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 20D	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 20D	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 20D	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 20D	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 20D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 20D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 20D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 20D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 20D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 20D	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 20D	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 20D	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 20D	7/14/2015	STYRENE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 20D	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 20D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 20D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 20D	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 20D	7/14/2015	TRICHLOROFLUOROMETHANE	0.24	ug/L	J		21		0.11	1
BGO 20D	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 20D	7/14/2015	XYLENES	3	ug/L	U				0.2	3
BGO 20D	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 20D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.798	pCi/L				0.129	0.094	0.3515
BGO 20D	7/14/2015	RADIUM-226	0.625	pCi/L				0.108	0.086	0.302
BGO 20D	7/14/2015	URANIUM-233/234	0.0161	pCi/L	U		V	0.0655	0.17	0.301
BGO 20D	7/14/2015	URANIUM-235	0	pCi/L	U		V	0	0.0719	0.0719
BGO 20D	7/14/2015	URANIUM-238	0	pCi/L	U			0	0.0582	0.0582
BGO 20D	7/14/2015	GROSS ALPHA	0.903	pCi/L	U			1.45	2.17	5.06
BGO 20D	7/14/2015	NONVOLATILE BETA	1.24	pCi/L	U			2.32	3.78	8.42
BGO 20D	7/14/2015	STRONTIUM-90	0.53	pCi/L	U			1.99	3.29	7.27
BGO 20D	7/14/2015	CARBON-14	73.2	pCi/L				5.75	7.14	18.6
BGO 20D	7/14/2015	TECHNETIUM-99	-1.56	pCi/L	U			2.5	4.29	9.29
BGO 20D	7/14/2015	TRITIUM	5.91	pCi/mL				0.495	0.378	1.37
BGO 20D	7/14/2015	IODINE-129	0.385	pCi/L	U			0.64	0.953	2.23
BGO 25A	7/16/2015	ETHANE	0.0053	ug/L	J		21		0.002	0.1
BGO 25A	7/16/2015	ETHYLENE	0.03	ug/L	J		21		0.003	0.1
BGO 25A	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 25A	7/16/2015	TRITIUM	0.287	pCi/mL	U			0.292	0.474	1.06
BGO 25A	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 25A	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 25A	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 25A	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 25A	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 25A	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 25A	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 25A	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 25A	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 25A	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 25A	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 25A	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 25A	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 25A	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 25A	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 25A	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 25A	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 25A	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 25A	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 25A	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 25A	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 25A	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 25A	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 25A	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 25A	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 25A	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 25A	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 25A	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 25A	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 25A	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 25A	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 25A	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 25A	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 25A	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 25A	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 25A	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 25A	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 25A	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 25A	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 25A	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 25A	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 25A	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 25A	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 25A	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 25A	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 25A	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 25A	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 25A	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 25A	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 25A	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 25A	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 25A	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 25A	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 25A	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 25A	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 25A	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 25A	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 25A	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 26A	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 26A	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 26A	1/12/2015	BARIUM	58.5	ug/L					2	20
BGO 26A	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 26A	1/12/2015	CHROMIUM	100	ug/L	U				10	100
BGO 26A	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 26A	1/12/2015	COPPER	1.01	ug/L	J				0.5	5
BGO 26A	1/12/2015	LEAD	5	ug/L	U				0.5	5
BGO 26A	1/12/2015	NICKEL	2.31	ug/L	J				0.5	5
BGO 26A	1/12/2015	SELENIUM	2.9	ug/L	J				2	20
BGO 26A	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 26A	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 26A	1/12/2015	TIN	10	ug/L	U				1	10
BGO 26A	1/12/2015	VANADIUM	32.6	ug/L	U				5	50
BGO 26A	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 26A	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 26A	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 26A	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 26A	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 26A	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 26A	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 26A	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 26A	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 26A	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 26A	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 26A	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 26A	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 26A	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 26A	1/12/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
BGO 26A	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 26A	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 26A	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 26A	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 26A	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 26A	1/12/2015	TRICHLOROETHYLENE (TCE)	1.6	ug/L					0.25	1
BGO 26A	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 26A	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 26A	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 26A	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	0.332	pCi/L	J		21	0.11	0.131	0.351
BGO 26A	1/12/2015	RADIUM-226	0.19	pCi/L	J		21	0.069	0.085	0.2233
BGO 26A	1/12/2015	URANIUM-233/234	0.0526	pCi/L	U			0.0748	0.126	0.276
BGO 26A	1/12/2015	URANIUM-235	0.0259	pCi/L	U			0.0521	0.0703	0.174
BGO 26A	1/12/2015	URANIUM-238	0.0157	pCi/L	U			0.0433	0.106	0.192
BGO 26A	1/12/2015	GROSS ALPHA	0.0629	pCi/L	U			0.932	2.45	4.32
BGO 26A	1/12/2015	NONVOLATILE BETA	1.14	pCi/L	U			2.35	3.96	8.65

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	1/12/2015	STRONTIUM-90	1.28	pCi/L	U			2.07	3.11	7.26
BGO 26A	1/12/2015	CARBON-14	-1.66	pCi/L	UJ			4.09	6.92	15.1
BGO 26A	1/12/2015	TECHNETIUM-99	2.01	pCi/L	U			2.58	4.25	9.42
BGO 26A	1/12/2015	TRITIUM	16.6	pCi/mL				0.783	0.399	1.96
BGO 26A	1/12/2015	IODINE-129	0.868	pCi/L	U			0.844	0.897	2.59
BGO 26A	7/13/2015	ETHANE	0.0086	ug/L	J		21		0.002	0.1
BGO 26A	7/13/2015	ETHYLENE	0.3	ug/L					0.003	0.1
BGO 26A	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 26A	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 26A	7/13/2015	BARIUM	53.8	ug/L					2	20
BGO 26A	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 26A	7/13/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 26A	7/13/2015	COPPER	0.757	ug/L	J	J	21		0.5	5
BGO 26A	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 26A	7/13/2015	NICKEL	2.11	ug/L	J	J	21		0.5	5
BGO 26A	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 26A	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 26A	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 26A	7/13/2015	ZINC	5.76	ug/L	J	J	21		4	40
BGO 26A	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 26A	7/13/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
BGO 26A	7/13/2015	DDD	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	DDE	0.051	ug/L	U	U			0.014	0.051
BGO 26A	7/13/2015	DDT	0.051	ug/L	U	U			0.023	0.051
BGO 26A	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
BGO 26A	7/13/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
BGO 26A	7/13/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
BGO 26A	7/13/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
BGO 26A	7/13/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
BGO 26A	7/13/2015	TOTAL CHLORDANE	0.51	ug/L	U	U			0.1	0.51
BGO 26A	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 26A	7/13/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 26A	7/13/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 26A	7/13/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 26A	7/13/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 26A	7/13/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 26A	7/13/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 26A	7/13/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 26A	7/13/2015	2,4,5-T	1.1	ug/L	U	U			0.28	1.1
BGO 26A	7/13/2015	2,4,5-TP (SILVEX)	1.1	ug/L	U	U			0.2	1.1
BGO 26A	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.4	ug/L	U	U			4.4	8.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	DINOSEB	2.1	ug/L	U	U			0.77	2.1
BGO 26A	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 26A	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 26A	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 26A	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 26A	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 26A	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 26A	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 26A	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	1,2-DICHLOROETHYLENE	0.27	ug/L	J	J	21		0.15	2
BGO 26A	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 26A	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 26A	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 26A	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 26A	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 26A	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 26A	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 26A	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 26A	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 26A	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 26A	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 26A	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 26A	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 26A	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 26A	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 26A	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 26A	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 26A	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 26A	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 26A	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 26A	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 26A	7/13/2015	CIS-1,2-DICHLOROETHYLENE	0.27	ug/L	J	J	21		0.09	1
BGO 26A	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 26A	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 26A	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 26A	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 26A	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 26A	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 26A	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 26A	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 26A	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 26A	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 26A	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 26A	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 26A	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 26A	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 26A	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 26A	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 26A	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 26A	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 26A	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 26A	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 26A	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 26A	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 26A	7/13/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
BGO 26A	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 26A	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 26A	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 26A	7/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 26A	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,3,5-TRINITROBENZENE	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	1,4-NAPHTHOQUINONE	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
BGO 26A	7/13/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2	51
BGO 26A	7/13/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 26A	7/13/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 26A	7/13/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 26A	7/13/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 26A	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 26A	7/13/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U	14		1.3	51
BGO 26A	7/13/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U	U	14		2.7	51
BGO 26A	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 26A	7/13/2015	4-AMINOBIPHENYL	51	ug/L	U	U			1.1	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 26A	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 26A	7/13/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5.1	100
BGO 26A	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 26A	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U	U			23	51
BGO 26A	7/13/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 26A	7/13/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	ARAMITE	20	ug/L	U	U	14		5.1	20
BGO 26A	7/13/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	BENZYL ALCOHOL	10	ug/L	U	U			3.1	10
BGO 26A	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 26A	7/13/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	CHRYSENE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 26A	7/13/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 26A	7/13/2015	DISULFOTON	51	ug/L	U	U	14		1	51
BGO 26A	7/13/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 26A	7/13/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 26A	7/13/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 26A	7/13/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	ISOSAFROLE	20	ug/L	U	U			5.1	20
BGO 26A	7/13/2015	KEPONE	100	ug/L	U	U			20	100
BGO 26A	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 26A	7/13/2015	METHAPYRILENE	51	ug/L	U	U	14		1.3	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 26A	7/13/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 26A	7/13/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U	U			1.2	51
BGO 26A	7/13/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	PARATHION	51	ug/L	U	U	14		1	51
BGO 26A	7/13/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 26A	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	PENTACHLOROETHANE	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	PENTACHLORONITROBENZENE	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 26A	7/13/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	PHENOL	10	ug/L	U	UJ	14		2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	PHORATE	51	ug/L	U	U			2	51
BGO 26A	7/13/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 26A	7/13/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 26A	7/13/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 26A	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 26A	7/13/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 26A	7/13/2015	SULFOTEPP	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	THIONAZIN	51	ug/L	U	U			1	51
BGO 26A	7/13/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.000068	0.011
BGO 26A	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00028	ng/L	NJ	U	1, 21, V		0.000072	0.053
BGO 26A	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.000084	0.053
BGO 26A	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0002	ng/L	J	J	21		0.000033	0.053
BGO 26A	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.000067	0.053
BGO 26A	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00017	ng/L	NJ	NJ	1, 21		0.000068	0.011
BGO 26A	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00025	ng/L	NJ	U	1, 21, V		0.000043	0.011
BGO 26A	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 26A	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.433	pCi/L			S	0.138	0.157	0.433
BGO 26A	7/13/2015	RADIUM-226	0.279	pCi/L				0.071	0.064	0.2062
BGO 26A	7/13/2015	RADIUM-228	0.222	pCi/L	U	U		0.268	0.443	0.979
BGO 26A	7/13/2015	AMERICIUM-241	-0.00569	pCi/L	U	U		0.0114	0.115	0.137
BGO 26A	7/13/2015	CURIUM-242	0.251	pCi/L	J	J	21	0.159	0.113	0.431
BGO 26A	7/13/2015	CURIUM-243/244	0.0673	pCi/L	U	U	V	0.0783	0.0608	0.217
BGO 26A	7/13/2015	CURIUM-245/246	0.209	pCi/L	U	U	21, V	0.142	0.0629	0.348
BGO 26A	7/13/2015	NEPTUNIUM-237	-0.00485	pCi/L	U	U		0.00975	0.0976	0.117
BGO 26A	7/13/2015	PLUTONIUM-238	-0.0048	pCi/L	U	U		0.00966	0.0966	0.116
BGO 26A	7/13/2015	PLUTONIUM-239/240	-0.0048	pCi/L	U	U	V	0.00965	0.0966	0.116
BGO 26A	7/13/2015	THORIUM-228	0.0353	pCi/L	U	U	V	0.0737	0.138	0.286

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26A	7/13/2015	THORIUM-230	0.113	pCi/L	U	U	21, V	0.0645	0.0236	0.153
BGO 26A	7/13/2015	THORIUM-232	0.00871	pCi/L	U	U		0.0175	0.0236	0.0585
BGO 26A	7/13/2015	URANIUM-233/234	0.0413	pCi/L	U	U	V	0.0681	0.119	0.255
BGO 26A	7/13/2015	URANIUM-235	0.109	pCi/L	U	U	V	0.119	0.147	0.384
BGO 26A	7/13/2015	URANIUM-238	0.0884	pCi/L	U	U	V	0.0958	0.119	0.31
BGO 26A	7/13/2015	GROSS ALPHA	3.37	pCi/L	J	J	21	2.49	2.28	7.26
BGO 26A	7/13/2015	NONVOLATILE BETA	5.59	pCi/L	J	J	21	3.16	4.05	10.4
BGO 26A	7/13/2015	STRONTIUM-90	0.102	pCi/L	U	U		1.82	2.98	6.62
BGO 26A	7/13/2015	CARBON-14	33	pCi/L				5.21	7.51	17.9
BGO 26A	7/13/2015	NICKEL-63	-0.708	pCi/L	U	U		3.02	5.27	11.3
BGO 26A	7/13/2015	TECHNETIUM-99	0.35	pCi/L	U	U		2.66	4.46	9.78
BGO 26A	7/13/2015	TRITIUM	20.9	pCi/mL				0.927	0.474	2.33
BGO 26A	7/13/2015	CESIUM-134	-2.73	pCi/L	U	U		5.9	8.63	20.4
BGO 26A	7/13/2015	CESIUM-137	0.322	pCi/L	U	U		5.14	9.3	19.6
BGO 26A	7/13/2015	COBALT-60	2.92	pCi/L	U	U		5.31	10.4	21
BGO 26A	7/13/2015	EUROPIUM-152	23.7	pCi/L	U	U		63.7	98.8	226
BGO 26A	7/13/2015	EUROPIUM-154	-12.8	pCi/L	U	U		10.4	17.1	37.9
BGO 26A	7/13/2015	EUROPIUM-155	-1.37	pCi/L	U	U		15.1	24.8	55
BGO 26A	7/13/2015	IODINE-129	-0.0641	pCi/L	U	U		0.652	1.1	2.4
BGO 26A	7/13/2015	SODIUM-22	0.572	pCi/L	U	U		5.17	9.78	20.1
BGO 26D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 26D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 26D	1/12/2015	BARIUM	4.9	ug/L	J				2	20
BGO 26D	1/12/2015	BERYLLIUM	0.253	ug/L	J				0.1	1
BGO 26D	1/12/2015	CHROMIUM	100	ug/L	U				10	100
BGO 26D	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 26D	1/12/2015	COPPER	4.48	ug/L	J				0.5	5
BGO 26D	1/12/2015	LEAD	5.6	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	1/12/2015	NICKEL	1.01	ug/L	J				0.5	5
BGO 26D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 26D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 26D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 26D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 26D	1/12/2015	VANADIUM	39	ug/L	U				5	50
BGO 26D	1/12/2015	ZINC	12	ug/L	J				4	40
BGO 26D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 26D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 26D	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 26D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 26D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 26D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 26D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 26D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 26D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 26D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 26D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 26D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 26D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 26D	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 26D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 26D	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 26D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 26D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 26D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 26D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 26D	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 26D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 26D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 26D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	2.02	pCi/L				0.228	0.138	0.594
BGO 26D	1/12/2015	RADIUM-226	1.15	pCi/L				0.137	0.075	0.3488
BGO 26D	1/12/2015	URANIUM-233/234	0.06	pCi/L	U			0.077	0.11	0.264
BGO 26D	1/12/2015	URANIUM-235	0.0269	pCi/L	U			0.054	0.073	0.181
BGO 26D	1/12/2015	URANIUM-238	0.0599	pCi/L	U			0.0768	0.11	0.263
BGO 26D	1/12/2015	GROSS ALPHA	4.25	pCi/L	J		21	2.67	2.19	7.53
BGO 26D	1/12/2015	NONVOLATILE BETA	2.29	pCi/L	U			2.59	4.02	9.21
BGO 26D	1/12/2015	STRONTIUM-90	-1.69	pCi/L	U			1.52	3.1	6.15
BGO 26D	1/12/2015	CARBON-14	9.71	pCi/L	J		21	4.45	7.08	16
BGO 26D	1/12/2015	TECHNETIUM-99	2.35	pCi/L	U			2.59	4.24	9.41
BGO 26D	1/12/2015	TRITIUM	1.29	pCi/mL				0.31	0.399	1.02
BGO 26D	1/12/2015	IODINE-129	0.412	pCi/L	U			0.62	0.93	2.17
BGO 26D	7/16/2015	ETHANE	0.0044	ug/L	J		21		0.002	0.1
BGO 26D	7/16/2015	ETHYLENE	0.021	ug/L	J		21		0.003	0.1
BGO 26D	7/16/2015	ANTIMONY	10	ug/L	U				1	10
BGO 26D	7/16/2015	ARSENIC	50	ug/L	U				5	50
BGO 26D	7/16/2015	BARIUM	6.79	ug/L	J		21		2	20
BGO 26D	7/16/2015	BERYLLIUM	0.325	ug/L	J		21		0.1	1
BGO 26D	7/16/2015	CHROMIUM	100	ug/L	U				10	100
BGO 26D	7/16/2015	COBALT	0.506	ug/L	J		21		0.5	5
BGO 26D	7/16/2015	COPPER	10.9	ug/L					0.5	5
BGO 26D	7/16/2015	LEAD	9.74	ug/L					0.5	5
BGO 26D	7/16/2015	NICKEL	1.65	ug/L	J		21		0.5	5
BGO 26D	7/16/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	7/16/2015	SILVER	5	ug/L	U				0.5	5
BGO 26D	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	TIN	10	ug/L	U				1	10
BGO 26D	7/16/2015	VANADIUM	50	ug/L	U				5	50
BGO 26D	7/16/2015	ZINC	24	ug/L	U		21, V		4	40
BGO 26D	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 26D	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 26D	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 26D	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 26D	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 26D	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 26D	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 26D	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 26D	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 26D	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 26D	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 26D	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 26D	7/16/2015	ACETONE	2	ug/L	U				0.34	2
BGO 26D	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 26D	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 26D	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 26D	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 26D	7/16/2015	BENZENE	1	ug/L	U				0.06	1
BGO 26D	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 26D	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 26D	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 26D	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 26D	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 26D	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 26D	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 26D	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 26D	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 26D	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 26D	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 26D	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 26D	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 26D	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 26D	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 26D	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 26D	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 26D	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 26D	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 26D	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 26D	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 26D	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 26D	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 26D	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 26D	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 26D	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 26D	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 26D	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 26D	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 26D	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 26D	7/16/2015	STYRENE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 26D	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 26D	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 26D	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 26D	7/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 26D	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 26D	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 26D	7/16/2015	XYLENES	3	ug/L	U				0.2	3
BGO 26D	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 26D	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	1.65	pCi/L				0.167	0.059	0.3928
BGO 26D	7/16/2015	RADIUM-226	1.4	pCi/L				0.141	0.045	0.3267

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 26D	7/16/2015	URANIUM-233/234	0.0295	pCi/L	U		V	0.0699	0.159	0.299
BGO 26D	7/16/2015	URANIUM-235	0.116	pCi/L	U		21, V	0.118	0.0788	0.314
BGO 26D	7/16/2015	URANIUM-238	0.0588	pCi/L	U			0.0836	0.141	0.308
BGO 26D	7/16/2015	GROSS ALPHA	7.93	pCi/L	J		21	3.62	2.15	9.39
BGO 26D	7/16/2015	NONVOLATILE BETA	3.98	pCi/L	J		21	2.9	3.94	9.73
BGO 26D	7/16/2015	STRONTIUM-90	-0.746	pCi/L	U			2.22	3.12	7.56
BGO 26D	7/16/2015	CARBON-14	10.4	pCi/L	J		21	4.43	7.03	15.9
BGO 26D	7/16/2015	TECHNETIUM-99	0.809	pCi/L	U			2.55	4.26	9.37
BGO 26D	7/16/2015	TRITIUM	1.56	pCi/mL				0.36	0.475	1.2
BGO 26D	7/16/2015	IODINE-129	-0.0651	pCi/L	U			0.753	1.07	2.58
BGO 27C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
BGO 27C	2/4/2015	ARSENIC	50	ug/L	U				5	50
BGO 27C	2/4/2015	BARIUM	7.65	ug/L	J				2	20
BGO 27C	2/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 27C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
BGO 27C	2/4/2015	COBALT	5	ug/L	U				0.5	5
BGO 27C	2/4/2015	COPPER	5	ug/L	U				0.5	5
BGO 27C	2/4/2015	LEAD	5	ug/L	U				0.5	5
BGO 27C	2/4/2015	NICKEL	2.26	ug/L	J				0.5	5
BGO 27C	2/4/2015	SELENIUM	20	ug/L	U				2	20
BGO 27C	2/4/2015	SILVER	5	ug/L	U				0.5	5
BGO 27C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 27C	2/4/2015	TIN	10	ug/L	U				1	10
BGO 27C	2/4/2015	VANADIUM	16.3	ug/L	J				5	50
BGO 27C	2/4/2015	ZINC	5.39	ug/L	J				4	40
BGO 27C	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 27C	2/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 27C	2/4/2015	1,1-DICHLOROETHANE	0.37	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	2/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27C	2/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 27C	2/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 27C	2/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 27C	2/4/2015	1,4-DIOXANE	210	ug/L					7.6	80
BGO 27C	2/4/2015	BENZENE	1	ug/L	U				0.06	1
BGO 27C	2/4/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 27C	2/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 27C	2/4/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 27C	2/4/2015	CHLOROETHENE (VINYL CHLORIDE)	0.39	ug/L	J		21		0.08	2
BGO 27C	2/4/2015	CHLOROFORM	1.1	ug/L					0.1	1
BGO 27C	2/4/2015	CIS-1,2-DICHLOROETHYLENE	74	ug/L					0.45	5
BGO 27C	2/4/2015	DICHLORODIFLUOROMETHANE	0.8	ug/L	J		21		0.08	2
BGO 27C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 27C	2/4/2015	TETRACHLOROETHYLENE (PCE)	0.6	ug/L	J		21		0.18	1
BGO 27C	2/4/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
BGO 27C	2/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27C	2/4/2015	TRICHLOROETHYLENE (TCE)	31	ug/L					0.25	1
BGO 27C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 27C	2/4/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 27C	2/4/2015	XYLENES	3	ug/L	U				0.2	3
BGO 27C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.272	pCi/L	J		21	0.121	0.156	0.398
BGO 27C	2/4/2015	RADIUM-226	0.182	pCi/L	J		21	0.064	0.072	0.1998
BGO 27C	2/4/2015	URANIUM-233/234	0.0678	pCi/L	J		21	0.079	0.0613	0.219
BGO 27C	2/4/2015	URANIUM-235	0	pCi/L	U			0	0.0756	0.0756
BGO 27C	2/4/2015	URANIUM-238	0.152	pCi/L	J		21	0.122	0.114	0.358
BGO 27C	2/4/2015	GROSS ALPHA	1.27	pCi/L	U			1.66	2.4	5.72

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	2/4/2015	NONVOLATILE BETA	1.39	pCi/L	U			2.64	4.32	9.6
BGO 27C	2/4/2015	STRONTIUM-90	0.933	pCi/L	U			2.2	3.27	7.68
BGO 27C	2/4/2015	CARBON-14	-2.58	pCi/L	U			4.15	7.05	15.3
BGO 27C	2/4/2015	TECHNETIUM-99	1.89	pCi/L	U			2.55	4.19	9.29
BGO 27C	2/4/2015	TRITIUM	4140	pCi/mL				12.2	0.558	25
BGO 27C	2/4/2015	IODINE-129	0.387	pCi/L	U			0.606	1.03	2.24
BGO 27C	7/14/2015	ETHANE	0.0058	ug/L	J		21		0.002	0.1
BGO 27C	7/14/2015	ETHYLENE	0.0046	ug/L	J		21		0.003	0.1
BGO 27C	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 27C	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 27C	7/14/2015	BARIUM	6.85	ug/L	J	J	21		2	20
BGO 27C	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 27C	7/14/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 27C	7/14/2015	COPPER	1.71	ug/L	J	J	21		0.5	5
BGO 27C	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 27C	7/14/2015	NICKEL	1.78	ug/L	J	J	21		0.5	5
BGO 27C	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 27C	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 27C	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 27C	7/14/2015	ZINC	10.3	ug/L	J	J	21		4	40
BGO 27C	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 27C	7/14/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 27C	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 27C	7/14/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 27C	7/14/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 27C	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 27C	7/14/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 27C	7/14/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 27C	7/14/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 27C	7/14/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 27C	7/14/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 27C	7/14/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 27C	7/14/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 27C	7/14/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 27C	7/14/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 27C	7/14/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 27C	7/14/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 27C	7/14/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 27C	7/14/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 27C	7/14/2015	2,4,5-T	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 27C	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.1	ug/L	U	U			4.3	8.1
BGO 27C	7/14/2015	DINOSEB	2	ug/L	U	U			0.74	2
BGO 27C	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 27C	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.45	ug/L	J	J	21		0.1	1
BGO 27C	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 27C	7/14/2015	1,1-DICHLOROETHANE	0.42	ug/L	J	J	21		0.07	1
BGO 27C	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 27C	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 27C	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 27C	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 27C	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 27C	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	1,2-DICHLOROETHYLENE	75	ug/L					0.75	10
BGO 27C	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	1,4-DICHLOROBENZENE	0.13	ug/L	J	J	21		0.12	1
BGO 27C	7/14/2015	1,4-DIOXANE	270	ug/L					7.6	80
BGO 27C	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 27C	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 27C	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 27C	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 27C	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 27C	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 27C	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 27C	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 27C	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 27C	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 27C	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 27C	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 27C	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 27C	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 27C	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 27C	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 27C	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	0.47	ug/L	J	J	21		0.08	2
BGO 27C	7/14/2015	CHLOROFORM	1.2	ug/L					0.1	1
BGO 27C	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 27C	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 27C	7/14/2015	CIS-1,2-DICHLOROETHYLENE	75	ug/L					0.45	5
BGO 27C	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 27C	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 27C	7/14/2015	DICHLORODIFLUOROMETHANE	0.95	ug/L	J	J	21		0.08	2
BGO 27C	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 27C	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 27C	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 27C	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 27C	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 27C	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 27C	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 27C	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 27C	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 27C	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 27C	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 27C	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 27C	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 27C	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 27C	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 27C	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	TETRACHLOROETHYLENE (PCE)	0.61	ug/L	J	J	21		0.18	1
BGO 27C	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 27C	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 27C	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 27C	7/14/2015	TRICHLOROETHYLENE (TCE)	29	ug/L					0.25	1
BGO 27C	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 27C	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 27C	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 27C	7/14/2015	1,4-DIOXANE	310	ug/L					4.3	15
BGO 27C	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,3,5-TRINITROBENZENE	52	ug/L	U	U			1	52
BGO 27C	7/14/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	1,4-DIOXANE	120	ug/L					1	10
BGO 27C	7/14/2015	1,4-NAPHTHOQUINONE	52	ug/L	U	U			1	52
BGO 27C	7/14/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
BGO 27C	7/14/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
BGO 27C	7/14/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.3	10
BGO 27C	7/14/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 27C	7/14/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 27C	7/14/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
BGO 27C	7/14/2015	2-PICOLINE	21	ug/L	U	U			2.1	21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U	14		1.3	52
BGO 27C	7/14/2015	3,3'-DIMETHYLBENZIDINE	52	ug/L	U	U	14		2.7	52
BGO 27C	7/14/2015	3-METHYLCHOLANTHRENE	21	ug/L	U	U	14		1	21
BGO 27C	7/14/2015	4-AMINOBIPHENYL	52	ug/L	U	U			1.1	52
BGO 27C	7/14/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
BGO 27C	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		2.1	10
BGO 27C	7/14/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5.2	100
BGO 27C	7/14/2015	5-NITRO-O-TOLUIDINE	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	21	ug/L	U	U	14		1	21
BGO 27C	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	52	ug/L	U	U			23	52
BGO 27C	7/14/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 27C	7/14/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	ARAMITE	21	ug/L	U	U	14		5.2	21
BGO 27C	7/14/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	BENZYL ALCOHOL	10	ug/L	U	U			3.1	10
BGO 27C	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 27C	7/14/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	DIALLATE	21	ug/L	U	U			2.1	21
BGO 27C	7/14/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	DIMETHOATE	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 27C	7/14/2015	DISULFOTON	52	ug/L	U	U	14		1	52
BGO 27C	7/14/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	FAMPHUR	100	ug/L	U	U	14		1.8	100
BGO 27C	7/14/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	HEXACHLOROPHENE	260	ug/L	U	U	14		10	260
BGO 27C	7/14/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 27C	7/14/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	ISOPHORONE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	ISOSAFROLE	21	ug/L	U	U			5.2	21
BGO 27C	7/14/2015	KEPONE	100	ug/L	U	U			21	100
BGO 27C	7/14/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
BGO 27C	7/14/2015	METHAPYRILENE	52	ug/L	U	U	14		1.3	52
BGO 27C	7/14/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2.1	10
BGO 27C	7/14/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.6	10
BGO 27C	7/14/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	52	ug/L	U	U			1.2	52
BGO 27C	7/14/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	PARATHION	52	ug/L	U	U	14		1	52
BGO 27C	7/14/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 27C	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	PENTACHLOROETHANE	52	ug/L	U	U			1	52
BGO 27C	7/14/2015	PENTACHLORONITROBENZENE	52	ug/L	U	U			1	52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 27C	7/14/2015	PHENACETIN	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	PHENOL	10	ug/L	U	UJ	11, 14		2.1	10
BGO 27C	7/14/2015	PHORATE	52	ug/L	U	U			2.1	52
BGO 27C	7/14/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 27C	7/14/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 27C	7/14/2015	PRONAMIDE	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 27C	7/14/2015	PYRIDINE	21	ug/L	U	U			2.1	21
BGO 27C	7/14/2015	SAFROLE	21	ug/L	U	U			1	21
BGO 27C	7/14/2015	SULFOTEPP	52	ug/L	U	U			1	52
BGO 27C	7/14/2015	THIONAZIN	52	ug/L	U	U			1	52
BGO 27C	7/14/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0014	0.01
BGO 27C	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.00054	0.052
BGO 27C	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00024	0.052
BGO 27C	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.00075	0.052
BGO 27C	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00064	0.052
BGO 27C	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0014	0.01
BGO 27C	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.001	0.01
BGO 27C	7/14/2015	CYANIDE	3.1	ug/L	J	J	21		2.9	10
BGO 27C	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.18	pCi/L				0.061	0.058	0.1797
BGO 27C	7/14/2015	RADIUM-226	0.134	pCi/L	J	J	21	0.051	0.053	0.1537
BGO 27C	7/14/2015	RADIUM-228	0.19	pCi/L	U	U		0.255	0.425	0.935
BGO 27C	7/14/2015	AMERICIUM-241	0.0175	pCi/L	U	U		0.0482	0.118	0.214
BGO 27C	7/14/2015	CURIUM-242	0.0245	pCi/L	U	U	V	0.049	0.0624	0.16
BGO 27C	7/14/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0624	0.0624
BGO 27C	7/14/2015	CURIUM-245/246	0.232	pCi/L	J	U	21, V	0.155	0.12	0.429

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27C	7/14/2015	NEPTUNIUM-237	-0.0067	pCi/L	U	U	V	0.0135	0.135	0.162
BGO 27C	7/14/2015	PLUTONIUM-238	-0.00663	pCi/L	U	U		0.0134	0.134	0.16
BGO 27C	7/14/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0719	0.0719
BGO 27C	7/14/2015	THORIUM-228	0.0232	pCi/L	U	U		0.125	0.3	0.551
BGO 27C	7/14/2015	THORIUM-230	0.0631	pCi/L	U	U	V	0.0809	0.116	0.277
BGO 27C	7/14/2015	THORIUM-232	-0.00573	pCi/L	U	U		0.0115	0.115	0.138
BGO 27C	7/14/2015	URANIUM-233/234	0.1	pCi/L	J	J	21, 14	0.0906	0.0542	0.235
BGO 27C	7/14/2015	URANIUM-235	0	pCi/L	U	U		0	0.0669	0.0669
BGO 27C	7/14/2015	URANIUM-238	0.0399	pCi/L	U	U		0.0567	0.0541	0.168
BGO 27C	7/14/2015	GROSS ALPHA	-0.295	pCi/L	U	U		0.488	2.26	3.24
BGO 27C	7/14/2015	NONVOLATILE BETA	1.79	pCi/L	U	U		2.43	3.77	8.62
BGO 27C	7/14/2015	STRONTIUM-90	0.434	pCi/L	U	U		2.38	3.23	7.98
BGO 27C	7/14/2015	CARBON-14	48.5	pCi/L			V	5.41	7.33	18.1
BGO 27C	7/14/2015	NICKEL-63	2.31	pCi/L	U	U		3.27	5.75	12.3
BGO 27C	7/14/2015	TECHNETIUM-99	-0.746	pCi/L	U	U		2.6	4.42	9.63
BGO 27C	7/14/2015	TRITIUM	3730	pCi/mL				11.2	0.378	22.7
BGO 27C	7/14/2015	CESIUM-134	-9.32	pCi/L	U	U		5.54	8.3	19.4
BGO 27C	7/14/2015	CESIUM-137	-1.76	pCi/L	U	U		5.46	9.48	20.4
BGO 27C	7/14/2015	COBALT-60	1.13	pCi/L	U	U		5.42	10.3	21.1
BGO 27C	7/14/2015	EUROPIUM-152	-22.8	pCi/L	U	U		58.6	98.7	216
BGO 27C	7/14/2015	EUROPIUM-154	4.12	pCi/L	U	U		9.95	17.7	37.6
BGO 27C	7/14/2015	EUROPIUM-155	-4.27	pCi/L	U	U		14.6	23.8	53
BGO 27C	7/14/2015	IODINE-129	-0.136	pCi/L	U	U		0.69	0.967	2.35
BGO 27C	7/14/2015	SODIUM-22	0.154	pCi/L	U	U		4.28	8.21	16.8
BGO 27D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 27D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 27D	1/12/2015	BARIUM	12.6	ug/L	J				2	20
BGO 27D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	1/12/2015	CHROMIUM	10.5	ug/L	J				10	100
BGO 27D	1/12/2015	COBALT	1.52	ug/L	J				0.5	5
BGO 27D	1/12/2015	COPPER	7.79	ug/L					0.5	5
BGO 27D	1/12/2015	LEAD	6.38	ug/L					0.5	5
BGO 27D	1/12/2015	NICKEL	1.01	ug/L	J				0.5	5
BGO 27D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 27D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 27D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 27D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 27D	1/12/2015	VANADIUM	38.7	ug/L	U				5	50
BGO 27D	1/12/2015	ZINC	8.78	ug/L	J				4	40
BGO 27D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 27D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 27D	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 27D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 27D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 27D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 27D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 27D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 27D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 27D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 27D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 27D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 27D	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 27D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 27D	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 27D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 27D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 27D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 27D	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 27D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 27D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 27D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	2.75	pCi/L				0.28	0.14	0.7
BGO 27D	1/12/2015	RADIUM-226	1.64	pCi/L				0.161	0.073	0.3954
BGO 27D	1/12/2015	URANIUM-233/234	0.0767	pCi/L	U			0.0898	0.131	0.311
BGO 27D	1/12/2015	URANIUM-235	0.0203	pCi/L	U			0.0558	0.136	0.248
BGO 27D	1/12/2015	URANIUM-238	0.0164	pCi/L	U			0.0452	0.11	0.2
BGO 27D	1/12/2015	GROSS ALPHA	4.25	pCi/L	J		21	2.66	2.19	7.52
BGO 27D	1/12/2015	NONVOLATILE BETA	2.99	pCi/L	U			2.72	4.02	9.45
BGO 27D	1/12/2015	STRONTIUM-90	0.861	pCi/L	U			2.12	3.1	7.33
BGO 27D	1/12/2015	CARBON-14	-2.39	pCi/L	UJ			4.11	6.99	15.2
BGO 27D	1/12/2015	TECHNETIUM-99	3.36	pCi/L	U			2.59	4.2	9.39
BGO 27D	1/12/2015	TRITIUM	5.29	pCi/mL				0.481	0.4	1.36
BGO 27D	1/12/2015	IODINE-129	-0.402	pCi/L	U			0.561	0.935	2.06
BGO 27D	7/22/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1
BGO 27D	7/22/2015	ETHYLENE	0.0071	ug/L	J		21		0.003	0.1
BGO 27D	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BGO 27D	7/22/2015	ARSENIC	50	ug/L	U				5	50
BGO 27D	7/22/2015	BARIUM	12.4	ug/L	J		21		2	20
BGO 27D	7/22/2015	BERYLLIUM	0.111	ug/L	J		21		0.1	1
BGO 27D	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BGO 27D	7/22/2015	COBALT	1.47	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	7/22/2015	COPPER	1.32	ug/L	J		21		0.5	5
BGO 27D	7/22/2015	LEAD	1.93	ug/L	J		21		0.5	5
BGO 27D	7/22/2015	NICKEL	0.797	ug/L	J		21		0.5	5
BGO 27D	7/22/2015	SELENIUM	20	ug/L	U				2	20
BGO 27D	7/22/2015	SILVER	5	ug/L	U				0.5	5
BGO 27D	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	TIN	10	ug/L	U				1	10
BGO 27D	7/22/2015	VANADIUM	50	ug/L	U				5	50
BGO 27D	7/22/2015	ZINC	40	ug/L	U				4	40
BGO 27D	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 27D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 27D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 27D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 27D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 27D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 27D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 27D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 27D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	1,2-DICHLOROETHYLENE	0.22	ug/L	J		21		0.15	2
BGO 27D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 27D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 27D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 27D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 27D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 27D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 27D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 27D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 27D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 27D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 27D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 27D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 27D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 27D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 27D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 27D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 27D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 27D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 27D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 27D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 27D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 27D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	0.22	ug/L	J		21		0.09	1
BGO 27D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 27D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 27D	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 27D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 27D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 27D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 27D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 27D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 27D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 27D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 27D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 27D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 27D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 27D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 27D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 27D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 27D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 27D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 27D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 27D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 27D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 27D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 27D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 27D	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 27D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 27D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 27D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 27D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 27D	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	2.48	pCi/L				0.235	0.077	0.5474
BGO 27D	7/22/2015	RADIUM-226	1.71	pCi/L				0.165	0.083	0.4131
BGO 27D	7/22/2015	URANIUM-233/234	0.0653	pCi/L	J		21	0.076	0.059	0.211
BGO 27D	7/22/2015	URANIUM-235	0.0537	pCi/L	U			0.0764	0.0728	0.226
BGO 27D	7/22/2015	URANIUM-238	0.0543	pCi/L	U		V	0.0772	0.13	0.285
BGO 27D	7/22/2015	GROSS ALPHA	5.36	pCi/L	J		21	2.95	2.1	7.99
BGO 27D	7/22/2015	NONVOLATILE BETA	4.49	pCi/L	J		21	3	4.06	10.1
BGO 27D	7/22/2015	STRONTIUM-90	0.466	pCi/L	U			1.67	3.13	6.46
BGO 27D	7/22/2015	CARBON-14	27.4	pCi/L				4.71	6.86	16.3
BGO 27D	7/22/2015	TECHNETIUM-99	0.63	pCi/L	U			2.48	4.15	9.11
BGO 27D	7/22/2015	TRITIUM	6.68	pCi/mL				0.575	0.529	1.68
BGO 27D	7/22/2015	IODINE-129	0.0815	pCi/L	U			0.66	0.968	2.29
BGO 28D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
BGO 28D	2/3/2015	ARSENIC	50	ug/L	U				5	50
BGO 28D	2/3/2015	BARIUM	26.5	ug/L					2	20
BGO 28D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 28D	2/3/2015	CHROMIUM	100	ug/L	U				10	100
BGO 28D	2/3/2015	COBALT	1.79	ug/L	J				0.5	5
BGO 28D	2/3/2015	COPPER	5.31	ug/L					0.5	5
BGO 28D	2/3/2015	LEAD	5	ug/L	U				0.5	5
BGO 28D	2/3/2015	NICKEL	1.27	ug/L	J				0.5	5
BGO 28D	2/3/2015	SELENIUM	20	ug/L	U				2	20
BGO 28D	2/3/2015	SILVER	5	ug/L	U				0.5	5
BGO 28D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	2/3/2015	TIN	10	ug/L	U				1	10
BGO 28D	2/3/2015	VANADIUM	50	ug/L	U				5	50
BGO 28D	2/3/2015	ZINC	40	ug/L	U				4	40
BGO 28D	2/3/2015	MERCURY	0.1	ug/L	J		21		0.02	0.2
BGO 28D	2/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 28D	2/3/2015	1,1-DICHLOROETHANE	0.78	ug/L	J		21		0.07	1
BGO 28D	2/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 28D	2/3/2015	1,2,4-TRICHLOROBENZENE	0.62	ug/L	J		21		0.08	1
BGO 28D	2/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 28D	2/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 28D	2/3/2015	1,4-DIOXANE	45	ug/L	J		21		7.6	80
BGO 28D	2/3/2015	BENZENE	0.48	ug/L	J		21		0.06	1
BGO 28D	2/3/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 28D	2/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 28D	2/3/2015	CHLOROBENZENE	0.32	ug/L	J		21		0.15	1
BGO 28D	2/3/2015	CHLOROETHENE (VINYL CHLORIDE)	15	ug/L					0.08	2
BGO 28D	2/3/2015	CHLOROFORM	0.28	ug/L	J		21		0.1	1
BGO 28D	2/3/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L					0.45	5
BGO 28D	2/3/2015	DICHLORODIFLUOROMETHANE	2.5	ug/L					0.08	2
BGO 28D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 28D	2/3/2015	TETRACHLOROETHYLENE (PCE)	0.73	ug/L	J		21		0.18	1
BGO 28D	2/3/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 28D	2/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 28D	2/3/2015	TRICHLOROETHYLENE (TCE)	43	ug/L					1.3	5
BGO 28D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 28D	2/3/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 28D	2/3/2015	XYLENES	3	ug/L	U				0.2	3
BGO 28D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	2.31	pCi/L				0.221	0.114	0.556

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	2/3/2015	RADIUM-226	1.94	pCi/L				0.17	0.074	0.4143
BGO 28D	2/3/2015	URANIUM-233/234	0.0458	pCi/L	U			0.0651	0.062	0.192
BGO 28D	2/3/2015	URANIUM-235	0	pCi/L	U			0	0.0765	0.0765
BGO 28D	2/3/2015	URANIUM-238	0.0856	pCi/L	U			0.093	0.115	0.301
BGO 28D	2/3/2015	GROSS ALPHA	0.804	pCi/L	U			1.38	2.33	5.09
BGO 28D	2/3/2015	NONVOLATILE BETA	12.9	pCi/L				4.21	4.25	12.7
BGO 28D	2/3/2015	STRONTIUM-90	3.66	pCi/L	J		21	2.73	3.33	8.8
BGO 28D	2/3/2015	CARBON-14	10.4	pCi/L	J		21	4.37	6.91	15.6
BGO 28D	2/3/2015	TECHNETIUM-99	1.65	pCi/L	U			2.46	4.07	8.99
BGO 28D	2/3/2015	TRITIUM	2130	pCi/mL				8.45	0.394	17.3
BGO 28D	2/3/2015	IODINE-129	0.605	pCi/L	U			0.726	0.957	2.41
BGO 28D	7/13/2015	ETHANE	0.014	ug/L	J		21		0.002	0.1
BGO 28D	7/13/2015	ETHYLENE	0.78	ug/L					0.003	0.1
BGO 28D	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 28D	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 28D	7/13/2015	BARIUM	25.6	ug/L					2	20
BGO 28D	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 28D	7/13/2015	COBALT	1.37	ug/L	J	J	21		0.5	5
BGO 28D	7/13/2015	COPPER	2.92	ug/L	J	J	21		0.5	5
BGO 28D	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 28D	7/13/2015	NICKEL	1.22	ug/L	J	J	21		0.5	5
BGO 28D	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 28D	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 28D	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	TIN	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 28D	7/13/2015	ZINC	9.45	ug/L	J	J	21		4	40
BGO 28D	7/13/2015	MERCURY	0.182	ug/L	J	J	21		0.02	0.2
BGO 28D	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 28D	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 28D	7/13/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 28D	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 28D	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.035	ug/L	J	J	21		0.0099	0.05
BGO 28D	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 28D	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 28D	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 28D	7/13/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 28D	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 28D	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 28D	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 28D	7/13/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
BGO 28D	7/13/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
BGO 28D	7/13/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
BGO 28D	7/13/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
BGO 28D	7/13/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
BGO 28D	7/13/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
BGO 28D	7/13/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97
BGO 28D	7/13/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
BGO 28D	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
BGO 28D	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.71	1.9
BGO 28D	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 28D	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 28D	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.61	ug/L	J	J	21		0.1	1
BGO 28D	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 28D	7/13/2015	1,1-DICHLOROETHANE	0.47	ug/L	J	J	21		0.07	1
BGO 28D	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 28D	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 28D	7/13/2015	1,2,4-TRICHLOROBENZENE	0.64	ug/L	J	J	21		0.08	1
BGO 28D	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 28D	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 28D	7/13/2015	1,2-DICHLOROBENZENE	0.26	ug/L	J	J	21		0.06	1
BGO 28D	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	1,2-DICHLOROETHYLENE	49	ug/L					1.5	20
BGO 28D	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	1,4-DICHLOROBENZENE	1.6	ug/L					0.12	1
BGO 28D	7/13/2015	1,4-DIOXANE	61	ug/L	J	J	21		7.6	80
BGO 28D	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 28D	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 28D	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 28D	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 28D	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 28D	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 28D	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 28D	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 28D	7/13/2015	BENZENE	0.42	ug/L	J	J	21		0.06	1
BGO 28D	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 28D	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 28D	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 28D	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 28D	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 28D	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 28D	7/13/2015	CHLOROBENZENE	0.5	ug/L	J	J	21		0.15	1
BGO 28D	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 28D	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	13	ug/L					0.08	2
BGO 28D	7/13/2015	CHLOROFORM	0.19	ug/L	J	J	21		0.1	1
BGO 28D	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 28D	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 28D	7/13/2015	CIS-1,2-DICHLOROETHYLENE	49	ug/L					0.9	10
BGO 28D	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 28D	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 28D	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 28D	7/13/2015	DICHLORODIFLUOROMETHANE	1.8	ug/L	J	J	21		0.08	2
BGO 28D	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 28D	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 28D	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 28D	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 28D	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 28D	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 28D	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 28D	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 28D	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 28D	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 28D	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 28D	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 28D	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 28D	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 28D	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 28D	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 28D	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 28D	7/13/2015	TETRACHLOROETHYLENE (PCE)	0.45	ug/L	J	J	21		0.18	1
BGO 28D	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 28D	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 28D	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 28D	7/13/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
BGO 28D	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 28D	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 28D	7/13/2015	1,4-DIOXANE	60	ug/L					0.85	3
BGO 28D	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,3,5-TRINITROBENZENE	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	1,4-DIOXANE	26	ug/L					1	10
BGO 28D	7/13/2015	1,4-NAPHTHOQUINONE	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
BGO 28D	7/13/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
BGO 28D	7/13/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 28D	7/13/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 28D	7/13/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 28D	7/13/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 28D	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 28D	7/13/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
BGO 28D	7/13/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U	U	14		2.6	50
BGO 28D	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 28D	7/13/2015	4-AMINOBIPHENYL	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 28D	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 28D	7/13/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5	100
BGO 28D	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 28D	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 28D	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U	U			22	50
BGO 28D	7/13/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 28D	7/13/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	ARAMITE	20	ug/L	U	U	14		5	20
BGO 28D	7/13/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
BGO 28D	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 28D	7/13/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 28D	7/13/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 28D	7/13/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 28D	7/13/2015	DISULFOTON	50	ug/L	U	U	14		1	50
BGO 28D	7/13/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 28D	7/13/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 28D	7/13/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	ISOSAFROLE	20	ug/L	U	U			5	20
BGO 28D	7/13/2015	KEPONE	100	ug/L	U	U			20	100
BGO 28D	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 28D	7/13/2015	METHAPYRILENE	50	ug/L	U	U	14		1.3	50
BGO 28D	7/13/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 28D	7/13/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 28D	7/13/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U	U			1.1	50
BGO 28D	7/13/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 28D	7/13/2015	PARATHION	50	ug/L	U	U	14		1	50
BGO 28D	7/13/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	PENTACHLOROETHANE	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	PENTACHLORONITROBENZENE	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 28D	7/13/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 28D	7/13/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	PHENOL	10	ug/L	U	UJ	14		2	10
BGO 28D	7/13/2015	PHORATE	50	ug/L	U	U			2	50
BGO 28D	7/13/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 28D	7/13/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 28D	7/13/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 28D	7/13/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 28D	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 28D	7/13/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 28D	7/13/2015	SULFOTEPP	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	THIONAZIN	50	ug/L	U	U			1	50
BGO 28D	7/13/2015	2,3,7,8-TCDD	0.0098	ng/L	U	U			0.000049	0.0098
BGO 28D	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00048	ng/L	NJ	U	1, 21, V		0.000049	0.049
BGO 28D	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00007	0.049
BGO 28D	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.049	ng/L	U	U			0.000031	0.049
BGO 28D	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.000041	ng/L	NJ	U	1		0.000049	0.049
BGO 28D	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0098	ng/L	U	U			0.000049	0.0098
BGO 28D	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00011	ng/L	NJ	U	1, 21, V		0.00003	0.0098
BGO 28D	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 28D	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	2.69	pCi/L				0.282	0.101	0.665
BGO 28D	7/13/2015	RADIUM-226	2.11	pCi/L				0.181	0.082	0.4438
BGO 28D	7/13/2015	RADIUM-228	2.59	pCi/L				0.382	0.409	1.173

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 28D	7/13/2015	AMERICIUM-241	0.0107	pCi/L	U	U		0.0454	0.128	0.219
BGO 28D	7/13/2015	CURIUM-242	0.0219	pCi/L	U	U		0.044	0.0572	0.145
BGO 28D	7/13/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0572	0.0572
BGO 28D	7/13/2015	CURIUM-245/246	0.262	pCi/L	U	U	21, V	0.156	0.0592	0.37
BGO 28D	7/13/2015	NEPTUNIUM-237	0.0177	pCi/L	U	U	V	0.0489	0.119	0.217
BGO 28D	7/13/2015	PLUTONIUM-238	0.0702	pCi/L	J	U	21	0.0828	0.0634	0.229
BGO 28D	7/13/2015	PLUTONIUM-239/240	0.0176	pCi/L	U	U	V	0.0484	0.118	0.215
BGO 28D	7/13/2015	THORIUM-228	0.0263	pCi/L	U	U	V	0.0547	0.104	0.213
BGO 28D	7/13/2015	THORIUM-230	0.0636	pCi/L	U	U	21, V	0.051	0.0564	0.158
BGO 28D	7/13/2015	THORIUM-232	0.00288	pCi/L	U	U		0.0208	0.0563	0.0979
BGO 28D	7/13/2015	URANIUM-233/234	0.0391	pCi/L	U	U	V	0.0644	0.112	0.241
BGO 28D	7/13/2015	URANIUM-235	0.0276	pCi/L	U	U	V	0.0553	0.0747	0.185
BGO 28D	7/13/2015	URANIUM-238	0.0223	pCi/L	U	U	V	0.0447	0.0604	0.15
BGO 28D	7/13/2015	GROSS ALPHA	6.26	pCi/L	J	J	21	3.21	2.15	8.56
BGO 28D	7/13/2015	NONVOLATILE BETA	7.73	pCi/L	J	J	21	3.48	4.09	11.1
BGO 28D	7/13/2015	STRONTIUM-90	5.75	pCi/L	J	J	21	3.11	2.98	9.21
BGO 28D	7/13/2015	CARBON-14	1.82	pCi/L	U	U		4.33	7.19	15.9
BGO 28D	7/13/2015	NICKEL-63	1.32	pCi/L	U	U		3.03	5.11	11.2
BGO 28D	7/13/2015	TECHNETIUM-99	1.49	pCi/L	U	U		2.69	4.46	9.84
BGO 28D	7/13/2015	TRITIUM	1990	pCi/mL				8.64	0.474	17.8
BGO 28D	7/13/2015	CESIUM-134	-0.845	pCi/L	U	U		5.55	8.46	19.6
BGO 28D	7/13/2015	CESIUM-137	1	pCi/L	U	U		5.77	10.4	22
BGO 28D	7/13/2015	COBALT-60	1.02	pCi/L	U	U		5.31	10.1	20.7
BGO 28D	7/13/2015	EUROPIUM-152	10.2	pCi/L	U	U		67.6	103	238
BGO 28D	7/13/2015	EUROPIUM-154	2.69	pCi/L	U	U		10.9	19.2	41
BGO 28D	7/13/2015	EUROPIUM-155	18.9	pCi/L	U	U		17.5	29	64
BGO 28D	7/13/2015	IODINE-129	1.24	pCi/L	J	J	21	0.838	1.1	2.78
BGO 28D	7/13/2015	SODIUM-22	1.14	pCi/L	U	U		4.81	9.33	18.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29A	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 29A	1/6/2015	TRICHLOROETHYLENE (TCE)	9.1	ug/L					0.25	1
BGO 29A	7/21/2015	ETHANE	0.002	ug/L	J		21		0.002	0.1
BGO 29A	7/21/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BGO 29A	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 29A	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 29A	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 29A	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 29A	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 29A	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 29A	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 29A	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 29A	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 29A	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 29A	7/21/2015	1,2-DICHLOROETHYLENE	11	ug/L					0.15	2
BGO 29A	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 29A	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 29A	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 29A	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 29A	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 29A	7/21/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29A	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 29A	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 29A	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 29A	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 29A	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BGO 29A	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 29A	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 29A	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 29A	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 29A	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 29A	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 29A	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 29A	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 29A	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 29A	7/21/2015	CHLOROFORM	0.33	ug/L	J		21		0.1	1
BGO 29A	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 29A	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 29A	7/21/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
BGO 29A	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 29A	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 29A	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 29A	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 29A	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 29A	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29A	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 29A	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 29A	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 29A	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 29A	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 29A	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 29A	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 29A	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 29A	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 29A	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 29A	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 29A	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 29A	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 29A	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 29A	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 29A	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 29A	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 29A	7/21/2015	TRICHLOROETHYLENE (TCE)	8.5	ug/L					0.25	1
BGO 29A	7/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 29A	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 29A	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BGO 29A	7/21/2015	1,4-DIOXANE	33	ug/L					0.85	3
BGO 29A	7/21/2015	TRITIUM	201	pCi/mL				2.72	0.456	5.9
BGO 29C	7/7/2015	ETHANE	0.0063	ug/L	J		21		0.002	0.1
BGO 29C	7/7/2015	ETHYLENE	0.019	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29C	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 29C	7/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 29C	7/7/2015	1,1-DICHLOROETHANE	0.28	ug/L	J		21		0.07	1
BGO 29C	7/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 29C	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 29C	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 29C	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 29C	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 29C	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	1,2-DICHLOROETHYLENE	14	ug/L					0.15	2
BGO 29C	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 29C	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 29C	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 29C	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 29C	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 29C	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 29C	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 29C	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29C	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 29C	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 29C	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 29C	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 29C	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 29C	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 29C	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 29C	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 29C	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 29C	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 29C	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 29C	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 29C	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 29C	7/7/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L					0.09	1
BGO 29C	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 29C	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 29C	7/7/2015	DICHLORODIFLUOROMETHANE	1.1	ug/L	J		21		0.08	2
BGO 29C	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 29C	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 29C	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 29C	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 29C	7/7/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 29C	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 29C	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 29C	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 29C	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 29C	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 29C	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 29C	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 29C	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 29C	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 29C	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 29C	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 29C	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	TETRACHLOROETHYLENE (PCE)	0.34	ug/L	J		21		0.18	1
BGO 29C	7/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 29C	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 29C	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 29C	7/7/2015	TRICHLOROETHYLENE (TCE)	0.77	ug/L	J		21		0.25	1
BGO 29C	7/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 29C	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 29C	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 29C	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 29C	7/7/2015	TRITIUM	137	pCi/mL				2.23	0.47	4.94
BGO 30C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
BGO 30C	2/4/2015	ARSENIC	50	ug/L	U				5	50
BGO 30C	2/4/2015	BARIUM	24.8	ug/L					2	20
BGO 30C	2/4/2015	BERYLLIUM	0.251	ug/L	J				0.1	1
BGO 30C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
BGO 30C	2/4/2015	COBALT	0.88	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	2/4/2015	COPPER	11.6	ug/L					0.5	5
BGO 30C	2/4/2015	LEAD	1.06	ug/L	J				0.5	5
BGO 30C	2/4/2015	NICKEL	4.62	ug/L	J				0.5	5
BGO 30C	2/4/2015	SELENIUM	20	ug/L	U				2	20
BGO 30C	2/4/2015	SILVER	5	ug/L	U				0.5	5
BGO 30C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 30C	2/4/2015	TIN	10	ug/L	U				1	10
BGO 30C	2/4/2015	VANADIUM	16.4	ug/L	J				5	50
BGO 30C	2/4/2015	ZINC	11.4	ug/L	J				4	40
BGO 30C	2/4/2015	MERCURY	0.116	ug/L	J		21		0.02	0.2
BGO 30C	2/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 30C	2/4/2015	1,1-DICHLOROETHANE	1.2	ug/L					0.07	1
BGO 30C	2/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 30C	2/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 30C	2/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 30C	2/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 30C	2/4/2015	1,4-DIOXANE	270	ug/L					7.6	80
BGO 30C	2/4/2015	BENZENE	1	ug/L	U				0.06	1
BGO 30C	2/4/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 30C	2/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 30C	2/4/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 30C	2/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 30C	2/4/2015	CHLOROFORM	2.6	ug/L					0.1	1
BGO 30C	2/4/2015	CIS-1,2-DICHLOROETHYLENE	120	ug/L					0.45	5
BGO 30C	2/4/2015	DICHLORODIFLUOROMETHANE	1.7	ug/L	J		21		0.08	2
BGO 30C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 30C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	2/4/2015	TOLUENE	0.22	ug/L	J		21		0.07	1
BGO 30C	2/4/2015	TRANS-1,2-DICHLOROETHYLENE	0.2	ug/L	J		21		0.08	1
BGO 30C	2/4/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					0.25	1
BGO 30C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 30C	2/4/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 30C	2/4/2015	XYLENES	3	ug/L	U				0.2	3
BGO 30C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.6	pCi/L				0.154	0.145	0.453
BGO 30C	2/4/2015	RADIUM-226	0.225	pCi/L	J		21	0.072	0.082	0.2265
BGO 30C	2/4/2015	URANIUM-233/234	0.0655	pCi/L	J		21	0.0932	0.157	0.343
BGO 30C	2/4/2015	URANIUM-235	0.0323	pCi/L	U			0.0648	0.0875	0.217
BGO 30C	2/4/2015	URANIUM-238	0.105	pCi/L	J		21	0.106	0.0708	0.282
BGO 30C	2/4/2015	GROSS ALPHA	0.433	pCi/L	U			1.15	2.31	4.61
BGO 30C	2/4/2015	NONVOLATILE BETA	0.885	pCi/L	U			2.48	4.2	9.16
BGO 30C	2/4/2015	STRONTIUM-90	-0.0909	pCi/L	U			2.09	3.27	7.46
BGO 30C	2/4/2015	CARBON-14	47	pCi/L				5.22	7.08	17.5
BGO 30C	2/4/2015	TECHNETIUM-99	1.54	pCi/L	U			2.53	4.19	9.25
BGO 30C	2/4/2015	TRITIUM	2530	pCi/mL				9.56	0.558	19.7
BGO 30C	2/4/2015	IODINE-129	0.0239	pCi/L	U			0.56	0.975	2.1
BGO 30C	7/13/2015	ETHANE	0.0049	ug/L	J		21		0.002	0.1
BGO 30C	7/13/2015	ETHYLENE	0.024	ug/L	J		21		0.003	0.1
BGO 30C	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 30C	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 30C	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 30C	7/13/2015	BARIUM	23.8	ug/L					2	20
BGO 30C	7/13/2015	BERYLLIUM	0.13	ug/L	J	J	21		0.1	1
BGO 30C	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 30C	7/13/2015	COBALT	5	ug/L	U	U			0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	COPPER	4.56	ug/L	J	J	21		0.5	5
BGO 30C	7/13/2015	LEAD	0.58	ug/L	J	J	21		0.5	5
BGO 30C	7/13/2015	NICKEL	2.26	ug/L	J	J	21		0.5	5
BGO 30C	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 30C	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 30C	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 30C	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 30C	7/13/2015	ZINC	14.7	ug/L	J	J	21		4	40
BGO 30C	7/13/2015	MERCURY	0.0315	ug/L	J	J	21		0.02	0.2
BGO 30C	7/13/2015	ALDRIN	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
BGO 30C	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.012	0.048
BGO 30C	7/13/2015	DDD	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	DDE	0.048	ug/L	U	U			0.013	0.048
BGO 30C	7/13/2015	DDT	0.048	ug/L	U	U			0.022	0.048
BGO 30C	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	DIELDRIN	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
BGO 30C	7/13/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
BGO 30C	7/13/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	LINDANE	0.048	ug/L	U	U			0.0095	0.048
BGO 30C	7/13/2015	METHOXYCHLOR	0.016	ug/L	J	J	21		0.012	0.48
BGO 30C	7/13/2015	TOTAL CHLORDANE	0.48	ug/L	U	U			0.095	0.48
BGO 30C	7/13/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
BGO 30C	7/13/2015	AROCLOR 1016	0.94	ug/L	U	U			0.33	0.94
BGO 30C	7/13/2015	AROCLOR 1221	0.94	ug/L	U	U			0.33	0.94
BGO 30C	7/13/2015	AROCLOR 1232	0.94	ug/L	U	U			0.33	0.94
BGO 30C	7/13/2015	AROCLOR 1242	0.94	ug/L	U	U			0.33	0.94
BGO 30C	7/13/2015	AROCLOR 1248	0.94	ug/L	U	U			0.33	0.94
BGO 30C	7/13/2015	AROCLOR 1254	0.94	ug/L	U	U			0.16	0.94
BGO 30C	7/13/2015	AROCLOR 1260	0.94	ug/L	U	U			0.16	0.94
BGO 30C	7/13/2015	2,4,5-T	0.96	ug/L	U	U			0.26	0.96
BGO 30C	7/13/2015	2,4,5-TP (SILVEX)	0.96	ug/L	U	U			0.18	0.96
BGO 30C	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
BGO 30C	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.7	1.9
BGO 30C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 30C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.52	ug/L	J	J	21		0.1	1
BGO 30C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 30C	7/13/2015	1,1-DICHLOROETHANE	1.2	ug/L					0.07	1
BGO 30C	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 30C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 30C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 30C	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 30C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	1,2-DICHLOROETHYLENE	110	ug/L					1.5	20
BGO 30C	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 30C	7/13/2015	1,4-DIOXANE	380	ug/L					7.6	80
BGO 30C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 30C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 30C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 30C	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 30C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 30C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 30C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 30C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 30C	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 30C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 30C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 30C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 30C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 30C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 30C	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 30C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 30C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 30C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 30C	7/13/2015	CHLOROFORM	2.6	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 30C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 30C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	110	ug/L					0.9	10
BGO 30C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 30C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 30C	7/13/2015	DICHLORODIFLUOROMETHANE	0.97	ug/L	J	J	21		0.08	2
BGO 30C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 30C	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 30C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 30C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 30C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 30C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 30C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 30C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 30C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 30C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 30C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 30C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 30C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 30C	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 30C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 30C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 30C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	TETRACHLOROETHYLENE (PCE)	0.94	ug/L	J	J	21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 30C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 30C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 30C	7/13/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
BGO 30C	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 30C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 30C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 30C	7/13/2015	1,4-DIOXANE	380	ug/L					4.3	15
BGO 30C	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,2,4-TRICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,3-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,4-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	1,4-DIOXANE	150	ug/L					0.97	9.7
BGO 30C	7/13/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	1-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
BGO 30C	7/13/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49
BGO 30C	7/13/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	2,6-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
BGO 30C	7/13/2015	2-ACETYLAMINOFLUORENE	97	ug/L	U	U	14		0.97	97
BGO 30C	7/13/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	2-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
BGO 30C	7/13/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
BGO 30C	7/13/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 30C	7/13/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 30C	7/13/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 30C	7/13/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.97	19
BGO 30C	7/13/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 30C	7/13/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
BGO 30C	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 30C	7/13/2015	4-NITROQUINOLINE-1-OXIDE	97	ug/L	U	U	14		4.9	97
BGO 30C	7/13/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.97	19
BGO 30C	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 30C	7/13/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	ANILINE	9.7	ug/L	U	U			1.2	9.7
BGO 30C	7/13/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	ARAMITE	19	ug/L	U	U	14		4.9	19
BGO 30C	7/13/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	BENZYL ALCOHOL	9.7	ug/L	U	U			2.9	9.7
BGO 30C	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
BGO 30C	7/13/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	CHLOROBENZILATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 30C	7/13/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	DIMETHOATE	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 30C	7/13/2015	DISULFOTON	49	ug/L	U	U	14		0.97	49
BGO 30C	7/13/2015	ETHYL METHACRYLATE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	ETHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	FAMPHUR	97	ug/L	U	U	14		1.7	97
BGO 30C	7/13/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.7	240
BGO 30C	7/13/2015	HEXACHLOROPROPENE	97	ug/L	U	U			0.97	97
BGO 30C	7/13/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	ISODRIN	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	ISOSAFROLE	19	ug/L	U	U			4.9	19
BGO 30C	7/13/2015	KEPONE	97	ug/L	U	U			19	97
BGO 30C	7/13/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 30C	7/13/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 30C	7/13/2015	METHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	METHYL PARATHION	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSODIETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSODIMETHYLAMINE	9.7	ug/L	U	U			1.9	9.7
BGO 30C	7/13/2015	N-NITROSODI-N-BUTYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
BGO 30C	7/13/2015	N-NITROSOMORPHOLINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	N-NITROSOPIPERIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	N-NITROSOPYRROLIDINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 30C	7/13/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	PARATHION	49	ug/L	U	U	14		0.97	49
BGO 30C	7/13/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
BGO 30C	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	PENTACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
BGO 30C	7/13/2015	PHENACETIN	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	PHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
BGO 30C	7/13/2015	PHORATE	49	ug/L	U	U			1.9	49
BGO 30C	7/13/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
BGO 30C	7/13/2015	P-PHENYLENEDIAMINE	97	ug/L	U	U			0.97	97
BGO 30C	7/13/2015	PRONAMIDE	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
BGO 30C	7/13/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 30C	7/13/2015	SAFROLE	19	ug/L	U	U			0.97	19
BGO 30C	7/13/2015	SULFOTEPP	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	THIONAZIN	49	ug/L	U	U			0.97	49
BGO 30C	7/13/2015	2,3,7,8-TCDD	0.0094	ng/L	U	U			0.000046	0.0094
BGO 30C	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00047	ng/L	NJ	U	1, 21, V		0.000055	0.047
BGO 30C	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.047	ng/L	U	U			0.000082	0.047
BGO 30C	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.047	ng/L	U	U			0.000025	0.047
BGO 30C	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.047	ng/L	U	U			0.000061	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00035	ng/L	NJ	NJ	1, 21		0.000046	0.0094
BGO 30C	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.0001	ng/L	NJ	U	1, 21, V		0.000036	0.0094
BGO 30C	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 30C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.296	pCi/L	J	J	21	0.131	0.173	0.435
BGO 30C	7/13/2015	RADIUM-226	0.253	pCi/L				0.067	0.057	0.1908
BGO 30C	7/13/2015	RADIUM-228	-0.0283	pCi/L	U	U		0.232	0.416	0.88
BGO 30C	7/13/2015	AMERICIUM-241	0.0173	pCi/L	U	U		0.048	0.116	0.211
BGO 30C	7/13/2015	CURIUM-242	0	pCi/L	U	U		0	0.0614	0.0614
BGO 30C	7/13/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0614	0.0614
BGO 30C	7/13/2015	CURIUM-245/246	0.141	pCi/L	U	U	21, V	0.117	0.0636	0.297
BGO 30C	7/13/2015	NEPTUNIUM-237	-0.0124	pCi/L	U	U		0.058	0.208	0.324
BGO 30C	7/13/2015	PLUTONIUM-238	-0.0306	pCi/L	U	U		0.028	0.194	0.25
BGO 30C	7/13/2015	PLUTONIUM-239/240	0	pCi/L	U	U	V	0	0.0664	0.0664
BGO 30C	7/13/2015	THORIUM-228	0.0153	pCi/L	U	U	V	0.076	0.153	0.305
BGO 30C	7/13/2015	THORIUM-230	0.193	pCi/L	U	U	21, V	0.089	0.0588	0.237
BGO 30C	7/13/2015	THORIUM-232	0	pCi/L	U	U		0	0.0245	0.0245
BGO 30C	7/13/2015	URANIUM-233/234	0.0333	pCi/L	U	U	V	0.065	0.133	0.263
BGO 30C	7/13/2015	URANIUM-235	0.0274	pCi/L	U	U	V	0.055	0.0742	0.184
BGO 30C	7/13/2015	URANIUM-238	0.0664	pCi/L	U	U	V	0.077	0.06	0.214
BGO 30C	7/13/2015	GROSS ALPHA	0.472	pCi/L	U	U		1.14	2.12	4.4
BGO 30C	7/13/2015	NONVOLATILE BETA	2.67	pCi/L	U	U		2.65	3.95	9.24
BGO 30C	7/13/2015	STRONTIUM-90	0.47	pCi/L	U	U		2.03	2.98	7.03
BGO 30C	7/13/2015	CARBON-14	38.3	pCi/L				5.41	7.66	18.5
BGO 30C	7/13/2015	NICKEL-63	-0.952	pCi/L	U	U		3.11	5.59	11.8
BGO 30C	7/13/2015	TECHNETIUM-99	-0.116	pCi/L	U	U		2.62	4.42	9.67
BGO 30C	7/13/2015	TRITIUM	2620	pCi/mL				9.92	0.474	20.3
BGO 30C	7/13/2015	CESIUM-134	0.379	pCi/L	U	U		5.13	8.09	18.4
BGO 30C	7/13/2015	CESIUM-137	-4.75	pCi/L	U	U		5.39	8.8	19.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30C	7/13/2015	COBALT-60	1.59	pCi/L	U	U		4.52	8.92	18
BGO 30C	7/13/2015	EUROPIUM-152	-28	pCi/L	U	U		56.6	94.8	208
BGO 30C	7/13/2015	EUROPIUM-154	-0.298	pCi/L	U	U		9.91	17.3	37.1
BGO 30C	7/13/2015	EUROPIUM-155	3.15	pCi/L	U	U		14.4	24	52.8
BGO 30C	7/13/2015	IODINE-129	0.211	pCi/L	U	U		0.779	1.13	2.69
BGO 30C	7/13/2015	SODIUM-22	-3.37	pCi/L	U	U		4.68	7.85	17.2
BGO 30D	1/15/2015	ANTIMONY	10	ug/L	U				1	10
BGO 30D	1/15/2015	ARSENIC	50	ug/L	U				5	50
BGO 30D	1/15/2015	BARIUM	13.5	ug/L	J				2	20
BGO 30D	1/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 30D	1/15/2015	CHROMIUM	100	ug/L	U				10	100
BGO 30D	1/15/2015	COBALT	2.8	ug/L	J				0.5	5
BGO 30D	1/15/2015	COPPER	3.3	ug/L	J				0.5	5
BGO 30D	1/15/2015	LEAD	0.553	ug/L	J				0.5	5
BGO 30D	1/15/2015	NICKEL	1.45	ug/L	J				0.5	5
BGO 30D	1/15/2015	SELENIUM	20	ug/L	U				2	20
BGO 30D	1/15/2015	SILVER	5	ug/L	U				0.5	5
BGO 30D	1/15/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 30D	1/15/2015	TIN	10	ug/L	U				1	10
BGO 30D	1/15/2015	VANADIUM	50	ug/L	U				5	50
BGO 30D	1/15/2015	ZINC	18.3	ug/L	J				4	40
BGO 30D	1/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 30D	1/15/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
BGO 30D	1/15/2015	1,1-DICHLOROETHANE	10	ug/L					0.18	2.5
BGO 30D	1/15/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
BGO 30D	1/15/2015	1,2,4-TRICHLOROBENZENE	2.5	ug/L	U				0.2	2.5
BGO 30D	1/15/2015	1,2-DICHLOROETHANE (EDC)	2.5	ug/L	U				0.25	2.5
BGO 30D	1/15/2015	1,2-DICHLOROPROPANE	2.5	ug/L	U				0.25	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	1/15/2015	1,4-DIOXANE	250	ug/L			18		19	200
BGO 30D	1/15/2015	BENZENE	0.6	ug/L	J		21		0.15	2.5
BGO 30D	1/15/2015	CARBON DISULFIDE	2.5	ug/L	U				0.13	2.5
BGO 30D	1/15/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
BGO 30D	1/15/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
BGO 30D	1/15/2015	CHLOROETHENE (VINYL CHLORIDE)	5.2	ug/L					0.2	5
BGO 30D	1/15/2015	CHLOROFORM	0.46	ug/L	J		21		0.25	2.5
BGO 30D	1/15/2015	CIS-1,2-DICHLOROETHYLENE	150	ug/L					2.3	25
BGO 30D	1/15/2015	DICHLORODIFLUOROMETHANE	6	ug/L					0.2	5
BGO 30D	1/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.5	ug/L	U				0.68	2.5
BGO 30D	1/15/2015	TETRACHLOROETHYLENE (PCE)	3.2	ug/L					0.45	2.5
BGO 30D	1/15/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
BGO 30D	1/15/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
BGO 30D	1/15/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.63	2.5
BGO 30D	1/15/2015	TRICHLOROFLUOROMETHANE	2.4	ug/L	J		21		0.28	2.5
BGO 30D	1/15/2015	VINYL ACETATE	5	ug/L	U				0.45	5
BGO 30D	1/15/2015	XYLENES	7.5	ug/L	U				0.5	7.5
BGO 30D	1/15/2015	RADIUM, TOTAL ALPHA-EMITTING	2.13	pCi/L				0.374	0.312	1.06
BGO 30D	1/15/2015	RADIUM-226	1.72	pCi/L				0.164	0.071	0.3988
BGO 30D	1/15/2015	URANIUM-233/234	0.0157	pCi/L	U			0.043	0.105	0.191
BGO 30D	1/15/2015	URANIUM-235	0	pCi/L	U			0	0.0698	0.0698
BGO 30D	1/15/2015	URANIUM-238	-0.00521	pCi/L	U			0.01	0.105	0.126
BGO 30D	1/15/2015	GROSS ALPHA	2.77	pCi/L	J		21	2.22	2.23	6.66
BGO 30D	1/15/2015	NONVOLATILE BETA	6.36	pCi/L	J		21	3.24	3.99	10.5
BGO 30D	1/15/2015	STRONTIUM-90	2.18	pCi/L	U			1.99	3.1	7.08
BGO 30D	1/15/2015	CARBON-14	1.65	pCi/L	U			4.13	6.86	15.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	1/15/2015	TECHNETIUM-99	0.182	pCi/L	U			2.43	4.09	8.94
BGO 30D	1/15/2015	TRITIUM	2120	pCi/mL				8.48	0.432	17.4
BGO 30D	1/15/2015	IODINE-129	5.75	pCi/L				1.4	1.05	3.85
BGO 30D	7/13/2015	ETHANE	0.024	ug/L	J		21		0.002	0.1
BGO 30D	7/13/2015	ETHYLENE	0.18	ug/L					0.003	0.1
BGO 30D	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 30D	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 30D	7/13/2015	BARIUM	11.4	ug/L	J	J	21		2	20
BGO 30D	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 30D	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 30D	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 30D	7/13/2015	COBALT	3.12	ug/L	J	J	21		0.5	5
BGO 30D	7/13/2015	COPPER	13.4	ug/L					0.5	5
BGO 30D	7/13/2015	LEAD	4.41	ug/L	J	J	21		0.5	5
BGO 30D	7/13/2015	NICKEL	1.81	ug/L	J	J	21		0.5	5
BGO 30D	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 30D	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 30D	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 30D	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 30D	7/13/2015	ZINC	47.8	ug/L					4	40
BGO 30D	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 30D	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 30D	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 30D	7/13/2015	DDD	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 30D	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 30D	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.039	ug/L	J	J	21		0.01	0.05
BGO 30D	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 30D	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 30D	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 30D	7/13/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 30D	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 30D	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 30D	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 30D	7/13/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
BGO 30D	7/13/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
BGO 30D	7/13/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
BGO 30D	7/13/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
BGO 30D	7/13/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
BGO 30D	7/13/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
BGO 30D	7/13/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
BGO 30D	7/13/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97
BGO 30D	7/13/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
BGO 30D	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
BGO 30D	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.71	1.9
BGO 30D	7/13/2015	1,1,1,2-TETRACHLOROETHANE	2.5	ug/L	U	U			0.23	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U	U			0.18	2.5
BGO 30D	7/13/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U	U			0.25	2.5
BGO 30D	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	3.4	ug/L					0.25	2.5
BGO 30D	7/13/2015	1,1,2-TRICHLOROETHANE	2.5	ug/L	U	U			0.38	2.5
BGO 30D	7/13/2015	1,1-DICHLOROETHANE	15	ug/L					0.18	2.5
BGO 30D	7/13/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	1,1-DICHLOROPROPENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	1,2,3-TRICHLOROBENZENE	2.5	ug/L	U	U			0.23	2.5
BGO 30D	7/13/2015	1,2,3-TRICHLOROPROPANE	2.5	ug/L	U	U			0.38	2.5
BGO 30D	7/13/2015	1,2,4-TRICHLOROBENZENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	2.5	ug/L	U	U			1	2.5
BGO 30D	7/13/2015	1,2-DIBROMOETHANE	2.5	ug/L	U	U			0.33	2.5
BGO 30D	7/13/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U	U			0.15	2.5
BGO 30D	7/13/2015	1,2-DICHLOROETHANE (EDC)	2.5	ug/L	U	U			0.25	2.5
BGO 30D	7/13/2015	1,2-DICHLOROETHYLENE	180	ug/L					3.8	50
BGO 30D	7/13/2015	1,2-DICHLOROPROPANE	2.5	ug/L	U	U			0.25	2.5
BGO 30D	7/13/2015	1,3-DICHLOROBENZENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	1,3-DICHLOROPROPANE	2.5	ug/L	U	U			0.18	2.5
BGO 30D	7/13/2015	1,4-DICHLOROBENZENE	2.5	ug/L	U	U			0.3	2.5
BGO 30D	7/13/2015	1,4-DIOXANE	430	ug/L					19	200
BGO 30D	7/13/2015	2,2-DICHLOROPROPANE	2.5	ug/L	U	U			0.35	2.5
BGO 30D	7/13/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			0.43	5
BGO 30D	7/13/2015	2-HEXANONE	13	ug/L	U	U			0.55	13
BGO 30D	7/13/2015	ACETONE	5	ug/L	U	U			0.85	5
BGO 30D	7/13/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			5.1	25
BGO 30D	7/13/2015	ACROLEIN	25	ug/L	U	U			6.9	25
BGO 30D	7/13/2015	ACRYLONITRILE	25	ug/L	U	U			1.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	ALLYL CHLORIDE	5	ug/L	U	U			0.28	5
BGO 30D	7/13/2015	BENZENE	0.77	ug/L	J	J	21		0.15	2.5
BGO 30D	7/13/2015	BROMOCHLOROMETHANE	2.5	ug/L	U	U			0.33	2.5
BGO 30D	7/13/2015	BROMODICHLOROMETHANE	2.5	ug/L	U	U			0.23	2.5
BGO 30D	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	2.5	ug/L	U	U			0.43	2.5
BGO 30D	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	5	ug/L	U	U			0.63	5
BGO 30D	7/13/2015	CARBON DISULFIDE	2.5	ug/L	U	U			0.13	2.5
BGO 30D	7/13/2015	CARBON TETRACHLORIDE	2.5	ug/L	U	U			0.33	2.5
BGO 30D	7/13/2015	CHLOROBENZENE	2.5	ug/L	U	U			0.38	2.5
BGO 30D	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	5	ug/L	U	U			0.25	5
BGO 30D	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	4.8	ug/L	J	J	21		0.2	5
BGO 30D	7/13/2015	CHLOROFORM	0.34	ug/L	J	J	21		0.25	2.5
BGO 30D	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	5	ug/L	U	U			0.2	5
BGO 30D	7/13/2015	CHLOROPRENE	2.5	ug/L	U	U			0.25	2.5
BGO 30D	7/13/2015	CIS-1,2-DICHLOROETHYLENE	180	ug/L					2.3	25
BGO 30D	7/13/2015	CIS-1,3-DICHLOROPROPENE	2.5	ug/L	U	U			0.18	2.5
BGO 30D	7/13/2015	CUMENE (ISOPROPYLBENZENE)	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	CYCLOHEXANE	2.5	ug/L	U	U			0.18	2.5
BGO 30D	7/13/2015	DIBROMOCHLOROMETHANE	2.5	ug/L	U	U			0.33	2.5
BGO 30D	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	2.5	ug/L	U	U			0.53	2.5
BGO 30D	7/13/2015	DICHLORODIFLUOROMETHANE	3.9	ug/L	J	J	21		0.2	5
BGO 30D	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.5	ug/L	U	U			0.68	2.5
BGO 30D	7/13/2015	ETHYL ACETATE	5	ug/L	U	U			0.45	5
BGO 30D	7/13/2015	ETHYLBENZENE	2.5	ug/L	U	U			0.23	2.5
BGO 30D	7/13/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			0.23	5
BGO 30D	7/13/2015	ISOBUTANOL	200	ug/L	U	U			22	200
BGO 30D	7/13/2015	M,P-XYLENE	5	ug/L	U	U			0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	METHACRYLONITRILE	25	ug/L	U	U			1.3	25
BGO 30D	7/13/2015	METHYL ACETATE	63	ug/L	U	U			0.93	63
BGO 30D	7/13/2015	METHYL ETHYL KETONE	13	ug/L	U	U			1.3	13
BGO 30D	7/13/2015	METHYL ISOBUTYL KETONE	13	ug/L	U	U			0.3	13
BGO 30D	7/13/2015	METHYL METHACRYLATE	5	ug/L	U	U			0.65	5
BGO 30D	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	5	ug/L	U	U			0.28	5
BGO 30D	7/13/2015	METHYLCYCLOHEXANE	10	ug/L	U	U			0.25	10
BGO 30D	7/13/2015	NAPHTHALENE	6.6	ug/L					0.4	2.5
BGO 30D	7/13/2015	O-XYLENE	2.5	ug/L	U	U			0.15	2.5
BGO 30D	7/13/2015	PROPIONITRILE	25	ug/L	U	U			3.4	25
BGO 30D	7/13/2015	STYRENE	2.5	ug/L	U	U			0.18	2.5
BGO 30D	7/13/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L	J	J	21		0.45	2.5
BGO 30D	7/13/2015	TOLUENE	0.66	ug/L	J	J	21		0.18	2.5
BGO 30D	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	TRANS-1,3-DICHLOROPROPENE	2.5	ug/L	U	U			0.2	2.5
BGO 30D	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			0.73	5
BGO 30D	7/13/2015	TRICHLOROETHYLENE (TCE)	7.1	ug/L					0.63	2.5
BGO 30D	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	J	J	21		0.28	2.5
BGO 30D	7/13/2015	VINYL ACETATE	5	ug/L	U	U			0.45	5
BGO 30D	7/13/2015	XYLENES	7.5	ug/L	U	U			0.5	7.5
BGO 30D	7/13/2015	1,4-DIOXANE	380	ug/L					4.3	15
BGO 30D	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,3,5-TRINITROBENZENE	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	1,4-DIOXANE	210	ug/L					1	10
BGO 30D	7/13/2015	1,4-NAPHTHOQUINONE	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
BGO 30D	7/13/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
BGO 30D	7/13/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 30D	7/13/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 30D	7/13/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 30D	7/13/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 30D	7/13/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 30D	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 30D	7/13/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
BGO 30D	7/13/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U	U	14		2.6	50
BGO 30D	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 30D	7/13/2015	4-AMINOBIPHENYL	50	ug/L	U	U			1.1	50
BGO 30D	7/13/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 30D	7/13/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5	100
BGO 30D	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 30D	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 30D	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U	U			22	50
BGO 30D	7/13/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 30D	7/13/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	ARAMITE	20	ug/L	U	U	14		5	20
BGO 30D	7/13/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
BGO 30D	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 30D	7/13/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 30D	7/13/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 30D	7/13/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 30D	7/13/2015	DISULFOTON	50	ug/L	U	U	14		1	50
BGO 30D	7/13/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 30D	7/13/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 30D	7/13/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 30D	7/13/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	ISOSAFROLE	20	ug/L	U	U			5	20
BGO 30D	7/13/2015	KEPONE	100	ug/L	U	U			20	100
BGO 30D	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 30D	7/13/2015	METHAPYRILENE	50	ug/L	U	U	14		1.3	50
BGO 30D	7/13/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	M-NITROANILINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	NAPHTHALENE	7.4	ug/L	J	J	21, 18		1	10
BGO 30D	7/13/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 30D	7/13/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 30D	7/13/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U	U			1.1	50
BGO 30D	7/13/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	PARATHION	50	ug/L	U	U	14		1	50
BGO 30D	7/13/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 30D	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	PENTACHLOROETHANE	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	PENTACHLORONITROBENZENE	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 30D	7/13/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 30D	7/13/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	PHENOL	10	ug/L	U	UJ	14		2	10
BGO 30D	7/13/2015	PHORATE	50	ug/L	U	U			2	50
BGO 30D	7/13/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 30D	7/13/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 30D	7/13/2015	PRONAMIDE	20	ug/L	U	U			1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 30D	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 30D	7/13/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 30D	7/13/2015	SULFOTEPP	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	THIONAZIN	50	ug/L	U	U			1	50
BGO 30D	7/13/2015	2,3,7,8-TCDD	0.0096	ng/L	U	U			0.000057	0.0096
BGO 30D	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.000066	0.048
BGO 30D	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.000082	0.048
BGO 30D	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	7.6E-05	ng/L	NJ	NJ	1, 21		0.000033	0.048
BGO 30D	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.000063	0.048
BGO 30D	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00033	ng/L	NJ	NJ	1, 21		0.000057	0.0096
BGO 30D	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00025	ng/L	NJ	U	1, 21, V		0.000034	0.0096
BGO 30D	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 30D	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	2.75	pCi/L				0.278	0.087	0.6425
BGO 30D	7/13/2015	RADIUM-226	2.25	pCi/L				0.179	0.071	0.4289
BGO 30D	7/13/2015	RADIUM-228	1.15	pCi/L				0.275	0.334	0.884
BGO 30D	7/13/2015	AMERICIUM-241	-0.00534	pCi/L	U	U		0.011	0.108	0.129
BGO 30D	7/13/2015	CURIUM-242	0	pCi/L	U	U		0	0.0571	0.0571
BGO 30D	7/13/2015	CURIUM-243/244	0.0211	pCi/L	U	U	V	0.042	0.0571	0.142
BGO 30D	7/13/2015	CURIUM-245/246	0.218	pCi/L	U	U	21, V	0.141	0.0591	0.341
BGO 30D	7/13/2015	NEPTUNIUM-237	0	pCi/L	U	U		0	0.0512	0.0512
BGO 30D	7/13/2015	PLUTONIUM-238	-0.00467	pCi/L	U	U		0.009	0.0941	0.113
BGO 30D	7/13/2015	PLUTONIUM-239/240	0	pCi/L	U	U	V	0	0.0506	0.0506
BGO 30D	7/13/2015	THORIUM-228	0.0314	pCi/L	U	U	V	0.061	0.114	0.235
BGO 30D	7/13/2015	THORIUM-230	0.0677	pCi/L	U	U	21, V	0.049	0.0229	0.12
BGO 30D	7/13/2015	THORIUM-232	-0.00563	pCi/L	U	U		0.011	0.0549	0.0775
BGO 30D	7/13/2015	URANIUM-233/234	-0.00584	pCi/L	U	U	V	0.012	0.118	0.141
BGO 30D	7/13/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.0782	0.0782

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 30D	7/13/2015	URANIUM-238	0.0933	pCi/L	J	U	21, V	0.094	0.0632	0.252
BGO 30D	7/13/2015	GROSS ALPHA	3.93	pCi/L	J	J	21	2.58	2.14	7.3
BGO 30D	7/13/2015	NONVOLATILE BETA	6.69	pCi/L	J	J	21	3.31	4.04	10.7
BGO 30D	7/13/2015	STRONTIUM-90	0.63	pCi/L	U	U		1.99	2.98	6.97
BGO 30D	7/13/2015	CARBON-14	8.2	pCi/L	J	J	21	4.51	7.25	16.3
BGO 30D	7/13/2015	NICKEL-63	2.19	pCi/L	U	U		3.04	5.04	11.1
BGO 30D	7/13/2015	TECHNETIUM-99	0.739	pCi/L	U	U		2.65	4.42	9.71
BGO 30D	7/13/2015	TRITIUM	3580	pCi/mL				11.4	0.46	23.3
BGO 30D	7/13/2015	CESIUM-134	0.237	pCi/L	U	U		5.27	8.26	18.8
BGO 30D	7/13/2015	CESIUM-137	-5.77	pCi/L	U	U		5.51	8.81	19.8
BGO 30D	7/13/2015	COBALT-60	4.27	pCi/L	U	U		4.23	9.06	17.5
BGO 30D	7/13/2015	EUROPIUM-152	74.8	pCi/L	U	U		111	107	328
BGO 30D	7/13/2015	EUROPIUM-154	3.07	pCi/L	U	U		10.5	18.6	39.6
BGO 30D	7/13/2015	EUROPIUM-155	35.5	pCi/L	J	J	21	25.3	28.3	79
BGO 30D	7/13/2015	IODINE-129	4.44	pCi/L				1.27	1.03	3.57
BGO 30D	7/13/2015	SODIUM-22	0.0691	pCi/L	U	U		4.75	8.96	18.5
BGO 30D	12/16/2015	NAPHTHALENE	4.27	ug/L					0.3	1
BGO 31C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 31C	1/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 31C	1/20/2015	BARIUM	9.53	ug/L	J				2	20
BGO 31C	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 31C	1/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 31C	1/20/2015	COBALT	5	ug/L	U				0.5	5
BGO 31C	1/20/2015	COPPER	4.59	ug/L	J				0.5	5
BGO 31C	1/20/2015	LEAD	1.6	ug/L	J				0.5	5
BGO 31C	1/20/2015	NICKEL	0.507	ug/L	J				0.5	5
BGO 31C	1/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 31C	1/20/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 31C	1/20/2015	TIN	10	ug/L	U				1	10
BGO 31C	1/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 31C	1/20/2015	ZINC	4.73	ug/L	J				4	40
BGO 31C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 31C	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 31C	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 31C	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31C	1/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 31C	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 31C	1/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 31C	1/20/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 31C	1/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 31C	1/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 31C	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 31C	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 31C	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 31C	1/20/2015	CHLOROFORM	0.14	ug/L	J		21		0.1	1
BGO 31C	1/20/2015	CIS-1,2-DICHLOROETHYLENE	98	ug/L					0.9	10
BGO 31C	1/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 31C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 31C	1/20/2015	TETRACHLOROETHYLENE (PCE)	3.7	ug/L					0.18	1
BGO 31C	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 31C	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31C	1/20/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.25	1
BGO 31C	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 31C	1/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 31C	1/20/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.55	pCi/L				0.315	0.276	0.906
BGO 31C	1/20/2015	RADIUM-226	1.15	pCi/L				0.135	0.068	0.338
BGO 31C	1/20/2015	URANIUM-233/234	0.0216	pCi/L	U			0.043	0.0586	0.145
BGO 31C	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0723	0.0723
BGO 31C	1/20/2015	URANIUM-238	-0.0054	pCi/L	U			0.011	0.109	0.13
BGO 31C	1/20/2015	GROSS ALPHA	3.46	pCi/L	J		21	2.42	2.17	7
BGO 31C	1/20/2015	NONVOLATILE BETA	0.227	pCi/L	U			2.18	4	8.35
BGO 31C	1/20/2015	STRONTIUM-90	2.07	pCi/L	U			2.01	3.1	7.12
BGO 31C	1/20/2015	CARBON-14	1.58	pCi/L	U			4.18	6.94	15.3
BGO 31C	1/20/2015	TECHNETIUM-99	-0.342	pCi/L	U			2.47	4.19	9.13
BGO 31C	1/20/2015	TRITIUM	354	pCi/mL				3.57	0.481	7.62
BGO 31C	1/20/2015	IODINE-129	0.104	pCi/L	U			0.555	0.972	2.08
BGO 31C	7/21/2015	ETHANE	0.0052	ug/L	J		21		0.002	0.1
BGO 31C	7/21/2015	ETHYLENE	0.0078	ug/L	J		21		0.003	0.1
BGO 31C	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BGO 31C	7/21/2015	ARSENIC	50	ug/L	U				5	50
BGO 31C	7/21/2015	BARIUM	10.3	ug/L	J		21		2	20
BGO 31C	7/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 31C	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BGO 31C	7/21/2015	COBALT	5	ug/L	U				0.5	5
BGO 31C	7/21/2015	COPPER	1.69	ug/L	J		21		0.5	5
BGO 31C	7/21/2015	LEAD	2.54	ug/L	J		21		0.5	5
BGO 31C	7/21/2015	NICKEL	0.961	ug/L	J		21		0.5	5
BGO 31C	7/21/2015	SELENIUM	20	ug/L	U				2	20
BGO 31C	7/21/2015	SILVER	5	ug/L	U				0.5	5
BGO 31C	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 31C	7/21/2015	TIN	10	ug/L	U				1	10
BGO 31C	7/21/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	7/21/2015	ZINC	14.5	ug/L	J		21		4	40
BGO 31C	7/21/2015	MERCURY	0.0218	ug/L	J		21		0.02	0.2
BGO 31C	7/21/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
BGO 31C	7/21/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
BGO 31C	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
BGO 31C	7/21/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
BGO 31C	7/21/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
BGO 31C	7/21/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
BGO 31C	7/21/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
BGO 31C	7/21/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
BGO 31C	7/21/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
BGO 31C	7/21/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
BGO 31C	7/21/2015	1,2-DICHLOROETHYLENE	75	ug/L					1.5	20
BGO 31C	7/21/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
BGO 31C	7/21/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
BGO 31C	7/21/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
BGO 31C	7/21/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
BGO 31C	7/21/2015	2-HEXANONE	50	ug/L	U				2.2	50
BGO 31C	7/21/2015	ACETONE	20	ug/L	U				3.4	20
BGO 31C	7/21/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	7/21/2015	ACROLEIN	100	ug/L	U				28	100
BGO 31C	7/21/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
BGO 31C	7/21/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
BGO 31C	7/21/2015	BENZENE	10	ug/L	U				0.6	10
BGO 31C	7/21/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BGO 31C	7/21/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
BGO 31C	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
BGO 31C	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
BGO 31C	7/21/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
BGO 31C	7/21/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
BGO 31C	7/21/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
BGO 31C	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
BGO 31C	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
BGO 31C	7/21/2015	CHLOROFORM	10	ug/L	U				1	10
BGO 31C	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
BGO 31C	7/21/2015	CHLOROPRENE	10	ug/L	U				1	10
BGO 31C	7/21/2015	CIS-1,2-DICHLOROETHYLENE	75	ug/L					0.9	10
BGO 31C	7/21/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BGO 31C	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
BGO 31C	7/21/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
BGO 31C	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
BGO 31C	7/21/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
BGO 31C	7/21/2015	ETHYLBENZENE	10	ug/L	U				0.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	7/21/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
BGO 31C	7/21/2015	ISOBUTANOL	800	ug/L	U				87	800
BGO 31C	7/21/2015	M,P-XYLENE	20	ug/L	U				1.4	20
BGO 31C	7/21/2015	METHACRYLONITRILE	100	ug/L	U				5	100
BGO 31C	7/21/2015	METHYL ACETATE	250	ug/L	U				3.7	250
BGO 31C	7/21/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
BGO 31C	7/21/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
BGO 31C	7/21/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
BGO 31C	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
BGO 31C	7/21/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
BGO 31C	7/21/2015	NAPHTHALENE	10	ug/L	U				1.6	10
BGO 31C	7/21/2015	O-XYLENE	10	ug/L	U				0.6	10
BGO 31C	7/21/2015	PROPIONITRILE	100	ug/L	U				14	100
BGO 31C	7/21/2015	STYRENE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	TETRACHLOROETHYLENE (PCE)	3.2	ug/L	J		21		1.8	10
BGO 31C	7/21/2015	TOLUENE	10	ug/L	U				0.7	10
BGO 31C	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
BGO 31C	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
BGO 31C	7/21/2015	TRICHLOROETHYLENE (TCE)	10	ug/L	U				2.5	10
BGO 31C	7/21/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
BGO 31C	7/21/2015	VINYL ACETATE	20	ug/L	U				1.8	20
BGO 31C	7/21/2015	XYLENES	30	ug/L	U				2	30
BGO 31C	7/21/2015	1,4-DIOXANE	16	ug/L					0.85	3
BGO 31C	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	1.15	pCi/L				0.17	0.083	0.423
BGO 31C	7/21/2015	RADIUM-226	1.08	pCi/L				0.132	0.086	0.3504
BGO 31C	7/21/2015	URANIUM-233/234	0.159	pCi/L	J		21	0.122	0.0615	0.306
BGO 31C	7/21/2015	URANIUM-235	0.056	pCi/L	U			0.08	0.0759	0.235

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31C	7/21/2015	URANIUM-238	0.108	pCi/L	U		V	0.103	0.114	0.32
BGO 31C	7/21/2015	GROSS ALPHA	1.97	pCi/L	U			1.94	2.29	6.17
BGO 31C	7/21/2015	NONVOLATILE BETA	2.16	pCi/L	U			2.78	4.39	9.95
BGO 31C	7/21/2015	STRONTIUM-90	3.74	pCi/L	J		21	2.2	3.13	7.54
BGO 31C	7/21/2015	CARBON-14	14	pCi/L	J		21	4.5	7.01	16
BGO 31C	7/21/2015	TECHNETIUM-99	9E-06	pCi/L	U			2.48	4.18	9.14
BGO 31C	7/21/2015	TRITIUM	326	pCi/mL				3.47	0.459	7.4
BGO 31C	7/21/2015	IODINE-129	0.0354	pCi/L	U			0.657	1.11	2.43
BGO 31D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
BGO 31D	2/3/2015	ARSENIC	50	ug/L	U				5	50
BGO 31D	2/3/2015	BARIUM	6.96	ug/L	J				2	20
BGO 31D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 31D	2/3/2015	CHROMIUM	13.6	ug/L	J				10	100
BGO 31D	2/3/2015	COBALT	1.84	ug/L	J				0.5	5
BGO 31D	2/3/2015	COPPER	0.877	ug/L	J				0.5	5
BGO 31D	2/3/2015	LEAD	1.29	ug/L	J				0.5	5
BGO 31D	2/3/2015	NICKEL	3.52	ug/L	J				0.5	5
BGO 31D	2/3/2015	SELENIUM	20	ug/L	U				2	20
BGO 31D	2/3/2015	SILVER	5	ug/L	U				0.5	5
BGO 31D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 31D	2/3/2015	TIN	10	ug/L	U				1	10
BGO 31D	2/3/2015	VANADIUM	50	ug/L	U				5	50
BGO 31D	2/3/2015	ZINC	40	ug/L	U				4	40
BGO 31D	2/3/2015	MERCURY	0.0532	ug/L	J		21		0.02	0.2
BGO 31D	2/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 31D	2/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 31D	2/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31D	2/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31D	2/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 31D	2/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 31D	2/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 31D	2/3/2015	BENZENE	1	ug/L	U				0.06	1
BGO 31D	2/3/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 31D	2/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 31D	2/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 31D	2/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 31D	2/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 31D	2/3/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L					0.09	1
BGO 31D	2/3/2015	DICHLORODIFLUOROMETHANE	0.86	ug/L	J		21		0.08	2
BGO 31D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 31D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 31D	2/3/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
BGO 31D	2/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 31D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 31D	2/3/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 31D	2/3/2015	XYLENES	3	ug/L	U				0.2	3
BGO 31D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.23	pCi/L				0.168	0.111	0.447
BGO 31D	2/3/2015	RADIUM-226	1.02	pCi/L				0.126	0.07	0.3216
BGO 31D	2/3/2015	URANIUM-233/234	0.0666	pCi/L	J		21	0.078	0.0601	0.215
BGO 31D	2/3/2015	URANIUM-235	-0.00684	pCi/L	U			0.014	0.138	0.165
BGO 31D	2/3/2015	URANIUM-238	0	pCi/L	U			0	0.06	0.06
BGO 31D	2/3/2015	GROSS ALPHA	3.94	pCi/L	J		21	2.6	2.28	7.48
BGO 31D	2/3/2015	NONVOLATILE BETA	1.58	pCi/L	U			2.85	4.66	10.4
BGO 31D	2/3/2015	STRONTIUM-90	-1.37	pCi/L	U			1.93	3.36	7.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31D	2/3/2015	CARBON-14	7.39	pCi/L	J		21	4.24	6.81	15.3
BGO 31D	2/3/2015	TECHNETIUM-99	1.55	pCi/L	U			2.48	4.1	9.06
BGO 31D	2/3/2015	TRITIUM	16.7	pCi/mL				0.781	0.395	1.96
BGO 31D	2/3/2015	IODINE-129	-0.145	pCi/L	U			0.541	0.903	1.99
BGO 31D	7/21/2015	ETHANE	0.0051	ug/L	J		21		0.002	0.1
BGO 31D	7/21/2015	ETHYLENE	0.02	ug/L	J		21		0.003	0.1
BGO 31D	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BGO 31D	7/21/2015	ARSENIC	50	ug/L	U				5	50
BGO 31D	7/21/2015	BARIUM	4.19	ug/L	J		21		2	20
BGO 31D	7/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BGO 31D	7/21/2015	COBALT	1.82	ug/L	J		21		0.5	5
BGO 31D	7/21/2015	COPPER	0.563	ug/L	J		21		0.5	5
BGO 31D	7/21/2015	LEAD	0.527	ug/L	J		21		0.5	5
BGO 31D	7/21/2015	NICKEL	2.56	ug/L	J		21		0.5	5
BGO 31D	7/21/2015	SELENIUM	20	ug/L	U				2	20
BGO 31D	7/21/2015	SILVER	5	ug/L	U				0.5	5
BGO 31D	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	TIN	10	ug/L	U				1	10
BGO 31D	7/21/2015	VANADIUM	50	ug/L	U				5	50
BGO 31D	7/21/2015	ZINC	40	ug/L	U				4	40
BGO 31D	7/21/2015	MERCURY	0.0416	ug/L	J		21		0.02	0.2
BGO 31D	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 31D	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 31D	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31D	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 31D	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 31D	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 31D	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 31D	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 31D	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	1,2-DICHLOROETHYLENE	0.82	ug/L	J		21		0.15	2
BGO 31D	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 31D	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 31D	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 31D	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 31D	7/21/2015	ACETONE	2	ug/L	U				0.34	2
BGO 31D	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 31D	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 31D	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 31D	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 31D	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BGO 31D	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 31D	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 31D	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 31D	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31D	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 31D	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 31D	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 31D	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 31D	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 31D	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 31D	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 31D	7/21/2015	CIS-1,2-DICHLOROETHYLENE	0.82	ug/L	J		21		0.09	1
BGO 31D	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 31D	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 31D	7/21/2015	DICHLORODIFLUOROMETHANE	0.57	ug/L	J		21		0.08	2
BGO 31D	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 31D	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 31D	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 31D	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 31D	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 31D	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 31D	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 31D	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 31D	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 31D	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 31D	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 31D	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 31D	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 31D	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 31D	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 31D	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 31D	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 31D	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 31D	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 31D	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 31D	7/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 31D	7/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 31D	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 31D	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BGO 31D	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 31D	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	1.36	pCi/L				0.182	0.083	0.4465
BGO 31D	7/21/2015	RADIUM-226	1.01	pCi/L				0.121	0.053	0.2948
BGO 31D	7/21/2015	URANIUM-233/234	0.065	pCi/L	J		21	0.076	0.0587	0.21
BGO 31D	7/21/2015	URANIUM-235	-0.00668	pCi/L	U			0.013	0.135	0.161
BGO 31D	7/21/2015	URANIUM-238	0.168	pCi/L	J		21, V	0.125	0.109	0.359
BGO 31D	7/21/2015	GROSS ALPHA	0.849	pCi/L	U			1.37	2.11	4.84
BGO 31D	7/21/2015	NONVOLATILE BETA	1.71	pCi/L	U			2.47	3.96	8.91
BGO 31D	7/21/2015	STRONTIUM-90	-0.44	pCi/L	U			1.66	3.14	6.46
BGO 31D	7/21/2015	CARBON-14	11.6	pCi/L	J		21	4.35	6.83	15.5
BGO 31D	7/21/2015	TECHNETIUM-99	-0.856	pCi/L	U			2.57	4.37	9.5
BGO 31D	7/21/2015	TRITIUM	11.3	pCi/mL				0.696	0.458	1.85
BGO 31D	7/21/2015	IODINE-129	0.0939	pCi/L	U			0.578	1	2.16
BGO 32D	1/12/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 32D	1/12/2015	BARIUM	174	ug/L					2	20
BGO 32D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 32D	1/12/2015	CHROMIUM	100	ug/L	U				10	100
BGO 32D	1/12/2015	COBALT	0.922	ug/L	J				0.5	5
BGO 32D	1/12/2015	COPPER	1.98	ug/L	J				0.5	5
BGO 32D	1/12/2015	LEAD	2.22	ug/L	J				0.5	5
BGO 32D	1/12/2015	NICKEL	0.724	ug/L	J				0.5	5
BGO 32D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 32D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 32D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 32D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 32D	1/12/2015	VANADIUM	36.5	ug/L	U				5	50
BGO 32D	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 32D	1/12/2015	MERCURY	0.0518	ug/L	J		21		0.02	0.2
BGO 32D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 32D	1/12/2015	1,1-DICHLOROETHANE	1.6	ug/L					0.07	1
BGO 32D	1/12/2015	1,1-DICHLOROETHYLENE	0.5	ug/L	J		21		0.08	1
BGO 32D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 32D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 32D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 32D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 32D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 32D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 32D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 32D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 32D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 32D	1/12/2015	CHLOROFORM	0.24	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
BGO 32D	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 32D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 32D	1/12/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
BGO 32D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 32D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 32D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 32D	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 32D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 32D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 32D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	6.06	pCi/L				0.367	0.092	0.8258
BGO 32D	1/12/2015	RADIUM-226	3.99	pCi/L				0.245	0.073	0.5632
BGO 32D	1/12/2015	URANIUM-233/234	0.0781	pCi/L	U			0.091	0.134	0.317
BGO 32D	1/12/2015	URANIUM-235	0	pCi/L	U			0	0.0746	0.0746
BGO 32D	1/12/2015	URANIUM-238	0.0835	pCi/L	U			0.091	0.112	0.293
BGO 32D	1/12/2015	GROSS ALPHA	13.8	pCi/L				4.67	2.2	11.5
BGO 32D	1/12/2015	NONVOLATILE BETA	10.2	pCi/L	J		21	3.83	4.24	11.9
BGO 32D	1/12/2015	STRONTIUM-90	-0.402	pCi/L	U			1.84	3.11	6.79
BGO 32D	1/12/2015	CARBON-14	1.34	pCi/L	UJ			4.16	6.93	15.3
BGO 32D	1/12/2015	TECHNETIUM-99	1.31	pCi/L	U			2.56	4.24	9.35
BGO 32D	1/12/2015	TRITIUM	40.2	pCi/mL				1.19	0.398	2.77
BGO 32D	1/12/2015	IODINE-129	0.126	pCi/L	U			0.659	0.988	2.31
BGO 32D	7/8/2015	ETHANE	0.0054	ug/L	J		21		0.002	0.1
BGO 32D	7/8/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1
BGO 32D	7/8/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 32D	7/8/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 32D	7/8/2015	BARIUM	141	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 32D	7/8/2015	COBALT	0.751	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	COPPER	0.74	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	LEAD	1.63	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	NICKEL	0.882	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 32D	7/8/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 32D	7/8/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	TIN	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 32D	7/8/2015	ZINC	9.04	ug/L	J	J	21		4	40
BGO 32D	7/8/2015	MERCURY	0.085	ug/L	J	J	21		0.02	0.2
BGO 32D	7/8/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
BGO 32D	7/8/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
BGO 32D	7/8/2015	DDD	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	DDE	0.051	ug/L	U	U			0.014	0.051
BGO 32D	7/8/2015	DDT	0.051	ug/L	U	U			0.023	0.051
BGO 32D	7/8/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
BGO 32D	7/8/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
BGO 32D	7/8/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
BGO 32D	7/8/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
BGO 32D	7/8/2015	TOTAL CHLORDANE	0.51	ug/L	U	U			0.1	0.51
BGO 32D	7/8/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 32D	7/8/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
BGO 32D	7/8/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
BGO 32D	7/8/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
BGO 32D	7/8/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
BGO 32D	7/8/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
BGO 32D	7/8/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 32D	7/8/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 32D	7/8/2015	2,4,5-T	1	ug/L	U	U			0.28	1
BGO 32D	7/8/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 32D	7/8/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.2	ug/L	U	U			4.3	8.2
BGO 32D	7/8/2015	DINOSEB	2	ug/L	U	U			0.75	2
BGO 32D	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	1,1-DICHLOROETHANE	1.7	ug/L					0.07	1
BGO 32D	7/8/2015	1,1-DICHLOROETHYLENE	0.5	ug/L	J	J	21		0.08	1
BGO 32D	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 32D	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 32D	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 32D	7/8/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 32D	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 32D	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 32D	7/8/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 32D	7/8/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 32D	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 32D	7/8/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 32D	7/8/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 32D	7/8/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 32D	7/8/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 32D	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 32D	7/8/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 32D	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	CHLOROFORM	0.21	ug/L	J	J	21		0.1	1
BGO 32D	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 32D	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 32D	7/8/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 32D	7/8/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 32D	7/8/2015	ISOBUTANOL	80	ug/L	U	U	18		8.7	80
BGO 32D	7/8/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 32D	7/8/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 32D	7/8/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 32D	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 32D	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 32D	7/8/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 32D	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 32D	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 32D	7/8/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 32D	7/8/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J	J	21		0.18	1
BGO 32D	7/8/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 32D	7/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 32D	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 32D	7/8/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 32D	7/8/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 32D	7/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 32D	7/8/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,3,5-TRINITROBENZENE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-NAPHTHOQUINONE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
BGO 32D	7/8/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2	51
BGO 32D	7/8/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 32D	7/8/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U			1	100
BGO 32D	7/8/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 32D	7/8/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
BGO 32D	7/8/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 32D	7/8/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U			1.3	51
BGO 32D	7/8/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U	U			2.7	51
BGO 32D	7/8/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	4-AMINOBIPHENYL	51	ug/L	U	U			1.1	51
BGO 32D	7/8/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 32D	7/8/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 32D	7/8/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U			5.1	100
BGO 32D	7/8/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U	U			23	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 32D	7/8/2015	ANTHRACENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ARAMITE	20	ug/L	U	U			5.1	20
BGO 32D	7/8/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BENZO[A]PYRENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BENZYL ALCOHOL	10	ug/L	U	U			3.1	10
BGO 32D	7/8/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			1.9	10
BGO 32D	7/8/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	CHLOROBENZILATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	CHRYSENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 32D	7/8/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	DISULFOTON	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	FAMPHUR	100	ug/L	U	U			1.7	100
BGO 32D	7/8/2015	FLUORANTHENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROPHENE	260	ug/L	U	U			10	260
BGO 32D	7/8/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 32D	7/8/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ISODRIN	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ISOSAFROLE	20	ug/L	U	U			5.1	20
BGO 32D	7/8/2015	KEPONE	100	ug/L	U	U			20	100
BGO 32D	7/8/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 32D	7/8/2015	METHAPYRILENE	51	ug/L	U	U			1.3	51
BGO 32D	7/8/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	METHYL PARATHION	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 32D	7/8/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 32D	7/8/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U	U			1.2	51
BGO 32D	7/8/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	PARATHION	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	PENTACHLOROETHANE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	PENTACHLORONITROBENZENE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 32D	7/8/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	PHENANTHRENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	PHENOL	10	ug/L	U	UJ	14		2	10
BGO 32D	7/8/2015	PHORATE	51	ug/L	U	U			2	51
BGO 32D	7/8/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 32D	7/8/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	PYRENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 32D	7/8/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 32D	7/8/2015	SULFOTEPP	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	THIONAZIN	51	ug/L	U	U			1	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0022	0.01
BGO 32D	7/8/2015	HEXACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.00094	0.051
BGO 32D	7/8/2015	HEXACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.00043	0.051
BGO 32D	7/8/2015	PENTACHLORODIBENZO-P-DIOXINS	0.051	ng/L	U	U			0.0013	0.051
BGO 32D	7/8/2015	PENTACHLORODIBENZO-P-FURANS	0.051	ng/L	U	U			0.00085	0.051
BGO 32D	7/8/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0022	0.01
BGO 32D	7/8/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.0015	0.01
BGO 32D	7/8/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 32D	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	8.58	pCi/L				0.508	0.106	1.122
BGO 32D	7/8/2015	RADIUM-226	4.52	pCi/L				0.258	0.073	0.5892
BGO 32D	7/8/2015	RADIUM-228	3.43	pCi/L				0.445	0.441	1.331
BGO 32D	7/8/2015	AMERICIUM-241	-0.00497	pCi/L	U	U		0.01	0.1	0.12
BGO 32D	7/8/2015	CURIUM-242	0.0601	pCi/L	U	U	V	0.07	0.0531	0.193
BGO 32D	7/8/2015	CURIUM-243/244	0.0098	pCi/L	U	U		0.042	0.117	0.201
BGO 32D	7/8/2015	CURIUM-245/246	0.182	pCi/L	U	U	21, V	0.124	0.0549	0.303
BGO 32D	7/8/2015	NEPTUNIUM-237	0.00543	pCi/L	U	U	V	0.047	0.146	0.241
BGO 32D	7/8/2015	PLUTONIUM-238	0.0161	pCi/L	U	U		0.045	0.108	0.197
BGO 32D	7/8/2015	PLUTONIUM-239/240	-0.00537	pCi/L	U	U		0.011	0.108	0.13
BGO 32D	7/8/2015	THORIUM-228	0.069	pCi/L	U	U		0.095	0.168	0.359
BGO 32D	7/8/2015	THORIUM-230	0.137	pCi/L	U	U	21, V	0.114	0.062	0.29
BGO 32D	7/8/2015	THORIUM-232	0.0457	pCi/L	U	U		0.065	0.0619	0.192
BGO 32D	7/8/2015	URANIUM-233/234	0.117	pCi/L	U	U		0.106	0.127	0.34
BGO 32D	7/8/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.071	0.071
BGO 32D	7/8/2015	URANIUM-238	0.0847	pCi/L	J	U	21, V	0.086	0.0574	0.229
BGO 32D	7/8/2015	GROSS ALPHA	12.4	pCi/L				4.45	2.15	11
BGO 32D	7/8/2015	NONVOLATILE BETA	6.67	pCi/L	J	J	21	3.39	4.23	11
BGO 32D	7/8/2015	STRONTIUM-90	-0.499	pCi/L	U	U		1.8	3.32	6.91
BGO 32D	7/8/2015	CARBON-14	-2.09	pCi/L	U	U		4.29	7.27	15.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	NICKEL-63	2.96	pCi/L	U	U		3.18	5.51	11.9
BGO 32D	7/8/2015	TECHNETIUM-99	0.323	pCi/L	U	U		2.63	4.41	9.68
BGO 32D	7/8/2015	TRITIUM	29.6	pCi/mL				0.981	0.508	2.47
BGO 32D	7/8/2015	CESIUM-134	5.93	pCi/L	U	U		5.07	8.95	19.1
BGO 32D	7/8/2015	CESIUM-137	2.93	pCi/L	U	U		4.34	8.45	17.1
BGO 32D	7/8/2015	COBALT-60	-0.928	pCi/L	U	U		4.1	7.57	15.8
BGO 32D	7/8/2015	EUROPIUM-152	14.2	pCi/L	U	U		57.6	100	215
BGO 32D	7/8/2015	EUROPIUM-154	0.188	pCi/L	U	U		9.9	17.4	37.2
BGO 32D	7/8/2015	EUROPIUM-155	9.54	pCi/L	U	U		15.2	25.7	56.1
BGO 32D	7/8/2015	IODINE-129	0.955	pCi/L	U	U		0.751	1.05	2.55
BGO 32D	7/8/2015	SODIUM-22	-1.57	pCi/L	U	U		5.41	9.67	20.5
BGO 32D	7/8/2015	ETHANE	0.0051	ug/L	J		21		0.002	0.1
BGO 32D	7/8/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
BGO 32D	7/8/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 32D	7/8/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 32D	7/8/2015	BARIUM	162	ug/L					2	20
BGO 32D	7/8/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 32D	7/8/2015	COBALT	0.776	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	COPPER	1.15	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	LEAD	1.86	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	NICKEL	0.996	ug/L	J	J	21		0.5	5
BGO 32D	7/8/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 32D	7/8/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 32D	7/8/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	TIN	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 32D	7/8/2015	ZINC	7.47	ug/L	J	J	21		4	40
BGO 32D	7/8/2015	MERCURY	0.0724	ug/L	J	J	21		0.02	0.2
BGO 32D	7/8/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 32D	7/8/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 32D	7/8/2015	DDD	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 32D	7/8/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 32D	7/8/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 32D	7/8/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 32D	7/8/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 32D	7/8/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 32D	7/8/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 32D	7/8/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 32D	7/8/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 32D	7/8/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
BGO 32D	7/8/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
BGO 32D	7/8/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
BGO 32D	7/8/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
BGO 32D	7/8/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
BGO 32D	7/8/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
BGO 32D	7/8/2015	2,4,5-T	1	ug/L	U	U			0.28	1
BGO 32D	7/8/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.2	1
BGO 32D	7/8/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.3	ug/L	U	U			4.4	8.3
BGO 32D	7/8/2015	DINOSEB	2.1	ug/L	U	U			0.76	2.1
BGO 32D	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	1,1-DICHLOROETHANE	1.9	ug/L					0.07	1
BGO 32D	7/8/2015	1,1-DICHLOROETHYLENE	0.61	ug/L	J	J	21		0.08	1
BGO 32D	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 32D	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 32D	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 32D	7/8/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 32D	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 32D	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 32D	7/8/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 32D	7/8/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 32D	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 32D	7/8/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 32D	7/8/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 32D	7/8/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 32D	7/8/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 32D	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 32D	7/8/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 32D	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 32D	7/8/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 32D	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 32D	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	CHLOROFORM	0.22	ug/L	J	J	21		0.1	1
BGO 32D	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 32D	7/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 32D	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 32D	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 32D	7/8/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 32D	7/8/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 32D	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 32D	7/8/2015	ISOBUTANOL	80	ug/L	U	U	18		8.7	80
BGO 32D	7/8/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 32D	7/8/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 32D	7/8/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 32D	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 32D	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 32D	7/8/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 32D	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 32D	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 32D	7/8/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 32D	7/8/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 32D	7/8/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 32D	7/8/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J	J	21		0.18	1
BGO 32D	7/8/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 32D	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 32D	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 32D	7/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 32D	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 32D	7/8/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 32D	7/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 32D	7/8/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,3,5-TRINITROBENZENE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	1,4-NAPHTHOQUINONE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
BGO 32D	7/8/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2.1	51
BGO 32D	7/8/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 32D	7/8/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 32D	7/8/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	2-METHYLANILINE (O-TOLUIDINE)	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 32D	7/8/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
BGO 32D	7/8/2015	2-PICOLINE	21	ug/L	U	U			2.1	21
BGO 32D	7/8/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U	14		1.3	51
BGO 32D	7/8/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U	U	14		2.7	51
BGO 32D	7/8/2015	3-METHYLCHOLANTHRENE	21	ug/L	U	U	14		1	21
BGO 32D	7/8/2015	4-AMINOBIPHENYL	51	ug/L	U	U			1.1	51
BGO 32D	7/8/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
BGO 32D	7/8/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
BGO 32D	7/8/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5.1	100
BGO 32D	7/8/2015	5-NITRO-O-TOLUIDINE	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	21	ug/L	U	U	14		1	21
BGO 32D	7/8/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U	U			23	51
BGO 32D	7/8/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 32D	7/8/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	ARAMITE	21	ug/L	U	U	14		5.1	21
BGO 32D	7/8/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	BENZYL ALCOHOL	10	ug/L	U	U			3.1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 32D	7/8/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	DIALLATE	21	ug/L	U	U			2.1	21
BGO 32D	7/8/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DIMETHOATE	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 32D	7/8/2015	DISULFOTON	51	ug/L	U	U	14		1	51
BGO 32D	7/8/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 32D	7/8/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	HEXACHLOROPHENE	260	ug/L	U	U	14		10	260
BGO 32D	7/8/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	ISOSAFROLE	21	ug/L	U	U			5.1	21
BGO 32D	7/8/2015	KEPONE	100	ug/L	U	U			21	100
BGO 32D	7/8/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
BGO 32D	7/8/2015	METHAPYRILENE	51	ug/L	U	U	14		1.3	51
BGO 32D	7/8/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2.1	10
BGO 32D	7/8/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 32D	7/8/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U	U			1.2	51
BGO 32D	7/8/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	PARATHION	51	ug/L	U	U	14		1	51
BGO 32D	7/8/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 32D	7/8/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	PENTACHLOROETHANE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	PENTACHLORONITROBENZENE	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 32D	7/8/2015	PHENACETIN	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
BGO 32D	7/8/2015	PHORATE	51	ug/L	U	U			2.1	51
BGO 32D	7/8/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 32D	7/8/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 32D	7/8/2015	PRONAMIDE	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 32D	7/8/2015	PYRIDINE	21	ug/L	U	U			2.1	21
BGO 32D	7/8/2015	SAFROLE	21	ug/L	U	U			1	21
BGO 32D	7/8/2015	SULFOTEPP	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	THIONAZIN	51	ug/L	U	U			1	51
BGO 32D	7/8/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0031	0.01
BGO 32D	7/8/2015	HEXACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.0012	0.052
BGO 32D	7/8/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00068	0.052
BGO 32D	7/8/2015	PENTACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.0017	0.052
BGO 32D	7/8/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.0013	0.052
BGO 32D	7/8/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0031	0.01
BGO 32D	7/8/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.0021	0.01
BGO 32D	7/8/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 32D	7/8/2015	RADIUM, TOTAL ALPHA-EMITTING	7.79	pCi/L				0.475	0.104	1.054
BGO 32D	7/8/2015	RADIUM-226	4.82	pCi/L				0.264	0.08	0.6081
BGO 32D	7/8/2015	RADIUM-228	3.88	pCi/L				0.477	0.503	1.457
BGO 32D	7/8/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0575	0.0575

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 32D	7/8/2015	CURIUM-242	0	pCi/L	U	U	V	0	0.0566	0.0566
BGO 32D	7/8/2015	CURIUM-243/244	0	pCi/L	U	U		0	0.0566	0.0566
BGO 32D	7/8/2015	CURIUM-245/246	0.173	pCi/L	U	U	21, V	0.125	0.0586	0.308
BGO 32D	7/8/2015	NEPTUNIUM-237	-0.0181	pCi/L	U	U	V	0.021	0.163	0.206
BGO 32D	7/8/2015	PLUTONIUM-238	-0.00599	pCi/L	U	U		0.012	0.121	0.145
BGO 32D	7/8/2015	PLUTONIUM-239/240	0.012	pCi/L	U	U		0.051	0.144	0.245
BGO 32D	7/8/2015	THORIUM-228	0.00639	pCi/L	U	U		0.098	0.265	0.461
BGO 32D	7/8/2015	THORIUM-230	0.0764	pCi/L	U	U	V	0.089	0.069	0.247
BGO 32D	7/8/2015	THORIUM-232	0	pCi/L	U	U		0	0.0689	0.0689
BGO 32D	7/8/2015	URANIUM-233/234	0.0793	pCi/L	U	U		0.086	0.106	0.278
BGO 32D	7/8/2015	URANIUM-235	-0.00652	pCi/L	U	U	V	0.013	0.131	0.157
BGO 32D	7/8/2015	URANIUM-238	0.0844	pCi/L	J	U	21, V	0.085	0.0572	0.228
BGO 32D	7/8/2015	GROSS ALPHA	11.9	pCi/L				4.35	2.13	10.8
BGO 32D	7/8/2015	NONVOLATILE BETA	10.9	pCi/L	J	J	21	3.93	4.22	12.1
BGO 32D	7/8/2015	STRONTIUM-90	0.62	pCi/L	U	U		2.3	3.35	7.94
BGO 32D	7/8/2015	CARBON-14	-1.93	pCi/L	U	U		4.21	7.13	15.6
BGO 32D	7/8/2015	NICKEL-63	2.46	pCi/L	U	U		3.16	5.5	11.8
BGO 32D	7/8/2015	TECHNETIUM-99	-1.06	pCi/L	U	U		2.59	4.41	9.59
BGO 32D	7/8/2015	TRITIUM	34.2	pCi/mL				1.14	0.469	2.75
BGO 32D	7/8/2015	CESIUM-134	2.4	pCi/L	U	U		5.62	9.13	20.4
BGO 32D	7/8/2015	CESIUM-137	-3.69	pCi/L	U	U		5.17	8.62	19
BGO 32D	7/8/2015	COBALT-60	-2.41	pCi/L	U	U		4.63	8.08	17.3
BGO 32D	7/8/2015	EUROPIUM-152	51.5	pCi/L	U	U		62.7	99.9	225
BGO 32D	7/8/2015	EUROPIUM-154	6.38	pCi/L	U	U		10.2	18.3	38.8
BGO 32D	7/8/2015	EUROPIUM-155	-1.85	pCi/L	U	U		16	26.3	58.3
BGO 32D	7/8/2015	IODINE-129	-0.301	pCi/L	U	U		0.562	0.921	2.05
BGO 32D	7/8/2015	SODIUM-22	-1.08	pCi/L	U	U		4.82	8.77	18.4
BGO 33C	2/3/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	2/3/2015	ARSENIC	50	ug/L	U				5	50
BGO 33C	2/3/2015	BARIUM	14.1	ug/L	J				2	20
BGO 33C	2/3/2015	BERYLLIUM	0.224	ug/L	J				0.1	1
BGO 33C	2/3/2015	CHROMIUM	100	ug/L	U				10	100
BGO 33C	2/3/2015	COBALT	0.955	ug/L	J				0.5	5
BGO 33C	2/3/2015	COPPER	0.557	ug/L	J				0.5	5
BGO 33C	2/3/2015	LEAD	5	ug/L	U				0.5	5
BGO 33C	2/3/2015	NICKEL	1.49	ug/L	J				0.5	5
BGO 33C	2/3/2015	SELENIUM	20	ug/L	U				2	20
BGO 33C	2/3/2015	SILVER	5	ug/L	U				0.5	5
BGO 33C	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 33C	2/3/2015	TIN	10	ug/L	U				1	10
BGO 33C	2/3/2015	VANADIUM	50	ug/L	U				5	50
BGO 33C	2/3/2015	ZINC	4.16	ug/L	J				4	40
BGO 33C	2/3/2015	MERCURY	2.85	ug/L					0.02	0.2
BGO 33C	2/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 33C	2/3/2015	1,1-DICHLOROETHANE	1	ug/L			S		0.07	1
BGO 33C	2/3/2015	1,1-DICHLOROETHYLENE	0.76	ug/L	J		21		0.08	1
BGO 33C	2/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 33C	2/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 33C	2/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 33C	2/3/2015	1,4-DIOXANE	79	ug/L	J		21		7.6	80
BGO 33C	2/3/2015	BENZENE	2.8	ug/L					0.06	1
BGO 33C	2/3/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 33C	2/3/2015	CARBON TETRACHLORIDE	0.57	ug/L	J		21		0.13	1
BGO 33C	2/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 33C	2/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 33C	2/3/2015	CHLOROFORM	6.8	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	2/3/2015	CIS-1,2-DICHLOROETHYLENE	280	ug/L					0.9	10
BGO 33C	2/3/2015	DICHLORODIFLUOROMETHANE	8.2	ug/L					0.08	2
BGO 33C	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 33C	2/3/2015	TETRACHLOROETHYLENE (PCE)	7.7	ug/L					0.18	1
BGO 33C	2/3/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
BGO 33C	2/3/2015	TRANS-1,2-DICHLOROETHYLENE	0.38	ug/L	J		21		0.08	1
BGO 33C	2/3/2015	TRICHLOROETHYLENE (TCE)	91	ug/L					2.5	10
BGO 33C	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 33C	2/3/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 33C	2/3/2015	XYLENES	3	ug/L	U				0.2	3
BGO 33C	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.09	pCi/L				0.154	0.088	0.3962
BGO 33C	2/3/2015	RADIUM-226	0.871	pCi/L				0.117	0.074	0.3082
BGO 33C	2/3/2015	URANIUM-233/234	0.0584	pCi/L	J		21	0.075	0.107	0.257
BGO 33C	2/3/2015	URANIUM-235	0.0524	pCi/L	U			0.075	0.071	0.22
BGO 33C	2/3/2015	URANIUM-238	0.127	pCi/L	J		21	0.106	0.0574	0.269
BGO 33C	2/3/2015	GROSS ALPHA	3.21	pCi/L	J		21	2.39	2.31	7.09
BGO 33C	2/3/2015	NONVOLATILE BETA	-1.05	pCi/L	U			2.31	4.57	9.19
BGO 33C	2/3/2015	STRONTIUM-90	-1.28	pCi/L	U			2.02	3.3	7.34
BGO 33C	2/3/2015	CARBON-14	76.6	pCi/L	J			5.69	6.9	18.3
BGO 33C	2/3/2015	TECHNETIUM-99	4.17	pCi/L	J		21	2.53	4.06	9.12
BGO 33C	2/3/2015	TRITIUM	10400	pCi/mL				18.7	0.396	37.9
BGO 33C	2/3/2015	IODINE-129	3.91	pCi/L				1.2	1.02	3.42
BGO 33C	7/13/2015	ETHANE	0.065	ug/L	J		21		0.002	0.1
BGO 33C	7/13/2015	ETHYLENE	0.023	ug/L	J		21		0.003	0.1
BGO 33C	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 33C	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 33C	7/13/2015	BARIUM	11.5	ug/L	J	J	21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	BERYLLIUM	0.196	ug/L	J	J	21		0.1	1
BGO 33C	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 33C	7/13/2015	COBALT	0.892	ug/L	J	J	21		0.5	5
BGO 33C	7/13/2015	COPPER	5	ug/L	U	U			0.5	5
BGO 33C	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 33C	7/13/2015	NICKEL	1.72	ug/L	J	J	21		0.5	5
BGO 33C	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 33C	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 33C	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 33C	7/13/2015	ZINC	8.11	ug/L	J	J	21		4	40
BGO 33C	7/13/2015	MERCURY	3.98	ug/L					0.02	0.2
BGO 33C	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 33C	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 33C	7/13/2015	DDD	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 33C	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 33C	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 33C	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 33C	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 33C	7/13/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 33C	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 33C	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 33C	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 33C	7/13/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 33C	7/13/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 33C	7/13/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 33C	7/13/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 33C	7/13/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 33C	7/13/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 33C	7/13/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 33C	7/13/2015	2,4,5-T	0.99	ug/L	U	U			0.27	0.99
BGO 33C	7/13/2015	2,4,5-TP (SILVEX)	0.99	ug/L	U	U			0.19	0.99
BGO 33C	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.9	ug/L	U	U			4.2	7.9
BGO 33C	7/13/2015	DINOSEB	2	ug/L	U	U			0.72	2
BGO 33C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 33C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 33C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 33C	7/13/2015	1,1-DICHLOROETHANE	0.8	ug/L	J	J	21		0.07	1
BGO 33C	7/13/2015	1,1-DICHLOROETHYLENE	0.65	ug/L	J	J	21		0.08	1
BGO 33C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 33C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 33C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 33C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 33C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 33C	7/13/2015	1,2-DICHLOROBENZENE	0.3	ug/L	J	J	21		0.06	1
BGO 33C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	1,2-DICHLOROETHYLENE	230	ug/L					1.5	20
BGO 33C	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 33C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 33C	7/13/2015	1,4-DICHLOROBENZENE	0.74	ug/L	J	J	21		0.12	1
BGO 33C	7/13/2015	1,4-DIOXANE	69	ug/L	J	J	21		7.6	80
BGO 33C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 33C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 33C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 33C	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 33C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 33C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 33C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 33C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 33C	7/13/2015	BENZENE	1.9	ug/L					0.06	1
BGO 33C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 33C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 33C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 33C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 33C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 33C	7/13/2015	CARBON TETRACHLORIDE	0.51	ug/L	J	J	21		0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 33C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 33C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 33C	7/13/2015	CHLOROFORM	5.8	ug/L					0.1	1
BGO 33C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 33C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 33C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	230	ug/L					0.9	10
BGO 33C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 33C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 33C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 33C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 33C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 33C	7/13/2015	DICHLORODIFLUOROMETHANE	7.3	ug/L					0.08	2
BGO 33C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 33C	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 33C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 33C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 33C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 33C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 33C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 33C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 33C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 33C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 33C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 33C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 33C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 33C	7/13/2015	NAPHTHALENE	0.58	ug/L	J	U	21, V		0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 33C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 33C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 33C	7/13/2015	TETRACHLOROETHYLENE (PCE)	7.5	ug/L					0.18	1
BGO 33C	7/13/2015	TOLUENE	0.21	ug/L	J	J	21		0.07	1
BGO 33C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	0.3	ug/L	J	J	21		0.08	1
BGO 33C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 33C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 33C	7/13/2015	TRICHLOROETHYLENE (TCE)	69	ug/L					2.5	10
BGO 33C	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 33C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 33C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 33C	7/13/2015	1,4-DIOXANE	73	ug/L					0.85	3
BGO 33C	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,3,5-TRINITROBENZENE	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	1,4-DIOXANE	29	ug/L					1	10
BGO 33C	7/13/2015	1,4-NAPHTHOQUINONE	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
BGO 33C	7/13/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2	51
BGO 33C	7/13/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 33C	7/13/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 33C	7/13/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 33C	7/13/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 33C	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 33C	7/13/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U	14		1.3	51
BGO 33C	7/13/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U	U	14		2.6	51
BGO 33C	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 33C	7/13/2015	4-AMINOBIPHENYL	51	ug/L	U	U			1.1	51
BGO 33C	7/13/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 33C	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
BGO 33C	7/13/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5.1	100
BGO 33C	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
BGO 33C	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U	U			22	51
BGO 33C	7/13/2015	ACENAPHTHENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 33C	7/13/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	ARAMITE	20	ug/L	U	U	14		5.1	20
BGO 33C	7/13/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
BGO 33C	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 33C	7/13/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 33C	7/13/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 33C	7/13/2015	DISULFOTON	51	ug/L	U	U	14		1	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 33C	7/13/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 33C	7/13/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 33C	7/13/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	ISOSAFROLE	20	ug/L	U	U			5.1	20
BGO 33C	7/13/2015	KEPONE	100	ug/L	U	U			20	100
BGO 33C	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 33C	7/13/2015	METHAPYRILENE	51	ug/L	U	U	14		1.3	51
BGO 33C	7/13/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
BGO 33C	7/13/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSODIPHENYLAMINE+ IPHENYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 33C	7/13/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U	U			1.2	51
BGO 33C	7/13/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	PARATHION	51	ug/L	U	U	14		1	51
BGO 33C	7/13/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 33C	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	PENTACHLOROETHANE	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	PENTACHLORONITROBENZENE	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 33C	7/13/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	PHENOL	10	ug/L	U	UJ	14		2	10
BGO 33C	7/13/2015	PHORATE	51	ug/L	U	U			2	51
BGO 33C	7/13/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 33C	7/13/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 33C	7/13/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 33C	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 33C	7/13/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 33C	7/13/2015	SULFOTEPP	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	THIONAZIN	51	ug/L	U	U			1	51
BGO 33C	7/13/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.000062	0.01

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.000082	0.052
BGO 33C	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.000085	0.052
BGO 33C	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.00015	ng/L	NJ	NJ	1, 21		0.000037	0.052
BGO 33C	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.000064	0.052
BGO 33C	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00014	ng/L	NJ	NJ	1, 21		0.000062	0.01
BGO 33C	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.00028	ng/L	NJ	U	1, 21, V		0.000038	0.01
BGO 33C	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 33C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.22	pCi/L				0.189	0.092	0.47
BGO 33C	7/13/2015	RADIUM-226	0.931	pCi/L				0.125	0.096	0.3464
BGO 33C	7/13/2015	RADIUM-228	0.448	pCi/L	J	J	21	0.211	0.304	0.726
BGO 33C	7/13/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0652	0.0652
BGO 33C	7/13/2015	CURIUM-242	0.0987	pCi/L	J	U	21	0.1	0.0643	0.264
BGO 33C	7/13/2015	CURIUM-243/244	0.0237	pCi/L	U	U	V	0.048	0.0643	0.159
BGO 33C	7/13/2015	CURIUM-245/246	0.172	pCi/L	U	U	21, V	0.132	0.0665	0.331
BGO 33C	7/13/2015	NEPTUNIUM-237	0.0167	pCi/L	U	U		0.068	0.176	0.312
BGO 33C	7/13/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0597	0.0597
BGO 33C	7/13/2015	PLUTONIUM-239/240	0.044	pCi/L	U	U	V	0.063	0.0597	0.186
BGO 33C	7/13/2015	THORIUM-228	-0.00286	pCi/L	U	U	V	0.024	0.0683	0.115
BGO 33C	7/13/2015	THORIUM-230	0.107	pCi/L	U	U	21, V	0.067	0.0684	0.202
BGO 33C	7/13/2015	THORIUM-232	-0.00282	pCi/L	U	U		0.023	0.0683	0.115
BGO 33C	7/13/2015	URANIUM-233/234	0.0901	pCi/L	U	U	V	0.091	0.061	0.243
BGO 33C	7/13/2015	URANIUM-235	-0.00695	pCi/L	U	U	V	0.014	0.14	0.168
BGO 33C	7/13/2015	URANIUM-238	0.0618	pCi/L	U	U	V	0.079	0.113	0.271
BGO 33C	7/13/2015	GROSS ALPHA	2.38	pCi/L	J	J	21	2.06	2.13	6.24
BGO 33C	7/13/2015	NONVOLATILE BETA	2.33	pCi/L	U	U		2.61	4	9.21
BGO 33C	7/13/2015	STRONTIUM-90	1.41	pCi/L	U	U		2.32	2.99	7.64
BGO 33C	7/13/2015	CARBON-14	-1.77	pCi/L	U	U		4.36	7.37	16.1
BGO 33C	7/13/2015	NICKEL-63	3.46	pCi/L	U	U		3.16	5.37	11.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33C	7/13/2015	TECHNETIUM-99	1.28	pCi/L	U	U		2.67	4.44	9.78
BGO 33C	7/13/2015	TRITIUM	11000	pCi/mL				20.5	0.482	41.4
BGO 33C	7/13/2015	CESIUM-134	1.94	pCi/L	U	U		5.66	9.11	20.4
BGO 33C	7/13/2015	CESIUM-137	0.423	pCi/L	U	U		5.57	10	21.1
BGO 33C	7/13/2015	COBALT-60	2.78	pCi/L	U	U		4.3	8.85	17.4
BGO 33C	7/13/2015	EUROPIUM-152	50.4	pCi/L	U	U		66.4	105	238
BGO 33C	7/13/2015	EUROPIUM-154	-6.66	pCi/L	U	U		10	17	37
BGO 33C	7/13/2015	EUROPIUM-155	5.3	pCi/L	U	U		15.5	25.8	56.7
BGO 33C	7/13/2015	IODINE-129	3.94	pCi/L				1.28	1.15	3.71
BGO 33C	7/13/2015	SODIUM-22	-3.13	pCi/L	U	U		4.62	7.81	17
BGO 33D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 33D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 33D	1/12/2015	BARIUM	8.4	ug/L	J				2	20
BGO 33D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 33D	1/12/2015	CHROMIUM	11.6	ug/L	J				10	100
BGO 33D	1/12/2015	COBALT	0.7	ug/L	J				0.5	5
BGO 33D	1/12/2015	COPPER	2.88	ug/L	J				0.5	5
BGO 33D	1/12/2015	LEAD	0.531	ug/L	J				0.5	5
BGO 33D	1/12/2015	NICKEL	0.526	ug/L	J				0.5	5
BGO 33D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 33D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 33D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 33D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 33D	1/12/2015	VANADIUM	39.5	ug/L	U				5	50
BGO 33D	1/12/2015	ZINC	40	ug/L	U				4	40
BGO 33D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 33D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 33D	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 33D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 33D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 33D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 33D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 33D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 33D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 33D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 33D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 33D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 33D	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 33D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 33D	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 33D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 33D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 33D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 33D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 33D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 33D	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 33D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 33D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 33D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	1.89	pCi/L				0.213	0.11	0.536
BGO 33D	1/12/2015	RADIUM-226	1.36	pCi/L				0.145	0.077	0.3671
BGO 33D	1/12/2015	URANIUM-233/234	0	pCi/L	U			0	0.0668	0.0668
BGO 33D	1/12/2015	URANIUM-235	0.0304	pCi/L	U			0.061	0.0824	0.204
BGO 33D	1/12/2015	URANIUM-238	0.0246	pCi/L	U			0.049	0.0666	0.165
BGO 33D	1/12/2015	GROSS ALPHA	1.58	pCi/L	U			1.74	2.19	5.67

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	1/12/2015	NONVOLATILE BETA	2.68	pCi/L	U			2.63	3.96	9.22
BGO 33D	1/12/2015	STRONTIUM-90	0.806	pCi/L	U			2.02	3.11	7.15
BGO 33D	1/12/2015	CARBON-14	-2.12	pCi/L	UJ			4.11	6.97	15.2
BGO 33D	1/12/2015	TECHNETIUM-99	2.13	pCi/L	U			2.56	4.21	9.33
BGO 33D	1/12/2015	TRITIUM	2.68	pCi/mL				0.379	0.401	1.16
BGO 33D	1/12/2015	IODINE-129	-0.0452	pCi/L	U			0.599	0.884	2.08
BGO 33D	7/7/2015	ETHANE	0.0026	ug/L	J		21		0.002	0.1
BGO 33D	7/7/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BGO 33D	7/7/2015	ANTIMONY	10	ug/L	U				1	10
BGO 33D	7/7/2015	ARSENIC	50	ug/L	U				5	50
BGO 33D	7/7/2015	BARIUM	7.61	ug/L	J		21		2	20
BGO 33D	7/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	CADMIUM	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	CHROMIUM	100	ug/L	U				10	100
BGO 33D	7/7/2015	COBALT	0.635	ug/L	J		21		0.5	5
BGO 33D	7/7/2015	COPPER	1.57	ug/L	J		21		0.5	5
BGO 33D	7/7/2015	LEAD	5	ug/L	U				0.5	5
BGO 33D	7/7/2015	NICKEL	1.69	ug/L	J		21		0.5	5
BGO 33D	7/7/2015	SELENIUM	20	ug/L	U				2	20
BGO 33D	7/7/2015	SILVER	5	ug/L	U				0.5	5
BGO 33D	7/7/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	TIN	10	ug/L	U				1	10
BGO 33D	7/7/2015	VANADIUM	8.02	ug/L	J		21		5	50
BGO 33D	7/7/2015	ZINC	6.7	ug/L	U		21, V		4	40
BGO 33D	7/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 33D	7/7/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 33D	7/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	7/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 33D	7/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 33D	7/7/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 33D	7/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 33D	7/7/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 33D	7/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 33D	7/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 33D	7/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 33D	7/7/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 33D	7/7/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 33D	7/7/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 33D	7/7/2015	ACETONE	2	ug/L	U				0.34	2
BGO 33D	7/7/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 33D	7/7/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 33D	7/7/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 33D	7/7/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 33D	7/7/2015	BENZENE	1	ug/L	U				0.06	1
BGO 33D	7/7/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 33D	7/7/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	7/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 33D	7/7/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 33D	7/7/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 33D	7/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 33D	7/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 33D	7/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 33D	7/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 33D	7/7/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 33D	7/7/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 33D	7/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 33D	7/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 33D	7/7/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 33D	7/7/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 33D	7/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 33D	7/7/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 33D	7/7/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 33D	7/7/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 33D	7/7/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 33D	7/7/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 33D	7/7/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 33D	7/7/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 33D	7/7/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 33D	7/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	7/7/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 33D	7/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 33D	7/7/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 33D	7/7/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 33D	7/7/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 33D	7/7/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 33D	7/7/2015	STYRENE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 33D	7/7/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 33D	7/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 33D	7/7/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 33D	7/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 33D	7/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 33D	7/7/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 33D	7/7/2015	XYLENES	3	ug/L	U				0.2	3
BGO 33D	7/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 33D	7/7/2015	RADIUM, TOTAL ALPHA-EMITTING	3.18	pCi/L				0.353	0.17	0.876
BGO 33D	7/7/2015	RADIUM-226	1.42	pCi/L				0.144	0.052	0.3398
BGO 33D	7/7/2015	URANIUM-233/234	0.037	pCi/L	U			0.061	0.106	0.228
BGO 33D	7/7/2015	URANIUM-235	0.0457	pCi/L	U			0.075	0.131	0.282
BGO 33D	7/7/2015	URANIUM-238	-0.00528	pCi/L	U		V	0.011	0.106	0.127
BGO 33D	7/7/2015	GROSS ALPHA	2.74	pCi/L	J		21	2.17	2.1	6.45
BGO 33D	7/7/2015	NONVOLATILE BETA	2.07	pCi/L	U			2.56	4	9.13
BGO 33D	7/7/2015	STRONTIUM-90	0.79	pCi/L	U			1.95	2.97	6.87
BGO 33D	7/7/2015	CARBON-14	21.9	pCi/L	J			4.78	7.19	16.7
BGO 33D	7/7/2015	TECHNETIUM-99	-1.29	pCi/L	U			2.58	4.41	9.57
BGO 33D	7/7/2015	TRITIUM	2.87	pCi/mL				0.419	0.467	1.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 33D	7/7/2015	IODINE-129	0.12	pCi/L	U			0.643	0.981	2.27
BGO 34D	1/12/2015	ANTIMONY	10	ug/L	U				1	10
BGO 34D	1/12/2015	ARSENIC	50	ug/L	U				5	50
BGO 34D	1/12/2015	BARIUM	12.6	ug/L	J				2	20
BGO 34D	1/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 34D	1/12/2015	CHROMIUM	10.5	ug/L	J				10	100
BGO 34D	1/12/2015	COBALT	5	ug/L	U				0.5	5
BGO 34D	1/12/2015	COPPER	31.3	ug/L					0.5	5
BGO 34D	1/12/2015	LEAD	1.95	ug/L	J				0.5	5
BGO 34D	1/12/2015	NICKEL	0.591	ug/L	J				0.5	5
BGO 34D	1/12/2015	SELENIUM	20	ug/L	U				2	20
BGO 34D	1/12/2015	SILVER	5	ug/L	U				0.5	5
BGO 34D	1/12/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 34D	1/12/2015	TIN	10	ug/L	U				1	10
BGO 34D	1/12/2015	VANADIUM	40	ug/L	U				5	50
BGO 34D	1/12/2015	ZINC	36.5	ug/L	J				4	40
BGO 34D	1/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 34D	1/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 34D	1/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 34D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 34D	1/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 34D	1/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 34D	1/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 34D	1/12/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 34D	1/12/2015	BENZENE	1	ug/L	U				0.06	1
BGO 34D	1/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 34D	1/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 34D	1/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 34D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 34D	1/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 34D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 34D	1/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 34D	1/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 34D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 34D	1/12/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 34D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 34D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 34D	1/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 34D	1/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 34D	1/12/2015	XYLENES	3	ug/L	U				0.2	3
BGO 34D	1/12/2015	RADIUM, TOTAL ALPHA-EMITTING	1.12	pCi/L				0.168	0.115	0.451
BGO 34D	1/12/2015	RADIUM-226	0.947	pCi/L				0.125	0.08	0.3304
BGO 34D	1/12/2015	URANIUM-233/234	0.018	pCi/L	U			0.05	0.121	0.22
BGO 34D	1/12/2015	URANIUM-235	0.0148	pCi/L	U			0.063	0.178	0.303
BGO 34D	1/12/2015	URANIUM-238	0.024	pCi/L	U			0.048	0.0649	0.161
BGO 34D	1/12/2015	GROSS ALPHA	0.0554	pCi/L	U			0.824	2.17	3.82
BGO 34D	1/12/2015	NONVOLATILE BETA	2.06	pCi/L	U			2.5	3.91	8.92
BGO 34D	1/12/2015	STRONTIUM-90	2.07	pCi/L	U			2.15	3.11	7.42
BGO 34D	1/12/2015	CARBON-14	4.28	pCi/L	UJ			4.3	7.04	15.6
BGO 34D	1/12/2015	TECHNETIUM-99	2.23	pCi/L	U			2.56	4.2	9.31
BGO 34D	1/12/2015	TRITIUM	2.25	pCi/mL				0.357	0.398	1.11
BGO 34D	1/12/2015	IODINE-129	1.02	pCi/L	J		21	0.864	0.9	2.63
BGO 34D	7/20/2015	ETHANE	0.0028	ug/L	J		21		0.002	0.1
BGO 34D	7/20/2015	ETHYLENE	0.01	ug/L	J		21		0.003	0.1
BGO 34D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 34D	7/20/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 34D	7/20/2015	BARIUM	12.8	ug/L	J		21		2	20
BGO 34D	7/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 34D	7/20/2015	COBALT	5	ug/L	U				0.5	5
BGO 34D	7/20/2015	COPPER	59.6	ug/L					0.5	5
BGO 34D	7/20/2015	LEAD	2.33	ug/L	J		21		0.5	5
BGO 34D	7/20/2015	NICKEL	1.38	ug/L	J		21		0.5	5
BGO 34D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 34D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 34D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	TIN	10	ug/L	U				1	10
BGO 34D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 34D	7/20/2015	ZINC	28.3	ug/L	J		21		4	40
BGO 34D	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 34D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 34D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 34D	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 34D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 34D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 34D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 34D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 34D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 34D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 34D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 34D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 34D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 34D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 34D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 34D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 34D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 34D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 34D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 34D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 34D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 34D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 34D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 34D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 34D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 34D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 34D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 34D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 34D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 34D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 34D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 34D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 34D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 34D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 34D	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 34D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 34D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 34D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 34D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 34D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 34D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 34D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 34D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 34D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 34D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 34D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 34D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 34D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 34D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 34D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 34D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 34D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 34D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 34D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 34D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 34D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 34D	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 34D	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 34D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 34D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 34D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 34D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.956	pCi/L				0.152	0.126	0.43
BGO 34D	7/20/2015	RADIUM-226	0.764	pCi/L				0.118	0.1	0.3356
BGO 34D	7/20/2015	URANIUM-233/234	0	pCi/L	U			0	0.0661	0.0661
BGO 34D	7/20/2015	URANIUM-235	0.0301	pCi/L	U		V	0.06	0.0816	0.202
BGO 34D	7/20/2015	URANIUM-238	0	pCi/L	U		V	0	0.066	0.066
BGO 34D	7/20/2015	GROSS ALPHA	-0.364	pCi/L	U			0.347	2.29	2.98
BGO 34D	7/20/2015	NONVOLATILE BETA	0.899	pCi/L	U			2.38	4.06	8.81
BGO 34D	7/20/2015	STRONTIUM-90	1.52	pCi/L	U			2.35	3.13	7.82
BGO 34D	7/20/2015	CARBON-14	-1.6	pCi/L	U			4.16	7.04	15.4
BGO 34D	7/20/2015	TECHNETIUM-99	2.22	pCi/L	U			2.55	4.19	9.3
BGO 34D	7/20/2015	TRITIUM	2.41	pCi/mL				0.405	0.489	1.3
BGO 34D	7/20/2015	IODINE-129	-0.272	pCi/L	U			0.625	1.03	2.28
BGO 35C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 35C	1/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 35C	1/20/2015	BARIUM	22.3	ug/L					2	20
BGO 35C	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 35C	1/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 35C	1/20/2015	COBALT	5	ug/L	U				0.5	5
BGO 35C	1/20/2015	COPPER	1.96	ug/L	J				0.5	5
BGO 35C	1/20/2015	LEAD	0.81	ug/L	J				0.5	5
BGO 35C	1/20/2015	NICKEL	0.563	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	1/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 35C	1/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 35C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 35C	1/20/2015	TIN	10	ug/L	U				1	10
BGO 35C	1/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 35C	1/20/2015	ZINC	23.5	ug/L	J				4	40
BGO 35C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 35C	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 35C	1/20/2015	1,1-DICHLOROETHANE	2	ug/L					0.07	1
BGO 35C	1/20/2015	1,1-DICHLOROETHYLENE	1.2	ug/L					0.08	1
BGO 35C	1/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 35C	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 35C	1/20/2015	1,2-DICHLOROPROPANE	0.4	ug/L	J		21		0.1	1
BGO 35C	1/20/2015	1,4-DIOXANE	46	ug/L	J		21		7.6	80
BGO 35C	1/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 35C	1/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 35C	1/20/2015	CARBON TETRACHLORIDE	2.5	ug/L					0.13	1
BGO 35C	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 35C	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 35C	1/20/2015	CHLOROFORM	15	ug/L					0.1	1
BGO 35C	1/20/2015	CIS-1,2-DICHLOROETHYLENE	96	ug/L					0.9	10
BGO 35C	1/20/2015	DICHLORODIFLUOROMETHANE	4.3	ug/L					0.08	2
BGO 35C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 35C	1/20/2015	TETRACHLOROETHYLENE (PCE)	6.7	ug/L					0.18	1
BGO 35C	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 35C	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	0.28	ug/L	J		21		0.08	1
BGO 35C	1/20/2015	TRICHLOROETHYLENE (TCE)	200	ug/L					2.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	1/20/2015	TRICHLOROFLUOROMETHANE	0.47	ug/L	J		21		0.11	1
BGO 35C	1/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 35C	1/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 35C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.579	pCi/L	J		21	0.208	0.242	0.658
BGO 35C	1/20/2015	RADIUM-226	0.407	pCi/L				0.083	0.071	0.2378
BGO 35C	1/20/2015	URANIUM-233/234	0.0224	pCi/L	U			0.045	0.0607	0.151
BGO 35C	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0749	0.0749
BGO 35C	1/20/2015	URANIUM-238	0	pCi/L	U			0	0.0606	0.0606
BGO 35C	1/20/2015	GROSS ALPHA	1.95	pCi/L	U			1.89	2.18	5.95
BGO 35C	1/20/2015	NONVOLATILE BETA	3.59	pCi/L	U			2.79	3.96	9.55
BGO 35C	1/20/2015	STRONTIUM-90	0.652	pCi/L	U			1.71	3.12	6.53
BGO 35C	1/20/2015	CARBON-14	0.608	pCi/L	U			4.14	6.92	15.2
BGO 35C	1/20/2015	TECHNETIUM-99	1.89	pCi/L	U			2.57	4.23	9.36
BGO 35C	1/20/2015	TRITIUM	2860	pCi/mL				10.1	0.48	20.7
BGO 35C	1/20/2015	IODINE-129	-0.0242	pCi/L	U			0.536	0.931	2
BGO 35C	7/13/2015	ETHANE	0.026	ug/L	J		21		0.002	0.1
BGO 35C	7/13/2015	ETHYLENE	0.0073	ug/L	J		21		0.003	0.1
BGO 35C	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 35C	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 35C	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 35C	7/13/2015	BARIUM	18	ug/L	J	J	21		2	20
BGO 35C	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 35C	7/13/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 35C	7/13/2015	COPPER	4.08	ug/L	J	J	21		0.5	5
BGO 35C	7/13/2015	LEAD	1.84	ug/L	J	J	21		0.5	5
BGO 35C	7/13/2015	NICKEL	2.2	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 35C	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 35C	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 35C	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 35C	7/13/2015	ZINC	28	ug/L	J	J	21		4	40
BGO 35C	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 35C	7/13/2015	ALDRIN	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
BGO 35C	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.012	0.048
BGO 35C	7/13/2015	DDD	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	DDE	0.048	ug/L	U	U			0.013	0.048
BGO 35C	7/13/2015	DDT	0.048	ug/L	U	U			0.022	0.048
BGO 35C	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	DIELDRIN	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
BGO 35C	7/13/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
BGO 35C	7/13/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
BGO 35C	7/13/2015	LINDANE	0.048	ug/L	U	U			0.0095	0.048
BGO 35C	7/13/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.012	0.48
BGO 35C	7/13/2015	TOTAL CHLORDANE	0.48	ug/L	U	U			0.095	0.48
BGO 35C	7/13/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	AROCLOR 1016	0.99	ug/L	U	U			0.34	0.99
BGO 35C	7/13/2015	AROCLOR 1221	0.99	ug/L	U	U			0.34	0.99
BGO 35C	7/13/2015	AROCLOR 1232	0.99	ug/L	U	U			0.34	0.99
BGO 35C	7/13/2015	AROCLOR 1242	0.99	ug/L	U	U			0.34	0.99
BGO 35C	7/13/2015	AROCLOR 1248	0.99	ug/L	U	U			0.34	0.99
BGO 35C	7/13/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
BGO 35C	7/13/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
BGO 35C	7/13/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95
BGO 35C	7/13/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
BGO 35C	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
BGO 35C	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.69	1.9
BGO 35C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 35C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.25	ug/L	J	J	21		0.1	1
BGO 35C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 35C	7/13/2015	1,1-DICHLOROETHANE	2	ug/L					0.07	1
BGO 35C	7/13/2015	1,1-DICHLOROETHYLENE	1.1	ug/L					0.08	1
BGO 35C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 35C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 35C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 35C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 35C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 35C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 35C	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 35C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	1,2-DICHLOROETHYLENE	110	ug/L					0.75	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	1,2-DICHLOROPROPANE	0.45	ug/L	J	J	21		0.1	1
BGO 35C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 35C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	1,4-DICHLOROBENZENE	0.38	ug/L	J	J	21		0.12	1
BGO 35C	7/13/2015	1,4-DIOXANE	38	ug/L	J	J	21		7.6	80
BGO 35C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 35C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 35C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 35C	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 35C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 35C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 35C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 35C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 35C	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 35C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 35C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 35C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 35C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 35C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 35C	7/13/2015	CARBON TETRACHLORIDE	2.2	ug/L					0.13	1
BGO 35C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 35C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 35C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 35C	7/13/2015	CHLOROFORM	13	ug/L					0.1	1
BGO 35C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 35C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 35C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	110	ug/L					0.45	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 35C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 35C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 35C	7/13/2015	DICHLORODIFLUOROMETHANE	4.7	ug/L					0.08	2
BGO 35C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 35C	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 35C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 35C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 35C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 35C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 35C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 35C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 35C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 35C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 35C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 35C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 35C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 35C	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 35C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 35C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 35C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	TETRACHLOROETHYLENE (PCE)	6.8	ug/L					0.18	1
BGO 35C	7/13/2015	TOLUENE	1	ug/L	U	U			0.07	1
BGO 35C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	0.29	ug/L	J	J	21		0.08	1
BGO 35C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 35C	7/13/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					1.3	5
BGO 35C	7/13/2015	TRICHLOROFLUOROMETHANE	0.45	ug/L	J	J	21		0.11	1
BGO 35C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 35C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 35C	7/13/2015	1,4-DIOXANE	51	ug/L					0.85	3
BGO 35C	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,4-DINITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	1,4-DIOXANE	19	ug/L					0.98	9.8
BGO 35C	7/13/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
BGO 35C	7/13/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
BGO 35C	7/13/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
BGO 35C	7/13/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U	U	14		0.98	98
BGO 35C	7/13/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
BGO 35C	7/13/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
BGO 35C	7/13/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 35C	7/13/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
BGO 35C	7/13/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.6	49
BGO 35C	7/13/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		0.98	20
BGO 35C	7/13/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
BGO 35C	7/13/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
BGO 35C	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8
BGO 35C	7/13/2015	4-NITROQUINOLINE-1-OXIDE	98	ug/L	U	U	14		4.9	98
BGO 35C	7/13/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		0.98	20
BGO 35C	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			22	49
BGO 35C	7/13/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	ANILINE	9.8	ug/L	U	U			1.2	9.8
BGO 35C	7/13/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	ARAMITE	20	ug/L	U	U	14		4.9	20
BGO 35C	7/13/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.9	9.8
BGO 35C	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8
BGO 35C	7/13/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	CHLOROBENZILATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 35C	7/13/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	DIETHYL PHTHALATE	1	ug/L	J	J	21		0.98	9.8
BGO 35C	7/13/2015	DIMETHOATE	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 35C	7/13/2015	DISULFOTON	49	ug/L	U	U	14		0.98	49
BGO 35C	7/13/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	FAMPHUR	98	ug/L	U	U	14		1.7	98
BGO 35C	7/13/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.8	240
BGO 35C	7/13/2015	HEXACHLOROPROPENE	98	ug/L	U	U			0.98	98
BGO 35C	7/13/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	ISODRIN	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	ISOSAFROLE	20	ug/L	U	U			4.9	20
BGO 35C	7/13/2015	KEPONE	98	ug/L	U	U			20	98
BGO 35C	7/13/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 35C	7/13/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
BGO 35C	7/13/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	METHYL PARATHION	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2	9.8
BGO 35C	7/13/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
BGO 35C	7/13/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49
BGO 35C	7/13/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	PARATHION	49	ug/L	U	U	14		0.98	49
BGO 35C	7/13/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
BGO 35C	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
BGO 35C	7/13/2015	PHENACETIN	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	PHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8
BGO 35C	7/13/2015	PHORATE	49	ug/L	U	U			2	49
BGO 35C	7/13/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
BGO 35C	7/13/2015	P-PHENYLENEDIAMINE	98	ug/L	U	U			0.98	98
BGO 35C	7/13/2015	PRONAMIDE	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
BGO 35C	7/13/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 35C	7/13/2015	SAFROLE	20	ug/L	U	U			0.98	20
BGO 35C	7/13/2015	SULFOTEPP	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	THIONAZIN	49	ug/L	U	U			0.98	49
BGO 35C	7/13/2015	2,3,7,8-TCDD	0.0099	ng/L	U	U			0.002	0.0099
BGO 35C	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.05	ng/L	U	U			0.00078	0.05
BGO 35C	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.05	ng/L	U	U			0.00051	0.05
BGO 35C	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.05	ng/L	U	U			0.0012	0.05
BGO 35C	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.05	ng/L	U	U			0.0009	0.05
BGO 35C	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0099	ng/L	U	U			0.002	0.0099
BGO 35C	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.0099	ng/L	U	U			0.0017	0.0099
BGO 35C	7/13/2015	CYANIDE	3.1	ug/L	J	J	21		2.9	10
BGO 35C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.255	pCi/L	J	J	21	0.091	0.114	0.2956

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	RADIUM-226	0.404	pCi/L				0.083	0.06	0.2267
BGO 35C	7/13/2015	RADIUM-228	0.325	pCi/L	U	U		0.291	0.469	1.051
BGO 35C	7/13/2015	AMERICIUM-241	0.0169	pCi/L	U	U		0.047	0.114	0.207
BGO 35C	7/13/2015	CURIUM-242	0.0694	pCi/L	J	U	21	0.081	0.0602	0.222
BGO 35C	7/13/2015	CURIUM-243/244	0.0445	pCi/L	U	U	V	0.063	0.0602	0.187
BGO 35C	7/13/2015	CURIUM-245/246	0.276	pCi/L	U	U	21, V	0.164	0.0623	0.391
BGO 35C	7/13/2015	NEPTUNIUM-237	0.0553	pCi/L	U	U		0.072	0.101	0.244
BGO 35C	7/13/2015	PLUTONIUM-238	0.0199	pCi/L	U	U		0.04	0.054	0.134
BGO 35C	7/13/2015	PLUTONIUM-239/240	0.0796	pCi/L	U	U	V	0.082	0.054	0.217
BGO 35C	7/13/2015	THORIUM-228	-0.041	pCi/L	U	U	V	0.053	0.143	0.25
BGO 35C	7/13/2015	THORIUM-230	0.171	pCi/L	U	U	21, V	0.092	0.0963	0.28
BGO 35C	7/13/2015	THORIUM-232	0.0218	pCi/L	U	U		0.035	0.0607	0.13
BGO 35C	7/13/2015	URANIUM-233/234	0.095	pCi/L	U	U	V	0.097	0.127	0.32
BGO 35C	7/13/2015	URANIUM-235	-0.013	pCi/L	U	U	V	0.019	0.156	0.193
BGO 35C	7/13/2015	URANIUM-238	0.0632	pCi/L	U	U	V	0.074	0.0571	0.204
BGO 35C	7/13/2015	GROSS ALPHA	0.505	pCi/L	U	U		1.2	2.16	4.56
BGO 35C	7/13/2015	NONVOLATILE BETA	1.98	pCi/L	U	U		2.46	3.77	8.69
BGO 35C	7/13/2015	STRONTIUM-90	2.26	pCi/L	U	U		2.3	2.97	7.58
BGO 35C	7/13/2015	CARBON-14	2.29	pCi/L	U	U		4.48	7.41	16.4
BGO 35C	7/13/2015	NICKEL-63	1.07	pCi/L	U	U		3.05	5.18	11.3
BGO 35C	7/13/2015	TECHNETIUM-99	1.26	pCi/L	U	U		2.62	4.34	9.58
BGO 35C	7/13/2015	TRITIUM	4050	pCi/mL				12.4	0.48	25.3
BGO 35C	7/13/2015	CESIUM-134	-1.42	pCi/L	U	U		6.01	9.05	21.1
BGO 35C	7/13/2015	CESIUM-137	-2.17	pCi/L	U	U		5.57	9.6	20.7
BGO 35C	7/13/2015	COBALT-60	-0.433	pCi/L	U	U		4.52	8.42	17.5
BGO 35C	7/13/2015	EUROPIUM-152	-21.6	pCi/L	U	U		61.7	104	227
BGO 35C	7/13/2015	EUROPIUM-154	0.688	pCi/L	U	U		9.91	17.4	37.2
BGO 35C	7/13/2015	EUROPIUM-155	3.13	pCi/L	U	U		15.6	25.9	57.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35C	7/13/2015	IODINE-129	-0.111	pCi/L	U	U		0.564	0.944	2.07
BGO 35C	7/13/2015	SODIUM-22	-0.607	pCi/L	U	U		4.28	7.98	16.5
BGO 35D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 35D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 35D	1/13/2015	BARIUM	20.6	ug/L					2	20
BGO 35D	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 35D	1/13/2015	CHROMIUM	11.7	ug/L	J				10	100
BGO 35D	1/13/2015	COBALT	0.582	ug/L	J				0.5	5
BGO 35D	1/13/2015	COPPER	38.1	ug/L					0.5	5
BGO 35D	1/13/2015	LEAD	6.78	ug/L					0.5	5
BGO 35D	1/13/2015	NICKEL	1.33	ug/L	J				0.5	5
BGO 35D	1/13/2015	SELENIUM	2.39	ug/L	J				2	20
BGO 35D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 35D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 35D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 35D	1/13/2015	VANADIUM	43.3	ug/L	U				5	50
BGO 35D	1/13/2015	ZINC	15.3	ug/L	J				4	40
BGO 35D	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 35D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 35D	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 35D	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 35D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 35D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 35D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 35D	1/13/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 35D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 35D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 35D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 35D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 35D	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 35D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 35D	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 35D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 35D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 35D	1/13/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
BGO 35D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 35D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 35D	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 35D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 35D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 35D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.47	pCi/L				0.195	0.128	0.518
BGO 35D	1/13/2015	RADIUM-226	0.915	pCi/L				0.132	0.108	0.372
BGO 35D	1/13/2015	URANIUM-233/234	0.033	pCi/L	U			0.064	0.132	0.261
BGO 35D	1/13/2015	URANIUM-235	0	pCi/L	U			0	0.0736	0.0736
BGO 35D	1/13/2015	URANIUM-238	0.0385	pCi/L	U			0.063	0.111	0.237
BGO 35D	1/13/2015	GROSS ALPHA	1.58	pCi/L	U			1.74	2.19	5.66
BGO 35D	1/13/2015	NONVOLATILE BETA	0.569	pCi/L	U			2.23	3.95	8.41
BGO 35D	1/13/2015	STRONTIUM-90	-0.461	pCi/L	U			1.49	3.11	6.09
BGO 35D	1/13/2015	CARBON-14	33.1	pCi/L				4.92	7	16.8
BGO 35D	1/13/2015	TECHNETIUM-99	2.24	pCi/L	U			2.55	4.19	9.29
BGO 35D	1/13/2015	TRITIUM	3.07	pCi/mL				0.427	0.475	1.33
BGO 35D	1/13/2015	IODINE-129	-0.0331	pCi/L	U			0.571	0.934	2.08
BGO 35D	7/14/2015	ETHANE	0.0049	ug/L	J		21		0.002	0.1
BGO 35D	7/14/2015	ETHYLENE	0.0071	ug/L	J		21		0.003	0.1
BGO 35D	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 35D	7/14/2015	BARIUM	17.9	ug/L	J	J	21		2	20
BGO 35D	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	CHROMIUM	16.1	ug/L	J	J	21		10	100
BGO 35D	7/14/2015	COBALT	0.683	ug/L	J	J	21		0.5	5
BGO 35D	7/14/2015	COPPER	34	ug/L					0.5	5
BGO 35D	7/14/2015	LEAD	6.27	ug/L					0.5	5
BGO 35D	7/14/2015	NICKEL	6.68	ug/L					0.5	5
BGO 35D	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 35D	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 35D	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	TIN	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 35D	7/14/2015	ZINC	19.2	ug/L	J	J	21		4	40
BGO 35D	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 35D	7/14/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 35D	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 35D	7/14/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 35D	7/14/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 35D	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 35D	7/14/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 35D	7/14/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 35D	7/14/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
BGO 35D	7/14/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 35D	7/14/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.099	0.5
BGO 35D	7/14/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 35D	7/14/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 35D	7/14/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 35D	7/14/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 35D	7/14/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 35D	7/14/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 35D	7/14/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 35D	7/14/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 35D	7/14/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 35D	7/14/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 35D	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.1	ug/L	U	U			4.2	8.1
BGO 35D	7/14/2015	DINOSEB	2	ug/L	U	U			0.74	2
BGO 35D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 35D	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 35D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 35D	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 35D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 35D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 35D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 35D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 35D	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 35D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 35D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 35D	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 35D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 35D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 35D	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 35D	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 35D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 35D	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 35D	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 35D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 35D	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 35D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 35D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 35D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 35D	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 35D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 35D	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 35D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 35D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 35D	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 35D	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 35D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 35D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 35D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 35D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 35D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 35D	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 35D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 35D	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 35D	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 35D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 35D	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 35D	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 35D	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 35D	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 35D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 35D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 35D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 35D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 35D	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 35D	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 35D	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 35D	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 35D	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 35D	7/14/2015	TOLUENE	0.27	ug/L	J	J	21		0.07	1
BGO 35D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 35D	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 35D	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 35D	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 35D	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 35D	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 35D	7/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 35D	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,3,5-TRINITROBENZENE	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	1,4-NAPHTHOQUINONE	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
BGO 35D	7/14/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
BGO 35D	7/14/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
BGO 35D	7/14/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
BGO 35D	7/14/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
BGO 35D	7/14/2015	2-PICOLINE	20	ug/L	U	U			2	20
BGO 35D	7/14/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
BGO 35D	7/14/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U	U	14		2.6	50
BGO 35D	7/14/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
BGO 35D	7/14/2015	4-AMINOBIPHENYL	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
BGO 35D	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		2	10
BGO 35D	7/14/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5	100
BGO 35D	7/14/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U	U			22	50
BGO 35D	7/14/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ACETOPHENONE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ANILINE	10	ug/L	U	U			1.3	10
BGO 35D	7/14/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	ARAMITE	20	ug/L	U	U	14		5	20
BGO 35D	7/14/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
BGO 35D	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
BGO 35D	7/14/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	CHRYSENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	DIALLATE	20	ug/L	U	U			2	20
BGO 35D	7/14/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	DIMETHOATE	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
BGO 35D	7/14/2015	DISULFOTON	50	ug/L	U	U	14		1	50
BGO 35D	7/14/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
BGO 35D	7/14/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	FLUORENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
BGO 35D	7/14/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
BGO 35D	7/14/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	ISODRIN	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	ISOPHORONE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	ISOSAFROLE	20	ug/L	U	U			5	20
BGO 35D	7/14/2015	KEPONE	100	ug/L	U	U			20	100
BGO 35D	7/14/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
BGO 35D	7/14/2015	METHAPYRILENE	50	ug/L	U	U	14		1.3	50
BGO 35D	7/14/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	M-NITROANILINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	NAPHTHALENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	NITROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
BGO 35D	7/14/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U	U			1.1	50
BGO 35D	7/14/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	PARATHION	50	ug/L	U	U	14		1	50
BGO 35D	7/14/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
BGO 35D	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	PENTACHLOROETHANE	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	PENTACHLORONITROBENZENE	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
BGO 35D	7/14/2015	PHENACETIN	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	PHENOL	10	ug/L	U	UJ	11, 14		2	10
BGO 35D	7/14/2015	PHORATE	50	ug/L	U	U			2	50
BGO 35D	7/14/2015	P-NITROANILINE	10	ug/L	U	U			1	10
BGO 35D	7/14/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
BGO 35D	7/14/2015	PRONAMIDE	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	PYRENE	10	ug/L	U	U	14		1	10
BGO 35D	7/14/2015	PYRIDINE	20	ug/L	U	U			2	20
BGO 35D	7/14/2015	SAFROLE	20	ug/L	U	U			1	20
BGO 35D	7/14/2015	SULFOTEPP	50	ug/L	U	U			1	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	THIONAZIN	50	ug/L	U	U			1	50
BGO 35D	7/14/2015	2,3,7,8-TCDD	0.011	ng/L	U	U			0.0017	0.011
BGO 35D	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.00082	0.053
BGO 35D	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.00039	0.053
BGO 35D	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.053	ng/L	U	U			0.00097	0.053
BGO 35D	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.053	ng/L	U	U			0.00071	0.053
BGO 35D	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.011	ng/L	U	U			0.0017	0.011
BGO 35D	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.011	ng/L	U	U			0.0013	0.011
BGO 35D	7/14/2015	CYANIDE	4.5	ug/L	J	J	21		2.9	10
BGO 35D	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.864	pCi/L				0.125	0.082	0.3315
BGO 35D	7/14/2015	RADIUM-226	0.879	pCi/L				0.12	0.087	0.3273
BGO 35D	7/14/2015	RADIUM-228	0.496	pCi/L	J	J	21	0.259	0.384	0.902
BGO 35D	7/14/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0575	0.0575
BGO 35D	7/14/2015	CURIUM-242	0.0444	pCi/L	U	U	V	0.063	0.0566	0.183
BGO 35D	7/14/2015	CURIUM-243/244	0.0157	pCi/L	U	U	V	0.043	0.105	0.192
BGO 35D	7/14/2015	CURIUM-245/246	0.0433	pCi/L	U	U	V	0.062	0.0586	0.182
BGO 35D	7/14/2015	NEPTUNIUM-237	0.0476	pCi/L	U	U	V	0.068	0.0646	0.201
BGO 35D	7/14/2015	PLUTONIUM-238	-0.0059	pCi/L	U	U		0.012	0.119	0.142
BGO 35D	7/14/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0639	0.0639
BGO 35D	7/14/2015	THORIUM-228	0.107	pCi/L	U	U		0.169	0.34	0.679
BGO 35D	7/14/2015	THORIUM-230	0.0527	pCi/L	U	U	V	0.084	0.158	0.326
BGO 35D	7/14/2015	THORIUM-232	0	pCi/L	U	U		0	0.0633	0.0633
BGO 35D	7/14/2015	URANIUM-233/234	0.0987	pCi/L	J	J	21, 14	0.089	0.0535	0.232
BGO 35D	7/14/2015	URANIUM-235	0.0243	pCi/L	U	U		0.049	0.066	0.164
BGO 35D	7/14/2015	URANIUM-238	0.0689	pCi/L	U	U		0.081	0.118	0.279
BGO 35D	7/14/2015	GROSS ALPHA	0.501	pCi/L	U	U		1.2	2.14	4.53
BGO 35D	7/14/2015	NONVOLATILE BETA	1.74	pCi/L	U	U		2.41	3.77	8.59
BGO 35D	7/14/2015	STRONTIUM-90	2.8	pCi/L	U	U		2.83	3.26	8.93

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 35D	7/14/2015	CARBON-14	7.32	pCi/L	J	U	21, V	4.47	7.2	16.1
BGO 35D	7/14/2015	NICKEL-63	0.958	pCi/L	U	U		3.12	5.38	11.6
BGO 35D	7/14/2015	TECHNETIUM-99	-0.972	pCi/L	U	U		2.58	4.39	9.54
BGO 35D	7/14/2015	TRITIUM	3.13	pCi/mL				0.39	0.379	1.16
BGO 35D	7/14/2015	CESIUM-134	-0.219	pCi/L	U	U		5.33	8.26	18.9
BGO 35D	7/14/2015	CESIUM-137	1.21	pCi/L	U	U		5.07	9.33	19.5
BGO 35D	7/14/2015	COBALT-60	1.75	pCi/L	U	U		4.76	9.33	18.8
BGO 35D	7/14/2015	EUROPIUM-152	-36.2	pCi/L	U	U		61	87.8	210
BGO 35D	7/14/2015	EUROPIUM-154	1.58	pCi/L	U	U		10.4	18.3	39.2
BGO 35D	7/14/2015	EUROPIUM-155	-2.52	pCi/L	U	U		16.9	24.5	58.3
BGO 35D	7/14/2015	IODINE-129	-0.285	pCi/L	U	U		1.24	0.883	3.37
BGO 35D	7/14/2015	SODIUM-22	-4.5	pCi/L	U	U		4.89	7.87	17.6
BGO 36D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 36D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 36D	1/13/2015	BARIUM	19.7	ug/L	J				2	20
BGO 36D	1/13/2015	BERYLLIUM	0.206	ug/L	J				0.1	1
BGO 36D	1/13/2015	CHROMIUM	14.8	ug/L	J				10	100
BGO 36D	1/13/2015	COBALT	1.21	ug/L	J				0.5	5
BGO 36D	1/13/2015	COPPER	98.6	ug/L					0.5	5
BGO 36D	1/13/2015	LEAD	17.7	ug/L					0.5	5
BGO 36D	1/13/2015	NICKEL	5.98	ug/L					0.5	5
BGO 36D	1/13/2015	SELENIUM	2.93	ug/L	J				2	20
BGO 36D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 36D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 36D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 36D	1/13/2015	VANADIUM	40.2	ug/L	U				5	50
BGO 36D	1/13/2015	ZINC	99.6	ug/L					4	40
BGO 36D	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 36D	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 36D	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 36D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 36D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 36D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 36D	1/13/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 36D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 36D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 36D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 36D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 36D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 36D	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 36D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 36D	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 36D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 36D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 36D	1/13/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
BGO 36D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 36D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 36D	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 36D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 36D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 36D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.49	pCi/L				0.181	0.095	0.4573
BGO 36D	1/13/2015	RADIUM-226	1.06	pCi/L				0.126	0.068	0.32
BGO 36D	1/13/2015	URANIUM-233/234	0.0981	pCi/L	U			0.106	0.155	0.368
BGO 36D	1/13/2015	URANIUM-235	0.0285	pCi/L	U			0.057	0.0771	0.191
BGO 36D	1/13/2015	URANIUM-238	0.0461	pCi/L	U			0.066	0.0624	0.193

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	1/13/2015	GROSS ALPHA	1.19	pCi/L	U			1.54	2.16	5.25
BGO 36D	1/13/2015	NONVOLATILE BETA	2.46	pCi/L	U			2.59	3.94	9.12
BGO 36D	1/13/2015	STRONTIUM-90	0.415	pCi/L	U			1.87	3.12	6.86
BGO 36D	1/13/2015	CARBON-14	5.83	pCi/L	U			4.32	7.01	15.7
BGO 36D	1/13/2015	TECHNETIUM-99	1.73	pCi/L	U			2.5	4.13	9.13
BGO 36D	1/13/2015	TRITIUM	3.91	pCi/mL				0.462	0.477	1.4
BGO 36D	1/13/2015	IODINE-129	0.0492	pCi/L	U			0.536	0.936	2.01
BGO 36D	7/20/2015	ETHANE	0.0055	ug/L	J		21		0.002	0.1
BGO 36D	7/20/2015	ETHYLENE	0.018	ug/L	J		21		0.003	0.1
BGO 36D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 36D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 36D	7/20/2015	BARIUM	19.4	ug/L	J		21		2	20
BGO 36D	7/20/2015	BERYLLIUM	0.217	ug/L	J		21		0.1	1
BGO 36D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 36D	7/20/2015	COBALT	1.04	ug/L	J		21		0.5	5
BGO 36D	7/20/2015	COPPER	66.7	ug/L					0.5	5
BGO 36D	7/20/2015	LEAD	7.86	ug/L					0.5	5
BGO 36D	7/20/2015	NICKEL	1.27	ug/L	J		21		0.5	5
BGO 36D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 36D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 36D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	TIN	10	ug/L	U				1	10
BGO 36D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 36D	7/20/2015	ZINC	20.9	ug/L	J		21		4	40
BGO 36D	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 36D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 36D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 36D	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 36D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 36D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 36D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 36D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 36D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 36D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 36D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 36D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 36D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 36D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 36D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 36D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 36D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 36D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 36D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 36D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 36D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 36D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 36D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 36D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 36D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 36D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 36D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 36D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 36D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 36D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 36D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 36D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 36D	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 36D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 36D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 36D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 36D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 36D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 36D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 36D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 36D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 36D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 36D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 36D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 36D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 36D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 36D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 36D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 36D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 36D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 36D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 36D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 36D	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 36D	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 36D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 36D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 36D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 36D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.1	pCi/L				0.152	0.107	0.411
BGO 36D	7/20/2015	RADIUM-226	1	pCi/L				0.125	0.08	0.3304
BGO 36D	7/20/2015	URANIUM-233/234	0.181	pCi/L	J		21	0.14	0.0701	0.349
BGO 36D	7/20/2015	URANIUM-235	0	pCi/L	U		V	0	0.0865	0.0865
BGO 36D	7/20/2015	URANIUM-238	0.0452	pCi/L	U		V	0.074	0.13	0.279
BGO 36D	7/20/2015	GROSS ALPHA	3.87	pCi/L	J		21	2.59	2.27	7.45
BGO 36D	7/20/2015	NONVOLATILE BETA	2.33	pCi/L	U			2.94	4.65	10.5
BGO 36D	7/20/2015	STRONTIUM-90	1.63	pCi/L	U			2.25	3.13	7.64
BGO 36D	7/20/2015	CARBON-14	-2.02	pCi/L	U			4.14	7.03	15.3
BGO 36D	7/20/2015	TECHNETIUM-99	0.803	pCi/L	U			2.51	4.2	9.23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 36D	7/20/2015	TRITIUM	3.79	pCi/mL				0.46	0.487	1.41
BGO 36D	7/20/2015	IODINE-129	0.123	pCi/L	U			0.628	1.07	2.33
BGO 37C	2/3/2015	ANTIMONY	10	ug/L	U				1	10
BGO 37C	2/3/2015	ARSENIC	50	ug/L	U				5	50
BGO 37C	2/3/2015	BARIUM	8.17	ug/L	J				2	20
BGO 37C	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 37C	2/3/2015	CHROMIUM	100	ug/L	U				10	100
BGO 37C	2/3/2015	COBALT	0.634	ug/L	J				0.5	5
BGO 37C	2/3/2015	COPPER	1.04	ug/L	J				0.5	5
BGO 37C	2/3/2015	LEAD	5	ug/L	U				0.5	5
BGO 37C	2/3/2015	NICKEL	0.877	ug/L	J				0.5	5
BGO 37C	2/3/2015	SELENIUM	20	ug/L	U				2	20
BGO 37C	2/3/2015	SILVER	5	ug/L	U				0.5	5
BGO 37C	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 37C	2/3/2015	TIN	10	ug/L	U				1	10
BGO 37C	2/3/2015	VANADIUM	50	ug/L	U				5	50
BGO 37C	2/3/2015	ZINC	40	ug/L	U				4	40
BGO 37C	2/3/2015	MERCURY	0.224	ug/L					0.02	0.2
BGO 37C	2/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 37C	2/3/2015	1,1-DICHLOROETHANE	2	ug/L					0.07	1
BGO 37C	2/3/2015	1,1-DICHLOROETHYLENE	0.95	ug/L	J		21		0.08	1
BGO 37C	2/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 37C	2/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 37C	2/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 37C	2/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
BGO 37C	2/3/2015	BENZENE	1	ug/L	U				0.06	1
BGO 37C	2/3/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 37C	2/3/2015	CARBON TETRACHLORIDE	0.5	ug/L	J		21		0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	2/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 37C	2/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 37C	2/3/2015	CHLOROFORM	4.4	ug/L					0.1	1
BGO 37C	2/3/2015	CIS-1,2-DICHLOROETHYLENE	40	ug/L					0.45	5
BGO 37C	2/3/2015	DICHLORODIFLUOROMETHANE	1.8	ug/L	J		21		0.08	2
BGO 37C	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 37C	2/3/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
BGO 37C	2/3/2015	TOLUENE	0.5	ug/L	J		21		0.07	1
BGO 37C	2/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 37C	2/3/2015	TRICHLOROETHYLENE (TCE)	51	ug/L					1.3	5
BGO 37C	2/3/2015	TRICHLOROFLUOROMETHANE	0.25	ug/L	J		21		0.11	1
BGO 37C	2/3/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 37C	2/3/2015	XYLENES	3	ug/L	U				0.2	3
BGO 37C	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.06	pCi/L				0.151	0.09	0.3916
BGO 37C	2/3/2015	RADIUM-226	0.981	pCi/L				0.12	0.052	0.2924
BGO 37C	2/3/2015	URANIUM-233/234	0.149	pCi/L	J		21	0.115	0.0575	0.287
BGO 37C	2/3/2015	URANIUM-235	0.0262	pCi/L	U			0.053	0.071	0.176
BGO 37C	2/3/2015	URANIUM-238	0.0371	pCi/L	U			0.061	0.107	0.229
BGO 37C	2/3/2015	GROSS ALPHA	0.0359	pCi/L	U			0.824	2.29	3.94
BGO 37C	2/3/2015	NONVOLATILE BETA	1.23	pCi/L	U			2.52	4.14	9.17
BGO 37C	2/3/2015	STRONTIUM-90	0.592	pCi/L	U			2.14	3.27	7.56
BGO 37C	2/3/2015	CARBON-14	152	pCi/L	J			6.88	6.89	20.6
BGO 37C	2/3/2015	TECHNETIUM-99	2.31	pCi/L	U			2.49	4.09	9.08
BGO 37C	2/3/2015	TRITIUM	13500	pCi/mL				21.3	0.395	43
BGO 37C	2/3/2015	IODINE-129	2.48	pCi/L	J		21	1.07	0.953	3.08
BGO 37C	7/13/2015	ETHANE	0.019	ug/L	J		21		0.002	0.1
BGO 37C	7/13/2015	ETHYLENE	0.0075	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	SULFIDE	0.6	mg/L	J	J	21		0.45	1
BGO 37C	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 37C	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 37C	7/13/2015	BARIUM	7.65	ug/L	J	J	21		2	20
BGO 37C	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100
BGO 37C	7/13/2015	COBALT	0.571	ug/L	J	J	21		0.5	5
BGO 37C	7/13/2015	COPPER	2.17	ug/L	J	J	21		0.5	5
BGO 37C	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 37C	7/13/2015	NICKEL	0.971	ug/L	J	J	21		0.5	5
BGO 37C	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 37C	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 37C	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 37C	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 37C	7/13/2015	ZINC	8.55	ug/L	J	J	21		4	40
BGO 37C	7/13/2015	MERCURY	0.278	ug/L					0.02	0.2
BGO 37C	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 37C	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 37C	7/13/2015	DDD	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 37C	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 37C	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 37C	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 37C	7/13/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 37C	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 37C	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 37C	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 37C	7/13/2015	AROCLOR 1016	0.96	ug/L	U	U			0.34	0.96
BGO 37C	7/13/2015	AROCLOR 1221	0.96	ug/L	U	U			0.34	0.96
BGO 37C	7/13/2015	AROCLOR 1232	0.96	ug/L	U	U			0.34	0.96
BGO 37C	7/13/2015	AROCLOR 1242	0.96	ug/L	U	U			0.34	0.96
BGO 37C	7/13/2015	AROCLOR 1248	0.96	ug/L	U	U			0.34	0.96
BGO 37C	7/13/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
BGO 37C	7/13/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
BGO 37C	7/13/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97
BGO 37C	7/13/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
BGO 37C	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
BGO 37C	7/13/2015	DINOSEB	1.9	ug/L	U	U			0.71	1.9
BGO 37C	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 37C	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 37C	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	1,1-DICHLOROETHANE	2	ug/L					0.07	1
BGO 37C	7/13/2015	1,1-DICHLOROETHYLENE	0.97	ug/L	J	J	21		0.08	1
BGO 37C	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 37C	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
BGO 37C	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 37C	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 37C	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 37C	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	1,2-DICHLOROETHYLENE	34	ug/L					0.15	2
BGO 37C	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 37C	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 37C	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 37C	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 37C	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 37C	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 37C	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 37C	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 37C	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 37C	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 37C	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 37C	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 37C	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 37C	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 37C	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 37C	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 37C	7/13/2015	CARBON TETRACHLORIDE	0.48	ug/L	J	J	21		0.13	1
BGO 37C	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
BGO 37C	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 37C	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 37C	7/13/2015	CHLOROFORM	3.9	ug/L					0.1	1
BGO 37C	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 37C	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 37C	7/13/2015	CIS-1,2-DICHLOROETHYLENE	34	ug/L					0.09	1
BGO 37C	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 37C	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 37C	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 37C	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 37C	7/13/2015	DICHLORODIFLUOROMETHANE	1.8	ug/L	J	J	21		0.08	2
BGO 37C	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 37C	7/13/2015	ETHYL ACETATE	0.97	ug/L	J	J	21		0.18	2
BGO 37C	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 37C	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 37C	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 37C	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 37C	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 37C	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 37C	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 37C	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 37C	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 37C	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 37C	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
BGO 37C	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 37C	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 37C	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 37C	7/13/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
BGO 37C	7/13/2015	TOLUENE	0.26	ug/L	J	J	21		0.07	1
BGO 37C	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 37C	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 37C	7/13/2015	TRICHLOROETHYLENE (TCE)	44	ug/L					1.3	5
BGO 37C	7/13/2015	TRICHLOROFLUOROMETHANE	0.25	ug/L	J	J	21		0.11	1
BGO 37C	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 37C	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 37C	7/13/2015	1,4-DIOXANE	14	ug/L					0.85	3
BGO 37C	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,3-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,4-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	1,4-DIOXANE	5.4	ug/L	J	J	21		0.96	9.6
BGO 37C	7/13/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	1-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
BGO 37C	7/13/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
BGO 37C	7/13/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6
BGO 37C	7/13/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U	U	14		0.96	96
BGO 37C	7/13/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.96	19
BGO 37C	7/13/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	2-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
BGO 37C	7/13/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
BGO 37C	7/13/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
BGO 37C	7/13/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
BGO 37C	7/13/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U	14		2.5	48
BGO 37C	7/13/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.96	19
BGO 37C	7/13/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48
BGO 37C	7/13/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
BGO 37C	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
BGO 37C	7/13/2015	4-NITROQUINOLINE-1-OXIDE	96	ug/L	U	U	14		4.8	96
BGO 37C	7/13/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.96	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.96	19
BGO 37C	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
BGO 37C	7/13/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	ANILINE	9.6	ug/L	U	U			1.2	9.6
BGO 37C	7/13/2015	ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	ARAMITE	19	ug/L	U	U	14		4.8	19
BGO 37C	7/13/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	BENZO[A]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	BENZYL ALCOHOL	9.6	ug/L	U	U			2.9	9.6
BGO 37C	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U	14		1.8	9.6
BGO 37C	7/13/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	CHLOROBENZILATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	CHRYSENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	DIALLATE	19	ug/L	U	U			1.9	19
BGO 37C	7/13/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	DIMETHOATE	19	ug/L	U	U			0.96	19
BGO 37C	7/13/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 37C	7/13/2015	DISULFOTON	48	ug/L	U	U	14		0.96	48
BGO 37C	7/13/2015	ETHYL METHACRYLATE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	ETHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	FAMPHUR	96	ug/L	U	U	14		1.6	96
BGO 37C	7/13/2015	FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.6	240
BGO 37C	7/13/2015	HEXACHLOROPROPENE	96	ug/L	U	U			0.96	96
BGO 37C	7/13/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	ISODRIN	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
BGO 37C	7/13/2015	KEPONE	96	ug/L	U	U			19	96
BGO 37C	7/13/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
BGO 37C	7/13/2015	METHAPYRILENE	48	ug/L	U	U	14		1.2	48
BGO 37C	7/13/2015	METHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	METHYL PARATHION	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U	U			1.9	9.6
BGO 37C	7/13/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6
BGO 37C	7/13/2015	N-NITROSOMORPHOLINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
BGO 37C	7/13/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	PARATHION	48	ug/L	U	U	14		0.96	48
BGO 37C	7/13/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
BGO 37C	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	PENTACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
BGO 37C	7/13/2015	PHENACETIN	19	ug/L	U	U			0.96	19
BGO 37C	7/13/2015	PHENANTHRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	PHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
BGO 37C	7/13/2015	PHORATE	48	ug/L	U	U			1.9	48
BGO 37C	7/13/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
BGO 37C	7/13/2015	P-PHENYLENEDIAMINE	96	ug/L	U	U			0.96	96
BGO 37C	7/13/2015	PRONAMIDE	19	ug/L	U	U			0.96	19
BGO 37C	7/13/2015	PYRENE	9.6	ug/L	U	U	14		0.96	9.6
BGO 37C	7/13/2015	PYRIDINE	19	ug/L	U	U			1.9	19
BGO 37C	7/13/2015	SAFROLE	19	ug/L	U	U			0.96	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	SULFOTEPP	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	THIONAZIN	48	ug/L	U	U			0.96	48
BGO 37C	7/13/2015	2,3,7,8-TCDD	0.0097	ng/L	U	U			0.0038	0.0097
BGO 37C	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0016	0.048
BGO 37C	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.00083	0.048
BGO 37C	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.048	ng/L	U	U			0.0018	0.048
BGO 37C	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.048	ng/L	U	U			0.0014	0.048
BGO 37C	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0097	ng/L	U	U			0.0038	0.0097
BGO 37C	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.0097	ng/L	U	U			0.0028	0.0097
BGO 37C	7/13/2015	CYANIDE	10	ug/L	U	U			2.9	10
BGO 37C	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.35	pCi/L				0.198	0.081	0.4765
BGO 37C	7/13/2015	RADIUM-226	0.867	pCi/L				0.12	0.085	0.3253
BGO 37C	7/13/2015	RADIUM-228	0.339	pCi/L	J	J	21	0.212	0.324	0.748
BGO 37C	7/13/2015	AMERICIUM-241	-0.00994	pCi/L	U	U		0.014	0.119	0.147
BGO 37C	7/13/2015	CURIUM-242	0.0153	pCi/L	U	U		0.042	0.0986	0.183
BGO 37C	7/13/2015	CURIUM-243/244	0.0196	pCi/L	U	U	V	0.039	0.053	0.132
BGO 37C	7/13/2015	CURIUM-245/246	0.203	pCi/L	U	U	21, V, 14	0.131	0.0549	0.317
BGO 37C	7/13/2015	NEPTUNIUM-237	-0.0123	pCi/L	U	U		0.018	0.147	0.182
BGO 37C	7/13/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0658	0.0658
BGO 37C	7/13/2015	PLUTONIUM-239/240	0.0182	pCi/L	U	U		0.05	0.122	0.223
BGO 37C	7/13/2015	THORIUM-228	-0.0242	pCi/L	U	U	V	0.041	0.114	0.197
BGO 37C	7/13/2015	THORIUM-230	0.0808	pCi/L	U	U	21, V	0.055	0.0243	0.134
BGO 37C	7/13/2015	THORIUM-232	0	pCi/L	U	U		0	0.0243	0.0243
BGO 37C	7/13/2015	URANIUM-233/234	0.204	pCi/L	J	J	21, V	0.139	0.0613	0.339
BGO 37C	7/13/2015	URANIUM-235	0.0279	pCi/L	U	U	V	0.056	0.0756	0.188
BGO 37C	7/13/2015	URANIUM-238	0.0677	pCi/L	U	U	V	0.079	0.0612	0.219
BGO 37C	7/13/2015	GROSS ALPHA	2.73	pCi/L	J	J	21	2.17	2.1	6.44
BGO 37C	7/13/2015	NONVOLATILE BETA	2.77	pCi/L	U	U		2.69	4	9.38

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37C	7/13/2015	STRONTIUM-90	2.62	pCi/L	U	U		2.37	2.97	7.71
BGO 37C	7/13/2015	CARBON-14	2.18	pCi/L	U	U		4.44	7.36	16.2
BGO 37C	7/13/2015	NICKEL-63	-0.48	pCi/L	U	U		3	5.17	11.2
BGO 37C	7/13/2015	TECHNETIUM-99	1.2	pCi/L	U	U		2.66	4.43	9.75
BGO 37C	7/13/2015	TRITIUM	11400	pCi/mL				20.6	0.472	41.7
BGO 37C	7/13/2015	CESIUM-134	3.28	pCi/L	U	U		6.39	10.3	23.1
BGO 37C	7/13/2015	CESIUM-137	1.4	pCi/L	U	U		6.85	10.8	24.5
BGO 37C	7/13/2015	COBALT-60	-0.62	pCi/L	U	U		5.44	9.94	20.8
BGO 37C	7/13/2015	EUROPIUM-152	102	pCi/L	U	U		81.9	129	293
BGO 37C	7/13/2015	EUROPIUM-154	-11.6	pCi/L	U	U		12.3	20.6	45.1
BGO 37C	7/13/2015	EUROPIUM-155	49	pCi/L	J	J	21	25.9	34.8	86.6
BGO 37C	7/13/2015	IODINE-129	1.36	pCi/L	J	J	21	0.829	1.1	2.76
BGO 37C	7/13/2015	SODIUM-22	-1.01	pCi/L	U	U		5.77	10.4	22
BGO 37D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 37D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 37D	1/13/2015	BARIUM	8.2	ug/L	J				2	20
BGO 37D	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 37D	1/13/2015	CHROMIUM	14.2	ug/L	J				10	100
BGO 37D	1/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 37D	1/13/2015	COPPER	9.52	ug/L					0.5	5
BGO 37D	1/13/2015	LEAD	5.3	ug/L					0.5	5
BGO 37D	1/13/2015	NICKEL	3.83	ug/L	J				0.5	5
BGO 37D	1/13/2015	SELENIUM	2.96	ug/L	J				2	20
BGO 37D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 37D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 37D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 37D	1/13/2015	VANADIUM	42.4	ug/L	U				5	50
BGO 37D	1/13/2015	ZINC	10.8	ug/L	J				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 37D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 37D	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 37D	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 37D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 37D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 37D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 37D	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 37D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 37D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 37D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 37D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 37D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 37D	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 37D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 37D	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 37D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 37D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 37D	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 37D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 37D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 37D	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 37D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 37D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 37D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.476	pCi/L	J		21	0.212	0.278	0.702
BGO 37D	1/13/2015	RADIUM-226	0.302	pCi/L				0.078	0.074	0.2305
BGO 37D	1/13/2015	URANIUM-233/234	0.0233	pCi/L	U			0.047	0.0632	0.157
BGO 37D	1/13/2015	URANIUM-235	0	pCi/L	U			0	0.078	0.078

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	1/13/2015	URANIUM-238	0	pCi/L	U			0	0.0631	0.0631
BGO 37D	1/13/2015	GROSS ALPHA	1.22	pCi/L	U			1.58	2.23	5.39
BGO 37D	1/13/2015	NONVOLATILE BETA	5.28	pCi/L	J		21	3.06	3.95	10.1
BGO 37D	1/13/2015	STRONTIUM-90	0.735	pCi/L	U			1.88	3.11	6.88
BGO 37D	1/13/2015	CARBON-14	31.3	pCi/L				4.89	7.02	16.8
BGO 37D	1/13/2015	TECHNETIUM-99	3.63	pCi/L	U			2.58	4.17	9.34
BGO 37D	1/13/2015	TRITIUM	3.37	pCi/mL				0.438	0.473	1.35
BGO 37D	1/13/2015	IODINE-129	0.117	pCi/L	U			0.57	0.997	2.14
BGO 37D	7/20/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BGO 37D	7/20/2015	ETHYLENE	0.0072	ug/L	J		21		0.003	0.1
BGO 37D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 37D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 37D	7/20/2015	BARIUM	7.74	ug/L	J		21		2	20
BGO 37D	7/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 37D	7/20/2015	COBALT	5	ug/L	U				0.5	5
BGO 37D	7/20/2015	COPPER	6.56	ug/L					0.5	5
BGO 37D	7/20/2015	LEAD	4.7	ug/L	J		21		0.5	5
BGO 37D	7/20/2015	NICKEL	2.45	ug/L	J		21		0.5	5
BGO 37D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 37D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 37D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	TIN	10	ug/L	U				1	10
BGO 37D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 37D	7/20/2015	ZINC	11.9	ug/L	J		21		4	40
BGO 37D	7/20/2015	MERCURY	0.0211	ug/L	J		21		0.02	0.2
BGO 37D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 37D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 37D	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 37D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 37D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 37D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 37D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 37D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 37D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 37D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 37D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 37D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 37D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 37D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 37D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 37D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 37D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 37D	7/20/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 37D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 37D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 37D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 37D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 37D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 37D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 37D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 37D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 37D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 37D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 37D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 37D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 37D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 37D	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 37D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 37D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 37D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 37D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 37D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 37D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 37D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 37D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 37D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 37D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 37D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 37D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 37D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 37D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 37D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 37D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 37D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 37D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 37D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 37D	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 37D	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 37D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 37D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 37D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 37D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.401	pCi/L				0.102	0.107	0.311
BGO 37D	7/20/2015	RADIUM-226	0.341	pCi/L				0.084	0.089	0.2564
BGO 37D	7/20/2015	URANIUM-233/234	0.0758	pCi/L	J		21	0.088	0.0685	0.245
BGO 37D	7/20/2015	URANIUM-235	0.0312	pCi/L	U		V	0.063	0.0845	0.21
BGO 37D	7/20/2015	URANIUM-238	0	pCi/L	U		V	0	0.0683	0.0683
BGO 37D	7/20/2015	GROSS ALPHA	-0.364	pCi/L	U			0.346	2.29	2.98
BGO 37D	7/20/2015	NONVOLATILE BETA	1.37	pCi/L	U			2.47	4.06	9
BGO 37D	7/20/2015	STRONTIUM-90	1.83	pCi/L	U			2.13	3.13	7.39
BGO 37D	7/20/2015	CARBON-14	94.2	pCi/L				6.18	7.26	19.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 37D	7/20/2015	TECHNETIUM-99	0.921	pCi/L	U			2.53	4.21	9.26
BGO 37D	7/20/2015	TRITIUM	3.29	pCi/mL				0.442	0.49	1.37
BGO 37D	7/20/2015	IODINE-129	0.194	pCi/L	U			0.65	1.11	2.41
BGO 38D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 38D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 38D	1/13/2015	BARIUM	17.4	ug/L	J				2	20
BGO 38D	1/13/2015	BERYLLIUM	0.132	ug/L	J				0.1	1
BGO 38D	1/13/2015	CHROMIUM	10	ug/L	J				10	100
BGO 38D	1/13/2015	COBALT	0.944	ug/L	J				0.5	5
BGO 38D	1/13/2015	COPPER	7.31	ug/L					0.5	5
BGO 38D	1/13/2015	LEAD	3.24	ug/L	J				0.5	5
BGO 38D	1/13/2015	NICKEL	0.771	ug/L	J				0.5	5
BGO 38D	1/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 38D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 38D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 38D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 38D	1/13/2015	VANADIUM	41.7	ug/L	U				5	50
BGO 38D	1/13/2015	ZINC	6.74	ug/L	J				4	40
BGO 38D	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 38D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 38D	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 38D	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 38D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 38D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 38D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 38D	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 38D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 38D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 38D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 38D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 38D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 38D	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 38D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 38D	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 38D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 38D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 38D	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 38D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 38D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 38D	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 38D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 38D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 38D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	2.13	pCi/L				0.333	0.199	0.865
BGO 38D	1/13/2015	RADIUM-226	1.24	pCi/L				0.146	0.103	0.395
BGO 38D	1/13/2015	URANIUM-233/234	0.0542	pCi/L	U			0.077	0.13	0.284
BGO 38D	1/13/2015	URANIUM-235	-0.00669	pCi/L	U			0.013	0.135	0.162
BGO 38D	1/13/2015	URANIUM-238	0.0866	pCi/L	U			0.088	0.0587	0.234
BGO 38D	1/13/2015	GROSS ALPHA	2.32	pCi/L	J		21	2.03	2.17	6.22
BGO 38D	1/13/2015	NONVOLATILE BETA	3.1	pCi/L	U			2.71	3.97	9.4
BGO 38D	1/13/2015	STRONTIUM-90	1.45	pCi/L	U			1.9	3.11	6.91
BGO 38D	1/13/2015	CARBON-14	30.4	pCi/L				4.86	6.99	16.7
BGO 38D	1/13/2015	TECHNETIUM-99	2.36	pCi/L	U			2.58	4.23	9.39
BGO 38D	1/13/2015	TRITIUM	4.67	pCi/mL				0.486	0.472	1.44
BGO 38D	1/13/2015	IODINE-129	0.228	pCi/L	U			0.635	0.931	2.2
BGO 38D	7/20/2015	ETHANE	0.0057	ug/L	J		21		0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 38D	7/20/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
BGO 38D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 38D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 38D	7/20/2015	BARIUM	17	ug/L	J		21		2	20
BGO 38D	7/20/2015	BERYLLIUM	0.163	ug/L	J		21		0.1	1
BGO 38D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 38D	7/20/2015	COBALT	0.934	ug/L	J		21		0.5	5
BGO 38D	7/20/2015	COPPER	4.43	ug/L	J		21		0.5	5
BGO 38D	7/20/2015	LEAD	2.47	ug/L	J		21		0.5	5
BGO 38D	7/20/2015	NICKEL	1.64	ug/L	J		21		0.5	5
BGO 38D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 38D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 38D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	TIN	10	ug/L	U				1	10
BGO 38D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 38D	7/20/2015	ZINC	4.38	ug/L	J		21		4	40
BGO 38D	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 38D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 38D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 38D	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 38D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 38D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 38D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 38D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 38D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 38D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 38D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 38D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 38D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 38D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 38D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 38D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 38D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 38D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 38D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 38D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 38D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 38D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 38D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 38D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 38D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 38D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 38D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 38D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 38D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 38D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 38D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 38D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 38D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 38D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 38D	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 38D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 38D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 38D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 38D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 38D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 38D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 38D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 38D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 38D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 38D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 38D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 38D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 38D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 38D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 38D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 38D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 38D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 38D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 38D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 38D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 38D	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 38D	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 38D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 38D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 38D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 38D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.57	pCi/L				0.174	0.085	0.4329
BGO 38D	7/20/2015	RADIUM-226	1.24	pCi/L				0.136	0.047	0.319
BGO 38D	7/20/2015	URANIUM-233/234	0.0609	pCi/L	J		21	0.071	0.0551	0.197
BGO 38D	7/20/2015	URANIUM-235	0	pCi/L	U		V	0	0.0679	0.0679
BGO 38D	7/20/2015	URANIUM-238	0.0101	pCi/L	U		V	0.043	0.122	0.208
BGO 38D	7/20/2015	GROSS ALPHA	3.89	pCi/L	J		21	2.59	2.27	7.45
BGO 38D	7/20/2015	NONVOLATILE BETA	0.432	pCi/L	U			2.61	4.65	9.87
BGO 38D	7/20/2015	STRONTIUM-90	-0.632	pCi/L	U			1.88	3.12	6.88
BGO 38D	7/20/2015	CARBON-14	61.8	pCi/L				5.46	7	17.9
BGO 38D	7/20/2015	TECHNETIUM-99	1.67	pCi/L	U			2.57	4.24	9.38
BGO 38D	7/20/2015	TRITIUM	5.33	pCi/mL				0.517	0.489	1.52
BGO 38D	7/20/2015	IODINE-129	-0.222	pCi/L	U			0.667	1.1	2.44
BGO 39A	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 39A	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 39A	1/13/2015	BARIUM	73.3	ug/L					2	20
BGO 39A	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	1/13/2015	CHROMIUM	100	ug/L	U				10	100
BGO 39A	1/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 39A	1/13/2015	COPPER	3.43	ug/L	J				0.5	5
BGO 39A	1/13/2015	LEAD	0.85	ug/L	J				0.5	5
BGO 39A	1/13/2015	NICKEL	1.13	ug/L	J				0.5	5
BGO 39A	1/13/2015	SELENIUM	2.73	ug/L	J				2	20
BGO 39A	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 39A	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 39A	1/13/2015	TIN	10	ug/L	U				1	10
BGO 39A	1/13/2015	VANADIUM	35.3	ug/L	U				5	50
BGO 39A	1/13/2015	ZINC	40	ug/L	U				4	40
BGO 39A	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 39A	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39A	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39A	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39A	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39A	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 39A	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 39A	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 39A	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 39A	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 39A	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 39A	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 39A	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39A	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 39A	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 39A	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 39A	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 39A	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 39A	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39A	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 39A	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 39A	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 39A	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 39A	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.15	pCi/L				0.286	0.294	0.866
BGO 39A	1/13/2015	RADIUM-226	0.879	pCi/L				0.125	0.086	0.3358
BGO 39A	1/13/2015	URANIUM-233/234	0.0324	pCi/L	U			0.063	0.129	0.256
BGO 39A	1/13/2015	URANIUM-235	0.0266	pCi/L	U			0.053	0.0721	0.179
BGO 39A	1/13/2015	URANIUM-238	0.0807	pCi/L	U			0.088	0.108	0.284
BGO 39A	1/13/2015	GROSS ALPHA	2.14	pCi/L	U			2.07	2.39	6.53
BGO 39A	1/13/2015	NONVOLATILE BETA	7.15	pCi/L	J		21	3.36	4	10.7
BGO 39A	1/13/2015	STRONTIUM-90	0.84	pCi/L	U			1.83	3.12	6.77
BGO 39A	1/13/2015	CARBON-14	27.6	pCi/L				4.8	6.99	16.6
BGO 39A	1/13/2015	TECHNETIUM-99	-0.689	pCi/L	U			2.49	4.23	9.2
BGO 39A	1/13/2015	TRITIUM	0.471	pCi/mL	J		21	0.3	0.47	1.07
BGO 39A	1/13/2015	IODINE-129	0.312	pCi/L	U			0.664	0.978	2.31
BGO 39A	7/13/2015	ETHANE	0.015	ug/L	J		21		0.002	0.1
BGO 39A	7/13/2015	ETHYLENE	0.055	ug/L	J		21		0.003	0.1
BGO 39A	7/13/2015	SULFIDE	1	mg/L	U	U			0.45	1
BGO 39A	7/13/2015	ANTIMONY	10	ug/L	U	U			1	10
BGO 39A	7/13/2015	ARSENIC	50	ug/L	U	U			5	50
BGO 39A	7/13/2015	BARIUM	64.1	ug/L					2	20
BGO 39A	7/13/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	CHROMIUM	100	ug/L	U	U			10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	COBALT	5	ug/L	U	U			0.5	5
BGO 39A	7/13/2015	COPPER	0.771	ug/L	J	J	21		0.5	5
BGO 39A	7/13/2015	LEAD	5	ug/L	U	U			0.5	5
BGO 39A	7/13/2015	NICKEL	1.15	ug/L	J	J	21		0.5	5
BGO 39A	7/13/2015	SELENIUM	20	ug/L	U	U			2	20
BGO 39A	7/13/2015	SILVER	5	ug/L	U	U			0.5	5
BGO 39A	7/13/2015	THALLIUM	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	TIN	10	ug/L	U	U			1	10
BGO 39A	7/13/2015	VANADIUM	50	ug/L	U	U			5	50
BGO 39A	7/13/2015	ZINC	10.5	ug/L	J	J	21		4	40
BGO 39A	7/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
BGO 39A	7/13/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
BGO 39A	7/13/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
BGO 39A	7/13/2015	DDD	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	DDE	0.05	ug/L	U	U			0.014	0.05
BGO 39A	7/13/2015	DDT	0.05	ug/L	U	U			0.023	0.05
BGO 39A	7/13/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
BGO 39A	7/13/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
BGO 39A	7/13/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
BGO 39A	7/13/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
BGO 39A	7/13/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
BGO 39A	7/13/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
BGO 39A	7/13/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
BGO 39A	7/13/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
BGO 39A	7/13/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
BGO 39A	7/13/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
BGO 39A	7/13/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
BGO 39A	7/13/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
BGO 39A	7/13/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
BGO 39A	7/13/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
BGO 39A	7/13/2015	2,4,5-T	1	ug/L	U	U			0.27	1
BGO 39A	7/13/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
BGO 39A	7/13/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8	ug/L	U	U			4.2	8
BGO 39A	7/13/2015	DINOSEB	2	ug/L	U	U			0.73	2
BGO 39A	7/13/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
BGO 39A	7/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
BGO 39A	7/13/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
BGO 39A	7/13/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
BGO 39A	7/13/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
BGO 39A	7/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
BGO 39A	7/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
BGO 39A	7/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
BGO 39A	7/13/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
BGO 39A	7/13/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
BGO 39A	7/13/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
BGO 39A	7/13/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
BGO 39A	7/13/2015	ACETONE	2	ug/L	U	U			0.34	2
BGO 39A	7/13/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
BGO 39A	7/13/2015	ACROLEIN	10	ug/L	U	U			2.8	10
BGO 39A	7/13/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
BGO 39A	7/13/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
BGO 39A	7/13/2015	BENZENE	1	ug/L	U	U			0.06	1
BGO 39A	7/13/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 39A	7/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
BGO 39A	7/13/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
BGO 39A	7/13/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
BGO 39A	7/13/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
BGO 39A	7/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
BGO 39A	7/13/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
BGO 39A	7/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 39A	7/13/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
BGO 39A	7/13/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
BGO 39A	7/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
BGO 39A	7/13/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
BGO 39A	7/13/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
BGO 39A	7/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
BGO 39A	7/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
BGO 39A	7/13/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
BGO 39A	7/13/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
BGO 39A	7/13/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
BGO 39A	7/13/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
BGO 39A	7/13/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
BGO 39A	7/13/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
BGO 39A	7/13/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
BGO 39A	7/13/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
BGO 39A	7/13/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
BGO 39A	7/13/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
BGO 39A	7/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
BGO 39A	7/13/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
BGO 39A	7/13/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	O-XYLENE	1	ug/L	U	U			0.06	1
BGO 39A	7/13/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
BGO 39A	7/13/2015	STYRENE	1	ug/L	U	U			0.07	1
BGO 39A	7/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
BGO 39A	7/13/2015	TOLUENE	0.53	ug/L	J	J	21		0.07	1
BGO 39A	7/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
BGO 39A	7/13/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
BGO 39A	7/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
BGO 39A	7/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
BGO 39A	7/13/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
BGO 39A	7/13/2015	XYLENES	3	ug/L	U	U			0.2	3
BGO 39A	7/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
BGO 39A	7/13/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,2,4-TRICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,2-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,3,5-TRINITROBENZENE	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	1,3-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,3-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,4-DICHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,4-DINITROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,4-DIOXANE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	1,4-NAPHTHOQUINONE	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	1-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	2,3,4,6-TETRACHLOROPHENOL	53	ug/L	U	UJ	14		1.1	53
BGO 39A	7/13/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	2,4-DINITROPHENOL	53	ug/L	U	UJ	14		2.1	53
BGO 39A	7/13/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	2,6-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.3	11
BGO 39A	7/13/2015	2-ACETYLAMINOFLUORENE	110	ug/L	U	U	14		1.1	110
BGO 39A	7/13/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	2-METHYLANILINE (O-TOLUIDINE)	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	2-NAPHTHYLAMINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
BGO 39A	7/13/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.6	11
BGO 39A	7/13/2015	2-PICOLINE	21	ug/L	U	U			2.1	21
BGO 39A	7/13/2015	3,3-DICHLOROBENZIDINE	53	ug/L	U	U	14		1.4	53
BGO 39A	7/13/2015	3,3'-DIMETHYLBENZIDINE	53	ug/L	U	U	14		2.8	53
BGO 39A	7/13/2015	3-METHYLCHOLANTHRENE	21	ug/L	U	U	14		1.1	21
BGO 39A	7/13/2015	4-AMINOBIPHENYL	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	4-CHLOROANILINE	11	ug/L	U	U			2.1	11
BGO 39A	7/13/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.1	11
BGO 39A	7/13/2015	4-NITROQUINOLINE-1-OXIDE	110	ug/L	U	U	14		5.3	110
BGO 39A	7/13/2015	5-NITRO-O-TOLUIDINE	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	21	ug/L	U	U	14		1.1	21
BGO 39A	7/13/2015	A,A-DIMETHYLPHENETHYLAMINE	53	ug/L	U	U			24	53
BGO 39A	7/13/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	ANILINE	11	ug/L	U	U			1.4	11
BGO 39A	7/13/2015	ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	ARAMITE	21	ug/L	U	U	14		5.3	21
BGO 39A	7/13/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	BENZO[A]PYRENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	BENZYL ALCOHOL	11	ug/L	U	U			3.2	11
BGO 39A	7/13/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U	14		2	11
BGO 39A	7/13/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	CHLOROBENZILATE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	CHRYSENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	DIALLATE	21	ug/L	U	U			2.1	21
BGO 39A	7/13/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	DIMETHOATE	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.3	11
BGO 39A	7/13/2015	DISULFOTON	53	ug/L	U	U	14		1.1	53
BGO 39A	7/13/2015	ETHYL METHACRYLATE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	ETHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	FAMPHUR	110	ug/L	U	U	14		1.8	110
BGO 39A	7/13/2015	FLUORANTHENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	FLUORENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	HEXACHLOROPHENE	270	ug/L	U	U	14		11	270
BGO 39A	7/13/2015	HEXACHLOROPROPENE	110	ug/L	U	U			1.1	110
BGO 39A	7/13/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	ISODRIN	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	ISOSAFROLE	21	ug/L	U	U			5.3	21
BGO 39A	7/13/2015	KEPONE	110	ug/L	U	U			21	110
BGO 39A	7/13/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
BGO 39A	7/13/2015	METHAPYRILENE	53	ug/L	U	U	14		1.3	53
BGO 39A	7/13/2015	METHYL METHANESULFONATE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	METHYL PARATHION	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSODIETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSODIMETHYLAMINE	11	ug/L	U	U			2.1	11
BGO 39A	7/13/2015	N-NITROSODI-N-BUTYLAMINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSODIPHENYLAMINE+ DIPHENYLAMINE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
BGO 39A	7/13/2015	N-NITROSOMORPHOLINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSO-N-METHYLETHYLAMINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSOPIPERIDINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	N-NITROSOPYRROLIDINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	53	ug/L	U	U			1.2	53
BGO 39A	7/13/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	PARATHION	53	ug/L	U	U	14		1.1	53
BGO 39A	7/13/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
BGO 39A	7/13/2015	P-DIMETHYLAMINOAZOBENZENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	PENTACHLOROBENZENE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	PENTACHLOROETHANE	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	PENTACHLORONITROBENZENE	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
BGO 39A	7/13/2015	PHENACETIN	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	PHENANTHRENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	PHENOL	11	ug/L	U	UJ	14		2.1	11
BGO 39A	7/13/2015	PHORATE	53	ug/L	U	U			2.1	53
BGO 39A	7/13/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
BGO 39A	7/13/2015	P-PHENYLENEDIAMINE	110	ug/L	U	U			1.1	110
BGO 39A	7/13/2015	PRONAMIDE	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	PYRENE	11	ug/L	U	U	14		1.1	11
BGO 39A	7/13/2015	PYRIDINE	21	ug/L	U	U			2.1	21
BGO 39A	7/13/2015	SAFROLE	21	ug/L	U	U			1.1	21
BGO 39A	7/13/2015	SULFOTEPP	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	THIONAZIN	53	ug/L	U	U			1.1	53
BGO 39A	7/13/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.0029	0.01

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	HEXACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.00092	0.052
BGO 39A	7/13/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00051	0.052
BGO 39A	7/13/2015	PENTACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.0012	0.052
BGO 39A	7/13/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.001	0.052
BGO 39A	7/13/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.0029	0.01
BGO 39A	7/13/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.0017	0.01
BGO 39A	7/13/2015	CYANIDE	2.9	ug/L	J	J	21		2.9	10
BGO 39A	7/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.662	pCi/L				0.114	0.1	0.328
BGO 39A	7/13/2015	RADIUM-226	0.718	pCi/L				0.103	0.047	0.2534
BGO 39A	7/13/2015	RADIUM-228	0.376	pCi/L	J	J	21	0.226	0.343	0.795
BGO 39A	7/13/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0633	0.0633
BGO 39A	7/13/2015	CURIUM-242	0	pCi/L	U	U		0	0.0623	0.0623
BGO 39A	7/13/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0623	0.0623
BGO 39A	7/13/2015	CURIUM-245/246	0.238	pCi/L	U	U	21, V	0.154	0.0645	0.373
BGO 39A	7/13/2015	NEPTUNIUM-237	0	pCi/L	U	U		0	0.0663	0.0663
BGO 39A	7/13/2015	PLUTONIUM-238	0.0242	pCi/L	U	U		0.049	0.0656	0.163
BGO 39A	7/13/2015	PLUTONIUM-239/240	-0.00605	pCi/L	U	U	V	0.012	0.122	0.146
BGO 39A	7/13/2015	THORIUM-228	-0.0262	pCi/L	U	U	V	0.072	0.162	0.306
BGO 39A	7/13/2015	THORIUM-230	0.147	pCi/L	U	U	21, V	0.073	0.0234	0.17
BGO 39A	7/13/2015	THORIUM-232	-0.00574	pCi/L	U	U		0.012	0.056	0.079
BGO 39A	7/13/2015	URANIUM-233/234	0.16	pCi/L	J	J	21, V	0.123	0.062	0.309
BGO 39A	7/13/2015	URANIUM-235	0.0141	pCi/L	U	U	V	0.06	0.169	0.289
BGO 39A	7/13/2015	URANIUM-238	0.0856	pCi/L	U	U	V	0.093	0.115	0.301
BGO 39A	7/13/2015	GROSS ALPHA	2.23	pCi/L	U	U		2.13	2.32	6.57
BGO 39A	7/13/2015	NONVOLATILE BETA	2.87	pCi/L	U	U		2.66	3.83	9.16
BGO 39A	7/13/2015	STRONTIUM-90	-1.23	pCi/L	U	U		1.85	2.97	6.67
BGO 39A	7/13/2015	CARBON-14	7.62	pCi/L	J	U	21, V	4.52	7.28	16.3
BGO 39A	7/13/2015	NICKEL-63	1.58	pCi/L	U	U		3.12	5.38	11.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39A	7/13/2015	TECHNETIUM-99	-0.301	pCi/L	U	U		2.6	4.39	9.58
BGO 39A	7/13/2015	TRITIUM	1.61	pCi/mL				0.368	0.475	1.21
BGO 39A	7/13/2015	CESIUM-134	-1.02	pCi/L	U	U		5.84	8.86	20.5
BGO 39A	7/13/2015	CESIUM-137	0.986	pCi/L	U	U		4.94	9.08	19
BGO 39A	7/13/2015	COBALT-60	1.41	pCi/L	U	U		4.81	9.33	18.9
BGO 39A	7/13/2015	EUROPIUM-152	-12.3	pCi/L	U	U		57.9	98.5	214
BGO 39A	7/13/2015	EUROPIUM-154	5.39	pCi/L	U	U		9.85	17.6	37.2
BGO 39A	7/13/2015	EUROPIUM-155	21.7	pCi/L	U	U		16.9	26	59.7
BGO 39A	7/13/2015	IODINE-129	-0.0996	pCi/L	U	U		0.569	0.953	2.09
BGO 39A	7/13/2015	SODIUM-22	5.23	pCi/L	U	U		5.27	10.9	21.5
BGO 39C	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 39C	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 39C	1/13/2015	BARIUM	5.65	ug/L	J				2	20
BGO 39C	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 39C	1/13/2015	CHROMIUM	10.8	ug/L	J				10	100
BGO 39C	1/13/2015	COBALT	5	ug/L	U				0.5	5
BGO 39C	1/13/2015	COPPER	4.66	ug/L	J				0.5	5
BGO 39C	1/13/2015	LEAD	1.15	ug/L	J				0.5	5
BGO 39C	1/13/2015	NICKEL	0.704	ug/L	J				0.5	5
BGO 39C	1/13/2015	SELENIUM	2.82	ug/L	J				2	20
BGO 39C	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 39C	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 39C	1/13/2015	TIN	10	ug/L	U				1	10
BGO 39C	1/13/2015	VANADIUM	43.3	ug/L	U				5	50
BGO 39C	1/13/2015	ZINC	12.3	ug/L	J				4	40
BGO 39C	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 39C	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39C	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39C	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39C	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 39C	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 39C	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 39C	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 39C	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 39C	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 39C	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 39C	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39C	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 39C	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 39C	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 39C	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 39C	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 39C	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 39C	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39C	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 39C	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 39C	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 39C	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 39C	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.436	pCi/L	J		21	0.192	0.241	0.625
BGO 39C	1/13/2015	RADIUM-226	0.293	pCi/L				0.077	0.076	0.2294
BGO 39C	1/13/2015	URANIUM-233/234	0.0361	pCi/L	U			0.06	0.104	0.223
BGO 39C	1/13/2015	URANIUM-235	0	pCi/L	U			0	0.0691	0.0691
BGO 39C	1/13/2015	URANIUM-238	0.103	pCi/L	U			0.094	0.0559	0.243
BGO 39C	1/13/2015	GROSS ALPHA	0.83	pCi/L	U			1.38	2.22	4.98
BGO 39C	1/13/2015	NONVOLATILE BETA	0.145	pCi/L	U			2.13	3.94	8.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	1/13/2015	STRONTIUM-90	-0.332	pCi/L	U			1.52	3.11	6.16
BGO 39C	1/13/2015	CARBON-14	27.2	pCi/L				4.78	6.97	16.5
BGO 39C	1/13/2015	TECHNETIUM-99	0.932	pCi/L	U			2.5	4.17	9.18
BGO 39C	1/13/2015	TRITIUM	4.56	pCi/mL				0.483	0.473	1.44
BGO 39C	1/13/2015	IODINE-129	-0.0595	pCi/L	U			0.597	0.933	2.13
BGO 39C	7/20/2015	ETHANE	0.0032	ug/L	J		21		0.002	0.1
BGO 39C	7/20/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BGO 39C	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGO 39C	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGO 39C	7/20/2015	BARIUM	4.99	ug/L	J		21		2	20
BGO 39C	7/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGO 39C	7/20/2015	COBALT	5	ug/L	U				0.5	5
BGO 39C	7/20/2015	COPPER	0.63	ug/L	J		21		0.5	5
BGO 39C	7/20/2015	LEAD	5	ug/L	U				0.5	5
BGO 39C	7/20/2015	NICKEL	5	ug/L	U				0.5	5
BGO 39C	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGO 39C	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGO 39C	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	TIN	10	ug/L	U				1	10
BGO 39C	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGO 39C	7/20/2015	ZINC	40	ug/L	U				4	40
BGO 39C	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 39C	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 39C	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 39C	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 39C	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 39C	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 39C	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 39C	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 39C	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 39C	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 39C	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 39C	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 39C	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 39C	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 39C	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 39C	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 39C	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 39C	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 39C	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 39C	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 39C	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 39C	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 39C	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 39C	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 39C	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 39C	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39C	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39C	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 39C	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 39C	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 39C	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 39C	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 39C	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 39C	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 39C	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 39C	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 39C	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 39C	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 39C	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 39C	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 39C	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 39C	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 39C	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 39C	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 39C	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 39C	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 39C	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 39C	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 39C	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 39C	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 39C	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 39C	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 39C	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 39C	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 39C	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 39C	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 39C	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.184	pCi/L	J		21	0.076	0.093	0.2452
BGO 39C	7/20/2015	RADIUM-226	0.248	pCi/L				0.066	0.052	0.1827
BGO 39C	7/20/2015	URANIUM-233/234	0.0398	pCi/L	U			0.066	0.115	0.246
BGO 39C	7/20/2015	URANIUM-235	-0.00702	pCi/L	U		V	0.014	0.141	0.17
BGO 39C	7/20/2015	URANIUM-238	0.0227	pCi/L	U		V	0.046	0.0616	0.153
BGO 39C	7/20/2015	GROSS ALPHA	0.812	pCi/L	U			1.4	2.3	5.11
BGO 39C	7/20/2015	NONVOLATILE BETA	-1.08	pCi/L	U			2.05	4.23	8.34
BGO 39C	7/20/2015	STRONTIUM-90	1.45	pCi/L	U			2.52	3.13	8.18
BGO 39C	7/20/2015	CARBON-14	2.25	pCi/L	U			4.23	7.01	15.5
BGO 39C	7/20/2015	TECHNETIUM-99	0.925	pCi/L	U			2.54	4.23	9.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39C	7/20/2015	TRITIUM	5.25	pCi/mL				0.513	0.489	1.52
BGO 39C	7/20/2015	IODINE-129	0.385	pCi/L	U			0.597	1.04	2.23
BGO 39D	1/13/2015	ANTIMONY	10	ug/L	U				1	10
BGO 39D	1/13/2015	ARSENIC	50	ug/L	U				5	50
BGO 39D	1/13/2015	BARIUM	6.41	ug/L	J				2	20
BGO 39D	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 39D	1/13/2015	CHROMIUM	10.9	ug/L	J				10	100
BGO 39D	1/13/2015	COBALT	1.15	ug/L	J				0.5	5
BGO 39D	1/13/2015	COPPER	117	ug/L					0.5	5
BGO 39D	1/13/2015	LEAD	13.4	ug/L					0.5	5
BGO 39D	1/13/2015	NICKEL	1.39	ug/L	J				0.5	5
BGO 39D	1/13/2015	SELENIUM	20	ug/L	U				2	20
BGO 39D	1/13/2015	SILVER	5	ug/L	U				0.5	5
BGO 39D	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 39D	1/13/2015	TIN	10	ug/L	U				1	10
BGO 39D	1/13/2015	VANADIUM	40.9	ug/L	U				5	50
BGO 39D	1/13/2015	ZINC	12.8	ug/L	J				4	40
BGO 39D	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 39D	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39D	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39D	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39D	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39D	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 39D	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 39D	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
BGO 39D	1/13/2015	BENZENE	1	ug/L	U				0.06	1
BGO 39D	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 39D	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39D	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 39D	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39D	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 39D	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 39D	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 39D	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 39D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 39D	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 39D	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 39D	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 39D	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 39D	1/13/2015	XYLENES	3	ug/L	U				0.2	3
BGO 39D	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	1.52	pCi/L				0.285	0.214	0.784
BGO 39D	1/13/2015	RADIUM-226	0.77	pCi/L				0.123	0.083	0.3288
BGO 39D	1/13/2015	URANIUM-233/234	0.0432	pCi/L	U			0.062	0.0585	0.182
BGO 39D	1/13/2015	URANIUM-235	-0.0133	pCi/L	U			0.019	0.16	0.198
BGO 39D	1/13/2015	URANIUM-238	0.0377	pCi/L	U			0.062	0.109	0.233
BGO 39D	1/13/2015	GROSS ALPHA	0.438	pCi/L	U			1.13	2.19	4.45
BGO 39D	1/13/2015	NONVOLATILE BETA	1.57	pCi/L	U			2.41	3.93	8.76
BGO 39D	1/13/2015	STRONTIUM-90	1.34	pCi/L	U			1.91	3.1	6.93
BGO 39D	1/13/2015	CARBON-14	18.6	pCi/L				4.65	7.08	16.4
BGO 39D	1/13/2015	TECHNETIUM-99	0.64	pCi/L	U			2.45	4.1	8.99
BGO 39D	1/13/2015	TRITIUM	8.58	pCi/mL				0.608	0.469	1.68
BGO 39D	1/13/2015	IODINE-129	-0.278	pCi/L	U			0.648	0.927	2.22
BGO 39D	7/17/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
BGO 39D	7/17/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39D	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BGO 39D	7/17/2015	ARSENIC	50	ug/L	U				5	50
BGO 39D	7/17/2015	BARIUM	5.55	ug/L	J		21		2	20
BGO 39D	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 39D	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BGO 39D	7/17/2015	COBALT	1.11	ug/L	J		21		0.5	5
BGO 39D	7/17/2015	COPPER	1.98	ug/L	J		21		0.5	5
BGO 39D	7/17/2015	LEAD	0.716	ug/L	J		21		0.5	5
BGO 39D	7/17/2015	NICKEL	0.532	ug/L	J		21		0.5	5
BGO 39D	7/17/2015	SELENIUM	20	ug/L	U				2	20
BGO 39D	7/17/2015	SILVER	5	ug/L	U				0.5	5
BGO 39D	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 39D	7/17/2015	TIN	10	ug/L	U				1	10
BGO 39D	7/17/2015	VANADIUM	50	ug/L	U				5	50
BGO 39D	7/17/2015	ZINC	40	ug/L	U				4	40
BGO 39D	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 39D	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 39D	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.818	pCi/L				0.135	0.12	0.39
BGO 39D	7/17/2015	RADIUM-226	0.684	pCi/L				0.104	0.064	0.2719
BGO 39D	7/17/2015	URANIUM-233/234	0.0695	pCi/L	J		21	0.081	0.0628	0.225
BGO 39D	7/17/2015	URANIUM-235	-0.00714	pCi/L	U		V	0.014	0.144	0.173
BGO 39D	7/17/2015	URANIUM-238	0.0694	pCi/L	U		21, V	0.081	0.0627	0.224
BGO 39D	7/17/2015	GROSS ALPHA	1.57	pCi/L	U			1.77	2.28	5.81
BGO 39D	7/17/2015	NONVOLATILE BETA	1.08	pCi/L	U			2.56	4.34	9.45
BGO 39D	7/17/2015	STRONTIUM-90	1.31	pCi/L	U			2.57	3.13	8.27
BGO 39D	7/17/2015	CARBON-14	-0.365	pCi/L	UJ			4.2	7.06	15.5
BGO 39D	7/17/2015	TECHNETIUM-99	-2.65	pCi/L	U			2.51	4.35	9.37
BGO 39D	7/17/2015	TRITIUM	9.76	pCi/mL				0.655	0.461	1.77

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39D	7/17/2015	IODINE-129	0.513	pCi/L	U			0.569	0.926	2.07
BGO 39D	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 39D	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 39D	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 39D	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 39D	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 39D	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 39D	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 39D	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 39D	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 39D	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 39D	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 39D	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 39D	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 39D	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 39D	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39D	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 39D	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 39D	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 39D	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 39D	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 39D	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 39D	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 39D	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 39D	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 39D	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 39D	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 39D	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39D	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 39D	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 39D	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 39D	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 39D	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 39D	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 39D	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 39D	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 39D	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 39D	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 39D	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 39D	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 39D	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 39D	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 39D	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 39D	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 39D	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 39D	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 39D	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 39D	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 39D	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 39D	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 39D	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 39D	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 39D	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 39D	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 39D	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 39D	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 39D	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 39D	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 41A	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 41A	1/6/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
BGO 41A	1/6/2015	TRITIUM	5.49	pCi/mL				0.494	0.407	1.39
BGO 41A	7/21/2015	ETHANE	0.009	ug/L	J		21		0.002	0.1
BGO 41A	7/21/2015	ETHYLENE	0.22	ug/L					0.003	0.1
BGO 41A	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 41A	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 41A	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.36	ug/L	J		21		0.1	1
BGO 41A	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 41A	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 41A	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 41A	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 41A	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 41A	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 41A	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 41A	7/21/2015	1,2-DICHLOROETHYLENE	2.2	ug/L					0.15	2
BGO 41A	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 41A	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 41A	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 41A	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 41A	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 41A	7/21/2015	ACETONE	2	ug/L	U				0.34	2
BGO 41A	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 41A	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 41A	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 41A	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 41A	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BGO 41A	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 41A	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 41A	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 41A	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 41A	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 41A	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 41A	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 41A	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 41A	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 41A	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 41A	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 41A	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 41A	7/21/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L					0.09	1
BGO 41A	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 41A	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 41A	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 41A	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 41A	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 41A	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 41A	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 41A	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 41A	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 41A	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 41A	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 41A	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 41A	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 41A	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 41A	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 41A	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 41A	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 41A	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 41A	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 41A	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 41A	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 41A	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 41A	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 41A	7/21/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
BGO 41A	7/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 41A	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 41A	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BGO 41A	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 41A	7/21/2015	TRITIUM	19.6	pCi/mL				0.883	0.524	2.29
BGO 42C	7/21/2015	ETHANE	0.0044	ug/L	J		21		0.002	0.1
BGO 42C	7/21/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
BGO 42C	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BGO 42C	7/21/2015	ARSENIC	50	ug/L	U				5	50
BGO 42C	7/21/2015	BARIUM	9.3	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 42C	7/21/2015	BERYLLIUM	0.468	ug/L	J		21		0.1	1
BGO 42C	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BGO 42C	7/21/2015	COBALT	5	ug/L	U				0.5	5
BGO 42C	7/21/2015	COPPER	3.89	ug/L	J		21		0.5	5
BGO 42C	7/21/2015	LEAD	5	ug/L	U				0.5	5
BGO 42C	7/21/2015	NICKEL	2.62	ug/L	J		21		0.5	5
BGO 42C	7/21/2015	SELENIUM	20	ug/L	U				2	20
BGO 42C	7/21/2015	SILVER	5	ug/L	U				0.5	5
BGO 42C	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	TIN	10	ug/L	U				1	10
BGO 42C	7/21/2015	VANADIUM	50	ug/L	U				5	50
BGO 42C	7/21/2015	ZINC	40	ug/L	U				4	40
BGO 42C	7/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 42C	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 42C	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 42C	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 42C	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 42C	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 42C	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 42C	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 42C	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	1,2-DICHLOROETHYLENE	0.35	ug/L	J		21		0.15	2
BGO 42C	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 42C	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 42C	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 42C	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 42C	7/21/2015	ACETONE	2	ug/L	U				0.34	2
BGO 42C	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 42C	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 42C	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 42C	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 42C	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BGO 42C	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 42C	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 42C	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 42C	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 42C	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 42C	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 42C	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 42C	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 42C	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 42C	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 42C	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 42C	7/21/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J		21		0.09	1
BGO 42C	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 42C	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 42C	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 42C	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 42C	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 42C	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 42C	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 42C	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 42C	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 42C	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 42C	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 42C	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 42C	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 42C	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 42C	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 42C	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 42C	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 42C	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 42C	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 42C	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 42C	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 42C	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 42C	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 42C	7/21/2015	TRICHLOROETHYLENE (TCE)	3.8	ug/L					0.25	1
BGO 42C	7/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 42C	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 42C	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BGO 42C	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 42C	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.254	pCi/L	J		21	0.103	0.13	0.336
BGO 42C	7/21/2015	RADIUM-226	0.227	pCi/L				0.062	0.054	0.1784
BGO 42C	7/21/2015	URANIUM-233/234	0.0227	pCi/L	U			0.046	0.0615	0.153
BGO 42C	7/21/2015	URANIUM-235	0.021	pCi/L	U			0.058	0.141	0.257
BGO 42C	7/21/2015	URANIUM-238	0.085	pCi/L	U		V	0.092	0.114	0.298
BGO 42C	7/21/2015	GROSS ALPHA	1.23	pCi/L	U			1.56	2.11	5.24
BGO 42C	7/21/2015	NONVOLATILE BETA	0.289	pCi/L	U			2.19	3.97	8.35
BGO 42C	7/21/2015	STRONTIUM-90	-0.244	pCi/L	U			1.7	3.12	6.53
BGO 42C	7/21/2015	CARBON-14	0.535	pCi/L	U			4.08	6.83	15
BGO 42C	7/21/2015	TECHNETIUM-99	1.22	pCi/L	U			2.52	4.18	9.21
BGO 42C	7/21/2015	TRITIUM	6.51	pCi/mL				0.554	0.456	1.56
BGO 42C	7/21/2015	IODINE-129	0.634	pCi/L	U			0.769	0.819	2.36
BGO 43A	7/17/2015	ETHANE	0.003	ug/L	J		21		0.002	0.1
BGO 43A	7/17/2015	ETHYLENE	0.07	ug/L	J		21		0.003	0.1
BGO 43A	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 43A	7/17/2015	TRITIUM	0.109	pCi/mL	U			0.28	0.474	1.03
BGO 43A	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 43A	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43A	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 43A	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 43A	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 43A	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 43A	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 43A	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 43A	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 43A	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 43A	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 43A	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 43A	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 43A	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 43A	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 43A	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 43A	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 43A	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 43A	7/24/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43A	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43A	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 43A	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 43A	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 43A	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 43A	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 43A	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 43A	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 43A	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43A	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43A	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 43A	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 43A	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43A	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 43A	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 43A	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 43A	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 43A	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 43A	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 43A	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 43A	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 43A	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43A	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 43A	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 43A	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 43A	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 43A	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 43A	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 43A	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 43A	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 43A	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 43A	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 43A	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 43A	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43A	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 43A	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 43A	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 43A	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 43A	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 43AA	7/17/2015	ETHANE	0.018	ug/L	J		21		0.002	0.1
BGO 43AA	7/17/2015	ETHYLENE	0.18	ug/L					0.003	0.1
BGO 43AA	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 43AA	7/17/2015	TRITIUM	1.39	pCi/mL				0.353	0.472	1.18
BGO 43AA	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 43AA	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 43AA	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43AA	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 43AA	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 43AA	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 43AA	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 43AA	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 43AA	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 43AA	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 43AA	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 43AA	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 43AA	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 43AA	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 43AA	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 43AA	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 43AA	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 43AA	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 43AA	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 43AA	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 43AA	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 43AA	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 43AA	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43AA	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43AA	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 43AA	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 43AA	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 43AA	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 43AA	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 43AA	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 43AA	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43AA	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 43AA	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43AA	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 43AA	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 43AA	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43AA	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 43AA	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 43AA	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 43AA	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 43AA	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 43AA	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 43AA	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 43AA	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 43AA	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 43AA	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 43AA	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43AA	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 43AA	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 43AA	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 43AA	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 43AA	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 43AA	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 43AA	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 43AA	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 43AA	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 43AA	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43AA	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 43AA	7/24/2015	TRICHLOROETHYLENE (TCE)	0.86	ug/L	J		21		0.25	1
BGO 43AA	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 43AA	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 43AA	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 43CR	7/17/2015	ETHANE	0.0022	ug/L	J		21		0.002	0.1
BGO 43CR	7/17/2015	ETHYLENE	0.0069	ug/L	J		21		0.003	0.1
BGO 43CR	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BGO 43CR	7/17/2015	ARSENIC	50	ug/L	U				5	50
BGO 43CR	7/17/2015	BARIUM	7.52	ug/L	J		21		2	20
BGO 43CR	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 43CR	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BGO 43CR	7/17/2015	COBALT	0.583	ug/L	J		21		0.5	5
BGO 43CR	7/17/2015	COPPER	125	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43CR	7/17/2015	LEAD	52.1	ug/L					0.5	5
BGO 43CR	7/17/2015	NICKEL	2.19	ug/L	J		21		0.5	5
BGO 43CR	7/17/2015	SELENIUM	20	ug/L	U				2	20
BGO 43CR	7/17/2015	SILVER	5	ug/L	U				0.5	5
BGO 43CR	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 43CR	7/17/2015	TIN	10	ug/L	U				1	10
BGO 43CR	7/17/2015	VANADIUM	50	ug/L	U				5	50
BGO 43CR	7/17/2015	ZINC	46.8	ug/L					4	40
BGO 43CR	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 43CR	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 43CR	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	4.57	pCi/L				0.301	0.112	0.714
BGO 43CR	7/17/2015	RADIUM-226	3.93	pCi/L				0.249	0.084	0.5815
BGO 43CR	7/17/2015	URANIUM-233/234	0.0347	pCi/L	U			0.068	0.139	0.274
BGO 43CR	7/17/2015	URANIUM-235	0	pCi/L	U		V	0	0.0772	0.0772
BGO 43CR	7/17/2015	URANIUM-238	0	pCi/L	U		V	0	0.0625	0.0625
BGO 43CR	7/17/2015	GROSS ALPHA	12.5	pCi/L				4.52	2.31	11.3
BGO 43CR	7/17/2015	NONVOLATILE BETA	2.12	pCi/L	U			3.42	5.62	12.5
BGO 43CR	7/17/2015	STRONTIUM-90	2.17	pCi/L	U			3.03	3.13	9.2
BGO 43CR	7/17/2015	CARBON-14	54.5	pCi/L	J			5.36	7.05	17.8
BGO 43CR	7/17/2015	TECHNETIUM-99	0.528	pCi/L	U			2.6	4.35	9.54
BGO 43CR	7/17/2015	TRITIUM	5.1	pCi/mL				0.502	0.473	1.48
BGO 43CR	7/17/2015	IODINE-129	0.771	pCi/L	U			1.1	0.95	3.14
BGO 43CR	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 43CR	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43CR	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 43CR	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 43CR	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 43CR	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 43CR	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 43CR	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 43CR	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 43CR	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 43CR	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 43CR	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 43CR	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 43CR	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 43CR	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 43CR	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 43CR	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 43CR	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 43CR	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43CR	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 43CR	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43CR	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 43CR	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 43CR	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 43CR	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 43CR	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 43CR	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43CR	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43CR	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 43CR	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 43CR	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43CR	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 43CR	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 43CR	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 43CR	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 43CR	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 43CR	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 43CR	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 43CR	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 43CR	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 43CR	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 43CR	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 43CR	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43CR	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 43CR	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 43CR	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 43CR	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 43CR	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 43CR	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 43CR	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 43CR	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 43CR	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43CR	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 43CR	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 43CR	7/24/2015	TRICHLOROFLUOROMETHANE	1.4	ug/L					0.11	1
BGO 43CR	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 43CR	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 43D	7/17/2015	ETHANE	0.023	ug/L	J		21		0.002	0.1
BGO 43D	7/17/2015	ETHYLENE	0.064	ug/L	J		21		0.003	0.1
BGO 43D	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BGO 43D	7/17/2015	ARSENIC	50	ug/L	U				5	50
BGO 43D	7/17/2015	BARIUM	14	ug/L	J		21		2	20
BGO 43D	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 43D	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BGO 43D	7/17/2015	COBALT	5	ug/L	U				0.5	5
BGO 43D	7/17/2015	COPPER	6.59	ug/L					0.5	5
BGO 43D	7/17/2015	LEAD	14.4	ug/L					0.5	5
BGO 43D	7/17/2015	NICKEL	0.758	ug/L	J		21		0.5	5
BGO 43D	7/17/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43D	7/17/2015	SILVER	5	ug/L	U				0.5	5
BGO 43D	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 43D	7/17/2015	TIN	10	ug/L	U				1	10
BGO 43D	7/17/2015	VANADIUM	50	ug/L	U				5	50
BGO 43D	7/17/2015	ZINC	10.8	ug/L	U		21, V		4	40
BGO 43D	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 43D	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 43D	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	1.3	pCi/L				0.165	0.107	0.437
BGO 43D	7/17/2015	RADIUM-226	1.06	pCi/L				0.134	0.084	0.3523
BGO 43D	7/17/2015	URANIUM-233/234	0	pCi/L	U			0	0.06	0.06
BGO 43D	7/17/2015	URANIUM-235	0.0273	pCi/L	U		V	0.055	0.0741	0.184
BGO 43D	7/17/2015	URANIUM-238	0.0608	pCi/L	U		V	0.078	0.111	0.267
BGO 43D	7/17/2015	GROSS ALPHA	2.39	pCi/L	J		21	2.11	2.32	6.54
BGO 43D	7/17/2015	NONVOLATILE BETA	0.391	pCi/L	U			2.49	4.45	9.43
BGO 43D	7/17/2015	STRONTIUM-90	-1.36	pCi/L	U			1.74	3.13	6.6
BGO 43D	7/17/2015	CARBON-14	-2.34	pCi/L	U			4.13	7.02	15.3
BGO 43D	7/17/2015	TECHNETIUM-99	0.023	pCi/L	U			2.59	4.36	9.53
BGO 43D	7/17/2015	TRITIUM	1.68	pCi/mL				0.365	0.468	1.2
BGO 43D	7/17/2015	IODINE-129	-0.109	pCi/L	U			0.556	0.931	2.04
BGO 43D	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 43D	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 43D	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43D	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 43D	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 43D	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 43D	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 43D	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 43D	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 43D	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 43D	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 43D	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 43D	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 43D	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 43D	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 43D	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 43D	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 43D	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 43D	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 43D	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43D	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 43D	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 43D	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 43D	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43D	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 43D	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 43D	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 43D	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43D	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 43D	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 43D	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 43D	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 43D	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 43D	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 43D	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 43D	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 43D	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 43D	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 43D	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 43D	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 43D	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 43D	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 43D	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 43D	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 43D	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 43D	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 43D	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 43D	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 43D	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 43D	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 43D	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 43D	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 43D	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 43D	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 43D	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 43D	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 43D	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 43D	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44A	7/17/2015	ETHANE	0.0046	ug/L	J		21		0.002	0.1
BGO 44A	7/17/2015	ETHYLENE	0.036	ug/L	J		21		0.003	0.1
BGO 44A	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 44A	7/17/2015	TRITIUM	-0.127	pCi/mL	U			0.264	0.473	1
BGO 44A	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 44A	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 44A	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 44A	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44A	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 44A	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 44A	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 44A	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 44A	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 44A	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 44A	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 44A	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 44A	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 44A	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 44A	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 44A	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 44A	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 44A	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 44A	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44A	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 44A	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 44A	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 44A	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 44A	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 44A	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44A	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 44A	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44A	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44A	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 44A	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 44A	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44A	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 44A	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 44A	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 44A	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 44A	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 44A	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 44A	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 44A	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 44A	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 44A	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 44A	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 44A	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 44A	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 44A	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 44A	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 44A	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44A	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 44A	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 44A	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 44A	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 44A	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44A	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 44A	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 44A	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 44A	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 44A	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44AA	7/17/2015	ETHANE	0.011	ug/L	J		21		0.002	0.1
BGO 44AA	7/17/2015	ETHYLENE	0.4	ug/L					0.003	0.1
BGO 44AA	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 44AA	7/17/2015	TRITIUM	27.8	pCi/mL				1.03	0.464	2.52
BGO 44AA	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 44AA	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44AA	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 44AA	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 44AA	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 44AA	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44AA	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 44AA	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 44AA	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44AA	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 44AA	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 44AA	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 44AA	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 44AA	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 44AA	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 44AA	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 44AA	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 44AA	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 44AA	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 44AA	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 44AA	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 44AA	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 44AA	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 44AA	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 44AA	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 44AA	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44AA	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 44AA	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 44AA	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 44AA	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 44AA	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 44AA	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 44AA	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 44AA	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44AA	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44AA	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44AA	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 44AA	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 44AA	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 44AA	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 44AA	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44AA	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 44AA	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 44AA	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 44AA	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 44AA	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 44AA	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 44AA	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 44AA	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 44AA	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 44AA	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 44AA	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 44AA	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 44AA	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 44AA	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 44AA	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 44AA	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 44AA	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 44AA	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 44AA	7/24/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44AA	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 44AA	7/24/2015	TOLUENE	0.92	ug/L	J		21		0.07	1
BGO 44AA	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44AA	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 44AA	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 44AA	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 44AA	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 44AA	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44B	7/17/2015	ETHANE	0.011	ug/L	J		21		0.002	0.1
BGO 44B	7/17/2015	ETHYLENE	0.12	ug/L					0.003	0.1
BGO 44B	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 44B	7/17/2015	TRITIUM	13.5	pCi/mL				0.753	0.475	1.98
BGO 44B	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 44B	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 44B	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 44B	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 44B	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 44B	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 44B	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 44B	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 44B	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 44B	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44B	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 44B	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 44B	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 44B	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 44B	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 44B	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 44B	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BGO 44B	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 44B	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 44B	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 44B	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 44B	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BGO 44B	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44B	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 44B	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 44B	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 44B	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 44B	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 44B	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 44B	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 44B	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44B	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 44B	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44B	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44B	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 44B	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44B	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 44B	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 44B	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 44B	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 44B	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 44B	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 44B	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 44B	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 44B	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 44B	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 44B	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 44B	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 44B	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 44B	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 44B	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 44B	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 44B	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 44B	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 44B	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BGO 44B	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 44B	7/24/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44B	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44B	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 44B	7/24/2015	TRICHLOROETHYLENE (TCE)	0.31	ug/L	J		21		0.25	1
BGO 44B	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 44B	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 44B	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44C	7/16/2015	ETHANE	0.0061	ug/L	J		21		0.002	0.1
BGO 44C	7/16/2015	ETHYLENE	0.0052	ug/L	J		21		0.003	0.1
BGO 44C	7/16/2015	ANTIMONY	10	ug/L	U				1	10
BGO 44C	7/16/2015	ARSENIC	50	ug/L	U				5	50
BGO 44C	7/16/2015	BARIUM	50.7	ug/L					2	20
BGO 44C	7/16/2015	BERYLLIUM	0.116	ug/L	J		21		0.1	1
BGO 44C	7/16/2015	CHROMIUM	35.7	ug/L	J		21		10	100
BGO 44C	7/16/2015	COBALT	1.54	ug/L	J		21		0.5	5
BGO 44C	7/16/2015	COPPER	10.6	ug/L					0.5	5
BGO 44C	7/16/2015	LEAD	15.7	ug/L					0.5	5
BGO 44C	7/16/2015	NICKEL	20.4	ug/L					0.5	5
BGO 44C	7/16/2015	SELENIUM	20	ug/L	U				2	20
BGO 44C	7/16/2015	SILVER	5	ug/L	U				0.5	5
BGO 44C	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	TIN	10	ug/L	U				1	10
BGO 44C	7/16/2015	VANADIUM	50	ug/L	U				5	50
BGO 44C	7/16/2015	ZINC	52.7	ug/L	J		21, V		4	40
BGO 44C	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 44C	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 44C	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44C	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 44C	7/16/2015	1,1-DICHLOROETHANE	0.35	ug/L	J		21		0.07	1
BGO 44C	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 44C	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 44C	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 44C	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 44C	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 44C	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	1,2-DICHLOROETHYLENE	0.31	ug/L	J		21		0.15	2
BGO 44C	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 44C	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 44C	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 44C	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 44C	7/16/2015	ACETONE	2	ug/L	U				0.34	2
BGO 44C	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 44C	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 44C	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 44C	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 44C	7/16/2015	BENZENE	1	ug/L	U				0.06	1
BGO 44C	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44C	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 44C	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 44C	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 44C	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 44C	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 44C	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 44C	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 44C	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44C	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44C	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 44C	7/16/2015	CIS-1,2-DICHLOROETHYLENE	0.31	ug/L	J		21		0.09	1
BGO 44C	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44C	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 44C	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 44C	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 44C	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 44C	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 44C	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 44C	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 44C	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 44C	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44C	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 44C	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 44C	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 44C	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 44C	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 44C	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 44C	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 44C	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 44C	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 44C	7/16/2015	STYRENE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	TETRACHLOROETHYLENE (PCE)	0.46	ug/L	J		21		0.18	1
BGO 44C	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 44C	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44C	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 44C	7/16/2015	TRICHLOROETHYLENE (TCE)	2	ug/L					0.25	1
BGO 44C	7/16/2015	TRICHLOROFLUOROMETHANE	0.26	ug/L	J		21		0.11	1
BGO 44C	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 44C	7/16/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44C	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 44C	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.506	pCi/L				0.114	0.117	0.345
BGO 44C	7/16/2015	RADIUM-226	0.463	pCi/L				0.091	0.077	0.2596
BGO 44C	7/16/2015	URANIUM-233/234	0.11	pCi/L	J		21, V	0.12	0.175	0.414
BGO 44C	7/16/2015	URANIUM-235	-0.00802	pCi/L	U		V	0.016	0.161	0.194
BGO 44C	7/16/2015	URANIUM-238	0.0519	pCi/L	U			0.074	0.0703	0.218
BGO 44C	7/16/2015	GROSS ALPHA	0.831	pCi/L	U			1.44	2.38	5.27
BGO 44C	7/16/2015	NONVOLATILE BETA	1.77	pCi/L	U			2.64	4.24	9.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44C	7/16/2015	STRONTIUM-90	-1.32	pCi/L	U			1.7	3.13	6.53
BGO 44C	7/16/2015	CARBON-14	-2.47	pCi/L	UJ			4.31	7.31	15.9
BGO 44C	7/16/2015	TECHNETIUM-99	0.761	pCi/L	U			2.62	4.37	9.6
BGO 44C	7/16/2015	TRITIUM	170	pCi/mL				2.46	0.49	5.41
BGO 44C	7/16/2015	IODINE-129	-0.0372	pCi/L	U			0.552	0.93	2.03
BGO 44D	7/22/2015	ETHANE	0.0033	ug/L	J		21		0.002	0.1
BGO 44D	7/22/2015	ETHYLENE	0.0092	ug/L	J		21		0.003	0.1
BGO 44D	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BGO 44D	7/22/2015	ARSENIC	50	ug/L	U				5	50
BGO 44D	7/22/2015	BARIUM	63.5	ug/L					2	20
BGO 44D	7/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BGO 44D	7/22/2015	COBALT	0.573	ug/L	J		21		0.5	5
BGO 44D	7/22/2015	COPPER	0.612	ug/L	J		21		0.5	5
BGO 44D	7/22/2015	LEAD	5	ug/L	U				0.5	5
BGO 44D	7/22/2015	NICKEL	1.35	ug/L	J		21		0.5	5
BGO 44D	7/22/2015	SELENIUM	20	ug/L	U				2	20
BGO 44D	7/22/2015	SILVER	5	ug/L	U				0.5	5
BGO 44D	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	TIN	10	ug/L	U				1	10
BGO 44D	7/22/2015	VANADIUM	50	ug/L	U				5	50
BGO 44D	7/22/2015	ZINC	40	ug/L	U				4	40
BGO 44D	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 44D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 44D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.1	ug/L					0.1	1
BGO 44D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 44D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 44D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 44D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 44D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 44D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 44D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 44D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 44D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 44D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 44D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 44D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 44D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 44D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 44D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 44D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 44D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 44D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 44D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 44D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 44D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 44D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 44D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 44D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 44D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 44D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 44D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 44D	7/22/2015	DICHLORODIFLUOROMETHANE	0.4	ug/L	J		21		0.08	2
BGO 44D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 44D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 44D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 44D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 44D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 44D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 44D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 44D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 44D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 44D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 44D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 44D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 44D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 44D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 44D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 44D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 44D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 44D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 44D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 44D	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 44D	7/22/2015	TRICHLOROFLUOROMETHANE	1.6	ug/L					0.11	1
BGO 44D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 44D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 44D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 44D	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	3.9	pCi/L				0.316	0.123	0.755
BGO 44D	7/22/2015	RADIUM-226	3.3	pCi/L				0.223	0.065	0.5105
BGO 44D	7/22/2015	URANIUM-233/234	0.0159	pCi/L	U		V	0.044	0.107	0.195
BGO 44D	7/22/2015	URANIUM-235	0	pCi/L	U			0	0.071	0.071
BGO 44D	7/22/2015	URANIUM-238	0.0159	pCi/L	U		V	0.044	0.107	0.194
BGO 44D	7/22/2015	GROSS ALPHA	4.29	pCi/L	J		21	2.67	2.12	7.47
BGO 44D	7/22/2015	NONVOLATILE BETA	2.45	pCi/L	U			2.65	4.04	9.34
BGO 44D	7/22/2015	STRONTIUM-90	0.344	pCi/L	U			1.89	3.23	7
BGO 44D	7/22/2015	CARBON-14	19.2	pCi/L				4.49	6.78	15.8
BGO 44D	7/22/2015	TECHNETIUM-99	1.12	pCi/L	U			2.49	4.15	9.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 44D	7/22/2015	TRITIUM	21.8	pCi/mL				0.931	0.529	2.39
BGO 44D	7/22/2015	IODINE-129	-0.252	pCi/L	U			0.677	0.955	2.31
BGO 45A	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45A	1/7/2015	TRICHLOROETHYLENE (TCE)	3.6	ug/L					0.25	1
BGO 45A	1/7/2015	TRITIUM	52.1	pCi/mL				1.36	0.432	3.15
BGO 45A	7/20/2015	ETHANE	0.0022	ug/L	J		21		0.002	0.1
BGO 45A	7/20/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BGO 45A	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 45A	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 45A	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 45A	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 45A	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 45A	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 45A	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 45A	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	1,2-DICHLOROETHYLENE	1.8	ug/L	J		21		0.15	2
BGO 45A	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45A	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 45A	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 45A	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 45A	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 45A	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 45A	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 45A	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 45A	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 45A	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 45A	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45A	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 45A	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 45A	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 45A	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 45A	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 45A	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 45A	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 45A	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45A	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45A	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 45A	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1.8	ug/L					0.09	1
BGO 45A	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45A	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 45A	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 45A	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 45A	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 45A	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 45A	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 45A	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 45A	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 45A	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 45A	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 45A	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 45A	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 45A	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 45A	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 45A	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 45A	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 45A	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 45A	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 45A	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45A	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 45A	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45A	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 45A	7/20/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
BGO 45A	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 45A	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45A	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 45A	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 45A	7/20/2015	TRITIUM	59.7	pCi/mL				1.47	0.49	3.44
BGO 45B	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45B	1/7/2015	TRICHLOROETHYLENE (TCE)	5.2	ug/L					0.25	1
BGO 45B	1/7/2015	TRITIUM	99.2	pCi/mL				1.87	0.433	4.17
BGO 45B	7/20/2015	ETHANE	0.0041	ug/L	J		21		0.002	0.1
BGO 45B	7/20/2015	ETHYLENE	0.07	ug/L	J		21		0.003	0.1
BGO 45B	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 45B	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45B	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 45B	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45B	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 45B	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 45B	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 45B	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 45B	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 45B	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	1,2-DICHLOROETHYLENE	2.9	ug/L					0.15	2
BGO 45B	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45B	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 45B	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 45B	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 45B	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 45B	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 45B	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 45B	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 45B	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 45B	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 45B	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 45B	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45B	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 45B	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 45B	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 45B	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 45B	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 45B	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 45B	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 45B	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45B	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45B	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 45B	7/20/2015	CIS-1,2-DICHLOROETHYLENE	2.9	ug/L					0.09	1
BGO 45B	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 45B	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45B	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45B	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 45B	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 45B	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 45B	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 45B	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 45B	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 45B	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 45B	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 45B	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 45B	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 45B	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 45B	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 45B	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 45B	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 45B	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 45B	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 45B	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 45B	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 45B	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 45B	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45B	7/20/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
BGO 45B	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45B	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 45B	7/20/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45B	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 45B	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 45B	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 45B	7/20/2015	1,4-DIOXANE	4.1	ug/L					0.85	3
BGO 45B	7/20/2015	TRITIUM	93.3	pCi/mL				1.83	0.488	4.14
BGO 45C	1/7/2015	TETRACHLOROETHYLENE (PCE)	0.58	ug/L	J		21		0.18	1
BGO 45C	1/7/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J		21		0.25	1
BGO 45C	1/7/2015	TRITIUM	10.5	pCi/mL				0.651	0.433	1.74
BGO 45C	7/20/2015	ETHANE	0.0028	ug/L	J		21		0.002	0.1
BGO 45C	7/20/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1
BGO 45C	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 45C	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 45C	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 45C	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 45C	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 45C	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 45C	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 45C	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 45C	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 45C	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 45C	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 45C	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45C	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 45C	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 45C	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 45C	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 45C	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 45C	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 45C	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 45C	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 45C	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 45C	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 45C	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45C	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 45C	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 45C	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 45C	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 45C	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 45C	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 45C	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 45C	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45C	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 45C	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45C	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 45C	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 45C	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45C	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45C	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 45C	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 45C	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 45C	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 45C	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 45C	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 45C	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 45C	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 45C	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 45C	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 45C	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 45C	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 45C	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 45C	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 45C	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 45C	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 45C	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 45C	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 45C	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45C	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 45C	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45C	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45C	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 45C	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 45C	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 45C	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 45C	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 45C	7/20/2015	TRITIUM	6.3	pCi/mL				0.545	0.485	1.58
BGO 45D	1/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45D	1/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 45D	1/7/2015	TRITIUM	4.9	pCi/mL				0.48	0.433	1.39
BGO 45D	7/20/2015	ETHANE	0.0027	ug/L	J		21		0.002	0.1
BGO 45D	7/20/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
BGO 45D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 45D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 45D	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 45D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 45D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 45D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 45D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 45D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 45D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 45D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 45D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 45D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGO 45D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 45D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 45D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 45D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 45D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 45D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 45D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 45D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 45D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 45D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 45D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 45D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 45D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 45D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 45D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 45D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 45D	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 45D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 45D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 45D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 45D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 45D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 45D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 45D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 45D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 45D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 45D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 45D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 45D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 45D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 45D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 45D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 45D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 45D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 45D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 45D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 45D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 45D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 45D	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 45D	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 45D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 45D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 45D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 45D	7/20/2015	TRITIUM	2.3	pCi/mL				0.402	0.481	1.28
BGO 46C	2/3/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L					0.18	1
BGO 46C	2/3/2015	TRICHLOROETHYLENE (TCE)	37	ug/L					0.25	1
BGO 46C	7/15/2015	ETHANE	0.02	ug/L	J		21		0.002	0.1
BGO 46C	7/15/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
BGO 46C	7/15/2015	ANTIMONY	10	ug/L	U				1	10
BGO 46C	7/15/2015	ARSENIC	50	ug/L	U				5	50
BGO 46C	7/15/2015	BARIUM	57.2	ug/L					2	20
BGO 46C	7/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	CHROMIUM	100	ug/L	U				10	100
BGO 46C	7/15/2015	COBALT	5	ug/L	U				0.5	5
BGO 46C	7/15/2015	COPPER	3.54	ug/L	J		21		0.5	5
BGO 46C	7/15/2015	LEAD	5	ug/L	U				0.5	5
BGO 46C	7/15/2015	NICKEL	1.22	ug/L	J		21		0.5	5
BGO 46C	7/15/2015	SELENIUM	20	ug/L	U				2	20
BGO 46C	7/15/2015	SILVER	5	ug/L	U				0.5	5
BGO 46C	7/15/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	TIN	10	ug/L	U				1	10
BGO 46C	7/15/2015	VANADIUM	50	ug/L	U				5	50
BGO 46C	7/15/2015	ZINC	11.3	ug/L	U		21, V		4	40
BGO 46C	7/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 46C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.5	ug/L					0.1	1
BGO 46C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 46C	7/15/2015	1,1-DICHLOROETHANE	1.5	ug/L					0.07	1
BGO 46C	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 46C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 46C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 46C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 46C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 46C	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	1,2-DICHLOROETHYLENE	130	ug/L					3.8	50
BGO 46C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 46C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 46C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 46C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 46C	7/15/2015	ACETONE	6.4	ug/L					0.34	2
BGO 46C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 46C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 46C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 46C	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 46C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 46C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 46C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 46C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 46C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 46C	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 46C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 46C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 46C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	0.25	ug/L	J		21		0.08	2
BGO 46C	7/15/2015	CHLOROFORM	2.6	ug/L					0.1	1
BGO 46C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 46C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 46C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	130	ug/L					2.3	25
BGO 46C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 46C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 46C	7/15/2015	DICHLORODIFLUOROMETHANE	2.1	ug/L					0.08	2
BGO 46C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 46C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 46C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 46C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 46C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 46C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 46C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 46C	7/15/2015	METHYL ETHYL KETONE	1.7	ug/L	J		21		0.52	5
BGO 46C	7/15/2015	METHYL ISOBUTYL KETONE	1.4	ug/L	J		21		0.12	5
BGO 46C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 46C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 46C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 46C	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 46C	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 46C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 46C	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
BGO 46C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 46C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	0.19	ug/L	J		21		0.08	1
BGO 46C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 46C	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 46C	7/15/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					0.25	1
BGO 46C	7/15/2015	TRICHLOROFLUOROMETHANE	0.34	ug/L	J		21		0.11	1
BGO 46C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 46C	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 46C	7/15/2015	1,4-DIOXANE	370	ug/L					17	60
BGO 46C	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.325	pCi/L				0.083	0.069	0.2353
BGO 46C	7/15/2015	RADIUM-226	0.209	pCi/L	J		21	0.073	0.089	0.2349
BGO 46C	7/15/2015	URANIUM-233/234	0.0471	pCi/L	U		V	0.067	0.0639	0.198
BGO 46C	7/15/2015	URANIUM-235	-0.0145	pCi/L	U		V	0.021	0.174	0.216
BGO 46C	7/15/2015	URANIUM-238	0.0412	pCi/L	U			0.068	0.118	0.254

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46C	7/15/2015	GROSS ALPHA	0.913	pCi/L	U			1.47	2.2	5.14
BGO 46C	7/15/2015	NONVOLATILE BETA	5.8	pCi/L	J		21	3.12	3.78	10
BGO 46C	7/15/2015	STRONTIUM-90	0.75	pCi/L	U			1.8	3.29	6.89
BGO 46C	7/15/2015	CARBON-14	270	pCi/L	J			8.54	7.29	24.4
BGO 46C	7/15/2015	TECHNETIUM-99	-0.28	pCi/L	U			2.54	4.29	9.37
BGO 46C	7/15/2015	TRITIUM	3540	pCi/mL				11	0.522	22.6
BGO 46C	7/15/2015	IODINE-129	0.548	pCi/L	U			0.556	0.978	2.09
BGO 46D	2/3/2015	TETRACHLOROETHYLENE (PCE)	5.3	ug/L					0.18	1
BGO 46D	2/3/2015	TRICHLOROETHYLENE (TCE)	33	ug/L					0.25	1
BGO 46D	2/3/2015	TRITIUM	1100	pCi/mL				6.09	0.397	12.6
BGO 46D	7/15/2015	ETHANE	0.0084	ug/L	J		21		0.002	0.1
BGO 46D	7/15/2015	ETHYLENE	0.019	ug/L	J		21		0.003	0.1
BGO 46D	7/15/2015	ANTIMONY	10	ug/L	U				1	10
BGO 46D	7/15/2015	ARSENIC	50	ug/L	U				5	50
BGO 46D	7/15/2015	BARIUM	4.51	ug/L	J		21		2	20
BGO 46D	7/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	CHROMIUM	100	ug/L	U				10	100
BGO 46D	7/15/2015	COBALT	5	ug/L	U				0.5	5
BGO 46D	7/15/2015	COPPER	2.48	ug/L	J		21		0.5	5
BGO 46D	7/15/2015	LEAD	5	ug/L	U				0.5	5
BGO 46D	7/15/2015	NICKEL	0.615	ug/L	J		21		0.5	5
BGO 46D	7/15/2015	SELENIUM	20	ug/L	U				2	20
BGO 46D	7/15/2015	SILVER	5	ug/L	U				0.5	5
BGO 46D	7/15/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	TIN	10	ug/L	U				1	10
BGO 46D	7/15/2015	VANADIUM	50	ug/L	U				5	50
BGO 46D	7/15/2015	ZINC	40	ug/L	U		V		4	40
BGO 46D	7/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46D	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 46D	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	4.6	ug/L					0.1	1
BGO 46D	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 46D	7/15/2015	1,1-DICHLOROETHANE	0.37	ug/L	J		21		0.07	1
BGO 46D	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 46D	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 46D	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 46D	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 46D	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 46D	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	1,2-DICHLOROETHYLENE	39	ug/L					0.15	2
BGO 46D	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 46D	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 46D	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 46D	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 46D	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 46D	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 46D	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46D	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 46D	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 46D	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 46D	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 46D	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 46D	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 46D	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 46D	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 46D	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 46D	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 46D	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 46D	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	0.29	ug/L	J		21		0.08	2
BGO 46D	7/15/2015	CHLOROFORM	0.38	ug/L	J		21		0.1	1
BGO 46D	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 46D	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 46D	7/15/2015	CIS-1,2-DICHLOROETHYLENE	39	ug/L					0.09	1
BGO 46D	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 46D	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 46D	7/15/2015	DICHLORODIFLUOROMETHANE	4	ug/L					0.08	2
BGO 46D	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 46D	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 46D	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 46D	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46D	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 46D	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 46D	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 46D	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 46D	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 46D	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 46D	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 46D	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 46D	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 46D	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 46D	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 46D	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 46D	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	TETRACHLOROETHYLENE (PCE)	3.1	ug/L					0.18	1
BGO 46D	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 46D	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 46D	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 46D	7/15/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
BGO 46D	7/15/2015	TRICHLOROFLUOROMETHANE	3	ug/L					0.11	1
BGO 46D	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 46D	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 46D	7/15/2015	1,4-DIOXANE	91	ug/L					0.85	3
BGO 46D	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.377	pCi/L				0.094	0.091	0.2777
BGO 46D	7/15/2015	RADIUM-226	0.343	pCi/L				0.077	0.071	0.2254
BGO 46D	7/15/2015	URANIUM-233/234	0	pCi/L	U		V	0	0.0684	0.0684
BGO 46D	7/15/2015	URANIUM-235	0.0234	pCi/L	U		V	0.064	0.157	0.286

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 46D	7/15/2015	URANIUM-238	0	pCi/L	U			0	0.0683	0.0683
BGO 46D	7/15/2015	GROSS ALPHA	0.893	pCi/L	U			1.43	2.14	5
BGO 46D	7/15/2015	NONVOLATILE BETA	1.96	pCi/L	U			2.46	3.77	8.7
BGO 46D	7/15/2015	STRONTIUM-90	-0.666	pCi/L	U			2	3.29	7.29
BGO 46D	7/15/2015	CARBON-14	3.14	pCi/L	UJ			4.62	7.62	16.9
BGO 46D	7/15/2015	TECHNETIUM-99	0.37	pCi/L	U			2.54	4.26	9.34
BGO 46D	7/15/2015	TRITIUM	859	pCi/mL				5.45	0.522	11.4
BGO 46D	7/15/2015	IODINE-129	0.206	pCi/L	U			0.574	0.987	2.14
BGO 47A	7/20/2015	ETHANE	0.0044	ug/L	J		21		0.002	0.1
BGO 47A	7/20/2015	ETHYLENE	0.069	ug/L	J		21		0.003	0.1
BGO 47A	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 47A	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 47A	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 47A	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 47A	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 47A	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 47A	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 47A	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 47A	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 47A	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 47A	7/20/2015	1,2-DICHLOROETHYLENE	4.7	ug/L					0.15	2
BGO 47A	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47A	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 47A	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 47A	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 47A	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 47A	7/20/2015	ACETONE	5.5	ug/L					0.34	2
BGO 47A	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 47A	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 47A	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 47A	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 47A	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGO 47A	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47A	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 47A	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 47A	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 47A	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 47A	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 47A	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 47A	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 47A	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47A	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 47A	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47A	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 47A	7/20/2015	CIS-1,2-DICHLOROETHYLENE	4.7	ug/L					0.09	1
BGO 47A	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47A	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47A	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 47A	7/20/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 47A	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 47A	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 47A	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 47A	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 47A	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 47A	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 47A	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 47A	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 47A	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 47A	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 47A	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 47A	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 47A	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 47A	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 47A	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 47A	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 47A	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 47A	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 47A	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 47A	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47A	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 47A	7/20/2015	TRICHLOROETHYLENE (TCE)	0.62	ug/L	J		21		0.25	1
BGO 47A	7/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 47A	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 47A	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGO 47A	7/20/2015	1,4-DIOXANE	6.8	ug/L					0.85	3
BGO 47A	7/20/2015	TRITIUM	307	pCi/mL				3.3	0.491	7.08
BGO 47C	1/6/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J		21		0.18	1
BGO 47C	1/6/2015	TRICHLOROETHYLENE (TCE)	6.6	ug/L					0.25	1
BGO 47C	7/15/2015	ETHANE	0.019	ug/L	J		21		0.002	0.1
BGO 47C	7/15/2015	ETHYLENE	0.081	ug/L	J		21		0.003	0.1
BGO 47C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 47C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 47C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 47C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 47C	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 47C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 47C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 47C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 47C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 47C	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 47C	7/15/2015	1,2-DICHLOROETHYLENE	38	ug/L					0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 47C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 47C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 47C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 47C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 47C	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 47C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 47C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 47C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 47C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 47C	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 47C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 47C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 47C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 47C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 47C	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 47C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 47C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 47C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47C	7/15/2015	CHLOROFORM	1	ug/L					0.1	1
BGO 47C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 47C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	38	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 47C	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 47C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 47C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 47C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 47C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 47C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 47C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 47C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 47C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 47C	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 47C	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 47C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 47C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 47C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 47C	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 47C	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 47C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 47C	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.89	ug/L	J		21		0.18	1
BGO 47C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 47C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 47C	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 47C	7/15/2015	TRICHLOROETHYLENE (TCE)	6.3	ug/L					0.25	1
BGO 47C	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 47C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 47C	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 47C	7/15/2015	1,4-DIOXANE	19	ug/L					0.85	3
BGO 47C	7/15/2015	TRITIUM	670	pCi/mL				4.81	0.523	10.1
BGO 47D	7/22/2015	ETHANE	0.0069	ug/L	J		21		0.002	0.1
BGO 47D	7/22/2015	ETHYLENE	0.018	ug/L	J		21		0.003	0.1
BGO 47D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 47D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 47D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 47D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 47D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 47D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 47D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 47D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 47D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 47D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 47D	7/22/2015	1,2-DICHLOROETHYLENE	4.4	ug/L					0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 47D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 47D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 47D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 47D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 47D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 47D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 47D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 47D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 47D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 47D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 47D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 47D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 47D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 47D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 47D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 47D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 47D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 47D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47D	7/22/2015	CHLOROFORM	0.14	ug/L	J		21		0.1	1
BGO 47D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 47D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 47D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	4.4	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 47D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 47D	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 47D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 47D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 47D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 47D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 47D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 47D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 47D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 47D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 47D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 47D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 47D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 47D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 47D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 47D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 47D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 47D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 47D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	TETRACHLOROETHYLENE (PCE)	0.28	ug/L	J		21		0.18	1
BGO 47D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 47D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 47D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 47D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 47D	7/22/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1
BGO 47D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 47D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 47D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 47D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 47D	7/22/2015	TRITIUM	225	pCi/mL				2.85	0.546	6.24
BGO 48C	2/4/2015	TETRACHLOROETHYLENE (PCE)	7.9	ug/L					0.18	1
BGO 48C	2/4/2015	TRICHLOROETHYLENE (TCE)	36	ug/L					0.25	1
BGO 48C	7/15/2015	ETHANE	0.0037	ug/L	J		21		0.002	0.1
BGO 48C	7/15/2015	ETHYLENE	0.02	ug/L	J		21		0.003	0.1
BGO 48C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 48C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 48C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 48C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 48C	7/15/2015	1,1-DICHLOROETHANE	0.22	ug/L	J		21		0.07	1
BGO 48C	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 48C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 48C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 48C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 48C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 48C	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48C	7/15/2015	1,2-DICHLOROETHYLENE	38	ug/L					0.15	2
BGO 48C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 48C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 48C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 48C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 48C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 48C	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 48C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 48C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 48C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 48C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 48C	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 48C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 48C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 48C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 48C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 48C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 48C	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 48C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 48C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 48C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 48C	7/15/2015	CHLOROFORM	0.63	ug/L	J		21		0.1	1
BGO 48C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 48C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	38	ug/L					0.09	1
BGO 48C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 48C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 48C	7/15/2015	DICHLORODIFLUOROMETHANE	2.1	ug/L					0.08	2
BGO 48C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 48C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 48C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 48C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 48C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 48C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 48C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 48C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 48C	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 48C	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 48C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 48C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 48C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 48C	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 48C	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 48C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 48C	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	TETRACHLOROETHYLENE (PCE)	6.4	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 48C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 48C	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 48C	7/15/2015	TRICHLOROETHYLENE (TCE)	27	ug/L					0.25	1
BGO 48C	7/15/2015	TRICHLOROFLUOROMETHANE	0.21	ug/L	J		21		0.11	1
BGO 48C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 48C	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 48C	7/15/2015	1,4-DIOXANE	12	ug/L					0.85	3
BGO 48C	7/15/2015	TRITIUM	2000	pCi/mL				8.31	0.524	17.1
BGO 48D	1/6/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
BGO 48D	1/6/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
BGO 48D	7/22/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
BGO 48D	7/22/2015	ETHYLENE	0.0089	ug/L	J		21		0.003	0.1
BGO 48D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	5	ug/L	U				0.45	5
BGO 48D	7/22/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
BGO 48D	7/22/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	1,1-DICHLOROPROPENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U				0.45	5
BGO 48D	7/22/2015	1,2,3-TRICHLOROPROPANE	5	ug/L	U				0.75	5
BGO 48D	7/22/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U				2.1	5
BGO 48D	7/22/2015	1,2-DIBROMOETHANE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48D	7/22/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
BGO 48D	7/22/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	1,2-DICHLOROETHYLENE	13	ug/L					0.75	10
BGO 48D	7/22/2015	1,2-DICHLOROPROPANE	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	1,3-DICHLOROBENZENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	1,3-DICHLOROPROPANE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	1,4-DICHLOROBENZENE	5	ug/L	U				0.6	5
BGO 48D	7/22/2015	2,2-DICHLOROPROPANE	5	ug/L	U				0.7	5
BGO 48D	7/22/2015	2-CHLOROETHYL VINYL ETHER	10	ug/L	U				0.85	10
BGO 48D	7/22/2015	2-HEXANONE	25	ug/L	U				1.1	25
BGO 48D	7/22/2015	ACETONE	10	ug/L	U				1.7	10
BGO 48D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	50	ug/L	U				10	50
BGO 48D	7/22/2015	ACROLEIN	50	ug/L	U				14	50
BGO 48D	7/22/2015	ACRYLONITRILE	50	ug/L	U				2.9	50
BGO 48D	7/22/2015	ALLYL CHLORIDE	10	ug/L	U				0.55	10
BGO 48D	7/22/2015	BENZENE	5	ug/L	U				0.3	5
BGO 48D	7/22/2015	BROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BGO 48D	7/22/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
BGO 48D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U				0.85	5
BGO 48D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U				1.3	10
BGO 48D	7/22/2015	CARBON DISULFIDE	5	ug/L	U				0.25	5
BGO 48D	7/22/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
BGO 48D	7/22/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
BGO 48D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U				0.5	10
BGO 48D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
BGO 48D	7/22/2015	CHLOROFORM	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U				0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48D	7/22/2015	CHLOROPRENE	5	ug/L	U				0.5	5
BGO 48D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L					0.45	5
BGO 48D	7/22/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	CYCLOHEXANE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	DIBROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BGO 48D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	5	ug/L	U				1.1	5
BGO 48D	7/22/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U				0.4	10
BGO 48D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
BGO 48D	7/22/2015	ETHYL ACETATE	10	ug/L	U				0.9	10
BGO 48D	7/22/2015	ETHYLBENZENE	5	ug/L	U				0.45	5
BGO 48D	7/22/2015	IODOMETHANE (METHYL IODIDE)	10	ug/L	U				0.45	10
BGO 48D	7/22/2015	ISOBUTANOL	400	ug/L	U				44	400
BGO 48D	7/22/2015	M,P-XYLENE	10	ug/L	U				0.7	10
BGO 48D	7/22/2015	METHACRYLONITRILE	50	ug/L	U				2.5	50
BGO 48D	7/22/2015	METHYL ACETATE	130	ug/L	U				1.9	130
BGO 48D	7/22/2015	METHYL ETHYL KETONE	3.1	ug/L	J		21		2.6	25
BGO 48D	7/22/2015	METHYL ISOBUTYL KETONE	25	ug/L	U				0.6	25
BGO 48D	7/22/2015	METHYL METHACRYLATE	10	ug/L	U				1.3	10
BGO 48D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U				0.55	10
BGO 48D	7/22/2015	METHYLCYCLOHEXANE	20	ug/L	U				0.5	20
BGO 48D	7/22/2015	NAPHTHALENE	5	ug/L	U				0.8	5
BGO 48D	7/22/2015	O-XYLENE	5	ug/L	U				0.3	5
BGO 48D	7/22/2015	PROPIONITRILE	50	ug/L	U				6.8	50
BGO 48D	7/22/2015	STYRENE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	TETRACHLOROETHYLENE (PCE)	3.3	ug/L	J		21		0.9	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 48D	7/22/2015	TOLUENE	5	ug/L	U				0.35	5
BGO 48D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U				0.4	5
BGO 48D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	10	ug/L	U				1.5	10
BGO 48D	7/22/2015	TRICHLOROETHYLENE (TCE)	32	ug/L					1.3	5
BGO 48D	7/22/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				0.55	5
BGO 48D	7/22/2015	VINYL ACETATE	10	ug/L	U				0.9	10
BGO 48D	7/22/2015	XYLENES	15	ug/L	U				1	15
BGO 48D	7/22/2015	1,4-DIOXANE	3.4	ug/L					0.85	3
BGO 48D	7/22/2015	TRITIUM	2220	pCi/mL				8.81	0.523	18.1
BGO 49A	7/23/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 49A	7/23/2015	ETHYLENE	0.031	ug/L	J		21		0.003	0.1
BGO 49A	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 49A	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 49A	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 49A	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 49A	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 49A	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 49A	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 49A	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 49A	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 49A	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49A	7/23/2015	1,2-DICHLOROETHYLENE	0.82	ug/L	J		21		0.15	2
BGO 49A	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 49A	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 49A	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 49A	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 49A	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 49A	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGO 49A	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 49A	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 49A	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 49A	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 49A	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGO 49A	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 49A	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 49A	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 49A	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 49A	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 49A	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 49A	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 49A	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 49A	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 49A	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 49A	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 49A	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49A	7/23/2015	CIS-1,2-DICHLOROETHYLENE	0.82	ug/L	J		21		0.09	1
BGO 49A	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 49A	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 49A	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 49A	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 49A	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 49A	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 49A	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 49A	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 49A	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 49A	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 49A	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 49A	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 49A	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 49A	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 49A	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 49A	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 49A	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 49A	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 49A	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 49A	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGO 49A	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 49A	7/23/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49A	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 49A	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 49A	7/23/2015	TRICHLOROETHYLENE (TCE)	0.66	ug/L	J		21		0.25	1
BGO 49A	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 49A	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 49A	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGO 49A	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 49A	7/23/2015	TRITIUM	15.8	pCi/mL				0.807	0.537	2.15
BGO 49C	7/8/2015	ETHANE	0.0054	ug/L	J		21		0.002	0.1
BGO 49C	7/8/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1
BGO 49C	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 49C	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 49C	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 49C	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 49C	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 49C	7/8/2015	1,1-DICHLOROETHANE	0.22	ug/L	J		21		0.07	1
BGO 49C	7/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 49C	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 49C	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 49C	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 49C	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 49C	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 49C	7/8/2015	1,2-DICHLOROETHYLENE	15	ug/L					0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49C	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 49C	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 49C	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 49C	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 49C	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 49C	7/8/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 49C	7/8/2015	ACETONE	2	ug/L	U				0.34	2
BGO 49C	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 49C	7/8/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 49C	7/8/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 49C	7/8/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 49C	7/8/2015	BENZENE	1	ug/L	U				0.06	1
BGO 49C	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 49C	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 49C	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 49C	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 49C	7/8/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 49C	7/8/2015	CARBON TETRACHLORIDE	0.43	ug/L	J		21		0.13	1
BGO 49C	7/8/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 49C	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 49C	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 49C	7/8/2015	CHLOROFORM	0.82	ug/L	J		21		0.1	1
BGO 49C	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 49C	7/8/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49C	7/8/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.09	1
BGO 49C	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 49C	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 49C	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 49C	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 49C	7/8/2015	DICHLORODIFLUOROMETHANE	1.6	ug/L	J		21		0.08	2
BGO 49C	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 49C	7/8/2015	ETHYL ACETATE	1.1	ug/L	J		21		0.18	2
BGO 49C	7/8/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 49C	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 49C	7/8/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 49C	7/8/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 49C	7/8/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 49C	7/8/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 49C	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 49C	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 49C	7/8/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 49C	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 49C	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 49C	7/8/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 49C	7/8/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 49C	7/8/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 49C	7/8/2015	STYRENE	1	ug/L	U				0.07	1
BGO 49C	7/8/2015	TETRACHLOROETHYLENE (PCE)	3.8	ug/L					0.18	1
BGO 49C	7/8/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 49C	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 49C	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 49C	7/8/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.25	1
BGO 49C	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 49C	7/8/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 49C	7/8/2015	XYLENES	3	ug/L	U				0.2	3
BGO 49C	7/8/2015	1,4-DIOXANE	7.7	ug/L					0.85	3
BGO 49C	7/8/2015	TRITIUM	174	pCi/mL				2.52	0.469	5.5
BGO 50A	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 50A	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 50A	1/12/2015	TRITIUM	0.757	pCi/mL	J		21	0.277	0.395	0.949
BGO 50A	7/9/2015	ETHANE	0.0054	ug/L	J		21		0.002	0.1
BGO 50A	7/9/2015	ETHYLENE	0.045	ug/L	J		21		0.003	0.1
BGO 50A	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 50A	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 50A	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 50A	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 50A	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 50A	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 50A	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 50A	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50A	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 50A	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 50A	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 50A	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 50A	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 50A	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 50A	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 50A	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 50A	7/9/2015	ACETONE	2	ug/L	U				0.34	2
BGO 50A	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 50A	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 50A	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 50A	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 50A	7/9/2015	BENZENE	1	ug/L	U				0.06	1
BGO 50A	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50A	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 50A	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 50A	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 50A	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 50A	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 50A	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 50A	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 50A	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 50A	7/9/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50A	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 50A	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 50A	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 50A	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50A	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 50A	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 50A	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 50A	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 50A	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 50A	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 50A	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
BGO 50A	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 50A	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 50A	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 50A	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 50A	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 50A	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 50A	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 50A	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 50A	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 50A	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 50A	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 50A	7/9/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50A	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 50A	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 50A	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50A	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 50A	7/9/2015	TRICHLOROETHYLENE (TCE)	0.38	ug/L	J		21		0.25	1
BGO 50A	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 50A	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 50A	7/9/2015	XYLENES	3	ug/L	U				0.2	3
BGO 50A	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 50A	7/9/2015	TRITIUM	1.93	pCi/mL				0.379	0.505	1.26
BGO 50C	2/3/2015	TETRACHLOROETHYLENE (PCE)	0.6	ug/L	J		21		0.18	1
BGO 50C	2/3/2015	TRICHLOROETHYLENE (TCE)	13	ug/L					0.25	1
BGO 50C	2/3/2015	TRITIUM	448	pCi/mL				3.89	0.397	8.18
BGO 50C	7/15/2015	ETHANE	0.029	ug/L	J		21		0.002	0.1
BGO 50C	7/15/2015	ETHYLENE	0.019	ug/L	J		21		0.003	0.1
BGO 50C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 50C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 50C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 50C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.4	ug/L	J		21		0.1	1
BGO 50C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 50C	7/15/2015	1,1-DICHLOROETHANE	0.34	ug/L	J		21		0.07	1
BGO 50C	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 50C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 50C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 50C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 50C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 50C	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 50C	7/15/2015	1,2-DICHLOROETHYLENE	30	ug/L					0.15	2
BGO 50C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 50C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 50C	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 50C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 50C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 50C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 50C	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 50C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 50C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 50C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 50C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 50C	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 50C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 50C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 50C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 50C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 50C	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 50C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 50C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 50C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50C	7/15/2015	CHLOROFORM	0.3	ug/L	J		21		0.1	1
BGO 50C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 50C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 50C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	30	ug/L					0.09	1
BGO 50C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 50C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 50C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 50C	7/15/2015	DICHLORODIFLUOROMETHANE	0.66	ug/L	J		21		0.08	2
BGO 50C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 50C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 50C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 50C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 50C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 50C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 50C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 50C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 50C	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 50C	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 50C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 50C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 50C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 50C	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 50C	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 50C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 50C	7/15/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50C	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.54	ug/L	J		21		0.18	1
BGO 50C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 50C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50C	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 50C	7/15/2015	TRICHLOROETHYLENE (TCE)	9.9	ug/L					0.25	1
BGO 50C	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 50C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 50C	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 50C	7/15/2015	1,4-DIOXANE	37	ug/L					0.85	3
BGO 50C	7/15/2015	TRITIUM	512	pCi/mL				4.2	0.52	8.92
BGO 50D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 50D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 50D	1/12/2015	TRITIUM	2.05	pCi/mL				0.348	0.399	1.1
BGO 50D	7/9/2015	ETHANE	0.0029	ug/L	J		21		0.002	0.1
BGO 50D	7/9/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
BGO 50D	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 50D	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 50D	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 50D	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 50D	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50D	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 50D	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 50D	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 50D	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 50D	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 50D	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 50D	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 50D	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 50D	7/9/2015	ACETONE	2	ug/L	U				0.34	2
BGO 50D	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 50D	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 50D	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 50D	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 50D	7/9/2015	BENZENE	1	ug/L	U				0.06	1
BGO 50D	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50D	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 50D	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 50D	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 50D	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 50D	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 50D	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 50D	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50D	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 50D	7/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 50D	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 50D	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 50D	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 50D	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 50D	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 50D	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 50D	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 50D	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 50D	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 50D	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
BGO 50D	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 50D	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 50D	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 50D	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 50D	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 50D	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 50D	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 50D	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 50D	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 50D	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 50D	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 50D	7/9/2015	STYRENE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 50D	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 50D	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 50D	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 50D	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 50D	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 50D	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 50D	7/9/2015	XYLENES	3	ug/L	U				0.2	3
BGO 50D	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 50D	7/9/2015	TRITIUM	2.35	pCi/mL				0.394	0.504	1.29
BGO 51A	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51A	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51A	1/12/2015	TRITIUM	0.105	pCi/mL	U			0.236	0.399	0.871
BGO 51A	7/22/2015	ETHANE	0.0033	ug/L	J		21		0.002	0.1
BGO 51A	7/22/2015	ETHYLENE	0.017	ug/L	J		21		0.003	0.1
BGO 51A	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 51A	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 51A	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 51A	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51A	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 51A	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 51A	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 51A	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 51A	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 51A	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 51A	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 51A	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 51A	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 51A	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 51A	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 51A	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 51A	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 51A	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 51A	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51A	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 51A	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 51A	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 51A	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 51A	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 51A	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51A	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 51A	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51A	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51A	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 51A	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 51A	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51A	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 51A	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 51A	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 51A	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 51A	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 51A	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 51A	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 51A	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 51A	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 51A	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 51A	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 51A	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 51A	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 51A	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 51A	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 51A	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51A	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 51A	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 51A	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51A	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 51A	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51A	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 51A	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51A	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 51A	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 51A	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 51A	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 51A	7/22/2015	TRITIUM	-0.463	pCi/mL	U			0.286	0.538	1.11
BGO 51AA	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51AA	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51AA	1/12/2015	TRITIUM	0.027	pCi/mL	U			0.231	0.399	0.861
BGO 51AA	7/22/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
BGO 51AA	7/22/2015	ETHYLENE	0.042	ug/L	J		21		0.003	0.1
BGO 51AA	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 51AA	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 51AA	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51AA	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 51AA	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 51AA	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 51AA	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 51AA	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 51AA	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 51AA	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 51AA	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 51AA	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 51AA	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 51AA	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 51AA	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 51AA	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 51AA	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 51AA	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 51AA	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 51AA	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51AA	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 51AA	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 51AA	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 51AA	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51AA	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 51AA	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 51AA	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 51AA	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51AA	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51AA	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 51AA	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 51AA	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51AA	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 51AA	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 51AA	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 51AA	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 51AA	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 51AA	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 51AA	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 51AA	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 51AA	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 51AA	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 51AA	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 51AA	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 51AA	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 51AA	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51AA	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 51AA	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 51AA	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 51AA	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 51AA	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51AA	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 51AA	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51AA	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 51AA	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51AA	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 51AA	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 51AA	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 51AA	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 51AA	7/22/2015	TRITIUM	-0.275	pCi/mL	U			0.297	0.539	1.13
BGO 51B	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51B	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51B	1/12/2015	TRITIUM	0.162	pCi/mL	U			0.239	0.396	0.874
BGO 51B	7/22/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
BGO 51B	7/22/2015	ETHYLENE	0.1	ug/L	U				0.003	0.1
BGO 51B	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 51B	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 51B	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51B	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 51B	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 51B	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 51B	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 51B	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 51B	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 51B	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 51B	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 51B	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 51B	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 51B	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 51B	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 51B	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 51B	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 51B	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 51B	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 51B	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51B	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 51B	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51B	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 51B	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 51B	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 51B	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 51B	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 51B	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51B	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51B	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 51B	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 51B	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51B	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 51B	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 51B	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 51B	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 51B	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 51B	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 51B	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 51B	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 51B	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 51B	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 51B	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 51B	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51B	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 51B	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 51B	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 51B	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 51B	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 51B	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 51B	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51B	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 51B	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51B	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 51B	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51B	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 51B	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 51B	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 51B	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 51B	7/22/2015	TRITIUM	0.587	pCi/mL	J		21	0.309	0.474	1.09
BGO 51C	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51C	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51C	1/12/2015	TRITIUM	1.46	pCi/mL				0.354	0.472	1.18
BGO 51C	7/22/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BGO 51C	7/22/2015	ETHYLENE	0.0068	ug/L	J		21		0.003	0.1
BGO 51C	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 51C	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 51C	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51C	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 51C	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 51C	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 51C	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 51C	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 51C	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 51C	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 51C	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 51C	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 51C	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 51C	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 51C	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 51C	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 51C	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 51C	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 51C	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 51C	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 51C	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 51C	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 51C	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51C	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51C	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 51C	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 51C	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 51C	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 51C	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 51C	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 51C	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51C	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 51C	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51C	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 51C	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 51C	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51C	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 51C	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 51C	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 51C	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 51C	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 51C	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 51C	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 51C	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 51C	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 51C	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 51C	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51C	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 51C	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 51C	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 51C	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 51C	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 51C	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 51C	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 51C	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51C	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 51C	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51C	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 51C	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51C	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 51C	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 51C	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 51C	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 51C	7/22/2015	TRITIUM	1.97	pCi/mL				0.379	0.474	1.23
BGO 51D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51D	1/12/2015	TRITIUM	3.16	pCi/mL				0.431	0.474	1.34
BGO 51D	7/22/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BGO 51D	7/22/2015	ETHYLENE	0.005	ug/L	J		21		0.003	0.1
BGO 51D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 51D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 51D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 51D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 51D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 51D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 51D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 51D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 51D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 51D	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 51D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 51D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 51D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 51D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 51D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 51D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 51D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 51D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 51D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 51D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 51D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 51D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 51D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 51D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 51D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 51D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 51D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 51D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 51D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 51D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 51D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 51D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 51D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 51D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 51D	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 51D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 51D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 51D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 51D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 51D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 51D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 51D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 51D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 51D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 51D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 51D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 51D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 51D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 51D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 51D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 51D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 51D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 51D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 51D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 51D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 51D	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 51D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 51D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 51D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 51D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 51D	7/22/2015	TRITIUM	3.55	pCi/mL				0.447	0.475	1.37
BGO 52A	7/15/2015	ETHANE	0.0045	ug/L	J		21		0.002	0.1
BGO 52A	7/15/2015	ETHYLENE	0.02	ug/L	J		21		0.003	0.1
BGO 52A	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 52A	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52A	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 52A	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 52A	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 52A	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 52A	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 52A	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 52A	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 52A	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 52A	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 52A	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 52A	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 52A	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 52A	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 52A	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 52A	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 52A	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 52A	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52A	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52A	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 52A	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 52A	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 52A	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 52A	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 52A	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 52A	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52A	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52A	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 52A	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 52A	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52A	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 52A	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 52A	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 52A	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 52A	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 52A	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 52A	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 52A	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 52A	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 52A	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52A	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 52A	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 52A	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 52A	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 52A	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 52A	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 52A	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 52A	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 52A	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 52A	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 52A	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52A	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 52A	7/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 52A	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 52A	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 52A	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 52A	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 52A	7/15/2015	TRITIUM	-0.048	pCi/mL	U			0.299	0.52	1.12
BGO 52AA	7/15/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
BGO 52AA	7/15/2015	ETHYLENE	0.017	ug/L	J		21		0.003	0.1
BGO 52AA	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 52AA	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 52AA	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.34	ug/L	J		21		0.1	1
BGO 52AA	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52AA	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 52AA	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 52AA	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 52AA	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 52AA	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 52AA	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 52AA	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 52AA	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 52AA	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 52AA	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 52AA	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 52AA	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 52AA	7/15/2015	ACETONE	2	ug/L	U				0.34	2
BGO 52AA	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 52AA	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 52AA	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 52AA	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 52AA	7/15/2015	BENZENE	1	ug/L	U				0.06	1
BGO 52AA	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52AA	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52AA	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 52AA	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 52AA	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 52AA	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 52AA	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 52AA	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 52AA	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52AA	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 52AA	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52AA	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 52AA	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 52AA	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52AA	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 52AA	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 52AA	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 52AA	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 52AA	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 52AA	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 52AA	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 52AA	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 52AA	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 52AA	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52AA	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 52AA	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 52AA	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 52AA	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 52AA	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 52AA	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 52AA	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 52AA	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 52AA	7/15/2015	STYRENE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 52AA	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 52AA	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52AA	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 52AA	7/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 52AA	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 52AA	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 52AA	7/15/2015	XYLENES	3	ug/L	U				0.2	3
BGO 52AA	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 52AA	7/15/2015	TRITIUM	-0.183	pCi/mL	U			0.294	0.524	1.11
BGO 52D	7/23/2015	ETHANE	0.0023	ug/L	J		21		0.002	0.1
BGO 52D	7/23/2015	ETHYLENE	0.0062	ug/L	J		21		0.003	0.1
BGO 52D	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BGO 52D	7/23/2015	ARSENIC	50	ug/L	U				5	50
BGO 52D	7/23/2015	BARIUM	10.3	ug/L	J		21		2	20
BGO 52D	7/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52D	7/23/2015	COBALT	2.99	ug/L	J		21		0.5	5
BGO 52D	7/23/2015	COPPER	1.97	ug/L	J		21		0.5	5
BGO 52D	7/23/2015	LEAD	1.48	ug/L	J		21		0.5	5
BGO 52D	7/23/2015	NICKEL	2.26	ug/L	J		21		0.5	5
BGO 52D	7/23/2015	SELENIUM	20	ug/L	U				2	20
BGO 52D	7/23/2015	SILVER	5	ug/L	U				0.5	5
BGO 52D	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	TIN	10	ug/L	U				1	10
BGO 52D	7/23/2015	VANADIUM	50	ug/L	U				5	50
BGO 52D	7/23/2015	ZINC	40	ug/L	U				4	40
BGO 52D	7/23/2015	MERCURY	0.0249	ug/L	J		21		0.02	0.2
BGO 52D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 52D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 52D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 52D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 52D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 52D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 52D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 52D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 52D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 52D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 52D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 52D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGO 52D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 52D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 52D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 52D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 52D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGO 52D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 52D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 52D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 52D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 52D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 52D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 52D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 52D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 52D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 52D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 52D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 52D	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 52D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 52D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 52D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 52D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 52D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 52D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 52D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 52D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 52D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 52D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 52D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 52D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 52D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 52D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 52D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 52D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 52D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 52D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 52D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 52D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 52D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 52D	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 52D	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 52D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 52D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGO 52D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 52D	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	1.68	pCi/L				0.194	0.124	0.512
BGO 52D	7/23/2015	RADIUM-226	1.59	pCi/L				0.161	0.093	0.4148
BGO 52D	7/23/2015	URANIUM-233/234	0.0821	pCi/L	U		V	0.089	0.11	0.288
BGO 52D	7/23/2015	URANIUM-235	0.027	pCi/L	U			0.054	0.0732	0.182
BGO 52D	7/23/2015	URANIUM-238	0.142	pCi/L	U		21, V	0.118	0.131	0.368
BGO 52D	7/23/2015	GROSS ALPHA	2.73	pCi/L	J		21	2.17	2.1	6.43
BGO 52D	7/23/2015	NONVOLATILE BETA	2.07	pCi/L	U			2.56	4	9.13
BGO 52D	7/23/2015	STRONTIUM-90	-0.621	pCi/L	U			1.59	3.26	6.45
BGO 52D	7/23/2015	CARBON-14	18.5	pCi/L				4.48	6.78	15.7
BGO 52D	7/23/2015	TECHNETIUM-99	1.9	pCi/L	U			2.45	4.03	8.93
BGO 52D	7/23/2015	TRITIUM	5.38	pCi/mL				0.535	0.537	1.61
BGO 52D	7/23/2015	IODINE-129	0.326	pCi/L	U			0.609	0.983	2.2
BGO 53A	7/22/2015	ETHANE	0.0033	ug/L	J		21		0.002	0.1
BGO 53A	7/22/2015	ETHYLENE	0.0049	ug/L	J		21		0.003	0.1
BGO 53A	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 53A	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53A	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 53A	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 53A	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 53A	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 53A	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 53A	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 53A	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 53A	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 53A	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 53A	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 53A	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 53A	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 53A	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 53A	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 53A	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 53A	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 53A	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53A	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53A	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 53A	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 53A	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 53A	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 53A	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 53A	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 53A	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53A	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53A	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 53A	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 53A	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53A	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 53A	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 53A	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 53A	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 53A	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 53A	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 53A	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 53A	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 53A	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 53A	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 53A	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53A	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 53A	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 53A	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 53A	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 53A	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 53A	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 53A	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 53A	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 53A	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 53A	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53A	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 53A	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 53A	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 53A	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 53A	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 53A	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 53A	7/22/2015	TRITIUM	0.0525	pCi/mL	U			0.307	0.524	1.14
BGO 53AA	7/22/2015	ETHANE	0.0031	ug/L	J		21		0.002	0.1
BGO 53AA	7/22/2015	ETHYLENE	0.031	ug/L	J		21		0.003	0.1
BGO 53AA	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 53AA	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53AA	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 53AA	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 53AA	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 53AA	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 53AA	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 53AA	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGO 53AA	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 53AA	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 53AA	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 53AA	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 53AA	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 53AA	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 53AA	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 53AA	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 53AA	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 53AA	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 53AA	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53AA	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53AA	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 53AA	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 53AA	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 53AA	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 53AA	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 53AA	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 53AA	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53AA	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53AA	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 53AA	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGO 53AA	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53AA	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 53AA	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGO 53AA	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 53AA	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 53AA	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 53AA	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 53AA	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 53AA	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 53AA	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 53AA	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 53AA	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53AA	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 53AA	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 53AA	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 53AA	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 53AA	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 53AA	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 53AA	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 53AA	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGO 53AA	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 53AA	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53AA	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 53AA	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGO 53AA	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGO 53AA	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 53AA	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 53AA	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 53AA	7/22/2015	TRITIUM	-0.225	pCi/mL	U			0.29	0.522	1.1
BGO 53C	7/22/2015	ETHANE	0.0061	ug/L	J		21		0.002	0.1
BGO 53C	7/22/2015	ETHYLENE	0.0082	ug/L	J		21		0.003	0.1
BGO 53C	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BGO 53C	7/22/2015	ARSENIC	50	ug/L	U				5	50
BGO 53C	7/22/2015	BARIUM	13.1	ug/L	J		21		2	20
BGO 53C	7/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	CHROMIUM	13.6	ug/L	J		21		10	100
BGO 53C	7/22/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53C	7/22/2015	COPPER	1.19	ug/L	J		21		0.5	5
BGO 53C	7/22/2015	LEAD	5	ug/L	U				0.5	5
BGO 53C	7/22/2015	NICKEL	4.9	ug/L	J		21		0.5	5
BGO 53C	7/22/2015	SELENIUM	20	ug/L	U				2	20
BGO 53C	7/22/2015	SILVER	5	ug/L	U				0.5	5
BGO 53C	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	TIN	10	ug/L	U				1	10
BGO 53C	7/22/2015	VANADIUM	50	ug/L	U				5	50
BGO 53C	7/22/2015	ZINC	8.57	ug/L	J		21		4	40
BGO 53C	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGO 53C	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGO 53C	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	8.1	ug/L					0.1	1
BGO 53C	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGO 53C	7/22/2015	1,1-DICHLOROETHANE	0.56	ug/L	J		21		0.07	1
BGO 53C	7/22/2015	1,1-DICHLOROETHYLENE	0.44	ug/L	J		21		0.08	1
BGO 53C	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53C	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGO 53C	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGO 53C	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53C	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGO 53C	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGO 53C	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGO 53C	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	1,2-DICHLOROETHYLENE	5.2	ug/L					0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53C	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGO 53C	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGO 53C	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGO 53C	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGO 53C	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGO 53C	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGO 53C	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGO 53C	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGO 53C	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGO 53C	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGO 53C	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGO 53C	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53C	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGO 53C	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGO 53C	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGO 53C	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGO 53C	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGO 53C	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGO 53C	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGO 53C	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53C	7/22/2015	CHLOROFORM	0.15	ug/L	J		21		0.1	1
BGO 53C	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGO 53C	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGO 53C	7/22/2015	CIS-1,2-DICHLOROETHYLENE	5.2	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53C	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGO 53C	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGO 53C	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGO 53C	7/22/2015	DICHLORODIFLUOROMETHANE	2.3	ug/L					0.08	2
BGO 53C	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGO 53C	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGO 53C	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGO 53C	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGO 53C	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGO 53C	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGO 53C	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGO 53C	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGO 53C	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGO 53C	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGO 53C	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGO 53C	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGO 53C	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGO 53C	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGO 53C	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGO 53C	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGO 53C	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
BGO 53C	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGO 53C	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGO 53C	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGO 53C	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGO 53C	7/22/2015	TRICHLOROETHYLENE (TCE)	29	ug/L					0.25	1
BGO 53C	7/22/2015	TRICHLOROFLUOROMETHANE	0.74	ug/L	J		21		0.11	1
BGO 53C	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGO 53C	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGO 53C	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGO 53C	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.277	pCi/L	J		21	0.104	0.122	0.33
BGO 53C	7/22/2015	RADIUM-226	0.148	pCi/L	J		21	0.06	0.075	0.1938
BGO 53C	7/22/2015	URANIUM-233/234	0.183	pCi/L	J		21	0.132	0.062	0.326
BGO 53C	7/22/2015	URANIUM-235	0.0564	pCi/L	U			0.08	0.0764	0.237
BGO 53C	7/22/2015	URANIUM-238	0.137	pCi/L	U		21, V	0.113	0.0618	0.289
BGO 53C	7/22/2015	GROSS ALPHA	2.44	pCi/L	J		21	2.11	2.18	6.39
BGO 53C	7/22/2015	NONVOLATILE BETA	2.33	pCi/L	U			2.61	4.01	9.23
BGO 53C	7/22/2015	STRONTIUM-90	0.59	pCi/L	U			1.61	3.13	6.35
BGO 53C	7/22/2015	CARBON-14	35.7	pCi/L				4.87	6.83	16.6
BGO 53C	7/22/2015	TECHNETIUM-99	3.57	pCi/L	U			2.57	4.15	9.3
BGO 53C	7/22/2015	TRITIUM	703	pCi/mL				4.96	0.522	10.4
BGO 53C	7/22/2015	IODINE-129	0.531	pCi/L	U			0.613	0.997	2.22
BGX 1A	1/13/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L					0.18	1
BGX 1A	1/13/2015	TRICHLOROETHYLENE (TCE)	6.4	ug/L					0.25	1
BGX 1A	1/13/2015	TRITIUM	106	pCi/mL				1.9	0.429	4.24
BGX 1A	7/16/2015	ETHANE	0.0037	ug/L	J		21		0.002	0.1
BGX 1A	7/16/2015	ETHYLENE	0.0095	ug/L	J		21		0.003	0.1
BGX 1A	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 1A	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1A	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.5	ug/L	J		21		0.1	1
BGX 1A	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 1A	7/16/2015	1,1-DICHLOROETHANE	0.85	ug/L	J		21		0.07	1
BGX 1A	7/16/2015	1,1-DICHLOROETHYLENE	0.81	ug/L	J		21		0.08	1
BGX 1A	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 1A	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 1A	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 1A	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 1A	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 1A	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 1A	7/16/2015	1,2-DICHLOROETHYLENE	1.1	ug/L	J		21		0.15	2
BGX 1A	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 1A	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 1A	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 1A	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 1A	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 1A	7/16/2015	ACETONE	2	ug/L	U				0.34	2
BGX 1A	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 1A	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 1A	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 1A	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 1A	7/16/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1A	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1A	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 1A	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 1A	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 1A	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 1A	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 1A	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 1A	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 1A	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 1A	7/16/2015	CHLOROFORM	0.15	ug/L	J		21		0.1	1
BGX 1A	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 1A	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 1A	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
BGX 1A	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1A	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 1A	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 1A	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 1A	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 1A	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 1A	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 1A	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 1A	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1A	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 1A	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 1A	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 1A	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 1A	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 1A	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 1A	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 1A	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 1A	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 1A	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 1A	7/16/2015	STYRENE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	TETRACHLOROETHYLENE (PCE)	2	ug/L					0.18	1
BGX 1A	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 1A	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1A	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 1A	7/16/2015	TRICHLOROETHYLENE (TCE)	5.9	ug/L					0.25	1
BGX 1A	7/16/2015	TRICHLOROFLUOROMETHANE	0.32	ug/L	J		21		0.11	1
BGX 1A	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 1A	7/16/2015	XYLENES	3	ug/L	U				0.2	3
BGX 1A	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 1A	7/16/2015	TRITIUM	125	pCi/mL				2.14	0.472	4.76
BGX 1C	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 1C	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 1C	1/12/2015	TRITIUM	28.2	pCi/mL				1.03	0.472	2.53
BGX 1C	7/23/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1
BGX 1C	7/23/2015	ETHYLENE	0.026	ug/L	J		21		0.003	0.1
BGX 1C	7/23/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1C	7/23/2015	ARSENIC	50	ug/L	U				5	50
BGX 1C	7/23/2015	BARIUM	21.1	ug/L					2	20
BGX 1C	7/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BGX 1C	7/23/2015	COBALT	5	ug/L	U				0.5	5
BGX 1C	7/23/2015	COPPER	5	ug/L	U				0.5	5
BGX 1C	7/23/2015	LEAD	1.15	ug/L	J		21		0.5	5
BGX 1C	7/23/2015	NICKEL	0.801	ug/L	J		21		0.5	5
BGX 1C	7/23/2015	SELENIUM	20	ug/L	U				2	20
BGX 1C	7/23/2015	SILVER	5	ug/L	U				0.5	5
BGX 1C	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	TIN	10	ug/L	U				1	10
BGX 1C	7/23/2015	VANADIUM	50	ug/L	U				5	50
BGX 1C	7/23/2015	ZINC	40	ug/L	U				4	40
BGX 1C	7/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX 1C	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 1C	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 1C	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 1C	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 1C	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1C	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 1C	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 1C	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 1C	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 1C	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 1C	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 1C	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 1C	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGX 1C	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 1C	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 1C	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 1C	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 1C	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGX 1C	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1C	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 1C	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 1C	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 1C	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 1C	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 1C	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 1C	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 1C	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1C	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 1C	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 1C	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 1C	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1C	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 1C	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 1C	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 1C	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 1C	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 1C	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 1C	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 1C	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 1C	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 1C	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 1C	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 1C	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 1C	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 1C	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 1C	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 1C	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 1C	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1C	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 1C	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 1C	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 1C	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1C	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 1C	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 1C	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGX 1C	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 1C	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGX 1C	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 1C	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	0.331	pCi/L	J		21	0.109	0.125	0.343
BGX 1C	7/23/2015	RADIUM-226	0.276	pCi/L				0.082	0.094	0.2575
BGX 1C	7/23/2015	URANIUM-233/234	0.0835	pCi/L	U		21, V	0.084	0.0566	0.225
BGX 1C	7/23/2015	URANIUM-235	0	pCi/L	U			0	0.0698	0.0698
BGX 1C	7/23/2015	URANIUM-238	0.0833	pCi/L	U		21, V	0.084	0.0564	0.225
BGX 1C	7/23/2015	GROSS ALPHA	0.0931	pCi/L	U			0.86	2.13	3.85
BGX 1C	7/23/2015	NONVOLATILE BETA	1.99	pCi/L	U			2.52	3.95	8.98
BGX 1C	7/23/2015	STRONTIUM-90	1.12	pCi/L	U			2	3.23	7.22
BGX 1C	7/23/2015	CARBON-14	1.64	pCi/L	U			4.08	6.78	14.9
BGX 1C	7/23/2015	TECHNETIUM-99	1.63	pCi/L	U			2.44	4.02	8.9
BGX 1C	7/23/2015	TRITIUM	37.7	pCi/mL				1.22	0.558	2.99
BGX 1C	7/23/2015	IODINE-129	-0.479	pCi/L	U			0.577	0.945	2.1
BGX 1D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
BGX 1D	1/13/2015	TRICHLOROETHYLENE (TCE)	3.6	ug/L					0.25	1
BGX 1D	1/13/2015	TRITIUM	2230	pCi/mL				8.68	0.432	17.8
BGX 1D	7/20/2015	ETHANE	0.0067	ug/L	J		21		0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1D	7/20/2015	ETHYLENE	0.01	ug/L	J		21		0.003	0.1
BGX 1D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGX 1D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGX 1D	7/20/2015	BARIUM	9.45	ug/L	J		21		2	20
BGX 1D	7/20/2015	BERYLLIUM	0.183	ug/L	J		21		0.1	1
BGX 1D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGX 1D	7/20/2015	COBALT	0.601	ug/L	J		21		0.5	5
BGX 1D	7/20/2015	COPPER	11.8	ug/L					0.5	5
BGX 1D	7/20/2015	LEAD	1.62	ug/L	J		21		0.5	5
BGX 1D	7/20/2015	NICKEL	2.04	ug/L	J		21		0.5	5
BGX 1D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGX 1D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGX 1D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	TIN	10	ug/L	U				1	10
BGX 1D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGX 1D	7/20/2015	ZINC	17.9	ug/L	J		21		4	40
BGX 1D	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX 1D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 1D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.4	ug/L					0.1	1
BGX 1D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 1D	7/20/2015	1,1-DICHLOROETHANE	13	ug/L					0.07	1
BGX 1D	7/20/2015	1,1-DICHLOROETHYLENE	0.4	ug/L	J		21		0.08	1
BGX 1D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 1D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 1D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 1D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 1D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 1D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	1,2-DICHLOROETHYLENE	0.16	ug/L	J		21		0.15	2
BGX 1D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 1D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 1D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 1D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 1D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 1D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGX 1D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 1D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 1D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 1D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 1D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGX 1D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 1D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 1D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 1D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 1D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 1D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 1D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 1D	7/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 1D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 1D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	0.16	ug/L	J		21		0.09	1
BGX 1D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 1D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 1D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 1D	7/20/2015	DICHLORODIFLUOROMETHANE	1.1	ug/L	J		21		0.08	2
BGX 1D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 1D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 1D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 1D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 1D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 1D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 1D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 1D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 1D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 1D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 1D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 1D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 1D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 1D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 1D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 1D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 1D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	TETRACHLOROETHYLENE (PCE)	0.65	ug/L	J		21		0.18	1
BGX 1D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 1D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 1D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 1D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 1D	7/20/2015	TRICHLOROETHYLENE (TCE)	0.89	ug/L	J		21		0.25	1
BGX 1D	7/20/2015	TRICHLOROFLUOROMETHANE	0.72	ug/L	J		21		0.11	1
BGX 1D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 1D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGX 1D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 1D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.317	pCi/L				0.08	0.062	0.2214
BGX 1D	7/20/2015	RADIUM-226	0.276	pCi/L				0.071	0.064	0.2045
BGX 1D	7/20/2015	URANIUM-233/234	-0.00545	pCi/L	U			0.011	0.11	0.132
BGX 1D	7/20/2015	URANIUM-235	0	pCi/L	U		V	0	0.0729	0.0729
BGX 1D	7/20/2015	URANIUM-238	0.0218	pCi/L	U		V	0.044	0.059	0.146
BGX 1D	7/20/2015	GROSS ALPHA	1.98	pCi/L	U			1.94	2.3	6.18
BGX 1D	7/20/2015	NONVOLATILE BETA	0.0213	pCi/L	U			2.39	4.39	9.17
BGX 1D	7/20/2015	STRONTIUM-90	1.7	pCi/L	U			2.4	3.14	7.93
BGX 1D	7/20/2015	CARBON-14	9.67	pCi/L	J		21	4.41	7.01	15.8
BGX 1D	7/20/2015	TECHNETIUM-99	1.07	pCi/L	U			2.51	4.18	9.2
BGX 1D	7/20/2015	TRITIUM	1430	pCi/mL				7.07	0.487	14.6
BGX 1D	7/20/2015	IODINE-129	0.725	pCi/L	U			0.723	1.07	2.51
BGX 2B	7/22/2015	ETHANE	0.0024	ug/L	J		21		0.002	0.1
BGX 2B	7/22/2015	ETHYLENE	0.0079	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2B	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 2B	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 2B	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 2B	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 2B	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 2B	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 2B	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 2B	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	1,2-DICHLOROETHYLENE	0.3	ug/L	J		21		0.15	2
BGX 2B	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 2B	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 2B	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 2B	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 2B	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGX 2B	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 2B	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2B	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 2B	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 2B	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGX 2B	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 2B	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 2B	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 2B	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 2B	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 2B	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 2B	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 2B	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 2B	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 2B	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 2B	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 2B	7/22/2015	CIS-1,2-DICHLOROETHYLENE	0.3	ug/L	J		21		0.09	1
BGX 2B	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 2B	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 2B	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 2B	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 2B	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 2B	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2B	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 2B	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 2B	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 2B	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 2B	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 2B	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 2B	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 2B	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 2B	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 2B	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 2B	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 2B	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 2B	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 2B	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 2B	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 2B	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 2B	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 2B	7/22/2015	TRICHLOROETHYLENE (TCE)	2.2	ug/L					0.25	1
BGX 2B	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGX 2B	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 2B	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGX 2B	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 2B	7/22/2015	TRITIUM	3.24	pCi/mL				0.453	0.523	1.43
BGX 2D	7/20/2015	ETHANE	0.0063	ug/L	J		21		0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2D	7/20/2015	ETHYLENE	0.0071	ug/L	J		21		0.003	0.1
BGX 2D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGX 2D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGX 2D	7/20/2015	BARIUM	4.16	ug/L	J		21		2	20
BGX 2D	7/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGX 2D	7/20/2015	COBALT	5	ug/L	U				0.5	5
BGX 2D	7/20/2015	COPPER	1.34	ug/L	J		21		0.5	5
BGX 2D	7/20/2015	LEAD	5	ug/L	U				0.5	5
BGX 2D	7/20/2015	NICKEL	0.743	ug/L	J		21		0.5	5
BGX 2D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGX 2D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGX 2D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	TIN	10	ug/L	U				1	10
BGX 2D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGX 2D	7/20/2015	ZINC	40	ug/L	U				4	40
BGX 2D	7/20/2015	MERCURY	0.024	ug/L	J		21		0.02	0.2
BGX 2D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 2D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	6.5	ug/L					0.1	1
BGX 2D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 2D	7/20/2015	1,1-DICHLOROETHANE	1.1	ug/L					0.07	1
BGX 2D	7/20/2015	1,1-DICHLOROETHYLENE	1.7	ug/L					0.08	1
BGX 2D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 2D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 2D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 2D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 2D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 2D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 2D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	1,2-DICHLOROETHYLENE	4.7	ug/L					0.15	2
BGX 2D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 2D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 2D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 2D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 2D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 2D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGX 2D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 2D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 2D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 2D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 2D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGX 2D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 2D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 2D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 2D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 2D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 2D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 2D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 2D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 2D	7/20/2015	CHLOROFORM	0.6	ug/L	J		21		0.1	1
BGX 2D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 2D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 2D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	4.7	ug/L					0.09	1
BGX 2D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 2D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 2D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 2D	7/20/2015	DICHLORODIFLUOROMETHANE	2.3	ug/L					0.08	2
BGX 2D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 2D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 2D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 2D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 2D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 2D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 2D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 2D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 2D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 2D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 2D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 2D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 2D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 2D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 2D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 2D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 2D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	TETRACHLOROETHYLENE (PCE)	5.1	ug/L					0.18	1
BGX 2D	7/20/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 2D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 2D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 2D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 2D	7/20/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
BGX 2D	7/20/2015	TRICHLOROFLUOROMETHANE	1.2	ug/L					0.11	1
BGX 2D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 2D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGX 2D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 2D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.101	pCi/L	U			0.079	0.124	0.2828
BGX 2D	7/20/2015	RADIUM-226	0.0986	pCi/L	J		21	0.051	0.066	0.1674
BGX 2D	7/20/2015	URANIUM-233/234	0	pCi/L	U			0	0.0701	0.0701
BGX 2D	7/20/2015	URANIUM-235	0	pCi/L	U		V	0	0.0864	0.0864
BGX 2D	7/20/2015	URANIUM-238	0	pCi/L	U		V	0	0.0699	0.0699
BGX 2D	7/20/2015	GROSS ALPHA	-0.361	pCi/L	U			0.346	2.28	2.97
BGX 2D	7/20/2015	NONVOLATILE BETA	-0.524	pCi/L	U			2.07	4.06	8.2
BGX 2D	7/20/2015	STRONTIUM-90	0.687	pCi/L	U			2.33	3.17	7.82
BGX 2D	7/20/2015	CARBON-14	5.75	pCi/L	U			4.42	7.18	16
BGX 2D	7/20/2015	TECHNETIUM-99	-0.116	pCi/L	U			2.51	4.24	9.27
BGX 2D	7/20/2015	TRITIUM	98.4	pCi/mL				1.88	0.491	4.25
BGX 2D	7/20/2015	IODINE-129	0.705	pCi/L	U			0.76	1.14	2.66
BGX 3D	7/23/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BGX 3D	7/23/2015	ETHYLENE	0.0075	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 3D	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BGX 3D	7/23/2015	ARSENIC	50	ug/L	U				5	50
BGX 3D	7/23/2015	BARIUM	21.7	ug/L					2	20
BGX 3D	7/23/2015	BERYLLIUM	0.241	ug/L	J		21		0.1	1
BGX 3D	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BGX 3D	7/23/2015	COBALT	1.21	ug/L	J		21		0.5	5
BGX 3D	7/23/2015	COPPER	51	ug/L					0.5	5
BGX 3D	7/23/2015	LEAD	24.9	ug/L					0.5	5
BGX 3D	7/23/2015	NICKEL	1.99	ug/L	J		21		0.5	5
BGX 3D	7/23/2015	SELENIUM	20	ug/L	U				2	20
BGX 3D	7/23/2015	SILVER	5	ug/L	U				0.5	5
BGX 3D	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	TIN	10	ug/L	U				1	10
BGX 3D	7/23/2015	VANADIUM	50	ug/L	U				5	50
BGX 3D	7/23/2015	ZINC	43.2	ug/L					4	40
BGX 3D	7/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX 3D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 3D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 3D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 3D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 3D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 3D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 3D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 3D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 3D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 3D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 3D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 3D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 3D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 3D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGX 3D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 3D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 3D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 3D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 3D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGX 3D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 3D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 3D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 3D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 3D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 3D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 3D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 3D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 3D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 3D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 3D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 3D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 3D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 3D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 3D	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 3D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 3D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 3D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 3D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 3D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 3D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 3D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 3D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 3D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 3D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 3D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 3D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 3D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 3D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 3D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 3D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 3D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 3D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 3D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 3D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 3D	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 3D	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGX 3D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 3D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGX 3D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 3D	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	0.599	pCi/L				0.124	0.097	0.3446
BGX 3D	7/23/2015	RADIUM-226	0.569	pCi/L				0.103	0.082	0.2881
BGX 3D	7/23/2015	URANIUM-233/234	0.0385	pCi/L	U		V	0.063	0.111	0.238
BGX 3D	7/23/2015	URANIUM-235	0	pCi/L	U			0	0.0735	0.0735
BGX 3D	7/23/2015	URANIUM-238	0.0659	pCi/L	U		21, V	0.077	0.0595	0.213
BGX 3D	7/23/2015	GROSS ALPHA	0.0908	pCi/L	U			0.842	2.09	3.77
BGX 3D	7/23/2015	NONVOLATILE BETA	3.63	pCi/L	U			2.81	3.94	9.55
BGX 3D	7/23/2015	STRONTIUM-90	0.31	pCi/L	U			1.7	3.23	6.63
BGX 3D	7/23/2015	CARBON-14	460	pCi/L				10.4	6.82	27.7
BGX 3D	7/23/2015	TECHNETIUM-99	1.86	pCi/L	U			2.45	4.03	8.92
BGX 3D	7/23/2015	TRITIUM	14.1	pCi/mL				0.767	0.534	2.07
BGX 3D	7/23/2015	IODINE-129	-0.608	pCi/L	U			0.631	0.939	2.2
BGX 4A	7/22/2015	ETHANE	0.0073	ug/L	J		21		0.002	0.1
BGX 4A	7/22/2015	ETHYLENE	0.03	ug/L	J		21		0.003	0.1
BGX 4A	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4A	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 4A	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 4A	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 4A	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 4A	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 4A	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 4A	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 4A	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 4A	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 4A	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 4A	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 4A	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGX 4A	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 4A	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 4A	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4A	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 4A	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGX 4A	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 4A	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 4A	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 4A	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 4A	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 4A	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 4A	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 4A	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 4A	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 4A	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 4A	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 4A	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 4A	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 4A	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 4A	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 4A	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 4A	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 4A	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 4A	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4A	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 4A	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 4A	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 4A	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 4A	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 4A	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 4A	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 4A	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 4A	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 4A	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 4A	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 4A	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 4A	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 4A	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 4A	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 4A	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 4A	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 4A	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGX 4A	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 4A	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGX 4A	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 4A	7/22/2015	TRITIUM	0.242	pCi/mL	U			0.317	0.522	1.15
BGX 4C	7/22/2015	ETHANE	0.0035	ug/L	J		21		0.002	0.1
BGX 4C	7/22/2015	ETHYLENE	0.0046	ug/L	J		21		0.003	0.1
BGX 4C	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4C	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 4C	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L					0.1	1
BGX 4C	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 4C	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 4C	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 4C	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 4C	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 4C	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 4C	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 4C	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 4C	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 4C	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 4C	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 4C	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 4C	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 4C	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BGX 4C	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 4C	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 4C	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4C	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 4C	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BGX 4C	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 4C	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 4C	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 4C	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 4C	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 4C	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 4C	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 4C	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX 4C	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 4C	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 4C	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 4C	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 4C	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 4C	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 4C	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 4C	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 4C	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 4C	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 4C	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 4C	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 4C	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 4C	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 4C	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 4C	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 4C	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 4C	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 4C	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 4C	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 4C	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 4C	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX 4C	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 4C	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 4C	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 4C	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 4C	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 4C	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 4C	7/22/2015	TRICHLOROETHYLENE (TCE)	0.69	ug/L	J		21		0.25	1
BGX 4C	7/22/2015	TRICHLOROFLUOROMETHANE	0.18	ug/L	J		21		0.11	1
BGX 4C	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 4C	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BGX 4C	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 4C	7/22/2015	TRITIUM	44.7	pCi/mL				1.29	0.523	3.09
BGX 5D	7/23/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BGX 5D	7/23/2015	ETHYLENE	0.0072	ug/L	J		21		0.003	0.1
BGX 5D	7/23/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 5D	7/23/2015	ARSENIC	50	ug/L	U				5	50
BGX 5D	7/23/2015	BARIUM	14.8	ug/L	J		21		2	20
BGX 5D	7/23/2015	BERYLLIUM	0.135	ug/L	J		21		0.1	1
BGX 5D	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BGX 5D	7/23/2015	COBALT	1.44	ug/L	J		21		0.5	5
BGX 5D	7/23/2015	COPPER	3.15	ug/L	J		21		0.5	5
BGX 5D	7/23/2015	LEAD	30.4	ug/L					0.5	5
BGX 5D	7/23/2015	NICKEL	3.01	ug/L	J		21		0.5	5
BGX 5D	7/23/2015	SELENIUM	20	ug/L	U				2	20
BGX 5D	7/23/2015	SILVER	5	ug/L	U				0.5	5
BGX 5D	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	TIN	10	ug/L	U				1	10
BGX 5D	7/23/2015	VANADIUM	50	ug/L	U				5	50
BGX 5D	7/23/2015	ZINC	12	ug/L	J		21		4	40
BGX 5D	7/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX 5D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 5D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 5D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 5D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 5D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 5D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 5D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 5D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 5D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 5D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 5D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 5D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 5D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGX 5D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 5D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 5D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 5D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 5D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGX 5D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 5D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 5D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 5D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 5D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 5D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 5D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 5D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 5D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 5D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 5D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 5D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 5D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 5D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 5D	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 5D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 5D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 5D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 5D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 5D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 5D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 5D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 5D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 5D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 5D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 5D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 5D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 5D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 5D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 5D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 5D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 5D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 5D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 5D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 5D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 5D	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 5D	7/23/2015	TRICHLOROFLUOROMETHANE	0.19	ug/L	J		21		0.11	1
BGX 5D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 5D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGX 5D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 5D	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	0.767	pCi/L				0.145	0.129	0.419
BGX 5D	7/23/2015	RADIUM-226	0.812	pCi/L				0.114	0.056	0.2844
BGX 5D	7/23/2015	URANIUM-233/234	0.0715	pCi/L	U		21, V	0.083	0.0646	0.231
BGX 5D	7/23/2015	URANIUM-235	-0.00735	pCi/L	U			0.015	0.148	0.177
BGX 5D	7/23/2015	URANIUM-238	0.0178	pCi/L	U		V	0.049	0.12	0.218
BGX 5D	7/23/2015	GROSS ALPHA	1.22	pCi/L	U			1.56	2.1	5.22
BGX 5D	7/23/2015	NONVOLATILE BETA	4.97	pCi/L	J		21	3.03	3.97	10
BGX 5D	7/23/2015	STRONTIUM-90	-0.787	pCi/L	U			1.61	3.26	6.48
BGX 5D	7/23/2015	CARBON-14	8.97	pCi/L	J		21	4.26	6.78	15.3
BGX 5D	7/23/2015	TECHNETIUM-99	10.2	pCi/L				2.69	4.02	9.41
BGX 5D	7/23/2015	TRITIUM	27.7	pCi/mL				1.04	0.539	2.61
BGX 5D	7/23/2015	IODINE-129	0.247	pCi/L	U			0.692	1.03	2.41
BGX 10D	7/23/2015	ETHANE	0.0028	ug/L	J		21		0.002	0.1
BGX 10D	7/23/2015	ETHYLENE	0.0066	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 10D	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BGX 10D	7/23/2015	ARSENIC	50	ug/L	U				5	50
BGX 10D	7/23/2015	BARIUM	20.2	ug/L					2	20
BGX 10D	7/23/2015	BERYLLIUM	0.121	ug/L	J		21		0.1	1
BGX 10D	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BGX 10D	7/23/2015	COBALT	1.01	ug/L	J		21		0.5	5
BGX 10D	7/23/2015	COPPER	54.4	ug/L					0.5	5
BGX 10D	7/23/2015	LEAD	16.4	ug/L					0.5	5
BGX 10D	7/23/2015	NICKEL	3.43	ug/L	J		21		0.5	5
BGX 10D	7/23/2015	SELENIUM	20	ug/L	U				2	20
BGX 10D	7/23/2015	SILVER	5	ug/L	U				0.5	5
BGX 10D	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	TIN	10	ug/L	U				1	10
BGX 10D	7/23/2015	VANADIUM	50	ug/L	U				5	50
BGX 10D	7/23/2015	ZINC	59.6	ug/L					4	40
BGX 10D	7/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX 10D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX 10D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX 10D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BGX 10D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX 10D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 10D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX 10D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX 10D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX 10D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BGX 10D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX 10D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX 10D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX 10D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX 10D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BGX 10D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX 10D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX 10D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX 10D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX 10D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BGX 10D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 10D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX 10D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX 10D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX 10D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BGX 10D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX 10D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX 10D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 10D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 10D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX 10D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX 10D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BGX 10D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX 10D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX 10D	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BGX 10D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX 10D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX 10D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX 10D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX 10D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX 10D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX 10D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX 10D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX 10D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX 10D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX 10D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BGX 10D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX 10D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX 10D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX 10D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX 10D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX 10D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BGX 10D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BGX 10D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX 10D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX 10D	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BGX 10D	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BGX 10D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX 10D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BGX 10D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX 10D	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	1.28	pCi/L				0.175	0.123	0.473
BGX 10D	7/23/2015	RADIUM-226	1.05	pCi/L				0.132	0.083	0.3471
BGX 10D	7/23/2015	URANIUM-233/234	0.0456	pCi/L	U		V	0.065	0.0618	0.191
BGX 10D	7/23/2015	URANIUM-235	0	pCi/L	U			0	0.0762	0.0762
BGX 10D	7/23/2015	URANIUM-238	0.0569	pCi/L	U		V	0.081	0.136	0.298
BGX 10D	7/23/2015	GROSS ALPHA	1.59	pCi/L	U			1.72	2.09	5.53
BGX 10D	7/23/2015	NONVOLATILE BETA	2.84	pCi/L	U			2.69	3.97	9.35
BGX 10D	7/23/2015	STRONTIUM-90	-0.259	pCi/L	U			1.74	3.29	6.78
BGX 10D	7/23/2015	CARBON-14	12.2	pCi/L	J		21	4.36	6.82	15.5
BGX 10D	7/23/2015	TECHNETIUM-99	2.36	pCi/L	U			2.46	4.03	8.94
BGX 10D	7/23/2015	TRITIUM	4.42	pCi/mL				0.505	0.54	1.55
BGX 10D	7/23/2015	IODINE-129	0.751	pCi/L	U			0.835	0.955	2.62
BGX013D	1/15/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
BGX013D	1/15/2015	TRICHLOROETHYLENE (TCE)	6.1	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX013D	1/15/2015	TRITIUM	628	pCi/mL				4.74	0.479	9.96
BGX013D	7/20/2015	ETHANE	0.0057	ug/L	J		21		0.002	0.1
BGX013D	7/20/2015	ETHYLENE	0.0083	ug/L	J		21		0.003	0.1
BGX013D	7/20/2015	ANTIMONY	10	ug/L	U				1	10
BGX013D	7/20/2015	ARSENIC	50	ug/L	U				5	50
BGX013D	7/20/2015	BARIUM	9.74	ug/L	J		21		2	20
BGX013D	7/20/2015	BERYLLIUM	0.184	ug/L	J		21		0.1	1
BGX013D	7/20/2015	CHROMIUM	100	ug/L	U				10	100
BGX013D	7/20/2015	COBALT	0.767	ug/L	J		21		0.5	5
BGX013D	7/20/2015	COPPER	3.8	ug/L	J		21		0.5	5
BGX013D	7/20/2015	LEAD	5	ug/L	U				0.5	5
BGX013D	7/20/2015	NICKEL	1.76	ug/L	J		21		0.5	5
BGX013D	7/20/2015	SELENIUM	20	ug/L	U				2	20
BGX013D	7/20/2015	SILVER	5	ug/L	U				0.5	5
BGX013D	7/20/2015	THALLIUM	1	ug/L	U				0.1	1
BGX013D	7/20/2015	TIN	10	ug/L	U				1	10
BGX013D	7/20/2015	VANADIUM	50	ug/L	U				5	50
BGX013D	7/20/2015	ZINC	18.9	ug/L	J		21		4	40
BGX013D	7/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BGX013D	7/20/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BGX013D	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BGX013D	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BGX013D	7/20/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.9	ug/L					0.1	1
BGX013D	7/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BGX013D	7/20/2015	1,1-DICHLOROETHANE	2.2	ug/L					0.07	1
BGX013D	7/20/2015	1,1-DICHLOROETHYLENE	1.1	ug/L					0.08	1
BGX013D	7/20/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX013D	7/20/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX013D	7/20/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BGX013D	7/20/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BGX013D	7/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BGX013D	7/20/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BGX013D	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BGX013D	7/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BGX013D	7/20/2015	1,2-DICHLOROETHYLENE	0.9	ug/L	J		21		0.15	2
BGX013D	7/20/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BGX013D	7/20/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BGX013D	7/20/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BGX013D	7/20/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BGX013D	7/20/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BGX013D	7/20/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BGX013D	7/20/2015	2-HEXANONE	5	ug/L	U				0.22	5
BGX013D	7/20/2015	ACETONE	2	ug/L	U				0.34	2
BGX013D	7/20/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BGX013D	7/20/2015	ACROLEIN	10	ug/L	U				2.8	10
BGX013D	7/20/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BGX013D	7/20/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BGX013D	7/20/2015	BENZENE	1	ug/L	U				0.06	1
BGX013D	7/20/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX013D	7/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BGX013D	7/20/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BGX013D	7/20/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BGX013D	7/20/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX013D	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BGX013D	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BGX013D	7/20/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BGX013D	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BGX013D	7/20/2015	CHLOROFORM	0.13	ug/L	J		21		0.1	1
BGX013D	7/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BGX013D	7/20/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BGX013D	7/20/2015	CIS-1,2-DICHLOROETHYLENE	0.9	ug/L	J		21		0.09	1
BGX013D	7/20/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BGX013D	7/20/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BGX013D	7/20/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BGX013D	7/20/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BGX013D	7/20/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BGX013D	7/20/2015	DICHLORODIFLUOROMETHANE	1.9	ug/L	J		21		0.08	2
BGX013D	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BGX013D	7/20/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BGX013D	7/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BGX013D	7/20/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BGX013D	7/20/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BGX013D	7/20/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BGX013D	7/20/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BGX013D	7/20/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BGX013D	7/20/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BGX013D	7/20/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BGX013D	7/20/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX013D	7/20/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BGX013D	7/20/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BGX013D	7/20/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BGX013D	7/20/2015	O-XYLENE	1	ug/L	U				0.06	1
BGX013D	7/20/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BGX013D	7/20/2015	STYRENE	1	ug/L	U				0.07	1
BGX013D	7/20/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
BGX013D	7/20/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
BGX013D	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BGX013D	7/20/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BGX013D	7/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BGX013D	7/20/2015	TRICHLOROETHYLENE (TCE)	4.9	ug/L					0.25	1
BGX013D	7/20/2015	TRICHLOROFLUOROMETHANE	11	ug/L					0.11	1
BGX013D	7/20/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BGX013D	7/20/2015	XYLENES	3	ug/L	U				0.2	3
BGX013D	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BGX013D	7/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.309	pCi/L				0.082	0.067	0.2304
BGX013D	7/20/2015	RADIUM-226	0.309	pCi/L				0.075	0.065	0.2152
BGX013D	7/20/2015	URANIUM-233/234	0.102	pCi/L	J		21	0.092	0.0551	0.239
BGX013D	7/20/2015	URANIUM-235	0	pCi/L	U		V	0	0.0679	0.0679
BGX013D	7/20/2015	URANIUM-238	0.0203	pCi/L	U		V	0.041	0.0549	0.136
BGX013D	7/20/2015	GROSS ALPHA	0.0232	pCi/L	U			0.852	2.29	4
BGX013D	7/20/2015	NONVOLATILE BETA	1.74	pCi/L	U			2.57	4.12	9.25
BGX013D	7/20/2015	STRONTIUM-90	0.604	pCi/L	U			2.1	3.12	7.32
BGX013D	7/20/2015	CARBON-14	50.3	pCi/L				5.26	7.03	17.5
BGX013D	7/20/2015	TECHNETIUM-99	2.52	pCi/L	U			2.57	4.2	9.33
BGX013D	7/20/2015	TRITIUM	568	pCi/mL				4.47	0.49	9.43

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BGX013D	7/20/2015	IODINE-129	-0.393	pCi/L	U			0.609	0.992	2.21
GSTW 3	9/2/2015	TRITIUM	0.215	pCi/mL	U			0.247	0.403	0.896
BLTW 2	9/2/2015	TRITIUM	0.206	pCi/mL	U			0.265	0.437	0.968
BRR 1D	5/4/2015	NITRATE-NITRITE AS NITROGEN	1.41	mg/L					0.085	0.25
BRR 1D	5/4/2015	URANIUM-233/234	0.0231	pCi/L	U	U		0.07	0.17	0.309
BRR 1D	5/4/2015	URANIUM-235	0.0571	pCi/L	U	U	V	0.081	0.0774	0.24
BRR 1D	5/4/2015	URANIUM-238	0.0231	pCi/L	U	U	V	0.046	0.0626	0.155
BRR 1D	5/4/2015	GROSS ALPHA	0.145	pCi/L	U	U		0.822	2.07	3.72
BRR 1D	5/4/2015	NONVOLATILE BETA	3.41	pCi/L	U	U		2.85	4.11	9.82
BRR 1D	5/4/2015	STRONTIUM-90	-0.547	pCi/L	U	U		1.86	3.16	6.87
BRR 1D	5/4/2015	TECHNETIUM-99	-0.277	pCi/L	U	U		2.59	4.38	9.56
BRR 1D	5/4/2015	TRITIUM	1.52	pCi/mL				0.342	0.437	1.12
BRR 1D	5/4/2015	IODINE-129	0.042	pCi/L	U	U		0.559	0.949	2.07
BRR 1D	5/4/2015	RADIUM-226	0.726	pCi/L	J	J	21	0.346	0.435	1.13
BRR 1D	5/4/2015	RADIUM-228	0.352	pCi/L	U	U		0.324	0.526	1.17
BRR 6C	5/5/2015	NITRATE-NITRITE AS NITROGEN	0.998	mg/L					0.017	0.05
BRR 6C	5/5/2015	URANIUM-233/234	0.042	pCi/L	U	U		0.069	0.121	0.259
BRR 6C	5/5/2015	URANIUM-235	-0.0074	pCi/L	U	U	V	0.015	0.149	0.179
BRR 6C	5/5/2015	URANIUM-238	0.018	pCi/L	U	U	V	0.049	0.121	0.219
BRR 6C	5/5/2015	GROSS ALPHA	0.495	pCi/L	UJ	UJ	11	1.18	2.2	4.57
BRR 6C	5/5/2015	NONVOLATILE BETA	67.4	pCi/L				8.37	3.74	20.5
BRR 6C	5/5/2015	STRONTIUM-90	-0.561	pCi/L	U	U		1.8	3.17	6.77
BRR 6C	5/5/2015	TECHNETIUM-99	115	pCi/L				4.94	4.37	14.3
BRR 6C	5/5/2015	TRITIUM	1.59	pCi/mL				0.345	0.436	1.13
BRR 6C	5/5/2015	IODINE-129	-0.301	pCi/L	U	U		0.584	0.908	2.08
BRR 6C	5/5/2015	RADIUM-226	0.78	pCi/L	J	J	21	0.337	0.312	0.986
BRR 6C	5/5/2015	RADIUM-228	0.333	pCi/L	U	U		0.483	0.828	1.79

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BRR 6D	5/5/2015	NITRATE-NITRITE AS NITROGEN	0.494	mg/L					0.017	0.05
BRR 6D	5/5/2015	URANIUM-233/234	0.04	pCi/L	U	U		0.066	0.115	0.247
BRR 6D	5/5/2015	URANIUM-235	0.0211	pCi/L	U	U	V	0.058	0.142	0.258
BRR 6D	5/5/2015	URANIUM-238	0.0228	pCi/L	U	U	V	0.046	0.0618	0.153
BRR 6D	5/5/2015	GROSS ALPHA	0.125	pCi/L	U	U		0.834	2.15	3.82
BRR 6D	5/5/2015	NONVOLATILE BETA	17.7	pCi/L				4.67	4.12	13.4
BRR 6D	5/5/2015	STRONTIUM-90	1.89	pCi/L	U	U		2.42	3.18	8.01
BRR 6D	5/5/2015	TECHNETIUM-99	32	pCi/L				3.41	4.37	11.2
BRR 6D	5/5/2015	TRITIUM	0.128	pCi/mL	U	U		0.262	0.44	0.965
BRR 6D	5/5/2015	IODINE-129	-0.56	pCi/L	U	U		0.69	0.912	2.29
BRR 6D	5/5/2015	RADIUM-226	0.556	pCi/L	J	J	21	0.327	0.449	1.1
BRR 6D	5/5/2015	RADIUM-228	0.768	pCi/L	U	U		0.53	0.841	1.9
BRR 7C	5/5/2015	NITRATE-NITRITE AS NITROGEN	3.64	mg/L					0.17	0.5
BRR 7C	5/5/2015	URANIUM-233/234	0.158	pCi/L	J	J	21	0.118	0.103	0.34
BRR 7C	5/5/2015	URANIUM-235	0.0189	pCi/L	U	U	V	0.052	0.127	0.231
BRR 7C	5/5/2015	URANIUM-238	0.0407	pCi/L	U	U	V	0.058	0.0551	0.171
BRR 7C	5/5/2015	GROSS ALPHA	2.51	pCi/L	J	J	21, 11	2.13	2.11	6.37
BRR 7C	5/5/2015	NONVOLATILE BETA	4.35	pCi/L	J	J	21	2.85	3.78	9.49
BRR 7C	5/5/2015	STRONTIUM-90	0.816	pCi/L	U	U		2.15	3.16	7.47
BRR 7C	5/5/2015	TECHNETIUM-99	1.73	pCi/L	U	U		2.65	4.38	9.69
BRR 7C	5/5/2015	TRITIUM	14.4	pCi/mL				0.76	0.44	1.96
BRR 7C	5/5/2015	IODINE-129	0.0363	pCi/L	U	U		0.677	0.968	2.32
BRR 7C	5/5/2015	RADIUM-226	0.999	pCi/L	J	J	21	0.385	0.436	1.21
BRR 7C	5/5/2015	RADIUM-228	0.473	pCi/L	U	U		0.52	0.871	1.91
BSE 1C2	1/13/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
BSE 1C2	1/13/2015	TRICHLOROETHYLENE (TCE)	56	ug/L					1.3	5
BSE 1C2	1/13/2015	TRITIUM	848	pCi/mL				5.42	0.441	11.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1C2	7/21/2015	ETHANE	0.035	ug/L	J		21		0.002	0.1
BSE 1C2	7/21/2015	ETHYLENE	0.15	ug/L					0.003	0.1
BSE 1C2	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 1C2	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 1C2	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 1C2	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 1C2	7/21/2015	1,1-DICHLOROETHANE	2.2	ug/L					0.07	1
BSE 1C2	7/21/2015	1,1-DICHLOROETHYLENE	1.1	ug/L					0.08	1
BSE 1C2	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 1C2	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 1C2	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 1C2	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 1C2	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 1C2	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 1C2	7/21/2015	1,2-DICHLOROETHYLENE	44	ug/L					0.75	10
BSE 1C2	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 1C2	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 1C2	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 1C2	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 1C2	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 1C2	7/21/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1C2	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 1C2	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 1C2	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 1C2	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 1C2	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BSE 1C2	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1C2	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 1C2	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 1C2	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 1C2	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 1C2	7/21/2015	CARBON TETRACHLORIDE	0.61	ug/L	J		21		0.13	1
BSE 1C2	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 1C2	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 1C2	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1C2	7/21/2015	CHLOROFORM	4.5	ug/L					0.1	1
BSE 1C2	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1C2	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 1C2	7/21/2015	CIS-1,2-DICHLOROETHYLENE	44	ug/L					0.45	5
BSE 1C2	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1C2	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 1C2	7/21/2015	DICHLORODIFLUOROMETHANE	1.6	ug/L	J		21		0.08	2
BSE 1C2	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1C2	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 1C2	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 1C2	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 1C2	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 1C2	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 1C2	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 1C2	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 1C2	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 1C2	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 1C2	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 1C2	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 1C2	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 1C2	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 1C2	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 1C2	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 1C2	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
BSE 1C2	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 1C2	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1C2	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 1C2	7/21/2015	TRICHLOROETHYLENE (TCE)	57	ug/L					1.3	5
BSE 1C2	7/21/2015	TRICHLOROFLUOROMETHANE	0.46	ug/L	J		21		0.11	1
BSE 1C2	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 1C2	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BSE 1C2	7/21/2015	1,4-DIOXANE	26	ug/L					0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1C2	7/21/2015	TRITIUM	870	pCi/mL				5.64	0.457	11.7
BSE 1D3	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 1D3	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 1D3	1/12/2015	TRITIUM	10.2	pCi/mL				0.629	0.398	1.66
BSE 1D3	7/17/2015	ETHANE	0.043	ug/L	J		21		0.002	0.1
BSE 1D3	7/17/2015	ETHYLENE	0.16	ug/L					0.003	0.1
BSE 1D3	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 1D3	7/17/2015	TRITIUM	9.17	pCi/mL				0.637	0.472	1.75
BSE 1D3	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 1D3	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 1D3	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 1D3	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1D3	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 1D3	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 1D3	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 1D3	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 1D3	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 1D3	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 1D3	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BSE 1D3	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D3	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 1D3	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 1D3	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 1D3	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 1D3	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 1D3	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 1D3	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 1D3	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 1D3	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 1D3	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 1D3	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1D3	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 1D3	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 1D3	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 1D3	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 1D3	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 1D3	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 1D3	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 1D3	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1D3	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1D3	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 1D3	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BSE 1D3	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D3	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 1D3	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1D3	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 1D3	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 1D3	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 1D3	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 1D3	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 1D3	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 1D3	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 1D3	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 1D3	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 1D3	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 1D3	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 1D3	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 1D3	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 1D3	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 1D3	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 1D3	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 1D3	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 1D3	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 1D3	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 1D3	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 1D3	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D3	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1D3	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 1D3	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 1D3	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 1D3	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 1D3	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSE 1D4	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 1D4	1/12/2015	TRICHLOROETHYLENE (TCE)	2.8	ug/L					0.25	1
BSE 1D4	1/12/2015	TRITIUM	1650	pCi/mL				7.58	0.471	15.6
BSE 1D4	7/17/2015	ETHANE	0.029	ug/L	J		21		0.002	0.1
BSE 1D4	7/17/2015	ETHYLENE	1.2	ug/L					0.003	0.1
BSE 1D4	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BSE 1D4	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSE 1D4	7/17/2015	BARIUM	4.6	ug/L	J		21		2	20
BSE 1D4	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSE 1D4	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BSE 1D4	7/17/2015	COBALT	5	ug/L	U				0.5	5
BSE 1D4	7/17/2015	COPPER	5	ug/L	U				0.5	5
BSE 1D4	7/17/2015	LEAD	5	ug/L	U				0.5	5
BSE 1D4	7/17/2015	NICKEL	5	ug/L	U				0.5	5
BSE 1D4	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSE 1D4	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSE 1D4	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BSE 1D4	7/17/2015	TIN	10	ug/L	U				1	10
BSE 1D4	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSE 1D4	7/17/2015	ZINC	40	ug/L	U				4	40
BSE 1D4	7/17/2015	MERCURY	0.138	ug/L	J		21		0.02	0.2
BSE 1D4	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D4	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.623	pCi/L				0.119	0.101	0.339
BSE 1D4	7/17/2015	RADIUM-226	0.651	pCi/L				0.107	0.08	0.2943
BSE 1D4	7/17/2015	URANIUM-233/234	0.0788	pCi/L	U		V	0.092	0.135	0.319
BSE 1D4	7/17/2015	URANIUM-235	0	pCi/L	U		V	0	0.0752	0.0752
BSE 1D4	7/17/2015	URANIUM-238	0.0674	pCi/L	J		21	0.078	0.0609	0.218
BSE 1D4	7/17/2015	GROSS ALPHA	2.75	pCi/L	J		21	2.23	2.28	6.74
BSE 1D4	7/17/2015	NONVOLATILE BETA	-1.38	pCi/L	U			2.16	4.5	8.82
BSE 1D4	7/17/2015	STRONTIUM-90	1.39	pCi/L	U			2.36	3.12	7.84
BSE 1D4	7/17/2015	CARBON-14	35	pCi/L	J			5.05	7.18	17.3
BSE 1D4	7/17/2015	TECHNETIUM-99	1.67	pCi/L	U			2.56	4.24	9.36
BSE 1D4	7/17/2015	TRITIUM	1810	pCi/mL				7.95	0.474	16.4
BSE 1D4	7/17/2015	IODINE-129	0.16	pCi/L	U			0.693	1	2.39
BSE 1D4	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 1D4	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 1D4	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 1D4	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 1D4	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 1D4	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 1D4	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 1D4	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 1D4	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D4	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 1D4	7/24/2015	1,2-DICHLOROETHYLENE	0.66	ug/L	J		21		0.15	2
BSE 1D4	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 1D4	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 1D4	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 1D4	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 1D4	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 1D4	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 1D4	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 1D4	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 1D4	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 1D4	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 1D4	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 1D4	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1D4	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 1D4	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 1D4	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 1D4	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 1D4	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 1D4	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 1D4	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 1D4	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1D4	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D4	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 1D4	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 1D4	7/24/2015	CIS-1,2-DICHLOROETHYLENE	0.66	ug/L	J		21		0.09	1
BSE 1D4	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 1D4	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 1D4	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 1D4	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 1D4	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 1D4	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 1D4	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 1D4	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 1D4	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 1D4	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 1D4	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 1D4	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 1D4	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 1D4	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 1D4	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 1D4	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 1D4	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 1D4	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 1D4	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 1D4	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 1D4	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 1D4	7/24/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
BSE 1D4	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 1D4	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 1D4	7/24/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
BSE 1D4	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 1D4	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 1D4	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSE 2CR1	7/17/2015	ETHANE	0.22	ug/L					0.002	0.1
BSE 2CR1	7/17/2015	ETHYLENE	0.12	ug/L					0.003	0.1
BSE 2CR1	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BSE 2CR1	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSE 2CR1	7/17/2015	BARIUM	39.6	ug/L					2	20
BSE 2CR1	7/17/2015	BERYLLIUM	0.425	ug/L	J		21		0.1	1
BSE 2CR1	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BSE 2CR1	7/17/2015	COBALT	2.08	ug/L	J		21		0.5	5
BSE 2CR1	7/17/2015	COPPER	1.07	ug/L	J		21		0.5	5
BSE 2CR1	7/17/2015	LEAD	3.27	ug/L	J		21		0.5	5
BSE 2CR1	7/17/2015	NICKEL	2.7	ug/L	J		21		0.5	5
BSE 2CR1	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSE 2CR1	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSE 2CR1	7/17/2015	THALLIUM	0.141	ug/L	J		21		0.1	1
BSE 2CR1	7/17/2015	TIN	10	ug/L	U				1	10
BSE 2CR1	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSE 2CR1	7/17/2015	ZINC	10.5	ug/L	J		21		4	40
BSE 2CR1	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2CR1	7/17/2015	1,4-DIOXANE	13	ug/L					0.85	3
BSE 2CR1	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.556	pCi/L				0.111	0.081	0.3034
BSE 2CR1	7/17/2015	RADIUM-226	0.431	pCi/L				0.089	0.07	0.2482
BSE 2CR1	7/17/2015	URANIUM-233/234	0.185	pCi/L	J		21, V	0.138	0.12	0.396
BSE 2CR1	7/17/2015	URANIUM-235	0.0734	pCi/L	U		V	0.105	0.176	0.385
BSE 2CR1	7/17/2015	URANIUM-238	0.249	pCi/L	J		21	0.162	0.143	0.467
BSE 2CR1	7/17/2015	GROSS ALPHA	2.1	pCi/L	U			2.06	2.44	6.57
BSE 2CR1	7/17/2015	NONVOLATILE BETA	1.94	pCi/L	U			2.75	4.41	9.91
BSE 2CR1	7/17/2015	STRONTIUM-90	-0.9	pCi/L	U			1.97	3.13	7.08
BSE 2CR1	7/17/2015	CARBON-14	20	pCi/L	J			4.66	7.05	16.4
BSE 2CR1	7/17/2015	TECHNETIUM-99	0.921	pCi/L	U			2.53	4.21	9.27
BSE 2CR1	7/17/2015	TRITIUM	1080	pCi/mL				6.14	0.474	12.8
BSE 2CR1	7/17/2015	IODINE-129	0.696	pCi/L	U			0.746	1.07	2.56
BSE 2CR1	7/24/2015	1,1,1,2-TETRACHLOROETHANE	5	ug/L	U				0.45	5
BSE 2CR1	7/24/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
BSE 2CR1	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				0.5	5
BSE 2CR1	7/24/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
BSE 2CR1	7/24/2015	1,1-DICHLOROETHANE	2	ug/L	J		21		0.35	5
BSE 2CR1	7/24/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	1,1-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U				0.45	5
BSE 2CR1	7/24/2015	1,2,3-TRICHLOROPROPANE	5	ug/L	U				0.75	5
BSE 2CR1	7/24/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U				2.1	5
BSE 2CR1	7/24/2015	1,2-DIBROMOETHANE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2CR1	7/24/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
BSE 2CR1	7/24/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U				0.5	5
BSE 2CR1	7/24/2015	1,2-DICHLOROETHYLENE	30	ug/L					0.75	10
BSE 2CR1	7/24/2015	1,2-DICHLOROPROPANE	5	ug/L	U				0.5	5
BSE 2CR1	7/24/2015	1,3-DICHLOROBENZENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	1,3-DICHLOROPROPANE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	1,4-DICHLOROBENZENE	5	ug/L	U				0.6	5
BSE 2CR1	7/24/2015	2,2-DICHLOROPROPANE	5	ug/L	U				0.7	5
BSE 2CR1	7/24/2015	2-CHLOROETHYL VINYL ETHER	10	ug/L	U				0.85	10
BSE 2CR1	7/24/2015	2-HEXANONE	25	ug/L	U				1.1	25
BSE 2CR1	7/24/2015	ACETONE	10	ug/L	U				1.7	10
BSE 2CR1	7/24/2015	ACETONITRILE (METHYL CYANIDE)	50	ug/L	U				10	50
BSE 2CR1	7/24/2015	ACROLEIN	50	ug/L	U				14	50
BSE 2CR1	7/24/2015	ACRYLONITRILE	50	ug/L	U				2.9	50
BSE 2CR1	7/24/2015	ALLYL CHLORIDE	10	ug/L	U				0.55	10
BSE 2CR1	7/24/2015	BENZENE	5	ug/L	U				0.3	5
BSE 2CR1	7/24/2015	BROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSE 2CR1	7/24/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
BSE 2CR1	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U				0.85	5
BSE 2CR1	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U				1.3	10
BSE 2CR1	7/24/2015	CARBON DISULFIDE	5	ug/L	U				0.25	5
BSE 2CR1	7/24/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
BSE 2CR1	7/24/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
BSE 2CR1	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U				0.5	10
BSE 2CR1	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
BSE 2CR1	7/24/2015	CHLOROFORM	2.7	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2CR1	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U				0.4	10
BSE 2CR1	7/24/2015	CHLOROPRENE	5	ug/L	U				0.5	5
BSE 2CR1	7/24/2015	CIS-1,2-DICHLOROETHYLENE	30	ug/L					0.45	5
BSE 2CR1	7/24/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	CYCLOHEXANE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	DIBROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSE 2CR1	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	5	ug/L	U				1.1	5
BSE 2CR1	7/24/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U				0.4	10
BSE 2CR1	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
BSE 2CR1	7/24/2015	ETHYL ACETATE	10	ug/L	U				0.9	10
BSE 2CR1	7/24/2015	ETHYLBENZENE	5	ug/L	U				0.45	5
BSE 2CR1	7/24/2015	IODOMETHANE (METHYL IODIDE)	10	ug/L	U				0.45	10
BSE 2CR1	7/24/2015	ISOBUTANOL	400	ug/L	U				44	400
BSE 2CR1	7/24/2015	M,P-XYLENE	10	ug/L	U				0.7	10
BSE 2CR1	7/24/2015	METHACRYLONITRILE	50	ug/L	U				2.5	50
BSE 2CR1	7/24/2015	METHYL ACETATE	130	ug/L	U				1.9	130
BSE 2CR1	7/24/2015	METHYL ETHYL KETONE	25	ug/L	U				2.6	25
BSE 2CR1	7/24/2015	METHYL ISOBUTYL KETONE	25	ug/L	U				0.6	25
BSE 2CR1	7/24/2015	METHYL METHACRYLATE	10	ug/L	U				1.3	10
BSE 2CR1	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U				0.55	10
BSE 2CR1	7/24/2015	METHYLCYCLOHEXANE	20	ug/L	U				0.5	20
BSE 2CR1	7/24/2015	NAPHTHALENE	5	ug/L	U				0.8	5
BSE 2CR1	7/24/2015	O-XYLENE	5	ug/L	U				0.3	5
BSE 2CR1	7/24/2015	PROPIONITRILE	50	ug/L	U				6.8	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2CR1	7/24/2015	STYRENE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
BSE 2CR1	7/24/2015	TOLUENE	5	ug/L	U				0.35	5
BSE 2CR1	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSE 2CR1	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	10	ug/L	U				1.5	10
BSE 2CR1	7/24/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					1.3	5
BSE 2CR1	7/24/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				0.55	5
BSE 2CR1	7/24/2015	VINYL ACETATE	10	ug/L	U				0.9	10
BSE 2CR1	7/24/2015	XYLENES	15	ug/L	U				1	15
BSE 2D3	7/17/2015	ETHANE	0.0056	ug/L	J		21		0.002	0.1
BSE 2D3	7/17/2015	ETHYLENE	0.074	ug/L	J		21		0.003	0.1
BSE 2D3	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BSE 2D3	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSE 2D3	7/17/2015	BARIUM	5.46	ug/L	J		21		2	20
BSE 2D3	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSE 2D3	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BSE 2D3	7/17/2015	COBALT	5	ug/L	U				0.5	5
BSE 2D3	7/17/2015	COPPER	5	ug/L	U				0.5	5
BSE 2D3	7/17/2015	LEAD	5	ug/L	U				0.5	5
BSE 2D3	7/17/2015	NICKEL	5	ug/L	U				0.5	5
BSE 2D3	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSE 2D3	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSE 2D3	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BSE 2D3	7/17/2015	TIN	10	ug/L	U				1	10
BSE 2D3	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSE 2D3	7/17/2015	ZINC	5.49	ug/L	J		21		4	40
BSE 2D3	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2D3	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 2D3	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.959	pCi/L				0.137	0.081	0.3553
BSE 2D3	7/17/2015	RADIUM-226	0.764	pCi/L				0.112	0.076	0.3003
BSE 2D3	7/17/2015	URANIUM-233/234	0.0206	pCi/L	U		V	0.041	0.0558	0.138
BSE 2D3	7/17/2015	URANIUM-235	0.121	pCi/L	U		V	0.116	0.128	0.36
BSE 2D3	7/17/2015	URANIUM-238	-0.00514	pCi/L	U			0.01	0.103	0.124
BSE 2D3	7/17/2015	GROSS ALPHA	2.73	pCi/L	J		21	2.22	2.28	6.73
BSE 2D3	7/17/2015	NONVOLATILE BETA	1.7	pCi/L	U			2.75	4.5	10
BSE 2D3	7/17/2015	STRONTIUM-90	-0.879	pCi/L	U			1.97	3.13	7.06
BSE 2D3	7/17/2015	CARBON-14	-3.89	pCi/L	U			4.08	6.99	15.1
BSE 2D3	7/17/2015	TECHNETIUM-99	1.9	pCi/L	U			2.57	4.23	9.36
BSE 2D3	7/17/2015	TRITIUM	21.5	pCi/mL				0.904	0.471	2.28
BSE 2D3	7/17/2015	IODINE-129	0.536	pCi/L	U			0.735	1.16	2.63
BSE 2D3	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 2D3	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 2D3	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 2D3	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 2D3	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 2D3	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2D3	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 2D3	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BSE 2D3	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 2D3	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 2D3	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 2D3	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 2D3	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 2D3	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 2D3	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 2D3	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 2D3	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 2D3	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 2D3	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 2D3	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 2D3	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 2D3	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 2D3	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 2D3	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 2D3	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 2D3	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 2D3	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2D3	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 2D3	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 2D3	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BSE 2D3	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 2D3	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 2D3	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 2D3	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 2D3	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 2D3	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 2D3	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 2D3	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 2D3	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 2D3	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 2D3	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 2D3	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 2D3	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 2D3	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 2D3	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 2D3	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 2D3	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 2D3	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 2D3	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 2D3	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 2D3	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 2D3	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 2D3	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 2D3	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 2D3	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 2D3	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 2D3	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSE 3C1	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3C1	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 3C1	1/12/2015	TRITIUM	104	pCi/mL				1.93	0.475	4.33
BSE 3C1	7/17/2015	ETHANE	0.0026	ug/L	J		21		0.002	0.1
BSE 3C1	7/17/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1
BSE 3C1	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BSE 3C1	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSE 3C1	7/17/2015	BARIUM	53.3	ug/L					2	20
BSE 3C1	7/17/2015	BERYLLIUM	0.606	ug/L	J		21		0.1	1
BSE 3C1	7/17/2015	CHROMIUM	11.9	ug/L	J		21		10	100
BSE 3C1	7/17/2015	COBALT	1.11	ug/L	J		21		0.5	5
BSE 3C1	7/17/2015	COPPER	2.04	ug/L	J		21		0.5	5
BSE 3C1	7/17/2015	LEAD	4.51	ug/L	J		21		0.5	5
BSE 3C1	7/17/2015	NICKEL	2	ug/L	J		21		0.5	5
BSE 3C1	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSE 3C1	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSE 3C1	7/17/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C1	7/17/2015	TIN	10	ug/L	U				1	10
BSE 3C1	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSE 3C1	7/17/2015	ZINC	61.4	ug/L					4	40
BSE 3C1	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSE 3C1	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 3C1	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	1.08	pCi/L				0.159	0.106	0.424
BSE 3C1	7/17/2015	RADIUM-226	0.99	pCi/L				0.138	0.092	0.3679
BSE 3C1	7/17/2015	URANIUM-233/234	0.261	pCi/L	J		21	0.156	0.125	0.436
BSE 3C1	7/17/2015	URANIUM-235	0.0257	pCi/L	U		V	0.052	0.0697	0.173
BSE 3C1	7/17/2015	URANIUM-238	0.458	pCi/L	J		21, V	0.205	0.0564	0.467
BSE 3C1	7/17/2015	GROSS ALPHA	5.48	pCi/L	J		21	3.31	2.69	9.31
BSE 3C1	7/17/2015	NONVOLATILE BETA	4.63	pCi/L	U			3.35	4.78	11.5
BSE 3C1	7/17/2015	STRONTIUM-90	-0.192	pCi/L	U			2.03	3.15	7.21
BSE 3C1	7/17/2015	CARBON-14	42.7	pCi/L	J			5.08	6.96	17.1
BSE 3C1	7/17/2015	TECHNETIUM-99	-1.66	pCi/L	U			2.54	4.36	9.43
BSE 3C1	7/17/2015	TRITIUM	110	pCi/mL				1.99	0.479	4.46
BSE 3C1	7/17/2015	IODINE-129	0.0051	pCi/L	U			0.652	0.93	2.23
BSE 3C1	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 3C1	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 3C1	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 3C1	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C1	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 3C1	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 3C1	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 3C1	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BSE 3C1	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 3C1	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 3C1	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 3C1	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 3C1	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 3C1	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 3C1	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 3C1	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 3C1	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 3C1	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 3C1	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3C1	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 3C1	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 3C1	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 3C1	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 3C1	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C1	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 3C1	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 3C1	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3C1	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3C1	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 3C1	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BSE 3C1	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3C1	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 3C1	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 3C1	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 3C1	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 3C1	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 3C1	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 3C1	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 3C1	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 3C1	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 3C1	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 3C1	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 3C1	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 3C1	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 3C1	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C1	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 3C1	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 3C1	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 3C1	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 3C1	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3C1	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 3C1	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3C1	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 3C1	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 3C1	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 3C1	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 3C1	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSE 3C2	1/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3C2	1/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 3C2	1/15/2015	TRITIUM	126	pCi/mL				2.08	0.431	4.59
BSE 3C2	7/21/2015	ETHANE	0.1	ug/L	U				0.002	0.1
BSE 3C2	7/21/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
BSE 3C2	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 3C2	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 3C2	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C2	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 3C2	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 3C2	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 3C2	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 3C2	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 3C2	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BSE 3C2	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 3C2	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 3C2	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 3C2	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 3C2	7/21/2015	ACETONE	2	ug/L	U				0.34	2
BSE 3C2	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 3C2	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 3C2	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 3C2	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 3C2	7/21/2015	BENZENE	1	ug/L	U				0.06	1
BSE 3C2	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3C2	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 3C2	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 3C2	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C2	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 3C2	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 3C2	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 3C2	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 3C2	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3C2	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3C2	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 3C2	7/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BSE 3C2	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3C2	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 3C2	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 3C2	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 3C2	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 3C2	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 3C2	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 3C2	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 3C2	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 3C2	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 3C2	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 3C2	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 3C2	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3C2	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 3C2	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 3C2	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 3C2	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 3C2	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 3C2	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 3C2	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3C2	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 3C2	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3C2	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 3C2	7/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 3C2	7/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 3C2	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 3C2	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BSE 3C2	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 3C2	7/21/2015	TRITIUM	136	pCi/mL				2.24	0.456	4.93
BSE 3D3	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3D3	1/12/2015	TRICHLOROETHYLENE (TCE)	0.34	ug/L	J		21		0.25	1
BSE 3D3	1/12/2015	TRITIUM	397	pCi/mL				3.7	0.406	7.81
BSE 3D3	7/17/2015	ETHANE	0.038	ug/L	J		21		0.002	0.1
BSE 3D3	7/17/2015	ETHYLENE	0.17	ug/L					0.003	0.1
BSE 3D3	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 3D3	7/17/2015	TRITIUM	409	pCi/mL				3.9	0.481	8.28
BSE 3D3	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 3D3	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D3	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 3D3	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 3D3	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 3D3	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 3D3	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 3D3	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 3D3	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 3D3	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 3D3	7/24/2015	1,2-DICHLOROETHANE (EDC)	0.33	ug/L	J		21		0.1	1
BSE 3D3	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
BSE 3D3	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 3D3	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 3D3	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 3D3	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 3D3	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 3D3	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 3D3	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSE 3D3	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 3D3	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 3D3	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D3	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 3D3	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3D3	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 3D3	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 3D3	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 3D3	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 3D3	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 3D3	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 3D3	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 3D3	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3D3	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
BSE 3D3	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3D3	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 3D3	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
BSE 3D3	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3D3	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 3D3	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 3D3	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSE 3D3	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 3D3	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 3D3	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 3D3	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D3	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 3D3	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 3D3	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 3D3	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 3D3	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 3D3	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 3D3	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 3D3	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 3D3	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 3D3	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 3D3	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 3D3	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3D3	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 3D3	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3D3	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 3D3	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSE 3D3	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 3D3	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 3D3	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSE 3D4	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3D4	1/12/2015	TRICHLOROETHYLENE (TCE)	0.93	ug/L	J		21		0.25	1
BSE 3D4	1/12/2015	TRITIUM	769	pCi/mL				5.18	0.472	10.8
BSE 3D4	7/17/2015	ETHANE	0.015	ug/L	J		21		0.002	0.1
BSE 3D4	7/17/2015	ETHYLENE	0.093	ug/L	J		21		0.003	0.1
BSE 3D4	7/17/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D4	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSE 3D4	7/17/2015	BARIUM	14	ug/L	J		21		2	20
BSE 3D4	7/17/2015	BERYLLIUM	0.112	ug/L	J		21		0.1	1
BSE 3D4	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BSE 3D4	7/17/2015	COBALT	1.7	ug/L	J		21		0.5	5
BSE 3D4	7/17/2015	COPPER	5	ug/L	U				0.5	5
BSE 3D4	7/17/2015	LEAD	5	ug/L	U				0.5	5
BSE 3D4	7/17/2015	NICKEL	1.48	ug/L	J		21		0.5	5
BSE 3D4	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSE 3D4	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSE 3D4	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
BSE 3D4	7/17/2015	TIN	10	ug/L	U				1	10
BSE 3D4	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSE 3D4	7/17/2015	ZINC	6.12	ug/L	J		21		4	40
BSE 3D4	7/17/2015	MERCURY	0.432	ug/L					0.02	0.2
BSE 3D4	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSE 3D4	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	2.68	pCi/L				0.231	0.107	0.569
BSE 3D4	7/17/2015	RADIUM-226	2.56	pCi/L				0.203	0.091	0.4969
BSE 3D4	7/17/2015	URANIUM-233/234	0.185	pCi/L	J		21	0.133	0.0625	0.329
BSE 3D4	7/17/2015	URANIUM-235	0.0285	pCi/L	U		V	0.057	0.0771	0.191
BSE 3D4	7/17/2015	URANIUM-238	0.046	pCi/L	U		V	0.065	0.0624	0.193
BSE 3D4	7/17/2015	GROSS ALPHA	2.84	pCi/L	J		21	2.31	2.37	6.99
BSE 3D4	7/17/2015	NONVOLATILE BETA	1.48	pCi/L	U			2.72	4.51	9.95
BSE 3D4	7/17/2015	STRONTIUM-90	-0.385	pCi/L	U			1.62	3.13	6.36
BSE 3D4	7/17/2015	CARBON-14	18.6	pCi/L	J			4.62	7.03	16.3
BSE 3D4	7/17/2015	TECHNETIUM-99	-1.72	pCi/L	U			2.53	4.35	9.41
BSE 3D4	7/17/2015	TRITIUM	770	pCi/mL				5.28	0.471	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D4	7/17/2015	IODINE-129	0.859	pCi/L	U			0.911	1.07	2.89
BSE 3D4	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSE 3D4	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSE 3D4	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSE 3D4	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSE 3D4	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSE 3D4	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSE 3D4	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSE 3D4	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSE 3D4	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSE 3D4	7/24/2015	1,2-DICHLOROETHANE (EDC)	0.27	ug/L	J		21		0.1	1
BSE 3D4	7/24/2015	1,2-DICHLOROETHYLENE	0.45	ug/L	J		21		0.15	2
BSE 3D4	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSE 3D4	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSE 3D4	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSE 3D4	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSE 3D4	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSE 3D4	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSE 3D4	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D4	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSE 3D4	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSE 3D4	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSE 3D4	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSE 3D4	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3D4	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSE 3D4	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSE 3D4	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSE 3D4	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSE 3D4	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSE 3D4	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSE 3D4	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSE 3D4	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3D4	7/24/2015	CHLOROFORM	0.23	ug/L	J		21		0.1	1
BSE 3D4	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSE 3D4	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSE 3D4	7/24/2015	CIS-1,2-DICHLOROETHYLENE	0.45	ug/L	J		21		0.09	1
BSE 3D4	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSE 3D4	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSE 3D4	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSE 3D4	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSE 3D4	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSE 3D4	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSE 3D4	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSE 3D4	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSE 3D4	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSE 3D4	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSE 3D4	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSE 3D4	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSE 3D4	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSE 3D4	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSE 3D4	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSE 3D4	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSE 3D4	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSE 3D4	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSE 3D4	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSE 3D4	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSE 3D4	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSE 3D4	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSE 3D4	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSE 3D4	7/24/2015	TRICHLOROETHYLENE (TCE)	0.77	ug/L	J		21		0.25	1
BSE 3D4	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSE 3D4	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSE 3D4	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSW 1C1	1/13/2015	TETRACHLOROETHYLENE (PCE)	6	ug/L					0.18	1
BSW 1C1	1/13/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C1	1/13/2015	TRITIUM	1670	pCi/mL				7.67	0.477	15.8
BSW 1C1	7/21/2015	ETHANE	0.0073	ug/L	J		21		0.002	0.1
BSW 1C1	7/21/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
BSW 1C1	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BSW 1C1	7/21/2015	ARSENIC	50	ug/L	U				5	50
BSW 1C1	7/21/2015	BARIUM	11.6	ug/L	J		21		2	20
BSW 1C1	7/21/2015	BERYLLIUM	0.163	ug/L	J		21		0.1	1
BSW 1C1	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BSW 1C1	7/21/2015	COBALT	5	ug/L	U				0.5	5
BSW 1C1	7/21/2015	COPPER	0.618	ug/L	J		21		0.5	5
BSW 1C1	7/21/2015	LEAD	1.1	ug/L	J		21		0.5	5
BSW 1C1	7/21/2015	NICKEL	1.51	ug/L	J		21		0.5	5
BSW 1C1	7/21/2015	SELENIUM	20	ug/L	U				2	20
BSW 1C1	7/21/2015	SILVER	5	ug/L	U				0.5	5
BSW 1C1	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 1C1	7/21/2015	TIN	10	ug/L	U				1	10
BSW 1C1	7/21/2015	VANADIUM	50	ug/L	U				5	50
BSW 1C1	7/21/2015	ZINC	5.29	ug/L	J		21		4	40
BSW 1C1	7/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 1C1	7/21/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
BSW 1C1	7/21/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
BSW 1C1	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
BSW 1C1	7/21/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
BSW 1C1	7/21/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C1	7/21/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
BSW 1C1	7/21/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
BSW 1C1	7/21/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
BSW 1C1	7/21/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
BSW 1C1	7/21/2015	1,2-DICHLOROBENZENE	1.9	ug/L	J		21		0.6	10
BSW 1C1	7/21/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
BSW 1C1	7/21/2015	1,2-DICHLOROETHYLENE	190	ug/L					1.5	20
BSW 1C1	7/21/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
BSW 1C1	7/21/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
BSW 1C1	7/21/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
BSW 1C1	7/21/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
BSW 1C1	7/21/2015	2-HEXANONE	50	ug/L	U				2.2	50
BSW 1C1	7/21/2015	ACETONE	20	ug/L	U				3.4	20
BSW 1C1	7/21/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
BSW 1C1	7/21/2015	ACROLEIN	100	ug/L	U				28	100
BSW 1C1	7/21/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
BSW 1C1	7/21/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
BSW 1C1	7/21/2015	BENZENE	10	ug/L	U				0.6	10
BSW 1C1	7/21/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 1C1	7/21/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
BSW 1C1	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
BSW 1C1	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C1	7/21/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
BSW 1C1	7/21/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
BSW 1C1	7/21/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
BSW 1C1	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
BSW 1C1	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 1C1	7/21/2015	CHLOROFORM	1.9	ug/L	J		21		1	10
BSW 1C1	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 1C1	7/21/2015	CHLOROPRENE	10	ug/L	U				1	10
BSW 1C1	7/21/2015	CIS-1,2-DICHLOROETHYLENE	190	ug/L					0.9	10
BSW 1C1	7/21/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 1C1	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
BSW 1C1	7/21/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
BSW 1C1	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
BSW 1C1	7/21/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
BSW 1C1	7/21/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
BSW 1C1	7/21/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
BSW 1C1	7/21/2015	ISOBUTANOL	800	ug/L	U				87	800
BSW 1C1	7/21/2015	M,P-XYLENE	20	ug/L	U				1.4	20
BSW 1C1	7/21/2015	METHACRYLONITRILE	100	ug/L	U				5	100
BSW 1C1	7/21/2015	METHYL ACETATE	250	ug/L	U				3.7	250
BSW 1C1	7/21/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
BSW 1C1	7/21/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C1	7/21/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
BSW 1C1	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
BSW 1C1	7/21/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
BSW 1C1	7/21/2015	NAPHTHALENE	10	ug/L	U				1.6	10
BSW 1C1	7/21/2015	O-XYLENE	10	ug/L	U				0.6	10
BSW 1C1	7/21/2015	PROPIONITRILE	100	ug/L	U				14	100
BSW 1C1	7/21/2015	STYRENE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	TETRACHLOROETHYLENE (PCE)	5.4	ug/L	J		21		1.8	10
BSW 1C1	7/21/2015	TOLUENE	10	ug/L	U				0.7	10
BSW 1C1	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 1C1	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
BSW 1C1	7/21/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					2.5	10
BSW 1C1	7/21/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
BSW 1C1	7/21/2015	VINYL ACETATE	20	ug/L	U				1.8	20
BSW 1C1	7/21/2015	XYLENES	30	ug/L	U				2	30
BSW 1C1	7/21/2015	1,4-DIOXANE	310	ug/L					4.3	15
BSW 1C1	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.548	pCi/L				0.128	0.105	0.361
BSW 1C1	7/21/2015	RADIUM-226	0.329	pCi/L				0.075	0.057	0.2068
BSW 1C1	7/21/2015	URANIUM-233/234	0.155	pCi/L	J		21	0.112	0.0525	0.276
BSW 1C1	7/21/2015	URANIUM-235	0	pCi/L	U			0	0.0648	0.0648
BSW 1C1	7/21/2015	URANIUM-238	0.169	pCi/L	J		21, V	0.119	0.0974	0.335
BSW 1C1	7/21/2015	GROSS ALPHA	1.25	pCi/L	U			1.59	2.15	5.33
BSW 1C1	7/21/2015	NONVOLATILE BETA	2.87	pCi/L	U			2.69	3.98	9.36
BSW 1C1	7/21/2015	STRONTIUM-90	-0.096	pCi/L	U			1.59	3.13	6.31
BSW 1C1	7/21/2015	CARBON-14	3.08	pCi/L	U			4.16	6.86	15.2
BSW 1C1	7/21/2015	TECHNETIUM-99	-2.56	pCi/L	U			2.48	4.31	9.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C1	7/21/2015	TRITIUM	1730	pCi/mL				7.91	0.453	16.3
BSW 1C1	7/21/2015	IODINE-129	-0.115	pCi/L	U			0.643	1.08	2.36
BSW 1C2	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 1C2	1/13/2015	TRICHLOROETHYLENE (TCE)	4.4	ug/L					0.25	1
BSW 1C2	1/13/2015	TRITIUM	290	pCi/mL				3.31	0.511	7.14
BSW 1C2	7/22/2015	ETHANE	0.014	ug/L	J		21		0.002	0.1
BSW 1C2	7/22/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1
BSW 1C2	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 1C2	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 1C2	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 1C2	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 1C2	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 1C2	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 1C2	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 1C2	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 1C2	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 1C2	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 1C2	7/22/2015	1,2-DICHLOROETHYLENE	11	ug/L					0.15	2
BSW 1C2	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 1C2	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C2	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 1C2	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 1C2	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 1C2	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BSW 1C2	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 1C2	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 1C2	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 1C2	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 1C2	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BSW 1C2	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 1C2	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 1C2	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 1C2	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 1C2	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 1C2	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 1C2	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 1C2	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 1C2	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.36	ug/L	J		21		0.08	2
BSW 1C2	7/22/2015	CHLOROFORM	0.52	ug/L	J		21		0.1	1
BSW 1C2	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 1C2	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 1C2	7/22/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
BSW 1C2	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C2	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 1C2	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 1C2	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSW 1C2	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 1C2	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 1C2	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 1C2	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 1C2	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 1C2	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 1C2	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 1C2	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 1C2	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 1C2	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 1C2	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 1C2	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 1C2	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 1C2	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 1C2	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 1C2	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 1C2	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 1C2	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 1C2	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 1C2	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C2	7/22/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
BSW 1C2	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 1C2	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 1C2	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BSW 1C2	7/22/2015	1,4-DIOXANE	46	ug/L					0.85	3
BSW 1C2	7/22/2015	TRITIUM	317	pCi/mL				3.54	0.514	7.59
BSW 1C4	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 1C4	1/13/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
BSW 1C4	1/13/2015	TRITIUM	27	pCi/mL				0.986	0.43	2.4
BSW 1C4	7/17/2015	ETHANE	0.027	ug/L	J		21		0.002	0.1
BSW 1C4	7/17/2015	ETHYLENE	0.031	ug/L	J		21		0.003	0.1
BSW 1C4	7/17/2015	1,4-DIOXANE	5.7	ug/L					0.85	3
BSW 1C4	7/17/2015	TRITIUM	29.1	pCi/mL				1.06	0.474	2.6
BSW 1C4	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 1C4	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 1C4	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 1C4	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 1C4	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 1C4	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 1C4	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 1C4	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C4	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 1C4	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 1C4	7/24/2015	1,2-DICHLOROETHYLENE	3.3	ug/L					0.15	2
BSW 1C4	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 1C4	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 1C4	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 1C4	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 1C4	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 1C4	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSW 1C4	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 1C4	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 1C4	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 1C4	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 1C4	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSW 1C4	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 1C4	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 1C4	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 1C4	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 1C4	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 1C4	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 1C4	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 1C4	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 1C4	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C4	7/24/2015	CHLOROFORM	0.23	ug/L	J		21		0.1	1
BSW 1C4	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 1C4	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 1C4	7/24/2015	CIS-1,2-DICHLOROETHYLENE	3.3	ug/L					0.09	1
BSW 1C4	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 1C4	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 1C4	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSW 1C4	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 1C4	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 1C4	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 1C4	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 1C4	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 1C4	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 1C4	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 1C4	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 1C4	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 1C4	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 1C4	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 1C4	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 1C4	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 1C4	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 1C4	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1C4	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 1C4	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 1C4	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 1C4	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 1C4	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 1C4	7/24/2015	TRICHLOROETHYLENE (TCE)	1.5	ug/L					0.25	1
BSW 1C4	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 1C4	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 1C4	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSW 1D2	1/13/2015	TETRACHLOROETHYLENE (PCE)	0.55	ug/L	J		21		0.18	1
BSW 1D2	1/13/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
BSW 1D2	1/13/2015	TRITIUM	440	pCi/mL				3.86	0.43	8.15
BSW 1D2	7/21/2015	ETHANE	0.0087	ug/L	J		21		0.002	0.1
BSW 1D2	7/21/2015	ETHYLENE	0.1	ug/L	U				0.003	0.1
BSW 1D2	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BSW 1D2	7/21/2015	ARSENIC	50	ug/L	U				5	50
BSW 1D2	7/21/2015	BARIUM	15.3	ug/L	J		21		2	20
BSW 1D2	7/21/2015	BERYLLIUM	0.195	ug/L	J		21		0.1	1
BSW 1D2	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BSW 1D2	7/21/2015	COBALT	1.98	ug/L	J		21		0.5	5
BSW 1D2	7/21/2015	COPPER	5	ug/L	U				0.5	5
BSW 1D2	7/21/2015	LEAD	2.7	ug/L	J		21		0.5	5
BSW 1D2	7/21/2015	NICKEL	0.69	ug/L	J		21		0.5	5
BSW 1D2	7/21/2015	SELENIUM	20	ug/L	U				2	20
BSW 1D2	7/21/2015	SILVER	5	ug/L	U				0.5	5
BSW 1D2	7/21/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D2	7/21/2015	TIN	10	ug/L	U				1	10
BSW 1D2	7/21/2015	VANADIUM	50	ug/L	U				5	50
BSW 1D2	7/21/2015	ZINC	40	ug/L	U				4	40
BSW 1D2	7/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 1D2	7/21/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25
BSW 1D2	7/21/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
BSW 1D2	7/21/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
BSW 1D2	7/21/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
BSW 1D2	7/21/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
BSW 1D2	7/21/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
BSW 1D2	7/21/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
BSW 1D2	7/21/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	1,2-DICHLOROETHYLENE	490	ug/L					3.8	50
BSW 1D2	7/21/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
BSW 1D2	7/21/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
BSW 1D2	7/21/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
BSW 1D2	7/21/2015	2-HEXANONE	130	ug/L	U				5.5	130

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D2	7/21/2015	ACETONE	50	ug/L	U				8.5	50
BSW 1D2	7/21/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
BSW 1D2	7/21/2015	ACROLEIN	250	ug/L	U				69	250
BSW 1D2	7/21/2015	ACRYLONITRILE	250	ug/L	U				15	250
BSW 1D2	7/21/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
BSW 1D2	7/21/2015	BENZENE	25	ug/L	U				1.5	25
BSW 1D2	7/21/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 1D2	7/21/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
BSW 1D2	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25
BSW 1D2	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
BSW 1D2	7/21/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
BSW 1D2	7/21/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
BSW 1D2	7/21/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
BSW 1D2	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
BSW 1D2	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
BSW 1D2	7/21/2015	CHLOROFORM	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
BSW 1D2	7/21/2015	CHLOROPRENE	25	ug/L	U				2.5	25
BSW 1D2	7/21/2015	CIS-1,2-DICHLOROETHYLENE	490	ug/L					2.3	25
BSW 1D2	7/21/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25
BSW 1D2	7/21/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 1D2	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
BSW 1D2	7/21/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U				2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D2	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
BSW 1D2	7/21/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
BSW 1D2	7/21/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
BSW 1D2	7/21/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50
BSW 1D2	7/21/2015	ISOBUTANOL	2000	ug/L	U				220	2000
BSW 1D2	7/21/2015	M,P-XYLENE	50	ug/L	U				3.5	50
BSW 1D2	7/21/2015	METHACRYLONITRILE	250	ug/L	U				13	250
BSW 1D2	7/21/2015	METHYL ACETATE	630	ug/L	U				9.3	630
BSW 1D2	7/21/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130
BSW 1D2	7/21/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
BSW 1D2	7/21/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
BSW 1D2	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
BSW 1D2	7/21/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
BSW 1D2	7/21/2015	NAPHTHALENE	25	ug/L	U				4	25
BSW 1D2	7/21/2015	O-XYLENE	25	ug/L	U				1.5	25
BSW 1D2	7/21/2015	PROPIONITRILE	250	ug/L	U				34	250
BSW 1D2	7/21/2015	STYRENE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
BSW 1D2	7/21/2015	TOLUENE	25	ug/L	U				1.8	25
BSW 1D2	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 1D2	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
BSW 1D2	7/21/2015	TRICHLOROETHYLENE (TCE)	11	ug/L	J		21		6.3	25
BSW 1D2	7/21/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
BSW 1D2	7/21/2015	VINYL ACETATE	50	ug/L	U				4.5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D2	7/21/2015	XYLENES	75	ug/L	U				5	75
BSW 1D2	7/21/2015	1,4-DIOXANE	240	ug/L					4.3	15
BSW 1D2	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	2.78	pCi/L				0.264	0.105	0.633
BSW 1D2	7/21/2015	RADIUM-226	2.67	pCi/L				0.199	0.087	0.4848
BSW 1D2	7/21/2015	URANIUM-233/234	0.11	pCi/L	U			0.1	0.12	0.321
BSW 1D2	7/21/2015	URANIUM-235	0	pCi/L	U			0	0.067	0.067
BSW 1D2	7/21/2015	URANIUM-238	0.015	pCi/L	U		V	0.041	0.101	0.183
BSW 1D2	7/21/2015	GROSS ALPHA	4.74	pCi/L	J		21	2.86	2.32	8.04
BSW 1D2	7/21/2015	NONVOLATILE BETA	3.31	pCi/L	U			3.14	4.75	11
BSW 1D2	7/21/2015	STRONTIUM-90	0.467	pCi/L	U			1.72	3.14	6.58
BSW 1D2	7/21/2015	CARBON-14	696	pCi/L				13	7.51	33.5
BSW 1D2	7/21/2015	TECHNETIUM-99	2.12	pCi/L	U			2.57	4.22	9.36
BSW 1D2	7/21/2015	TRITIUM	6740	pCi/mL				15.7	0.458	31.9
BSW 1D2	7/21/2015	IODINE-129	2.84	pCi/L	J		21	1.14	1.12	3.4
BSW 1D3	1/15/2015	TETRACHLOROETHYLENE (PCE)	3.6	ug/L					0.18	1
BSW 1D3	1/15/2015	TRICHLOROETHYLENE (TCE)	48	ug/L					2.5	10
BSW 1D3	1/15/2015	TRITIUM	2180	pCi/mL				8.84	0.481	18.2
BSW 1D3	7/21/2015	ETHANE	0.01	ug/L	J		21		0.002	0.1
BSW 1D3	7/21/2015	ETHYLENE	0.081	ug/L	J		21		0.003	0.1
BSW 1D3	7/21/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25
BSW 1D3	7/21/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
BSW 1D3	7/21/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D3	7/21/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 1D3	7/21/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
BSW 1D3	7/21/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
BSW 1D3	7/21/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
BSW 1D3	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
BSW 1D3	7/21/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
BSW 1D3	7/21/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
BSW 1D3	7/21/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	1,2-DICHLOROETHYLENE	110	ug/L					3.8	50
BSW 1D3	7/21/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
BSW 1D3	7/21/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
BSW 1D3	7/21/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
BSW 1D3	7/21/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
BSW 1D3	7/21/2015	2-HEXANONE	130	ug/L	U				5.5	130
BSW 1D3	7/21/2015	ACETONE	50	ug/L	U				8.5	50
BSW 1D3	7/21/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
BSW 1D3	7/21/2015	ACROLEIN	250	ug/L	U				69	250
BSW 1D3	7/21/2015	ACRYLONITRILE	250	ug/L	U				15	250
BSW 1D3	7/21/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
BSW 1D3	7/21/2015	BENZENE	25	ug/L	U				1.5	25
BSW 1D3	7/21/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 1D3	7/21/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
BSW 1D3	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D3	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
BSW 1D3	7/21/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
BSW 1D3	7/21/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
BSW 1D3	7/21/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
BSW 1D3	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
BSW 1D3	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
BSW 1D3	7/21/2015	CHLOROFORM	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
BSW 1D3	7/21/2015	CHLOROPRENE	25	ug/L	U				2.5	25
BSW 1D3	7/21/2015	CIS-1,2-DICHLOROETHYLENE	110	ug/L					2.3	25
BSW 1D3	7/21/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25
BSW 1D3	7/21/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 1D3	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
BSW 1D3	7/21/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U				2	50
BSW 1D3	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
BSW 1D3	7/21/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
BSW 1D3	7/21/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
BSW 1D3	7/21/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50
BSW 1D3	7/21/2015	ISOBUTANOL	2000	ug/L	U				220	2000
BSW 1D3	7/21/2015	M,P-XYLENE	50	ug/L	U				3.5	50
BSW 1D3	7/21/2015	METHACRYLONITRILE	250	ug/L	U				13	250
BSW 1D3	7/21/2015	METHYL ACETATE	630	ug/L	U				9.3	630
BSW 1D3	7/21/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 1D3	7/21/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
BSW 1D3	7/21/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
BSW 1D3	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
BSW 1D3	7/21/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
BSW 1D3	7/21/2015	NAPHTHALENE	25	ug/L	U				4	25
BSW 1D3	7/21/2015	O-XYLENE	25	ug/L	U				1.5	25
BSW 1D3	7/21/2015	PROPIONITRILE	250	ug/L	U				34	250
BSW 1D3	7/21/2015	STYRENE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
BSW 1D3	7/21/2015	TOLUENE	25	ug/L	U				1.8	25
BSW 1D3	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 1D3	7/21/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 1D3	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
BSW 1D3	7/21/2015	TRICHLOROETHYLENE (TCE)	48	ug/L					6.3	25
BSW 1D3	7/21/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
BSW 1D3	7/21/2015	VINYL ACETATE	50	ug/L	U				4.5	50
BSW 1D3	7/21/2015	XYLENES	75	ug/L	U				5	75
BSW 1D3	7/21/2015	1,4-DIOXANE	220	ug/L					4.3	15
BSW 1D3	7/21/2015	TRITIUM	1980	pCi/mL				8.51	0.457	17.5
BSW 2C1	1/14/2015	TETRACHLOROETHYLENE (PCE)	2.2	ug/L					0.18	1
BSW 2C1	1/14/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1
BSW 2C1	7/22/2015	ETHANE	0.13	ug/L					0.002	0.1
BSW 2C1	7/22/2015	ETHYLENE	0.0081	ug/L	J		21		0.003	0.1
BSW 2C1	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BSW 2C1	7/22/2015	ARSENIC	50	ug/L	U				5	50
BSW 2C1	7/22/2015	BARIUM	93.7	ug/L					2	20
BSW 2C1	7/22/2015	BERYLLIUM	2.53	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2C1	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BSW 2C1	7/22/2015	COBALT	0.86	ug/L	J		21		0.5	5
BSW 2C1	7/22/2015	COPPER	2.79	ug/L	J		21		0.5	5
BSW 2C1	7/22/2015	LEAD	15.9	ug/L					0.5	5
BSW 2C1	7/22/2015	NICKEL	3.98	ug/L	J		21		0.5	5
BSW 2C1	7/22/2015	SELENIUM	20	ug/L	U				2	20
BSW 2C1	7/22/2015	SILVER	5	ug/L	U				0.5	5
BSW 2C1	7/22/2015	THALLIUM	0.13	ug/L	J		21		0.1	1
BSW 2C1	7/22/2015	TIN	2.26	ug/L	J		21		1	10
BSW 2C1	7/22/2015	VANADIUM	50	ug/L	U				5	50
BSW 2C1	7/22/2015	ZINC	42.4	ug/L					4	40
BSW 2C1	7/22/2015	MERCURY	0.0211	ug/L	J		21		0.02	0.2
BSW 2C1	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 2C1	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 2C1	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 2C1	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 2C1	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 2C1	7/22/2015	1,1-DICHLOROETHANE	0.58	ug/L	J		21		0.07	1
BSW 2C1	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 2C1	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 2C1	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 2C1	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 2C1	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 2C1	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2C1	7/22/2015	1,2-DICHLOROETHYLENE	53	ug/L					0.75	10
BSW 2C1	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 2C1	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 2C1	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 2C1	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 2C1	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 2C1	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 2C1	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BSW 2C1	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 2C1	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 2C1	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 2C1	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 2C1	7/22/2015	BENZENE	1	ug/L	U				0.06	1
BSW 2C1	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 2C1	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 2C1	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 2C1	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 2C1	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 2C1	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 2C1	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 2C1	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 2C1	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 2C1	7/22/2015	CHLOROFORM	0.4	ug/L	J		21		0.1	1
BSW 2C1	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2C1	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 2C1	7/22/2015	CIS-1,2-DICHLOROETHYLENE	53	ug/L					0.45	5
BSW 2C1	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 2C1	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 2C1	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 2C1	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 2C1	7/22/2015	DICHLORODIFLUOROMETHANE	0.61	ug/L	J		21		0.08	2
BSW 2C1	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 2C1	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 2C1	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 2C1	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 2C1	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 2C1	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 2C1	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 2C1	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 2C1	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 2C1	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 2C1	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 2C1	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 2C1	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 2C1	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 2C1	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 2C1	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 2C1	7/22/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2C1	7/22/2015	TETRACHLOROETHYLENE (PCE)	3	ug/L					0.18	1
BSW 2C1	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 2C1	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 2C1	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 2C1	7/22/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1
BSW 2C1	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 2C1	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 2C1	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BSW 2C1	7/22/2015	1,4-DIOXANE	150	ug/L					4.3	15
BSW 2C1	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	1.81	pCi/L				0.377	0.312	1.066
BSW 2C1	7/22/2015	RADIUM-226	1.16	pCi/L				0.243	0.235	0.721
BSW 2C1	7/22/2015	URANIUM-233/234	1.16	pCi/L			V	0.357	0.142	0.855
BSW 2C1	7/22/2015	URANIUM-235	0.0778	pCi/L	J		21	0.091	0.0703	0.252
BSW 2C1	7/22/2015	URANIUM-238	1.08	pCi/L			V	0.338	0.126	0.802
BSW 2C1	7/22/2015	GROSS ALPHA	7.6	pCi/L	J		21	3.56	2.2	9.32
BSW 2C1	7/22/2015	NONVOLATILE BETA	4.15	pCi/L	J		21	2.98	4.13	10.1
BSW 2C1	7/22/2015	STRONTIUM-90	0.073	pCi/L	U			2.24	3.35	7.84
BSW 2C1	7/22/2015	CARBON-14	0.24	pCi/L	U			4.06	6.79	14.9
BSW 2C1	7/22/2015	TECHNETIUM-99	1.72	pCi/L	U			2.44	4.03	8.91
BSW 2C1	7/22/2015	TRITIUM	896	pCi/mL				5.68	0.537	11.9
BSW 2C1	7/22/2015	IODINE-129	0.273	pCi/L	U			0.92	0.959	2.8
BSW 2D3	1/14/2015	TETRACHLOROETHYLENE (PCE)	32	ug/L					0.18	1
BSW 2D3	1/14/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
BSW 2D3	7/22/2015	ETHANE	0.0073	ug/L	J		21		0.002	0.1
BSW 2D3	7/22/2015	ETHYLENE	0.0099	ug/L	J		21		0.003	0.1
BSW 2D3	7/22/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2D3	7/22/2015	ARSENIC	50	ug/L	U				5	50
BSW 2D3	7/22/2015	BARIUM	6.99	ug/L	J		21		2	20
BSW 2D3	7/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSW 2D3	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BSW 2D3	7/22/2015	COBALT	5	ug/L	U				0.5	5
BSW 2D3	7/22/2015	COPPER	0.636	ug/L	J		21		0.5	5
BSW 2D3	7/22/2015	LEAD	5	ug/L	U				0.5	5
BSW 2D3	7/22/2015	NICKEL	0.755	ug/L	J		21		0.5	5
BSW 2D3	7/22/2015	SELENIUM	20	ug/L	U				2	20
BSW 2D3	7/22/2015	SILVER	5	ug/L	U				0.5	5
BSW 2D3	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 2D3	7/22/2015	TIN	10	ug/L	U				1	10
BSW 2D3	7/22/2015	VANADIUM	50	ug/L	U				5	50
BSW 2D3	7/22/2015	ZINC	47.9	ug/L					4	40
BSW 2D3	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 2D3	7/22/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
BSW 2D3	7/22/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
BSW 2D3	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
BSW 2D3	7/22/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
BSW 2D3	7/22/2015	1,1-DICHLOROETHANE	2.2	ug/L	J		21		0.7	10
BSW 2D3	7/22/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
BSW 2D3	7/22/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
BSW 2D3	7/22/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2D3	7/22/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
BSW 2D3	7/22/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
BSW 2D3	7/22/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
BSW 2D3	7/22/2015	1,2-DICHLOROETHYLENE	1300	ug/L					15	200
BSW 2D3	7/22/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
BSW 2D3	7/22/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
BSW 2D3	7/22/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
BSW 2D3	7/22/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
BSW 2D3	7/22/2015	2-HEXANONE	50	ug/L	U				2.2	50
BSW 2D3	7/22/2015	ACETONE	20	ug/L	U				3.4	20
BSW 2D3	7/22/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
BSW 2D3	7/22/2015	ACROLEIN	100	ug/L	U				28	100
BSW 2D3	7/22/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
BSW 2D3	7/22/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
BSW 2D3	7/22/2015	BENZENE	10	ug/L	U				0.6	10
BSW 2D3	7/22/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 2D3	7/22/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
BSW 2D3	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
BSW 2D3	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
BSW 2D3	7/22/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
BSW 2D3	7/22/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
BSW 2D3	7/22/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
BSW 2D3	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2D3	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 2D3	7/22/2015	CHLOROFORM	1.3	ug/L	J		21		1	10
BSW 2D3	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 2D3	7/22/2015	CHLOROPRENE	10	ug/L	U				1	10
BSW 2D3	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1300	ug/L					9	100
BSW 2D3	7/22/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 2D3	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
BSW 2D3	7/22/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
BSW 2D3	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
BSW 2D3	7/22/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
BSW 2D3	7/22/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
BSW 2D3	7/22/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
BSW 2D3	7/22/2015	ISOBUTANOL	800	ug/L	U				87	800
BSW 2D3	7/22/2015	M,P-XYLENE	20	ug/L	U				1.4	20
BSW 2D3	7/22/2015	METHACRYLONITRILE	100	ug/L	U				5	100
BSW 2D3	7/22/2015	METHYL ACETATE	250	ug/L	U				3.7	250
BSW 2D3	7/22/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
BSW 2D3	7/22/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
BSW 2D3	7/22/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
BSW 2D3	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
BSW 2D3	7/22/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
BSW 2D3	7/22/2015	NAPHTHALENE	10	ug/L	U				1.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 2D3	7/22/2015	O-XYLENE	10	ug/L	U				0.6	10
BSW 2D3	7/22/2015	PROPIONITRILE	100	ug/L	U				14	100
BSW 2D3	7/22/2015	STYRENE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	TETRACHLOROETHYLENE (PCE)	30	ug/L					1.8	10
BSW 2D3	7/22/2015	TOLUENE	10	ug/L	U				0.7	10
BSW 2D3	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 2D3	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
BSW 2D3	7/22/2015	TRICHLOROETHYLENE (TCE)	9.7	ug/L	J		21		2.5	10
BSW 2D3	7/22/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
BSW 2D3	7/22/2015	VINYL ACETATE	20	ug/L	U				1.8	20
BSW 2D3	7/22/2015	XYLENES	30	ug/L	U				2	30
BSW 2D3	7/22/2015	1,4-DIOXANE	320	ug/L					4.3	15
BSW 2D3	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L				0.184	0.163	0.531
BSW 2D3	7/22/2015	RADIUM-226	0.929	pCi/L				0.118	0.047	0.2827
BSW 2D3	7/22/2015	URANIUM-233/234	0.0654	pCi/L	U		21, V	0.076	0.0591	0.211
BSW 2D3	7/22/2015	URANIUM-235	-0.0134	pCi/L	U			0.019	0.161	0.2
BSW 2D3	7/22/2015	URANIUM-238	-0.00544	pCi/L	U		V	0.011	0.11	0.131
BSW 2D3	7/22/2015	GROSS ALPHA	3.48	pCi/L	J		21	2.42	2.1	6.93
BSW 2D3	7/22/2015	NONVOLATILE BETA	-0.308	pCi/L	U			2.09	4.02	8.2
BSW 2D3	7/22/2015	STRONTIUM-90	0.114	pCi/L	U			1.83	3.26	6.92
BSW 2D3	7/22/2015	CARBON-14	21.1	pCi/L				4.53	6.78	15.8
BSW 2D3	7/22/2015	TECHNETIUM-99	2.48	pCi/L	U			2.52	4.12	9.17
BSW 2D3	7/22/2015	TRITIUM	2590	pCi/mL				9.55	0.526	19.6
BSW 2D3	7/22/2015	IODINE-129	0.0983	pCi/L	U			0.565	0.981	2.11
BSW 3C1	1/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 3C1	1/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3C3	7/23/2015	ETHANE	0.053	ug/L	J		21		0.002	0.1
BSW 3C3	7/23/2015	ETHYLENE	0.036	ug/L	J		21		0.003	0.1
BSW 3C3	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BSW 3C3	7/23/2015	ARSENIC	50	ug/L	U				5	50
BSW 3C3	7/23/2015	BARIUM	121	ug/L					2	20
BSW 3C3	7/23/2015	BERYLLIUM	3.86	ug/L					0.1	1
BSW 3C3	7/23/2015	CHROMIUM	13.8	ug/L	J		21		10	100
BSW 3C3	7/23/2015	COBALT	3	ug/L	J		21		0.5	5
BSW 3C3	7/23/2015	COPPER	3.9	ug/L	J		21		0.5	5
BSW 3C3	7/23/2015	LEAD	14.5	ug/L					0.5	5
BSW 3C3	7/23/2015	NICKEL	10.3	ug/L					0.5	5
BSW 3C3	7/23/2015	SELENIUM	20	ug/L	U				2	20
BSW 3C3	7/23/2015	SILVER	5	ug/L	U				0.5	5
BSW 3C3	7/23/2015	THALLIUM	0.518	ug/L	J		21		0.1	1
BSW 3C3	7/23/2015	TIN	1.54	ug/L	J		21		1	10
BSW 3C3	7/23/2015	VANADIUM	8.96	ug/L	J		21		5	50
BSW 3C3	7/23/2015	ZINC	47.9	ug/L					4	40
BSW 3C3	7/23/2015	MERCURY	0.0391	ug/L	J		21		0.02	0.2
BSW 3C3	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 3C3	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 3C3	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 3C3	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 3C3	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3C3	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 3C3	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 3C3	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 3C3	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 3C3	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 3C3	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 3C3	7/23/2015	1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.15	2
BSW 3C3	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 3C3	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 3C3	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 3C3	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 3C3	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 3C3	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BSW 3C3	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 3C3	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 3C3	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 3C3	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 3C3	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BSW 3C3	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 3C3	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 3C3	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 3C3	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3C3	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 3C3	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 3C3	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 3C3	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 3C3	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 3C3	7/23/2015	CHLOROFORM	0.27	ug/L	J		21		0.1	1
BSW 3C3	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 3C3	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 3C3	7/23/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.09	1
BSW 3C3	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 3C3	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 3C3	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
BSW 3C3	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 3C3	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 3C3	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 3C3	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 3C3	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 3C3	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 3C3	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 3C3	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 3C3	7/23/2015	METHYL ETHYL KETONE	0.66	ug/L	J		21		0.52	5
BSW 3C3	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3C3	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 3C3	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 3C3	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 3C3	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 3C3	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 3C3	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 3C3	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 3C3	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 3C3	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 3C3	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 3C3	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
BSW 3C3	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 3C3	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 3C3	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BSW 3C3	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSW 3C3	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	0.923	pCi/L				0.162	0.133	0.457
BSW 3C3	7/23/2015	RADIUM-226	0.408	pCi/L				0.09	0.083	0.2624
BSW 3C3	7/23/2015	URANIUM-233/234	1.52	pCi/L			V	0.425	0.0588	0.908
BSW 3C3	7/23/2015	URANIUM-235	0.0201	pCi/L	U			0.055	0.135	0.246
BSW 3C3	7/23/2015	URANIUM-238	1.34	pCi/L			V	0.389	0.0587	0.837
BSW 3C3	7/23/2015	GROSS ALPHA	8.56	pCi/L	J		21	3.8	2.25	9.86
BSW 3C3	7/23/2015	NONVOLATILE BETA	5.28	pCi/L	J		21	3.16	4.16	10.5
BSW 3C3	7/23/2015	STRONTIUM-90	1.57	pCi/L	U			2.07	3.41	7.55
BSW 3C3	7/23/2015	CARBON-14	1200	pCi/L				16.1	6.88	39

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3C3	7/23/2015	TECHNETIUM-99	1.16	pCi/L	U			2.41	4.01	8.83
BSW 3C3	7/23/2015	TRITIUM	6.94	pCi/mL				0.582	0.5	1.66
BSW 3C3	7/23/2015	IODINE-129	-0.188	pCi/L	U			0.557	0.942	2.06
BSW 3D2	1/14/2015	TETRACHLOROETHYLENE (PCE)	5.2	ug/L					0.18	1
BSW 3D2	1/14/2015	TRICHLOROETHYLENE (TCE)	37	ug/L					0.25	1
BSW 3D2	7/23/2015	ETHANE	0.0024	ug/L	J		21		0.002	0.1
BSW 3D2	7/23/2015	ETHYLENE	0.0046	ug/L	J		21		0.003	0.1
BSW 3D2	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BSW 3D2	7/23/2015	ARSENIC	50	ug/L	U				5	50
BSW 3D2	7/23/2015	BARIUM	175	ug/L					2	20
BSW 3D2	7/23/2015	BERYLLIUM	0.157	ug/L	J		21		0.1	1
BSW 3D2	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BSW 3D2	7/23/2015	COBALT	3.38	ug/L	J		21		0.5	5
BSW 3D2	7/23/2015	COPPER	5	ug/L	U				0.5	5
BSW 3D2	7/23/2015	LEAD	5	ug/L	U				0.5	5
BSW 3D2	7/23/2015	NICKEL	0.856	ug/L	J		21		0.5	5
BSW 3D2	7/23/2015	SELENIUM	20	ug/L	U				2	20
BSW 3D2	7/23/2015	SILVER	5	ug/L	U				0.5	5
BSW 3D2	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	TIN	10	ug/L	U				1	10
BSW 3D2	7/23/2015	VANADIUM	50	ug/L	U				5	50
BSW 3D2	7/23/2015	ZINC	40	ug/L	U				4	40
BSW 3D2	7/23/2015	MERCURY	0.249	ug/L					0.02	0.2
BSW 3D2	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 3D2	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	1,1,2-TRICHLOROETHANE	0.48	ug/L	J		21		0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3D2	7/23/2015	1,1-DICHLOROETHANE	0.52	ug/L	J		21		0.07	1
BSW 3D2	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 3D2	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 3D2	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 3D2	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 3D2	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 3D2	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	1,2-DICHLOROETHYLENE	11	ug/L					0.15	2
BSW 3D2	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 3D2	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 3D2	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 3D2	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 3D2	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BSW 3D2	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 3D2	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 3D2	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 3D2	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 3D2	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BSW 3D2	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 3D2	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3D2	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 3D2	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 3D2	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 3D2	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 3D2	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 3D2	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 3D2	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 3D2	7/23/2015	CHLOROFORM	0.4	ug/L	J		21		0.1	1
BSW 3D2	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 3D2	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 3D2	7/23/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
BSW 3D2	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 3D2	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 3D2	7/23/2015	DICHLORODIFLUOROMETHANE	0.56	ug/L	J		21		0.08	2
BSW 3D2	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 3D2	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 3D2	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 3D2	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 3D2	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 3D2	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 3D2	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 3D2	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3D2	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 3D2	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 3D2	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 3D2	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 3D2	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 3D2	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 3D2	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 3D2	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 3D2	7/23/2015	STYRENE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	TETRACHLOROETHYLENE (PCE)	8.8	ug/L					0.18	1
BSW 3D2	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 3D2	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 3D2	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 3D2	7/23/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
BSW 3D2	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 3D2	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 3D2	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BSW 3D2	7/23/2015	1,4-DIOXANE	3	ug/L			S		0.85	3
BSW 3D2	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	17.5	pCi/L				0.65	0.088	1.3881
BSW 3D2	7/23/2015	RADIUM-226	16.8	pCi/L				0.506	0.075	1.0867
BSW 3D2	7/23/2015	URANIUM-233/234	0.107	pCi/L	U		V	0.103	0.114	0.32
BSW 3D2	7/23/2015	URANIUM-235	0.0279	pCi/L	U			0.056	0.0756	0.188
BSW 3D2	7/23/2015	URANIUM-238	0.0847	pCi/L	U		V	0.092	0.114	0.297
BSW 3D2	7/23/2015	GROSS ALPHA	26.2	pCi/L				6.38	2.11	14.9
BSW 3D2	7/23/2015	NONVOLATILE BETA	10.5	pCi/L	J		21	3.99	4.52	12.5
BSW 3D2	7/23/2015	STRONTIUM-90	0.457	pCi/L	U			2.03	3.26	7.32

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 3D2	7/23/2015	CARBON-14	12.3	pCi/L	J		21	4.36	6.82	15.5
BSW 3D2	7/23/2015	TECHNETIUM-99	3.23	pCi/L	U			2.48	4.02	8.99
BSW 3D2	7/23/2015	TRITIUM	5160	pCi/mL				13.5	0.542	27.6
BSW 3D2	7/23/2015	IODINE-129	0.968	pCi/L	U			1.12	1	3.24
BSW 4C2	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 4C2	1/13/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
BSW 4C2	7/17/2015	ETHANE	0.05	ug/L	J		21		0.002	0.1
BSW 4C2	7/17/2015	ETHYLENE	0.0056	ug/L	J		21		0.003	0.1
BSW 4C2	7/17/2015	ANTIMONY	10	ug/L	U				1	10
BSW 4C2	7/17/2015	ARSENIC	50	ug/L	U				5	50
BSW 4C2	7/17/2015	BARIUM	32.5	ug/L					2	20
BSW 4C2	7/17/2015	BERYLLIUM	0.254	ug/L	J		21		0.1	1
BSW 4C2	7/17/2015	CHROMIUM	100	ug/L	U				10	100
BSW 4C2	7/17/2015	COBALT	5	ug/L	U				0.5	5
BSW 4C2	7/17/2015	COPPER	1.1	ug/L	J		21		0.5	5
BSW 4C2	7/17/2015	LEAD	2.5	ug/L	J		21		0.5	5
BSW 4C2	7/17/2015	NICKEL	1.51	ug/L	J		21		0.5	5
BSW 4C2	7/17/2015	SELENIUM	20	ug/L	U				2	20
BSW 4C2	7/17/2015	SILVER	5	ug/L	U				0.5	5
BSW 4C2	7/17/2015	THALLIUM	0.109	ug/L	J		21		0.1	1
BSW 4C2	7/17/2015	TIN	10	ug/L	U				1	10
BSW 4C2	7/17/2015	VANADIUM	50	ug/L	U				5	50
BSW 4C2	7/17/2015	ZINC	10.8	ug/L	U		21, V		4	40
BSW 4C2	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 4C2	7/17/2015	1,4-DIOXANE	4.5	ug/L					0.85	3
BSW 4C2	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.364	pCi/L				0.105	0.117	0.327
BSW 4C2	7/17/2015	RADIUM-226	0.315	pCi/L				0.077	0.062	0.2154

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4C2	7/17/2015	URANIUM-233/234	0.2	pCi/L	J		21	0.137	0.126	0.4
BSW 4C2	7/17/2015	URANIUM-235	0.0259	pCi/L	U		V	0.052	0.0702	0.174
BSW 4C2	7/17/2015	URANIUM-238	0.147	pCi/L	J		21, V	0.113	0.0568	0.282
BSW 4C2	7/17/2015	GROSS ALPHA	0.829	pCi/L	U			1.44	2.36	5.24
BSW 4C2	7/17/2015	NONVOLATILE BETA	0.583	pCi/L	U			2.41	4.24	9.06
BSW 4C2	7/17/2015	STRONTIUM-90	-0.624	pCi/L	U			1.81	3.13	6.75
BSW 4C2	7/17/2015	CARBON-14	45.1	pCi/L	J			5.12	6.96	17.2
BSW 4C2	7/17/2015	TECHNETIUM-99	-1.49	pCi/L	U			2.53	4.34	9.41
BSW 4C2	7/17/2015	TRITIUM	55.9	pCi/mL				1.46	0.459	3.37
BSW 4C2	7/17/2015	IODINE-129	0.28	pCi/L	U			0.579	0.999	2.16
BSW 4C2	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 4C2	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 4C2	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 4C2	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 4C2	7/24/2015	1,1-DICHLOROETHANE	0.8	ug/L	J		21		0.07	1
BSW 4C2	7/24/2015	1,1-DICHLOROETHYLENE	0.43	ug/L	J		21		0.08	1
BSW 4C2	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 4C2	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 4C2	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 4C2	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 4C2	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 4C2	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 4C2	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 4C2	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 4C2	7/24/2015	1,2-DICHLOROETHYLENE	110	ug/L					1.5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4C2	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 4C2	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 4C2	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	1,4-DICHLOROBENZENE	0.12	ug/L	J		21		0.12	1
BSW 4C2	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 4C2	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 4C2	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 4C2	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSW 4C2	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 4C2	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 4C2	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 4C2	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 4C2	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSW 4C2	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 4C2	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 4C2	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 4C2	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 4C2	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 4C2	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 4C2	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 4C2	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 4C2	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	1.1	ug/L	J		21		0.08	2
BSW 4C2	7/24/2015	CHLOROFORM	1.9	ug/L					0.1	1
BSW 4C2	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 4C2	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4C2	7/24/2015	CIS-1,2-DICHLOROETHYLENE	110	ug/L					0.9	10
BSW 4C2	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 4C2	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 4C2	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 4C2	7/24/2015	DICHLORODIFLUOROMETHANE	2.6	ug/L					0.08	2
BSW 4C2	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 4C2	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 4C2	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 4C2	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 4C2	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 4C2	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 4C2	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 4C2	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 4C2	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 4C2	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 4C2	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 4C2	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 4C2	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 4C2	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 4C2	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 4C2	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 4C2	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	TETRACHLOROETHYLENE (PCE)	8.2	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4C2	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 4C2	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	0.24	ug/L	J		21		0.08	1
BSW 4C2	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 4C2	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 4C2	7/24/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					2.5	10
BSW 4C2	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 4C2	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 4C2	7/24/2015	XYLENES	3	ug/L	U				0.2	3
BSW 4D2	1/14/2015	TETRACHLOROETHYLENE (PCE)	17	ug/L					0.18	1
BSW 4D2	1/14/2015	TRICHLOROETHYLENE (TCE)	280	ug/L					2.5	10
BSW 4D2	7/22/2015	ETHANE	0.0026	ug/L	J		21		0.002	0.1
BSW 4D2	7/22/2015	ETHYLENE	0.0098	ug/L	J		21		0.003	0.1
BSW 4D2	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BSW 4D2	7/22/2015	ARSENIC	50	ug/L	U				5	50
BSW 4D2	7/22/2015	BARIUM	28	ug/L					2	20
BSW 4D2	7/22/2015	BERYLLIUM	0.122	ug/L	J		21		0.1	1
BSW 4D2	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BSW 4D2	7/22/2015	COBALT	1.62	ug/L	J		21		0.5	5
BSW 4D2	7/22/2015	COPPER	5	ug/L	U				0.5	5
BSW 4D2	7/22/2015	LEAD	5	ug/L	U				0.5	5
BSW 4D2	7/22/2015	NICKEL	1.18	ug/L	J		21		0.5	5
BSW 4D2	7/22/2015	SELENIUM	20	ug/L	U				2	20
BSW 4D2	7/22/2015	SILVER	5	ug/L	U				0.5	5
BSW 4D2	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 4D2	7/22/2015	TIN	10	ug/L	U				1	10
BSW 4D2	7/22/2015	VANADIUM	50	ug/L	U				5	50
BSW 4D2	7/22/2015	ZINC	9.03	ug/L	J		21		4	40
BSW 4D2	7/22/2015	MERCURY	0.194	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4D2	7/22/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
BSW 4D2	7/22/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
BSW 4D2	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
BSW 4D2	7/22/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
BSW 4D2	7/22/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
BSW 4D2	7/22/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
BSW 4D2	7/22/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
BSW 4D2	7/22/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
BSW 4D2	7/22/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
BSW 4D2	7/22/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
BSW 4D2	7/22/2015	1,2-DICHLOROETHYLENE	88	ug/L					1.5	20
BSW 4D2	7/22/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
BSW 4D2	7/22/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
BSW 4D2	7/22/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
BSW 4D2	7/22/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
BSW 4D2	7/22/2015	2-HEXANONE	50	ug/L	U				2.2	50
BSW 4D2	7/22/2015	ACETONE	20	ug/L	U				3.4	20
BSW 4D2	7/22/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4D2	7/22/2015	ACROLEIN	100	ug/L	U				28	100
BSW 4D2	7/22/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
BSW 4D2	7/22/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
BSW 4D2	7/22/2015	BENZENE	10	ug/L	U				0.6	10
BSW 4D2	7/22/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 4D2	7/22/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
BSW 4D2	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
BSW 4D2	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
BSW 4D2	7/22/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
BSW 4D2	7/22/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
BSW 4D2	7/22/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
BSW 4D2	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
BSW 4D2	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 4D2	7/22/2015	CHLOROFORM	1.6	ug/L	J		21		1	10
BSW 4D2	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 4D2	7/22/2015	CHLOROPRENE	10	ug/L	U				1	10
BSW 4D2	7/22/2015	CIS-1,2-DICHLOROETHYLENE	88	ug/L					0.9	10
BSW 4D2	7/22/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 4D2	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
BSW 4D2	7/22/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
BSW 4D2	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
BSW 4D2	7/22/2015	ETHYL ACETATE	20	ug/L	U				1.8	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4D2	7/22/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
BSW 4D2	7/22/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
BSW 4D2	7/22/2015	ISOBUTANOL	800	ug/L	U				87	800
BSW 4D2	7/22/2015	M,P-XYLENE	20	ug/L	U				1.4	20
BSW 4D2	7/22/2015	METHACRYLONITRILE	100	ug/L	U				5	100
BSW 4D2	7/22/2015	METHYL ACETATE	250	ug/L	U				3.7	250
BSW 4D2	7/22/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
BSW 4D2	7/22/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
BSW 4D2	7/22/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
BSW 4D2	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
BSW 4D2	7/22/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
BSW 4D2	7/22/2015	NAPHTHALENE	10	ug/L	U				1.6	10
BSW 4D2	7/22/2015	O-XYLENE	10	ug/L	U				0.6	10
BSW 4D2	7/22/2015	PROPIONITRILE	100	ug/L	U				14	100
BSW 4D2	7/22/2015	STYRENE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	J		21		1.8	10
BSW 4D2	7/22/2015	TOLUENE	10	ug/L	U				0.7	10
BSW 4D2	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 4D2	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
BSW 4D2	7/22/2015	TRICHLOROETHYLENE (TCE)	84	ug/L					2.5	10
BSW 4D2	7/22/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
BSW 4D2	7/22/2015	VINYL ACETATE	20	ug/L	U				1.8	20
BSW 4D2	7/22/2015	XYLENES	30	ug/L	U				2	30
BSW 4D2	7/22/2015	1,4-DIOXANE	33	ug/L					0.85	3
BSW 4D2	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	3.07	pCi/L				0.292	0.146	0.73

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 4D2	7/22/2015	RADIUM-226	2.71	pCi/L				0.202	0.066	0.4699
BSW 4D2	7/22/2015	URANIUM-233/234	0.178	pCi/L	J		21	0.129	0.0604	0.318
BSW 4D2	7/22/2015	URANIUM-235	0.0275	pCi/L	U			0.055	0.0745	0.185
BSW 4D2	7/22/2015	URANIUM-238	0.133	pCi/L	U		21, V	0.11	0.0602	0.281
BSW 4D2	7/22/2015	GROSS ALPHA	8.12	pCi/L	J		21	3.61	2.13	9.34
BSW 4D2	7/22/2015	NONVOLATILE BETA	3.17	pCi/L	U			2.81	4.13	9.76
BSW 4D2	7/22/2015	STRONTIUM-90	1.18	pCi/L	U			1.8	3.13	6.72
BSW 4D2	7/22/2015	CARBON-14	47.7	pCi/L				5.16	6.92	17.2
BSW 4D2	7/22/2015	TECHNETIUM-99	1.19	pCi/L	U			2.54	4.22	9.3
BSW 4D2	7/22/2015	TRITIUM	16600	pCi/mL				24	0.522	48.6
BSW 4D2	7/22/2015	IODINE-129	0.619	pCi/L	U			0.55	1.02	2.12
BSW 5C1	1/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 5C1	1/15/2015	TRICHLOROETHYLENE (TCE)	6.3	ug/L					0.25	1
BSW 5C1	7/22/2015	ETHANE	0.0066	ug/L	J		21		0.002	0.1
BSW 5C1	7/22/2015	ETHYLENE	0.034	ug/L	J		21		0.003	0.1
BSW 5C1	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BSW 5C1	7/22/2015	ARSENIC	50	ug/L	U				5	50
BSW 5C1	7/22/2015	BARIUM	12	ug/L	J		21		2	20
BSW 5C1	7/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSW 5C1	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BSW 5C1	7/22/2015	COBALT	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	COPPER	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	LEAD	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	NICKEL	0.542	ug/L	J		21		0.5	5
BSW 5C1	7/22/2015	SELENIUM	20	ug/L	U				2	20
BSW 5C1	7/22/2015	SILVER	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 5C1	7/22/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5C1	7/22/2015	VANADIUM	50	ug/L	U				5	50
BSW 5C1	7/22/2015	ZINC	4.25	ug/L	J		21		4	40
BSW 5C1	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 5C1	7/22/2015	1,1,1,2-TETRACHLOROETHANE	5	ug/L	U				0.45	5
BSW 5C1	7/22/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
BSW 5C1	7/22/2015	1,1-DICHLOROETHANE	1.6	ug/L	J		21		0.35	5
BSW 5C1	7/22/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	1,1-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U				0.45	5
BSW 5C1	7/22/2015	1,2,3-TRICHLOROPROPANE	5	ug/L	U				0.75	5
BSW 5C1	7/22/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U				2.1	5
BSW 5C1	7/22/2015	1,2-DIBROMOETHANE	5	ug/L	U				0.65	5
BSW 5C1	7/22/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
BSW 5C1	7/22/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	1,2-DICHLOROETHYLENE	120	ug/L					0.75	10
BSW 5C1	7/22/2015	1,2-DICHLOROPROPANE	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	1,3-DICHLOROBENZENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	1,3-DICHLOROPROPANE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	1,4-DICHLOROBENZENE	5	ug/L	U				0.6	5
BSW 5C1	7/22/2015	2,2-DICHLOROPROPANE	5	ug/L	U				0.7	5
BSW 5C1	7/22/2015	2-CHLOROETHYL VINYL ETHER	10	ug/L	U				0.85	10
BSW 5C1	7/22/2015	2-HEXANONE	25	ug/L	U				1.1	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5C1	7/22/2015	ACETONE	10	ug/L	U				1.7	10
BSW 5C1	7/22/2015	ACETONITRILE (METHYL CYANIDE)	50	ug/L	U				10	50
BSW 5C1	7/22/2015	ACROLEIN	50	ug/L	U				14	50
BSW 5C1	7/22/2015	ACRYLONITRILE	50	ug/L	U				2.9	50
BSW 5C1	7/22/2015	ALLYL CHLORIDE	10	ug/L	U				0.55	10
BSW 5C1	7/22/2015	BENZENE	5	ug/L	U				0.3	5
BSW 5C1	7/22/2015	BROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSW 5C1	7/22/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
BSW 5C1	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U				0.85	5
BSW 5C1	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U				1.3	10
BSW 5C1	7/22/2015	CARBON DISULFIDE	5	ug/L	U				0.25	5
BSW 5C1	7/22/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
BSW 5C1	7/22/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
BSW 5C1	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U				0.5	10
BSW 5C1	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
BSW 5C1	7/22/2015	CHLOROFORM	0.62	ug/L	J		21		0.5	5
BSW 5C1	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U				0.4	10
BSW 5C1	7/22/2015	CHLOROPRENE	5	ug/L	U				0.5	5
BSW 5C1	7/22/2015	CIS-1,2-DICHLOROETHYLENE	120	ug/L					0.45	5
BSW 5C1	7/22/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	CYCLOHEXANE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	DIBROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSW 5C1	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	5	ug/L	U				1.1	5
BSW 5C1	7/22/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U				0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5C1	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
BSW 5C1	7/22/2015	ETHYL ACETATE	10	ug/L	U				0.9	10
BSW 5C1	7/22/2015	ETHYLBENZENE	5	ug/L	U				0.45	5
BSW 5C1	7/22/2015	IODOMETHANE (METHYL IODIDE)	10	ug/L	U				0.45	10
BSW 5C1	7/22/2015	ISOBUTANOL	400	ug/L	U				44	400
BSW 5C1	7/22/2015	M,P-XYLENE	10	ug/L	U				0.7	10
BSW 5C1	7/22/2015	METHACRYLONITRILE	50	ug/L	U				2.5	50
BSW 5C1	7/22/2015	METHYL ACETATE	130	ug/L	U				1.9	130
BSW 5C1	7/22/2015	METHYL ETHYL KETONE	25	ug/L	U				2.6	25
BSW 5C1	7/22/2015	METHYL ISOBUTYL KETONE	25	ug/L	U				0.6	25
BSW 5C1	7/22/2015	METHYL METHACRYLATE	10	ug/L	U				1.3	10
BSW 5C1	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U				0.55	10
BSW 5C1	7/22/2015	METHYLCYCLOHEXANE	20	ug/L	U				0.5	20
BSW 5C1	7/22/2015	NAPHTHALENE	5	ug/L	U				0.8	5
BSW 5C1	7/22/2015	O-XYLENE	5	ug/L	U				0.3	5
BSW 5C1	7/22/2015	PROPIONITRILE	50	ug/L	U				6.8	50
BSW 5C1	7/22/2015	STYRENE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
BSW 5C1	7/22/2015	TOLUENE	5	ug/L	U				0.35	5
BSW 5C1	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSW 5C1	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	10	ug/L	U				1.5	10
BSW 5C1	7/22/2015	TRICHLOROETHYLENE (TCE)	6.6	ug/L					1.3	5
BSW 5C1	7/22/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				0.55	5
BSW 5C1	7/22/2015	VINYL ACETATE	10	ug/L	U				0.9	10
BSW 5C1	7/22/2015	XYLENES	15	ug/L	U				1	15

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5C1	7/22/2015	1,4-DIOXANE	170	ug/L					4.3	15
BSW 5C1	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.113	pCi/L	U			0.082	0.124	0.2884
BSW 5C1	7/22/2015	RADIUM-226	0.0591	pCi/L	U			0.055	0.087	0.1961
BSW 5C1	7/22/2015	URANIUM-233/234	0.102	pCi/L	U		V	0.104	0.136	0.344
BSW 5C1	7/22/2015	URANIUM-235	0	pCi/L	U			0	0.0758	0.0758
BSW 5C1	7/22/2015	URANIUM-238	0.0396	pCi/L	U		V	0.065	0.114	0.244
BSW 5C1	7/22/2015	GROSS ALPHA	1.28	pCi/L	U			1.63	2.2	5.46
BSW 5C1	7/22/2015	NONVOLATILE BETA	2.64	pCi/L	U			2.66	3.99	9.3
BSW 5C1	7/22/2015	STRONTIUM-90	1.54	pCi/L	U			2.44	3.29	8.17
BSW 5C1	7/22/2015	CARBON-14	29.7	pCi/L				4.76	6.86	16.4
BSW 5C1	7/22/2015	TECHNETIUM-99	-0.165	pCi/L	U			2.48	4.19	9.15
BSW 5C1	7/22/2015	TRITIUM	1080	pCi/mL				6.17	0.526	12.9
BSW 5C1	7/22/2015	IODINE-129	0.116	pCi/L	U			0.573	0.995	2.14
BSW 5D2	1/15/2015	TETRACHLOROETHYLENE (PCE)	7.1	ug/L					0.18	1
BSW 5D2	1/15/2015	TRICHLOROETHYLENE (TCE)	2.2	ug/L					0.25	1
BSW 5D2	7/22/2015	ETHANE	0.0082	ug/L	J		21		0.002	0.1
BSW 5D2	7/22/2015	ETHYLENE	0.068	ug/L	J		21		0.003	0.1
BSW 5D2	7/22/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
BSW 5D2	7/22/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
BSW 5D2	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
BSW 5D2	7/22/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
BSW 5D2	7/22/2015	1,1-DICHLOROETHANE	6.8	ug/L	J		21		0.7	10
BSW 5D2	7/22/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
BSW 5D2	7/22/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5D2	7/22/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
BSW 5D2	7/22/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
BSW 5D2	7/22/2015	1,2-DICHLOROBENZENE	2.6	ug/L	J		21		0.6	10
BSW 5D2	7/22/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
BSW 5D2	7/22/2015	1,2-DICHLOROETHYLENE	240	ug/L					1.5	20
BSW 5D2	7/22/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
BSW 5D2	7/22/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
BSW 5D2	7/22/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
BSW 5D2	7/22/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
BSW 5D2	7/22/2015	2-HEXANONE	50	ug/L	U				2.2	50
BSW 5D2	7/22/2015	ACETONE	20	ug/L	U				3.4	20
BSW 5D2	7/22/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
BSW 5D2	7/22/2015	ACROLEIN	100	ug/L	U				28	100
BSW 5D2	7/22/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
BSW 5D2	7/22/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
BSW 5D2	7/22/2015	BENZENE	10	ug/L	U				0.6	10
BSW 5D2	7/22/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 5D2	7/22/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
BSW 5D2	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
BSW 5D2	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
BSW 5D2	7/22/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
BSW 5D2	7/22/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5D2	7/22/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
BSW 5D2	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
BSW 5D2	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	3.4	ug/L	J		21		0.8	20
BSW 5D2	7/22/2015	CHLOROFORM	10	ug/L	U				1	10
BSW 5D2	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
BSW 5D2	7/22/2015	CHLOROPRENE	10	ug/L	U				1	10
BSW 5D2	7/22/2015	CIS-1,2-DICHLOROETHYLENE	240	ug/L					0.9	10
BSW 5D2	7/22/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
BSW 5D2	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
BSW 5D2	7/22/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
BSW 5D2	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
BSW 5D2	7/22/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
BSW 5D2	7/22/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
BSW 5D2	7/22/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
BSW 5D2	7/22/2015	ISOBUTANOL	800	ug/L	U				87	800
BSW 5D2	7/22/2015	M,P-XYLENE	20	ug/L	U				1.4	20
BSW 5D2	7/22/2015	METHACRYLONITRILE	100	ug/L	U				5	100
BSW 5D2	7/22/2015	METHYL ACETATE	250	ug/L	U				3.7	250
BSW 5D2	7/22/2015	METHYL ETHYL KETONE	12	ug/L	J		21		5.2	50
BSW 5D2	7/22/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
BSW 5D2	7/22/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
BSW 5D2	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 5D2	7/22/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
BSW 5D2	7/22/2015	NAPHTHALENE	10	ug/L	U				1.6	10
BSW 5D2	7/22/2015	O-XYLENE	10	ug/L	U				0.6	10
BSW 5D2	7/22/2015	PROPIONITRILE	100	ug/L	U				14	100
BSW 5D2	7/22/2015	STYRENE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	TETRACHLOROETHYLENE (PCE)	6.7	ug/L	J		21		1.8	10
BSW 5D2	7/22/2015	TOLUENE	10	ug/L	U				0.7	10
BSW 5D2	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
BSW 5D2	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
BSW 5D2	7/22/2015	TRICHLOROETHYLENE (TCE)	10	ug/L	U				2.5	10
BSW 5D2	7/22/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
BSW 5D2	7/22/2015	VINYL ACETATE	20	ug/L	U				1.8	20
BSW 5D2	7/22/2015	XYLENES	30	ug/L	U				2	30
BSW 5D2	7/22/2015	1,4-DIOXANE	150	ug/L					0.85	3
BSW 6C2	1/15/2015	TETRACHLOROETHYLENE (PCE)	8.4	ug/L					0.18	1
BSW 6C2	1/15/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.25	1
BSW 6C2	1/15/2015	TRITIUM	2570	pCi/mL				9.28	0.427	19
BSW 6C2	7/21/2015	ETHANE	0.0057	ug/L	J		21		0.002	0.1
BSW 6C2	7/21/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
BSW 6C2	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BSW 6C2	7/21/2015	ARSENIC	50	ug/L	U				5	50
BSW 6C2	7/21/2015	BARIUM	8.01	ug/L	J		21		2	20
BSW 6C2	7/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSW 6C2	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BSW 6C2	7/21/2015	COBALT	0.539	ug/L	J		21		0.5	5
BSW 6C2	7/21/2015	COPPER	1.25	ug/L	J		21		0.5	5
BSW 6C2	7/21/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C2	7/21/2015	NICKEL	5	ug/L	U				0.5	5
BSW 6C2	7/21/2015	SELENIUM	20	ug/L	U				2	20
BSW 6C2	7/21/2015	SILVER	5	ug/L	U				0.5	5
BSW 6C2	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 6C2	7/21/2015	TIN	10	ug/L	U				1	10
BSW 6C2	7/21/2015	VANADIUM	50	ug/L	U				5	50
BSW 6C2	7/21/2015	ZINC	6.13	ug/L	J		21		4	40
BSW 6C2	7/21/2015	MERCURY	0.185	ug/L	J		21		0.02	0.2
BSW 6C2	7/21/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25
BSW 6C2	7/21/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
BSW 6C2	7/21/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
BSW 6C2	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25
BSW 6C2	7/21/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
BSW 6C2	7/21/2015	1,1-DICHLOROETHANE	5.5	ug/L	J		21		1.8	25
BSW 6C2	7/21/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 6C2	7/21/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 6C2	7/21/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
BSW 6C2	7/21/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
BSW 6C2	7/21/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
BSW 6C2	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
BSW 6C2	7/21/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
BSW 6C2	7/21/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
BSW 6C2	7/21/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
BSW 6C2	7/21/2015	1,2-DICHLOROETHYLENE	240	ug/L					3.8	50
BSW 6C2	7/21/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
BSW 6C2	7/21/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
BSW 6C2	7/21/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C2	7/21/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
BSW 6C2	7/21/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
BSW 6C2	7/21/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
BSW 6C2	7/21/2015	2-HEXANONE	130	ug/L	U				5.5	130
BSW 6C2	7/21/2015	ACETONE	50	ug/L	U				8.5	50
BSW 6C2	7/21/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
BSW 6C2	7/21/2015	ACROLEIN	250	ug/L	U				69	250
BSW 6C2	7/21/2015	ACRYLONITRILE	250	ug/L	U				15	250
BSW 6C2	7/21/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
BSW 6C2	7/21/2015	BENZENE	25	ug/L	U				1.5	25
BSW 6C2	7/21/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 6C2	7/21/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
BSW 6C2	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25
BSW 6C2	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
BSW 6C2	7/21/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
BSW 6C2	7/21/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
BSW 6C2	7/21/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
BSW 6C2	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
BSW 6C2	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
BSW 6C2	7/21/2015	CHLOROFORM	4.5	ug/L	J		21		2.5	25
BSW 6C2	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
BSW 6C2	7/21/2015	CHLOROPRENE	25	ug/L	U				2.5	25
BSW 6C2	7/21/2015	CIS-1,2-DICHLOROETHYLENE	240	ug/L					2.3	25
BSW 6C2	7/21/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
BSW 6C2	7/21/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C2	7/21/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
BSW 6C2	7/21/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 6C2	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
BSW 6C2	7/21/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U				2	50
BSW 6C2	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
BSW 6C2	7/21/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
BSW 6C2	7/21/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
BSW 6C2	7/21/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50
BSW 6C2	7/21/2015	ISOBUTANOL	2000	ug/L	U				220	2000
BSW 6C2	7/21/2015	M,P-XYLENE	50	ug/L	U				3.5	50
BSW 6C2	7/21/2015	METHACRYLONITRILE	250	ug/L	U				13	250
BSW 6C2	7/21/2015	METHYL ACETATE	630	ug/L	U				9.3	630
BSW 6C2	7/21/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130
BSW 6C2	7/21/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
BSW 6C2	7/21/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
BSW 6C2	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
BSW 6C2	7/21/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
BSW 6C2	7/21/2015	NAPHTHALENE	25	ug/L	U				4	25
BSW 6C2	7/21/2015	O-XYLENE	25	ug/L	U				1.5	25
BSW 6C2	7/21/2015	PROPIONITRILE	250	ug/L	U				34	250
BSW 6C2	7/21/2015	STYRENE	25	ug/L	U				1.8	25
BSW 6C2	7/21/2015	TETRACHLOROETHYLENE (PCE)	8.6	ug/L	J		21		4.5	25
BSW 6C2	7/21/2015	TOLUENE	25	ug/L	U				1.8	25
BSW 6C2	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C2	7/21/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 6C2	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
BSW 6C2	7/21/2015	TRICHLOROETHYLENE (TCE)	10	ug/L	J		21		6.3	25
BSW 6C2	7/21/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
BSW 6C2	7/21/2015	VINYL ACETATE	50	ug/L	U				4.5	50
BSW 6C2	7/21/2015	XYLENES	75	ug/L	U				5	75
BSW 6C2	7/21/2015	1,4-DIOXANE	390	ug/L					4.3	15
BSW 6C2	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.136	pCi/L	U			0.095	0.143	0.3338
BSW 6C2	7/21/2015	RADIUM-226	0.176	pCi/L				0.057	0.054	0.1686
BSW 6C2	7/21/2015	URANIUM-233/234	0.0825	pCi/L	U			0.09	0.111	0.29
BSW 6C2	7/21/2015	URANIUM-235	0.0271	pCi/L	U			0.054	0.0735	0.182
BSW 6C2	7/21/2015	URANIUM-238	0.11	pCi/L	U		21, V	0.099	0.0595	0.258
BSW 6C2	7/21/2015	GROSS ALPHA	1.24	pCi/L	U			1.58	2.12	5.28
BSW 6C2	7/21/2015	NONVOLATILE BETA	-0.881	pCi/L	U			1.93	3.97	7.83
BSW 6C2	7/21/2015	STRONTIUM-90	-0.0928	pCi/L	U			1.54	3.13	6.21
BSW 6C2	7/21/2015	CARBON-14	3.33	pCi/L	U			4.15	6.82	15.1
BSW 6C2	7/21/2015	TECHNETIUM-99	1.67	pCi/L	U			2.5	4.13	9.12
BSW 6C2	7/21/2015	TRITIUM	1860	pCi/mL				8.06	0.475	16.6
BSW 6C2	7/21/2015	IODINE-129	0.701	pCi/L	U			0.852	0.98	2.68
BSW 6C3	1/15/2015	TETRACHLOROETHYLENE (PCE)	4.5	ug/L					0.18	1
BSW 6C3	1/15/2015	TRICHLOROETHYLENE (TCE)	32	ug/L					0.25	1
BSW 6C3	1/15/2015	TRITIUM	4260	pCi/mL				11.9	0.428	24.3
BSW 6C3	7/23/2015	ETHANE	0.011	ug/L	J		21		0.002	0.1
BSW 6C3	7/23/2015	ETHYLENE	0.022	ug/L	J		21		0.003	0.1
BSW 6C3	7/23/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C3	7/23/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
BSW 6C3	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25
BSW 6C3	7/23/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
BSW 6C3	7/23/2015	1,1-DICHLOROETHANE	13	ug/L	J		21		1.8	25
BSW 6C3	7/23/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
BSW 6C3	7/23/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
BSW 6C3	7/23/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
BSW 6C3	7/23/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
BSW 6C3	7/23/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
BSW 6C3	7/23/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
BSW 6C3	7/23/2015	1,2-DICHLOROETHYLENE	260	ug/L					3.8	50
BSW 6C3	7/23/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
BSW 6C3	7/23/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
BSW 6C3	7/23/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
BSW 6C3	7/23/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
BSW 6C3	7/23/2015	2-HEXANONE	130	ug/L	U				5.5	130
BSW 6C3	7/23/2015	ACETONE	50	ug/L	U				8.5	50
BSW 6C3	7/23/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
BSW 6C3	7/23/2015	ACROLEIN	250	ug/L	U				69	250
BSW 6C3	7/23/2015	ACRYLONITRILE	250	ug/L	U				15	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C3	7/23/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
BSW 6C3	7/23/2015	BENZENE	25	ug/L	U				1.5	25
BSW 6C3	7/23/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 6C3	7/23/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
BSW 6C3	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25
BSW 6C3	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
BSW 6C3	7/23/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
BSW 6C3	7/23/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
BSW 6C3	7/23/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
BSW 6C3	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
BSW 6C3	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
BSW 6C3	7/23/2015	CHLOROFORM	7.5	ug/L	J		21		2.5	25
BSW 6C3	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
BSW 6C3	7/23/2015	CHLOROPRENE	25	ug/L	U				2.5	25
BSW 6C3	7/23/2015	CIS-1,2-DICHLOROETHYLENE	260	ug/L					2.3	25
BSW 6C3	7/23/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25
BSW 6C3	7/23/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 6C3	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
BSW 6C3	7/23/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U				2	50
BSW 6C3	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
BSW 6C3	7/23/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
BSW 6C3	7/23/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
BSW 6C3	7/23/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C3	7/23/2015	ISOBUTANOL	2000	ug/L	U				220	2000
BSW 6C3	7/23/2015	M,P-XYLENE	50	ug/L	U				3.5	50
BSW 6C3	7/23/2015	METHACRYLONITRILE	250	ug/L	U				13	250
BSW 6C3	7/23/2015	METHYL ACETATE	630	ug/L	U				9.3	630
BSW 6C3	7/23/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130
BSW 6C3	7/23/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
BSW 6C3	7/23/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
BSW 6C3	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
BSW 6C3	7/23/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
BSW 6C3	7/23/2015	NAPHTHALENE	25	ug/L	U				4	25
BSW 6C3	7/23/2015	O-XYLENE	25	ug/L	U				1.5	25
BSW 6C3	7/23/2015	PROPIONITRILE	250	ug/L	U				34	250
BSW 6C3	7/23/2015	STYRENE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
BSW 6C3	7/23/2015	TOLUENE	25	ug/L	U				1.8	25
BSW 6C3	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 6C3	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
BSW 6C3	7/23/2015	TRICHLOROETHYLENE (TCE)	24	ug/L	J		21		6.3	25
BSW 6C3	7/23/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
BSW 6C3	7/23/2015	VINYL ACETATE	50	ug/L	U				4.5	50
BSW 6C3	7/23/2015	XYLENES	75	ug/L	U				5	75
BSW 6C3	7/23/2015	1,4-DIOXANE	700	ug/L					8.5	30
BSW 6C3	7/23/2015	TRITIUM	4320	pCi/mL				12.3	0.536	25.2
BSW 6C4	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 6C4	1/13/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
BSW 6C4	1/13/2015	TRITIUM	13.4	pCi/mL				0.714	0.429	1.86

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C4	7/17/2015	ETHANE	0.0054	ug/L	J		21		0.002	0.1
BSW 6C4	7/17/2015	ETHYLENE	0.02	ug/L	J		21		0.003	0.1
BSW 6C4	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
BSW 6C4	7/17/2015	TRITIUM	13.7	pCi/mL				0.753	0.47	1.98
BSW 6C4	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 6C4	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 6C4	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 6C4	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 6C4	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 6C4	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 6C4	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 6C4	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 6C4	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 6C4	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 6C4	7/24/2015	1,2-DICHLOROETHYLENE	0.99	ug/L	J		21		0.15	2
BSW 6C4	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 6C4	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 6C4	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 6C4	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 6C4	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C4	7/24/2015	ACETONE	2	ug/L	U				0.34	2
BSW 6C4	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 6C4	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 6C4	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 6C4	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 6C4	7/24/2015	BENZENE	1	ug/L	U				0.06	1
BSW 6C4	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 6C4	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 6C4	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 6C4	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 6C4	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 6C4	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 6C4	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 6C4	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 6C4	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 6C4	7/24/2015	CHLOROFORM	0.1	ug/L	J		21		0.1	1
BSW 6C4	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 6C4	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 6C4	7/24/2015	CIS-1,2-DICHLOROETHYLENE	0.99	ug/L	J		21		0.09	1
BSW 6C4	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 6C4	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 6C4	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6C4	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 6C4	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 6C4	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 6C4	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 6C4	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 6C4	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 6C4	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 6C4	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 6C4	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 6C4	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 6C4	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 6C4	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 6C4	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 6C4	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 6C4	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 6C4	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 6C4	7/24/2015	STYRENE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
BSW 6C4	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 6C4	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 6C4	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 6C4	7/24/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
BSW 6C4	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 6C4	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 6C4	7/24/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6D3	1/15/2015	TETRACHLOROETHYLENE (PCE)	27	ug/L					0.18	1
BSW 6D3	1/15/2015	TRICHLOROETHYLENE (TCE)	4.3	ug/L					0.25	1
BSW 6D3	1/15/2015	TRITIUM	3480	pCi/mL				11.1	0.478	22.7
BSW 6D3	7/21/2015	ETHANE	0.0041	ug/L	J		21		0.002	0.1
BSW 6D3	7/21/2015	ETHYLENE	0.019	ug/L	J		21		0.003	0.1
BSW 6D3	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BSW 6D3	7/21/2015	ARSENIC	50	ug/L	U				5	50
BSW 6D3	7/21/2015	BARIUM	20.8	ug/L					2	20
BSW 6D3	7/21/2015	BERYLLIUM	0.103	ug/L	J		21		0.1	1
BSW 6D3	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BSW 6D3	7/21/2015	COBALT	7.28	ug/L					0.5	5
BSW 6D3	7/21/2015	COPPER	1.54	ug/L	J		21		0.5	5
BSW 6D3	7/21/2015	LEAD	1.11	ug/L	J		21		0.5	5
BSW 6D3	7/21/2015	NICKEL	1.46	ug/L	J		21		0.5	5
BSW 6D3	7/21/2015	SELENIUM	20	ug/L	U				2	20
BSW 6D3	7/21/2015	SILVER	5	ug/L	U				0.5	5
BSW 6D3	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 6D3	7/21/2015	TIN	10	ug/L	U				1	10
BSW 6D3	7/21/2015	VANADIUM	50	ug/L	U				5	50
BSW 6D3	7/21/2015	ZINC	6.41	ug/L	J		21		4	40
BSW 6D3	7/21/2015	MERCURY	0.109	ug/L	J		21		0.02	0.2
BSW 6D3	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 6D3	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 6D3	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.42	ug/L	J		21		0.1	1
BSW 6D3	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 6D3	7/21/2015	1,1-DICHLOROETHANE	7	ug/L					0.07	1
BSW 6D3	7/21/2015	1,1-DICHLOROETHYLENE	0.65	ug/L	J		21		0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6D3	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 6D3	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 6D3	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 6D3	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 6D3	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 6D3	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 6D3	7/21/2015	1,2-DICHLOROBENZENE	1.1	ug/L					0.06	1
BSW 6D3	7/21/2015	1,2-DICHLOROETHANE (EDC)	0.26	ug/L	J		21		0.1	1
BSW 6D3	7/21/2015	1,2-DICHLOROETHYLENE	500	ug/L					3.8	50
BSW 6D3	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 6D3	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 6D3	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 6D3	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 6D3	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 6D3	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 6D3	7/21/2015	ACETONE	2	ug/L	U				0.34	2
BSW 6D3	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 6D3	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 6D3	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 6D3	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 6D3	7/21/2015	BENZENE	0.22	ug/L	J		21		0.06	1
BSW 6D3	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 6D3	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 6D3	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6D3	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 6D3	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 6D3	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 6D3	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 6D3	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 6D3	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	3.4	ug/L					0.08	2
BSW 6D3	7/21/2015	CHLOROFORM	0.39	ug/L	J		21		0.1	1
BSW 6D3	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 6D3	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 6D3	7/21/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L					2.3	25
BSW 6D3	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 6D3	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 6D3	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 6D3	7/21/2015	DICHLORODIFLUOROMETHANE	1.5	ug/L	J		21		0.08	2
BSW 6D3	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 6D3	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 6D3	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 6D3	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 6D3	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 6D3	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 6D3	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 6D3	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 6D3	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6D3	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 6D3	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 6D3	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 6D3	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 6D3	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 6D3	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 6D3	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 6D3	7/21/2015	STYRENE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	TETRACHLOROETHYLENE (PCE)	21	ug/L					0.18	1
BSW 6D3	7/21/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 6D3	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	0.36	ug/L	J		21		0.08	1
BSW 6D3	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 6D3	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 6D3	7/21/2015	TRICHLOROETHYLENE (TCE)	3.2	ug/L					0.25	1
BSW 6D3	7/21/2015	TRICHLOROFLUOROMETHANE	0.19	ug/L	J		21		0.11	1
BSW 6D3	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 6D3	7/21/2015	XYLENES	3	ug/L	U				0.2	3
BSW 6D3	7/21/2015	1,4-DIOXANE	180	ug/L					4.3	15
BSW 6D3	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.614	pCi/L				0.151	0.167	0.469
BSW 6D3	7/21/2015	RADIUM-226	0.592	pCi/L				0.097	0.055	0.2489
BSW 6D3	7/21/2015	URANIUM-233/234	0.183	pCi/L	J		21	0.129	0.105	0.362
BSW 6D3	7/21/2015	URANIUM-235	0.0258	pCi/L	U			0.052	0.0698	0.173
BSW 6D3	7/21/2015	URANIUM-238	0.0938	pCi/L	U		V	0.095	0.125	0.316
BSW 6D3	7/21/2015	GROSS ALPHA	2	pCi/L	U			1.91	2.13	5.95
BSW 6D3	7/21/2015	NONVOLATILE BETA	1.88	pCi/L	U			2.52	3.99	9.03
BSW 6D3	7/21/2015	STRONTIUM-90	-0.272	pCi/L	U			1.6	3.14	6.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 6D3	7/21/2015	CARBON-14	4.22	pCi/L	U			4.17	6.82	15.2
BSW 6D3	7/21/2015	TECHNETIUM-99	2.27	pCi/L	U			2.54	4.17	9.25
BSW 6D3	7/21/2015	TRITIUM	1440	pCi/mL				7.27	0.459	15
BSW 6D3	7/21/2015	IODINE-129	0.964	pCi/L	U			0.929	1.01	2.87
BSW 7C1	1/13/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L					0.18	1
BSW 7C1	1/13/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
BSW 7C1	7/22/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
BSW 7C1	7/22/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1
BSW 7C1	7/22/2015	ANTIMONY	10	ug/L	U				1	10
BSW 7C1	7/22/2015	ARSENIC	50	ug/L	U				5	50
BSW 7C1	7/22/2015	BARIUM	48.2	ug/L					2	20
BSW 7C1	7/22/2015	BERYLLIUM	0.518	ug/L	J		21		0.1	1
BSW 7C1	7/22/2015	CHROMIUM	100	ug/L	U				10	100
BSW 7C1	7/22/2015	COBALT	0.806	ug/L	J		21		0.5	5
BSW 7C1	7/22/2015	COPPER	1.77	ug/L	J		21		0.5	5
BSW 7C1	7/22/2015	LEAD	2.88	ug/L	J		21		0.5	5
BSW 7C1	7/22/2015	NICKEL	4.64	ug/L	J		21		0.5	5
BSW 7C1	7/22/2015	SELENIUM	20	ug/L	U				2	20
BSW 7C1	7/22/2015	SILVER	5	ug/L	U				0.5	5
BSW 7C1	7/22/2015	THALLIUM	0.221	ug/L	J		21		0.1	1
BSW 7C1	7/22/2015	TIN	10	ug/L	U				1	10
BSW 7C1	7/22/2015	VANADIUM	50	ug/L	U				5	50
BSW 7C1	7/22/2015	ZINC	17.7	ug/L	J		21		4	40
BSW 7C1	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
BSW 7C1	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 7C1	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7C1	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 7C1	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 7C1	7/22/2015	1,1-DICHLOROETHANE	0.62	ug/L	J		21		0.07	1
BSW 7C1	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 7C1	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 7C1	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 7C1	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 7C1	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 7C1	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
BSW 7C1	7/22/2015	1,2-DICHLOROETHYLENE	15	ug/L					0.15	2
BSW 7C1	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 7C1	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 7C1	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 7C1	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 7C1	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 7C1	7/22/2015	ACETONE	2	ug/L	U				0.34	2
BSW 7C1	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 7C1	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 7C1	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 7C1	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 7C1	7/22/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7C1	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 7C1	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 7C1	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 7C1	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 7C1	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 7C1	7/22/2015	CARBON TETRACHLORIDE	0.37	ug/L	J		21		0.13	1
BSW 7C1	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 7C1	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 7C1	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 7C1	7/22/2015	CHLOROFORM	2.8	ug/L					0.1	1
BSW 7C1	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 7C1	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 7C1	7/22/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.09	1
BSW 7C1	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 7C1	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 7C1	7/22/2015	DICHLORODIFLUOROMETHANE	0.81	ug/L	J		21		0.08	2
BSW 7C1	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 7C1	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 7C1	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 7C1	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 7C1	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 7C1	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7C1	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 7C1	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 7C1	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 7C1	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 7C1	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 7C1	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 7C1	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 7C1	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 7C1	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 7C1	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 7C1	7/22/2015	STYRENE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L					0.18	1
BSW 7C1	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 7C1	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 7C1	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 7C1	7/22/2015	TRICHLOROETHYLENE (TCE)	14	ug/L					0.25	1
BSW 7C1	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 7C1	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 7C1	7/22/2015	XYLENES	3	ug/L	U				0.2	3
BSW 7C1	7/22/2015	1,4-DIOXANE	34	ug/L					0.85	3
BSW 7C1	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.276	pCi/L	J		21	0.113	0.144	0.37
BSW 7C1	7/22/2015	RADIUM-226	0.192	pCi/L				0.063	0.065	0.1906
BSW 7C1	7/22/2015	URANIUM-233/234	0.447	pCi/L	J		21, V	0.216	0.0638	0.495
BSW 7C1	7/22/2015	URANIUM-235	0	pCi/L	U			0	0.0787	0.0787

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7C1	7/22/2015	URANIUM-238	0.535	pCi/L	J		21, V	0.238	0.118	0.595
BSW 7C1	7/22/2015	GROSS ALPHA	4.63	pCi/L	J		21	2.89	2.3	8.07
BSW 7C1	7/22/2015	NONVOLATILE BETA	6.93	pCi/L	J		21	3.37	4.08	10.8
BSW 7C1	7/22/2015	STRONTIUM-90	-1.56	pCi/L	U			1.68	3.35	6.71
BSW 7C1	7/22/2015	CARBON-14	129	pCi/L				6.54	6.87	20
BSW 7C1	7/22/2015	TECHNETIUM-99	1.91	pCi/L	U			2.52	4.14	9.18
BSW 7C1	7/22/2015	TRITIUM	1790	pCi/mL				7.9	0.522	16.3
BSW 7C1	7/22/2015	IODINE-129	0.654	pCi/L	U			0.639	0.997	2.27
BSW 7D2	1/13/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L					0.18	1
BSW 7D2	1/13/2015	TRICHLOROETHYLENE (TCE)	6.7	ug/L					0.25	1
BSW 7D2	7/23/2015	ETHANE	0.0037	ug/L	J		21		0.002	0.1
BSW 7D2	7/23/2015	ETHYLENE	0.033	ug/L	J		21		0.003	0.1
BSW 7D2	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
BSW 7D2	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
BSW 7D2	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
BSW 7D2	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
BSW 7D2	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
BSW 7D2	7/23/2015	1,1-DICHLOROETHANE	0.53	ug/L	J		21		0.07	1
BSW 7D2	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
BSW 7D2	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
BSW 7D2	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
BSW 7D2	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
BSW 7D2	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
BSW 7D2	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7D2	7/23/2015	1,2-DICHLOROETHYLENE	11	ug/L					0.15	2
BSW 7D2	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
BSW 7D2	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
BSW 7D2	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
BSW 7D2	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
BSW 7D2	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
BSW 7D2	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
BSW 7D2	7/23/2015	ACETONE	2	ug/L	U				0.34	2
BSW 7D2	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
BSW 7D2	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
BSW 7D2	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
BSW 7D2	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
BSW 7D2	7/23/2015	BENZENE	1	ug/L	U				0.06	1
BSW 7D2	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 7D2	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
BSW 7D2	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
BSW 7D2	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
BSW 7D2	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
BSW 7D2	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
BSW 7D2	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
BSW 7D2	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
BSW 7D2	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
BSW 7D2	7/23/2015	CHLOROFORM	1.7	ug/L					0.1	1
BSW 7D2	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7D2	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
BSW 7D2	7/23/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
BSW 7D2	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
BSW 7D2	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
BSW 7D2	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
BSW 7D2	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
BSW 7D2	7/23/2015	DICHLORODIFLUOROMETHANE	0.48	ug/L	J		21		0.08	2
BSW 7D2	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
BSW 7D2	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
BSW 7D2	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
BSW 7D2	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
BSW 7D2	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
BSW 7D2	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
BSW 7D2	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
BSW 7D2	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
BSW 7D2	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
BSW 7D2	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
BSW 7D2	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
BSW 7D2	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
BSW 7D2	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
BSW 7D2	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
BSW 7D2	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
BSW 7D2	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
BSW 7D2	7/23/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 7D2	7/23/2015	TETRACHLOROETHYLENE (PCE)	0.66	ug/L	J		21		0.18	1
BSW 7D2	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
BSW 7D2	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
BSW 7D2	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
BSW 7D2	7/23/2015	TRICHLOROETHYLENE (TCE)	3.4	ug/L					0.25	1
BSW 7D2	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
BSW 7D2	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
BSW 7D2	7/23/2015	XYLENES	3	ug/L	U				0.2	3
BSW 7D2	7/23/2015	1,4-DIOXANE	120	ug/L					0.85	3
BSW 7D2	7/23/2015	TRITIUM	516	pCi/mL				4.29	0.543	9.12
BSW 8C1	1/15/2015	TETRACHLOROETHYLENE (PCE)	6.6	ug/L					0.45	2.5
BSW 8C1	1/15/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					6.3	25
BSW 8C1	7/21/2015	ETHANE	0.016	ug/L	J		21		0.002	0.1
BSW 8C1	7/21/2015	ETHYLENE	0.024	ug/L	J		21		0.003	0.1
BSW 8C1	7/21/2015	ANTIMONY	10	ug/L	U				1	10
BSW 8C1	7/21/2015	ARSENIC	50	ug/L	U				5	50
BSW 8C1	7/21/2015	BARIUM	60.4	ug/L					2	20
BSW 8C1	7/21/2015	BERYLLIUM	0.681	ug/L	J		21		0.1	1
BSW 8C1	7/21/2015	CHROMIUM	100	ug/L	U				10	100
BSW 8C1	7/21/2015	COBALT	10.8	ug/L					0.5	5
BSW 8C1	7/21/2015	COPPER	2.29	ug/L	J		21		0.5	5
BSW 8C1	7/21/2015	LEAD	5.34	ug/L					0.5	5
BSW 8C1	7/21/2015	NICKEL	6.04	ug/L					0.5	5
BSW 8C1	7/21/2015	SELENIUM	20	ug/L	U				2	20
BSW 8C1	7/21/2015	SILVER	5	ug/L	U				0.5	5
BSW 8C1	7/21/2015	THALLIUM	0.101	ug/L	J		21		0.1	1
BSW 8C1	7/21/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8C1	7/21/2015	VANADIUM	50	ug/L	U				5	50
BSW 8C1	7/21/2015	ZINC	26.8	ug/L	J		21		4	40
BSW 8C1	7/21/2015	MERCURY	4.99	ug/L					0.02	0.2
BSW 8C1	7/21/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25
BSW 8C1	7/21/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
BSW 8C1	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25
BSW 8C1	7/21/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
BSW 8C1	7/21/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
BSW 8C1	7/21/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
BSW 8C1	7/21/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
BSW 8C1	7/21/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
BSW 8C1	7/21/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
BSW 8C1	7/21/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
BSW 8C1	7/21/2015	1,2-DICHLOROETHYLENE	350	ug/L					3.8	50
BSW 8C1	7/21/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
BSW 8C1	7/21/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
BSW 8C1	7/21/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
BSW 8C1	7/21/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
BSW 8C1	7/21/2015	2-HEXANONE	130	ug/L	U				5.5	130

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8C1	7/21/2015	ACETONE	50	ug/L	U				8.5	50
BSW 8C1	7/21/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
BSW 8C1	7/21/2015	ACROLEIN	250	ug/L	U				69	250
BSW 8C1	7/21/2015	ACRYLONITRILE	250	ug/L	U				15	250
BSW 8C1	7/21/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
BSW 8C1	7/21/2015	BENZENE	25	ug/L	U				1.5	25
BSW 8C1	7/21/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 8C1	7/21/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
BSW 8C1	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25
BSW 8C1	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
BSW 8C1	7/21/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
BSW 8C1	7/21/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
BSW 8C1	7/21/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
BSW 8C1	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
BSW 8C1	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
BSW 8C1	7/21/2015	CHLOROFORM	11	ug/L	J		21		2.5	25
BSW 8C1	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
BSW 8C1	7/21/2015	CHLOROPRENE	25	ug/L	U				2.5	25
BSW 8C1	7/21/2015	CIS-1,2-DICHLOROETHYLENE	350	ug/L					2.3	25
BSW 8C1	7/21/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25
BSW 8C1	7/21/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
BSW 8C1	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
BSW 8C1	7/21/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U				2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8C1	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
BSW 8C1	7/21/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
BSW 8C1	7/21/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
BSW 8C1	7/21/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50
BSW 8C1	7/21/2015	ISOBUTANOL	2000	ug/L	U				220	2000
BSW 8C1	7/21/2015	M,P-XYLENE	50	ug/L	U				3.5	50
BSW 8C1	7/21/2015	METHACRYLONITRILE	250	ug/L	U				13	250
BSW 8C1	7/21/2015	METHYL ACETATE	630	ug/L	U				9.3	630
BSW 8C1	7/21/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130
BSW 8C1	7/21/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
BSW 8C1	7/21/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
BSW 8C1	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
BSW 8C1	7/21/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
BSW 8C1	7/21/2015	NAPHTHALENE	25	ug/L	U				4	25
BSW 8C1	7/21/2015	O-XYLENE	25	ug/L	U				1.5	25
BSW 8C1	7/21/2015	PROPIONITRILE	250	ug/L	U				34	250
BSW 8C1	7/21/2015	STYRENE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	TETRACHLOROETHYLENE (PCE)	7.8	ug/L	J		21		4.5	25
BSW 8C1	7/21/2015	TOLUENE	25	ug/L	U				1.8	25
BSW 8C1	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
BSW 8C1	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
BSW 8C1	7/21/2015	TRICHLOROETHYLENE (TCE)	97	ug/L					6.3	25
BSW 8C1	7/21/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
BSW 8C1	7/21/2015	VINYL ACETATE	50	ug/L	U				4.5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8C1	7/21/2015	XYLENES	75	ug/L	U				5	75
BSW 8C1	7/21/2015	1,4-DIOXANE	160	ug/L					4.3	15
BSW 8C1	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.244	pCi/L	J		21	0.095	0.105	0.294
BSW 8C1	7/21/2015	RADIUM-226	0.166	pCi/L				0.055	0.052	0.1622
BSW 8C1	7/21/2015	URANIUM-233/234	0.783	pCi/L				0.292	0.0624	0.647
BSW 8C1	7/21/2015	URANIUM-235	-0.0142	pCi/L	U			0.02	0.17	0.211
BSW 8C1	7/21/2015	URANIUM-238	0.592	pCi/L	J		21, V	0.249	0.116	0.614
BSW 8C1	7/21/2015	GROSS ALPHA	0.831	pCi/L	U			1.44	2.36	5.23
BSW 8C1	7/21/2015	NONVOLATILE BETA	-1.08	pCi/L	U			2.06	4.24	8.35
BSW 8C1	7/21/2015	STRONTIUM-90	0.497	pCi/L	U			1.78	3.13	6.69
BSW 8C1	7/21/2015	CARBON-14	143	pCi/L				6.84	7.1	20.8
BSW 8C1	7/21/2015	TECHNETIUM-99	-0.914	pCi/L	U			2.53	4.31	9.38
BSW 8C1	7/21/2015	TRITIUM	19200	pCi/mL				26.6	0.462	53.8
BSW 8C1	7/21/2015	IODINE-129	7.12	pCi/L				2.16	1.21	5.53
BSW 8D3	1/13/2015	TETRACHLOROETHYLENE (PCE)	0.7	ug/L	J		21		0.18	1
BSW 8D3	1/13/2015	TRICHLOROETHYLENE (TCE)	5.2	ug/L					0.25	1
BSW 8D3	7/23/2015	ETHANE	0.0027	ug/L	J		21		0.002	0.1
BSW 8D3	7/23/2015	ETHYLENE	0.034	ug/L	J		21		0.003	0.1
BSW 8D3	7/23/2015	ANTIMONY	10	ug/L	U				1	10
BSW 8D3	7/23/2015	ARSENIC	50	ug/L	U				5	50
BSW 8D3	7/23/2015	BARIUM	11.4	ug/L	J		21		2	20
BSW 8D3	7/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
BSW 8D3	7/23/2015	CHROMIUM	100	ug/L	U				10	100
BSW 8D3	7/23/2015	COBALT	1.03	ug/L	J		21		0.5	5
BSW 8D3	7/23/2015	COPPER	0.676	ug/L	J		21		0.5	5
BSW 8D3	7/23/2015	LEAD	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	NICKEL	0.594	ug/L	J		21		0.5	5
BSW 8D3	7/23/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8D3	7/23/2015	SILVER	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
BSW 8D3	7/23/2015	TIN	10	ug/L	U				1	10
BSW 8D3	7/23/2015	VANADIUM	50	ug/L	U				5	50
BSW 8D3	7/23/2015	ZINC	40	ug/L	U				4	40
BSW 8D3	7/23/2015	MERCURY	0.121	ug/L	J		21		0.02	0.2
BSW 8D3	7/23/2015	1,1,1,2-TETRACHLOROETHANE	5	ug/L	U				0.45	5
BSW 8D3	7/23/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
BSW 8D3	7/23/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	1,1-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U				0.45	5
BSW 8D3	7/23/2015	1,2,3-TRICHLOROPROPANE	5	ug/L	U				0.75	5
BSW 8D3	7/23/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U				2.1	5
BSW 8D3	7/23/2015	1,2-DIBROMOETHANE	5	ug/L	U				0.65	5
BSW 8D3	7/23/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
BSW 8D3	7/23/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	1,2-DICHLOROETHYLENE	14	ug/L					0.75	10
BSW 8D3	7/23/2015	1,2-DICHLOROPROPANE	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	1,3-DICHLOROBENZENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	1,3-DICHLOROPROPANE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	1,4-DICHLOROBENZENE	5	ug/L	U				0.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8D3	7/23/2015	2,2-DICHLOROPROPANE	5	ug/L	U				0.7	5
BSW 8D3	7/23/2015	2-CHLOROETHYL VINYL ETHER	10	ug/L	U				0.85	10
BSW 8D3	7/23/2015	2-HEXANONE	25	ug/L	U				1.1	25
BSW 8D3	7/23/2015	ACETONE	10	ug/L	U				1.7	10
BSW 8D3	7/23/2015	ACETONITRILE (METHYL CYANIDE)	50	ug/L	U				10	50
BSW 8D3	7/23/2015	ACROLEIN	50	ug/L	U				14	50
BSW 8D3	7/23/2015	ACRYLONITRILE	50	ug/L	U				2.9	50
BSW 8D3	7/23/2015	ALLYL CHLORIDE	10	ug/L	U				0.55	10
BSW 8D3	7/23/2015	BENZENE	5	ug/L	U				0.3	5
BSW 8D3	7/23/2015	BROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSW 8D3	7/23/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
BSW 8D3	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U				0.85	5
BSW 8D3	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U				1.3	10
BSW 8D3	7/23/2015	CARBON DISULFIDE	19	ug/L					0.25	5
BSW 8D3	7/23/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
BSW 8D3	7/23/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
BSW 8D3	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U				0.5	10
BSW 8D3	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
BSW 8D3	7/23/2015	CHLOROFORM	0.78	ug/L	J		21		0.5	5
BSW 8D3	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U				0.4	10
BSW 8D3	7/23/2015	CHLOROPRENE	5	ug/L	U				0.5	5
BSW 8D3	7/23/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L					0.45	5
BSW 8D3	7/23/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	CYCLOHEXANE	5	ug/L	U				0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8D3	7/23/2015	DIBROMOCHLOROMETHANE	5	ug/L	U				0.65	5
BSW 8D3	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	5	ug/L	U				1.1	5
BSW 8D3	7/23/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U				0.4	10
BSW 8D3	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
BSW 8D3	7/23/2015	ETHYL ACETATE	10	ug/L	U				0.9	10
BSW 8D3	7/23/2015	ETHYLBENZENE	5	ug/L	U				0.45	5
BSW 8D3	7/23/2015	IODOMETHANE (METHYL IODIDE)	10	ug/L	U				0.45	10
BSW 8D3	7/23/2015	ISOBUTANOL	400	ug/L	U				44	400
BSW 8D3	7/23/2015	M,P-XYLENE	10	ug/L	U				0.7	10
BSW 8D3	7/23/2015	METHACRYLONITRILE	50	ug/L	U				2.5	50
BSW 8D3	7/23/2015	METHYL ACETATE	130	ug/L	U				1.9	130
BSW 8D3	7/23/2015	METHYL ETHYL KETONE	4.3	ug/L	J		21		2.6	25
BSW 8D3	7/23/2015	METHYL ISOBUTYL KETONE	25	ug/L	U				0.6	25
BSW 8D3	7/23/2015	METHYL METHACRYLATE	10	ug/L	U				1.3	10
BSW 8D3	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U				0.55	10
BSW 8D3	7/23/2015	METHYLCYCLOHEXANE	20	ug/L	U				0.5	20
BSW 8D3	7/23/2015	NAPHTHALENE	5	ug/L	U				0.8	5
BSW 8D3	7/23/2015	O-XYLENE	5	ug/L	U				0.3	5
BSW 8D3	7/23/2015	PROPIONITRILE	50	ug/L	U				6.8	50
BSW 8D3	7/23/2015	STYRENE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
BSW 8D3	7/23/2015	TOLUENE	5	ug/L	U				0.35	5
BSW 8D3	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U				0.4	5
BSW 8D3	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	10	ug/L	U				1.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
BSW 8D3	7/23/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L	J		21		1.3	5
BSW 8D3	7/23/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				0.55	5
BSW 8D3	7/23/2015	VINYL ACETATE	10	ug/L	U				0.9	10
BSW 8D3	7/23/2015	XYLENES	15	ug/L	U				1	15
BSW 8D3	7/23/2015	1,4-DIOXANE	5	ug/L					0.85	3
BSW 8D3	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	1.28	pCi/L				0.176	0.098	0.4499
BSW 8D3	7/23/2015	RADIUM-226	1.05	pCi/L				0.131	0.078	0.3398
BSW 8D3	7/23/2015	URANIUM-233/234	0.0549	pCi/L	U		V	0.07	0.1	0.241
BSW 8D3	7/23/2015	URANIUM-235	0	pCi/L	U			0	0.0667	0.0667
BSW 8D3	7/23/2015	URANIUM-238	0.154	pCi/L	U		21, V	0.115	0.1	0.33
BSW 8D3	7/23/2015	GROSS ALPHA	2.72	pCi/L	J		21	2.16	2.09	6.41
BSW 8D3	7/23/2015	NONVOLATILE BETA	4.41	pCi/L	J		21	2.96	4	9.92
BSW 8D3	7/23/2015	STRONTIUM-90	0.336	pCi/L	U			1.79	3.29	6.87
BSW 8D3	7/23/2015	CARBON-14	39	pCi/L				4.94	6.84	16.7
BSW 8D3	7/23/2015	TECHNETIUM-99	1.86	pCi/L	U			2.44	4.02	8.91
BSW 8D3	7/23/2015	TRITIUM	619	pCi/mL				4.7	0.543	9.94
BSW 8D3	7/23/2015	IODINE-129	1.45	pCi/L	J		21	0.914	0.948	2.78
CCSL-08	6/29/2015	BUTANE	0.2	ug/L	U				0.008	0.2
CCSL-08	6/29/2015	ETHANE	0.038	ug/L	J		21		0.002	0.1
CCSL-08	6/29/2015	ETHYLENE	0.045	ug/L	J		21		0.003	0.1
CCSL-08	6/29/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
CCSL-08	6/29/2015	METHANE	9.6	ug/L					0.042	0.5
CCSL-08	6/29/2015	PROPANE	0.1	ug/L	U				0.002	0.1
CCSL-08	6/29/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
CCSL-08	6/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CCSL-08	6/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	6/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CCSL-08	6/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CCSL-08	6/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CCSL-08	6/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CCSL-08	6/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CCSL-08	6/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CCSL-08	6/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CCSL-08	6/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CCSL-08	6/29/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CCSL-08	6/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CCSL-08	6/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CCSL-08	6/29/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CCSL-08	6/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CCSL-08	6/29/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CCSL-08	6/29/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CCSL-08	6/29/2015	ACETONE	2	ug/L	U	U			0.34	2
CCSL-08	6/29/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CCSL-08	6/29/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CCSL-08	6/29/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CCSL-08	6/29/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	6/29/2015	BENZENE	1	ug/L	U	U			0.06	1
CCSL-08	6/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-08	6/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CCSL-08	6/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CCSL-08	6/29/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CCSL-08	6/29/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CCSL-08	6/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CCSL-08	6/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CCSL-08	6/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CCSL-08	6/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-08	6/29/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CCSL-08	6/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-08	6/29/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CCSL-08	6/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CCSL-08	6/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-08	6/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CCSL-08	6/29/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CCSL-08	6/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CCSL-08	6/29/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-08	6/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CCSL-08	6/29/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CCSL-08	6/29/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	6/29/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CCSL-08	6/29/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CCSL-08	6/29/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CCSL-08	6/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CCSL-08	6/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CCSL-08	6/29/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CCSL-08	6/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CCSL-08	6/29/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CCSL-08	6/29/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CCSL-08	6/29/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CCSL-08	6/29/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CCSL-08	6/29/2015	STYRENE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CCSL-08	6/29/2015	TOLUENE	1	ug/L	U	U			0.07	1
CCSL-08	6/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-08	6/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CCSL-08	6/29/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J	J	21		0.25	1
CCSL-08	6/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CCSL-08	6/29/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-08	6/29/2015	XYLENES	3	ug/L	U	U			0.2	3
CCSL-08	6/29/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CCSL-08	6/29/2015	TRITIUM	282	pCi/mL				3.21	0.471	6.89
CCSL-08	11/5/2015	ETHYLENE	0.11	ug/L					0.004	0.1
CCSL-08	11/5/2015	METHANE	2.2	ug/L					0.037	0.5
CCSL-08	11/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	11/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CCSL-08	11/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CCSL-08	11/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CCSL-08	11/5/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
CCSL-08	11/5/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-08	11/5/2015	BENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CCSL-08	11/5/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	11/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CCSL-08	11/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CCSL-08	11/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CCSL-08	11/5/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-08	11/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CCSL-08	11/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	STYRENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TRICHLOROETHYLENE (TCE)	3.46	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-08	11/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-08	11/5/2015	TRITIUM	233	pCi/mL				2.67	0.519	5.85
CCSL-11	6/30/2015	BUTANE	0.2	ug/L	U				0.008	0.2
CCSL-11	6/30/2015	ETHANE	0.0024	ug/L	J		21		0.002	0.1
CCSL-11	6/30/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
CCSL-11	6/30/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
CCSL-11	6/30/2015	METHANE	29	ug/L					0.042	0.5
CCSL-11	6/30/2015	PROPANE	0.1	ug/L	U				0.002	0.1
CCSL-11	6/30/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
CCSL-11	6/30/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CCSL-11	6/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CCSL-11	6/30/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CCSL-11	6/30/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CCSL-11	6/30/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CCSL-11	6/30/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CCSL-11	6/30/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CCSL-11	6/30/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CCSL-11	6/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CCSL-11	6/30/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CCSL-11	6/30/2015	1,2-DICHLOROETHYLENE	2.7	ug/L					0.15	2
CCSL-11	6/30/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-11	6/30/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CCSL-11	6/30/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CCSL-11	6/30/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CCSL-11	6/30/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CCSL-11	6/30/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CCSL-11	6/30/2015	ACETONE	2	ug/L	U	U			0.34	2
CCSL-11	6/30/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CCSL-11	6/30/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CCSL-11	6/30/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CCSL-11	6/30/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CCSL-11	6/30/2015	BENZENE	1	ug/L	U	U			0.06	1
CCSL-11	6/30/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-11	6/30/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CCSL-11	6/30/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CCSL-11	6/30/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CCSL-11	6/30/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CCSL-11	6/30/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CCSL-11	6/30/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CCSL-11	6/30/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CCSL-11	6/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-11	6/30/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CCSL-11	6/30/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-11	6/30/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-11	6/30/2015	CIS-1,2-DICHLOROETHYLENE	2.7	ug/L					0.09	1
CCSL-11	6/30/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-11	6/30/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CCSL-11	6/30/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CCSL-11	6/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CCSL-11	6/30/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-11	6/30/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CCSL-11	6/30/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CCSL-11	6/30/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CCSL-11	6/30/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CCSL-11	6/30/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CCSL-11	6/30/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CCSL-11	6/30/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CCSL-11	6/30/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CCSL-11	6/30/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CCSL-11	6/30/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CCSL-11	6/30/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CCSL-11	6/30/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CCSL-11	6/30/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CCSL-11	6/30/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CCSL-11	6/30/2015	STYRENE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-11	6/30/2015	TOLUENE	1	ug/L	U	U			0.07	1
CCSL-11	6/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-11	6/30/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CCSL-11	6/30/2015	TRICHLOROETHYLENE (TCE)	0.78	ug/L	J	J	21		0.25	1
CCSL-11	6/30/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CCSL-11	6/30/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-11	6/30/2015	XYLENES	3	ug/L	U	U			0.2	3
CCSL-11	6/30/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CCSL-11	6/30/2015	TRITIUM	392	pCi/mL				3.82	0.483	8.13
CCSL-11	11/5/2015	ETHYLENE	0.14	ug/L					0.004	0.1
CCSL-11	11/5/2015	METHANE	41	ug/L					0.037	0.5
CCSL-11	11/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CCSL-11	11/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CCSL-11	11/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-11	11/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CCSL-11	11/5/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
CCSL-11	11/5/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-11	11/5/2015	BENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CCSL-11	11/5/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CIS-1,2-DICHLOROETHYLENE	1.71	ug/L					0.3	1
CCSL-11	11/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CCSL-11	11/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-11	11/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CCSL-11	11/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CCSL-11	11/5/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-11	11/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CCSL-11	11/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	STYRENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TRICHLOROETHYLENE (TCE)	2.11	ug/L					0.3	1
CCSL-11	11/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-11	11/5/2015	TRITIUM	419	pCi/mL				3.67	0.552	7.9
CCSL-14	6/30/2015	BUTANE	0.2	ug/L	U				0.008	0.2
CCSL-14	6/30/2015	ETHANE	0.0021	ug/L	J		21		0.002	0.1
CCSL-14	6/30/2015	ETHYLENE	0.0094	ug/L	J		21		0.003	0.1
CCSL-14	6/30/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
CCSL-14	6/30/2015	METHANE	0.1	ug/L	J		21		0.042	0.5
CCSL-14	6/30/2015	PROPANE	0.1	ug/L	U				0.002	0.1
CCSL-14	6/30/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
CCSL-14	6/30/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CCSL-14	6/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CCSL-14	6/30/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	6/30/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CCSL-14	6/30/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CCSL-14	6/30/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CCSL-14	6/30/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CCSL-14	6/30/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CCSL-14	6/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CCSL-14	6/30/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CCSL-14	6/30/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CCSL-14	6/30/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CCSL-14	6/30/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CCSL-14	6/30/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CCSL-14	6/30/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CCSL-14	6/30/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CCSL-14	6/30/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CCSL-14	6/30/2015	ACETONE	2	ug/L	U	U			0.34	2
CCSL-14	6/30/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CCSL-14	6/30/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CCSL-14	6/30/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CCSL-14	6/30/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CCSL-14	6/30/2015	BENZENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	6/30/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-14	6/30/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CCSL-14	6/30/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CCSL-14	6/30/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CCSL-14	6/30/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CCSL-14	6/30/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CCSL-14	6/30/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CCSL-14	6/30/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CCSL-14	6/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-14	6/30/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CCSL-14	6/30/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CCSL-14	6/30/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CCSL-14	6/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CCSL-14	6/30/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CCSL-14	6/30/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CCSL-14	6/30/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CCSL-14	6/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CCSL-14	6/30/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-14	6/30/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CCSL-14	6/30/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CCSL-14	6/30/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CCSL-14	6/30/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	6/30/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CCSL-14	6/30/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CCSL-14	6/30/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CCSL-14	6/30/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CCSL-14	6/30/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CCSL-14	6/30/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CCSL-14	6/30/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CCSL-14	6/30/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CCSL-14	6/30/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CCSL-14	6/30/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CCSL-14	6/30/2015	STYRENE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CCSL-14	6/30/2015	TOLUENE	1	ug/L	U	U			0.07	1
CCSL-14	6/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CCSL-14	6/30/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CCSL-14	6/30/2015	TRICHLOROETHYLENE (TCE)	8.2	ug/L		J	14		0.25	1
CCSL-14	6/30/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CCSL-14	6/30/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CCSL-14	6/30/2015	XYLENES	3	ug/L	U	U			0.2	3
CCSL-14	6/30/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CCSL-14	6/30/2015	TRITIUM	373	pCi/mL				3.75	0.489	7.99
CCSL-14	11/4/2015	ETHYLENE	0.1	ug/L					0.004	0.1
CCSL-14	11/4/2015	METHANE	0.42	ug/L	J		21		0.037	0.5
CCSL-14	11/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	11/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CCSL-14	11/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CCSL-14	11/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CCSL-14	11/4/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	BENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	11/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CCSL-14	11/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CCSL-14	11/4/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	STYRENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TOLUENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.3	1
CCSL-14	11/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	11/4/2015	TRITIUM	392	pCi/mL				3.78	0.452	8.01
CCSL-14	11/4/2015	ETHYLENE	0.037	ug/L	J		21		0.004	0.1
CCSL-14	11/4/2015	METHANE	0.36	ug/L	J		21		0.037	0.5
CCSL-14	11/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CCSL-14	11/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CCSL-14	11/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CCSL-14	11/4/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	BENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	11/4/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CCSL-14	11/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CCSL-14	11/4/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
CCSL-14	11/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CCSL-14	11/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	STYRENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CCSL-14	11/4/2015	TOLUENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRICHLOROETHYLENE (TCE)	11.1	ug/L					0.3	1
CCSL-14	11/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CCSL-14	11/4/2015	TRITIUM	391	pCi/mL				3.77	0.452	7.99
CDB 1	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CDB 1	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CDB 1	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB 1	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB 1	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CDB 1	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CDB 1	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB 1	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CDB 1	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CDB 1	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CDB 1	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CDB 1	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB 1	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 1	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CDB 1	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CDB 1	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CDB 1	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CDB 1	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CDB 1	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CDB 1	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CDB 1	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CDB 1	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CDB 1	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CDB 1	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB 1	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CDB 1	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CDB 1	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CDB 1	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CDB 1	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CDB 1	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CDB 1	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CDB 1	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB 1	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB 1	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CDB 1	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CDB 1	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 1	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB 1	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CDB 1	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CDB 1	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CDB 1	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CDB 1	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CDB 1	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CDB 1	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CDB 1	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CDB 1	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CDB 1	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CDB 1	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CDB 1	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CDB 1	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CDB 1	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CDB 1	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CDB 1	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CDB 1	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CDB 1	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CDB 1	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1
CDB 1	6/1/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
CDB 1	6/1/2015	TOLUENE	0.62	ug/L	J	J	21		0.07	1
CDB 1	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB 1	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 1	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CDB 1	6/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CDB 1	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CDB 1	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CDB 1	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CDB 1	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CDB 1	6/1/2015	TRITIUM	5.36	pCi/mL				0.511	0.455	1.48
CDB 1	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CDB 1	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CDB 1	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CDB 1	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CDB 1	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CDB 1	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 1	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CDB 1	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CDB 1	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CDB 1	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CDB 1	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CDB 1	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CDB 1	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 1	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TETRACHLOROETHYLENE (PCE)	1.16	ug/L					0.3	1
CDB 1	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB 1	11/18/2015	TRITIUM	3.82	pCi/mL				0.432	0.418	1.28
CDB 2	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CDB 2	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CDB 2	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CDB 2	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CDB 2	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CDB 2	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CDB 2	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CDB 2	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CDB 2	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 2	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CDB 2	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CDB 2	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CDB 2	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CDB 2	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CDB 2	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CDB 2	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CDB 2	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CDB 2	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CDB 2	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CDB 2	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CDB 2	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB 2	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CDB 2	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CDB 2	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CDB 2	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CDB 2	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CDB 2	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CDB 2	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CDB 2	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB 2	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB 2	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CDB 2	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 2	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB 2	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CDB 2	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CDB 2	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CDB 2	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CDB 2	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CDB 2	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CDB 2	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CDB 2	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CDB 2	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CDB 2	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CDB 2	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CDB 2	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CDB 2	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CDB 2	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CDB 2	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CDB 2	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CDB 2	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CDB 2	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CDB 2	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1
CDB 2	6/1/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J	J	21		0.18	1
CDB 2	6/1/2015	TOLUENE	2.1	ug/L					0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 2	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB 2	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CDB 2	6/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CDB 2	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CDB 2	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CDB 2	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CDB 2	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CDB 2	6/1/2015	TRITIUM	197	pCi/mL				2.68	0.456	5.81
CDB 2	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CDB 2	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CDB 2	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CDB 2	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CDB 2	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 2	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CDB 2	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CDB 2	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CDB 2	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CDB 2	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CDB 2	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CDB 2	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB 2	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB 2	11/18/2015	TRITIUM	349	pCi/mL				3.43	0.417	7.28
CDB003D	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CDB003D	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CDB003D	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CDB003D	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CDB003D	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CDB003D	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CDB003D	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CDB003D	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CDB003D	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CDB003D	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CDB003D	6/1/2015	1,2-DICHLOROETHYLENE	0.18	ug/L	J	J	21		0.15	2
CDB003D	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CDB003D	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CDB003D	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CDB003D	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CDB003D	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CDB003D	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CDB003D	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CDB003D	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CDB003D	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CDB003D	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CDB003D	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CDB003D	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB003D	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CDB003D	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CDB003D	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CDB003D	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CDB003D	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CDB003D	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CDB003D	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CDB003D	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB003D	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CDB003D	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB003D	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	6/1/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J	J	21		0.09	1
CDB003D	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB003D	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CDB003D	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CDB003D	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CDB003D	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CDB003D	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CDB003D	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CDB003D	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CDB003D	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CDB003D	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CDB003D	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CDB003D	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CDB003D	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CDB003D	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CDB003D	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CDB003D	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CDB003D	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CDB003D	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CDB003D	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CDB003D	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1
CDB003D	6/1/2015	TETRACHLOROETHYLENE (PCE)	0.5	ug/L	J	J	21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	6/1/2015	TOLUENE	0.32	ug/L	J	J	21		0.07	1
CDB003D	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB003D	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CDB003D	6/1/2015	TRICHLOROETHYLENE (TCE)	39	ug/L					0.25	1
CDB003D	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CDB003D	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CDB003D	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CDB003D	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CDB003D	6/1/2015	TRITIUM	13.5	pCi/mL				0.744	0.457	1.95
CDB003D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CDB003D	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CDB003D	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CDB003D	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CDB003D	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.46	ug/L	J	J	21		0.3	1
CDB003D	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CDB003D	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CDB003D	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.57	ug/L	J	J	21		0.3	1
CDB003D	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRICHLOROETHYLENE (TCE)	69.5	ug/L					0.3	1
CDB003D	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRITIUM	10.8	pCi/mL				0.649	0.417	1.72
CDB003D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CDB003D	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CDB003D	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CDB003D	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CDB003D	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J	J	21		0.3	1
CDB003D	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CDB003D	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CDB003D	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CDB003D	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.52	ug/L	J	J	21		0.3	1
CDB003D	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRICHLOROETHYLENE (TCE)	64.9	ug/L					0.3	1
CDB003D	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CDB003D	11/18/2015	TRITIUM	11.1	pCi/mL				0.661	0.421	1.74
CDB003D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CDB003D	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CDB003D	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CDB003D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CDB003D	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CDB003D	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CDB003D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CDB003D	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CDB003D	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CDB003D	11/18/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CDB003D	11/18/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CDB003D	11/18/2015	ACETONE	2	ug/L	U	U			0.34	2
CDB003D	11/18/2015	BENZENE	1	ug/L	U	U			0.06	1
CDB003D	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB003D	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CDB003D	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CDB003D	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CDB003D	11/18/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CDB003D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CDB003D	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CDB003D	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CDB003D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB003D	11/18/2015	CHLOROFORM	0.11	ug/L	J	J	21		0.1	1
CDB003D	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CDB003D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.5	ug/L	J	J	21		0.09	1
CDB003D	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CDB003D	11/18/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CDB003D	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDB003D	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CDB003D	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CDB003D	11/18/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CDB003D	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CDB003D	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CDB003D	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CDB003D	11/18/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CDB003D	11/18/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CDB003D	11/18/2015	STYRENE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.5	ug/L	J	J	21		0.18	1
CDB003D	11/18/2015	TOLUENE	1	ug/L	U	U			0.07	1
CDB003D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CDB003D	11/18/2015	TRICHLOROETHYLENE (TCE)	54	ug/L					0.5	2
CDB003D	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CDB003D	11/18/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
CDB003D	11/18/2015	TRITIUM	12.3	pCi/mL				0.741	0.307	1.789
CDL001	1/20/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.085	0.25
CDL001	1/20/2015	ARSENIC	2.6	ug/L	J		21		1.2	10
CDL001	1/20/2015	BARIUM	32	ug/L					0.22	2
CDL001	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL001	1/20/2015	CHROMIUM	38	ug/L					1	10
CDL001	1/20/2015	LEAD	20	ug/L			V		0.17	3
CDL001	1/20/2015	SELENIUM	5.5	ug/L					1.6	5
CDL001	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL001	1/20/2015	MERCURY	0.072	ug/L	J		21		0.06	0.2
CDL001	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL001	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL001	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL001	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL001	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL001	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL001	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL001	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL001	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL001	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL001	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL001	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL001	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL001	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL001	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL001	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL001	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL001	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL001	1/20/2015	CHLORIDE	2.7	mg/L					0.02	0.2
CDL001	1/20/2015	SULFATE	0.43	mg/L	J		21		0.05	0.5
CDL001	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.73	mg/L			V		0.0047	0.05
CDL001	8/13/2015	ARSENIC	10	ug/L	U				1.2	10
CDL001	8/13/2015	BARIUM	2.3	ug/L					0.22	2
CDL001	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL001	8/13/2015	CHROMIUM	1.7	ug/L	J		21		1	10
CDL001	8/13/2015	LEAD	1	ug/L	J		21		0.17	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL001	8/13/2015	SELENIUM	5	ug/L	U				1.6	5
CDL001	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL001	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL001	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL001	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL001	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL001	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL001	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL001	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL001	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL001	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL001	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL001	8/13/2015	CHLOROFORM	0.92	ug/L	J		21		0.1	1
CDL001	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL001	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL001	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL001	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL001	8/13/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
CDL001	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL001	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL001	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL001	8/13/2015	CHLORIDE	4.1	mg/L					0.02	0.2
CDL001	8/13/2015	SULFATE	3.7	mg/L					0.05	0.5
CDL002	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.563	mg/L					0.017	0.05
CDL002	1/20/2015	ARSENIC	10	ug/L	U				1.2	10
CDL002	1/20/2015	BARIUM	22	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL002	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL002	1/20/2015	CHROMIUM	3.3	ug/L	J		21		1	10
CDL002	1/20/2015	LEAD	2.4	ug/L	J		21, V		0.17	3
CDL002	1/20/2015	SELENIUM	5	ug/L	U				1.6	5
CDL002	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL002	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL002	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL002	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL002	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL002	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL002	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL002	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL002	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL002	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL002	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL002	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL002	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL002	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL002	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL002	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL002	1/20/2015	CHLORIDE	3.2	mg/L					0.02	0.2
CDL002	1/20/2015	SULFATE	1.4	mg/L					0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL002	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.452	mg/L					0.017	0.05
CDL002	1/20/2015	ARSENIC	10	ug/L	U				1.2	10
CDL002	1/20/2015	BARIUM	21	ug/L					0.22	2
CDL002	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL002	1/20/2015	CHROMIUM	3.2	ug/L	J		21		1	10
CDL002	1/20/2015	LEAD	1.5	ug/L	J		21, V		0.17	3
CDL002	1/20/2015	SELENIUM	5	ug/L	U				1.6	5
CDL002	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL002	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL002	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL002	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL002	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL002	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL002	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL002	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL002	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL002	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL002	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL002	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL002	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL002	1/20/2015	TOLUENE	4.5	ug/L					0.07	1
CDL002	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL002	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL002	1/20/2015	CHLORIDE	3.7	mg/L					0.02	0.2
CDL002	1/20/2015	SULFATE	1.6	mg/L					0.05	0.5
CDL002	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.83	mg/L			V		0.0047	0.05
CDL002	8/13/2015	ARSENIC	10	ug/L	U				1.2	10
CDL002	8/13/2015	BARIUM	24	ug/L					0.22	2
CDL002	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL002	8/13/2015	CHROMIUM	2.4	ug/L	J		21		1	10
CDL002	8/13/2015	LEAD	2.1	ug/L	J		21		0.17	3
CDL002	8/13/2015	SELENIUM	5	ug/L	U				1.6	5
CDL002	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL002	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL002	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL002	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL002	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL002	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL002	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL002	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL002	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL002	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL002	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL002	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL002	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL002	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL002	8/13/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
CDL002	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL002	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL002	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL002	8/13/2015	CHLORIDE	2.8	mg/L					0.02	0.2
CDL002	8/13/2015	SULFATE	0.92	mg/L					0.05	0.5
CDL003	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.789	mg/L					0.017	0.05
CDL003	1/20/2015	ARSENIC	3.8	ug/L	J		21		1.2	10
CDL003	1/20/2015	BARIUM	84	ug/L					0.22	2
CDL003	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL003	1/20/2015	CHROMIUM	28	ug/L					1	10
CDL003	1/20/2015	LEAD	18	ug/L			V		0.17	3
CDL003	1/20/2015	SELENIUM	8.9	ug/L					1.6	5
CDL003	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL003	1/20/2015	MERCURY	0.066	ug/L	J		21		0.06	0.2
CDL003	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL003	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL003	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL003	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL003	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL003	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL003	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL003	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL003	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL003	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL003	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL003	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL003	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL003	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL003	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL003	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL003	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL003	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL003	1/20/2015	CHLORIDE	2.9	mg/L					0.02	0.2
CDL003	1/20/2015	SULFATE	11	mg/L					0.05	0.5
CDL003	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.36	mg/L			V		0.0047	0.05
CDL003	8/13/2015	ARSENIC	3.8	ug/L	J		21		1.2	10
CDL003	8/13/2015	BARIUM	38	ug/L					0.22	2
CDL003	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL003	8/13/2015	CHROMIUM	33	ug/L					1	10
CDL003	8/13/2015	LEAD	22	ug/L					0.17	3
CDL003	8/13/2015	SELENIUM	9	ug/L					1.6	5
CDL003	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL003	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL003	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL003	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL003	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL003	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL003	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL003	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL003	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL003	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL003	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL003	8/13/2015	CHLOROFORM	1.2	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL003	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL003	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL003	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL003	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL003	8/13/2015	TOLUENE	1	ug/L	U				0.07	1
CDL003	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL003	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL003	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL003	8/13/2015	CHLORIDE	4.1	mg/L					0.02	0.2
CDL003	8/13/2015	SULFATE	6.2	mg/L					0.05	0.5
CDL004	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.224	mg/L					0.017	0.05
CDL004	1/20/2015	ARSENIC	10	ug/L	U				1.2	10
CDL004	1/20/2015	BARIUM	18	ug/L					0.22	2
CDL004	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL004	1/20/2015	CHROMIUM	5.5	ug/L	J		21		1	10
CDL004	1/20/2015	LEAD	2.4	ug/L	J		21, V		0.17	3
CDL004	1/20/2015	SELENIUM	1.6	ug/L	J		21		1.6	5
CDL004	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL004	1/20/2015	MERCURY	0.061	ug/L	J		21		0.06	0.2
CDL004	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL004	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL004	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL004	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL004	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL004	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL004	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL004	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL004	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL004	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL004	1/20/2015	CIS-1,2-DICHLOROETHYLENE	0.22	ug/L	J		21		0.09	1
CDL004	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL004	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL004	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL004	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL004	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL004	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL004	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL004	1/20/2015	CHLORIDE	2.9	mg/L					0.02	0.2
CDL004	1/20/2015	SULFATE	0.84	mg/L					0.05	0.5
CDL004	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.23	mg/L			V		0.0047	0.05
CDL004	8/13/2015	ARSENIC	1.5	ug/L	J		21		1.2	10
CDL004	8/13/2015	BARIUM	27	ug/L					0.22	2
CDL004	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL004	8/13/2015	CHROMIUM	13	ug/L					1	10
CDL004	8/13/2015	LEAD	5.9	ug/L					0.17	3
CDL004	8/13/2015	SELENIUM	3	ug/L	J		21		1.6	5
CDL004	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL004	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL004	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL004	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL004	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL004	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL004	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL004	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL004	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL004	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL004	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL004	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL004	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL004	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL004	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL004	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL004	8/13/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
CDL004	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL004	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL004	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL004	8/13/2015	CHLORIDE	2.6	mg/L					0.02	0.2
CDL004	8/13/2015	SULFATE	0.92	mg/L					0.05	0.5
CDL004	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.22	mg/L			V		0.0047	0.05
CDL004	8/13/2015	ARSENIC	1.3	ug/L	J		21		1.2	10
CDL004	8/13/2015	BARIUM	27	ug/L					0.22	2
CDL004	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL004	8/13/2015	CHROMIUM	13	ug/L					1	10
CDL004	8/13/2015	LEAD	5.4	ug/L					0.17	3
CDL004	8/13/2015	SELENIUM	2.7	ug/L	J		21		1.6	5
CDL004	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL004	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL004	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL004	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL004	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL004	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL004	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL004	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL004	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL004	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL004	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL004	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL004	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL004	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL004	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL004	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL004	8/13/2015	TOLUENE	0.28	ug/L	J		21		0.07	1
CDL004	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL004	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL004	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL004	8/13/2015	CHLORIDE	2.6	mg/L					0.02	0.2
CDL004	8/13/2015	SULFATE	0.86	mg/L					0.05	0.5
CDL005	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.219	mg/L					0.017	0.05
CDL005	1/20/2015	ARSENIC	2.5	ug/L	J		21		1.2	10
CDL005	1/20/2015	BARIUM	110	ug/L					0.22	2
CDL005	1/20/2015	CADMIUM	0.3	ug/L	J		21		0.1	0.5
CDL005	1/20/2015	CHROMIUM	28	ug/L					1	10
CDL005	1/20/2015	LEAD	9.7	ug/L			V		0.17	3
CDL005	1/20/2015	SELENIUM	4.7	ug/L	J		21		1.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL005	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL005	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL005	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL005	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL005	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL005	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL005	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL005	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL005	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL005	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL005	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL005	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL005	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL005	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL005	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL005	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL005	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL005	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL005	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL005	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL005	1/20/2015	CHLORIDE	3.9	mg/L					0.02	0.2
CDL005	1/20/2015	SULFATE	1.5	mg/L					0.05	0.5
CDL005	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.24	mg/L			V		0.0047	0.05
CDL005	8/13/2015	ARSENIC	2.8	ug/L	J		21		1.2	10
CDL005	8/13/2015	BARIUM	110	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL005	8/13/2015	CADMIUM	0.24	ug/L	J		21		0.1	0.5
CDL005	8/13/2015	CHROMIUM	34	ug/L					1	10
CDL005	8/13/2015	LEAD	9.7	ug/L					0.17	3
CDL005	8/13/2015	SELENIUM	6	ug/L					1.6	5
CDL005	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL005	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL005	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL005	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL005	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL005	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL005	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL005	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL005	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL005	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL005	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL005	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL005	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL005	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL005	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL005	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL005	8/13/2015	TOLUENE	1	ug/L	U				0.07	1
CDL005	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL005	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL005	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL005	8/13/2015	CHLORIDE	3.3	mg/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL005	8/13/2015	SULFATE	1.8	mg/L					0.05	0.5
CDL006	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.355	mg/L					0.017	0.05
CDL006	1/20/2015	ARSENIC	1.3	ug/L	J		21		1.2	10
CDL006	1/20/2015	BARIUM	58	ug/L					0.22	2
CDL006	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL006	1/20/2015	CHROMIUM	21	ug/L					1	10
CDL006	1/20/2015	LEAD	6.6	ug/L			V		0.17	3
CDL006	1/20/2015	SELENIUM	6.9	ug/L					1.6	5
CDL006	1/20/2015	SILVER	2	ug/L	U				0.82	2
CDL006	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL006	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL006	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL006	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL006	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL006	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL006	1/20/2015	BENZENE	1	ug/L	U				0.06	1
CDL006	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL006	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL006	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL006	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
CDL006	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL006	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL006	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
CDL006	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL006	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
CDL006	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL006	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL006	1/20/2015	XYLENES	3	ug/L	U				0.2	3
CDL006	1/20/2015	CHLORIDE	2.6	mg/L					0.02	0.2
CDL006	1/20/2015	SULFATE	0.94	mg/L					0.05	0.5
CDL006	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.26	mg/L			V		0.0047	0.05
CDL006	8/13/2015	ARSENIC	10	ug/L	U				1.2	10
CDL006	8/13/2015	BARIUM	16	ug/L					0.22	2
CDL006	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
CDL006	8/13/2015	CHROMIUM	5.1	ug/L	J		21		1	10
CDL006	8/13/2015	LEAD	1.2	ug/L	J		21		0.17	3
CDL006	8/13/2015	SELENIUM	5	ug/L	U				1.6	5
CDL006	8/13/2015	SILVER	2	ug/L	U				0.82	2
CDL006	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
CDL006	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
CDL006	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CDL006	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
CDL006	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL006	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
CDL006	8/13/2015	BENZENE	1	ug/L	U				0.06	1
CDL006	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CDL006	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
CDL006	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CDL006	8/13/2015	CHLOROFORM	0.37	ug/L	J		21		0.1	1
CDL006	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CDL006	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CDL006	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CDL006	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CDL006	8/13/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
CDL006	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CDL006	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CDL006	8/13/2015	XYLENES	3	ug/L	U				0.2	3
CDL006	8/13/2015	CHLORIDE	3	mg/L					0.02	0.2
CDL006	8/13/2015	SULFATE	1.3	mg/L					0.05	0.5
CMB 15I	6/2/2015	LINDANE	0.034	ug/L	J		21		0.011	0.054
CMB 15I	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMB 15I	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMB 15I	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMB 15I	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMB 15I	6/2/2015	BROMODICHLOROMETHANE	0.91	ug/L	J		21		0.09	1
CMB 15I	6/2/2015	CARBON TETRACHLORIDE	3.5	ug/L					0.13	1
CMB 15I	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMB 15I	6/2/2015	CHLOROFORM	2.1	ug/L					0.1	1
CMB 15I	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMB 15I	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMB 15I	6/2/2015	TETRACHLOROETHYLENE (PCE)	270	ug/L					4.5	25
CMB 15I	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMB 15I	6/2/2015	TRICHLOROETHYLENE (TCE)	78	ug/L					6.3	25
CMB 15I	12/1/2015	LINDANE	0.0298	ug/L					0.00665	0.02
CMB 15I	12/1/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	BROMODICHLOROMETHANE	5	ug/L	U				1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMB 15I	12/1/2015	CARBON TETRACHLORIDE	1.55	ug/L	J		21		1.5	5
CMB 15I	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	CHLOROFORM	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				5	25
CMB 15I	12/1/2015	TETRACHLOROETHYLENE (PCE)	195	ug/L					1.5	5
CMB 15I	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMB 15I	12/1/2015	TRICHLOROETHYLENE (TCE)	69.5	ug/L					1.5	5
CMB 15I	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMB 24I	6/2/2015	LINDANE	0.051	ug/L	U				0.01	0.051
CMB 24I	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMB 24I	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMB 24I	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMB 24I	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMB 24I	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMB 24I	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMB 24I	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMB 24I	6/2/2015	CHLOROFORM	0.36	ug/L	J		21		0.1	1
CMB 24I	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMB 24I	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMB 24I	6/2/2015	TETRACHLOROETHYLENE (PCE)	39	ug/L					0.18	1
CMB 24I	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMB 24I	6/2/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					0.25	1
CMB 24I	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMB 24I	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1
CMB 24I	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMB 24I	12/1/2015	TETRACHLOROETHYLENE (PCE)	27.1	ug/L					0.3	1
CMB 24I	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMB 24I	12/1/2015	TRICHLOROETHYLENE (TCE)	22.4	ug/L					0.3	1
CMB 24I	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 8	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 8	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 8	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 8	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 8	6/2/2015	BROMODICHLOROMETHANE	0.73	ug/L	J		21		0.09	1
CMP 8	6/2/2015	CARBON TETRACHLORIDE	6.5	ug/L					0.13	1
CMP 8	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 8	6/2/2015	CHLOROFORM	2	ug/L					0.1	1
CMP 8	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 8	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 8	6/2/2015	TETRACHLOROETHYLENE (PCE)	280	ug/L					1.8	10
CMP 8	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 8	6/2/2015	TRICHLOROETHYLENE (TCE)	60	ug/L					2.5	10
CMP 8	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 8	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 8	12/2/2015	BROMODICHLOROMETHANE	0.59	ug/L	J		21		0.3	1
CMP 8	12/2/2015	CARBON TETRACHLORIDE	4.86	ug/L					0.3	1
CMP 8	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 8	12/2/2015	CHLOROFORM	2.21	ug/L					0.3	1
CMP 8	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 8	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 8	12/2/2015	TETRACHLOROETHYLENE (PCE)	198	ug/L					1.5	5
CMP 8	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 8	12/2/2015	TRICHLOROETHYLENE (TCE)	67.2	ug/L					0.3	1
CMP 8	12/2/2015	1,4-DIOXANE	3.1	ug/L					0.85	3
CMP 8A	6/2/2015	LINDANE	0.048	ug/L	U				0.0096	0.048
CMP 8A	6/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 8A	8/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 8A	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 8A	8/26/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 8A	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 8A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 8A	8/26/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 8A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 8A	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 8A	8/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 8A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 8A	8/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 8B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 8B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 8B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 8B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 8B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 8B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 8B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 8B	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 8B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 8B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 8B	6/2/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
CMP 8B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 8B	6/2/2015	TRICHLOROETHYLENE (TCE)	0.38	ug/L	J		21		0.25	1
CMP 8B	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 8B	12/1/2015	TETRACHLOROETHYLENE (PCE)	1.38	ug/L	U		V		0.3	1
CMP 8B	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 8B	12/1/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.3	1
CMP 8B	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 10B	6/2/2015	LINDANE	0.048	ug/L	U				0.0095	0.048
CMP 10B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 10B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 10B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 10B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 10B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 10B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 10B	6/2/2015	CHLOROFORM	0.26	ug/L	J		21		0.1	1
CMP 10B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 10B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 10B	6/2/2015	TETRACHLOROETHYLENE (PCE)	7.6	ug/L					0.18	1
CMP 10B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10B	6/2/2015	TRICHLOROETHYLENE (TCE)	7.9	ug/L					0.25	1
CMP 10B	12/1/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
CMP 10B	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 10B	12/1/2015	TETRACHLOROETHYLENE (PCE)	6.08	ug/L					0.3	1
CMP 10B	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10B	12/1/2015	TRICHLOROETHYLENE (TCE)	8.15	ug/L					0.3	1
CMP 10B	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 10C	6/9/2015	LINDANE	0.98	ug/L					0.01	0.051
CMP 10C	6/9/2015	1,1,2-TRICHLOROETHANE	0.53	ug/L	J		21		0.15	1
CMP 10C	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10C	6/9/2015	1,4-DIOXANE	49	ug/L	J		21		7.6	80
CMP 10C	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 10C	6/9/2015	BROMODICHLOROMETHANE	1.9	ug/L					0.09	1
CMP 10C	6/9/2015	CARBON TETRACHLORIDE	5.9	ug/L					0.13	1
CMP 10C	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 10C	6/9/2015	CHLOROFORM	7.4	ug/L					0.1	1
CMP 10C	6/9/2015	CIS-1,2-DICHLOROETHYLENE	0.26	ug/L	J		21		0.09	1
CMP 10C	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 10C	6/9/2015	TETRACHLOROETHYLENE (PCE)	250	ug/L					4.5	25
CMP 10C	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10C	6/9/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					6.3	25
CMP 10C	12/2/2015	LINDANE	0.777	ug/L					0.00665	0.02
CMP 10C	12/2/2015	1,1,2-TRICHLOROETHANE	0.44	ug/L	J		21		0.3	1
CMP 10C	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10C	12/2/2015	BROMODICHLOROMETHANE	1.86	ug/L					0.3	1
CMP 10C	12/2/2015	CARBON TETRACHLORIDE	5.81	ug/L					0.3	1
CMP 10C	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 10C	12/2/2015	CHLOROFORM	8.16	ug/L					0.3	1
CMP 10C	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10C	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 10C	12/2/2015	TETRACHLOROETHYLENE (PCE)	212	ug/L					1.5	5
CMP 10C	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 10C	12/2/2015	TRICHLOROETHYLENE (TCE)	263	ug/L					0.3	1
CMP 10C	12/2/2015	1,4-DIOXANE	78	ug/L					0.85	3
CMP 10D	6/9/2015	LINDANE	0.64	ug/L					0.0095	0.048
CMP 10D	6/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 10D	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10D	6/9/2015	1,4-DIOXANE	26	ug/L	J		21		7.6	80
CMP 10D	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 10D	6/9/2015	BROMODICHLOROMETHANE	1	ug/L			S		0.09	1
CMP 10D	6/9/2015	CARBON TETRACHLORIDE	3.8	ug/L					0.13	1
CMP 10D	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 10D	6/9/2015	CHLOROFORM	3.1	ug/L					0.1	1
CMP 10D	6/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 10D	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 10D	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 10D	6/9/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					0.25	1
CMP 10D	8/26/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
CMP 10D	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 10D	8/26/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
CMP 10D	8/26/2015	CARBON TETRACHLORIDE	3.8	ug/L	J		21		0.65	5
CMP 10D	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
CMP 10D	8/26/2015	CHLOROFORM	2.9	ug/L	J		21		0.5	5
CMP 10D	8/26/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
CMP 10D	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
CMP 10D	8/26/2015	TETRACHLOROETHYLENE (PCE)	60	ug/L					0.9	5
CMP 10D	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 10D	8/26/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					1.3	5
CMP 10D	12/2/2015	LINDANE	0.483	ug/L					0.00665	0.02
CMP 10D	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 10D	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10D	12/2/2015	BROMODICHLOROMETHANE	0.89	ug/L	J		21		0.3	1
CMP 10D	12/2/2015	CARBON TETRACHLORIDE	3.92	ug/L					0.3	1
CMP 10D	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 10D	12/2/2015	CHLOROFORM	3.25	ug/L					0.3	1
CMP 10D	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10D	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 10D	12/2/2015	TETRACHLOROETHYLENE (PCE)	47.5	ug/L					0.3	1
CMP 10D	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 10D	12/2/2015	TRICHLOROETHYLENE (TCE)	16.3	ug/L					0.3	1
CMP 10D	12/2/2015	1,4-DIOXANE	43	ug/L					0.85	3
CMP 11B	6/2/2015	LINDANE	0.048	ug/L	U				0.0095	0.048
CMP 11B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 11B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 11B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 11B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 11B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 11B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 11B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 11B	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 11B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 11B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 11B	6/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 11B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 11B	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 11B	11/30/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
CMP 11B	11/30/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 11B	11/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 11B	11/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 11D	6/2/2015	LINDANE	0.051	ug/L	U				0.01	0.051
CMP 11D	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 11D	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 11D	6/2/2015	1,4-DIOXANE	42	ug/L	J		21		7.6	80
CMP 11D	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 11D	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 11D	6/2/2015	CARBON TETRACHLORIDE	1.3	ug/L					0.13	1
CMP 11D	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 11D	6/2/2015	CHLOROFORM	2.7	ug/L					0.1	1
CMP 11D	6/2/2015	CIS-1,2-DICHLOROETHYLENE	0.36	ug/L	J		21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 11D	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 11D	6/2/2015	TETRACHLOROETHYLENE (PCE)	41	ug/L					0.9	5
CMP 11D	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 11D	6/2/2015	TRICHLOROETHYLENE (TCE)	74	ug/L					1.3	5
CMP 11D	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	CARBON TETRACHLORIDE	1.09	ug/L					0.3	1
CMP 11D	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	CHLOROFORM	3.25	ug/L					0.3	1
CMP 11D	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 11D	12/1/2015	TETRACHLOROETHYLENE (PCE)	25.4	ug/L					0.3	1
CMP 11D	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 11D	12/1/2015	TRICHLOROETHYLENE (TCE)	83.7	ug/L					0.3	1
CMP 11D	12/1/2015	1,4-DIOXANE	80	ug/L					0.85	3
CMP 12A	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 12A	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 12A	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 12A	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 12A	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 12A	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 12A	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 12A	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 12A	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 12A	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 12A	6/2/2015	TETRACHLOROETHYLENE (PCE)	0.53	ug/L	J		21		0.18	1
CMP 12A	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 12A	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 12A	6/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 12B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 12B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 12B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 12B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 12B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 12B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 12B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 12B	6/2/2015	CHLOROFORM	0.18	ug/L	J		21		0.1	1
CMP 12B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 12B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 12B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 12B	6/2/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
CMP 12B	8/26/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
CMP 12B	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 12B	8/26/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
CMP 12B	8/26/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
CMP 12B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
CMP 12B	8/26/2015	CHLOROFORM	5	ug/L	U				0.5	5
CMP 12B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
CMP 12B	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 12B	8/26/2015	TETRACHLOROETHYLENE (PCE)	44	ug/L					0.9	5
CMP 12B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 12B	8/26/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					1.3	5
CMP 12B	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 12B	12/1/2015	TETRACHLOROETHYLENE (PCE)	45	ug/L					0.3	1
CMP 12B	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 12B	12/1/2015	TRICHLOROETHYLENE (TCE)	24.2	ug/L					0.3	1
CMP 12B	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 13B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 13B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 13B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 13B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 13B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 13B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 13B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 13B	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 13B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 13B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 13B	6/2/2015	TETRACHLOROETHYLENE (PCE)	7.7	ug/L					0.18	1
CMP 13B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 13B	6/2/2015	TRICHLOROETHYLENE (TCE)	2.5	ug/L					0.25	1
CMP 13B	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 13B	12/2/2015	TETRACHLOROETHYLENE (PCE)	7.01	ug/L					0.3	1
CMP 13B	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13B	12/2/2015	TRICHLOROETHYLENE (TCE)	3.13	ug/L					0.3	1
CMP 13B	12/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 13D	6/2/2015	LINDANE	0.051	ug/L	U		Q		0.01	0.051
CMP 13D	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 13D	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 13D	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 13D	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 13D	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 13D	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 13D	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 13D	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 13D	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 13D	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 13D	6/2/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
CMP 13D	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 13D	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 13D	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 13D	11/20/2015	TETRACHLOROETHYLENE (PCE)	1.94	ug/L					0.3	1
CMP 13D	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 13D	11/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 15A	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 15A	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 15A	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 15A	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 15A	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 15A	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 15A	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 15A	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 15A	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 15A	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 15A	6/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 15A	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 15A	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 15A	6/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 30B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 30B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 30B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 30B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 30B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 30B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 30B	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 30B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 30B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 30B	6/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 30B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30B	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 30B	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 30B	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 30B	11/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 30B	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 30C	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 30C	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30C	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 30C	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 30C	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 30C	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 30C	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 30C	6/2/2015	CHLOROFORM	0.1	ug/L	J		21		0.1	1
CMP 30C	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 30C	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 30C	6/2/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
CMP 30C	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30C	6/2/2015	TRICHLOROETHYLENE (TCE)	0.71	ug/L	J		21		0.25	1
CMP 30C	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 30C	11/19/2015	TETRACHLOROETHYLENE (PCE)	1.87	ug/L					0.3	1
CMP 30C	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30C	11/19/2015	TRICHLOROETHYLENE (TCE)	0.83	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 30C	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 30D	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 30D	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30D	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 30D	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 30D	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 30D	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 30D	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 30D	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 30D	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 30D	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 30D	6/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 30D	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 30D	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 30D	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	CHLOROFORM	0.35	ug/L	J		21		0.3	1
CMP 30D	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 30D	11/19/2015	TETRACHLOROETHYLENE (PCE)	0.6	ug/L	J		21		0.3	1
CMP 30D	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 30D	11/19/2015	TRICHLOROETHYLENE (TCE)	4.34	ug/L					0.3	1
CMP 30D	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 31B	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 31B	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 31B	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 31B	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 31B	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 31B	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 31B	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 31B	6/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 31B	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 31B	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 31B	6/2/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J		21		0.18	1
CMP 31B	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 31B	6/2/2015	TRICHLOROETHYLENE (TCE)	0.34	ug/L	J		21		0.25	1
CMP 31B	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 31B	11/19/2015	TETRACHLOROETHYLENE (PCE)	0.44	ug/L	J		21		0.3	1
CMP 31B	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 31B	11/19/2015	TRICHLOROETHYLENE (TCE)	0.48	ug/L	J		21		0.3	1
CMP 31B	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 32B	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 32B	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 32B	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 32B	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 32B	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 32B	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 32B	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 32B	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 32B	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 32B	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 32B	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 32B	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 32B	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 32C	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 32C	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 32C	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 32C	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 32C	6/2/2015	BROMODICHLOROMETHANE	0.58	ug/L	J		21		0.09	1
CMP 32C	6/2/2015	CARBON TETRACHLORIDE	0.48	ug/L	J		21		0.13	1
CMP 32C	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 32C	6/2/2015	CHLOROFORM	0.58	ug/L	J		21		0.1	1
CMP 32C	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 32C	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 32C	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 32C	6/2/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					2.5	10
CMP 32C	8/26/2015	1,1,2-TRICHLOROETHANE	18	ug/L					1.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 32C	8/26/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
CMP 32C	8/26/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
CMP 32C	8/26/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
CMP 32C	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
CMP 32C	8/26/2015	CHLOROFORM	10	ug/L	U				1	10
CMP 32C	8/26/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.9	10
CMP 32C	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
CMP 32C	8/26/2015	TETRACHLOROETHYLENE (PCE)	280	ug/L					1.8	10
CMP 32C	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
CMP 32C	8/26/2015	TRICHLOROETHYLENE (TCE)	94	ug/L					2.5	10
CMP 32C	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	BROMODICHLOROMETHANE	0.41	ug/L	J		21		0.3	1
CMP 32C	12/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	CHLOROFORM	0.45	ug/L	J		21		0.3	1
CMP 32C	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 32C	12/2/2015	TETRACHLOROETHYLENE (PCE)	237	ug/L					1.5	5
CMP 32C	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 32C	12/2/2015	TRICHLOROETHYLENE (TCE)	112	ug/L					1.5	5
CMP 32C	12/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 33D	6/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 33D	6/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 33D	6/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 33D	6/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 33D	6/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 33D	6/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 33D	6/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 33D	6/2/2015	CHLOROFORM	0.16	ug/L	J		21		0.1	1
CMP 33D	6/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 33D	6/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 33D	6/2/2015	TETRACHLOROETHYLENE (PCE)	4.4	ug/L					0.18	1
CMP 33D	6/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 33D	6/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1
CMP 33D	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 33D	12/2/2015	TETRACHLOROETHYLENE (PCE)	3.55	ug/L					0.3	1
CMP 33D	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 33D	12/2/2015	TRICHLOROETHYLENE (TCE)	1.01	ug/L					0.3	1
CMP 33D	12/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 34D	12/1/2015	LINDANE	0.0097	ug/L	J		21		0.00665	0.02
CMP 35D	6/9/2015	LINDANE	3.7	ug/L					0.1	0.52
CMP 35D	6/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 35D	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 35D	6/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 35D	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 35D	6/9/2015	BROMODICHLOROMETHANE	4.9	ug/L					0.09	1
CMP 35D	6/9/2015	CARBON TETRACHLORIDE	5.6	ug/L					0.13	1
CMP 35D	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 35D	6/9/2015	CHLOROFORM	4.9	ug/L					0.1	1
CMP 35D	6/9/2015	CIS-1,2-DICHLOROETHYLENE	0.23	ug/L	J		21		0.09	1
CMP 35D	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.93	ug/L	J		21		0.27	1
CMP 35D	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 35D	6/9/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					1.3	5
CMP 35D	8/26/2015	1,1,2-TRICHLOROETHANE	22	ug/L					0.75	5
CMP 35D	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 35D	8/26/2015	BROMODICHLOROMETHANE	4.7	ug/L	J		21		0.45	5
CMP 35D	8/26/2015	CARBON TETRACHLORIDE	5.1	ug/L					0.65	5
CMP 35D	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
CMP 35D	8/26/2015	CHLOROFORM	4.6	ug/L	J		21		0.5	5
CMP 35D	8/26/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
CMP 35D	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
CMP 35D	8/26/2015	TETRACHLOROETHYLENE (PCE)	280	ug/L					4.5	25
CMP 35D	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 35D	8/26/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					1.3	5
CMP 35D	12/2/2015	LINDANE	4.88	ug/L					0.0333	0.1
CMP 35D	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 35D	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 35D	12/2/2015	BROMODICHLOROMETHANE	4.46	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 35D	12/2/2015	CARBON TETRACHLORIDE	8.67	ug/L					0.3	1
CMP 35D	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 35D	12/2/2015	CHLOROFORM	8.36	ug/L					0.3	1
CMP 35D	12/2/2015	CIS-1,2-DICHLOROETHYLENE	0.39	ug/L	J		21		0.3	1
CMP 35D	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.23	ug/L	J		21		1	5
CMP 35D	12/2/2015	TETRACHLOROETHYLENE (PCE)	483	ug/L					0.3	1
CMP 35D	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 35D	12/2/2015	TRICHLOROETHYLENE (TCE)	207	ug/L					3	10
CMP 35D	12/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 36D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 36D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 36D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 36D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 36D	6/4/2015	BROMODICHLOROMETHANE	0.43	ug/L	J		21		0.09	1
CMP 36D	6/4/2015	CARBON TETRACHLORIDE	0.83	ug/L	J		21		0.13	1
CMP 36D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 36D	6/4/2015	CHLOROFORM	2.1	ug/L					0.1	1
CMP 36D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 36D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 36D	6/4/2015	TETRACHLOROETHYLENE (PCE)	32	ug/L					0.18	1
CMP 36D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 36D	6/4/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					0.25	1
CMP 36D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 36D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 36D	11/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 36D	11/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 37D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 37D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 37D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 37D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 37D	6/4/2015	BROMODICHLOROMETHANE	0.46	ug/L	J		21		0.09	1
CMP 37D	6/4/2015	CARBON TETRACHLORIDE	0.74	ug/L	J		21		0.13	1
CMP 37D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 37D	6/4/2015	CHLOROFORM	3.1	ug/L					0.1	1
CMP 37D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L					0.09	1
CMP 37D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 37D	6/4/2015	TETRACHLOROETHYLENE (PCE)	32	ug/L					0.18	1
CMP 37D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 37D	6/4/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
CMP 37D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 37D	11/23/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	2.08	ug/L					0.3	1
CMP 37D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 37D	11/23/2015	TETRACHLOROETHYLENE (PCE)	7.65	ug/L					0.3	1
CMP 37D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 37D	11/23/2015	TRICHLOROETHYLENE (TCE)	6.36	ug/L					0.3	1
CMP 37D	11/23/2015	1,4-DIOXANE	3.1	ug/L					0.85	3
CMP 38D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 38D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 38D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 38D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 38D	6/4/2015	BROMODICHLOROMETHANE	0.4	ug/L	J		21		0.09	1
CMP 38D	6/4/2015	CARBON TETRACHLORIDE	1.7	ug/L					0.13	1
CMP 38D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 38D	6/4/2015	CHLOROFORM	3	ug/L					0.1	1
CMP 38D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 38D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 38D	6/4/2015	TETRACHLOROETHYLENE (PCE)	34	ug/L					0.18	1
CMP 38D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 38D	6/4/2015	TRICHLOROETHYLENE (TCE)	31	ug/L					0.25	1
CMP 38D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	CHLOROFORM	0.38	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 38D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 38D	11/23/2015	TETRACHLOROETHYLENE (PCE)	4.36	ug/L					0.3	1
CMP 38D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 38D	11/23/2015	TRICHLOROETHYLENE (TCE)	1.92	ug/L					0.3	1
CMP 38D	11/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 39D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 39D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 39D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 39D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 39D	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 39D	6/4/2015	CARBON TETRACHLORIDE	0.47	ug/L	J		21		0.13	1
CMP 39D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 39D	6/4/2015	CHLOROFORM	2.8	ug/L					0.1	1
CMP 39D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	6.7	ug/L					0.09	1
CMP 39D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 39D	6/4/2015	TETRACHLOROETHYLENE (PCE)	38	ug/L					0.18	1
CMP 39D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 39D	6/4/2015	TRICHLOROETHYLENE (TCE)	21	ug/L					0.25	1
CMP 39D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	CHLOROFORM	0.96	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 39D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	5.13	ug/L					0.3	1
CMP 39D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 39D	11/23/2015	TETRACHLOROETHYLENE (PCE)	15.6	ug/L					0.3	1
CMP 39D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 39D	11/23/2015	TRICHLOROETHYLENE (TCE)	10.3	ug/L					0.3	1
CMP 39D	11/23/2015	1,4-DIOXANE	4	ug/L					0.85	3
CMP 40D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 40D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 40D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 40D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 40D	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 40D	6/4/2015	CARBON TETRACHLORIDE	0.42	ug/L	J		21		0.13	1
CMP 40D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 40D	6/4/2015	CHLOROFORM	0.71	ug/L	J		21		0.1	1
CMP 40D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	3.4	ug/L					0.09	1
CMP 40D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 40D	6/4/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.18	1
CMP 40D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 40D	6/4/2015	TRICHLOROETHYLENE (TCE)	6.9	ug/L					0.25	1
CMP 40D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1.18	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 40D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 40D	11/23/2015	TETRACHLOROETHYLENE (PCE)	3.04	ug/L					0.3	1
CMP 40D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 40D	11/23/2015	TRICHLOROETHYLENE (TCE)	1.28	ug/L					0.3	1
CMP 40D	11/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 41D	6/9/2015	LINDANE	0.05	ug/L	U				0.01	0.05
CMP 41D	6/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 41D	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 41D	6/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 41D	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 41D	6/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 41D	6/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 41D	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 41D	6/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 41D	6/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 41D	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 41D	6/9/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
CMP 41D	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 41D	6/9/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
CMP 41D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 41D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 41D	11/23/2015	TETRACHLOROETHYLENE (PCE)	1.62	ug/L					0.3	1
CMP 41D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 41D	11/23/2015	TRICHLOROETHYLENE (TCE)	2.64	ug/L					0.3	1
CMP 41D	11/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 43D	6/9/2015	LINDANE	0.048	ug/L	U				0.0096	0.048
CMP 43D	6/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 43D	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 43D	6/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 43D	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 43D	6/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 43D	6/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 43D	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 43D	6/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 43D	6/9/2015	CIS-1,2-DICHLOROETHYLENE	0.16	ug/L	J		21		0.09	1
CMP 43D	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 43D	6/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 43D	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 43D	6/9/2015	TRICHLOROETHYLENE (TCE)	0.43	ug/L	J		21		0.25	1
CMP 43D	11/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 43D	11/23/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 43D	11/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 43D	11/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 44D	6/10/2015	LINDANE	0.2	ug/L					0.01	0.05
CMP 44D	6/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 44D	6/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 44D	6/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 44D	6/10/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 44D	6/10/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 44D	6/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 44D	6/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 44D	6/10/2015	CHLOROFORM	0.44	ug/L	J		21		0.1	1
CMP 44D	6/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 44D	6/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 44D	6/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 44D	6/10/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.25	1
CMP 44D	8/26/2015	1,1,2-TRICHLOROETHANE	3.3	ug/L	J		21		0.75	5
CMP 44D	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 44D	8/26/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
CMP 44D	8/26/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
CMP 44D	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
CMP 44D	8/26/2015	CHLOROFORM	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 44D	8/26/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
CMP 44D	8/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
CMP 44D	8/26/2015	TETRACHLOROETHYLENE (PCE)	58	ug/L					0.9	5
CMP 44D	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
CMP 44D	8/26/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					1.3	5
CMP 44D	12/2/2015	LINDANE	0.16	ug/L					0.00665	0.02
CMP 44D	12/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	CHLOROFORM	0.48	ug/L	J		21		0.3	1
CMP 44D	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 44D	12/2/2015	TETRACHLOROETHYLENE (PCE)	54.5	ug/L					0.3	1
CMP 44D	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 44D	12/2/2015	TRICHLOROETHYLENE (TCE)	20.1	ug/L					0.3	1
CMP 44D	12/2/2015	1,4-DIOXANE	12	ug/L					0.85	3
CMP 45D	6/3/2015	LINDANE	0.17	ug/L					0.0096	0.048
CMP 45D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 45D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 45D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 45D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 45D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 45D	6/3/2015	CARBON TETRACHLORIDE	0.68	ug/L	J		21		0.13	1
CMP 45D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 45D	6/3/2015	CHLOROFORM	0.83	ug/L	J		21		0.1	1
CMP 45D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 45D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 45D	6/3/2015	TETRACHLOROETHYLENE (PCE)	410	ug/L					4.5	25
CMP 45D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 45D	6/3/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					6.3	25
CMP 45D	12/1/2015	LINDANE	0.0789	ug/L					0.00665	0.02
CMP 45D	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	CARBON TETRACHLORIDE	0.47	ug/L	J		21		0.3	1
CMP 45D	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	CHLOROFORM	0.68	ug/L	J		21		0.3	1
CMP 45D	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 45D	12/1/2015	TETRACHLOROETHYLENE (PCE)	242	ug/L					1.5	5
CMP 45D	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 45D	12/1/2015	TRICHLOROETHYLENE (TCE)	99.2	ug/L					1.5	5
CMP 45D	12/1/2015	1,4-DIOXANE	3.9	ug/L					0.85	3
CMP 46D	6/3/2015	LINDANE	0.13	ug/L					0.0096	0.048
CMP 46D	12/1/2015	LINDANE	0.0656	ug/L					0.00665	0.02
CMP 47D	6/3/2015	LINDANE	0.14	ug/L					0.0095	0.048
CMP 47D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 47D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 47D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 47D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 47D	6/3/2015	BROMODICHLOROMETHANE	0.26	ug/L	J		21		0.09	1
CMP 47D	6/3/2015	CARBON TETRACHLORIDE	0.46	ug/L	J		21		0.13	1
CMP 47D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 47D	6/3/2015	CHLOROFORM	0.49	ug/L	J		21		0.1	1
CMP 47D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 47D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 47D	6/3/2015	TETRACHLOROETHYLENE (PCE)	130	ug/L					4.5	25
CMP 47D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 47D	6/3/2015	TRICHLOROETHYLENE (TCE)	39	ug/L					0.25	1
CMP 47D	12/1/2015	LINDANE	0.0643	ug/L					0.00665	0.02
CMP 47D	12/1/2015	1,1,2-TRICHLOROETHANE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	BROMODICHLOROMETHANE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	CHLOROFORM	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2	10
CMP 47D	12/1/2015	TETRACHLOROETHYLENE (PCE)	86.5	ug/L					0.6	2
CMP 47D	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 47D	12/1/2015	TRICHLOROETHYLENE (TCE)	32.5	ug/L					0.6	2
CMP 47D	12/1/2015	1,4-DIOXANE	3.2	ug/L					0.85	3
CMP 48D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 48D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 48D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 48D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 48D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 48D	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 48D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 48D	6/3/2015	CHLOROFORM	0.28	ug/L	J		21		0.1	1
CMP 48D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 48D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 48D	6/3/2015	TETRACHLOROETHYLENE (PCE)	150	ug/L					4.5	25
CMP 48D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 48D	6/3/2015	TRICHLOROETHYLENE (TCE)	47	ug/L					6.3	25
CMP 48D	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	CHLOROFORM	0.34	ug/L	J		21		0.3	1
CMP 48D	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 48D	12/1/2015	TETRACHLOROETHYLENE (PCE)	146	ug/L					0.6	2
CMP 48D	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 48D	12/1/2015	TRICHLOROETHYLENE (TCE)	61.9	ug/L					0.3	1
CMP 48D	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 50B	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 50B	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 50B	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 50B	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 50B	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 50B	6/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 50B	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 50B	6/4/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 50B	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 50B	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 50B	6/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 50B	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 50B	6/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 50B	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 50B	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 50B	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 50D	6/3/2015	LINDANE	0.052	ug/L	U				0.01	0.052
CMP 50D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 50D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 50D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 50D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 50D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 50D	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 50D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 50D	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 50D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 50D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 50D	6/3/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
CMP 50D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 50D	6/3/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
CMP 50D	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 50D	11/19/2015	TETRACHLOROETHYLENE (PCE)	4.4	ug/L					0.3	1
CMP 50D	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 50D	11/19/2015	TRICHLOROETHYLENE (TCE)	1.38	ug/L					0.3	1
CMP 50D	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 51D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 51D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 51D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 51D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 51D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 51D	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 51D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 51D	6/3/2015	CHLOROFORM	0.12	ug/L	J		21		0.1	1
CMP 51D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 51D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 51D	6/3/2015	TETRACHLOROETHYLENE (PCE)	3.7	ug/L					0.18	1
CMP 51D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 51D	6/3/2015	TRICHLOROETHYLENE (TCE)	0.65	ug/L	J		21		0.25	1
CMP 51D	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 51D	12/1/2015	TETRACHLOROETHYLENE (PCE)	11.1	ug/L					0.3	1
CMP 51D	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 51D	12/1/2015	TRICHLOROETHYLENE (TCE)	3.37	ug/L					0.3	1
CMP 51D	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 52A	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 52A	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52A	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 52A	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 52A	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 52A	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 52A	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 52A	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 52A	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 52A	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 52A	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 52A	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52A	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 52A	6/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 52BL	6/3/2015	LINDANE	0.05	ug/L	U				0.01	0.05
CMP 52BL	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 52BL	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52BL	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 52BL	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 52BL	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 52BL	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 52BL	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 52BL	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 52BL	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 52BL	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 52BL	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 52BL	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52BL	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 52BL	11/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 52BL	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 52BL	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 52BL	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 52BU	6/3/2015	LINDANE	0.049	ug/L	U				0.0098	0.049
CMP 52BU	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 52BU	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52BU	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 52BU	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 52BU	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 52BU	6/3/2015	CARBON TETRACHLORIDE	0.93	ug/L	J		21		0.13	1
CMP 52BU	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 52BU	6/3/2015	CHLOROFORM	0.76	ug/L	J		21		0.1	1
CMP 52BU	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 52BU	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 52BU	6/3/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					1.8	10
CMP 52BU	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52BU	6/3/2015	TRICHLOROETHYLENE (TCE)	150	ug/L					2.5	10
CMP 52BU	12/7/2015	1,1,2-TRICHLOROETHANE	2	ug/L	U				0.6	2
CMP 52BU	12/7/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52BU	12/7/2015	BROMODICHLOROMETHANE	2	ug/L	U				0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 52BU	12/7/2015	CARBON TETRACHLORIDE	0.96	ug/L	J		21		0.6	2
CMP 52BU	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.6	2
CMP 52BU	12/7/2015	CHLOROFORM	0.86	ug/L	J		21		0.6	2
CMP 52BU	12/7/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52BU	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2	10
CMP 52BU	12/7/2015	TETRACHLOROETHYLENE (PCE)	131	ug/L					0.6	2
CMP 52BU	12/7/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52BU	12/7/2015	TRICHLOROETHYLENE (TCE)	151	ug/L					0.6	2
CMP 52BU	12/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 52C	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 52C	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52C	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 52C	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 52C	6/3/2015	BROMODICHLOROMETHANE	0.29	ug/L	J		21		0.09	1
CMP 52C	6/3/2015	CARBON TETRACHLORIDE	0.81	ug/L	J		21		0.13	1
CMP 52C	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 52C	6/3/2015	CHLOROFORM	0.98	ug/L	J		21		0.1	1
CMP 52C	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 52C	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 52C	6/3/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					4.5	25
CMP 52C	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 52C	6/3/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					6.3	25
CMP 52C	12/7/2015	1,1,2-TRICHLOROETHANE	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	BROMODICHLOROMETHANE	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	CARBON TETRACHLORIDE	0.64	ug/L	J		21		0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 52C	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	CHLOROFORM	1.12	ug/L	J		21		0.6	2
CMP 52C	12/7/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2	10
CMP 52C	12/7/2015	TETRACHLOROETHYLENE (PCE)	131	ug/L					0.6	2
CMP 52C	12/7/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
CMP 52C	12/7/2015	TRICHLOROETHYLENE (TCE)	119	ug/L					0.6	2
CMP 52C	12/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP 54C	6/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 54C	6/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 54C	6/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 54C	6/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 54C	6/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 54C	6/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 54C	6/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 54C	6/9/2015	CHLOROFORM	0.42	ug/L	J		21		0.1	1
CMP 54C	6/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 54C	6/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 54C	6/9/2015	TETRACHLOROETHYLENE (PCE)	400	ug/L					1.8	10
CMP 54C	6/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 54C	6/9/2015	TRICHLOROETHYLENE (TCE)	130	ug/L					2.5	10
CMP 54C	12/7/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	BROMODICHLOROMETHANE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	CARBON TETRACHLORIDE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 54C	12/7/2015	CHLOROFORM	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				5	25
CMP 54C	12/7/2015	TETRACHLOROETHYLENE (PCE)	318	ug/L					1.5	5
CMP 54C	12/7/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CMP 54C	12/7/2015	TRICHLOROETHYLENE (TCE)	145	ug/L					1.5	5
CMP 54C	12/7/2015	1,4-DIOXANE	3	ug/L	UJ		14		0.85	3
CMP 55C	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 55C	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 55C	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 55C	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 55C	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 55C	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 55C	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 55C	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 55C	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 55C	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 55C	6/3/2015	TETRACHLOROETHYLENE (PCE)	0.34	ug/L	J		21		0.18	1
CMP 55C	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 55C	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 55C	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 55C	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP 55C	11/20/2015	TETRACHLOROETHYLENE (PCE)	0.45	ug/L	J		21		0.3	1
CMP 55C	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP 55C	11/20/2015	1,4-DIOXANE	3	ug/L	UJ		Q		0.85	3
CMP 56B	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 56B	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 56B	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 56B	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 56B	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 56B	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 56B	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 56B	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 56B	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 56B	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 56B	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 56B	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 56B	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 56D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 56D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 56D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 56D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 56D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 56D	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 56D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 56D	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 56D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 56D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 56D	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 56D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 56D	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 57B	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 57B	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 57B	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 57B	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 57B	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 57B	6/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 57B	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP 57B	6/4/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 57B	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 57B	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 57B	6/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 57B	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 57B	6/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP 57D	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP 57D	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 57D	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP 57D	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP 57D	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP 57D	6/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP 57D	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP 57D	6/4/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP 57D	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP 57D	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP 57D	6/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP 57D	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP 57D	6/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP058B	6/3/2015	LINDANE	0.049	ug/L	U				0.0099	0.049
CMP058B	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP058B	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP058B	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP058B	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP058B	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP058B	6/3/2015	CARBON TETRACHLORIDE	0.67	ug/L	J		21		0.13	1
CMP058B	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP058B	6/3/2015	CHLOROFORM	0.56	ug/L	J		21		0.1	1
CMP058B	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP058B	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP058B	6/3/2015	TETRACHLOROETHYLENE (PCE)	22	ug/L					0.18	1
CMP058B	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP058B	6/3/2015	TRICHLOROETHYLENE (TCE)	32	ug/L					0.25	1
CMP058B	12/1/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
CMP058B	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP058B	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP058B	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP058B	12/1/2015	CARBON TETRACHLORIDE	0.5	ug/L	J		21		0.3	1
CMP058B	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP058B	12/1/2015	CHLOROFORM	0.55	ug/L	J		21		0.3	1
CMP058B	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP058B	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP058B	12/1/2015	TETRACHLOROETHYLENE (PCE)	19.8	ug/L					0.3	1
CMP058B	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP058B	12/1/2015	TRICHLOROETHYLENE (TCE)	34.4	ug/L					0.3	1
CMP058B	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP059C	6/3/2015	LINDANE	0.096	ug/L					0.01	0.052
CMP059C	6/3/2015	1,1,2-TRICHLOROETHANE	0.33	ug/L	J		21		0.15	1
CMP059C	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP059C	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP059C	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP059C	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP059C	6/3/2015	CARBON TETRACHLORIDE	0.36	ug/L	J		21		0.13	1
CMP059C	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP059C	6/3/2015	CHLOROFORM	0.5	ug/L	J		21		0.1	1
CMP059C	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP059C	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP059C	6/3/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					0.9	5
CMP059C	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP059C	6/3/2015	TRICHLOROETHYLENE (TCE)	99	ug/L					1.3	5
CMP059C	12/1/2015	LINDANE	0.0633	ug/L					0.00665	0.02
CMP059C	12/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP059C	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP059C	12/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP059C	12/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP059C	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP059C	12/1/2015	CHLOROFORM	0.46	ug/L	J		21		0.3	1
CMP059C	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP059C	12/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP059C	12/1/2015	TETRACHLOROETHYLENE (PCE)	119	ug/L					0.6	2
CMP059C	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP059C	12/1/2015	TRICHLOROETHYLENE (TCE)	88.5	ug/L					0.3	1
CMP059C	12/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP060B	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP060B	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP060B	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP060B	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP060B	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP060B	6/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP060B	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP060B	6/4/2015	CHLOROFORM	0.18	ug/L	J		21		0.1	1
CMP060B	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP060B	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP060B	6/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP060B	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP060B	6/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP060B	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP060B	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP060B	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP060B	11/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP060B	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP060B	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP060B	11/20/2015	1,4-DIOXANE	3	ug/L	UJ		Q		0.85	3
CMP061B	6/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP061B	6/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP061B	6/4/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP061B	6/4/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP061B	6/4/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP061B	6/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP061B	6/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP061B	6/4/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP061B	6/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP061B	6/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP061B	6/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP061B	6/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP061B	6/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP061B	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP061B	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP061B	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP061B	11/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP061B	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP061B	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP061B	11/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP062B	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP062B	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062B	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP062B	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP062B	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP062B	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP062B	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP062B	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP062B	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP062B	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP062B	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP062B	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062B	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP062B	6/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP062C	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP062C	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062C	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP062C	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP062C	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP062C	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP062C	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP062C	6/3/2015	CHLOROFORM	1	ug/L	U				0.1	1
CMP062C	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP062C	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP062C	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP062C	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062C	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP062C	6/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP062D	6/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
CMP062D	6/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062D	6/3/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
CMP062D	6/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
CMP062D	6/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
CMP062D	6/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
CMP062D	6/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
CMP062D	6/3/2015	CHLOROFORM	0.24	ug/L	J		21		0.1	1
CMP062D	6/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
CMP062D	6/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
CMP062D	6/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
CMP062D	6/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
CMP062D	6/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
CMP062D	6/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP063B	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP063B	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063B	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP063B	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP063B	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP063B	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP063B	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063B	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP063B	11/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP063B	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063B	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP063B	11/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP063C	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP063C	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
CMP063C	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP063C	11/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP063C	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063C	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP063C	11/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP063D	11/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CMP063D	11/20/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP063D	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CMP063D	11/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CMP063D	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CMP063D	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CMP063D	11/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
CMP-BR-01	5/19/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/19/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/19/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-01	5/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-01	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/19/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/20/2015	LINDANE	0.2	ug/L	U	U			0.0665	0.2
CMP-BR-01	5/20/2015	LINDANE	0.2	ug/L	U	U			0.0665	0.2
CMP-BR-01	5/20/2015	LINDANE	0.2	ug/L	U	U			0.0665	0.2
CMP-BR-01	5/20/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/20/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.34	ug/L	J	U	21, 8		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.54	ug/L	J	U	21, 8		1	5
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	3.05	ug/L	J	U	21, 8		1	5
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-01	5/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-01	5/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-02	5/26/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/26/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/26/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/26/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-02	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-02	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/26/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CMP-BR-02	5/26/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CMP-BR-02	5/26/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CMP-BR-02	5/26/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CMP-BR-02	5/26/2015	LINDANE	0.04	ug/L	U	U			0.017	0.04
CMP-BR-02	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.27	1
CMP-BR-02	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.18	1
CMP-BR-02	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.17	1
CMP-BR-02	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.085	1
CMP-BR-02	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.065	1
CMP-BR-02	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.07	1
CMP-BR-02	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.087	1
CMP-BR-02	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.17	1
CMP-BR-02	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.014	1
CMP-BR-02	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.079	1
CMP-BR-02	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.024	1
CMP-BR-02	5/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-02	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-02	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-02	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-02	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-02	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-02	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-02	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/6/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	BROMODICHLOROMETHANE	0.41	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CARBON TETRACHLORIDE	0.92	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CHLOROFORM	0.58	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/6/2015	TETRACHLOROETHYLENE (PCE)	54.3	ug/L		J	9		0.3	1
CMP-BR-03	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.3	1
CMP-BR-03	5/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/6/2015	LINDANE	0.02	ug/L	U	UJ	14		0.00665	0.02
CMP-BR-03	5/6/2015	LINDANE	0.4	ug/L	U	U			0.133	0.4
CMP-BR-03	5/6/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	BROMODICHLOROMETHANE	0.31	ug/L	J	J	21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-03	5/6/2015	BROMODICHLOROMETHANE	0.56	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CARBON TETRACHLORIDE	0.71	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CARBON TETRACHLORIDE	0.85	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CHLOROFORM	0.51	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CHLOROFORM	0.64	ug/L	J	J	21		0.3	1
CMP-BR-03	5/6/2015	CHLOROFORM	3	ug/L					0.3	1
CMP-BR-03	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/6/2015	TETRACHLOROETHYLENE (PCE)	40	ug/L		J	9		0.3	1
CMP-BR-03	5/6/2015	TETRACHLOROETHYLENE (PCE)	61.3	ug/L					0.3	1
CMP-BR-03	5/6/2015	TETRACHLOROETHYLENE (PCE)	5.05	ug/L					0.3	1
CMP-BR-03	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/6/2015	TRICHLOROETHYLENE (TCE)	2.89	ug/L					0.3	1
CMP-BR-03	5/6/2015	TRICHLOROETHYLENE (TCE)	16.1	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-03	5/6/2015	TRICHLOROETHYLENE (TCE)	27.4	ug/L					0.3	1
CMP-BR-03	5/6/2015	1,4-DIOXANE	15	ug/L	U	U			4.3	15
CMP-BR-03	5/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/6/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/7/2015	LINDANE	0.02	ug/L	U	UJ	14		0.00665	0.02
CMP-BR-03	5/7/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CHLOROFORM	0.55	ug/L	J	J	21		0.3	1
CMP-BR-03	5/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/7/2015	TETRACHLOROETHYLENE (PCE)	0.75	ug/L	J	J	21		0.3	1
CMP-BR-03	5/7/2015	TETRACHLOROETHYLENE (PCE)	1.54	ug/L					0.3	1
CMP-BR-03	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-03	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/7/2015	TRICHLOROETHYLENE (TCE)	0.37	ug/L	J	J	21		0.3	1
CMP-BR-03	5/7/2015	TRICHLOROETHYLENE (TCE)	1.58	ug/L					0.3	1
CMP-BR-03	5/7/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/7/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/11/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/11/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/11/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/11/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-03	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CARBON TETRACHLORIDE	0.41	ug/L	J	J	21		0.3	1
CMP-BR-03	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-03	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TETRACHLOROETHYLENE (PCE)	11.6	ug/L					0.3	1
CMP-BR-03	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/11/2015	TRICHLOROETHYLENE (TCE)	5.47	ug/L					0.3	1
CMP-BR-03	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-03	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-03	5/12/2015	LINDANE	0.2	ug/L	U	U			0.0665	0.2
CMP-BR-03	5/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-03	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-03	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/13/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/13/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/13/2015	LINDANE	0.1	ug/L	U	U			0.0333	0.1
CMP-BR-04	5/13/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/13/2015	LINDANE	0.1	ug/L	U	U			0.0333	0.1
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1.36	ug/L					0.3	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1.01	ug/L					0.3	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1.54	ug/L					0.3	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1.7	ug/L					0.3	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	0.99	ug/L	J	J	21		0.3	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CHLOROFORM	0.41	ug/L	J	J	21		0.3	1
CMP-BR-04	5/13/2015	CHLOROFORM	3.5	ug/L					0.3	1
CMP-BR-04	5/13/2015	CHLOROFORM	4.73	ug/L					0.3	1
CMP-BR-04	5/13/2015	CHLOROFORM	2.62	ug/L					0.3	1
CMP-BR-04	5/13/2015	CHLOROFORM	3.68	ug/L					0.3	1
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.15	ug/L	J	J	21		1	5
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	38.5	ug/L					0.3	1
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	1.82	ug/L					0.3	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	0.64	ug/L	J	J	21		0.3	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	14.1	ug/L					0.3	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-04	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/13/2015	LINDANE	0.04	ug/L	U	U			0.017	0.04
CMP-BR-04	5/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.031	1
CMP-BR-04	5/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.094	1
CMP-BR-04	5/13/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.17	1
CMP-BR-04	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.085	1
CMP-BR-04	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.065	1
CMP-BR-04	5/13/2015	CHLOROFORM	4.7	ug/L					0.07	1
CMP-BR-04	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.087	1
CMP-BR-04	5/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.17	1
CMP-BR-04	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.014	1
CMP-BR-04	5/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.079	1
CMP-BR-04	5/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.024	1
CMP-BR-04	5/14/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/14/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/14/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	BROMODICHLOROMETHANE	0.75	ug/L	J	J	21		0.3	1
CMP-BR-04	5/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-04	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CHLOROFORM	3.73	ug/L					0.3	1
CMP-BR-04	5/14/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CMP-BR-04	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CMP-BR-04	5/18/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
CMP-BR-04	5/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CMP-BR-04	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CMP-BR-04	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRP 5C	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRP 5C	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRP 5C	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRP 5C	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRP 5C	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRP 5C	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5C	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRP 5C	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRP 5C	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRP 5C	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRP 5C	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRP 5C	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRP 5C	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRP 5C	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRP 5C	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRP 5C	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U	18		0.17	2
CRP 5C	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRP 5C	5/21/2015	ACETONE	2	ug/L	U	U			0.34	2
CRP 5C	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRP 5C	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRP 5C	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRP 5C	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRP 5C	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRP 5C	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 5C	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRP 5C	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRP 5C	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRP 5C	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRP 5C	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5C	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRP 5C	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRP 5C	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 5C	5/21/2015	CHLOROFORM	0.2	ug/L	J	J	21		0.1	1
CRP 5C	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 5C	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRP 5C	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRP 5C	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 5C	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRP 5C	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRP 5C	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.8	ug/L	J	J	21		0.27	1
CRP 5C	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRP 5C	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRP 5C	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRP 5C	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRP 5C	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRP 5C	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRP 5C	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRP 5C	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRP 5C	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRP 5C	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRP 5C	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5C	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRP 5C	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRP 5C	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRP 5C	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRP 5C	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRP 5C	5/21/2015	TETRACHLOROETHYLENE (PCE)	7.1	ug/L					0.18	1
CRP 5C	5/21/2015	TOLUENE	1.1	ug/L					0.07	1
CRP 5C	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 5C	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRP 5C	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRP 5C	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRP 5C	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRP 5C	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRP 5C	5/21/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRP 5C	5/21/2015	TRITIUM	20.9	pCi/mL				0.893	0.415	2.2
CRP 5D	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRP 5D	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRP 5D	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRP 5D	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRP 5D	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5D	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRP 5D	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRP 5D	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRP 5D	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRP 5D	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRP 5D	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRP 5D	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRP 5D	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U	18		0.17	2
CRP 5D	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRP 5D	5/21/2015	ACETONE	2	ug/L	U	U			0.34	2
CRP 5D	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRP 5D	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRP 5D	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRP 5D	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRP 5D	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRP 5D	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 5D	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRP 5D	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRP 5D	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRP 5D	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRP 5D	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRP 5D	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5D	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRP 5D	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 5D	5/21/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 5D	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRP 5D	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRP 5D	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 5D	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRP 5D	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRP 5D	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.1	ug/L					0.27	1
CRP 5D	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRP 5D	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRP 5D	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRP 5D	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRP 5D	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRP 5D	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRP 5D	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRP 5D	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRP 5D	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRP 5D	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRP 5D	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRP 5D	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 5D	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRP 5D	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRP 5D	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRP 5D	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRP 5D	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRP 5D	5/21/2015	TOLUENE	0.99	ug/L	J	J	21		0.07	1
CRP 5D	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 5D	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRP 5D	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRP 5D	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRP 5D	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRP 5D	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRP 5D	5/21/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRP 5D	5/21/2015	TRITIUM	0.58	pCi/mL	J	J	21	0.28	0.418	0.978
CRP 6DR	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRP 6DR	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRP 6DR	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRP 6DR	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRP 6DR	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRP 6DR	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRP 6DR	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 6DR	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRP 6DR	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRP 6DR	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRP 6DR	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRP 6DR	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRP 6DR	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRP 6DR	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRP 6DR	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRP 6DR	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U	18		0.17	2
CRP 6DR	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRP 6DR	5/21/2015	ACETONE	2	ug/L	U	U			0.34	2
CRP 6DR	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRP 6DR	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRP 6DR	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRP 6DR	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRP 6DR	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRP 6DR	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 6DR	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRP 6DR	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRP 6DR	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRP 6DR	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRP 6DR	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRP 6DR	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRP 6DR	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRP 6DR	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 6DR	5/21/2015	CHLOROFORM	0.1	ug/L	J	J	21, 14		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 6DR	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRP 6DR	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRP 6DR	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRP 6DR	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRP 6DR	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRP 6DR	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRP 6DR	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.99	ug/L	J	J	21, 14		0.27	1
CRP 6DR	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRP 6DR	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRP 6DR	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRP 6DR	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRP 6DR	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRP 6DR	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRP 6DR	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRP 6DR	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRP 6DR	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRP 6DR	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRP 6DR	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRP 6DR	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRP 6DR	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRP 6DR	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRP 6DR	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 6DR	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRP 6DR	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRP 6DR	5/21/2015	TOLUENE	0.95	ug/L	J	J	21, 14		0.07	1
CRP 6DR	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRP 6DR	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRP 6DR	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRP 6DR	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRP 6DR	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRP 6DR	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRP 6DR	5/21/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRP 6DR	5/21/2015	TRITIUM	3.22	pCi/mL				0.414	0.416	1.24
CRP 45A	11/11/2015	ETHYLENE	0.2	ug/L					0.004	0.1
CRP 45A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 45A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1.51	ug/L					0.3	1
CRP 45A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	8.23	ug/L					0.3	1
CRP 45A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 45A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 45A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 45A	11/11/2015	TRICHLOROETHYLENE (TCE)	0.51	ug/L	J		21		0.3	1
CRP 45B	11/11/2015	ETHYLENE	1.7	ug/L					0.004	0.1
CRP 45B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 45B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	9.01	ug/L					0.3	1
CRP 45B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	15.3	ug/L					0.3	1
CRP 45B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 45B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 45B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 45B	11/11/2015	TRICHLOROETHYLENE (TCE)	23.1	ug/L					0.3	1
CRP 46A	11/11/2015	ETHYLENE	0.16	ug/L					0.004	0.1
CRP 46A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 46A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	3.12	ug/L					0.3	1
CRP 46A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	3.7	ug/L					0.3	1
CRP 46A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 46A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 46A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 46A	11/11/2015	TRICHLOROETHYLENE (TCE)	8.06	ug/L					0.3	1
CRP 46B	11/11/2015	ETHYLENE	0.46	ug/L					0.004	0.1
CRP 46B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 46B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2.02	ug/L					0.3	1
CRP 46B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	3.84	ug/L					0.3	1
CRP 46B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 46B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 46B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 46B	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CRP 48A	11/11/2015	ETHYLENE	0.44	ug/L					0.004	0.1
CRP 48A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 48A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CRP 48A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 48A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 48A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 48A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 48A	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CRP 48B	11/11/2015	ETHYLENE	0.8	ug/L					0.004	0.1
CRP 48B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 48B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	5.08	ug/L					0.3	1
CRP 48B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	22.7	ug/L					0.3	1
CRP 48B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 48B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 48B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 48B	11/11/2015	TRICHLOROETHYLENE (TCE)	0.5	ug/L	J		21		0.3	1
CRP 50A	11/11/2015	ETHYLENE	10	ug/L					0.004	0.1
CRP 50A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 50A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	53.3	ug/L					0.3	1
CRP 50A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	3.47	ug/L					0.3	1
CRP 50A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 50A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 50A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 50A	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CRP 50B	11/11/2015	ETHYLENE	30	ug/L					0.004	0.1
CRP 50B	11/11/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CRP 50B	11/11/2015	1,1-DICHLOROETHYLENE	1.39	ug/L					0.3	1
CRP 50B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	209	ug/L					0.3	1
CRP 50B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	187	ug/L					1.5	5
CRP 50B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	181	ug/L					0.3	1
CRP 50B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	167	ug/L					1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 50B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	7.85	ug/L	J		21		5	25
CRP 50B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 50B	11/11/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				1.5	5
CRP 50B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 50B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
CRP 50B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 50B	11/11/2015	TRICHLOROETHYLENE (TCE)	5	ug/L	U				1.5	5
CRP 50B	11/11/2015	TRICHLOROETHYLENE (TCE)	1.22	ug/L					0.3	1
CRP 51A	11/11/2015	ETHYLENE	0.045	ug/L	J		21		0.004	0.1
CRP 51A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 51A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CRP 51A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	2.14	ug/L					0.3	1
CRP 51A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.47	ug/L	J		21		1	5
CRP 51A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 51A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 51A	11/11/2015	TRICHLOROETHYLENE (TCE)	6.51	ug/L					0.3	1
CRP 51B	11/11/2015	ETHYLENE	0.022	ug/L	J		21		0.004	0.1
CRP 51B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 51B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CRP 51B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 51B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 51B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 51B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 51B	11/11/2015	TRICHLOROETHYLENE (TCE)	9.52	ug/L					0.3	1
CRP 52A	11/11/2015	ETHYLENE	0.019	ug/L	J		21		0.004	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRP 52A	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52A	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CRP 52A	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52A	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 52A	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 52A	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52A	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	ETHYLENE	0.011	ug/L	J		21		0.004	0.1
CRP 52B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
CRP 52B	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
CRP 52B	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
CRW 1D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 1D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 1D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 1D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 1D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 1D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 1D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 1D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 1D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 1D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 1D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 1D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 1D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 1D	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 1D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 1D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 1D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 1D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 1D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 1D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 1D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 1D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 1D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 1D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 1D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 1D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 1D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 1D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 1D	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 1D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 1D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 1D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 1D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 1D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 1D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 1D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 1D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 1D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 1D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 1D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 1D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 1D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 1D	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 1D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 1D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 1D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 1D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 1D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 1D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 1D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 1D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 1D	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 1D	5/27/2015	TOLUENE	0.68	ug/L	J	J	21		0.07	1
CRW 1D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 1D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 1D	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 1D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 1D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 1D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 1D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 1D	5/27/2015	TRITIUM	1.65	pCi/mL				0.378	0.526	1.28
CRW 1D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CRW 1D	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 1D	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CRW 1D	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CRW 1D	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CRW 1D	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CRW 1D	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CRW 1D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 1D	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CRW 1D	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CRW 1D	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CRW 1D	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CRW 1D	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CRW 1D	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CRW 1D	11/18/2015	TRITIUM	1.08	pCi/mL				0.309	0.421	1.04
CRW 4A	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 4A	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 4A	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4A	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 4A	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 4A	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 4A	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 4A	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 4A	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 4A	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 4A	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 4A	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 4A	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 4A	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 4A	5/21/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 4A	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 4A	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 4A	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 4A	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 4A	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 4A	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4A	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 4A	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4A	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 4A	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 4A	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 4A	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 4A	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 4A	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4A	5/21/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4A	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 4A	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 4A	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4A	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 4A	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 4A	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.92	ug/L	J	J	21		0.27	1
CRW 4A	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4A	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 4A	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 4A	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 4A	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 4A	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 4A	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 4A	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4A	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 4A	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 4A	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 4A	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 4A	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 4A	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 4A	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 4A	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 4A	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 4A	5/21/2015	TOLUENE	1.2	ug/L					0.07	1
CRW 4A	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 4A	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 4A	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 4A	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 4A	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4A	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 4A	5/21/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 4A	5/21/2015	TRITIUM	0.125	pCi/mL	U	U		0.248	0.417	0.914
CRW 4C	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 4C	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 4C	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4C	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 4C	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 4C	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 4C	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 4C	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 4C	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 4C	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 4C	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 4C	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 4C	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 4C	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 4C	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 4C	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 4C	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 4C	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 4C	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 4C	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 4C	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4C	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 4C	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 4C	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4C	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 4C	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 4C	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 4C	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 4C	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4C	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4C	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 4C	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 4C	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4C	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 4C	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 4C	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 4C	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4C	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 4C	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 4C	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 4C	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 4C	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 4C	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 4C	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 4C	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 4C	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4C	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 4C	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 4C	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 4C	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 4C	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 4C	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 4C	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 4C	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 4C	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 4C	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 4C	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 4C	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4C	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 4C	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 4C	5/26/2015	TRITIUM	-0.187	pCi/mL	U	U		0.249	0.455	0.953
CRW 4D	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 4D	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 4D	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 4D	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4D	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 4D	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 4D	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 4D	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 4D	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 4D	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 4D	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 4D	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 4D	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 4D	5/21/2015	ACETONE	5.8	ug/L		J	14		0.34	2
CRW 4D	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 4D	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 4D	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 4D	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 4D	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 4D	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4D	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 4D	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 4D	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 4D	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 4D	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4D	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 4D	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 4D	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4D	5/21/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 4D	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 4D	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 4D	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 4D	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 4D	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 4D	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.85	ug/L	J	J	21, 14		0.27	1
CRW 4D	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4D	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 4D	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 4D	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 4D	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 4D	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 4D	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 4D	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 4D	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 4D	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 4D	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 4D	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 4D	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 4D	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 4D	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 4D	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 4D	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 4D	5/21/2015	TOLUENE	0.23	ug/L	J	J	21, 14		0.07	1
CRW 4D	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 4D	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 4D	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 4D	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 4D	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 4D	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 4D	5/21/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CRW 4D	5/21/2015	TRITIUM	12.3	pCi/mL				0.701	0.391	1.79
CRW 5A	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 5A	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 5A	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 5A	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 5A	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5A	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 5A	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 5A	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 5A	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 5A	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 5A	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 5A	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 5A	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 5A	5/21/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 5A	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 5A	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 5A	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 5A	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 5A	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 5A	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 5A	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 5A	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 5A	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 5A	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 5A	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 5A	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 5A	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5A	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 5A	5/21/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 5A	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 5A	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 5A	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 5A	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 5A	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 5A	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.9	ug/L	J	J	21		0.27	1
CRW 5A	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 5A	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 5A	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 5A	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 5A	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 5A	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 5A	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 5A	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 5A	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 5A	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 5A	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 5A	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 5A	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5A	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 5A	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 5A	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 5A	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 5A	5/21/2015	TOLUENE	1	ug/L			S		0.07	1
CRW 5A	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 5A	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 5A	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 5A	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 5A	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 5A	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 5A	5/21/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CRW 5A	5/21/2015	TRITIUM	0.164	pCi/mL	U	U		0.236	0.392	0.865
CRW 5D	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 5D	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 5D	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 5D	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 5D	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 5D	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 5D	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 5D	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 5D	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 5D	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5D	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 5D	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 5D	6/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 5D	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 5D	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 5D	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 5D	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 5D	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 5D	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 5D	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 5D	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 5D	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 5D	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 5D	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 5D	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 5D	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 5D	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 5D	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 5D	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 5D	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 5D	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 5D	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 5D	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 5D	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 5D	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 5D	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5D	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 5D	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 5D	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 5D	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 5D	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 5D	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 5D	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 5D	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 5D	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 5D	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 5D	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 5D	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 5D	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 5D	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 5D	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 5D	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 5D	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 5D	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 5D	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 5D	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 5D	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 5D	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 5D	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 5D	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 5D	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 5D	6/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 5D	6/1/2015	TOLUENE	0.4	ug/L	J	J	21		0.07	1
CRW 5D	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 5D	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 5D	6/1/2015	TRICHLOROETHYLENE (TCE)	9.3	ug/L					0.25	1
CRW 5D	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 5D	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 5D	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 5D	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 5D	6/1/2015	TRITIUM	1.8	pCi/mL				0.367	0.458	1.19
CRW 7A	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 7A	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 7A	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 7A	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 7A	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 7A	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 7A	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 7A	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 7A	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 7A	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7A	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 7A	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 7A	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 7A	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 7A	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 7A	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 7A	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 7A	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 7A	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 7A	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 7A	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 7A	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 7A	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 7A	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 7A	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 7A	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 7A	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 7A	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 7A	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 7A	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 7A	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 7A	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 7A	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 7A	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7A	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 7A	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 7A	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 7A	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 7A	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 7A	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 7A	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 7A	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 7A	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 7A	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 7A	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 7A	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 7A	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 7A	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 7A	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 7A	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 7A	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 7A	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 7A	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 7A	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 7A	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 7A	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7A	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 7A	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 7A	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 7A	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 7A	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 7A	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 7A	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 7A	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 7A	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 7A	5/27/2015	TRITIUM	-0.14	pCi/mL	U	U		0.305	0.532	1.14
CRW 7D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 7D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 7D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 7D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 7D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 7D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 7D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 7D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 7D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 7D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 7D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 7D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 7D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 7D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 7D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 7D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 7D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 7D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 7D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 7D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 7D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 7D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 7D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 7D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 7D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 7D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 7D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 7D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 7D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 7D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 7D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 7D	5/26/2015	CHLOROFORM	0.11	ug/L	J	J	21		0.1	1
CRW 7D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 7D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 7D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 7D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 7D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 7D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 7D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 7D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 7D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 7D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 7D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 7D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 7D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 7D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 7D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 7D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 7D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 7D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 7D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 7D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 7D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 7D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 7D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 7D	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 7D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 7D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 7D	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 7D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 7D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 7D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 7D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 7D	5/26/2015	TRITIUM	2.52	pCi/mL				0.378	0.397	1.15
CRW 9A	5/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 9A	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 9A	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 9A	5/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 9A	5/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 9A	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 9A	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 9A	5/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 9A	5/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 9A	5/21/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 9A	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 9A	5/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 9A	5/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 9A	5/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 9A	5/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 9A	5/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 9A	5/21/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 9A	5/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 9A	5/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 9A	5/21/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 9A	5/21/2015	ACETONE	3.1	ug/L					0.34	2
CRW 9A	5/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 9A	5/21/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 9A	5/21/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 9A	5/21/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 9A	5/21/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 9A	5/21/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 9A	5/21/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 9A	5/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 9A	5/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 9A	5/21/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 9A	5/21/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 9A	5/21/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 9A	5/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 9A	5/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 9A	5/21/2015	CHLOROFORM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 9A	5/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 9A	5/21/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 9A	5/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 9A	5/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 9A	5/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 9A	5/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 9A	5/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 9A	5/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 9A	5/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.84	ug/L	J	J	21		0.27	1
CRW 9A	5/21/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 9A	5/21/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 9A	5/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 9A	5/21/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 9A	5/21/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 9A	5/21/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 9A	5/21/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 9A	5/21/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 9A	5/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 9A	5/21/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 9A	5/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 9A	5/21/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 9A	5/21/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 9A	5/21/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 9A	5/21/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 9A	5/21/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 9A	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 9A	5/21/2015	TOLUENE	1.1	ug/L					0.07	1
CRW 9A	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 9A	5/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 9A	5/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 9A	5/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 9A	5/21/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 9A	5/21/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 9A	5/21/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CRW 9A	5/21/2015	TRITIUM	2.21	pCi/mL				0.362	0.396	1.12
CRW 10A	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 10A	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 10A	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 10A	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 10A	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 10A	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 10A	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 10A	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10A	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 10A	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 10A	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 10A	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 10A	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 10A	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 10A	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 10A	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 10A	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 10A	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 10A	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 10A	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 10A	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 10A	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 10A	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 10A	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 10A	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 10A	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 10A	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 10A	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 10A	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10A	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 10A	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 10A	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 10A	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 10A	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 10A	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 10A	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 10A	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 10A	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 10A	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 10A	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 10A	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 10A	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 10A	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 10A	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 10A	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 10A	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 10A	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 10A	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 10A	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 10A	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 10A	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10A	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 10A	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 10A	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 10A	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 10A	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 10A	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 10A	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 10A	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 10A	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 10A	5/27/2015	TRITIUM	-0.0893	pCi/mL	U	U		0.31	0.536	1.16
CRW 10C	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 10C	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 10C	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 10C	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 10C	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 10C	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 10C	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 10C	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 10C	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10C	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 10C	5/26/2015	1,2-DICHLOROETHYLENE	0.25	ug/L	J	J	21		0.15	2
CRW 10C	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 10C	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 10C	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 10C	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 10C	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 10C	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 10C	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 10C	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 10C	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 10C	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 10C	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 10C	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 10C	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 10C	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 10C	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 10C	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 10C	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 10C	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 10C	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 10C	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10C	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 10C	5/26/2015	CHLOROFORM	0.13	ug/L	J	J	21		0.1	1
CRW 10C	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 10C	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 10C	5/26/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J	J	21		0.09	1
CRW 10C	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 10C	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 10C	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 10C	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 10C	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 10C	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 10C	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 10C	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 10C	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 10C	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 10C	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 10C	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 10C	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 10C	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 10C	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 10C	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 10C	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 10C	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 10C	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 10C	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
CRW 10C	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 10C	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 10C	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 10C	5/26/2015	TRICHLOROETHYLENE (TCE)	7.5	ug/L					0.25	1
CRW 10C	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 10C	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 10C	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 10C	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 10C	5/26/2015	TRITIUM	10.2	pCi/mL				0.66	0.457	1.78
CRW 11A	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 11A	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 11A	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 11A	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 11A	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11A	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 11A	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 11A	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 11A	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 11A	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 11A	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 11A	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 11A	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 11A	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 11A	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 11A	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 11A	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 11A	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 11A	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 11A	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 11A	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 11A	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 11A	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 11A	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 11A	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 11A	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11A	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 11A	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 11A	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 11A	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 11A	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 11A	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 11A	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 11A	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 11A	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 11A	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 11A	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 11A	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 11A	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 11A	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 11A	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 11A	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 11A	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 11A	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 11A	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 11A	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11A	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 11A	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 11A	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 11A	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 11A	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 11A	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 11A	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 11A	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 11A	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 11A	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 11A	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 11A	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 11A	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 11A	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 11A	5/27/2015	TRITIUM	0.0073	pCi/mL	U	U		0.308	0.526	1.14
CRW 11D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 11D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 11D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 11D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 11D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 11D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 11D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 11D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 11D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 11D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 11D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 11D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 11D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 11D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 11D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 11D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 11D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 11D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 11D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 11D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 11D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 11D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 11D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 11D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 11D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 11D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 11D	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 11D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 11D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 11D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 11D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 11D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 11D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 11D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 11D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 11D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 11D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 11D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 11D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 11D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 11D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 11D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 11D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 11D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 11D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 11D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 11D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 11D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 11D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 11D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 11D	5/26/2015	TOLUENE	0.15	ug/L	J	J	21		0.07	1
CRW 11D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 11D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 11D	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 11D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 11D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 11D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 11D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 11D	5/26/2015	TRITIUM	1.68	pCi/mL				0.332	0.392	1.06
CRW 13A	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 13A	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 13A	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 13A	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 13A	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 13A	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 13A	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 13A	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 13A	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 13A	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 13A	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 13A	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 13A	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 13A	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 13A	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 13A	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 13A	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 13A	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 13A	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 13A	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 13A	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 13A	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 13A	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 13A	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 13A	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 13A	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 13A	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 13A	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 13A	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 13A	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 13A	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 13A	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 13A	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 13A	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 13A	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 13A	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 13A	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 13A	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 13A	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 13A	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 13A	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 13A	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 13A	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 13A	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 13A	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 13A	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 13A	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 13A	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 13A	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 13A	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 13A	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 13A	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 13A	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 13A	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 13A	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 13A	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 13A	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 13A	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 13A	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 13A	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 13A	5/26/2015	TRITIUM	-0.171	pCi/mL	U	U		0.25	0.455	0.956
CRW 14A	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 14A	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 14A	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 14A	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 14A	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 14A	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 14A	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 14A	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 14A	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 14A	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 14A	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 14A	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 14A	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 14A	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 14A	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 14A	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 14A	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 14A	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 14A	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 14A	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 14A	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 14A	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 14A	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 14A	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 14A	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 14A	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 14A	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 14A	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 14A	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 14A	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 14A	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 14A	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 14A	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 14A	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 14A	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 14A	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 14A	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 14A	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 14A	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 14A	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 14A	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 14A	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 14A	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 14A	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 14A	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 14A	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 14A	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 14A	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 14A	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 14A	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 14A	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 14A	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 14A	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 14A	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 14A	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 14A	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 14A	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 14A	5/26/2015	TOLUENE	0.17	ug/L	J	J	21		0.07	1
CRW 14A	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 14A	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 14A	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 14A	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 14A	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 14A	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 14A	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 14A	5/26/2015	TRITIUM	0.0287	pCi/mL	U	U		0.266	0.458	0.989
CRW 15A	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 15A	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15A	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 15A	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 15A	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 15A	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 15A	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 15A	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 15A	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 15A	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 15A	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 15A	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 15A	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 15A	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 15A	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 15A	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 15A	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15A	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 15A	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 15A	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 15A	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 15A	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 15A	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 15A	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 15A	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 15A	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 15A	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 15A	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 15A	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15A	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15A	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 15A	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 15A	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 15A	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 15A	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 15A	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15A	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15A	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 15A	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 15A	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 15A	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 15A	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 15A	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 15A	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 15A	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 15A	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 15A	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 15A	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 15A	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 15A	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 15A	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 15A	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 15A	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW 15A	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15A	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 15A	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 15A	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 15A	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15A	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 15A	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15A	5/27/2015	TRITIUM	0.109	pCi/mL	U	U		0.317	0.533	1.17
CRW 15C	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 15C	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 15C	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 15C	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 15C	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 15C	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 15C	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 15C	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 15C	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW 15C	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 15C	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 15C	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 15C	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15C	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 15C	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 15C	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 15C	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 15C	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 15C	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 15C	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 15C	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 15C	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 15C	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 15C	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 15C	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 15C	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 15C	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 15C	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15C	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15C	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 15C	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW 15C	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15C	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 15C	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 15C	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 15C	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15C	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 15C	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 15C	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 15C	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 15C	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 15C	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 15C	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW 15C	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW 15C	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 15C	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 15C	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 15C	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 15C	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 15C	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 15C	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 15C	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 15C	5/26/2015	TOLUENE	0.18	ug/L	J	J	21, 14		0.07	1
CRW 15C	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15C	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 15C	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15C	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 15C	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15C	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 15C	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 15C	5/26/2015	TRITIUM	10.2	pCi/mL				0.651	0.396	1.7
CRW 15D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW 15D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW 15D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW 15D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW 15D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW 15D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW 15D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW 15D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW 15D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW 15D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW 15D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW 15D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW 15D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW 15D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW 15D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW 15D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW 15D	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW 15D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW 15D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW 15D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW 15D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW 15D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW 15D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 15D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW 15D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW 15D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW 15D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW 15D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW 15D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW 15D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW 15D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15D	5/27/2015	CHLOROFORM	0.11	ug/L	J	J	21		0.1	1
CRW 15D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW 15D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW 15D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW 15D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW 15D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW 15D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW 15D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW 15D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW 15D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW 15D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW 15D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW 15D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW 15D	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW 15D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CRW 15D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW 15D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW 15D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW 15D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW 15D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW 15D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW 15D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW 15D	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW 15D	5/27/2015	TOLUENE	0.5	ug/L	J	J	21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW 15D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW 15D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW 15D	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW 15D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW 15D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW 15D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW 15D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW 15D	5/27/2015	TRITIUM	230	pCi/mL				2.61	0.528	5.75
CRW010CU	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW010CU	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW010CU	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW010CU	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW010CU	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW010CU	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW010CU	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW010CU	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW010CU	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW010CU	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW010CU	5/26/2015	1,2-DICHLOROETHYLENE	0.17	ug/L	J	J	21, 14		0.15	2
CRW010CU	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW010CU	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW010CU	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW010CU	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW010CU	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW010CU	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW010CU	5/26/2015	ACETONE	2.5	ug/L		J	14		0.34	2
CRW010CU	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW010CU	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW010CU	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW010CU	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW010CU	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW010CU	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW010CU	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW010CU	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW010CU	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW010CU	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW010CU	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW010CU	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW010CU	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW010CU	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW010CU	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW010CU	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW010CU	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW010CU	5/26/2015	CIS-1,2-DICHLOROETHYLENE	0.17	ug/L	J	J	21, 14		0.09	1
CRW010CU	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW010CU	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW010CU	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW010CU	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW010CU	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW010CU	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW010CU	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW010CU	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW010CU	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW010CU	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW010CU	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW010CU	5/26/2015	METHYL ETHYL KETONE	1.2	ug/L	J	J	18, 21, 14		0.52	5
CRW010CU	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW010CU	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW010CU	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW010CU	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW010CU	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limint
CRW010CU	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW010CU	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW010CU	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	TETRACHLOROETHYLENE (PCE)	0.6	ug/L	J	J	21, 14		0.18	1
CRW010CU	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW010CU	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW010CU	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW010CU	5/26/2015	TRICHLOROETHYLENE (TCE)	10	ug/L		J	14		0.25	1
CRW010CU	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW010CU	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW010CU	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW010CU	5/26/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
CRW010CU	5/26/2015	TRITIUM	5.27	pCi/mL				0.49	0.393	1.37
CRW015B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CRW015B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW015B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW015B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW015B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW015B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW015B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW015B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW015B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CRW015B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW015B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW015B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW015B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW015B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW015B	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW015B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CRW015B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW015B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW015B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW015B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW015B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW015B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW015B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW015B	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW015B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW015B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW015B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW015B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW015B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW015B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW015B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW015B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CRW015B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW015B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW015B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CRW015B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW015B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW015B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW015B	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW015B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW015B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW015B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW015B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW015B	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CRW015B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW015B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW015B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW015B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW015B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW015B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW015B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW015B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CRW015B	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CRW015B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW015B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW015B	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CRW015B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CRW015B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW015B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW015B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW015B	5/26/2015	TRITIUM	29.8	pCi/mL				1.06	0.392	2.51
CRW020D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	2.5	ug/L	U	U			0.23	2.5
CRW020D	5/26/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U	U			0.25	2.5
CRW020D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.5	ug/L	U	U			0.25	2.5
CRW020D	5/26/2015	1,1,2-TRICHLOROETHANE	2.5	ug/L	U	U			0.38	2.5
CRW020D	5/26/2015	1,1-DICHLOROETHANE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	1,1-DICHLOROPROPENE	2.5	ug/L	U	U			0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW020D	5/26/2015	1,2,3-TRICHLOROBENZENE	2.5	ug/L	U	U			0.23	2.5
CRW020D	5/26/2015	1,2,3-TRICHLOROPROPANE	2.5	ug/L	U	U			0.38	2.5
CRW020D	5/26/2015	1,2,4-TRICHLOROBENZENE	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	2.5	ug/L	U	U			1	2.5
CRW020D	5/26/2015	1,2-DIBROMOETHANE	2.5	ug/L	U	U			0.33	2.5
CRW020D	5/26/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U	U			0.15	2.5
CRW020D	5/26/2015	1,2-DICHLOROETHANE (EDC)	2.5	ug/L	U	U			0.25	2.5
CRW020D	5/26/2015	1,2-DICHLOROETHYLENE	0.62	ug/L	J	J	21		0.38	5
CRW020D	5/26/2015	1,2-DICHLOROPROPANE	2.5	ug/L	U	U			0.25	2.5
CRW020D	5/26/2015	1,3-DICHLOROBENZENE	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	1,3-DICHLOROPROPANE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	1,4-DICHLOROBENZENE	2.5	ug/L	U	U			0.3	2.5
CRW020D	5/26/2015	1,4-DIOXANE	200	ug/L	U	U			19	200
CRW020D	5/26/2015	2,2-DICHLOROPROPANE	2.5	ug/L	U	U			0.35	2.5
CRW020D	5/26/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			0.43	5
CRW020D	5/26/2015	2-HEXANONE	13	ug/L	U	U			0.55	13
CRW020D	5/26/2015	ACETONE	5	ug/L	U	U			0.85	5
CRW020D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			5.1	25
CRW020D	5/26/2015	ACROLEIN	25	ug/L	U	U			6.9	25
CRW020D	5/26/2015	ACRYLONITRILE	25	ug/L	U	U			1.5	25
CRW020D	5/26/2015	ALLYL CHLORIDE	5	ug/L	U	U			0.28	5
CRW020D	5/26/2015	BENZENE	2.5	ug/L	U	U			0.15	2.5
CRW020D	5/26/2015	BROMOCHLOROMETHANE	2.5	ug/L	U	U			0.33	2.5
CRW020D	5/26/2015	BROMODICHLOROMETHANE	2.5	ug/L	U	U			0.23	2.5
CRW020D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	2.5	ug/L	U	U			0.43	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW020D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	5	ug/L	U	U			0.63	5
CRW020D	5/26/2015	CARBON DISULFIDE	2.5	ug/L	U	U			0.13	2.5
CRW020D	5/26/2015	CARBON TETRACHLORIDE	2.5	ug/L	U	U			0.33	2.5
CRW020D	5/26/2015	CHLOROBENZENE	2.5	ug/L	U	U			0.38	2.5
CRW020D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	5	ug/L	U	U			0.25	5
CRW020D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U	U			0.2	5
CRW020D	5/26/2015	CHLOROFORM	0.26	ug/L	J	J	21		0.25	2.5
CRW020D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	5	ug/L	U	U			0.2	5
CRW020D	5/26/2015	CHLOROPRENE	2.5	ug/L	U	U			0.25	2.5
CRW020D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	0.62	ug/L	J	J	21		0.23	2.5
CRW020D	5/26/2015	CIS-1,3-DICHLOROPROPENE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	CYCLOHEXANE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	DIBROMOCHLOROMETHANE	2.5	ug/L	U	U			0.33	2.5
CRW020D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	2.5	ug/L	U	U			0.53	2.5
CRW020D	5/26/2015	DICHLORODIFLUOROMETHANE	5	ug/L	U	U			0.2	5
CRW020D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.5	ug/L	U	U			0.68	2.5
CRW020D	5/26/2015	ETHYL ACETATE	5	ug/L	U	U			0.45	5
CRW020D	5/26/2015	ETHYLBENZENE	2.5	ug/L	U	U			0.23	2.5
CRW020D	5/26/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			0.23	5
CRW020D	5/26/2015	ISOBUTANOL	200	ug/L	U	U			22	200
CRW020D	5/26/2015	M,P-XYLENE	5	ug/L	U	U			0.35	5
CRW020D	5/26/2015	METHACRYLONITRILE	25	ug/L	U	U			1.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW020D	5/26/2015	METHYL ACETATE	63	ug/L	U	U			0.93	63
CRW020D	5/26/2015	METHYL ETHYL KETONE	13	ug/L	U	U	18		1.3	13
CRW020D	5/26/2015	METHYL ISOBUTYL KETONE	13	ug/L	U	U	18		0.3	13
CRW020D	5/26/2015	METHYL METHACRYLATE	5	ug/L	U	U			0.65	5
CRW020D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	5	ug/L	U	U			0.28	5
CRW020D	5/26/2015	METHYLCYCLOHEXANE	10	ug/L	U	U			0.25	10
CRW020D	5/26/2015	NAPHTHALENE	2.5	ug/L	U	U			0.4	2.5
CRW020D	5/26/2015	O-XYLENE	2.5	ug/L	U	U			0.15	2.5
CRW020D	5/26/2015	PROPIONITRILE	25	ug/L	U	U			3.4	25
CRW020D	5/26/2015	STYRENE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	TETRACHLOROETHYLENE (PCE)	2.5	ug/L	U	U			0.45	2.5
CRW020D	5/26/2015	TOLUENE	2.5	ug/L	U	U			0.18	2.5
CRW020D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	2.5	ug/L	U	U			0.2	2.5
CRW020D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			0.73	5
CRW020D	5/26/2015	TRICHLOROETHYLENE (TCE)	260	ug/L					6.3	25
CRW020D	5/26/2015	TRICHLOROFLUOROMETHANE	2.5	ug/L	U	U			0.28	2.5
CRW020D	5/26/2015	VINYL ACETATE	5	ug/L	U	U			0.45	5
CRW020D	5/26/2015	XYLENES	7.5	ug/L	U	U			0.5	7.5
CRW020D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW020D	5/26/2015	TRITIUM	1.87	pCi/mL				0.342	0.391	1.07
CRW020D	12/8/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U	U			10	25
CRW020D	12/8/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,1-DICHLOROETHANE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW020D	12/8/2015	1,1-DICHLOROETHYLENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U	U			2.5	5
CRW020D	12/8/2015	1,2-DIBROMOETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2-DICHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,2-DICHLOROPROPANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,3-DICHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,4-DICHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	1,4-DIOXANE	250	ug/L	U	U			75	250
CRW020D	12/8/2015	2-HEXANONE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	ACETONE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	BENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	BROMOCHLOROMETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	BROMODICHLOROMETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	BROMOMETHANE (METHYL BROMIDE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CARBON DISULFIDE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	CARBON TETRACHLORIDE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CHLOROBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CHLOROFORM	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW020D	12/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	CYCLOHEXANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	DIBROMOCHLOROMETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	DICHLORODIFLUOROMETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U	U			5	25
CRW020D	12/8/2015	ETHYLBENZENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	M,P-XYLENE	10	ug/L	U	U			1.5	10
CRW020D	12/8/2015	METHYL ACETATE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	METHYL ETHYL KETONE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	METHYL ISOBUTYL KETONE	25	ug/L	U	U			7.5	25
CRW020D	12/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	METHYLCYCLOHEXANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	O-XYLENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	STYRENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TOLUENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TRICHLOROETHYLENE (TCE)	321	ug/L					1.5	5
CRW020D	12/8/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U	U			1.5	5
CRW020D	12/8/2015	TRITIUM	2.04	pCi/mL				0.358	0.414	1.13
CRW021DR	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CRW021DR	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CRW021DR	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CRW021DR	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CRW021DR	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CRW021DR	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CRW021DR	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CRW021DR	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CRW021DR	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CRW021DR	5/27/2015	1,2-DICHLOROETHYLENE	0.27	ug/L	J	J	21		0.15	2
CRW021DR	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CRW021DR	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CRW021DR	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CRW021DR	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CRW021DR	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CRW021DR	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CRW021DR	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CRW021DR	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CRW021DR	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CRW021DR	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CRW021DR	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CRW021DR	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW021DR	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CRW021DR	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CRW021DR	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CRW021DR	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CRW021DR	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CRW021DR	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CRW021DR	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CRW021DR	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW021DR	5/27/2015	CHLOROFORM	0.12	ug/L	J	J	21		0.1	1
CRW021DR	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CRW021DR	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CRW021DR	5/27/2015	CIS-1,2-DICHLOROETHYLENE	0.27	ug/L	J	J	21		0.09	1
CRW021DR	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CRW021DR	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CRW021DR	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CRW021DR	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CRW021DR	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CRW021DR	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CRW021DR	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CRW021DR	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CRW021DR	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CRW021DR	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CRW021DR	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CRW021DR	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CRW021DR	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CRW021DR	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CRW021DR	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CRW021DR	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CRW021DR	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CRW021DR	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CRW021DR	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CRW021DR	5/27/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J	J	21		0.18	1
CRW021DR	5/27/2015	TOLUENE	0.34	ug/L	J	J	21		0.07	1
CRW021DR	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CRW021DR	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CRW021DR	5/27/2015	TRICHLOROETHYLENE (TCE)	84	ug/L					1.3	5
CRW021DR	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CRW021DR	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CRW021DR	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CRW021DR	5/27/2015	TRITIUM	10.9	pCi/mL				0.647	0.53	1.82
CRW021DR	11/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CRW021DR	11/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CRW021DR	11/12/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CRW021DR	11/12/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CRW021DR	11/12/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CRW021DR	11/12/2015	BENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	11/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CRW021DR	11/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CRW021DR	11/12/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CRW021DR	11/12/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CRW021DR	11/12/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CRW021DR	11/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CRW021DR	11/12/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CRW021DR	11/12/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	STYRENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	TETRACHLOROETHYLENE (PCE)	0.31	ug/L	J	J	21		0.3	1
CRW021DR	11/12/2015	TOLUENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	TRICHLOROETHYLENE (TCE)	89	ug/L					0.3	1
CRW021DR	11/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CRW021DR	11/12/2015	TRITIUM	1.54	pCi/mL				0.348	0.453	1.15
CSB 3C	6/10/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB 3C	6/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 3C	6/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB 3C	6/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 3C	6/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 3C	6/10/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 3C	6/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 3C	6/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 3C	6/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 3C	6/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 3C	6/10/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 3C	6/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 3C	6/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 3C	6/10/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 3C	6/10/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 3C	6/10/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 3C	6/10/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 3C	6/10/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB 3C	6/10/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 3C	6/10/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB 3C	6/10/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 3C	6/10/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB 3C	6/10/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 3C	6/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 3C	6/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB 3C	6/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 3C	6/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 3C	6/10/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 3C	6/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB 3C	6/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 3C	6/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 3C	6/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 3C	6/10/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB 3C	6/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 3C	6/10/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 3C	6/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 3C	6/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 3C	6/10/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 3C	6/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB 3C	6/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 3C	6/10/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB 3C	6/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 3C	6/10/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB 3C	6/10/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 3C	6/10/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB 3C	6/10/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 3C	6/10/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 3C	6/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB 3C	6/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB 3C	6/10/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 3C	6/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 3C	6/10/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 3C	6/10/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 3C	6/10/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 3C	6/10/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 3C	6/10/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J	J	21, 14		0.18	1
CSB 3C	6/10/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB 3C	6/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 3C	6/10/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 3C	6/10/2015	TRICHLOROETHYLENE (TCE)	3	ug/L		J	14		0.25	1
CSB 3C	6/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 3C	6/10/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB 3C	6/10/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 3C	6/10/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB 3C	6/10/2015	TRITIUM	6.26	pCi/mL				0.524	0.439	1.49
CSB 9D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB 9D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 9D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 9D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 9D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 9D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 9D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 9D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 9D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 9D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 9D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 9D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 9D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 9D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 9D	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB 9D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 9D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB 9D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 9D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB 9D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 9D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 9D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB 9D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 9D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 9D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 9D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 9D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 9D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 9D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 9D	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 9D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 9D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 9D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 9D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 9D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB 9D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 9D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB 9D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 9D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB 9D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 9D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB 9D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 9D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 9D	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB 9D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 9D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 9D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 9D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 9D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB 9D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 9D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 9D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 9D	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB 9D	5/27/2015	TOLUENE	0.14	ug/L	J	J	21		0.07	1
CSB 9D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 9D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 9D	5/27/2015	TRICHLOROETHYLENE (TCE)	0.35	ug/L	J	J	21		0.25	1
CSB 9D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 9D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB 9D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 9D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB 9D	5/27/2015	TRITIUM	161	pCi/mL				2.41	0.389	5.2
CSB 11D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB 11D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 11D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 11D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 11D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 11D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 11D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 11D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 11D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 11D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 11D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 11D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 11D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 11D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 11D	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB 11D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 11D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB 11D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 11D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB 11D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 11D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 11D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 11D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 11D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 11D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 11D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB 11D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 11D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 11D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 11D	5/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 11D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 11D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 11D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 11D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 11D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB 11D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 11D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB 11D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 11D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB 11D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 11D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 11D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 11D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 11D	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB 11D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB 11D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 11D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 11D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 11D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB 11D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 11D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 11D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	TETRACHLOROETHYLENE (PCE)	0.46	ug/L	J	J	21		0.18	1
CSB 11D	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB 11D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 11D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 11D	5/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB 11D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 11D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB 11D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 11D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB 11D	5/27/2015	TRITIUM	13.3	pCi/mL				0.741	0.406	1.89
CSB 12D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB 12D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 12D	5/26/2015	1,1,2-TRICHLORO-1,2,2-	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TRIFLUOROETHANE								
CSB 12D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 12D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 12D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 12D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 12D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 12D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 12D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB 12D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 12D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 12D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 12D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 12D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 12D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 12D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 12D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB 12D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 12D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB 12D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 12D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 12D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 12D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 12D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB 12D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 12D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 12D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 12D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB 12D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 12D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 12D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 12D	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB 12D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 12D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 12D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 12D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 12D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 12D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB 12D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 12D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB 12D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 12D	5/26/2015	IODOMETHANE (METHYL	2	ug/L	U	U			0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
CSB 12D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 12D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB 12D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 12D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 12D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CSB 12D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CSB 12D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 12D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 12D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 12D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB 12D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 12D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 12D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB 12D	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB 12D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 12D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 12D	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB 12D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 12D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB 12D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 12D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB 12D	5/26/2015	TRITIUM	33	pCi/mL				1.26	0.499	3.02
CSB 13D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 13D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 13D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB 13D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 13D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 13D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 13D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 13D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 13D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 13D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB 13D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 13D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 13D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 13D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 13D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 13D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 13D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 13D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB 13D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 13D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 13D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 13D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB 13D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 13D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 13D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB 13D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 13D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 13D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 13D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB 13D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 13D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 13D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 13D	5/26/2015	CHLOROFORM	0.47	ug/L	J	J	21		0.1	1
CSB 13D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 13D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 13D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 13D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 13D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 13D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB 13D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 13D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 13D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 13D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB 13D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 13D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB 13D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 13D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 13D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CSB 13D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CSB 13D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 13D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 13D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 13D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB 13D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 13D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 13D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 13D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB 13D	5/26/2015	TOLUENE	0.13	ug/L	J	J	21		0.07	1
CSB 13D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 13D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 13D	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB 13D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 13D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB 13D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 13D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 13D	5/26/2015	TRITIUM	140	pCi/mL				2.25	0.389	4.89
CSB 15D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB 15D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB 15D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB 15D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB 15D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB 15D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB 15D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB 15D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB 15D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB 15D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB 15D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB 15D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB 15D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB 15D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB 15D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB 15D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB 15D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB 15D	5/27/2015	ACETONE	3.8	ug/L					0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 15D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB 15D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB 15D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB 15D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB 15D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB 15D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 15D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB 15D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB 15D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB 15D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB 15D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB 15D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB 15D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB 15D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 15D	5/27/2015	CHLOROFORM	0.12	ug/L	J	J	21		0.1	1
CSB 15D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB 15D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB 15D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB 15D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB 15D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB 15D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 15D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB 15D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB 15D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB 15D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB 15D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB 15D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB 15D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB 15D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB 15D	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CSB 15D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CSB 15D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB 15D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB 15D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB 15D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB 15D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB 15D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB 15D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J	J	21		0.18	1
CSB 15D	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB 15D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB 15D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB 15D	5/27/2015	TRICHLOROETHYLENE (TCE)	36	ug/L					0.25	1
CSB 15D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB 15D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB 15D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB 15D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB 15D	5/27/2015	TRITIUM	819	pCi/mL				5.42	0.457	11.3
CSB011B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB011B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB011B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB011B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB011B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB011B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB011B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB011B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB011B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB011B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB011B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB011B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB011B	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB011B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB011B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB011B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB011B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB011B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB011B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB011B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB011B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB011B	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB011B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB011B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB011B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB011B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB011B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB011B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB011B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB011B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB011B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB011B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB011B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB011B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB011B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB011B	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB011B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB011B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB011B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB011B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB011B	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U	18		0.52	5
CSB011B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U	18		0.12	5
CSB011B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB011B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB011B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB011B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB011B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB011B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB011B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB011B	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB011B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB011B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011B	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB011B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB011B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB011B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB011B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB011B	5/26/2015	TRITIUM	0.452	pCi/mL	J	J	21	0.257	0.391	0.904
CSB011C	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB011C	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB011C	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB011C	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB011C	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB011C	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB011C	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB011C	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB011C	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB011C	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB011C	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB011C	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011C	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB011C	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB011C	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB011C	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB011C	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB011C	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB011C	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB011C	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB011C	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB011C	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB011C	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB011C	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB011C	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB011C	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB011C	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB011C	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB011C	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB011C	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB011C	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB011C	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB011C	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB011C	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB011C	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011C	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB011C	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB011C	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB011C	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB011C	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB011C	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB011C	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB011C	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB011C	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB011C	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB011C	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB011C	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB011C	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB011C	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB011C	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB011C	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB011C	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB011C	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB011C	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB011C	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB011C	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB011C	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB011C	5/26/2015	TOLUENE	0.14	ug/L	J	J	21		0.07	1
CSB011C	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB011C	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB011C	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB011C	5/26/2015	TRICHLOROETHYLENE (TCE)	0.43	ug/L	J	J	21		0.25	1
CSB011C	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB011C	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB011C	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB011C	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB011C	5/26/2015	TRITIUM	0.862	pCi/mL	J	J	21	0.32	0.462	1.1
CSB013B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB013B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB013B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB013B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB013B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB013B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB013B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB013B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB013B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB013B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB013B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB013B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB013B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB013B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB013B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB013B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB013B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB013B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB013B	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB013B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB013B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB013B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB013B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB013B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB013B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB013B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB013B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB013B	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB013B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB013B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB013B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB013B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB013B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB013B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB013B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB013B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB013B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB013B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB013B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB013B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB013B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB013B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB013B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB013B	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB013B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB013B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB013B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB013B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB013B	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB013B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB013B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB013B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB013B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB013B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB013B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB013B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB013B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB013B	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB013B	5/26/2015	TOLUENE	0.15	ug/L	J	J	21		0.07	1
CSB013B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB013B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB013B	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB013B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB013B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB013B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB013B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB013B	5/26/2015	TRITIUM	41.7	pCi/mL				1.25	0.396	2.9
CSB015B	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB015B	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB015B	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB015B	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB015B	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB015B	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB015B	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB015B	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB015B	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB015B	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB015B	6/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB015B	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB015B	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB015B	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB015B	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB015B	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB015B	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB015B	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB015B	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB015B	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB015B	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB015B	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB015B	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB015B	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB015B	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB015B	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB015B	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB015B	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB015B	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB015B	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB015B	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB015B	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB015B	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB015B	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB015B	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB015B	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB015B	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB015B	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB015B	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB015B	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB015B	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB015B	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB015B	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB015B	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB015B	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB015B	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB015B	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB015B	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB015B	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB015B	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB015B	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB015B	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB015B	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB015B	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB015B	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB015B	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB015B	6/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB015B	6/1/2015	TOLUENE	0.47	ug/L	J	J	21		0.07	1
CSB015B	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB015B	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB015B	6/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB015B	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB015B	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB015B	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB015B	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB015B	6/1/2015	TRITIUM	-0.087	pCi/mL	U	U		0.259	0.46	0.978
CSB017B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB017B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB017B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB017B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB017B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB017B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB017B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB017B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB017B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB017B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB017B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB017B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB017B	5/26/2015	ACETONE	2.8	ug/L		J	14		0.34	2
CSB017B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB017B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB017B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB017B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB017B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB017B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB017B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB017B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB017B	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB017B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB017B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB017B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB017B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB017B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB017B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB017B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB017B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB017B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB017B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB017B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB017B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB017B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB017B	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB017B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB017B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB017B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB017B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB017B	5/26/2015	METHYL ETHYL KETONE	2	ug/L	J	J	21, 14		0.52	5
CSB017B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB017B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB017B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB017B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB017B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB017B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB017B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J	J	21, 14		0.18	1
CSB017B	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB017B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB017B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB017B	5/26/2015	TRICHLOROETHYLENE (TCE)	12	ug/L		J	14		0.25	1
CSB017B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB017B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB017B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB017B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB017B	5/26/2015	TRITIUM	27.1	pCi/mL				1.03	0.464	2.52
CSB017D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB017D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB017D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB017D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB017D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB017D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB017D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB017D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB017D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB017D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB017D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB017D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB017D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB017D	5/26/2015	ACETONE	3.4	ug/L		J	14		0.34	2
CSB017D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB017D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB017D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB017D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB017D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB017D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB017D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB017D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB017D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB017D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB017D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB017D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB017D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB017D	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB017D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB017D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB017D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB017D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB017D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB017D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB017D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB017D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB017D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB017D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB017D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB017D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB017D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB017D	5/26/2015	METHYL ETHYL KETONE	2.2	ug/L	J	J	21, 14		0.52	5
CSB017D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB017D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB017D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB017D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB017D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB017D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB017D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB017D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB017D	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB017D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB017D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB017D	5/26/2015	TRICHLOROETHYLENE (TCE)	4.1	ug/L		J	14		0.25	1
CSB017D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB017D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB017D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB017D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB017D	5/26/2015	TRITIUM	46.2	pCi/mL				1.5	0.51	3.51
CSB019B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB019B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB019B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB019B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB019B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB019B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB019B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB019B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB019B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB019B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB019B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB019B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB019B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB019B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB019B	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB019B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB019B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB019B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB019B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB019B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB019B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB019B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB019B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB019B	5/26/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
CSB019B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB019B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB019B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB019B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB019B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB019B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB019B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB019B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB019B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB019B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB019B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB019B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB019B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB019B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB019B	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB019B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB019B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB019B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB019B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB019B	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB019B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB019B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB019B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB019B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB019B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB019B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB019B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB019B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB019B	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB019B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB019B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB019B	5/26/2015	TRICHLOROETHYLENE (TCE)	0.9	ug/L	J	J	21		0.25	1
CSB019B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB019B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB019B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB019B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB019B	5/26/2015	TRITIUM	686	pCi/mL				5	0.396	10.4
CSB019C	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB019C	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB019C	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB019C	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB019C	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB019C	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB019C	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB019C	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB019C	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB019C	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB019C	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB019C	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB019C	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB019C	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB019C	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB019C	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB019C	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB019C	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB019C	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB019C	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB019C	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB019C	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB019C	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB019C	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB019C	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB019C	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB019C	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB019C	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB019C	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB019C	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB019C	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB019C	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB019C	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB019C	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB019C	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB019C	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB019C	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB019C	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB019C	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB019C	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB019C	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB019C	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB019C	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB019C	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB019C	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB019C	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB019C	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB019C	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB019C	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB019C	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB019C	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB019C	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB019C	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB019C	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB019C	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB019C	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB019C	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB019C	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB019C	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB019C	5/26/2015	TRITIUM	45.1	pCi/mL				1.3	0.393	2.98
CSB020B	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB020B	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020B	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB020B	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB020B	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB020B	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB020B	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB020B	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB020B	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB020B	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB020B	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB020B	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB020B	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB020B	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB020B	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB020B	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB020B	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB020B	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB020B	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB020B	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB020B	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB020B	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020B	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB020B	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020B	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB020B	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB020B	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB020B	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB020B	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB020B	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB020B	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB020B	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020B	5/26/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSB020B	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020B	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB020B	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB020B	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020B	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB020B	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB020B	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB020B	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB020B	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB020B	5/26/2015	IODOMETHANE (METHYL	2	ug/L	U	U			0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
CSB020B	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB020B	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB020B	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB020B	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB020B	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB020B	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB020B	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB020B	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB020B	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB020B	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB020B	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB020B	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB020B	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB020B	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB020B	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020B	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB020B	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB020B	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB020B	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB020B	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB020B	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB020B	5/26/2015	TRITIUM	4.21	pCi/mL				0.466	0.452	1.38
CSB020C	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020C	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB020C	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB020C	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB020C	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB020C	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB020C	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB020C	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB020C	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB020C	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB020C	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB020C	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB020C	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB020C	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB020C	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB020C	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB020C	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB020C	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB020C	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB020C	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020C	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB020C	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB020C	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB020C	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020C	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB020C	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB020C	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB020C	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB020C	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB020C	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB020C	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB020C	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020C	5/27/2015	CHLOROFORM	0.16	ug/L	J	J	21		0.1	1
CSB020C	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020C	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB020C	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB020C	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020C	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB020C	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB020C	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB020C	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020C	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB020C	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB020C	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB020C	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB020C	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB020C	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB020C	5/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB020C	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB020C	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB020C	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB020C	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB020C	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB020C	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB020C	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB020C	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	TETRACHLOROETHYLENE (PCE)	0.49	ug/L	J	J	21		0.18	1
CSB020C	5/27/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB020C	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020C	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB020C	5/27/2015	TRICHLOROETHYLENE (TCE)	44	ug/L					1.3	5
CSB020C	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB020C	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB020C	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB020C	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020C	5/27/2015	TRITIUM	1670	pCi/mL				7.78	0.461	16
CSB020D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB020D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB020D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB020D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB020D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB020D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB020D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB020D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB020D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB020D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB020D	5/26/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSB020D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB020D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB020D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB020D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB020D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSB020D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB020D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB020D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB020D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB020D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB020D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB020D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB020D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB020D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB020D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB020D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB020D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB020D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB020D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020D	5/26/2015	CHLOROFORM	0.13	ug/L	J	J	21		0.1	1
CSB020D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB020D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB020D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSB020D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB020D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB020D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB020D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB020D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB020D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB020D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB020D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB020D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB020D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB020D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB020D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB020D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB020D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB020D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB020D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB020D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB020D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB020D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB020D	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB020D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB020D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSB020D	5/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSB020D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB020D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB020D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB020D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB020D	5/26/2015	TRITIUM	10.7	pCi/mL				0.663	0.395	1.72
CSB021D	5/26/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSB021D	5/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSB021D	5/26/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSB021D	5/26/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSB021D	5/26/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSB021D	5/26/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSB021D	5/26/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSB021D	5/26/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSB021D	5/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSB021D	5/26/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSB021D	5/26/2015	1,2-DICHLOROETHYLENE	0.17	ug/L	J	J	21		0.15	2
CSB021D	5/26/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSB021D	5/26/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSB021D	5/26/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSB021D	5/26/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSB021D	5/26/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB021D	5/26/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSB021D	5/26/2015	ACETONE	2	ug/L	U	U			0.34	2
CSB021D	5/26/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSB021D	5/26/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSB021D	5/26/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSB021D	5/26/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSB021D	5/26/2015	BENZENE	1	ug/L	U	U			0.06	1
CSB021D	5/26/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSB021D	5/26/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSB021D	5/26/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSB021D	5/26/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSB021D	5/26/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSB021D	5/26/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSB021D	5/26/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSB021D	5/26/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSB021D	5/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB021D	5/26/2015	CHLOROFORM	0.21	ug/L	J	J	21		0.1	1
CSB021D	5/26/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSB021D	5/26/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSB021D	5/26/2015	CIS-1,2-DICHLOROETHYLENE	0.17	ug/L	J	J	21		0.09	1
CSB021D	5/26/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB021D	5/26/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSB021D	5/26/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSB021D	5/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSB021D	5/26/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSB021D	5/26/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSB021D	5/26/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSB021D	5/26/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSB021D	5/26/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSB021D	5/26/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSB021D	5/26/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSB021D	5/26/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSB021D	5/26/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSB021D	5/26/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSB021D	5/26/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSB021D	5/26/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSB021D	5/26/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSB021D	5/26/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSB021D	5/26/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSB021D	5/26/2015	STYRENE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSB021D	5/26/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSB021D	5/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSB021D	5/26/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSB021D	5/26/2015	TRICHLOROETHYLENE (TCE)	0.69	ug/L	J	J	21		0.25	1
CSB021D	5/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSB021D	5/26/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSB021D	5/26/2015	XYLENES	3	ug/L	U	U			0.2	3
CSB021D	5/26/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSB021D	5/26/2015	TRITIUM	352	pCi/mL				3.57	0.393	7.54
CSL001	6/29/2015	BUTANE	0.2	ug/L	U				0.008	0.2
CSL001	6/29/2015	ETHANE	0.011	ug/L	J		21		0.002	0.1
CSL001	6/29/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1
CSL001	6/29/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
CSL001	6/29/2015	METHANE	2	ug/L					0.042	0.5
CSL001	6/29/2015	PROPANE	0.1	ug/L	U				0.002	0.1
CSL001	6/29/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
CSL001	6/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSL001	6/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSL001	6/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSL001	6/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSL001	6/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSL001	6/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL001	6/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSL001	6/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSL001	6/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSL001	6/29/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSL001	6/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSL001	6/29/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSL001	6/29/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSL001	6/29/2015	ACETONE	2	ug/L	U	U			0.34	2
CSL001	6/29/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSL001	6/29/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSL001	6/29/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSL001	6/29/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSL001	6/29/2015	BENZENE	1	ug/L	U	U			0.06	1
CSL001	6/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSL001	6/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSL001	6/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSL001	6/29/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSL001	6/29/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSL001	6/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSL001	6/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSL001	6/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL001	6/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSL001	6/29/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSL001	6/29/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSL001	6/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSL001	6/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSL001	6/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSL001	6/29/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CSL001	6/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSL001	6/29/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSL001	6/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSL001	6/29/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSL001	6/29/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSL001	6/29/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSL001	6/29/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSL001	6/29/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSL001	6/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSL001	6/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSL001	6/29/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSL001	6/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSL001	6/29/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL001	6/29/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSL001	6/29/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSL001	6/29/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSL001	6/29/2015	STYRENE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSL001	6/29/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSL001	6/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSL001	6/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSL001	6/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSL001	6/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSL001	6/29/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CSL001	6/29/2015	XYLENES	3	ug/L	U	U			0.2	3
CSL001	6/29/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSL001	6/29/2015	TRITIUM	0.0198	pCi/mL	U	U		0.272	0.47	1.01
CSL001	11/4/2015	ETHYLENE	0.039	ug/L	J		21		0.004	0.1
CSL001	11/4/2015	METHANE	2.1	ug/L					0.037	0.5
CSL001	11/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CSL001	11/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.5	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
CSL001	11/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CSL001	11/4/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
CSL001	11/4/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CSL001	11/4/2015	BENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CSL001	11/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL001	11/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CSL001	11/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CSL001	11/4/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CSL001	11/4/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
CSL001	11/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CSL001	11/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	STYRENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TOLUENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CSL001	11/4/2015	TRITIUM	-0.0707	pCi/mL	U	U		0.255	0.452	0.963
CSL002	6/29/2015	BUTANE	0.2	ug/L	U				0.008	0.2
CSL002	6/29/2015	ETHANE	0.0049	ug/L	J		21		0.002	0.1
CSL002	6/29/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
CSL002	6/29/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
CSL002	6/29/2015	METHANE	23	ug/L					0.042	0.5
CSL002	6/29/2015	PROPANE	0.1	ug/L	U				0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL002	6/29/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
CSL002	6/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CSL002	6/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CSL002	6/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CSL002	6/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CSL002	6/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CSL002	6/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CSL002	6/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CSL002	6/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CSL002	6/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CSL002	6/29/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CSL002	6/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CSL002	6/29/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CSL002	6/29/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CSL002	6/29/2015	ACETONE	2	ug/L	U	U			0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL002	6/29/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CSL002	6/29/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CSL002	6/29/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CSL002	6/29/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CSL002	6/29/2015	BENZENE	1	ug/L	U	U			0.06	1
CSL002	6/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSL002	6/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CSL002	6/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CSL002	6/29/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CSL002	6/29/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CSL002	6/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CSL002	6/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CSL002	6/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CSL002	6/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSL002	6/29/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CSL002	6/29/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CSL002	6/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CSL002	6/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CSL002	6/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CSL002	6/29/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL002	6/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CSL002	6/29/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CSL002	6/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CSL002	6/29/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CSL002	6/29/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CSL002	6/29/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CSL002	6/29/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CSL002	6/29/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CSL002	6/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CSL002	6/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CSL002	6/29/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CSL002	6/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CSL002	6/29/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CSL002	6/29/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CSL002	6/29/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CSL002	6/29/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CSL002	6/29/2015	STYRENE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CSL002	6/29/2015	TOLUENE	1	ug/L	U	U			0.07	1
CSL002	6/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CSL002	6/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CSL002	6/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CSL002	6/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CSL002	6/29/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CSL002	6/29/2015	XYLENES	3	ug/L	U	U			0.2	3
CSL002	6/29/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CSL002	6/29/2015	TRITIUM	43.6	pCi/mL				1.28	0.469	3.03
CTA003D	5/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CTA003D	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CTA003D	5/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CTA003D	5/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CTA003D	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CTA003D	5/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CTA003D	5/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CTA003D	5/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CTA003D	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CTA003D	5/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CTA003D	5/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CTA003D	5/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
CTA003D	5/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CTA003D	5/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CTA003D	5/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CTA003D	5/27/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA003D	5/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CTA003D	5/27/2015	ACETONE	2	ug/L	U	U			0.34	2
CTA003D	5/27/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CTA003D	5/27/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CTA003D	5/27/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CTA003D	5/27/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CTA003D	5/27/2015	BENZENE	1	ug/L	U	U			0.06	1
CTA003D	5/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CTA003D	5/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CTA003D	5/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CTA003D	5/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CTA003D	5/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CTA003D	5/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CTA003D	5/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CTA003D	5/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CTA003D	5/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CTA003D	5/27/2015	CHLOROFORM	0.15	ug/L	J	J	21		0.1	1
CTA003D	5/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
CTA003D	5/27/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CTA003D	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CTA003D	5/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA003D	5/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CTA003D	5/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CTA003D	5/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CTA003D	5/27/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CTA003D	5/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CTA003D	5/27/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CTA003D	5/27/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CTA003D	5/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CTA003D	5/27/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CTA003D	5/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CTA003D	5/27/2015	METHYL ETHYL KETONE	1.3	ug/L	J	J	21		0.52	5
CTA003D	5/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CTA003D	5/27/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CTA003D	5/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CTA003D	5/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CTA003D	5/27/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CTA003D	5/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CTA003D	5/27/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CTA003D	5/27/2015	STYRENE	1	ug/L	U	U			0.07	1
CTA003D	5/27/2015	TETRACHLOROETHYLENE (PCE)	0.73	ug/L	J	J	21		0.18	1
CTA003D	5/27/2015	TOLUENE	0.21	ug/L	J	J	21		0.07	1
CTA003D	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CTA003D	5/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA003D	5/27/2015	TRICHLOROETHYLENE (TCE)	0.38	ug/L	J	J	21		0.25	1
CTA003D	5/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CTA003D	5/27/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CTA003D	5/27/2015	XYLENES	3	ug/L	U	U			0.2	3
CTA003D	5/27/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CTA003D	5/27/2015	TRITIUM	3500	pCi/mL				11.2	0.457	22.8
CTA003D	11/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CTA003D	11/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CTA003D	11/12/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CTA003D	11/12/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CTA003D	11/12/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CTA003D	11/12/2015	BENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA003D	11/12/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CTA003D	11/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CTA003D	11/12/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CTA003D	11/12/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CTA003D	11/12/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CTA003D	11/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CTA003D	11/12/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA003D	11/12/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	STYRENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	TETRACHLOROETHYLENE (PCE)	1.38	ug/L					0.3	1
CTA003D	11/12/2015	TOLUENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	TRICHLOROETHYLENE (TCE)	0.97	ug/L	J	J	21		0.3	1
CTA003D	11/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CTA003D	11/12/2015	TRITIUM	40.7	pCi/mL				1.27	0.543	3.08
CTA004D	6/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
CTA004D	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
CTA004D	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
CTA004D	6/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
CTA004D	6/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
CTA004D	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
CTA004D	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
CTA004D	6/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
CTA004D	6/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
CTA004D	6/1/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
CTA004D	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
CTA004D	6/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
CTA004D	6/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
CTA004D	6/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA004D	6/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
CTA004D	6/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
CTA004D	6/1/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
CTA004D	6/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
CTA004D	6/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
CTA004D	6/1/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
CTA004D	6/1/2015	ACETONE	2	ug/L	U	U			0.34	2
CTA004D	6/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
CTA004D	6/1/2015	ACROLEIN	10	ug/L	U	U			2.8	10
CTA004D	6/1/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
CTA004D	6/1/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
CTA004D	6/1/2015	BENZENE	1	ug/L	U	U			0.06	1
CTA004D	6/1/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CTA004D	6/1/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
CTA004D	6/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
CTA004D	6/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
CTA004D	6/1/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
CTA004D	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
CTA004D	6/1/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
CTA004D	6/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
CTA004D	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
CTA004D	6/1/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
CTA004D	6/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA004D	6/1/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
CTA004D	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
CTA004D	6/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
CTA004D	6/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
CTA004D	6/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
CTA004D	6/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
CTA004D	6/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
CTA004D	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
CTA004D	6/1/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
CTA004D	6/1/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
CTA004D	6/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
CTA004D	6/1/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
CTA004D	6/1/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
CTA004D	6/1/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
CTA004D	6/1/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
CTA004D	6/1/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
CTA004D	6/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
CTA004D	6/1/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
CTA004D	6/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
CTA004D	6/1/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
CTA004D	6/1/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
CTA004D	6/1/2015	O-XYLENE	1	ug/L	U	U			0.06	1
CTA004D	6/1/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
CTA004D	6/1/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA004D	6/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
CTA004D	6/1/2015	TOLUENE	0.78	ug/L	J	J	21		0.07	1
CTA004D	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
CTA004D	6/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
CTA004D	6/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
CTA004D	6/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
CTA004D	6/1/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
CTA004D	6/1/2015	XYLENES	3	ug/L	U	U			0.2	3
CTA004D	6/1/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
CTA004D	6/1/2015	TRITIUM	3.85	pCi/mL				0.454	0.454	1.36
CTA004D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
CTA004D	11/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
CTA004D	11/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA004D	11/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
CTA004D	11/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
CTA004D	11/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
CTA004D	11/18/2015	BENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
CTA004D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
CTA004D	11/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
CTA004D	11/18/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
CTA004D	11/18/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
CTA004D	11/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
CTA004D	11/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
CTA004D	11/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	O-XYLENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	STYRENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TRICHLOROETHYLENE (TCE)	0.46	ug/L	J	J	21		0.3	1
CTA004D	11/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
CTA004D	11/18/2015	TRITIUM	1.91	pCi/mL				0.35	0.419	1.12
DOB 15	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	19	ug/L		J	14		0.08	2
DCB 3A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 11	6/10/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L		J	14		0.18	1
DCB 3A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 62	5/6/2015	TRICHLOROETHYLENE (TCE)	237	ug/L					1.5	5
DCB 3A	4/27/2015	SULFATE	13.8	mg/L					0.133	0.4
DCB 3A	12/11/2015	ALUMINUM	34	ug/L	J	J	21		17	50
DCB 3A	12/11/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 3A	12/11/2015	ARSENIC	10	ug/L	U	U			1.2	10
DCB 3A	12/11/2015	BARIUM	23	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 3A	12/11/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
DCB 3A	12/11/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
DCB 3A	12/11/2015	CALCIUM	2000	ug/L					68	100
DCB 3A	12/11/2015	CHROMIUM	10	ug/L	U	U			1	10
DCB 3A	12/11/2015	COBALT	2	ug/L	U	U			0.22	2
DCB 3A	12/11/2015	COPPER	14	ug/L					0.68	1
DCB 3A	12/11/2015	IRON	48	ug/L	J	J	21		33	50
DCB 3A	12/11/2015	LEAD	0.75	ug/L	J	J	21		0.17	3
DCB 3A	12/11/2015	MAGNESIUM	710	ug/L					5.6	50
DCB 3A	12/11/2015	MANGANESE	12	ug/L					0.88	2
DCB 3A	12/11/2015	NICKEL	5	ug/L	U	U			0.8	5
DCB 3A	12/11/2015	POTASSIUM	540	ug/L					42	100
DCB 3A	12/11/2015	SELENIUM	5	ug/L	U	U			1.6	5
DCB 3A	12/11/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 3A	12/11/2015	SODIUM	3100	ug/L			V		24	50
DCB 3A	12/11/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 3A	12/11/2015	URANIUM	1	ug/L	U	U			0.23	1
DCB 3A	12/11/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 3A	12/11/2015	ZINC	20	ug/L			S		9.3	20
DCB 3A	12/11/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 3A	12/11/2015	SULFATE	2.3	mg/L					0.05	0.5
DCB 4A	4/30/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 4A	4/30/2015	ALUMINUM	894	ug/L					15	50
DCB 4A	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 4A	4/30/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 4A	4/30/2015	BARIUM	86.3	ug/L					0.6	2
DCB 4A	4/30/2015	BERYLLIUM	0.211	ug/L	J	J	21		0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 4A	4/30/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 4A	4/30/2015	CALCIUM	8730	ug/L					60	200
DCB 4A	4/30/2015	CHROMIUM	4.12	ug/L	J	J	21		2	10
DCB 4A	4/30/2015	COBALT	5.02	ug/L					0.1	1
DCB 4A	4/30/2015	COPPER	1.12	ug/L					0.35	1
DCB 4A	4/30/2015	IRON	176	ug/L					33	100
DCB 4A	4/30/2015	LEAD	1.66	ug/L	J	J	21		0.5	2
DCB 4A	4/30/2015	MAGNESIUM	3160	ug/L					10	30
DCB 4A	4/30/2015	MANGANESE	99.3	ug/L					1	5
DCB 4A	4/30/2015	NICKEL	11.8	ug/L					0.5	2
DCB 4A	4/30/2015	POTASSIUM	836	ug/L					80	300
DCB 4A	4/30/2015	SELENIUM	1.99	ug/L	J	J	21		1.5	5
DCB 4A	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 4A	4/30/2015	SODIUM	1630	ug/L					80	250
DCB 4A	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 4A	4/30/2015	URANIUM	0.357	ug/L					0.067	0.2
DCB 4A	4/30/2015	ZINC	97.3	ug/L	J	J	V		3.5	10
DCB 4A	4/30/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 11	6/10/2015	CHLOROETHENE (VINYL CHLORIDE)	11	ug/L		J	14		0.08	2
DCB 4A	4/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 45C	5/5/2015	TETRACHLOROETHYLENE (PCE)	13.8	ug/L					0.3	1
DCB 4A	4/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DRW 1	5/6/2015	TRICHLOROETHYLENE (TCE)	73	ug/L					0.3	1
DCB 4A	4/30/2015	SULFATE	35	mg/L					0.665	2
DCB 4A	12/14/2015	ALUMINUM	6000	ug/L					17	50
DCB 4A	12/14/2015	ANTIMONY	5	ug/L	U	U			1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 4A	12/14/2015	ARSENIC	10	ug/L	U	U			1.2	10
DCB 4A	12/14/2015	BARIUM	99	ug/L					0.22	2
DCB 4A	12/14/2015	BERYLLIUM	1.4	ug/L					0.35	0.5
DCB 4A	12/14/2015	CADMIUM	0.5	ug/L			S		0.1	0.5
DCB 4A	12/14/2015	CALCIUM	12000	ug/L					68	100
DCB 4A	12/14/2015	CHROMIUM	2.6	ug/L	J	J	21		1	10
DCB 4A	12/14/2015	COBALT	22	ug/L					0.22	2
DCB 4A	12/14/2015	COPPER	7.3	ug/L					0.68	1
DCB 4A	12/14/2015	IRON	240	ug/L					33	50
DCB 4A	12/14/2015	LEAD	1.4	ug/L	J	U	21, V		0.17	3
DCB 4A	12/14/2015	MAGNESIUM	6200	ug/L					5.6	50
DCB 4A	12/14/2015	MANGANESE	350	ug/L					0.88	2
DCB 4A	12/14/2015	NICKEL	44	ug/L					0.8	5
DCB 4A	12/14/2015	POTASSIUM	890	ug/L					42	100
DCB 4A	12/14/2015	SELENIUM	10	ug/L					1.6	5
DCB 4A	12/14/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 4A	12/14/2015	SODIUM	1800	ug/L					24	50
DCB 4A	12/14/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 4A	12/14/2015	URANIUM	1.8	ug/L					0.23	1
DCB 4A	12/14/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 4A	12/14/2015	ZINC	160	ug/L					9.3	20
DCB 4A	12/14/2015	MERCURY	0.093	ug/L	J	J	21		0.06	0.2
DCB 44C	5/4/2015	TRICHLOROETHYLENE (TCE)	68.5	ug/L					0.3	1
DCB 4A	12/14/2015	SULFATE	77	mg/L					0.25	2.5
DCB 6	4/30/2015	URANIUM	16.1	ug/L					0.067	0.2
DCB 7	4/30/2015	URANIUM	0.282	ug/L					0.067	0.2
DCB 8	4/30/2015	NITRATE-NITRITE AS NITROGEN	0.0443	mg/L	J	J	21		0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 8	4/30/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 8	4/30/2015	ALUMINUM	140	ug/L					15	50
DCB 8	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 8	4/30/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 8	4/30/2015	BARIUM	26	ug/L					0.6	2
DCB 8	4/30/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
DCB 8	4/30/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 8	4/30/2015	CALCIUM	1810	ug/L					60	200
DCB 8	4/30/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 8	4/30/2015	COBALT	0.579	ug/L	J	J	21		0.1	1
DCB 8	4/30/2015	COPPER	34.6	ug/L					0.35	1
DCB 8	4/30/2015	IRON	246	ug/L					33	100
DCB 8	4/30/2015	LEAD	0.552	ug/L	J	J	21		0.5	2
DCB 8	4/30/2015	MAGNESIUM	1180	ug/L					10	30
DCB 8	4/30/2015	MANGANESE	6.13	ug/L					1	5
DCB 8	4/30/2015	NICKEL	0.657	ug/L	J	J	21		0.5	2
DCB 8	4/30/2015	POTASSIUM	88.4	ug/L	J	J	21		80	300
DCB 8	4/30/2015	SELENIUM	1.64	ug/L	J	J	21		1.5	5
DCB 8	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 8	4/30/2015	SODIUM	4280	ug/L					80	250
DCB 8	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 8	4/30/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 8	4/30/2015	ZINC	10	ug/L	U	U			3.5	10
DCB 8	4/30/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 8	4/30/2015	CYANIDE	5	ug/L	U	U			1.67	5
DCB 8	4/30/2015	CHLORIDE	6.95	mg/L					0.067	0.2
DCB 8	4/30/2015	FLUORIDE	0.0348	mg/L	J	J	21		0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 8	4/30/2015	SULFATE	7.3	mg/L					0.133	0.4
DCB 26AR	5/6/2015	TRITIUM	274	pCi/mL				5.39	0.788	11.6
DCB 8C	4/27/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 8C	4/27/2015	ALUMINUM	53.4	ug/L	J	J	V		15	50
DCB 8C	4/27/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 8C	4/27/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 8C	4/27/2015	BARIUM	14.8	ug/L					0.6	2
DCB 8C	4/27/2015	BERYLLIUM	1.65	ug/L					0.2	0.5
DCB 8C	4/27/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 8C	4/27/2015	CALCIUM	4240	ug/L					60	200
DCB 8C	4/27/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 8C	4/27/2015	COBALT	0.766	ug/L	U	U	21, V		0.1	1
DCB 8C	4/27/2015	COPPER	2.31	ug/L					0.35	1
DCB 8C	4/27/2015	IRON	100	ug/L	U	U			33	100
DCB 8C	4/27/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 8C	4/27/2015	MAGNESIUM	652	ug/L					10	30
DCB 8C	4/27/2015	MANGANESE	15.2	ug/L					1	5
DCB 8C	4/27/2015	NICKEL	2.41	ug/L					0.5	2
DCB 8C	4/27/2015	POTASSIUM	1130	ug/L					80	300
DCB 8C	4/27/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 8C	4/27/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 8C	4/27/2015	SODIUM	2040	ug/L					80	250
DCB 8C	4/27/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 8C	4/27/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 8C	4/27/2015	ZINC	18.5	ug/L					3.5	10
DCB 8C	4/27/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 15A	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	8	ug/L					0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 8C	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 12	6/11/2015	TETRACHLOROETHYLENE (PCE)	13	ug/L		J	14		0.18	1
DCB 8C	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 60	4/28/2015	TRICHLOROETHYLENE (TCE)	43.2	ug/L					0.3	1
DCB 8C	4/27/2015	SULFATE	8.31	mg/L					0.133	0.4
DCB 10	4/30/2015	VANADIUM	1.21	ug/L	J	J	21		1	5
DCB 10	4/30/2015	ALUMINUM	28200	ug/L					15	50
DCB 10	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 10	4/30/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 10	4/30/2015	BARIUM	48.4	ug/L					0.6	2
DCB 10	4/30/2015	BERYLLIUM	2.75	ug/L					0.2	0.5
DCB 10	4/30/2015	CADMIUM	0.766	ug/L	J	J	21		0.11	1
DCB 10	4/30/2015	CALCIUM	14500	ug/L					60	200
DCB 10	4/30/2015	CHROMIUM	10.9	ug/L					2	10
DCB 10	4/30/2015	COBALT	39.2	ug/L					0.1	1
DCB 10	4/30/2015	COPPER	21.7	ug/L					0.35	1
DCB 10	4/30/2015	IRON	1170	ug/L					33	100
DCB 10	4/30/2015	LEAD	0.649	ug/L	J	J	21		0.5	2
DCB 10	4/30/2015	MAGNESIUM	4750	ug/L					10	30
DCB 10	4/30/2015	MANGANESE	755	ug/L					1	5
DCB 10	4/30/2015	NICKEL	98.2	ug/L					0.5	2
DCB 10	4/30/2015	POTASSIUM	2950	ug/L					80	300
DCB 10	4/30/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 10	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 10	4/30/2015	SODIUM	2060	ug/L					80	250
DCB 10	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 10	4/30/2015	URANIUM	0.635	ug/L					0.067	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 10	4/30/2015	ZINC	263	ug/L					3.5	10
DCB 10	4/30/2015	MERCURY	0.074	ug/L	J	J	21		0.067	0.2
DCB 10	4/30/2015	SULFATE	238	mg/L					2.66	8
DCB 13R	5/5/2015	NITRATE-NITRITE AS NITROGEN	0.149	mg/L					0.017	0.05
DCB 13R	5/5/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 13R	5/5/2015	ALUMINUM	18200	ug/L		J	11		15	50
DCB 13R	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 13R	5/5/2015	ARSENIC	7.83	ug/L					1.7	5
DCB 13R	5/5/2015	BARIUM	18	ug/L					0.6	2
DCB 13R	5/5/2015	BERYLLIUM	119	ug/L					0.2	0.5
DCB 13R	5/5/2015	CADMIUM	3.93	ug/L					0.11	1
DCB 13R	5/5/2015	CALCIUM	61000	ug/L					600	2000
DCB 13R	5/5/2015	CHROMIUM	5.06	ug/L	J	J	21		2	10
DCB 13R	5/5/2015	COBALT	196	ug/L					0.1	1
DCB 13R	5/5/2015	COPPER	18.4	ug/L					0.35	1
DCB 13R	5/5/2015	IRON	4900	ug/L					33	100
DCB 13R	5/5/2015	LEAD	2.76	ug/L					0.5	2
DCB 13R	5/5/2015	MAGNESIUM	25000	ug/L					10	30
DCB 13R	5/5/2015	MANGANESE	3260	ug/L					10	50
DCB 13R	5/5/2015	NICKEL	228	ug/L					0.5	2
DCB 13R	5/5/2015	POTASSIUM	3250	ug/L					80	300
DCB 13R	5/5/2015	SELENIUM	4.32	ug/L	J	J	21		1.5	5
DCB 13R	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 13R	5/5/2015	SODIUM	4030	ug/L					80	250
DCB 13R	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 13R	5/5/2015	URANIUM	0.306	ug/L	J	J	V		0.067	0.2
DCB 13R	5/5/2015	ZINC	886	ug/L					3.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 13R	5/5/2015	MERCURY	0.907	ug/L		J	11		0.067	0.2
DOL 2	6/15/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L					0.08	2
DCB 13R	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 48A	5/5/2015	TETRACHLOROETHYLENE (PCE)	7.76	ug/L					0.3	1
DCB 13R	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 8C	4/27/2015	TRICHLOROETHYLENE (TCE)	37.8	ug/L					0.3	1
DCB 13R	5/5/2015	CYANIDE	5	ug/L	U	U			1.67	5
DCB 13R	5/5/2015	CHLORIDE	3.8	mg/L					0.067	0.2
DCB 13R	5/5/2015	FLUORIDE	3.31	mg/L					0.033	0.1
DCB 13R	5/5/2015	SULFATE	390	mg/L					6.65	20
DCB 45C	5/5/2015	TRITIUM	185	pCi/mL				3.65	0.688	7.99
DCB 13R	5/5/2015	NITRATE-NITRITE AS NITROGEN	0.144	mg/L					0.017	0.05
DCB 13R	5/5/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 13R	5/5/2015	ALUMINUM	17800	ug/L		J	11, 18		15	50
DCB 13R	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 13R	5/5/2015	ARSENIC	7.42	ug/L					1.7	5
DCB 13R	5/5/2015	BARIUM	17.7	ug/L					0.6	2
DCB 13R	5/5/2015	BERYLLIUM	119	ug/L					0.2	0.5
DCB 13R	5/5/2015	CADMIUM	3.83	ug/L					0.11	1
DCB 13R	5/5/2015	CALCIUM	60300	ug/L					600	2000
DCB 13R	5/5/2015	CHROMIUM	5.08	ug/L	J	J	21		2	10
DCB 13R	5/5/2015	COBALT	193	ug/L					0.1	1
DCB 13R	5/5/2015	COPPER	6.69	ug/L					0.35	1
DCB 13R	5/5/2015	IRON	4540	ug/L					33	100
DCB 13R	5/5/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 13R	5/5/2015	MAGNESIUM	24600	ug/L					10	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 13R	5/5/2015	MANGANESE	3250	ug/L					10	50
DCB 13R	5/5/2015	NICKEL	223	ug/L					0.5	2
DCB 13R	5/5/2015	POTASSIUM	3200	ug/L					80	300
DCB 13R	5/5/2015	SELENIUM	4.5	ug/L	J	J	21		1.5	5
DCB 13R	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 13R	5/5/2015	SODIUM	3980	ug/L					80	250
DCB 13R	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 13R	5/5/2015	URANIUM	0.31	ug/L	J	J	V		0.067	0.2
DCB 13R	5/5/2015	ZINC	758	ug/L					3.5	10
DCB 13R	5/5/2015	MERCURY	0.91	ug/L		J	11		0.067	0.2
DOL 2	6/15/2015	CHLOROETHENE (VINYL CHLORIDE)	4.7	ug/L		J	14		0.08	2
DCB 13R	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 44C	5/4/2015	TETRACHLOROETHYLENE (PCE)	6	ug/L					0.3	1
DCB 13R	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 21C	4/29/2015	TRICHLOROETHYLENE (TCE)	36.9	ug/L					0.3	1
DCB 13R	5/5/2015	CYANIDE	5	ug/L	U	U			1.67	5
DCB 13R	5/5/2015	CHLORIDE	3.79	mg/L					0.067	0.2
DCB 13R	5/5/2015	FLUORIDE	3.28	mg/L					0.033	0.1
DCB 13R	5/5/2015	SULFATE	392	mg/L					6.65	20
DCB 45A	4/28/2015	TRITIUM	114	pCi/mL				2.69	0.54	5.92
DCB 21A	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 21A	4/29/2015	ALUMINUM	26600	ug/L					15	50
DCB 21A	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 21A	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 21A	4/29/2015	BARIUM	19.5	ug/L					0.6	2
DCB 21A	4/29/2015	BERYLLIUM	3.03	ug/L					0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21A	4/29/2015	CADMIUM	0.637	ug/L	J	J	21		0.11	1
DCB 21A	4/29/2015	CALCIUM	14300	ug/L					60	200
DCB 21A	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 21A	4/29/2015	COBALT	36.1	ug/L					0.1	1
DCB 21A	4/29/2015	COPPER	24.2	ug/L					0.35	1
DCB 21A	4/29/2015	IRON	4300	ug/L					33	100
DCB 21A	4/29/2015	LEAD	0.545	ug/L	J	J	21		0.5	2
DCB 21A	4/29/2015	MAGNESIUM	6460	ug/L					10	30
DCB 21A	4/29/2015	MANGANESE	1420	ug/L					10	50
DCB 21A	4/29/2015	NICKEL	74.6	ug/L					0.5	2
DCB 21A	4/29/2015	POTASSIUM	4710	ug/L					80	300
DCB 21A	4/29/2015	SELENIUM	2.27	ug/L	J	J	21		1.5	5
DCB 21A	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 21A	4/29/2015	SODIUM	5380	ug/L					80	250
DCB 21A	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 21A	4/29/2015	URANIUM	0.49	ug/L					0.067	0.2
DCB 21A	4/29/2015	ZINC	223	ug/L					3.5	10
DCB 21A	4/29/2015	FERRIC IRON	0.65	mg/L					0.13	0.5
DCB 21A	4/29/2015	FERROUS IRON	3.8	mg/L					0.12	0.5
DCB 21A	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 21A	4/29/2015	SULFATE	308	mg/L					3.33	10
DCB 21A	12/9/2015	ALUMINUM	24000	ug/L					17	50
DCB 21A	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 21A	12/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
DCB 21A	12/9/2015	BARIUM	24	ug/L					0.22	2
DCB 21A	12/9/2015	BERYLLIUM	2.4	ug/L					0.35	0.5
DCB 21A	12/9/2015	CADMIUM	0.51	ug/L					0.1	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21A	12/9/2015	CALCIUM	12000	ug/L					68	100
DCB 21A	12/9/2015	CHROMIUM	1.7	ug/L	J	J	21		1	10
DCB 21A	12/9/2015	COBALT	32	ug/L					0.22	2
DCB 21A	12/9/2015	COPPER	21	ug/L					0.68	1
DCB 21A	12/9/2015	IRON	300	ug/L					33	50
DCB 21A	12/9/2015	LEAD	1	ug/L	J	J	21		0.17	3
DCB 21A	12/9/2015	MAGNESIUM	5500	ug/L					5.6	50
DCB 21A	12/9/2015	MANGANESE	1300	ug/L					0.88	2
DCB 21A	12/9/2015	NICKEL	67	ug/L					0.8	5
DCB 21A	12/9/2015	POTASSIUM	5400	ug/L					42	100
DCB 21A	12/9/2015	SELENIUM	3.4	ug/L	J	J	21		1.6	5
DCB 21A	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 21A	12/9/2015	SODIUM	7600	ug/L			V		24	50
DCB 21A	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 21A	12/9/2015	URANIUM	0.44	ug/L	J	J	21		0.23	1
DCB 21A	12/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 21A	12/9/2015	ZINC	190	ug/L					9.3	20
DCB 21A	12/9/2015	FERRIC IRON	0.47	mg/L	UJ		21, Q		0.13	0.5
DCB 21A	12/9/2015	FERROUS IRON	0.5	mg/L	U		Q		0.12	0.5
DCB 21A	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 21A	12/9/2015	SULFATE	240	mg/L					2.5	25
DCB 21B	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 21B	4/29/2015	ALUMINUM	38000	ug/L					15	50
DCB 21B	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 21B	4/29/2015	ARSENIC	2.93	ug/L	J	J	21		1.7	5
DCB 21B	4/29/2015	BARIUM	13.8	ug/L					0.6	2
DCB 21B	4/29/2015	BERYLLIUM	7.38	ug/L					0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21B	4/29/2015	CADMIUM	4.8	ug/L					0.11	1
DCB 21B	4/29/2015	CALCIUM	77900	ug/L					1200	4000
DCB 21B	4/29/2015	CHROMIUM	198	ug/L					2	10
DCB 21B	4/29/2015	COBALT	400	ug/L					0.1	1
DCB 21B	4/29/2015	COPPER	903	ug/L					0.35	1
DCB 21B	4/29/2015	IRON	21700	ug/L					33	100
DCB 21B	4/29/2015	LEAD	26.1	ug/L					0.5	2
DCB 21B	4/29/2015	MAGNESIUM	56900	ug/L					200	600
DCB 21B	4/29/2015	MANGANESE	6720	ug/L					20	100
DCB 21B	4/29/2015	NICKEL	424	ug/L					0.5	2
DCB 21B	4/29/2015	POTASSIUM	2250	ug/L					80	300
DCB 21B	4/29/2015	SELENIUM	11.4	ug/L					1.5	5
DCB 21B	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 21B	4/29/2015	SODIUM	7050	ug/L					80	250
DCB 21B	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 21B	4/29/2015	URANIUM	3.71	ug/L					0.067	0.2
DCB 21B	4/29/2015	ZINC	1040	ug/L					3.5	10
DCB 21B	4/29/2015	FERRIC IRON	1.7	mg/L					0.13	0.5
DCB 21B	4/29/2015	FERROUS IRON	8.3	mg/L					0.12	0.5
DCB 21B	4/29/2015	MERCURY	0.281	ug/L					0.067	0.2
DOB 9	6/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 21B	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DRW 1	5/6/2015	TETRACHLOROETHYLENE (PCE)	5.63	ug/L					0.3	1
DCB 21B	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 21C	4/29/2015	TRICHLOROETHYLENE (TCE)	35.5	ug/L					0.3	1
DCB 21B	4/29/2015	SULFATE	736	mg/L					13.3	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21B	12/9/2015	ALUMINUM	43000	ug/L					17	50
DCB 21B	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 21B	12/9/2015	ARSENIC	2.3	ug/L	J	J	21		1.2	10
DCB 21B	12/9/2015	BARIUM	17	ug/L					0.22	2
DCB 21B	12/9/2015	BERYLLIUM	7.4	ug/L					0.35	0.5
DCB 21B	12/9/2015	CADMIUM	5.3	ug/L					0.1	0.5
DCB 21B	12/9/2015	CALCIUM	95000	ug/L					68	100
DCB 21B	12/9/2015	CHROMIUM	160	ug/L					1	10
DCB 21B	12/9/2015	COBALT	520	ug/L					0.22	2
DCB 21B	12/9/2015	COPPER	360	ug/L					0.68	1
DCB 21B	12/9/2015	IRON	76000	ug/L					33	50
DCB 21B	12/9/2015	LEAD	31	ug/L					0.17	3
DCB 21B	12/9/2015	MAGNESIUM	64000	ug/L					5.6	50
DCB 21B	12/9/2015	MANGANESE	8200	ug/L					0.88	2
DCB 21B	12/9/2015	NICKEL	550	ug/L					0.8	5
DCB 21B	12/9/2015	POTASSIUM	2800	ug/L					42	100
DCB 21B	12/9/2015	SELENIUM	17	ug/L					1.6	5
DCB 21B	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 21B	12/9/2015	SODIUM	7200	ug/L			V		24	50
DCB 21B	12/9/2015	THALLIUM	0.59	ug/L	J	J	21		0.55	2
DCB 21B	12/9/2015	URANIUM	4.2	ug/L					0.23	1
DCB 21B	12/9/2015	VANADIUM	2.9	ug/L	J	J	21		2.4	10
DCB 21B	12/9/2015	ZINC	1300	ug/L					9.3	20
DCB 21B	12/9/2015	FERRIC IRON	1.6	mg/L			Q		0.13	0.5
DCB 21B	12/9/2015	FERROUS IRON	76	mg/L			Q		0.62	2.5
DCB 21B	12/9/2015	MERCURY	0.4	ug/L					0.06	0.2
DCB 21B	12/9/2015	SULFATE	760	mg/L					5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 21C	4/29/2015	ALUMINUM	6480	ug/L					15	50
DCB 21C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 21C	4/29/2015	ARSENIC	2.35	ug/L	J	J	21		1.7	5
DCB 21C	4/29/2015	BARIUM	19.4	ug/L					0.6	2
DCB 21C	4/29/2015	BERYLLIUM	20.7	ug/L					0.2	0.5
DCB 21C	4/29/2015	CADMIUM	3.29	ug/L					0.11	1
DCB 21C	4/29/2015	CALCIUM	66500	ug/L					1200	4000
DCB 21C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 21C	4/29/2015	COBALT	330	ug/L					0.1	1
DCB 21C	4/29/2015	COPPER	2.73	ug/L					0.35	1
DCB 21C	4/29/2015	IRON	6230	ug/L					33	100
DCB 21C	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 21C	4/29/2015	MAGNESIUM	30200	ug/L					10	30
DCB 21C	4/29/2015	MANGANESE	6680	ug/L					20	100
DCB 21C	4/29/2015	NICKEL	285	ug/L					0.5	2
DCB 21C	4/29/2015	POTASSIUM	1720	ug/L					80	300
DCB 21C	4/29/2015	SELENIUM	4.94	ug/L	J	J	21		1.5	5
DCB 21C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 21C	4/29/2015	SODIUM	7580	ug/L					80	250
DCB 21C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 21C	4/29/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 21C	4/29/2015	ZINC	886	ug/L					3.5	10
DCB 21C	4/29/2015	FERRIC IRON	0.59	mg/L					0.13	0.5
DCB 21C	4/29/2015	FERROUS IRON	5.7	mg/L					0.12	0.5
DCB 21C	4/29/2015	MERCURY	0.078	ug/L	J	J	21		0.067	0.2
DOB 9	6/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21C	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1.88	ug/L					0.3	1
DOL 2	6/15/2015	TETRACHLOROETHYLENE (PCE)	5.1	ug/L					0.18	1
DCB 21C	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33C	4/28/2015	TRICHLOROETHYLENE (TCE)	35.3	ug/L					0.3	1
DCB 21C	4/29/2015	SULFATE	343	mg/L					6.65	20
DCB 21C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 21C	4/29/2015	ALUMINUM	6820	ug/L					15	50
DCB 21C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 21C	4/29/2015	ARSENIC	2.24	ug/L	J	J	21		1.7	5
DCB 21C	4/29/2015	BARIUM	19.8	ug/L					0.6	2
DCB 21C	4/29/2015	BERYLLIUM	21.9	ug/L					0.2	0.5
DCB 21C	4/29/2015	CADMIUM	3.55	ug/L					0.11	1
DCB 21C	4/29/2015	CALCIUM	68400	ug/L					1200	4000
DCB 21C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 21C	4/29/2015	COBALT	344	ug/L					0.1	1
DCB 21C	4/29/2015	COPPER	2.99	ug/L					0.35	1
DCB 21C	4/29/2015	IRON	5860	ug/L					33	100
DCB 21C	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 21C	4/29/2015	MAGNESIUM	30700	ug/L					10	30
DCB 21C	4/29/2015	MANGANESE	6690	ug/L					20	100
DCB 21C	4/29/2015	NICKEL	297	ug/L					0.5	2
DCB 21C	4/29/2015	POTASSIUM	1760	ug/L					80	300
DCB 21C	4/29/2015	SELENIUM	4.77	ug/L	J	J	21		1.5	5
DCB 21C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 21C	4/29/2015	SODIUM	7890	ug/L					80	250
DCB 21C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 21C	4/29/2015	URANIUM	0.077	ug/L	J	J	21		0.067	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21C	4/29/2015	ZINC	944	ug/L					3.5	10
DCB 21C	4/29/2015	FERRIC IRON	0.58	mg/L					0.13	0.5
DCB 21C	4/29/2015	FERROUS IRON	6	mg/L					0.12	0.5
DCB 21C	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 12	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 21C	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1.89	ug/L					0.3	1
DOL 2	6/15/2015	TETRACHLOROETHYLENE (PCE)	4.9	ug/L		J	14		0.18	1
DCB 21C	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 48A	5/5/2015	TRICHLOROETHYLENE (TCE)	33.8	ug/L					0.3	1
DCB 21C	4/29/2015	SULFATE	335	mg/L					6.65	20
DCB 21C	12/9/2015	ALUMINUM	6900	ug/L					17	50
DCB 21C	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 21C	12/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
DCB 21C	12/9/2015	BARIUM	22	ug/L					0.22	2
DCB 21C	12/9/2015	BERYLLIUM	25	ug/L					0.35	0.5
DCB 21C	12/9/2015	CADMIUM	3.4	ug/L					0.1	0.5
DCB 21C	12/9/2015	CALCIUM	77000	ug/L					68	100
DCB 21C	12/9/2015	CHROMIUM	10	ug/L	U	U			1	10
DCB 21C	12/9/2015	COBALT	330	ug/L					0.22	2
DCB 21C	12/9/2015	COPPER	2.3	ug/L					0.68	1
DCB 21C	12/9/2015	IRON	10000	ug/L					33	50
DCB 21C	12/9/2015	LEAD	3	ug/L	U	U			0.17	3
DCB 21C	12/9/2015	MAGNESIUM	29000	ug/L					5.6	50
DCB 21C	12/9/2015	MANGANESE	6400	ug/L					0.88	2
DCB 21C	12/9/2015	NICKEL	310	ug/L					0.8	5
DCB 21C	12/9/2015	POTASSIUM	1800	ug/L					42	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 21C	12/9/2015	SELENIUM	9.9	ug/L					1.6	5
DCB 21C	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 21C	12/9/2015	SODIUM	7300	ug/L			V		24	50
DCB 21C	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 21C	12/9/2015	URANIUM	1	ug/L	U	U			0.23	1
DCB 21C	12/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 21C	12/9/2015	ZINC	920	ug/L					9.3	20
DCB 21C	12/9/2015	FERRIC IRON	0.53	mg/L			Q		0.13	0.5
DCB 21C	12/9/2015	FERROUS IRON	9.3	mg/L			Q		0.12	0.5
DCB 21C	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 21C	12/9/2015	SULFATE	310	mg/L					2.5	25
DCB 22A	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 22A	4/29/2015	ALUMINUM	56200	ug/L					300	1000
DCB 22A	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 22A	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 22A	4/29/2015	BARIUM	15.1	ug/L					0.6	2
DCB 22A	4/29/2015	BERYLLIUM	8.64	ug/L					0.2	0.5
DCB 22A	4/29/2015	CADMIUM	2.4	ug/L					0.11	1
DCB 22A	4/29/2015	CALCIUM	27700	ug/L					60	200
DCB 22A	4/29/2015	CHROMIUM	50.1	ug/L					2	10
DCB 22A	4/29/2015	COBALT	174	ug/L					0.1	1
DCB 22A	4/29/2015	COPPER	31.3	ug/L					0.35	1
DCB 22A	4/29/2015	IRON	413	ug/L					33	100
DCB 22A	4/29/2015	LEAD	0.847	ug/L	J	J	21		0.5	2
DCB 22A	4/29/2015	MAGNESIUM	17200	ug/L					10	30
DCB 22A	4/29/2015	MANGANESE	13100	ug/L					20	100
DCB 22A	4/29/2015	NICKEL	290	ug/L					0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22A	4/29/2015	POTASSIUM	2390	ug/L					80	300
DCB 22A	4/29/2015	SELENIUM	2.16	ug/L	J	J	21		1.5	5
DCB 22A	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 22A	4/29/2015	SODIUM	7230	ug/L					80	250
DCB 22A	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 22A	4/29/2015	URANIUM	1.4	ug/L					0.067	0.2
DCB 22A	4/29/2015	ZINC	537	ug/L					3.5	10
DCB 22A	4/29/2015	FERRIC IRON	0.74	mg/L					0.13	0.5
DCB 22A	4/29/2015	FERROUS IRON	2.8	mg/L					0.12	0.5
DCB 22A	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 22A	4/29/2015	SULFATE	557	mg/L					6.65	20
DCB 22A	12/9/2015	ALUMINUM	300000	ug/L					87	250
DCB 22A	12/9/2015	ANTIMONY	25	ug/L	U	U			8.4	25
DCB 22A	12/9/2015	ARSENIC	50	ug/L	U	U			5.9	50
DCB 22A	12/9/2015	BARIUM	12	ug/L					1.1	10
DCB 22A	12/9/2015	BERYLLIUM	30	ug/L					1.8	2.5
DCB 22A	12/9/2015	CADMIUM	11	ug/L					0.5	2.5
DCB 22A	12/9/2015	CALCIUM	96000	ug/L					340	500
DCB 22A	12/9/2015	CHROMIUM	58	ug/L					5	50
DCB 22A	12/9/2015	COBALT	650	ug/L					1.1	10
DCB 22A	12/9/2015	COPPER	120	ug/L					3.4	5
DCB 22A	12/9/2015	IRON	2200	ug/L					160	250
DCB 22A	12/9/2015	LEAD	2.3	ug/L	J	J	21		0.87	15
DCB 22A	12/9/2015	MAGNESIUM	71000	ug/L					28	250
DCB 22A	12/9/2015	MANGANESE	33000	ug/L					4.4	10
DCB 22A	12/9/2015	NICKEL	1200	ug/L					4	25
DCB 22A	12/9/2015	POTASSIUM	1800	ug/L					210	500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22A	12/9/2015	SELENIUM	27	ug/L					8	25
DCB 22A	12/9/2015	SILVER	10	ug/L	U	U			4.1	10
DCB 22A	12/9/2015	SODIUM	26000	ug/L			V		120	250
DCB 22A	12/9/2015	THALLIUM	10	ug/L	U	U			2.8	10
DCB 22A	12/9/2015	URANIUM	11	ug/L					1.2	5
DCB 22A	12/9/2015	VANADIUM	50	ug/L	U	U			12	50
DCB 22A	12/9/2015	ZINC	2700	ug/L					47	100
DCB 22A	12/9/2015	FERRIC IRON	1.2	mg/L			Q		0.13	0.5
DCB 22A	12/9/2015	FERROUS IRON	0.49	mg/L	UJ		21, Q		0.12	0.5
DCB 22A	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 22A	12/9/2015	SULFATE	2200	mg/L					25	250
DCB 22B	4/29/2015	VANADIUM	14.5	ug/L					1	5
DCB 22B	4/29/2015	ALUMINUM	85800	ug/L					150	500
DCB 22B	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 22B	4/29/2015	ARSENIC	4.09	ug/L	J	J	21		1.7	5
DCB 22B	4/29/2015	BARIUM	9.38	ug/L					0.6	2
DCB 22B	4/29/2015	BERYLLIUM	16.9	ug/L					0.2	0.5
DCB 22B	4/29/2015	CADMIUM	3.06	ug/L					0.11	1
DCB 22B	4/29/2015	CALCIUM	42900	ug/L					60	200
DCB 22B	4/29/2015	CHROMIUM	3.16	ug/L	J	J	21		2	10
DCB 22B	4/29/2015	COBALT	239	ug/L					0.1	1
DCB 22B	4/29/2015	COPPER	56.7	ug/L					0.35	1
DCB 22B	4/29/2015	IRON	96000	ug/L					330	1000
DCB 22B	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 22B	4/29/2015	MAGNESIUM	29100	ug/L					10	30
DCB 22B	4/29/2015	MANGANESE	7270	ug/L					10	50
DCB 22B	4/29/2015	NICKEL	449	ug/L					0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22B	4/29/2015	POTASSIUM	1140	ug/L					80	300
DCB 22B	4/29/2015	SELENIUM	9.13	ug/L					1.5	5
DCB 22B	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 22B	4/29/2015	SODIUM	11000	ug/L					80	250
DCB 22B	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 22B	4/29/2015	URANIUM	6.69	ug/L					0.067	0.2
DCB 22B	4/29/2015	ZINC	875	ug/L					3.5	10
DCB 22B	4/29/2015	FERRIC IRON	1.6	mg/L					0.13	0.5
DCB 22B	4/29/2015	FERROUS IRON	93	mg/L			Q		1.2	5
DCB 22B	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 22B	4/29/2015	SULFATE	1040	mg/L					13.3	40
DCB 22B	12/9/2015	ALUMINUM	76000	ug/L					17	50
DCB 22B	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 22B	12/9/2015	ARSENIC	2.3	ug/L	J	J	21		1.2	10
DCB 22B	12/9/2015	BARIUM	13	ug/L					0.22	2
DCB 22B	12/9/2015	BERYLLIUM	19	ug/L					0.35	0.5
DCB 22B	12/9/2015	CADMIUM	2.8	ug/L					0.1	0.5
DCB 22B	12/9/2015	CALCIUM	43000	ug/L					68	100
DCB 22B	12/9/2015	CHROMIUM	3.6	ug/L	J	J	21		1	10
DCB 22B	12/9/2015	COBALT	240	ug/L					0.22	2
DCB 22B	12/9/2015	COPPER	64	ug/L					0.68	1
DCB 22B	12/9/2015	IRON	110000	ug/L					33	50
DCB 22B	12/9/2015	LEAD	3	ug/L	U	U			0.17	3
DCB 22B	12/9/2015	MAGNESIUM	30000	ug/L					5.6	50
DCB 22B	12/9/2015	MANGANESE	6800	ug/L					0.88	2
DCB 22B	12/9/2015	NICKEL	450	ug/L					0.8	5
DCB 22B	12/9/2015	POTASSIUM	1500	ug/L					42	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22B	12/9/2015	SELENIUM	20	ug/L					1.6	5
DCB 22B	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 22B	12/9/2015	SODIUM	10000	ug/L			V		24	50
DCB 22B	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 22B	12/9/2015	URANIUM	7.8	ug/L					0.23	1
DCB 22B	12/9/2015	VANADIUM	14	ug/L					2.4	10
DCB 22B	12/9/2015	ZINC	880	ug/L					9.3	20
DCB 22B	12/9/2015	FERRIC IRON	1.4	mg/L			Q		0.13	0.5
DCB 22B	12/9/2015	FERROUS IRON	91	mg/L			Q		0.62	2.5
DCB 22B	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 22B	12/9/2015	SULFATE	730	mg/L					5	50
DCB 22C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 22C	4/29/2015	ALUMINUM	3170	ug/L					15	50
DCB 22C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 22C	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 22C	4/29/2015	BARIUM	23.9	ug/L					0.6	2
DCB 22C	4/29/2015	BERYLLIUM	3.08	ug/L					0.2	0.5
DCB 22C	4/29/2015	CADMIUM	2.04	ug/L					0.11	1
DCB 22C	4/29/2015	CALCIUM	67400	ug/L					600	2000
DCB 22C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 22C	4/29/2015	COBALT	271	ug/L					0.1	1
DCB 22C	4/29/2015	COPPER	1.46	ug/L					0.35	1
DCB 22C	4/29/2015	IRON	1490	ug/L					33	100
DCB 22C	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 22C	4/29/2015	MAGNESIUM	31600	ug/L					10	30
DCB 22C	4/29/2015	MANGANESE	6310	ug/L					10	50
DCB 22C	4/29/2015	NICKEL	194	ug/L					0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22C	4/29/2015	POTASSIUM	1570	ug/L					80	300
DCB 22C	4/29/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 22C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 22C	4/29/2015	SODIUM	6220	ug/L					80	250
DCB 22C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 22C	4/29/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 22C	4/29/2015	ZINC	457	ug/L					3.5	10
DCB 22C	4/29/2015	FERRIC IRON	0.5	mg/L					0.13	0.5
DCB 22C	4/29/2015	FERROUS IRON	2.5	mg/L					0.12	0.5
DCB 22C	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 22C	4/29/2015	SULFATE	347	mg/L					6.65	20
DCB 22C	12/9/2015	ALUMINUM	3900	ug/L					17	50
DCB 22C	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 22C	12/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
DCB 22C	12/9/2015	BARIUM	26	ug/L					0.22	2
DCB 22C	12/9/2015	BERYLLIUM	2.9	ug/L					0.35	0.5
DCB 22C	12/9/2015	CADMIUM	2.2	ug/L					0.1	0.5
DCB 22C	12/9/2015	CALCIUM	70000	ug/L					68	100
DCB 22C	12/9/2015	CHROMIUM	10	ug/L	U	U			1	10
DCB 22C	12/9/2015	COBALT	300	ug/L					0.22	2
DCB 22C	12/9/2015	COPPER	2	ug/L					0.68	1
DCB 22C	12/9/2015	IRON	2400	ug/L					33	50
DCB 22C	12/9/2015	LEAD	1.4	ug/L	J	J	21		0.17	3
DCB 22C	12/9/2015	MAGNESIUM	30000	ug/L					5.6	50
DCB 22C	12/9/2015	MANGANESE	6800	ug/L					0.88	2
DCB 22C	12/9/2015	NICKEL	210	ug/L					0.8	5
DCB 22C	12/9/2015	POTASSIUM	1800	ug/L					42	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 22C	12/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
DCB 22C	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 22C	12/9/2015	SODIUM	7000	ug/L			V		24	50
DCB 22C	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 22C	12/9/2015	URANIUM	1	ug/L	U	U			0.23	1
DCB 22C	12/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 22C	12/9/2015	ZINC	560	ug/L					9.3	20
DCB 22C	12/9/2015	FERRIC IRON	0.48	mg/L	UJ		21, Q		0.13	0.5
DCB 22C	12/9/2015	FERROUS IRON	2.3	mg/L			Q		0.12	0.5
DCB 22C	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 22C	12/9/2015	SULFATE	260	mg/L					2.5	25
DCB 23B	4/30/2015	VANADIUM	4.39	ug/L	J	J	21		1	5
DCB 23B	4/30/2015	ALUMINUM	8970	ug/L					15	50
DCB 23B	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 23B	4/30/2015	ARSENIC	2.58	ug/L	J	J	21		1.7	5
DCB 23B	4/30/2015	BARIUM	20.5	ug/L					0.6	2
DCB 23B	4/30/2015	BERYLLIUM	60.6	ug/L					0.2	0.5
DCB 23B	4/30/2015	CADMIUM	3.56	ug/L					0.11	1
DCB 23B	4/30/2015	CALCIUM	119000	ug/L					600	2000
DCB 23B	4/30/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 23B	4/30/2015	COBALT	305	ug/L					0.1	1
DCB 23B	4/30/2015	COPPER	14.2	ug/L					0.35	1
DCB 23B	4/30/2015	IRON	76600	ug/L					330	1000
DCB 23B	4/30/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 23B	4/30/2015	MAGNESIUM	66600	ug/L					100	300
DCB 23B	4/30/2015	MANGANESE	6020	ug/L					10	50
DCB 23B	4/30/2015	NICKEL	308	ug/L					0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 23B	4/30/2015	POTASSIUM	3730	ug/L					80	300
DCB 23B	4/30/2015	SELENIUM	5.46	ug/L					1.5	5
DCB 23B	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 23B	4/30/2015	SODIUM	10400	ug/L					80	250
DCB 23B	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 23B	4/30/2015	URANIUM	0.405	ug/L					0.067	0.2
DCB 23B	4/30/2015	ZINC	1050	ug/L					3.5	10
DCB 23B	4/30/2015	MERCURY	0.945	ug/L					0.067	0.2
DCB 23B	4/30/2015	SULFATE	777	mg/L					13.3	40
DCB 23B	4/30/2015	VANADIUM	4.68	ug/L	J	J	21		1	5
DCB 23B	4/30/2015	ALUMINUM	8700	ug/L					15	50
DCB 23B	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 23B	4/30/2015	ARSENIC	2.76	ug/L	J	J	21		1.7	5
DCB 23B	4/30/2015	BARIUM	20.1	ug/L					0.6	2
DCB 23B	4/30/2015	BERYLLIUM	59.8	ug/L					0.2	0.5
DCB 23B	4/30/2015	CADMIUM	3.28	ug/L					0.11	1
DCB 23B	4/30/2015	CALCIUM	119000	ug/L					600	2000
DCB 23B	4/30/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 23B	4/30/2015	COBALT	306	ug/L					0.1	1
DCB 23B	4/30/2015	COPPER	13.8	ug/L					0.35	1
DCB 23B	4/30/2015	IRON	76300	ug/L					330	1000
DCB 23B	4/30/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 23B	4/30/2015	MAGNESIUM	66300	ug/L					100	300
DCB 23B	4/30/2015	MANGANESE	6080	ug/L					10	50
DCB 23B	4/30/2015	NICKEL	308	ug/L					0.5	2
DCB 23B	4/30/2015	POTASSIUM	3690	ug/L					80	300
DCB 23B	4/30/2015	SELENIUM	5.3	ug/L					1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 23B	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 23B	4/30/2015	SODIUM	10800	ug/L					80	250
DCB 23B	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 23B	4/30/2015	URANIUM	0.408	ug/L					0.067	0.2
DCB 23B	4/30/2015	ZINC	1020	ug/L					3.5	10
DCB 23B	4/30/2015	MERCURY	0.943	ug/L					0.067	0.2
DCB 23B	4/30/2015	SULFATE	780	mg/L					13.3	40
DCB 23C	4/30/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 23C	4/30/2015	ALUMINUM	9460	ug/L					15	50
DCB 23C	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 23C	4/30/2015	ARSENIC	1.8	ug/L	J	J	21		1.7	5
DCB 23C	4/30/2015	BARIUM	17.5	ug/L					0.6	2
DCB 23C	4/30/2015	BERYLLIUM	307	ug/L					2	5
DCB 23C	4/30/2015	CADMIUM	3	ug/L					0.11	1
DCB 23C	4/30/2015	CALCIUM	127000	ug/L					600	2000
DCB 23C	4/30/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 23C	4/30/2015	COBALT	218	ug/L					0.1	1
DCB 23C	4/30/2015	COPPER	0.561	ug/L	J	J	21		0.35	1
DCB 23C	4/30/2015	IRON	144000	ug/L					330	1000
DCB 23C	4/30/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 23C	4/30/2015	MAGNESIUM	64000	ug/L					100	300
DCB 23C	4/30/2015	MANGANESE	4710	ug/L					10	50
DCB 23C	4/30/2015	NICKEL	328	ug/L					0.5	2
DCB 23C	4/30/2015	POTASSIUM	3330	ug/L					80	300
DCB 23C	4/30/2015	SELENIUM	2.44	ug/L	J	J	21		1.5	5
DCB 23C	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 23C	4/30/2015	SODIUM	8500	ug/L					80	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 23C	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 23C	4/30/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 23C	4/30/2015	ZINC	1220	ug/L					3.5	10
DCB 23C	4/30/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 23C	4/30/2015	SULFATE	946	mg/L					13.3	40
DCB 48A	5/5/2015	TRITIUM	71.8	pCi/mL				2.18	0.668	5.03
DOB 13	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 26AR	5/6/2015	CIS-1,2-DICHLOROETHYLENE	0.65	ug/L	J	J	21		0.3	1
DCB 26AR	5/6/2015	TETRACHLOROETHYLENE (PCE)	3.78	ug/L					0.3	1
DCB 26AR	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 55	4/29/2015	TRICHLOROETHYLENE (TCE)	31.9	ug/L					0.3	1
DWP 2	5/5/2015	TRITIUM	56.4	pCi/mL				1.94	0.671	4.55
DCB 27	4/27/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 27	4/27/2015	ALUMINUM	42.7	ug/L	U	U	21, V		15	50
DCB 27	4/27/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 27	4/27/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 27	4/27/2015	BARIUM	19.5	ug/L					0.6	2
DCB 27	4/27/2015	BERYLLIUM	0.236	ug/L	J	J	21		0.2	0.5
DCB 27	4/27/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 27	4/27/2015	CALCIUM	515	ug/L					60	200
DCB 27	4/27/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 27	4/27/2015	COBALT	1.02	ug/L	J	J	V		0.1	1
DCB 27	4/27/2015	COPPER	29.9	ug/L					0.35	1
DCB 27	4/27/2015	IRON	47.4	ug/L	J	J	21		33	100
DCB 27	4/27/2015	LEAD	0.758	ug/L	U	U	21, V		0.5	2
DCB 27	4/27/2015	MAGNESIUM	127	ug/L					10	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 27	4/27/2015	MANGANESE	6.62	ug/L					1	5
DCB 27	4/27/2015	NICKEL	1.47	ug/L	J	J	21		0.5	2
DCB 27	4/27/2015	POTASSIUM	636	ug/L					80	300
DCB 27	4/27/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 27	4/27/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 27	4/27/2015	SODIUM	5520	ug/L					80	250
DCB 27	4/27/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 27	4/27/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 27	4/27/2015	ZINC	12.8	ug/L					3.5	10
DCB 27	4/27/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 14	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 27	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 15	6/11/2015	TETRACHLOROETHYLENE (PCE)	3.5	ug/L		J	14		0.18	1
DCB 27	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 11	6/10/2015	TRICHLOROETHYLENE (TCE)	30	ug/L		J	14		0.25	1
DCB 27	4/27/2015	SULFATE	2.2	mg/L					0.133	0.4
DCB 55	4/29/2015	TRITIUM	38.7	pCi/mL				1.65	0.573	3.87
DCB 27C	4/27/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 27C	4/27/2015	ALUMINUM	73.7	ug/L	J	J	V		15	50
DCB 27C	4/27/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 27C	4/27/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 27C	4/27/2015	BARIUM	59.1	ug/L					0.6	2
DCB 27C	4/27/2015	BERYLLIUM	2.49	ug/L					0.2	0.5
DCB 27C	4/27/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 27C	4/27/2015	CALCIUM	7450	ug/L					60	200
DCB 27C	4/27/2015	CHROMIUM	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 27C	4/27/2015	COBALT	1.31	ug/L	J	J	V		0.1	1
DCB 27C	4/27/2015	COPPER	0.798	ug/L	J	J	21		0.35	1
DCB 27C	4/27/2015	IRON	619	ug/L					33	100
DCB 27C	4/27/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 27C	4/27/2015	MAGNESIUM	1330	ug/L					10	30
DCB 27C	4/27/2015	MANGANESE	148	ug/L					1	5
DCB 27C	4/27/2015	NICKEL	1.17	ug/L	J	J	21		0.5	2
DCB 27C	4/27/2015	POTASSIUM	1210	ug/L					80	300
DCB 27C	4/27/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 27C	4/27/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 27C	4/27/2015	SODIUM	2310	ug/L					80	250
DCB 27C	4/27/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 27C	4/27/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 27C	4/27/2015	ZINC	8.22	ug/L	J	J	21		3.5	10
DCB 27C	4/27/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 15D	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 27C	4/27/2015	CIS-1,2-DICHLOROETHYLENE	2.78	ug/L					0.3	1
DOB 15A	6/11/2015	TETRACHLOROETHYLENE (PCE)	3.5	ug/L					0.18	1
DCB 27C	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 37C	5/4/2015	TRICHLOROETHYLENE (TCE)	29.4	ug/L					0.3	1
DCB 27C	4/27/2015	SULFATE	26	mg/L					0.532	1.6
DWP009A	5/4/2015	TRITIUM	26.3	pCi/mL				1.66	0.956	4.28
DCB 28	4/27/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 28	4/27/2015	ALUMINUM	918	ug/L					15	50
DCB 28	4/27/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 28	4/27/2015	ARSENIC	5	ug/L	U	U			1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 28	4/27/2015	BARIUM	57.5	ug/L					0.6	2
DCB 28	4/27/2015	BERYLLIUM	8.36	ug/L					0.2	0.5
DCB 28	4/27/2015	CADMIUM	0.181	ug/L	U	U	21, V		0.11	1
DCB 28	4/27/2015	CALCIUM	10800	ug/L					60	200
DCB 28	4/27/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 28	4/27/2015	COBALT	9.56	ug/L					0.1	1
DCB 28	4/27/2015	COPPER	3.56	ug/L					0.35	1
DCB 28	4/27/2015	IRON	358	ug/L					33	100
DCB 28	4/27/2015	LEAD	0.746	ug/L	U	U	21, V		0.5	2
DCB 28	4/27/2015	MAGNESIUM	3120	ug/L					10	30
DCB 28	4/27/2015	MANGANESE	356	ug/L					1	5
DCB 28	4/27/2015	NICKEL	8.64	ug/L					0.5	2
DCB 28	4/27/2015	POTASSIUM	1190	ug/L					80	300
DCB 28	4/27/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 28	4/27/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 28	4/27/2015	SODIUM	5100	ug/L					80	250
DCB 28	4/27/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 28	4/27/2015	URANIUM	0.133	ug/L	J	J	21		0.067	0.2
DCB 28	4/27/2015	ZINC	17	ug/L					3.5	10
DCB 28	4/27/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 15PZ	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 28	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.82	ug/L	J	J	21		0.3	1
DCB 62	5/6/2015	TETRACHLOROETHYLENE (PCE)	3.13	ug/L					0.3	1
DCB 28	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 45C	5/5/2015	TRICHLOROETHYLENE (TCE)	25.9	ug/L					0.3	1
DCB 28	4/27/2015	SULFATE	52.8	mg/L					0.665	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 28	4/27/2015	TRITIUM	20.4	pCi/mL				1.17	0.545	2.89
DOB 20	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 33B	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 55	4/29/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L		J	18		0.3	1
DCB 33B	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 36C	4/30/2015	TRICHLOROETHYLENE (TCE)	20.2	ug/L		J	14		0.3	1
DOB 20A	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 33C	4/28/2015	CIS-1,2-DICHLOROETHYLENE	0.56	ug/L	J	J	21		0.3	1
DCB 45A	4/28/2015	TETRACHLOROETHYLENE (PCE)	2.2	ug/L					0.3	1
DCB 33C	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 13R	5/5/2015	TRICHLOROETHYLENE (TCE)	19.6	ug/L					0.3	1
DOB 21	6/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 33D	4/28/2015	CIS-1,2-DICHLOROETHYLENE	0.7	ug/L	J	J	21		0.3	1
DOB 15D	6/11/2015	TETRACHLOROETHYLENE (PCE)	2.2	ug/L					0.18	1
DCB 33D	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 13R	5/5/2015	TRICHLOROETHYLENE (TCE)	19.2	ug/L					0.3	1
DOB 12	6/11/2015	TRICHLOROETHYLENE (TCE)	18	ug/L		J	14		0.25	1
DCB 34A	4/28/2015	VANADIUM	2.28	ug/L	J	J	21		1	5
DCB 34A	4/28/2015	ALUMINUM	81700	ug/L					75	250
DCB 34A	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 34A	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 34A	4/28/2015	BARIUM	13.6	ug/L					0.6	2
DCB 34A	4/28/2015	BERYLLIUM	14.1	ug/L					0.2	0.5
DCB 34A	4/28/2015	CADMIUM	2.69	ug/L					0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 34A	4/28/2015	CALCIUM	24300	ug/L					300	1000
DCB 34A	4/28/2015	CHROMIUM	3.4	ug/L	J	J	21		2	10
DCB 34A	4/28/2015	COBALT	144	ug/L					0.5	5
DCB 34A	4/28/2015	COPPER	131	ug/L					1.75	5
DCB 34A	4/28/2015	IRON	5600	ug/L					33	100
DCB 34A	4/28/2015	LEAD	0.828	ug/L	J	J	21		0.5	2
DCB 34A	4/28/2015	MAGNESIUM	10000	ug/L					10	30
DCB 34A	4/28/2015	MANGANESE	2390	ug/L					50	250
DCB 34A	4/28/2015	NICKEL	247	ug/L					2.5	10
DCB 34A	4/28/2015	POTASSIUM	1100	ug/L					80	300
DCB 34A	4/28/2015	SELENIUM	5.05	ug/L					1.5	5
DCB 34A	4/28/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 34A	4/28/2015	SODIUM	1170	ug/L					80	250
DCB 34A	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 34A	4/28/2015	URANIUM	31.5	ug/L					0.067	0.2
DCB 34A	4/28/2015	ZINC	546	ug/L					3.5	10
DCB 34A	4/28/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 21A	6/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 34A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 28	4/27/2015	TETRACHLOROETHYLENE (PCE)	2.13	ug/L					0.3	1
DCB 34A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 37A	5/4/2015	TRICHLOROETHYLENE (TCE)	17.9	ug/L					0.3	1
DCB 34A	4/28/2015	SULFATE	637	mg/L					6.65	20
DCB 34C	4/28/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 34C	4/28/2015	ALUMINUM	44400	ug/L					15	50
DCB 34C	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 34C	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 34C	4/28/2015	BARIUM	17.7	ug/L					0.6	2
DCB 34C	4/28/2015	BERYLLIUM	90.4	ug/L					0.2	0.5
DCB 34C	4/28/2015	CADMIUM	3.09	ug/L					0.11	1
DCB 34C	4/28/2015	CALCIUM	81700	ug/L					3000	10000
DCB 34C	4/28/2015	CHROMIUM	7.24	ug/L	J	J	21		2	10
DCB 34C	4/28/2015	COBALT	109	ug/L					0.5	5
DCB 34C	4/28/2015	COPPER	42.4	ug/L					0.35	1
DCB 34C	4/28/2015	IRON	694	ug/L					33	100
DCB 34C	4/28/2015	LEAD	0.52	ug/L	J	J	21		0.5	2
DCB 34C	4/28/2015	MAGNESIUM	15700	ug/L					10	30
DCB 34C	4/28/2015	MANGANESE	2290	ug/L					50	250
DCB 34C	4/28/2015	NICKEL	190	ug/L					2.5	10
DCB 34C	4/28/2015	POTASSIUM	2580	ug/L					80	300
DCB 34C	4/28/2015	SELENIUM	1.88	ug/L	J	J	21		1.5	5
DCB 34C	4/28/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 34C	4/28/2015	SODIUM	2550	ug/L					80	250
DCB 34C	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 34C	4/28/2015	URANIUM	2.65	ug/L					0.067	0.2
DCB 34C	4/28/2015	ZINC	529	ug/L					3.5	10
DCB 34C	4/28/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 21PZ	6/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 34C	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33C	4/28/2015	TETRACHLOROETHYLENE (PCE)	1.98	ug/L					0.3	1
DCB 34C	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP 2	5/5/2015	TRICHLOROETHYLENE (TCE)	16.2	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 34C	4/28/2015	SULFATE	564	mg/L					6.65	20
DCB 35A	4/28/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 35A	4/28/2015	ALUMINUM	24900	ug/L					15	50
DCB 35A	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 35A	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 35A	4/28/2015	BARIUM	13.1	ug/L					0.6	2
DCB 35A	4/28/2015	BERYLLIUM	40.6	ug/L					0.2	0.5
DCB 35A	4/28/2015	CADMIUM	6.26	ug/L					0.11	1
DCB 35A	4/28/2015	CALCIUM	97600	ug/L					1200	4000
DCB 35A	4/28/2015	CHROMIUM	3.89	ug/L	J	J	21		2	10
DCB 35A	4/28/2015	COBALT	401	ug/L					2	20
DCB 35A	4/28/2015	COPPER	10.6	ug/L					0.35	1
DCB 35A	4/28/2015	IRON	117	ug/L					33	100
DCB 35A	4/28/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 35A	4/28/2015	MAGNESIUM	49100	ug/L					10	30
DCB 35A	4/28/2015	MANGANESE	11900	ug/L					200	1000
DCB 35A	4/28/2015	NICKEL	388	ug/L					10	40
DCB 35A	4/28/2015	POTASSIUM	3380	ug/L					80	300
DCB 35A	4/28/2015	SELENIUM	3.44	ug/L	J	J	21		1.5	5
DCB 35A	4/28/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 35A	4/28/2015	SODIUM	3580	ug/L					80	250
DCB 35A	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 35A	4/28/2015	URANIUM	0.742	ug/L					0.067	0.2
DCB 35A	4/28/2015	ZINC	764	ug/L					3.5	10
DCB 35A	4/28/2015	MERCURY	0.527	ug/L					0.067	0.2
DOB 22	6/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 35A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 37C	5/4/2015	TETRACHLOROETHYLENE (PCE)	1.94	ug/L					0.3	1
DCB 35A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 26AR	5/6/2015	TRICHLOROETHYLENE (TCE)	15.9	ug/L					0.3	1
DCB 35A	4/28/2015	SULFATE	637	mg/L					13.3	40
DCB 35C	5/4/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 35C	5/4/2015	ALUMINUM	613	ug/L		J	11, 18		15	50
DCB 35C	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 35C	5/4/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 35C	5/4/2015	BARIUM	56.4	ug/L					0.6	2
DCB 35C	5/4/2015	BERYLLIUM	12	ug/L					0.2	0.5
DCB 35C	5/4/2015	CADMIUM	0.301	ug/L	J	J	21		0.11	1
DCB 35C	5/4/2015	CALCIUM	98100	ug/L					600	2000
DCB 35C	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 35C	5/4/2015	COBALT	6.87	ug/L					0.1	1
DCB 35C	5/4/2015	COPPER	1.41	ug/L					0.35	1
DCB 35C	5/4/2015	IRON	63.8	ug/L	J	J	21		33	100
DCB 35C	5/4/2015	LEAD	1.15	ug/L	J	J	21		0.5	2
DCB 35C	5/4/2015	MAGNESIUM	18500	ug/L					10	30
DCB 35C	5/4/2015	MANGANESE	229	ug/L					1	5
DCB 35C	5/4/2015	NICKEL	15.8	ug/L					0.5	2
DCB 35C	5/4/2015	POTASSIUM	4060	ug/L					80	300
DCB 35C	5/4/2015	SELENIUM	2.38	ug/L	J	J	21		1.5	5
DCB 35C	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 35C	5/4/2015	SODIUM	7080	ug/L					80	250
DCB 35C	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 35C	5/4/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 35C	5/4/2015	ZINC	58.9	ug/L					3.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 35C	5/4/2015	MERCURY	0.142	ug/L	J	J	21		0.067	0.2
DOB 22A	6/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 35C	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 37A	5/4/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.3	1
DCB 35C	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 15	6/11/2015	TRICHLOROETHYLENE (TCE)	15	ug/L		J	14		0.25	1
DCB 35C	5/4/2015	SULFATE	349	mg/L					6.65	20
DCB 36A	4/28/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 36A	4/28/2015	ALUMINUM	3400	ug/L					15	50
DCB 36A	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 36A	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 36A	4/28/2015	BARIUM	28.8	ug/L					0.6	2
DCB 36A	4/28/2015	BERYLLIUM	1.88	ug/L					0.2	0.5
DCB 36A	4/28/2015	CADMIUM	0.556	ug/L	J	J	21		0.11	1
DCB 36A	4/28/2015	CALCIUM	34600	ug/L					300	1000
DCB 36A	4/28/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 36A	4/28/2015	COBALT	26.7	ug/L					0.1	1
DCB 36A	4/28/2015	COPPER	5.04	ug/L					0.35	1
DCB 36A	4/28/2015	IRON	11100	ug/L					33	100
DCB 36A	4/28/2015	LEAD	0.559	ug/L	J	J	21		0.5	2
DCB 36A	4/28/2015	MAGNESIUM	10700	ug/L					10	30
DCB 36A	4/28/2015	MANGANESE	701	ug/L					1	5
DCB 36A	4/28/2015	NICKEL	30.6	ug/L					0.5	2
DCB 36A	4/28/2015	POTASSIUM	1300	ug/L					80	300
DCB 36A	4/28/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 36A	4/28/2015	SILVER	1	ug/L	U	U			0.2	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 36A	4/28/2015	SODIUM	2380	ug/L					80	250
DCB 36A	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 36A	4/28/2015	URANIUM	0.837	ug/L					0.067	0.2
DCB 36A	4/28/2015	ZINC	65.1	ug/L					3.5	10
DCB 36A	4/28/2015	MERCURY	0.122	ug/L	J	J	21		0.067	0.2
DOB 23	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 36A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 16	6/11/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L		J	14		0.18	1
DCB 36A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 56	5/6/2015	TRICHLOROETHYLENE (TCE)	11.6	ug/L					0.3	1
DCB 36A	4/28/2015	SULFATE	166	mg/L					2.66	8
DCB 36C	4/30/2015	VANADIUM	4.85	ug/L	J	J	21		1	5
DCB 36C	4/30/2015	ALUMINUM	37600	ug/L					15	50
DCB 36C	4/30/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 36C	4/30/2015	ARSENIC	5.55	ug/L					1.7	5
DCB 36C	4/30/2015	BARIUM	12.8	ug/L					0.6	2
DCB 36C	4/30/2015	BERYLLIUM	25.9	ug/L					0.2	0.5
DCB 36C	4/30/2015	CADMIUM	3.91	ug/L					0.11	1
DCB 36C	4/30/2015	CALCIUM	59400	ug/L					1200	4000
DCB 36C	4/30/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 36C	4/30/2015	COBALT	206	ug/L					0.1	1
DCB 36C	4/30/2015	COPPER	35.3	ug/L					0.35	1
DCB 36C	4/30/2015	IRON	231000	ug/L					660	2000
DCB 36C	4/30/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 36C	4/30/2015	MAGNESIUM	35300	ug/L					10	30
DCB 36C	4/30/2015	MANGANESE	3150	ug/L					20	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 36C	4/30/2015	NICKEL	411	ug/L					0.5	2
DCB 36C	4/30/2015	POTASSIUM	2170	ug/L					80	300
DCB 36C	4/30/2015	SELENIUM	9.82	ug/L					1.5	5
DCB 36C	4/30/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 36C	4/30/2015	SODIUM	5320	ug/L					80	250
DCB 36C	4/30/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 36C	4/30/2015	URANIUM	1.04	ug/L					0.067	0.2
DCB 36C	4/30/2015	ZINC	975	ug/L					3.5	10
DCB 36C	4/30/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOL 1	6/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
DCB 36C	4/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 3A	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 36C	4/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 35C	5/4/2015	TRICHLOROETHYLENE (TCE)	10.6	ug/L					0.3	1
DCB 36C	4/30/2015	SULFATE	929	mg/L					13.3	40
DCB 37A	5/4/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 37A	5/4/2015	ALUMINUM	137	ug/L		J	11, 18		15	50
DCB 37A	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 37A	5/4/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 37A	5/4/2015	BARIUM	106	ug/L					0.6	2
DCB 37A	5/4/2015	BERYLLIUM	0.954	ug/L					0.2	0.5
DCB 37A	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 37A	5/4/2015	CALCIUM	29400	ug/L					60	200
DCB 37A	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 37A	5/4/2015	COBALT	5.86	ug/L					0.1	1
DCB 37A	5/4/2015	COPPER	1.07	ug/L					0.35	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 37A	5/4/2015	IRON	100	ug/L	U	U			33	100
DCB 37A	5/4/2015	LEAD	0.595	ug/L	J	J	21		0.5	2
DCB 37A	5/4/2015	MAGNESIUM	6840	ug/L					10	30
DCB 37A	5/4/2015	MANGANESE	166	ug/L					1	5
DCB 37A	5/4/2015	NICKEL	3.36	ug/L					0.5	2
DCB 37A	5/4/2015	POTASSIUM	2470	ug/L					80	300
DCB 37A	5/4/2015	SELENIUM	2.47	ug/L	J	J	21		1.5	5
DCB 37A	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 37A	5/4/2015	SODIUM	8220	ug/L					80	250
DCB 37A	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 37A	5/4/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 37A	5/4/2015	ZINC	7.33	ug/L	J	J	21		3.5	10
DCB 37A	5/4/2015	MERCURY	0.169	ug/L	J	J	21		0.067	0.2
DOB 16	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1.8	ug/L	J	J	21, 14		0.08	2
DCB 37A	5/4/2015	CIS-1,2-DICHLOROETHYLENE	0.5	ug/L	J	J	21		0.3	1
DCB 4A	4/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 37A	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOL 2	6/15/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
DCB 37A	5/4/2015	SULFATE	117	mg/L					6.65	20
DCB 27C	4/27/2015	TRITIUM	10.2	pCi/mL				0.858	0.547	2.26
DCB 37C	5/4/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 37C	5/4/2015	ALUMINUM	40.8	ug/L	J	J	21, 11, 18		15	50
DCB 37C	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 37C	5/4/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 37C	5/4/2015	BARIUM	42.4	ug/L					0.6	2
DCB 37C	5/4/2015	BERYLLIUM	0.939	ug/L					0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 37C	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 37C	5/4/2015	CALCIUM	15100	ug/L					60	200
DCB 37C	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 37C	5/4/2015	COBALT	1.43	ug/L					0.1	1
DCB 37C	5/4/2015	COPPER	3.34	ug/L					0.35	1
DCB 37C	5/4/2015	IRON	100	ug/L	U	U			33	100
DCB 37C	5/4/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 37C	5/4/2015	MAGNESIUM	2700	ug/L					10	30
DCB 37C	5/4/2015	MANGANESE	21.3	ug/L					1	5
DCB 37C	5/4/2015	NICKEL	1.21	ug/L	J	J	21		0.5	2
DCB 37C	5/4/2015	POTASSIUM	1740	ug/L					80	300
DCB 37C	5/4/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 37C	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 37C	5/4/2015	SODIUM	3790	ug/L					80	250
DCB 37C	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 37C	5/4/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 37C	5/4/2015	ZINC	4.49	ug/L	J	J	21		3.5	10
DCB 37C	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 3A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 37C	5/4/2015	CIS-1,2-DICHLOROETHYLENE	0.82	ug/L	J	J	21		0.3	1
DCB 21B	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 37C	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 28	4/27/2015	TRICHLOROETHYLENE (TCE)	9.77	ug/L					0.3	1
DCB 37C	5/4/2015	SULFATE	51.5	mg/L					6.65	20
DCB 27	4/27/2015	TRITIUM	2.37	pCi/mL				0.484	0.54	1.51
DCB 4A	4/30/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 37D	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 27	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 37D	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOL 2	6/15/2015	TRICHLOROETHYLENE (TCE)	9.7	ug/L		J	14		0.25	1
DCB 44A	4/28/2015	TRITIUM	1.89	pCi/mL				0.449	0.536	1.43
DCB 8C	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 40A	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33D	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 40A	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33B	4/28/2015	TRICHLOROETHYLENE (TCE)	5.42	ug/L					0.3	1
DCB 52C	4/29/2015	TRITIUM	1.5	pCi/mL				0.426	0.543	1.4
DCB 13R	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 44A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 34A	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 44A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP009A	5/4/2015	TRICHLOROETHYLENE (TCE)	5.34	ug/L					0.3	1
DCB 44A	12/11/2015	TRITIUM	1.42	pCi/mL				0.306	0.332	0.944
DCB 40A	5/4/2015	TRITIUM	1.39	pCi/mL	J	J	21	0.491	0.697	1.68
DCB 13R	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 44C	5/4/2015	CIS-1,2-DICHLOROETHYLENE	3.59	ug/L					0.3	1
DCB 34C	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 44C	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 15A	6/11/2015	TRICHLOROETHYLENE (TCE)	5	ug/L					0.25	1
DWP 9	5/4/2015	TRITIUM	1.36	pCi/mL	J	J	21	0.477	0.677	1.63

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 37A	5/4/2015	TRITIUM	1.27	pCi/mL	J	J	21	0.406	0.54	1.35
DCB 21B	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 45A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 35A	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 45A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 54	4/28/2015	TRICHLOROETHYLENE (TCE)	4.02	ug/L					0.3	1
DWP003A	5/4/2015	TRITIUM	1.22	pCi/mL	J	J	21	0.467	0.676	1.61
DCB 21C	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 45C	5/5/2015	CIS-1,2-DICHLOROETHYLENE	4.14	ug/L					0.3	1
DCB 35C	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 45C	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33D	4/28/2015	TRICHLOROETHYLENE (TCE)	3.85	ug/L					0.3	1
DWP 7	5/5/2015	TRITIUM	1.11	pCi/mL	J	J	21	0.465	0.687	1.62
DCB 48A	5/5/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 48A	5/5/2015	ALUMINUM	595	ug/L		J	11, 18		15	50
DCB 48A	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 48A	5/5/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 48A	5/5/2015	BARIUM	20	ug/L					0.6	2
DCB 48A	5/5/2015	BERYLLIUM	11	ug/L					0.2	0.5
DCB 48A	5/5/2015	CADMIUM	0.507	ug/L	J	J	21		0.11	1
DCB 48A	5/5/2015	CALCIUM	75700	ug/L					600	2000
DCB 48A	5/5/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 48A	5/5/2015	COBALT	72.2	ug/L					0.1	1
DCB 48A	5/5/2015	COPPER	4.22	ug/L					0.35	1
DCB 48A	5/5/2015	IRON	100	ug/L	U	U			33	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 48A	5/5/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 48A	5/5/2015	MAGNESIUM	12900	ug/L					10	30
DCB 48A	5/5/2015	MANGANESE	1250	ug/L					10	50
DCB 48A	5/5/2015	NICKEL	20.9	ug/L					0.5	2
DCB 48A	5/5/2015	POTASSIUM	7950	ug/L					80	300
DCB 48A	5/5/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 48A	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 48A	5/5/2015	SODIUM	13300	ug/L					80	250
DCB 48A	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 48A	5/5/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 48A	5/5/2015	ZINC	109	ug/L					3.5	10
DCB 48A	5/5/2015	MERCURY	0.65	ug/L		J	11		0.067	0.2
DCB 21C	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 48A	5/5/2015	CIS-1,2-DICHLOROETHYLENE	2.41	ug/L					0.3	1
DCB 36A	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 48A	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 27C	4/27/2015	TRICHLOROETHYLENE (TCE)	3.35	ug/L					0.3	1
DCB 48A	5/5/2015	SULFATE	267	mg/L					6.65	20
DCB 13R	5/5/2015	TRITIUM	1.08	pCi/mL	J	J	21	0.462	0.684	1.61
DCB 48D	4/28/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 48D	4/28/2015	ALUMINUM	50	ug/L	U	U			15	50
DCB 48D	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 48D	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 48D	4/28/2015	BARIUM	20.3	ug/L					0.6	2
DCB 48D	4/28/2015	BERYLLIUM	0.965	ug/L					0.2	0.5
DCB 48D	4/28/2015	CADMIUM	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 48D	4/28/2015	CALCIUM	7510	ug/L					60	200
DCB 48D	4/28/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 48D	4/28/2015	COBALT	1	ug/L	U	U			0.1	1
DCB 48D	4/28/2015	COPPER	3.27	ug/L					0.35	1
DCB 48D	4/28/2015	IRON	1030	ug/L					33	100
DCB 48D	4/28/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 48D	4/28/2015	MAGNESIUM	467	ug/L					10	30
DCB 48D	4/28/2015	MANGANESE	13.5	ug/L					1	5
DCB 48D	4/28/2015	NICKEL	2	ug/L	U	U			0.5	2
DCB 48D	4/28/2015	POTASSIUM	1120	ug/L					80	300
DCB 48D	4/28/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 48D	4/28/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 48D	4/28/2015	SODIUM	1420	ug/L					80	250
DCB 48D	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 48D	4/28/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 48D	4/28/2015	ZINC	10	ug/L	U	U			3.5	10
DCB 48D	4/28/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 26AR	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 48D	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 37D	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 48D	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 44A	4/28/2015	TRICHLOROETHYLENE (TCE)	3.24	ug/L					0.3	1
DCB 48D	4/28/2015	SULFATE	10.1	mg/L					0.133	0.4
DCB 37C	5/4/2015	TRITIUM	1.02	pCi/mL	J	J	21	0.448	0.668	1.56
DCB 27	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 51A	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 40A	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 51A	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 15D	6/11/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1
DCB 13R	5/5/2015	TRITIUM	0.908	pCi/mL	J	J	21	0.443	0.672	1.56
DCB 27C	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 51D	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 48D	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 51D	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 16	6/11/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L		J	14		0.25	1
DWP 1	5/4/2015	TRITIUM	0.681	pCi/mL	J	J	21	0.367	0.556	1.29
DCB 52C	4/29/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
DCB 52C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 52C	4/29/2015	ALUMINUM	53	ug/L					15	50
DCB 52C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 52C	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 52C	4/29/2015	BARIUM	62.7	ug/L					0.6	2
DCB 52C	4/29/2015	BERYLLIUM	1.35	ug/L					0.2	0.5
DCB 52C	4/29/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 52C	4/29/2015	CALCIUM	13800	ug/L					60	200
DCB 52C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 52C	4/29/2015	COBALT	1.02	ug/L					0.1	1
DCB 52C	4/29/2015	COPPER	1	ug/L	U	U			0.35	1
DCB 52C	4/29/2015	IRON	14400	ug/L					33	100
DCB 52C	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 52C	4/29/2015	MAGNESIUM	3070	ug/L					10	30
DCB 52C	4/29/2015	MANGANESE	469	ug/L					1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 52C	4/29/2015	NICKEL	0.651	ug/L	J	J	21		0.5	2
DCB 52C	4/29/2015	POTASSIUM	2790	ug/L					80	300
DCB 52C	4/29/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 52C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 52C	4/29/2015	SODIUM	7360	ug/L					80	250
DCB 52C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 52C	4/29/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 52C	4/29/2015	ZINC	10	ug/L	U	U			3.5	10
DCB 52C	4/29/2015	FERRIC IRON	0.64	mg/L					0.13	0.5
DCB 52C	4/29/2015	FERROUS IRON	13	mg/L					0.12	0.5
DCB 52C	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 28	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 52C	4/29/2015	CIS-1,2-DICHLOROETHYLENE	0.58	ug/L	J	J	21, 14		0.3	1
DCB 51A	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 52C	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 33D	12/14/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
DCB 52C	4/29/2015	SULFATE	67.7	mg/L					1.33	4
DCB 44C	5/4/2015	TRITIUM	0.597	pCi/mL	U	U		0.416	0.666	1.5
DCB 33B	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 53	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 51D	5/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 53	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 21B	4/29/2015	TRICHLOROETHYLENE (TCE)	2.14	ug/L					0.3	1
DCB072C	4/29/2015	TRITIUM	0.587	pCi/mL	J	J	21	0.349	0.539	1.24
DCB 53	8/6/2015	ALUMINUM	200	ug/L	U				68	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 53	8/6/2015	ANTIMONY	10	ug/L	U				3.5	10
DCB 53	8/6/2015	ARSENIC	30	ug/L	U				5	30
DCB 53	8/6/2015	BARIUM	227	ug/L					1	5
DCB 53	8/6/2015	BERYLLIUM	1.25	ug/L	J		21		1	5
DCB 53	8/6/2015	CADMIUM	5	ug/L	U				1	5
DCB 53	8/6/2015	CALCIUM	22100	ug/L					50	200
DCB 53	8/6/2015	CHROMIUM	5	ug/L	U				1	5
DCB 53	8/6/2015	COBALT	12.1	ug/L					1	5
DCB 53	8/6/2015	COPPER	10	ug/L	U				3	10
DCB 53	8/6/2015	IRON	14300	ug/L					30	100
DCB 53	8/6/2015	LEAD	10	ug/L	U				3.3	10
DCB 53	8/6/2015	MAGNESIUM	1500	ug/L					110	300
DCB 53	8/6/2015	MANGANESE	187	ug/L					2	10
DCB 53	8/6/2015	NICKEL	5.26	ug/L					1.5	5
DCB 53	8/6/2015	POTASSIUM	1490	ug/L					50	150
DCB 53	8/6/2015	SELENIUM	30	ug/L	U				6	30
DCB 53	8/6/2015	SILVER	5	ug/L	U				1	5
DCB 53	8/6/2015	SODIUM	20200	ug/L					100	300
DCB 53	8/6/2015	THALLIUM	20	ug/L	U				5	20
DCB 53	8/6/2015	VANADIUM	5	ug/L	U				1	5
DCB 53	8/6/2015	ZINC	11	ug/L					3.3	10
DCB 53	8/6/2015	CHROMIUM, HEXAVALENT	0.00314	mg/L	U		21, V		0.003	0.01
DCB 53	8/6/2015	MERCURY	0.2	ug/L	U				0.067	0.2
DCB 53	12/9/2015	ALUMINUM	130	ug/L					17	50
DCB 53	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 53	12/9/2015	ARSENIC	2.3	ug/L	J	J	21		1.2	10
DCB 53	12/9/2015	BARIUM	280	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 53	12/9/2015	BERYLLIUM	1.8	ug/L					0.35	0.5
DCB 53	12/9/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
DCB 53	12/9/2015	CALCIUM	26000	ug/L					68	100
DCB 53	12/9/2015	CHROMIUM	1.3	ug/L	J	J	21		1	10
DCB 53	12/9/2015	COBALT	15	ug/L					0.22	2
DCB 53	12/9/2015	COPPER	20	ug/L					0.68	1
DCB 53	12/9/2015	IRON	19000	ug/L					33	50
DCB 53	12/9/2015	LEAD	14	ug/L					0.17	3
DCB 53	12/9/2015	MAGNESIUM	1700	ug/L					5.6	50
DCB 53	12/9/2015	MANGANESE	210	ug/L					0.88	2
DCB 53	12/9/2015	NICKEL	6.4	ug/L					0.8	5
DCB 53	12/9/2015	POTASSIUM	1600	ug/L					42	100
DCB 53	12/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
DCB 53	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 53	12/9/2015	SODIUM	23000	ug/L			V		24	50
DCB 53	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 53	12/9/2015	URANIUM	1	ug/L	U	U			0.23	1
DCB 53	12/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
DCB 53	12/9/2015	ZINC	20	ug/L			S		9.3	20
DCB 53	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 34C	4/28/2015	TRICHLOROETHYLENE (TCE)	1.92	ug/L					0.3	1
DCB 53	12/9/2015	SULFATE	23	mg/L					0.25	2.5
DWP 7	5/5/2015	TRITIUM	0.558	pCi/mL	U	U		0.418	0.675	1.51
DCB 54	4/28/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 54	4/28/2015	ALUMINUM	17.7	ug/L	J	J	21		15	50
DCB 54	4/28/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 54	4/28/2015	ARSENIC	5	ug/L	U	U			1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 54	4/28/2015	BARIUM	62.8	ug/L					0.6	2
DCB 54	4/28/2015	BERYLLIUM	0.391	ug/L	J	J	21		0.2	0.5
DCB 54	4/28/2015	CADMIUM	0.132	ug/L	J	J	21		0.11	1
DCB 54	4/28/2015	CALCIUM	42100	ug/L					300	1000
DCB 54	4/28/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 54	4/28/2015	COBALT	22.9	ug/L					0.1	1
DCB 54	4/28/2015	COPPER	0.898	ug/L	J	J	21		0.35	1
DCB 54	4/28/2015	IRON	52.7	ug/L	J	J	21		33	100
DCB 54	4/28/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 54	4/28/2015	MAGNESIUM	7330	ug/L					10	30
DCB 54	4/28/2015	MANGANESE	2400	ug/L					50	250
DCB 54	4/28/2015	NICKEL	4.53	ug/L					0.5	2
DCB 54	4/28/2015	POTASSIUM	1930	ug/L					80	300
DCB 54	4/28/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 54	4/28/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 54	4/28/2015	SODIUM	29200	ug/L					80	250
DCB 54	4/28/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 54	4/28/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 54	4/28/2015	ZINC	8.09	ug/L	J	J	21		3.5	10
DCB 54	4/28/2015	MERCURY	0.133	ug/L	J	J	21		0.067	0.2
DCB 33C	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 54	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 52C	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 54	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 35A	4/28/2015	TRICHLOROETHYLENE (TCE)	1.88	ug/L					0.3	1
DCB 54	4/28/2015	SULFATE	171	mg/L					2.66	8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 65C	4/29/2015	TRITIUM	0.496	pCi/mL	U	U		0.343	0.542	1.23
DCB 55	4/29/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
DCB 55	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 55	4/29/2015	ALUMINUM	16.2	ug/L	J	J	21		15	50
DCB 55	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 55	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 55	4/29/2015	BARIUM	26	ug/L					0.6	2
DCB 55	4/29/2015	BERYLLIUM	3.15	ug/L					0.2	0.5
DCB 55	4/29/2015	CADMIUM	1	ug/L	U	U			0.11	1
DCB 55	4/29/2015	CALCIUM	88400	ug/L					1200	4000
DCB 55	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 55	4/29/2015	COBALT	5.46	ug/L					0.1	1
DCB 55	4/29/2015	COPPER	0.477	ug/L	J	J	21		0.35	1
DCB 55	4/29/2015	IRON	5140	ug/L					33	100
DCB 55	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 55	4/29/2015	MAGNESIUM	14300	ug/L					10	30
DCB 55	4/29/2015	MANGANESE	9570	ug/L					20	100
DCB 55	4/29/2015	NICKEL	4.71	ug/L					0.5	2
DCB 55	4/29/2015	POTASSIUM	4950	ug/L					80	300
DCB 55	4/29/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 55	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 55	4/29/2015	SODIUM	14300	ug/L					80	250
DCB 55	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 55	4/29/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 55	4/29/2015	ZINC	24.3	ug/L	J	J	V		3.5	10
DCB 55	4/29/2015	FERRIC IRON	0.57	mg/L					0.13	0.5
DCB 55	4/29/2015	FERROUS IRON	5.1	mg/L					0.12	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 55	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 33D	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 55	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1.73	ug/L					0.3	1
DCB 53	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 55	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 27	4/27/2015	TRICHLOROETHYLENE (TCE)	1.26	ug/L					0.3	1
DCB 55	4/29/2015	SULFATE	308	mg/L					6.65	20
DCB 51D	5/5/2015	TRITIUM	0.479	pCi/mL	U	U		0.406	0.666	1.48
DCB 55	12/11/2015	ALUMINUM	130	ug/L	U	U			43	130
DCB 55	12/11/2015	ANTIMONY	13	ug/L	U	U			4.2	13
DCB 55	12/11/2015	ARSENIC	25	ug/L	U	U			3	25
DCB 55	12/11/2015	BARIUM	44	ug/L					0.56	5
DCB 55	12/11/2015	BERYLLIUM	4.1	ug/L					0.88	1.3
DCB 55	12/11/2015	CADMIUM	1.3	ug/L	U	U			0.25	1.3
DCB 55	12/11/2015	CALCIUM	160000	ug/L					170	250
DCB 55	12/11/2015	CHROMIUM	25	ug/L	U	U			2.5	25
DCB 55	12/11/2015	COBALT	7.9	ug/L					0.54	5
DCB 55	12/11/2015	COPPER	2.8	ug/L					1.7	2.5
DCB 55	12/11/2015	IRON	8900	ug/L					82	130
DCB 55	12/11/2015	LEAD	0.43	ug/L	J	J	21		0.43	7.5
DCB 55	12/11/2015	MAGNESIUM	22000	ug/L					14	130
DCB 55	12/11/2015	MANGANESE	9300	ug/L					2.2	5
DCB 55	12/11/2015	NICKEL	8.3	ug/L	J	J	21		2	13
DCB 55	12/11/2015	POTASSIUM	6200	ug/L					100	250
DCB 55	12/11/2015	SELENIUM	13	ug/L	U	U			4	13
DCB 55	12/11/2015	SILVER	5	ug/L	U	U			2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 55	12/11/2015	SODIUM	17000	ug/L			V		59	130
DCB 55	12/11/2015	THALLIUM	5	ug/L	U	U			1.4	5
DCB 55	12/11/2015	URANIUM	2.5	ug/L	U	U			0.58	2.5
DCB 55	12/11/2015	VANADIUM	25	ug/L	U	U			5.9	25
DCB 55	12/11/2015	ZINC	45	ug/L	J	J	21		23	50
DCB 55	12/11/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 55	12/11/2015	SULFATE	370	mg/L					2.5	25
DCB 34A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 56	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1.34	ug/L					0.3	1
DCB 54	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 56	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP 8	5/4/2015	TRICHLOROETHYLENE (TCE)	1.26	ug/L					0.3	1
DCB 34C	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 60	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 60	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 60	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 45A	4/28/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.3	1
DCB 35A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB 62	5/6/2015	CIS-1,2-DICHLOROETHYLENE	24.8	ug/L					0.3	1
DCB027D	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB 62	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	0.5	ug/L	J	J	21		0.3	1
DCB 3A	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DRW 1	5/6/2015	TRITIUM	0.443	pCi/mL	U	U		0.401	0.662	1.46
DCB 65A	4/29/2015	VANADIUM	1.06	ug/L	J	J	21		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 65A	4/29/2015	ALUMINUM	4900	ug/L					15	50
DCB 65A	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 65A	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 65A	4/29/2015	BARIUM	60.7	ug/L					0.6	2
DCB 65A	4/29/2015	BERYLLIUM	7.44	ug/L					0.2	0.5
DCB 65A	4/29/2015	CADMIUM	0.456	ug/L	J	J	21		0.11	1
DCB 65A	4/29/2015	CALCIUM	15500	ug/L					60	200
DCB 65A	4/29/2015	CHROMIUM	3.05	ug/L	J	J	21		2	10
DCB 65A	4/29/2015	COBALT	10.6	ug/L					0.1	1
DCB 65A	4/29/2015	COPPER	3.31	ug/L					0.35	1
DCB 65A	4/29/2015	IRON	499	ug/L					33	100
DCB 65A	4/29/2015	LEAD	1.47	ug/L	J	J	21		0.5	2
DCB 65A	4/29/2015	MAGNESIUM	8210	ug/L					10	30
DCB 65A	4/29/2015	MANGANESE	513	ug/L					1	5
DCB 65A	4/29/2015	NICKEL	22.5	ug/L					0.5	2
DCB 65A	4/29/2015	POTASSIUM	1280	ug/L					80	300
DCB 65A	4/29/2015	SELENIUM	1.77	ug/L	J	J	21		1.5	5
DCB 65A	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 65A	4/29/2015	SODIUM	11100	ug/L					80	250
DCB 65A	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 65A	4/29/2015	URANIUM	0.685	ug/L					0.067	0.2
DCB 65A	4/29/2015	ZINC	95.6	ug/L					3.5	10
DCB 65A	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 65A	4/29/2015	SULFATE	114	mg/L					1.33	4
DCB 65A	4/29/2015	TRITIUM	0.393	pCi/mL	U	U		0.336	0.547	1.22
DCB 65C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 65C	4/29/2015	ALUMINUM	604	ug/L					15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 65C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB 65C	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 65C	4/29/2015	BARIUM	48.1	ug/L					0.6	2
DCB 65C	4/29/2015	BERYLLIUM	2.54	ug/L					0.2	0.5
DCB 65C	4/29/2015	CADMIUM	0.41	ug/L	J	J	21		0.11	1
DCB 65C	4/29/2015	CALCIUM	4500	ug/L					60	200
DCB 65C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 65C	4/29/2015	COBALT	4.09	ug/L					0.1	1
DCB 65C	4/29/2015	COPPER	1.39	ug/L					0.35	1
DCB 65C	4/29/2015	IRON	100	ug/L	U	U			33	100
DCB 65C	4/29/2015	LEAD	1.06	ug/L	J	J	21		0.5	2
DCB 65C	4/29/2015	MAGNESIUM	2300	ug/L					10	30
DCB 65C	4/29/2015	MANGANESE	115	ug/L					1	5
DCB 65C	4/29/2015	NICKEL	9.72	ug/L					0.5	2
DCB 65C	4/29/2015	POTASSIUM	1130	ug/L					80	300
DCB 65C	4/29/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 65C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 65C	4/29/2015	SODIUM	3450	ug/L					80	250
DCB 65C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 65C	4/29/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB 65C	4/29/2015	ZINC	45.7	ug/L					3.5	10
DCB 65C	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 65C	4/29/2015	SULFATE	24.8	mg/L					0.266	0.8
DCB 8	4/30/2015	TRITIUM	0.358	pCi/mL	U	U		0.328	0.538	1.19
DCB 70A	4/29/2015	VANADIUM	4.39	ug/L	J	J	21		1	5
DCB 70A	4/29/2015	ALUMINUM	26900	ug/L					15	50
DCB 70A	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 70A	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB 70A	4/29/2015	BARIUM	30.3	ug/L					0.6	2
DCB 70A	4/29/2015	BERYLLIUM	7.93	ug/L					0.2	0.5
DCB 70A	4/29/2015	CADMIUM	1.32	ug/L					0.11	1
DCB 70A	4/29/2015	CALCIUM	12700	ug/L					60	200
DCB 70A	4/29/2015	CHROMIUM	5.19	ug/L	J	J	21		2	10
DCB 70A	4/29/2015	COBALT	83.9	ug/L					0.1	1
DCB 70A	4/29/2015	COPPER	14.5	ug/L					0.35	1
DCB 70A	4/29/2015	IRON	5600	ug/L					33	100
DCB 70A	4/29/2015	LEAD	1.05	ug/L	J	J	21		0.5	2
DCB 70A	4/29/2015	MAGNESIUM	10500	ug/L					10	30
DCB 70A	4/29/2015	MANGANESE	1120	ug/L					10	50
DCB 70A	4/29/2015	NICKEL	131	ug/L					0.5	2
DCB 70A	4/29/2015	POTASSIUM	1280	ug/L					80	300
DCB 70A	4/29/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB 70A	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 70A	4/29/2015	SODIUM	4440	ug/L					80	250
DCB 70A	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 70A	4/29/2015	URANIUM	2.76	ug/L					0.067	0.2
DCB 70A	4/29/2015	ZINC	375	ug/L					3.5	10
DCB 70A	4/29/2015	FERRIC IRON	0.54	mg/L					0.13	0.5
DCB 70A	4/29/2015	FERROUS IRON	4.5	mg/L					0.12	0.5
DCB 70A	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 70A	4/29/2015	SULFATE	276	mg/L					3.33	10
DCB 70A	12/9/2015	ALUMINUM	61000	ug/L					17	50
DCB 70A	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 70A	12/9/2015	ARSENIC	2.3	ug/L	J	J	21		1.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 70A	12/9/2015	BARIUM	17	ug/L					0.22	2
DCB 70A	12/9/2015	BERYLLIUM	27	ug/L					0.35	0.5
DCB 70A	12/9/2015	CADMIUM	1	ug/L					0.1	0.5
DCB 70A	12/9/2015	CALCIUM	62000	ug/L					68	100
DCB 70A	12/9/2015	CHROMIUM	14	ug/L					1	10
DCB 70A	12/9/2015	COBALT	280	ug/L					0.22	2
DCB 70A	12/9/2015	COPPER	3	ug/L					0.68	1
DCB 70A	12/9/2015	IRON	24000	ug/L					33	50
DCB 70A	12/9/2015	LEAD	0.65	ug/L	J	J	21		0.17	3
DCB 70A	12/9/2015	MAGNESIUM	61000	ug/L					5.6	50
DCB 70A	12/9/2015	MANGANESE	2600	ug/L					0.88	2
DCB 70A	12/9/2015	NICKEL	230	ug/L					0.8	5
DCB 70A	12/9/2015	POTASSIUM	4500	ug/L					42	100
DCB 70A	12/9/2015	SELENIUM	16	ug/L					1.6	5
DCB 70A	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 70A	12/9/2015	SODIUM	17000	ug/L			V		24	50
DCB 70A	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 70A	12/9/2015	URANIUM	6.7	ug/L					0.23	1
DCB 70A	12/9/2015	VANADIUM	17	ug/L					2.4	10
DCB 70A	12/9/2015	ZINC	550	ug/L					9.3	20
DCB 70A	12/9/2015	FERRIC IRON	0.57	mg/L			Q		0.13	0.5
DCB 70A	12/9/2015	FERROUS IRON	22	mg/L			Q		0.12	0.5
DCB 70A	12/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DCB 70A	12/9/2015	SULFATE	640	mg/L					5	50
DCB 70B	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB 70B	4/29/2015	ALUMINUM	17900	ug/L					15	50
DCB 70B	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 70B	4/29/2015	ARSENIC	3.37	ug/L	J	J	21		1.7	5
DCB 70B	4/29/2015	BARIUM	21.3	ug/L					0.6	2
DCB 70B	4/29/2015	BERYLLIUM	32.8	ug/L					0.2	0.5
DCB 70B	4/29/2015	CADMIUM	1.2	ug/L					0.11	1
DCB 70B	4/29/2015	CALCIUM	93800	ug/L					600	2000
DCB 70B	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB 70B	4/29/2015	COBALT	361	ug/L					0.1	1
DCB 70B	4/29/2015	COPPER	8.38	ug/L					0.35	1
DCB 70B	4/29/2015	IRON	5370	ug/L					33	100
DCB 70B	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB 70B	4/29/2015	MAGNESIUM	69700	ug/L					100	300
DCB 70B	4/29/2015	MANGANESE	2620	ug/L					10	50
DCB 70B	4/29/2015	NICKEL	125	ug/L					0.5	2
DCB 70B	4/29/2015	POTASSIUM	5700	ug/L					80	300
DCB 70B	4/29/2015	SELENIUM	6.58	ug/L					1.5	5
DCB 70B	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB 70B	4/29/2015	SODIUM	19900	ug/L					80	250
DCB 70B	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB 70B	4/29/2015	URANIUM	0.768	ug/L					0.067	0.2
DCB 70B	4/29/2015	ZINC	340	ug/L					3.5	10
DCB 70B	4/29/2015	FERRIC IRON	0.54	mg/L					0.13	0.5
DCB 70B	4/29/2015	FERROUS IRON	5.2	mg/L					0.12	0.5
DCB 70B	4/29/2015	MERCURY	0.695	ug/L					0.067	0.2
DCB 70B	4/29/2015	SULFATE	664	mg/L					13.3	40
DCB 70B	12/9/2015	ALUMINUM	41000	ug/L					17	50
DCB 70B	12/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DCB 70B	12/9/2015	ARSENIC	1.3	ug/L	J	J	21		1.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 70B	12/9/2015	BARIUM	19	ug/L					0.22	2
DCB 70B	12/9/2015	BERYLLIUM	59	ug/L					0.35	0.5
DCB 70B	12/9/2015	CADMIUM	2.2	ug/L					0.1	0.5
DCB 70B	12/9/2015	CALCIUM	130000	ug/L					68	100
DCB 70B	12/9/2015	CHROMIUM	2.3	ug/L	J	J	21		1	10
DCB 70B	12/9/2015	COBALT	480	ug/L					0.22	2
DCB 70B	12/9/2015	COPPER	22	ug/L					0.68	1
DCB 70B	12/9/2015	IRON	17000	ug/L					33	50
DCB 70B	12/9/2015	LEAD	0.76	ug/L	J	J	21		0.17	3
DCB 70B	12/9/2015	MAGNESIUM	98000	ug/L					5.6	50
DCB 70B	12/9/2015	MANGANESE	4700	ug/L					0.88	2
DCB 70B	12/9/2015	NICKEL	230	ug/L					0.8	5
DCB 70B	12/9/2015	POTASSIUM	6000	ug/L					42	100
DCB 70B	12/9/2015	SELENIUM	36	ug/L					1.6	5
DCB 70B	12/9/2015	SILVER	2	ug/L	U	U			0.82	2
DCB 70B	12/9/2015	SODIUM	18000	ug/L			V		24	50
DCB 70B	12/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
DCB 70B	12/9/2015	URANIUM	2.2	ug/L					0.23	1
DCB 70B	12/9/2015	VANADIUM	3	ug/L	J	J	21		2.4	10
DCB 70B	12/9/2015	ZINC	610	ug/L					9.3	20
DCB 70B	12/9/2015	FERRIC IRON	0.5	mg/L	U		21, Q		0.13	0.5
DCB 70B	12/9/2015	FERROUS IRON	14	mg/L			Q		0.12	0.5
DCB 70B	12/9/2015	MERCURY	0.74	ug/L					0.06	0.2
DCB 70B	12/9/2015	SULFATE	850	mg/L					5	50
DCB027D	4/27/2015	VANADIUM	5	ug/L	U	U			1	5
DCB027D	4/27/2015	ALUMINUM	50	ug/L	U	U			15	50
DCB027D	4/27/2015	ANTIMONY	3	ug/L	U	U			1	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB027D	4/27/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB027D	4/27/2015	BARIUM	21.9	ug/L					0.6	2
DCB027D	4/27/2015	BERYLLIUM	1.87	ug/L					0.2	0.5
DCB027D	4/27/2015	CADMIUM	0.279	ug/L	U	U	21, V		0.11	1
DCB027D	4/27/2015	CALCIUM	4120	ug/L					60	200
DCB027D	4/27/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB027D	4/27/2015	COBALT	1.04	ug/L	J	J	V		0.1	1
DCB027D	4/27/2015	COPPER	1.99	ug/L					0.35	1
DCB027D	4/27/2015	IRON	921	ug/L					33	100
DCB027D	4/27/2015	LEAD	1.88	ug/L	U	U	21, V		0.5	2
DCB027D	4/27/2015	MAGNESIUM	634	ug/L					10	30
DCB027D	4/27/2015	MANGANESE	13.7	ug/L					1	5
DCB027D	4/27/2015	NICKEL	2	ug/L	U	U			0.5	2
DCB027D	4/27/2015	POTASSIUM	1440	ug/L					80	300
DCB027D	4/27/2015	SELENIUM	5	ug/L	U	U			1.5	5
DCB027D	4/27/2015	SILVER	1	ug/L	U	U			0.2	1
DCB027D	4/27/2015	SODIUM	1460	ug/L					80	250
DCB027D	4/27/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB027D	4/27/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DCB027D	4/27/2015	ZINC	5.86	ug/L	J	J	21		3.5	10
DCB027D	4/27/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 35C	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DCB027D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB072C	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DCB027D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 4A	4/30/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB027D	4/27/2015	SULFATE	7.88	mg/L					0.133	0.4
DCB 44C	12/11/2015	TRITIUM	0.347	pCi/mL	J	J	21	0.22	0.334	0.774
DCB072C	4/29/2015	VANADIUM	5	ug/L	U	U			1	5
DCB072C	4/29/2015	ALUMINUM	3560	ug/L					15	50
DCB072C	4/29/2015	ANTIMONY	3	ug/L	U	U			1	3
DCB072C	4/29/2015	ARSENIC	5	ug/L	U	U			1.7	5
DCB072C	4/29/2015	BARIUM	70.1	ug/L					0.6	2
DCB072C	4/29/2015	BERYLLIUM	9.27	ug/L					0.2	0.5
DCB072C	4/29/2015	CADMIUM	0.367	ug/L	J	J	21		0.11	1
DCB072C	4/29/2015	CALCIUM	10800	ug/L					60	200
DCB072C	4/29/2015	CHROMIUM	10	ug/L	U	U			2	10
DCB072C	4/29/2015	COBALT	4.35	ug/L					0.1	1
DCB072C	4/29/2015	COPPER	1	ug/L	U	U			0.35	1
DCB072C	4/29/2015	IRON	100	ug/L	U	U			33	100
DCB072C	4/29/2015	LEAD	2	ug/L	U	U			0.5	2
DCB072C	4/29/2015	MAGNESIUM	4840	ug/L					10	30
DCB072C	4/29/2015	MANGANESE	237	ug/L					1	5
DCB072C	4/29/2015	NICKEL	13.9	ug/L					0.5	2
DCB072C	4/29/2015	POTASSIUM	1200	ug/L					80	300
DCB072C	4/29/2015	SELENIUM	1.51	ug/L	J	J	21		1.5	5
DCB072C	4/29/2015	SILVER	1	ug/L	U	U			0.2	1
DCB072C	4/29/2015	SODIUM	3690	ug/L					80	250
DCB072C	4/29/2015	THALLIUM	2	ug/L	U	U			0.45	2
DCB072C	4/29/2015	URANIUM	0.461	ug/L					0.067	0.2
DCB072C	4/29/2015	ZINC	78.4	ug/L	J	J	V		3.5	10
DCB072C	4/29/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DCB 36A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB072C	4/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 9	6/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB072C	4/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 4A	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DCB072C	4/29/2015	SULFATE	67.6	mg/L					0.665	2
DCB 63	5/6/2015	TRITIUM	0.31	pCi/mL	U	U		0.39	0.66	1.44
DOB 9	6/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 9	6/10/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 36C	4/30/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 9	6/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 9	6/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 9	6/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 34A	4/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 9	6/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 9	6/10/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 37A	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 9	6/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 9	6/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 13	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 37D	4/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 11	6/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 11	6/10/2015	BENZENE	0.98	ug/L	J	J	21, 14		0.06	1
DCB 37C	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 11	6/10/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L		J	14		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DOB 11	6/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 14	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 40A	5/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 12	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 12	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 37D	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 12	6/11/2015	CIS-1,2-DICHLOROETHYLENE	21	ug/L		J	14		0.09	1
DOB 12	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 15PZ	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 48D	4/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 13	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 13	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 40A	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 13	6/11/2015	CIS-1,2-DICHLOROETHYLENE	0.28	ug/L	J	J	21		0.09	1
DOB 13	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 19	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 51A	4/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 14	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 14	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 44A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 14	6/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 14	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 19A	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB 51D	5/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DOB 15	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 15	6/11/2015	BENZENE	0.68	ug/L	J	J	21, 14		0.06	1
DCB 44C	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 15	6/11/2015	CIS-1,2-DICHLOROETHYLENE	180	ug/L		J	14		0.9	10
DOB 15	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 20	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB027D	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 15A	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 15A	6/11/2015	BENZENE	0.34	ug/L	J	J	21		0.06	1
DCB 45A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 15A	6/11/2015	CIS-1,2-DICHLOROETHYLENE	46	ug/L		J	14		0.45	5
DOB 15A	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 20A	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DCB072C	4/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DOB 15D	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 15D	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 45C	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 15D	6/11/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L					0.09	1
DOB 15D	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 21	6/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 9	6/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 15PZ	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 15PZ	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 48A	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DOB 15PZ	6/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 15PZ	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 21A	6/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 9	6/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 16	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 16	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 48D	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 16	6/11/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L		J	14		0.09	1
DOB 16	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 21PZ	6/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 13	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 19	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 19	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 51A	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 19	6/11/2015	CIS-1,2-DICHLOROETHYLENE	3.6	ug/L		J	14		0.09	1
DOB 19	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 22	6/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 14	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 19A	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 19A	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 51D	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 19A	6/11/2015	CIS-1,2-DICHLOROETHYLENE	4	ug/L					0.09	1
DOB 19A	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 22A	6/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DOB 15PZ	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 20	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 20	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 52C	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 20	6/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 20	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOB 23	6/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 20	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 20A	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 20A	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 53	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 20A	6/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 20A	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DOL 1	6/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
DOB 20A	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 21	6/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 21	6/16/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 54	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 21	6/16/2015	CIS-1,2-DICHLOROETHYLENE	0.67	ug/L	J	J	21		0.09	1
DOB 21	6/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP 1	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 21	6/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 21A	6/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 21A	6/16/2015	BENZENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 55	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 21A	6/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 21A	6/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP 7	5/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 21A	6/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 21PZ	6/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 21PZ	6/16/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 56	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 21PZ	6/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOB 21PZ	6/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP 7	5/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 21PZ	6/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 22	6/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 22	6/15/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 60	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 22	6/15/2015	CIS-1,2-DICHLOROETHYLENE	0.22	ug/L	J	J	21		0.09	1
DOB 22	6/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP 8	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 22	6/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 22A	6/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 22A	6/16/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB 62	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 22A	6/16/2015	CIS-1,2-DICHLOROETHYLENE	0.31	ug/L	J	J	21		0.09	1
DOB 22A	6/16/2015	DICHLOROMETHANE	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
DWP 9	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 22A	6/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOB 23	6/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOB 23	6/11/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB027D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOB 23	6/11/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J	J	21		0.09	1
DOB 23	6/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP003A	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOB 23	6/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOL 1	6/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOL 1	6/15/2015	BENZENE	1	ug/L	U	U			0.06	1
DCB072C	4/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOL 1	6/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
DOL 1	6/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DWP009A	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
DOL 1	6/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
DOL 2	6/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOL 2	6/15/2015	BENZENE	0.19	ug/L	J	J	21, 14		0.06	1
DOB 19A	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	J	J	21, 14		0.08	2
DOL 2	6/15/2015	CIS-1,2-DICHLOROETHYLENE	40	ug/L		J	14		0.09	1
DOL 2	6/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DCB 27C	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.93	ug/L	J	J	21		0.3	1
DWP 1	5/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DOL 2	6/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
DOL 2	6/15/2015	BENZENE	0.19	ug/L	J	J	21		0.06	1
DRW 1	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DOL 2	6/15/2015	CIS-1,2-DICHLOROETHYLENE	34	ug/L		J	14		0.45	5
DOL 2	6/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
DCB 8C	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J	J	21		0.3	1
DWP 7	5/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DWP 1	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DRW 1	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1.66	ug/L					0.3	1
DWP 2	5/5/2015	TETRACHLOROETHYLENE (PCE)	0.67	ug/L	J	J	21		0.3	1
DRW 1	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP 7	5/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DCB 54	4/28/2015	TRITIUM	0.289	pCi/mL	U	U		0.32	0.537	1.18
DWP 1	5/4/2015	VANADIUM	1.47	ug/L	J	J	21		1	5
DWP 1	5/4/2015	ALUMINUM	825	ug/L		J	11, 18		15	50
DWP 1	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 1	5/4/2015	ARSENIC	5	ug/L	U	U			1.7	5
DWP 1	5/4/2015	BARIUM	35.7	ug/L					0.6	2
DWP 1	5/4/2015	BERYLLIUM	0.567	ug/L					0.2	0.5
DWP 1	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP 1	5/4/2015	CALCIUM	2190	ug/L					60	200
DWP 1	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 1	5/4/2015	COBALT	0.599	ug/L	J	J	21		0.1	1
DWP 1	5/4/2015	COPPER	0.602	ug/L	J	J	21		0.35	1
DWP 1	5/4/2015	IRON	777	ug/L					33	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 1	5/4/2015	LEAD	0.623	ug/L	J	J	21		0.5	2
DWP 1	5/4/2015	MAGNESIUM	1120	ug/L					10	30
DWP 1	5/4/2015	MANGANESE	32.9	ug/L					1	5
DWP 1	5/4/2015	NICKEL	1.08	ug/L	J	J	21		0.5	2
DWP 1	5/4/2015	POTASSIUM	300	ug/L	U	U			80	300
DWP 1	5/4/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP 1	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 1	5/4/2015	SODIUM	8060	ug/L					80	250
DWP 1	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 1	5/4/2015	URANIUM	0.246	ug/L	J	J	V		0.067	0.2
DWP 1	5/4/2015	ZINC	10.7	ug/L					3.5	10
DWP 1	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP 2	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP 1	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 13R	5/5/2015	TETRACHLOROETHYLENE (PCE)	0.64	ug/L	J	J	21		0.3	1
DWP 1	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP 9	5/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DWP 1	5/4/2015	SULFATE	17.7	mg/L					0.266	0.8
DCB 48D	4/28/2015	TRITIUM	0.279	pCi/mL	U	U		0.32	0.539	1.18
DWP 2	5/5/2015	ETHYLENE	0.022	ug/L	J		21		0.003	0.1
DWP 2	5/5/2015	VANADIUM	5	ug/L	U	U			1	5
DWP 2	5/5/2015	ALUMINUM	226	ug/L		J	11, 18		15	50
DWP 2	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 2	5/5/2015	ARSENIC	5	ug/L	U	U			1.7	5
DWP 2	5/5/2015	BARIUM	34.6	ug/L					0.6	2
DWP 2	5/5/2015	BERYLLIUM	0.467	ug/L	J	J	21		0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 2	5/5/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP 2	5/5/2015	CALCIUM	109000	ug/L					600	2000
DWP 2	5/5/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 2	5/5/2015	COBALT	4.22	ug/L					0.1	1
DWP 2	5/5/2015	COPPER	1	ug/L	U	U			0.35	1
DWP 2	5/5/2015	IRON	9730	ug/L					33	100
DWP 2	5/5/2015	LEAD	2	ug/L	U	U			0.5	2
DWP 2	5/5/2015	MAGNESIUM	18200	ug/L					10	30
DWP 2	5/5/2015	MANGANESE	8200	ug/L					10	50
DWP 2	5/5/2015	NICKEL	1.38	ug/L	J	J	21		0.5	2
DWP 2	5/5/2015	POTASSIUM	3140	ug/L					80	300
DWP 2	5/5/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP 2	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 2	5/5/2015	SODIUM	18800	ug/L					80	250
DWP 2	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 2	5/5/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DWP 2	5/5/2015	ZINC	3.52	ug/L	J	J	21		3.5	10
DWP 2	5/5/2015	FERRIC IRON	0.8	mg/L					0.13	0.5
DWP 2	5/5/2015	FERROUS IRON	9	mg/L					0.12	0.5
DWP 2	5/5/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP 7	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP 2	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1.74	ug/L					0.3	1
DCB 33B	4/28/2015	TETRACHLOROETHYLENE (PCE)	0.64	ug/L	J	J	21		0.3	1
DWP 2	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DWP003A	5/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
DWP 2	5/5/2015	SULFATE	400	mg/L					6.65	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DCB 53	12/9/2015	TRITIUM	0.198	pCi/mL	U	U		0.204	0.331	0.739
DWP 2	12/11/2015	ALUMINUM	290	ug/L					43	130
DWP 2	12/11/2015	ANTIMONY	13	ug/L	U	U			4.2	13
DWP 2	12/11/2015	ARSENIC	25	ug/L	U	U			3	25
DWP 2	12/11/2015	BARIUM	45	ug/L					0.56	5
DWP 2	12/11/2015	BERYLLIUM	1.3	ug/L	U	U			0.88	1.3
DWP 2	12/11/2015	CADMIUM	1.3	ug/L	U	U			0.25	1.3
DWP 2	12/11/2015	CALCIUM	110000	ug/L					170	250
DWP 2	12/11/2015	CHROMIUM	25	ug/L	U	U			2.5	25
DWP 2	12/11/2015	COBALT	3.7	ug/L	J	J	21		0.54	5
DWP 2	12/11/2015	COPPER	2.5	ug/L	U	U			1.7	2.5
DWP 2	12/11/2015	IRON	8000	ug/L					82	130
DWP 2	12/11/2015	LEAD	7.5	ug/L	U	U			0.43	7.5
DWP 2	12/11/2015	MAGNESIUM	19000	ug/L					14	130
DWP 2	12/11/2015	MANGANESE	9200	ug/L					2.2	5
DWP 2	12/11/2015	NICKEL	13	ug/L	U	U			2	13
DWP 2	12/11/2015	POTASSIUM	3100	ug/L					100	250
DWP 2	12/11/2015	SELENIUM	13	ug/L	U	U			4	13
DWP 2	12/11/2015	SILVER	5	ug/L	U	U			2	5
DWP 2	12/11/2015	SODIUM	20000	ug/L			V		59	130
DWP 2	12/11/2015	THALLIUM	5	ug/L	U	U			1.4	5
DWP 2	12/11/2015	URANIUM	2.5	ug/L	U	U			0.58	2.5
DWP 2	12/11/2015	VANADIUM	25	ug/L	U	U			5.9	25
DWP 2	12/11/2015	ZINC	50	ug/L	U	U			23	50
DWP 2	12/11/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DWP 2	12/11/2015	SULFATE	290	mg/L					2.5	25
DWP 7	5/5/2015	ETHYLENE	0.0081	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 7	5/5/2015	VANADIUM	1.07	ug/L	J	J	21		1	5
DWP 7	5/5/2015	ALUMINUM	307	ug/L		J	11		15	50
DWP 7	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 7	5/5/2015	ARSENIC	2.23	ug/L	J	J	21		1.7	5
DWP 7	5/5/2015	BARIUM	45.5	ug/L					0.6	2
DWP 7	5/5/2015	BERYLLIUM	0.261	ug/L	J	J	21		0.2	0.5
DWP 7	5/5/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP 7	5/5/2015	CALCIUM	21400	ug/L					60	200
DWP 7	5/5/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 7	5/5/2015	COBALT	4.64	ug/L					0.1	1
DWP 7	5/5/2015	COPPER	1	ug/L	U	U			0.35	1
DWP 7	5/5/2015	IRON	2570	ug/L					33	100
DWP 7	5/5/2015	LEAD	2	ug/L	U	U			0.5	2
DWP 7	5/5/2015	MAGNESIUM	5580	ug/L					10	30
DWP 7	5/5/2015	MANGANESE	813	ug/L					1	5
DWP 7	5/5/2015	NICKEL	1.96	ug/L	J	J	21		0.5	2
DWP 7	5/5/2015	POTASSIUM	3360	ug/L					80	300
DWP 7	5/5/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP 7	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 7	5/5/2015	SODIUM	11200	ug/L					80	250
DWP 7	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 7	5/5/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DWP 7	5/5/2015	ZINC	10	ug/L	U	U			3.5	10
DWP 7	5/5/2015	FERRIC IRON	0.6	mg/L					0.13	0.5
DWP 7	5/5/2015	FERROUS IRON	2.4	mg/L					0.12	0.5
DWP 7	5/5/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP 7	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 7	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 56	5/6/2015	TETRACHLOROETHYLENE (PCE)	0.55	ug/L	J	J	21		0.3	1
DWP 7	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 52C	4/29/2015	TRICHLOROETHYLENE (TCE)	0.99	ug/L	J	J	21, 14		0.3	1
DWP 7	5/5/2015	SULFATE	98.6	mg/L					6.65	20
DCB 53	4/29/2015	TRITIUM	0.146	pCi/mL	U	U		0.307	0.538	1.15
DWP 7	5/5/2015	ETHYLENE	0.0087	ug/L	J		21		0.003	0.1
DWP 7	5/5/2015	VANADIUM	2.96	ug/L	J	J	21		1	5
DWP 7	5/5/2015	ALUMINUM	445	ug/L		J	11, 18		15	50
DWP 7	5/5/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 7	5/5/2015	ARSENIC	2.25	ug/L	J	J	21		1.7	5
DWP 7	5/5/2015	BARIUM	47.1	ug/L					0.6	2
DWP 7	5/5/2015	BERYLLIUM	0.31	ug/L	J	J	21		0.2	0.5
DWP 7	5/5/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP 7	5/5/2015	CALCIUM	21300	ug/L					60	200
DWP 7	5/5/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 7	5/5/2015	COBALT	4.72	ug/L					0.1	1
DWP 7	5/5/2015	COPPER	1	ug/L	U	U			0.35	1
DWP 7	5/5/2015	IRON	3070	ug/L					33	100
DWP 7	5/5/2015	LEAD	0.709	ug/L	J	J	21		0.5	2
DWP 7	5/5/2015	MAGNESIUM	5580	ug/L					10	30
DWP 7	5/5/2015	MANGANESE	811	ug/L					1	5
DWP 7	5/5/2015	NICKEL	2.14	ug/L					0.5	2
DWP 7	5/5/2015	POTASSIUM	3430	ug/L					80	300
DWP 7	5/5/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP 7	5/5/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 7	5/5/2015	SODIUM	11100	ug/L					80	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 7	5/5/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 7	5/5/2015	URANIUM	0.077	ug/L	U	U	21, V		0.067	0.2
DWP 7	5/5/2015	ZINC	10	ug/L	U	U			3.5	10
DWP 7	5/5/2015	FERRIC IRON	1.5	mg/L					0.13	0.5
DWP 7	5/5/2015	FERROUS IRON	2.3	mg/L					0.12	0.5
DWP 7	5/5/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP 8	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP 7	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 21C	4/29/2015	TETRACHLOROETHYLENE (PCE)	0.54	ug/L	J	J	21, 18		0.3	1
DWP 7	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DOB 19	6/11/2015	TRICHLOROETHYLENE (TCE)	0.91	ug/L	J	J	21, 14		0.25	1
DWP 7	5/5/2015	SULFATE	97.8	mg/L					6.65	20
DCB 51A	4/29/2015	TRITIUM	0.119	pCi/mL	U	U		0.306	0.541	1.15
DWP 8	5/4/2015	VANADIUM	5	ug/L	U	U			1	5
DWP 8	5/4/2015	ALUMINUM	517	ug/L		J	11, 18		15	50
DWP 8	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 8	5/4/2015	ARSENIC	3.25	ug/L	J	J	21		1.7	5
DWP 8	5/4/2015	BARIUM	38.1	ug/L					0.6	2
DWP 8	5/4/2015	BERYLLIUM	0.944	ug/L					0.2	0.5
DWP 8	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP 8	5/4/2015	CALCIUM	55000	ug/L					600	2000
DWP 8	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 8	5/4/2015	COBALT	9.73	ug/L					0.1	1
DWP 8	5/4/2015	COPPER	1.37	ug/L					0.35	1
DWP 8	5/4/2015	IRON	53500	ug/L					330	1000
DWP 8	5/4/2015	LEAD	2	ug/L	U	U			0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 8	5/4/2015	MAGNESIUM	15600	ug/L					10	30
DWP 8	5/4/2015	MANGANESE	2860	ug/L					10	50
DWP 8	5/4/2015	NICKEL	5.39	ug/L					0.5	2
DWP 8	5/4/2015	POTASSIUM	3930	ug/L					80	300
DWP 8	5/4/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP 8	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 8	5/4/2015	SODIUM	26200	ug/L					80	250
DWP 8	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 8	5/4/2015	URANIUM	0.115	ug/L	U	U	21, V		0.067	0.2
DWP 8	5/4/2015	ZINC	35.9	ug/L					3.5	10
DWP 8	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP 9	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP 8	5/4/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L					0.3	1
DCB 13R	5/5/2015	TETRACHLOROETHYLENE (PCE)	0.52	ug/L	J	J	21		0.3	1
DWP 8	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	0.51	ug/L	J	J	21		0.3	1
DOB 19A	6/11/2015	TRICHLOROETHYLENE (TCE)	0.88	ug/L	J	J	21, 14		0.25	1
DWP 8	5/4/2015	SULFATE	399	mg/L					6.65	20
DWP 8	12/11/2015	ALUMINUM	100	ug/L					17	50
DWP 8	12/11/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DWP 8	12/11/2015	ARSENIC	5.2	ug/L	J	J	21		1.2	10
DWP 8	12/11/2015	BARIUM	68	ug/L					0.22	2
DWP 8	12/11/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
DWP 8	12/11/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
DWP 8	12/11/2015	CALCIUM	81000	ug/L					68	100
DWP 8	12/11/2015	CHROMIUM	10	ug/L	U	U			1	10
DWP 8	12/11/2015	COBALT	6.7	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 8	12/11/2015	COPPER	1	ug/L	U	U			0.68	1
DWP 8	12/11/2015	IRON	93000	ug/L					33	50
DWP 8	12/11/2015	LEAD	0.24	ug/L	J	J	21		0.17	3
DWP 8	12/11/2015	MAGNESIUM	21000	ug/L					5.6	50
DWP 8	12/11/2015	MANGANESE	4100	ug/L					0.88	2
DWP 8	12/11/2015	NICKEL	4.1	ug/L	J	J	21		0.8	5
DWP 8	12/11/2015	POTASSIUM	2200	ug/L					42	100
DWP 8	12/11/2015	SELENIUM	5	ug/L	U	U			1.6	5
DWP 8	12/11/2015	SILVER	2	ug/L	U	U			0.82	2
DWP 8	12/11/2015	SODIUM	32000	ug/L			V		24	50
DWP 8	12/11/2015	THALLIUM	2	ug/L	U	U			0.55	2
DWP 8	12/11/2015	URANIUM	1	ug/L	U	U			0.23	1
DWP 8	12/11/2015	VANADIUM	10	ug/L	U	U			2.4	10
DWP 8	12/11/2015	ZINC	19	ug/L	J	J	21		9.3	20
DWP 8	12/11/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DWP 8	12/11/2015	SULFATE	370	mg/L					2.5	25
DWP 9	5/4/2015	VANADIUM	5	ug/L	U	U			1	5
DWP 9	5/4/2015	ALUMINUM	148	ug/L		J	11, 18		15	50
DWP 9	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP 9	5/4/2015	ARSENIC	5	ug/L	U	U			1.7	5
DWP 9	5/4/2015	BARIUM	47.3	ug/L					0.6	2
DWP 9	5/4/2015	BERYLLIUM	0.393	ug/L	J	J	21		0.2	0.5
DWP 9	5/4/2015	CADMIUM	0.112	ug/L	J	J	21		0.11	1
DWP 9	5/4/2015	CALCIUM	8960	ug/L					60	200
DWP 9	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP 9	5/4/2015	COBALT	1.97	ug/L					0.1	1
DWP 9	5/4/2015	COPPER	0.876	ug/L	J	J	21		0.35	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP 9	5/4/2015	IRON	722	ug/L					33	100
DWP 9	5/4/2015	LEAD	2	ug/L	U	U			0.5	2
DWP 9	5/4/2015	MAGNESIUM	2820	ug/L					10	30
DWP 9	5/4/2015	MANGANESE	365	ug/L					1	5
DWP 9	5/4/2015	NICKEL	2.76	ug/L					0.5	2
DWP 9	5/4/2015	POTASSIUM	2440	ug/L					80	300
DWP 9	5/4/2015	SELENIUM	2.63	ug/L	J	J	21		1.5	5
DWP 9	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DWP 9	5/4/2015	SODIUM	4380	ug/L					80	250
DWP 9	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP 9	5/4/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DWP 9	5/4/2015	ZINC	6.64	ug/L	J	J	21		3.5	10
DWP 9	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP003A	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP 9	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 21C	4/29/2015	TETRACHLOROETHYLENE (PCE)	0.45	ug/L	J	J	21		0.3	1
DWP 9	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 53	4/29/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J	J	21		0.3	1
DWP 9	5/4/2015	SULFATE	43.9	mg/L					6.65	20
DCB 23C	4/30/2015	TRITIUM	0.016	pCi/mL	U	U		0.504	0.896	1.9
DWP003A	5/4/2015	VANADIUM	22.1	ug/L					1	5
DWP003A	5/4/2015	ALUMINUM	721	ug/L		J	11, 18		15	50
DWP003A	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3
DWP003A	5/4/2015	ARSENIC	1.88	ug/L	J	J	21		1.7	5
DWP003A	5/4/2015	BARIUM	55.5	ug/L					0.6	2
DWP003A	5/4/2015	BERYLLIUM	2	ug/L					0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP003A	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP003A	5/4/2015	CALCIUM	8690	ug/L					60	200
DWP003A	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP003A	5/4/2015	COBALT	5.32	ug/L					0.1	1
DWP003A	5/4/2015	COPPER	1.68	ug/L					0.35	1
DWP003A	5/4/2015	IRON	14600	ug/L					33	100
DWP003A	5/4/2015	LEAD	0.775	ug/L	J	J	21		0.5	2
DWP003A	5/4/2015	MAGNESIUM	2870	ug/L					10	30
DWP003A	5/4/2015	MANGANESE	434	ug/L					1	5
DWP003A	5/4/2015	NICKEL	4.59	ug/L					0.5	2
DWP003A	5/4/2015	POTASSIUM	2370	ug/L					80	300
DWP003A	5/4/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP003A	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DWP003A	5/4/2015	SODIUM	4000	ug/L					80	250
DWP003A	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP003A	5/4/2015	URANIUM	0.139	ug/L	U	U	21, V		0.067	0.2
DWP003A	5/4/2015	ZINC	18.6	ug/L					3.5	10
DWP003A	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DWP009A	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
DWP003A	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 36C	4/30/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J	J	21, 18, 14		0.3	1
DWP003A	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 36A	4/28/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J	J	21		0.3	1
DWP003A	5/4/2015	SULFATE	48.1	mg/L					6.65	20
DCB 37D	4/28/2015	TRITIUM	-0.192	pCi/mL	U	U		0.272	0.542	1.09
DWP003A	12/11/2015	ALUMINUM	270	ug/L					17	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP003A	12/11/2015	ANTIMONY	5	ug/L	U	U			1.7	5
DWP003A	12/11/2015	ARSENIC	10	ug/L	U	U			1.2	10
DWP003A	12/11/2015	BARIUM	83	ug/L					0.22	2
DWP003A	12/11/2015	BERYLLIUM	3.3	ug/L					0.35	0.5
DWP003A	12/11/2015	CADMIUM	0.17	ug/L	J	J	21		0.1	0.5
DWP003A	12/11/2015	CALCIUM	12000	ug/L					68	100
DWP003A	12/11/2015	CHROMIUM	10	ug/L	U	U			1	10
DWP003A	12/11/2015	COBALT	6.8	ug/L					0.22	2
DWP003A	12/11/2015	COPPER	2.5	ug/L					0.68	1
DWP003A	12/11/2015	IRON	6000	ug/L					33	50
DWP003A	12/11/2015	LEAD	0.17	ug/L	J	J	21		0.17	3
DWP003A	12/11/2015	MAGNESIUM	3900	ug/L					5.6	50
DWP003A	12/11/2015	MANGANESE	590	ug/L					0.88	2
DWP003A	12/11/2015	NICKEL	7	ug/L					0.8	5
DWP003A	12/11/2015	POTASSIUM	3000	ug/L					42	100
DWP003A	12/11/2015	SELENIUM	5	ug/L	U	U			1.6	5
DWP003A	12/11/2015	SILVER	2	ug/L	U	U			0.82	2
DWP003A	12/11/2015	SODIUM	6000	ug/L			V		24	50
DWP003A	12/11/2015	THALLIUM	2	ug/L	U	U			0.55	2
DWP003A	12/11/2015	URANIUM	1	ug/L	U	U			0.23	1
DWP003A	12/11/2015	VANADIUM	10	ug/L	U	U			2.4	10
DWP003A	12/11/2015	ZINC	25	ug/L					9.3	20
DWP003A	12/11/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
DWP003A	12/11/2015	SULFATE	57	mg/L					0.25	2.5
DWP009A	5/4/2015	VANADIUM	3.91	ug/L	J	J	21		1	5
DWP009A	5/4/2015	ALUMINUM	86.6	ug/L		J	11, 18		15	50
DWP009A	5/4/2015	ANTIMONY	3	ug/L	U	U			1	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP009A	5/4/2015	ARSENIC	5.97	ug/L					1.7	5
DWP009A	5/4/2015	BARIUM	64.3	ug/L					0.6	2
DWP009A	5/4/2015	BERYLLIUM	0.897	ug/L					0.2	0.5
DWP009A	5/4/2015	CADMIUM	1	ug/L	U	U			0.11	1
DWP009A	5/4/2015	CALCIUM	59600	ug/L					600	2000
DWP009A	5/4/2015	CHROMIUM	10	ug/L	U	U			2	10
DWP009A	5/4/2015	COBALT	5.85	ug/L					0.1	1
DWP009A	5/4/2015	COPPER	1	ug/L	U	U			0.35	1
DWP009A	5/4/2015	IRON	13800	ug/L					33	100
DWP009A	5/4/2015	LEAD	2	ug/L	U	U			0.5	2
DWP009A	5/4/2015	MAGNESIUM	13000	ug/L					10	30
DWP009A	5/4/2015	MANGANESE	4440	ug/L					10	50
DWP009A	5/4/2015	NICKEL	2.74	ug/L					0.5	2
DWP009A	5/4/2015	POTASSIUM	3810	ug/L					80	300
DWP009A	5/4/2015	SELENIUM	5	ug/L	U	U			1.5	5
DWP009A	5/4/2015	SILVER	1	ug/L	U	U			0.2	1
DWP009A	5/4/2015	SODIUM	15700	ug/L					80	250
DWP009A	5/4/2015	THALLIUM	2	ug/L	U	U			0.45	2
DWP009A	5/4/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
DWP009A	5/4/2015	ZINC	10	ug/L	U	U			3.5	10
DWP009A	5/4/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
DOB 19	6/11/2015	CHLOROETHENE (VINYL CHLORIDE)	0.92	ug/L	J	J	21, 14		0.08	2
DWP009A	5/4/2015	CIS-1,2-DICHLOROETHYLENE	6.34	ug/L					0.3	1
DCB 44A	4/28/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J	J	21		0.3	1
DWP009A	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
DCB 53	12/9/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J	J	21		0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
DWP009A	5/4/2015	SULFATE	243	mg/L					6.65	20
DCB027D	4/27/2015	TRITIUM	-0.222	pCi/mL	U	U		0.271	0.546	1.09
FAB 2	5/20/2015	NITRATE-NITRITE AS NITROGEN	3.83	mg/L					0.085	0.25
FAB 2	5/20/2015	BARIUM	34.3	ug/L					0.6	2
FAB 2	5/20/2015	CHROMIUM	4.01	ug/L	J		21		2	10
FAB 2	5/20/2015	COPPER	5.42	ug/L					0.35	1
FAB 2	5/20/2015	LEAD	1.91	ug/L	J		21		0.5	2
FAB 2	5/20/2015	NICKEL	4.67	ug/L					0.5	2
FAB 2	5/20/2015	ZINC	19.5	ug/L					3.5	10
FAB 2	5/20/2015	SULFATE	91.2	mg/L					1.33	4
FAB 2	7/16/2015	ETHANE	0.0054	ug/L	J		21		0.002	0.1
FAB 2	7/16/2015	ETHYLENE	0.083	ug/L	J		21		0.003	0.1
FAB 2	7/16/2015	ANTIMONY	10	ug/L	U				1	10
FAB 2	7/16/2015	ARSENIC	50	ug/L	U				5	50
FAB 2	7/16/2015	BARIUM	33.4	ug/L					2	20
FAB 2	7/16/2015	BERYLLIUM	0.121	ug/L	J		21		0.1	1
FAB 2	7/16/2015	CHROMIUM	100	ug/L	U				10	100
FAB 2	7/16/2015	COBALT	3.11	ug/L	J		21		0.5	5
FAB 2	7/16/2015	COPPER	10.4	ug/L					0.5	5
FAB 2	7/16/2015	LEAD	3.57	ug/L	J		21		0.5	5
FAB 2	7/16/2015	NICKEL	5.22	ug/L					0.5	5
FAB 2	7/16/2015	SELENIUM	5.81	ug/L	J		21		2	20
FAB 2	7/16/2015	SILVER	5	ug/L	U				0.5	5
FAB 2	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
FAB 2	7/16/2015	TIN	10	ug/L	U				1	10
FAB 2	7/16/2015	VANADIUM	50	ug/L	U				5	50
FAB 2	7/16/2015	ZINC	23	ug/L	U		21, V		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2	7/16/2015	MERCURY	0.364	ug/L					0.02	0.2
FAB 2	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FAB 2	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FAB 2	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FAB 2	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FAB 2	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FAB 2	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FAB 2	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FAB 2	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FAB 2	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FAB 2	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FAB 2	7/16/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
FAB 2	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FAB 2	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FAB 2	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FAB 2	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FAB 2	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
FAB 2	7/16/2015	ACETONE	2	ug/L	U				0.34	2
FAB 2	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
FAB 2	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FAB 2	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FAB 2	7/16/2015	BENZENE	1	ug/L	U				0.06	1
FAB 2	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FAB 2	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FAB 2	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FAB 2	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FAB 2	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FAB 2	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FAB 2	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FAB 2	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FAB 2	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FAB 2	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
FAB 2	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FAB 2	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FAB 2	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
FAB 2	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FAB 2	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FAB 2	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FAB 2	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FAB 2	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FAB 2	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FAB 2	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FAB 2	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FAB 2	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FAB 2	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FAB 2	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FAB 2	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FAB 2	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FAB 2	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FAB 2	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FAB 2	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FAB 2	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FAB 2	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
FAB 2	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FAB 2	7/16/2015	STYRENE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FAB 2	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
FAB 2	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FAB 2	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FAB 2	7/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FAB 2	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FAB 2	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FAB 2	7/16/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FAB 2	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	3.62	pCi/L				0.255	0.1	0.61
FAB 2	7/16/2015	RADIUM-226	3.36	pCi/L				0.228	0.093	0.5485
FAB 2	7/16/2015	URANIUM-233/234	0.125	pCi/L	J		21, V	0.114	0.137	0.365
FAB 2	7/16/2015	URANIUM-235	0.0492	pCi/L	U		V	0.081	0.142	0.304
FAB 2	7/16/2015	URANIUM-238	0.0796	pCi/L	U			0.093	0.136	0.322
FAB 2	7/16/2015	GROSS ALPHA	4.61	pCi/L	J		21	3.08	2.73	8.88
FAB 2	7/16/2015	NONVOLATILE BETA	8.46	pCi/L	J		21	3.83	4.68	12.3
FAB 2	7/16/2015	STRONTIUM-90	-0.113	pCi/L	U			1.87	3.13	6.87
FAB 2	7/16/2015	CARBON-14	-2.48	pCi/L	UJ			4.32	7.33	16
FAB 2	7/16/2015	TECHNETIUM-99	1.51	pCi/L	U			2.62	4.34	9.59
FAB 2	7/16/2015	TRITIUM	1.4	pCi/mL				0.36	0.49	1.21
FAB 2	7/16/2015	IODINE-129	-0.793	pCi/L	U			0.686	0.87	2.24
FAB 2	11/30/2015	NITRATE-NITRITE AS NITROGEN	4.04	mg/L					0.085	0.25
FAB 2	11/30/2015	BARIUM	36.7	ug/L					0.6	2
FAB 2	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB 2	11/30/2015	COPPER	4.7	ug/L					0.35	1
FAB 2	11/30/2015	LEAD	1.28	ug/L	J		21		0.5	2
FAB 2	11/30/2015	NICKEL	4.64	ug/L					0.5	2
FAB 2	11/30/2015	ZINC	18	ug/L					3.5	10
FAB 2	11/30/2015	SULFATE	84	mg/L					1.33	4
FAB 2MC	7/16/2015	ETHANE	0.0034	ug/L	J		21		0.002	0.1
FAB 2MC	7/16/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
FAB 2MC	7/16/2015	ANTIMONY	10	ug/L	U				1	10
FAB 2MC	7/16/2015	ARSENIC	50	ug/L	U				5	50
FAB 2MC	7/16/2015	BARIUM	4.91	ug/L	J		21		2	20
FAB 2MC	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2MC	7/16/2015	CHROMIUM	100	ug/L	U				10	100
FAB 2MC	7/16/2015	COBALT	5	ug/L	U				0.5	5
FAB 2MC	7/16/2015	COPPER	12.3	ug/L					0.5	5
FAB 2MC	7/16/2015	LEAD	2.61	ug/L	J		21		0.5	5
FAB 2MC	7/16/2015	NICKEL	1.46	ug/L	J		21		0.5	5
FAB 2MC	7/16/2015	SELENIUM	20	ug/L	U				2	20
FAB 2MC	7/16/2015	SILVER	0.774	ug/L	J		21		0.5	5
FAB 2MC	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	TIN	10	ug/L	U				1	10
FAB 2MC	7/16/2015	VANADIUM	50	ug/L	U				5	50
FAB 2MC	7/16/2015	ZINC	10.1	ug/L	U		21, V		4	40
FAB 2MC	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FAB 2MC	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FAB 2MC	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FAB 2MC	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FAB 2MC	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FAB 2MC	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FAB 2MC	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FAB 2MC	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2MC	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
FAB 2MC	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FAB 2MC	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FAB 2MC	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FAB 2MC	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
FAB 2MC	7/16/2015	ACETONE	2	ug/L	U				0.34	2
FAB 2MC	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FAB 2MC	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
FAB 2MC	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FAB 2MC	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FAB 2MC	7/16/2015	BENZENE	1	ug/L	U				0.06	1
FAB 2MC	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FAB 2MC	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FAB 2MC	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FAB 2MC	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FAB 2MC	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FAB 2MC	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FAB 2MC	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FAB 2MC	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FAB 2MC	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FAB 2MC	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2MC	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FAB 2MC	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FAB 2MC	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
FAB 2MC	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FAB 2MC	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FAB 2MC	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FAB 2MC	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FAB 2MC	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FAB 2MC	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FAB 2MC	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FAB 2MC	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FAB 2MC	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FAB 2MC	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FAB 2MC	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FAB 2MC	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FAB 2MC	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FAB 2MC	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FAB 2MC	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FAB 2MC	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FAB 2MC	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FAB 2MC	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
FAB 2MC	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 2MC	7/16/2015	STYRENE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FAB 2MC	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
FAB 2MC	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FAB 2MC	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FAB 2MC	7/16/2015	TRICHLOROETHYLENE (TCE)	1.8	ug/L					0.25	1
FAB 2MC	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FAB 2MC	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FAB 2MC	7/16/2015	XYLENES	3	ug/L	U				0.2	3
FAB 2MC	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FAB 2MC	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0923	pCi/L	J		21	0.054	0.074	0.1826
FAB 2MC	7/16/2015	RADIUM-226	0.112	pCi/L	J		21	0.051	0.063	0.1647
FAB 2MC	7/16/2015	URANIUM-233/234	0.0165	pCi/L	U		V	0.045	0.111	0.202
FAB 2MC	7/16/2015	URANIUM-235	0.0543	pCi/L	U		V	0.077	0.0735	0.228
FAB 2MC	7/16/2015	URANIUM-238	0.0604	pCi/L	U			0.077	0.111	0.265
FAB 2MC	7/16/2015	GROSS ALPHA	0.0212	pCi/L	U			0.859	2.32	4.03
FAB 2MC	7/16/2015	NONVOLATILE BETA	3.17	pCi/L	U			2.82	4.12	9.76
FAB 2MC	7/16/2015	STRONTIUM-90	-0.395	pCi/L	U			2.46	3.13	8.05
FAB 2MC	7/16/2015	CARBON-14	10.7	pCi/L	J		21	4.44	7.02	15.9
FAB 2MC	7/16/2015	TECHNETIUM-99	-0.322	pCi/L	U			2.57	4.35	9.5
FAB 2MC	7/16/2015	TRITIUM	0.376	pCi/mL	U			0.304	0.487	1.1
FAB 2MC	7/16/2015	IODINE-129	-0.0403	pCi/L	U			0.625	1.05	2.3
FAB 5C	5/20/2015	NITRATE-NITRITE AS NITROGEN	0.58	mg/L					0.017	0.05
FAB 5C	5/20/2015	BARIUM	5.98	ug/L					0.6	2
FAB 5C	5/20/2015	CHROMIUM	5.03	ug/L	J		21		2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 5C	5/20/2015	COPPER	0.669	ug/L	J		21		0.35	1
FAB 5C	5/20/2015	LEAD	2	ug/L	U				0.5	2
FAB 5C	5/20/2015	NICKEL	0.564	ug/L	J		21		0.5	2
FAB 5C	5/20/2015	ZINC	10	ug/L	U				3.5	10
FAB 5C	5/20/2015	SULFATE	1.48	mg/L					0.133	0.4
FAB 5C	11/30/2015	NITRATE-NITRITE AS NITROGEN	0.762	mg/L					0.017	0.05
FAB 5C	11/30/2015	BARIUM	4.17	ug/L					0.6	2
FAB 5C	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB 5C	11/30/2015	COPPER	0.704	ug/L	J		21		0.35	1
FAB 5C	11/30/2015	LEAD	2	ug/L	U				0.5	2
FAB 5C	11/30/2015	NICKEL	2	ug/L	U				0.5	2
FAB 5C	11/30/2015	ZINC	10	ug/L	U				3.5	10
FAB 5C	11/30/2015	SULFATE	1.14	mg/L					0.133	0.4
FAB 6C	5/20/2015	NITRATE-NITRITE AS NITROGEN	0.316	mg/L					0.017	0.05
FAB 6C	5/20/2015	BARIUM	2.3	ug/L					0.6	2
FAB 6C	5/20/2015	CHROMIUM	4.67	ug/L	J		21		2	10
FAB 6C	5/20/2015	COPPER	3.93	ug/L					0.35	1
FAB 6C	5/20/2015	LEAD	2	ug/L	U				0.5	2
FAB 6C	5/20/2015	NICKEL	1.61	ug/L	J		21		0.5	2
FAB 6C	5/20/2015	ZINC	5.78	ug/L	J		21		3.5	10
FAB 6C	5/20/2015	SULFATE	0.582	mg/L					0.133	0.4
FAB 6C	11/30/2015	NITRATE-NITRITE AS NITROGEN	0.314	mg/L					0.017	0.05
FAB 6C	11/30/2015	BARIUM	2.25	ug/L					0.6	2
FAB 6C	11/30/2015	CHROMIUM	2.07	ug/L	J		21		2	10
FAB 6C	11/30/2015	COPPER	0.922	ug/L	J		21		0.35	1
FAB 6C	11/30/2015	LEAD	2	ug/L	U				0.5	2
FAB 6C	11/30/2015	NICKEL	1.33	ug/L	J		21		0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 6C	11/30/2015	ZINC	3.94	ug/L	J		21		3.5	10
FAB 6C	11/30/2015	SULFATE	0.613	mg/L					0.133	0.4
FAB 7C	5/20/2015	NITRATE-NITRITE AS NITROGEN	0.207	mg/L					0.017	0.05
FAB 7C	5/20/2015	BARIUM	8.11	ug/L					0.6	2
FAB 7C	5/20/2015	CHROMIUM	4.78	ug/L	J		21		2	10
FAB 7C	5/20/2015	COPPER	3.18	ug/L					0.35	1
FAB 7C	5/20/2015	LEAD	0.706	ug/L	J		21		0.5	2
FAB 7C	5/20/2015	NICKEL	0.871	ug/L	J		21		0.5	2
FAB 7C	5/20/2015	ZINC	4.36	ug/L	J		21		3.5	10
FAB 7C	5/20/2015	SULFATE	6.55	mg/L					0.133	0.4
FAB 7C	11/30/2015	NITRATE-NITRITE AS NITROGEN	0.209	mg/L					0.017	0.05
FAB 7C	11/30/2015	BARIUM	10.2	ug/L					0.6	2
FAB 7C	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB 7C	11/30/2015	COPPER	1.49	ug/L					0.35	1
FAB 7C	11/30/2015	LEAD	2	ug/L	U				0.5	2
FAB 7C	11/30/2015	NICKEL	1.5	ug/L	J		21		0.5	2
FAB 7C	11/30/2015	ZINC	7.59	ug/L	J		21		3.5	10
FAB 7C	11/30/2015	SULFATE	6.84	mg/L					0.133	0.4
FAB 7D	5/20/2015	NITRATE-NITRITE AS NITROGEN	8.23	mg/L					0.17	0.5
FAB 7D	5/20/2015	BARIUM	92	ug/L					0.6	2
FAB 7D	5/20/2015	CHROMIUM	10.7	ug/L					2	10
FAB 7D	5/20/2015	COPPER	7.01	ug/L					0.35	1
FAB 7D	5/20/2015	LEAD	1.64	ug/L	J		21		0.5	2
FAB 7D	5/20/2015	NICKEL	5.28	ug/L					0.5	2
FAB 7D	5/20/2015	ZINC	13.9	ug/L					3.5	10
FAB 7D	5/20/2015	SULFATE	37.6	mg/L					0.532	1.6
FAB 7D	11/30/2015	NITRATE-NITRITE AS NITROGEN	12.3	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB 7D	11/30/2015	BARIUM	36.5	ug/L					0.6	2
FAB 7D	11/30/2015	CHROMIUM	3.47	ug/L	J		21		2	10
FAB 7D	11/30/2015	COPPER	8.75	ug/L					0.35	1
FAB 7D	11/30/2015	LEAD	0.553	ug/L	J		21		0.5	2
FAB 7D	11/30/2015	NICKEL	3.29	ug/L					0.5	2
FAB 7D	11/30/2015	ZINC	7.71	ug/L	J		21		3.5	10
FAB 7D	11/30/2015	SULFATE	29.6	mg/L					0.266	0.8
FAB008D	6/8/2015	NITRATE-NITRITE AS NITROGEN	8.05	mg/L					0.425	1.25
FAB008D	6/8/2015	TOTAL PHOSPHATES (AS P)	0.0194	mg/L	J		21		0.017	0.05
FAB008D	6/8/2015	ARSENIC	5	ug/L	U				1.7	5
FAB008D	6/8/2015	BARIUM	27.7	ug/L					0.6	2
FAB008D	6/8/2015	BERYLLIUM	0.858	ug/L					0.2	0.5
FAB008D	6/8/2015	CADMIUM	1	ug/L	U				0.11	1
FAB008D	6/8/2015	CHROMIUM	10	ug/L	U				2	10
FAB008D	6/8/2015	COPPER	54.3	ug/L					0.35	1
FAB008D	6/8/2015	LEAD	2	ug/L	U				0.5	2
FAB008D	6/8/2015	NICKEL	1.61	ug/L	J		21		0.5	2
FAB008D	6/8/2015	SELENIUM	5	ug/L	U				1.5	5
FAB008D	6/8/2015	SILVER	1	ug/L	U				0.2	1
FAB008D	6/8/2015	ZINC	28.4	ug/L					3.5	10
FAB008D	6/8/2015	MERCURY	0.2	ug/L	U				0.067	0.2
FAB008D	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FAB008D	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FAB008D	6/8/2015	CHLORIDE	6.95	mg/L					0.067	0.2
FAB008D	6/8/2015	SULFATE	44.4	mg/L					0.665	2
FAB008D	6/8/2015	GROSS ALPHA	-0.919	pCi/L	U			1.06	2.82	4.94
FAB008D	6/8/2015	NONVOLATILE BETA	-0.00887	pCi/L	U			1.4	2.57	5.37

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB008D	6/8/2015	TRITIUM	0.635	pCi/mL	U			0.497	0.806	1.8
FAB008D	11/30/2015	NITRATE-NITRITE AS NITROGEN	7.29	mg/L					0.17	0.5
FAB008D	11/30/2015	BARIUM	67.6	ug/L					0.6	2
FAB008D	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB008D	11/30/2015	COPPER	0.709	ug/L	J		21		0.35	1
FAB008D	11/30/2015	LEAD	2	ug/L	U				0.5	2
FAB008D	11/30/2015	NICKEL	14.2	ug/L					0.5	2
FAB008D	11/30/2015	ZINC	13.4	ug/L					3.5	10
FAB008D	11/30/2015	SULFATE	63.3	mg/L					0.665	2
FAB009D	6/10/2015	NITRATE-NITRITE AS NITROGEN	0.997	mg/L					0.017	0.05
FAB009D	6/10/2015	TOTAL PHOSPHATES (AS P)	0.05	mg/L	U				0.017	0.05
FAB009D	6/10/2015	ARSENIC	5	ug/L	U				1.7	5
FAB009D	6/10/2015	BARIUM	33.3	ug/L					0.6	2
FAB009D	6/10/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
FAB009D	6/10/2015	CADMIUM	1	ug/L	U				0.11	1
FAB009D	6/10/2015	CHROMIUM	10	ug/L	U				2	10
FAB009D	6/10/2015	COPPER	1.33	ug/L					0.35	1
FAB009D	6/10/2015	LEAD	2	ug/L	U				0.5	2
FAB009D	6/10/2015	NICKEL	2.51	ug/L					0.5	2
FAB009D	6/10/2015	SELENIUM	1.89	ug/L	J		21		1.5	5
FAB009D	6/10/2015	SILVER	1	ug/L	U				0.2	1
FAB009D	6/10/2015	ZINC	16	ug/L					3.5	10
FAB009D	6/10/2015	MERCURY	0.2	ug/L	U				0.067	0.2
FAB009D	6/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FAB009D	6/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FAB009D	6/10/2015	CHLORIDE	4.73	mg/L					0.067	0.2
FAB009D	6/10/2015	SULFATE	35.3	mg/L					0.532	1.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB009D	6/10/2015	GROSS ALPHA	2.39	pCi/L	U			1.95	2.92	6.82
FAB009D	6/10/2015	NONVOLATILE BETA	1.38	pCi/L	U			1.44	2.33	5.21
FAB009D	6/10/2015	TRITIUM	0.382	pCi/mL	U			0.477	0.807	1.76
FAB009D	11/30/2015	NITRATE-NITRITE AS NITROGEN	14.1	mg/L					0.17	0.5
FAB009D	11/30/2015	BARIUM	39.8	ug/L					0.6	2
FAB009D	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB009D	11/30/2015	COPPER	1.64	ug/L					0.35	1
FAB009D	11/30/2015	LEAD	0.618	ug/L	J		21		0.5	2
FAB009D	11/30/2015	NICKEL	1.94	ug/L	J		21		0.5	2
FAB009D	11/30/2015	ZINC	3.82	ug/L	J		21		3.5	10
FAB009D	11/30/2015	SULFATE	15.6	mg/L					0.133	0.4
FAB010D	6/15/2015	NITRATE-NITRITE AS NITROGEN	0.152	mg/L					0.017	0.05
FAB010D	6/15/2015	TOTAL PHOSPHATES (AS P)	0.0263	mg/L	U		21, V		0.017	0.05
FAB010D	6/15/2015	ARSENIC	5	ug/L	U				1.7	5
FAB010D	6/15/2015	BARIUM	11.1	ug/L					0.6	2
FAB010D	6/15/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
FAB010D	6/15/2015	CADMIUM	1	ug/L	U				0.11	1
FAB010D	6/15/2015	CHROMIUM	2.43	ug/L	J		21		2	10
FAB010D	6/15/2015	COPPER	18.5	ug/L					0.35	1
FAB010D	6/15/2015	LEAD	2	ug/L	U				0.5	2
FAB010D	6/15/2015	NICKEL	0.626	ug/L	J		21		0.5	2
FAB010D	6/15/2015	SELENIUM	5	ug/L	U				1.5	5
FAB010D	6/15/2015	SILVER	1	ug/L	U				0.2	1
FAB010D	6/15/2015	ZINC	31.8	ug/L					3.5	10
FAB010D	6/15/2015	MERCURY	0.2	ug/L	U				0.067	0.2
FAB010D	6/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FAB010D	6/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FAB010D	6/15/2015	CHLORIDE	2.03	mg/L					0.067	0.2
FAB010D	6/15/2015	SULFATE	7.76	mg/L					0.133	0.4
FAB010D	6/15/2015	GROSS ALPHA	1.65	pCi/L	U			1.79	2.95	6.53
FAB010D	6/15/2015	NONVOLATILE BETA	2.06	pCi/L	U			2.11	3.44	7.66
FAB010D	6/15/2015	TRITIUM	1.31	pCi/mL	J		21	0.526	0.764	1.82
FAB010D	11/30/2015	NITRATE-NITRITE AS NITROGEN	0.0792	mg/L					0.017	0.05
FAB010D	11/30/2015	BARIUM	4.16	ug/L					0.6	2
FAB010D	11/30/2015	CHROMIUM	10	ug/L	U				2	10
FAB010D	11/30/2015	COPPER	0.784	ug/L	J		21		0.35	1
FAB010D	11/30/2015	LEAD	2	ug/L	U				0.5	2
FAB010D	11/30/2015	NICKEL	0.948	ug/L	J		21		0.5	2
FAB010D	11/30/2015	ZINC	4.38	ug/L	J		21		3.5	10
FAB010D	11/30/2015	SULFATE	4.2	mg/L					0.133	0.4
FBG001C	2/9/2015	NITRATE-NITRITE AS NITROGEN	6.2	mg/L					0.047	0.5
FBG001C	2/9/2015	CADMIUM	0.727	ug/L	J	J	21		0.1	1
FBG001C	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FBG001C	2/9/2015	MANGANESE	130	ug/L					1	10
FBG001C	2/9/2015	SODIUM	5730	ug/L					20	200
FBG001C	2/9/2015	GROSS ALPHA	0.473	pCi/L	U	U		1.19	2.28	4.67
FBG001C	2/9/2015	NONVOLATILE BETA	3.93	pCi/L	J	J	21	2.78	3.76	9.32
FBG001C	2/9/2015	TRITIUM	2.64	pCi/mL				0.388	0.415	1.19
FBG001C	2/9/2015	IODINE-129	0.24	pCi/L	U	UJ	Q	0.321	0.535	1.177
FBG001C	2/9/2015	TECHNETIUM-99	2.85	pCi/L	J	J	21	1.34	2.11	4.79
FBG001C	2/9/2015	NITRATE-NITRITE AS NITROGEN	7.5	mg/L					0.085	0.25
FBG001C	2/9/2015	CADMIUM	0.913	ug/L	J	J	21		0.11	1
FBG001C	2/9/2015	CHROMIUM	10	ug/L	U	U			2	10
FBG001C	2/9/2015	MANGANESE	190	ug/L					5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBG001C	2/9/2015	SODIUM	5150	ug/L					80	250
FBG001C	2/9/2015	GROSS ALPHA	1.12	pCi/L	U	U		1.7	2.99	6.39
FBG001C	2/9/2015	NONVOLATILE BETA	5.35	pCi/L	J	J	21	2.14	2.87	7.15
FBG001C	2/9/2015	TRITIUM	2.51	pCi/mL				0.585	0.744	1.91
FBG001C	2/9/2015	TECHNETIUM-99	7.13	pCi/L	U	U		4.35	7.17	15.9
FBG001C	2/9/2015	IODINE-129	1.84	pCi/L	R	R	1, 21	0.861	1.16	2.88
FBG001C	11/11/2015	NITRATE-NITRITE AS NITROGEN	7.35	mg/L					0.17	0.5
FBG001C	11/11/2015	CADMIUM	0.64	ug/L	J	J	21		0.1	1
FBG001C	11/11/2015	CHROMIUM	100	ug/L	U	U			10	100
FBG001C	11/11/2015	MANGANESE	99.5	ug/L					1	10
FBG001C	11/11/2015	SODIUM	5750	ug/L					20	200
FBG001C	11/11/2015	TRITIUM	2.76	pCi/mL				0.417	0.521	1.35
FBG001C	11/11/2015	GROSS ALPHA	1.57	pCi/L	U	U		1.67	2.66	6
FBG001C	11/11/2015	NONVOLATILE BETA	3.97	pCi/L	J	J	21	1.93	2.69	6.55
FBG001C	11/11/2015	TECHNETIUM-99	2	pCi/L	U	U		4.45	7.56	16.5
FBG001C	11/11/2015	IODINE-129	0.0819	pCi/L	U	U		0.42	0.764	1.6
FBG001C	11/11/2015	NITRATE-NITRITE AS NITROGEN	8.5	mg/L					0.047	0.5
FBG001C	11/11/2015	CADMIUM	0.59	ug/L					0.1	0.5
FBG001C	11/11/2015	CHROMIUM	1.1	ug/L	J	J	21		1	10
FBG001C	11/11/2015	MANGANESE	120	ug/L					0.88	2
FBG001C	11/11/2015	SODIUM	6200	ug/L					24	50
FBG001C	11/11/2015	GROSS ALPHA	0.958	pCi/L	U	U		0.695	1.01	2.4
FBG001C	11/11/2015	NONVOLATILE BETA	3.71	pCi/L				0.879	1.11	2.868
FBG001C	11/11/2015	TRITIUM	2.63	pCi/mL				0.373	0.307	1.053
FBG001C	11/11/2015	IODINE-129	0.0882	pCi/L	U	U		0.407	0.685	1.499
FBG001C	11/11/2015	TECHNETIUM-99	2.18	pCi/L	J	J	21	1.25	2.01	4.51
FBI 14D	1/21/2015	NITRATE-NITRITE AS NITROGEN	45.4	mg/L					0.85	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBI 14D	1/21/2015	ALUMINUM	1310	ug/L					40	400
FBI 14D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FBI 14D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FBI 14D	1/21/2015	BARIUM	48.1	ug/L					2	20
FBI 14D	1/21/2015	BERYLLIUM	0.585	ug/L	J				0.1	1
FBI 14D	1/21/2015	CADMIUM	2.55	ug/L					0.1	1
FBI 14D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FBI 14D	1/21/2015	COBALT	25.2	ug/L					0.5	5
FBI 14D	1/21/2015	COPPER	13.2	ug/L					0.5	5
FBI 14D	1/21/2015	LEAD	0.703	ug/L	J				0.5	5
FBI 14D	1/21/2015	NICKEL	7.51	ug/L					0.5	5
FBI 14D	1/21/2015	SELENIUM	4.69	ug/L	J				2	20
FBI 14D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FBI 14D	1/21/2015	THALLIUM	0.134	ug/L	J				0.1	1
FBI 14D	1/21/2015	TIN	10	ug/L	U				1	10
FBI 14D	1/21/2015	VANADIUM	46.1	ug/L	U				5	50
FBI 14D	1/21/2015	ZINC	36.5	ug/L	J				4	40
FBI 14D	1/21/2015	MERCURY	0.987	ug/L					0.02	0.2
FBI 14D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FBI 14D	1/21/2015	CHLOROFORM	0.72	ug/L	J		21		0.3	1
FBI 14D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FBI 14D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FBI 14D	1/21/2015	TRICHLOROETHYLENE (TCE)	1.02	ug/L					0.3	1
FBI 14D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FBI 14D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FBI 14D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBI 14D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FBI 14D	1/21/2015	AMERICIUM-241	0.09	pCi/L	U			0.091	0.061	0.243
FBI 14D	1/21/2015	CURIUM-242	0.0172	pCi/L	U			0.048	0.112	0.207
FBI 14D	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0601	0.0601
FBI 14D	1/21/2015	CURIUM-245/246	0.184	pCi/L	U			0.133	0.0622	0.328
FBI 14D	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0705	0.0705
FBI 14D	1/21/2015	PLUTONIUM-239/240	0.026	pCi/L	U			0.052	0.0705	0.175
FBI 14D	1/21/2015	THORIUM-228	0.0316	pCi/L	U			0.078	0.176	0.331
FBI 14D	1/21/2015	THORIUM-230	0.126	pCi/L	U			0.105	0.0568	0.266
FBI 14D	1/21/2015	THORIUM-232	-0.00523	pCi/L	U			0.011	0.105	0.126
FBI 14D	1/21/2015	URANIUM-233/234	14.3	pCi/L				2.54	0.0589	5.14
FBI 14D	1/21/2015	URANIUM-235	0.463	pCi/L	J		21	0.242	0.181	0.665
FBI 14D	1/21/2015	URANIUM-238	13.4	pCi/L				2.33	0.0588	4.72
FBI 14D	1/21/2015	GROSS ALPHA	30.3	pCi/L				7.46	2.66	17.6
FBI 14D	1/21/2015	NONVOLATILE BETA	128	pCi/L				11.3	4.66	27.3
FBI 14D	1/21/2015	STRONTIUM-90	63.8	pCi/L				9.35	3.11	21.8
FBI 14D	1/21/2015	CARBON-14	-0.242	pCi/L	UJ			4.23	7.1	15.6
FBI 14D	1/21/2015	TECHNETIUM-99	29.2	pCi/L	J			3.34	4.35	11
FBI 14D	1/21/2015	TRITIUM	476	pCi/mL				4.06	0.49	8.6
FBI 14D	1/21/2015	CESIUM-137	2.62	pCi/L	U			5.76	10.7	22.2
FBI 14D	1/21/2015	COBALT-60	-1.97	pCi/L	U			5.05	8.98	19.1
FBI 14D	1/21/2015	IODINE-129	31.6	pCi/L				5.21	1.2	11.6
FBI 14D	1/21/2015	RADIUM-226	5.39	pCi/L				0.732	0.39	1.85
FBI 14D	1/21/2015	RADIUM-228	1.5	pCi/L	J		21	0.587	0.827	2
FBI 14D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	4.74	pCi/L				0.8	0.864	2.46
FBI 14D	4/13/2015	NITRATE-NITRITE AS NITROGEN	41.4	mg/L					0.85	2.5
FBI 14D	4/13/2015	CADMIUM	2.5	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBI 14D	4/13/2015	LEAD	5	ug/L	U				0.5	5
FBI 14D	4/13/2015	GROSS ALPHA	21.4	pCi/L				4.62	1.8	11
FBI 14D	4/13/2015	NONVOLATILE BETA	117	pCi/L				7.92	4.14	20
FBI 14D	4/13/2015	TRITIUM	346	pCi/mL				3.52	0.46	7.5
FBI 14D	8/3/2015	NITRATE-NITRITE AS NITROGEN	36.7	mg/L					0.85	2.5
FBI 14D	8/3/2015	ALUMINUM	4850	ug/L					40	400
FBI 14D	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FBI 14D	8/3/2015	ARSENIC	50	ug/L	U				5	50
FBI 14D	8/3/2015	BARIUM	40.8	ug/L					2	20
FBI 14D	8/3/2015	BERYLLIUM	0.689	ug/L	J		21		0.1	1
FBI 14D	8/3/2015	CADMIUM	2.11	ug/L					0.1	1
FBI 14D	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FBI 14D	8/3/2015	COBALT	19.8	ug/L					0.5	5
FBI 14D	8/3/2015	COPPER	9.33	ug/L					0.5	5
FBI 14D	8/3/2015	LEAD	2.9	ug/L	J		21		0.5	5
FBI 14D	8/3/2015	NICKEL	5.98	ug/L					0.5	5
FBI 14D	8/3/2015	SELENIUM	2.42	ug/L	J		21		2	20
FBI 14D	8/3/2015	SILVER	5	ug/L	U				0.5	5
FBI 14D	8/3/2015	THALLIUM	0.114	ug/L	J		21		0.1	1
FBI 14D	8/3/2015	VANADIUM	50	ug/L	U				5	50
FBI 14D	8/3/2015	ZINC	21.5	ug/L	J		21		4	40
FBI 14D	8/3/2015	MERCURY	0.622	ug/L					0.02	0.2
FBI 14D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FBI 14D	8/3/2015	CHLOROFORM	1.13	ug/L					0.3	1
FBI 14D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FBI 14D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FBI 14D	8/3/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBI 14D	8/3/2015	TRICHLOROFLUOROMETHANE	0.33	ug/L	J		21		0.3	1
FBI 14D	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FBI 14D	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FBI 14D	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FBI 14D	8/3/2015	AMERICIUM-241	0.131	pCi/L	J		21, V	0.119	0.071	0.308
FBI 14D	8/3/2015	CURIUM-242	-0.0139	pCi/L	U			0.02	0.155	0.194
FBI 14D	8/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0699	0.0699
FBI 14D	8/3/2015	CURIUM-245/246	0.32	pCi/L	U		21, V	0.191	0.0724	0.454
FBI 14D	8/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0677	0.0677
FBI 14D	8/3/2015	PLUTONIUM-239/240	-0.0187	pCi/L	U			0.022	0.168	0.212
FBI 14D	8/3/2015	THORIUM-228	-0.0056	pCi/L	U			0.051	0.174	0.277
FBI 14D	8/3/2015	THORIUM-230	0.0883	pCi/L	U		21, V	0.089	0.0598	0.238
FBI 14D	8/3/2015	THORIUM-232	0	pCi/L	U			0	0.0597	0.0597
FBI 14D	8/3/2015	URANIUM-233/234	11	pCi/L			V	1.89	0.152	3.93
FBI 14D	8/3/2015	URANIUM-235	0.832	pCi/L				0.331	0.0752	0.738
FBI 14D	8/3/2015	URANIUM-238	10.7	pCi/L			V	1.8	0.0608	3.65
FBI 14D	8/3/2015	GROSS ALPHA	26.7	pCi/L				7.05	2.92	17
FBI 14D	8/3/2015	NONVOLATILE BETA	91.3	pCi/L				10.1	6.55	26.7
FBI 14D	8/3/2015	STRONTIUM-90	53.3	pCi/L				8.08	3.28	19.5
FBI 14D	8/3/2015	CARBON-14	15.6	pCi/L	J		21	4.6	7.11	16.3
FBI 14D	8/3/2015	TECHNETIUM-99	26.3	pCi/L				3.23	4.25	10.7
FBI 14D	8/3/2015	TRITIUM	288	pCi/mL				3.25	0.454	6.95
FBI 14D	8/3/2015	CESIUM-137	3.74	pCi/L	U			5.09	9.74	19.9
FBI 14D	8/3/2015	COBALT-60	1.36	pCi/L	U			4.59	8.97	18.2
FBI 14D	8/3/2015	IODINE-129	23	pCi/L				4.2	1.29	9.69
FBI 14D	8/3/2015	RADIUM-226	3.45	pCi/L				0.583	0.341	1.51
FBI 14D	8/3/2015	RADIUM-228	1.37	pCi/L	J		21, V	0.457	0.6	1.51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBI 14D	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	4.53	pCi/L				1.4	0.74	3.54
FBI 14D	11/10/2015	NITRATE-NITRITE AS NITROGEN	24.7	mg/L					1.7	5
FBI 14D	11/10/2015	CADMIUM	2.12	ug/L					0.1	1
FBI 14D	11/10/2015	LEAD	9.46	ug/L					0.5	5
FBI 14D	11/10/2015	GROSS ALPHA	331	pCi/L				23.6	3.13	50.4
FBI 14D	11/10/2015	NONVOLATILE BETA	375	pCi/L				22.1	18.7	62.9
FBI 14D	11/10/2015	TRITIUM	248	pCi/mL				2.73	0.527	5.99
FBP 2A	5/5/2015	NITRATE-NITRITE AS NITROGEN	8.54	mg/L					0.17	0.5
FBP 2A	5/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 2A	5/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 2A	5/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 2A	5/5/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FBP 2A	5/5/2015	ACETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 2A	5/5/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FBP 2A	5/5/2015	CARBON TETRACHLORIDE	1.11	ug/L					0.3	1
FBP 2A	5/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CHLOROFORM	0.73	ug/L	J	J	21		0.3	1
FBP 2A	5/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CIS-1,2-DICHLOROETHYLENE	0.52	ug/L	J	J	21		0.3	1
FBP 2A	5/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 2A	5/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 2A	5/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 2A	5/5/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FBP 2A	5/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 2A	5/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	TETRACHLOROETHYLENE (PCE)	6.32	ug/L					0.3	1
FBP 2A	5/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	TRICHLOROETHYLENE (TCE)	14.1	ug/L					0.3	1
FBP 2A	5/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 2A	5/5/2015	GROSS ALPHA	2.99	pCi/L	J	J	21, 11	2.34	2.2	6.89
FBP 2A	5/5/2015	NONVOLATILE BETA	19.9	pCi/L				4.82	3.81	13.4
FBP 2A	5/5/2015	TRITIUM	1.88	pCi/mL				0.361	0.438	1.16
FBP 6D	5/5/2015	NITRATE-NITRITE AS NITROGEN	4.04	mg/L					0.085	0.25
FBP 6D	5/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 6D	5/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 6D	5/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 6D	5/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 6D	5/5/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	ACETONE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	CARBON TETRACHLORIDE	1.19	ug/L					0.3	1
FBP 6D	5/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CHLOROFORM	0.49	ug/L	J	J	21		0.3	1
FBP 6D	5/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CIS-1,2-DICHLOROETHYLENE	0.53	ug/L	J	J	21		0.3	1
FBP 6D	5/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 6D	5/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 6D	5/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 6D	5/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FBP 6D	5/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	TETRACHLOROETHYLENE (PCE)	6.48	ug/L					0.3	1
FBP 6D	5/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.3	1
FBP 6D	5/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 6D	5/5/2015	GROSS ALPHA	5.74	pCi/L	J	J	21, 11	3.12	2.14	8.39
FBP 6D	5/5/2015	NONVOLATILE BETA	8.26	pCi/L	J	J	21	3.47	3.86	10.8
FBP 6D	5/5/2015	TRITIUM	1.68	pCi/mL				0.351	0.439	1.14
FBP 10D	5/5/2015	NITRATE-NITRITE AS NITROGEN	14.3	mg/L					0.17	0.5
FBP 10D	5/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 10D	5/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 10D	5/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 10D	5/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 10D	5/5/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	ACETONE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	CARBON TETRACHLORIDE	0.75	ug/L	J	J	21		0.3	1
FBP 10D	5/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CHLOROFORM	0.61	ug/L	J	J	21		0.3	1
FBP 10D	5/5/2015	CHLOROMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
FBP 10D	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 10D	5/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 10D	5/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FBP 10D	5/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	TETRACHLOROETHYLENE (PCE)	0.52	ug/L	J	J	21		0.3	1
FBP 10D	5/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	TRICHLOROETHYLENE (TCE)	11.1	ug/L					0.3	1
FBP 10D	5/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 10D	5/5/2015	GROSS ALPHA	0.134	pCi/L	UJ	UJ	11	0.956	2.34	4.25
FBP 10D	5/5/2015	NONVOLATILE BETA	31.8	pCi/L				5.88	3.76	15.5
FBP 10D	5/5/2015	TRITIUM	2.15	pCi/mL				0.373	0.436	1.18

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 12D	5/5/2015	NITRATE-NITRITE AS NITROGEN	7.3	mg/L					0.085	0.25
FBP 12D	5/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 12D	5/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 12D	5/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 12D	5/5/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FBP 12D	5/5/2015	ACETONE	5	ug/L	U	U			1.5	5
FBP 12D	5/5/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 12D	5/5/2015	CARBON TETRACHLORIDE	0.38	ug/L	J	J	21		0.3	1
FBP 12D	5/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 12D	5/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 12D	5/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 12D	5/5/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FBP 12D	5/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FBP 12D	5/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	TRANS-1,2-	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
FBP 12D	5/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	TRICHLOROETHYLENE (TCE)	2.44	ug/L					0.3	1
FBP 12D	5/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 12D	5/5/2015	GROSS ALPHA	2.51	pCi/L	J	J	21, 11	2.13	2.13	6.4
FBP 12D	5/5/2015	NONVOLATILE BETA	14.4	pCi/L				4.22	3.78	12.2
FBP 12D	5/5/2015	TRITIUM	1.9	pCi/mL				0.361	0.437	1.16
FBP 43C	5/5/2015	NITRATE-NITRITE AS NITROGEN	11.8	mg/L					0.34	1
FBP 43C	5/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 43C	5/5/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 43C	5/5/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 43C	5/5/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FBP 43C	5/5/2015	ACETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 43C	5/5/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FBP 43C	5/5/2015	CARBON TETRACHLORIDE	0.32	ug/L	J	J	21		0.3	1
FBP 43C	5/5/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CHLOROFORM	0.39	ug/L	J	J	21		0.3	1
FBP 43C	5/5/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 43C	5/5/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 43C	5/5/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 43C	5/5/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FBP 43C	5/5/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 43C	5/5/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	TETRACHLOROETHYLENE (PCE)	0.8	ug/L	J	J	21		0.3	1
FBP 43C	5/5/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	TRICHLOROETHYLENE (TCE)	15.4	ug/L					0.3	1
FBP 43C	5/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43C	5/5/2015	GROSS ALPHA	-0.293	pCi/L	UJ	UJ	11	0.413	2.31	3.13
FBP 43C	5/5/2015	NONVOLATILE BETA	33	pCi/L				5.97	3.74	15.7
FBP 43C	5/5/2015	TRITIUM	1.14	pCi/mL				0.322	0.437	1.08
FBP 43DL	5/7/2015	NITRATE-NITRITE AS NITROGEN	34.5	mg/L					0.425	1.25
FBP 43DL	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FBP 43DL	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FBP 43DL	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 43DL	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FBP 43DL	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FBP 43DL	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FBP 43DL	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FBP 43DL	5/7/2015	CARBON TETRACHLORIDE	0.72	ug/L	J	J	21		0.3	1
FBP 43DL	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CHLOROFORM	0.58	ug/L	J	J	21		0.3	1
FBP 43DL	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CIS-1,2-DICHLOROETHYLENE	0.55	ug/L	J	J	21		0.3	1
FBP 43DL	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FBP 43DL	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FBP 43DL	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FBP 43DL	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FBP 43DL	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FBP 43DL	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FBP 43DL	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.3	1
FBP 43DL	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FBP 43DL	5/7/2015	TRICHLOROETHYLENE (TCE)	29.6	ug/L					0.3	1
FBP 43DL	5/7/2015	TRICHLOROFLUOROMETHANE	36.1	ug/L					0.3	1
FBP 43DL	5/7/2015	GROSS ALPHA	1.68	pCi/L	U	U		2.01	2.82	6.84
FBP 43DL	5/7/2015	NONVOLATILE BETA	159	pCi/L				12.6	4.35	29.6
FBP 43DL	5/7/2015	TRITIUM	2.58	pCi/mL				0.403	0.461	1.27
FCB002CRR	6/22/2015	TOTAL SUSPENDED SOLIDS	4	mg/L	U				4	4
FCB002CRR	6/22/2015	NITRATE-NITRITE AS NITROGEN	0.48	mg/L					0.0047	0.05
FCB002CRR	6/22/2015	TOTAL PHOSPHATES (AS P)	81	ug/L					6	50
FCB002CRR	6/22/2015	ARSENIC	10	ug/L	U				1.8	10
FCB002CRR	6/22/2015	BARIUM	18	ug/L	J		21		2.1	50
FCB002CRR	6/22/2015	BERYLLIUM	5	ug/L	U				0.28	5
FCB002CRR	6/22/2015	CADMIUM	5	ug/L	U				0.34	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	6/22/2015	CHROMIUM	10	ug/L	U				3.4	10
FCB002CRR	6/22/2015	LEAD	6.3	ug/L	J		21		0.6	10
FCB002CRR	6/22/2015	SELENIUM	15	ug/L	U				2.1	15
FCB002CRR	6/22/2015	SILVER	1	ug/L	J		21		0.99	10
FCB002CRR	6/22/2015	MERCURY	0.2	ug/L	U				0.06	0.2
FCB002CRR	6/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FCB002CRR	6/22/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
FCB002CRR	6/22/2015	GROSS ALPHA	2.33	pCi/L	U			1.81	2.8	6.42
FCB002CRR	6/22/2015	NONVOLATILE BETA	0.653	pCi/L	U			0.663	1.04	2.366
FCB002CRR	6/22/2015	RADIUM-226	0.0397	pCi/L	U			0.082	0.145	0.3094
FCB002CRR	6/22/2015	RADIUM-228	0.461	pCi/L	J		21	0.2	0.282	0.682
FCB002CRR	6/22/2015	CHLORIDE	4.7	mg/L					0.4	4
FCB002CRR	6/22/2015	SULFATE	20	mg/L					0.05	0.5
FCB002CRR	6/22/2015	TRITIUM	12.1	pCi/mL				0.752	0.39	1.894
FCB002CRR	6/22/2015	ACTINIUM-228	-5.56	pCi/L	U			64.4	40.2	169
FCB002CRR	6/22/2015	ANTIMONY-124	1.86	pCi/L	U			5.39	9.42	20.2
FCB002CRR	6/22/2015	ANTIMONY-125	4.6	pCi/L	U			11.1	28.5	50.7
FCB002CRR	6/22/2015	BARIUM-133	1.2	pCi/L	U			4.33	8.25	16.91
FCB002CRR	6/22/2015	BISMUTH-212	11.1	pCi/L	U			56.4	105	217.8
FCB002CRR	6/22/2015	BISMUTH-214	2.33	pCi/L	U			13.3	25.8	52.4
FCB002CRR	6/22/2015	CALIFORNIUM-249	-1.96	pCi/L	U			6.7	11.8	25.2
FCB002CRR	6/22/2015	CALIFORNIUM-251	15.3	pCi/L	U			21.6	35.9	79.1
FCB002CRR	6/22/2015	CERIUM-141	0.788	pCi/L	U			7.06	12.4	26.52
FCB002CRR	6/22/2015	CERIUM-144	-0.742	pCi/L	U			28.6	50.7	107.9
FCB002CRR	6/22/2015	CESIUM-134	4.15	pCi/L	U			4.57	10.6	19.74
FCB002CRR	6/22/2015	CESIUM-137	1.83	pCi/L	U			6.14	10.9	23.18
FCB002CRR	6/22/2015	COBALT-57	0.255	pCi/L	U			2.83	7.33	12.99

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	6/22/2015	COBALT-58	1.75	pCi/L	U			5.27	9.45	19.99
FCB002CRR	6/22/2015	COBALT-60	-1.68	pCi/L	U			6.08	11.3	23.46
FCB002CRR	6/22/2015	CURIUM-247	-0.182	pCi/L	U			0.817	9.7	11.334
FCB002CRR	6/22/2015	EUROPIUM-152	11.2	pCi/L	U			16.1	24	56.2
FCB002CRR	6/22/2015	EUROPIUM-154	4.83	pCi/L	U			15.3	104	134.6
FCB002CRR	6/22/2015	EUROPIUM-155	7.34	pCi/L	U			14.5	24.6	53.6
FCB002CRR	6/22/2015	LEAD-212	-2.58	pCi/L	U			15	17.7	47.7
FCB002CRR	6/22/2015	LEAD-214	16.3	pCi/L	U			12.7	21.3	46.7
FCB002CRR	6/22/2015	MANGANESE-54	0.378	pCi/L	U			5.46	10.2	21.12
FCB002CRR	6/22/2015	NEPTUNIUM-239	0	pCi/L	U			12.2	30.3	54.7
FCB002CRR	6/22/2015	NIOBIUM-94	-1.63	pCi/L	U			6.07	10.8	22.94
FCB002CRR	6/22/2015	POTASSIUM-40	-74.2	pCi/L	U			2970	197	6137
FCB002CRR	6/22/2015	PROMETHIUM-144	-1.38	pCi/L	U			5.41	9.72	20.54
FCB002CRR	6/22/2015	PROMETHIUM-146	3.88	pCi/L	U			7.04	25.1	39.18
FCB002CRR	6/22/2015	PROTACTINIUM-233	8.7	pCi/L	U			13.3	19.7	46.3
FCB002CRR	6/22/2015	RUTHENIUM-103	-0.626	pCi/L	U			5.06	9.18	19.3
FCB002CRR	6/22/2015	RUTHENIUM-106	12.2	pCi/L	U			49.8	89.4	189
FCB002CRR	6/22/2015	SODIUM-22	2.02	pCi/L	U			6.34	11.6	24.28
FCB002CRR	6/22/2015	THALLIUM-208	5.87	pCi/L	U			5.9	11.5	23.3
FCB002CRR	6/22/2015	TIN-113	-0.796	pCi/L	U			6.89	12.4	26.18
FCB002CRR	6/22/2015	TIN-126	-39.4	pCi/L	U			53	87.6	193.6
FCB002CRR	6/22/2015	YTTRIUM-88	1.07	pCi/L	U			5.22	9.74	20.18
FCB002CRR	6/22/2015	ZINC-65	-6.57	pCi/L	U			16.4	28.7	61.5
FCB002CRR	6/22/2015	ZIRCONIUM-95	-3.87	pCi/L	U			9.8	17.3	36.9
FCB002CRR	6/22/2015	STRONTIUM-90	0.147	pCi/L	U			0.144	0.233	0.521
FCB002CRR	6/22/2015	IODINE-129	-0.231	pCi/L	U			0.351	0.614	1.316
FCB002CRR	6/22/2015	TECHNETIUM-99	-1.16	pCi/L	U			1.3	2.28	4.88

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	7/15/2015	ETHANE	0.7	ug/L					0.002	0.1
FCB002CRR	7/15/2015	ETHYLENE	0.73	ug/L					0.003	0.1
FCB002CRR	7/15/2015	ANTIMONY	10	ug/L	U				1	10
FCB002CRR	7/15/2015	ARSENIC	50	ug/L	U				5	50
FCB002CRR	7/15/2015	BARIUM	13.5	ug/L	J		21		2	20
FCB002CRR	7/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
FCB002CRR	7/15/2015	CHROMIUM	100	ug/L	U				10	100
FCB002CRR	7/15/2015	COBALT	5	ug/L	U				0.5	5
FCB002CRR	7/15/2015	COPPER	1.7	ug/L	J		21		0.5	5
FCB002CRR	7/15/2015	LEAD	5	ug/L	U				0.5	5
FCB002CRR	7/15/2015	NICKEL	1.21	ug/L	J		21		0.5	5
FCB002CRR	7/15/2015	SELENIUM	20	ug/L	U				2	20
FCB002CRR	7/15/2015	SILVER	5	ug/L	U				0.5	5
FCB002CRR	7/15/2015	THALLIUM	0.144	ug/L	J		21		0.1	1
FCB002CRR	7/15/2015	TIN	10	ug/L	U				1	10
FCB002CRR	7/15/2015	VANADIUM	50	ug/L	U				5	50
FCB002CRR	7/15/2015	ZINC	40	ug/L	U		V		4	40
FCB002CRR	7/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FCB002CRR	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FCB002CRR	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FCB002CRR	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.29	ug/L	J		21		0.1	1
FCB002CRR	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FCB002CRR	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FCB002CRR	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FCB002CRR	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FCB002CRR	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FCB002CRR	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FCB002CRR	7/15/2015	1,2-DICHLOROETHYLENE	1.6	ug/L	J		21		0.15	2
FCB002CRR	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FCB002CRR	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FCB002CRR	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FCB002CRR	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FCB002CRR	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
FCB002CRR	7/15/2015	ACETONE	2	ug/L	U				0.34	2
FCB002CRR	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FCB002CRR	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
FCB002CRR	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FCB002CRR	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FCB002CRR	7/15/2015	BENZENE	1	ug/L	U				0.06	1
FCB002CRR	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FCB002CRR	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FCB002CRR	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FCB002CRR	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FCB002CRR	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FCB002CRR	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FCB002CRR	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FCB002CRR	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FCB002CRR	7/15/2015	CHLOROFORM	1.4	ug/L					0.1	1
FCB002CRR	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FCB002CRR	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FCB002CRR	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1.6	ug/L					0.09	1
FCB002CRR	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FCB002CRR	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FCB002CRR	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FCB002CRR	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FCB002CRR	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FCB002CRR	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FCB002CRR	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FCB002CRR	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FCB002CRR	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FCB002CRR	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FCB002CRR	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FCB002CRR	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FCB002CRR	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FCB002CRR	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FCB002CRR	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FCB002CRR	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FCB002CRR	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
FCB002CRR	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FCB002CRR	7/15/2015	STYRENE	1	ug/L	U				0.07	1
FCB002CRR	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FCB002CRR	7/15/2015	TOLUENE	0.26	ug/L	J		21		0.07	1
FCB002CRR	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FCB002CRR	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FCB002CRR	7/15/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
FCB002CRR	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FCB002CRR	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FCB002CRR	7/15/2015	XYLENES	3	ug/L	U				0.2	3
FCB002CRR	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FCB002CRR	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0166	pCi/L	U			0.056	0.101	0.2128
FCB002CRR	7/15/2015	RADIUM-226	0.0405	pCi/L	U			0.049	0.081	0.1788
FCB002CRR	7/15/2015	URANIUM-233/234	0.17	pCi/L	U		V	0.123	0.0576	0.303
FCB002CRR	7/15/2015	URANIUM-235	0.0197	pCi/L	U		V	0.054	0.132	0.24
FCB002CRR	7/15/2015	URANIUM-238	0.143	pCi/L	J		21	0.114	0.107	0.336
FCB002CRR	7/15/2015	GROSS ALPHA	1.02	pCi/L	U			1.63	2.45	5.72
FCB002CRR	7/15/2015	NONVOLATILE BETA	3.43	pCi/L	U			2.76	3.83	9.35
FCB002CRR	7/15/2015	STRONTIUM-90	-0.306	pCi/L	U			1.52	3.26	6.31

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002CRR	7/15/2015	CARBON-14	-0.746	pCi/L	UJ			4.3	7.24	15.8
FCB002CRR	7/15/2015	TECHNETIUM-99	-0.0469	pCi/L	U			2.56	4.32	9.44
FCB002CRR	7/15/2015	TRITIUM	6.69	pCi/mL				0.566	0.52	1.65
FCB002CRR	7/15/2015	IODINE-129	0.348	pCi/L	U			0.624	0.929	2.18
FCB002DR	7/17/2015	ETHANE	0.0031	ug/L	J		21		0.002	0.1
FCB002DR	7/17/2015	ETHYLENE	0.0084	ug/L	J		21		0.003	0.1
FCB002DR	7/17/2015	ANTIMONY	10	ug/L	U				1	10
FCB002DR	7/17/2015	ARSENIC	50	ug/L	U				5	50
FCB002DR	7/17/2015	BARIUM	4.56	ug/L	J		21		2	20
FCB002DR	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
FCB002DR	7/17/2015	CHROMIUM	100	ug/L	U				10	100
FCB002DR	7/17/2015	COBALT	5	ug/L	U				0.5	5
FCB002DR	7/17/2015	COPPER	11.2	ug/L					0.5	5
FCB002DR	7/17/2015	LEAD	5	ug/L	U				0.5	5
FCB002DR	7/17/2015	NICKEL	1.18	ug/L	J		21		0.5	5
FCB002DR	7/17/2015	SELENIUM	20	ug/L	U				2	20
FCB002DR	7/17/2015	SILVER	5	ug/L	U				0.5	5
FCB002DR	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
FCB002DR	7/17/2015	TIN	10	ug/L	U				1	10
FCB002DR	7/17/2015	VANADIUM	50	ug/L	U				5	50
FCB002DR	7/17/2015	ZINC	40	ug/L	U				4	40
FCB002DR	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FCB002DR	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FCB002DR	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	1.23	pCi/L				0.161	0.098	0.4202
FCB002DR	7/17/2015	RADIUM-226	1.18	pCi/L				0.136	0.072	0.3444
FCB002DR	7/17/2015	URANIUM-233/234	0.047	pCi/L	U			0.067	0.0637	0.197
FCB002DR	7/17/2015	URANIUM-235	0.0508	pCi/L	U		V	0.084	0.146	0.313

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002DR	7/17/2015	URANIUM-238	-0.00587	pCi/L	U		V	0.012	0.118	0.142
FCB002DR	7/17/2015	GROSS ALPHA	1.97	pCi/L	U			1.94	2.28	6.16
FCB002DR	7/17/2015	NONVOLATILE BETA	-1.17	pCi/L	U			2.14	4.39	8.67
FCB002DR	7/17/2015	STRONTIUM-90	-0.262	pCi/L	U			1.82	3.12	6.77
FCB002DR	7/17/2015	CARBON-14	25	pCi/L	J			4.75	7.02	16.5
FCB002DR	7/17/2015	TECHNETIUM-99	-0.207	pCi/L	U			2.57	4.34	9.49
FCB002DR	7/17/2015	TRITIUM	2.56	pCi/mL				0.403	0.457	1.26
FCB002DR	7/17/2015	IODINE-129	0.239	pCi/L	U			0.578	0.994	2.15
FCB002DR	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FCB002DR	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FCB002DR	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FCB002DR	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FCB002DR	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FCB002DR	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FCB002DR	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FCB002DR	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
FCB002DR	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002DR	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FCB002DR	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FCB002DR	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FCB002DR	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
FCB002DR	7/24/2015	ACETONE	2	ug/L	U				0.34	2
FCB002DR	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FCB002DR	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
FCB002DR	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FCB002DR	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FCB002DR	7/24/2015	BENZENE	1	ug/L	U				0.06	1
FCB002DR	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FCB002DR	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FCB002DR	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FCB002DR	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FCB002DR	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FCB002DR	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FCB002DR	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FCB002DR	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FCB002DR	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FCB002DR	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FCB002DR	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FCB002DR	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002DR	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FCB002DR	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FCB002DR	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FCB002DR	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FCB002DR	7/24/2015	ETHYL ACETATE	1.3	ug/L	J		21, V		0.18	2
FCB002DR	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FCB002DR	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FCB002DR	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FCB002DR	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FCB002DR	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FCB002DR	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FCB002DR	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FCB002DR	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FCB002DR	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FCB002DR	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FCB002DR	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FCB002DR	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FCB002DR	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
FCB002DR	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FCB002DR	7/24/2015	STYRENE	1	ug/L	U				0.07	1
FCB002DR	7/24/2015	TETRACHLOROETHYLENE (PCE)	0.61	ug/L	J		21		0.18	1
FCB002DR	7/24/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FCB002DR	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FCB002DR	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FCB002DR	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FCB002DR	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FCB002DR	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FCB002DR	7/24/2015	XYLENES	3	ug/L	U				0.2	3
FEX 4	1/22/2015	NITRATE-NITRITE AS NITROGEN	9.62	mg/L					0.17	0.5
FEX 4	1/22/2015	ALUMINUM	974	ug/L					40	400
FEX 4	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FEX 4	1/22/2015	ARSENIC	50	ug/L	U				5	50
FEX 4	1/22/2015	BARIUM	36.5	ug/L					2	20
FEX 4	1/22/2015	BERYLLIUM	0.118	ug/L	J				0.1	1
FEX 4	1/22/2015	CADMIUM	0.303	ug/L	J				0.1	1
FEX 4	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FEX 4	1/22/2015	COBALT	10.8	ug/L					0.5	5
FEX 4	1/22/2015	COPPER	3.86	ug/L	J				0.5	5
FEX 4	1/22/2015	LEAD	5	ug/L	U				0.5	5
FEX 4	1/22/2015	NICKEL	2.25	ug/L	J				0.5	5
FEX 4	1/22/2015	SELENIUM	20	ug/L	U				2	20
FEX 4	1/22/2015	SILVER	5	ug/L	U				0.5	5
FEX 4	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FEX 4	1/22/2015	TIN	10	ug/L	U				1	10
FEX 4	1/22/2015	VANADIUM	44.7	ug/L	U				5	50
FEX 4	1/22/2015	ZINC	4.2	ug/L	J				4	40
FEX 4	1/22/2015	MERCURY	0.277	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FEX 4	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FEX 4	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FEX 4	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FEX 4	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FEX 4	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FEX 4	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FEX 4	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FEX 4	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FEX 4	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FEX 4	1/22/2015	AMERICIUM-241	1.58	pCi/L				0.459	0.0637	0.981
FEX 4	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0628	0.0628
FEX 4	1/22/2015	CURIUM-243/244	1.37	pCi/L				0.416	0.0628	0.896
FEX 4	1/22/2015	CURIUM-245/246	0.216	pCi/L	U			0.148	0.065	0.361
FEX 4	1/22/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0645	0.0645
FEX 4	1/22/2015	PLUTONIUM-239/240	-0.00595	pCi/L	U			0.012	0.12	0.144
FEX 4	1/22/2015	THORIUM-228	0	pCi/L	U			0	0.161	0.161
FEX 4	1/22/2015	THORIUM-230	0.0219	pCi/L	U			0.044	0.0593	0.147
FEX 4	1/22/2015	THORIUM-232	0.0164	pCi/L	U			0.045	0.11	0.2
FEX 4	1/22/2015	URANIUM-233/234	25.4	pCi/L				4.37	0.166	8.91
FEX 4	1/22/2015	URANIUM-235	1.4	pCi/L				0.476	0.0822	1.03
FEX 4	1/22/2015	URANIUM-238	43.8	pCi/L				7.12	0.0665	14.3
FEX 4	1/22/2015	GROSS ALPHA	60.4	pCi/L				9.82	2.28	21.9
FEX 4	1/22/2015	NONVOLATILE BETA	30.8	pCi/L				6.08	5.17	17.3
FEX 4	1/22/2015	STRONTIUM-90	7.6	pCi/L	J		21	3	3.24	9.24
FEX 4	1/22/2015	CARBON-14	20.5	pCi/L				4.87	7.4	17.1
FEX 4	1/22/2015	TECHNETIUM-99	11.4	pCi/L				2.71	3.99	9.41

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FEX 4	1/22/2015	TRITIUM	93.4	pCi/mL				1.69	0.532	3.91
FEX 4	1/22/2015	CESIUM-137	-1.63	pCi/L	U			5.62	9.76	21
FEX 4	1/22/2015	COBALT-60	-4.32	pCi/L	U			5.74	9.37	20.8
FEX 4	1/22/2015	IODINE-129	17.4	pCi/L				3.02	1.21	7.25
FEX 4	1/22/2015	RADIUM-226	2.06	pCi/L				0.663	0.678	2
FEX 4	1/22/2015	RADIUM-228	1.04	pCi/L	U		21, V	0.418	0.585	1.42
FEX 4	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	2.7	pCi/L	J		21	1.39	1.6	4.38
FEX 4	4/13/2015	NITRATE-NITRITE AS NITROGEN	4.78	mg/L					0.17	0.5
FEX 4	4/13/2015	CADMIUM	0.185	ug/L	J		21		0.1	1
FEX 4	4/13/2015	LEAD	1.11	ug/L	J		21		0.5	5
FEX 4	4/13/2015	GROSS ALPHA	36.1	pCi/L				7.66	2.16	17.5
FEX 4	4/13/2015	NONVOLATILE BETA	18.4	pCi/L				4.85	4.5	14.2
FEX 4	4/13/2015	TRITIUM	42.4	pCi/mL				1.26	0.46	2.97
FEX 4	8/3/2015	NITRATE-NITRITE AS NITROGEN	5.7	mg/L					0.085	0.25
FEX 4	8/3/2015	ALUMINUM	430	ug/L					40	400
FEX 4	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FEX 4	8/3/2015	ARSENIC	50	ug/L	U				5	50
FEX 4	8/3/2015	BARIUM	14.7	ug/L	J		21		2	20
FEX 4	8/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
FEX 4	8/3/2015	CADMIUM	0.158	ug/L	J		21		0.1	1
FEX 4	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FEX 4	8/3/2015	COBALT	3.89	ug/L	J		21		0.5	5
FEX 4	8/3/2015	COPPER	2.12	ug/L	J		21		0.5	5
FEX 4	8/3/2015	LEAD	5	ug/L	U				0.5	5
FEX 4	8/3/2015	NICKEL	0.755	ug/L	J		21		0.5	5
FEX 4	8/3/2015	SELENIUM	20	ug/L	U				2	20
FEX 4	8/3/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FEX 4	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FEX 4	8/3/2015	VANADIUM	50	ug/L	U				5	50
FEX 4	8/3/2015	ZINC	40	ug/L	U				4	40
FEX 4	8/3/2015	MERCURY	0.0805	ug/L	J		21		0.02	0.2
FEX 4	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FEX 4	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FEX 4	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FEX 4	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FEX 4	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FEX 4	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FEX 4	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FEX 4	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FEX 4	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FEX 4	8/3/2015	AMERICIUM-241	0.839	pCi/L			V	0.307	0.118	0.732
FEX 4	8/3/2015	CURIUM-242	0.0186	pCi/L	U			0.051	0.116	0.219
FEX 4	8/3/2015	CURIUM-243/244	0.805	pCi/L				0.298	0.116	0.711
FEX 4	8/3/2015	CURIUM-245/246	0.281	pCi/L	U		21, V	0.171	0.121	0.463
FEX 4	8/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.078	0.078
FEX 4	8/3/2015	PLUTONIUM-239/240	0.0216	pCi/L	U			0.059	0.145	0.264
FEX 4	8/3/2015	THORIUM-228	0.0197	pCi/L	U			0.039	0.0524	0.131
FEX 4	8/3/2015	THORIUM-230	0.169	pCi/L	U		21, V	0.119	0.0974	0.336
FEX 4	8/3/2015	THORIUM-232	0	pCi/L	U			0	0.0524	0.0524
FEX 4	8/3/2015	URANIUM-233/234	13.6	pCi/L			V	2.25	0.0587	4.56
FEX 4	8/3/2015	URANIUM-235	1.15	pCi/L				0.395	0.0725	0.862
FEX 4	8/3/2015	URANIUM-238	23.5	pCi/L			V	3.57	0.0586	7.2
FEX 4	8/3/2015	GROSS ALPHA	44.6	pCi/L				8.49	2.38	19.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FEX 4	8/3/2015	NONVOLATILE BETA	16.2	pCi/L	J		21	6.07	8.15	20.3
FEX 4	8/3/2015	STRONTIUM-90	5.52	pCi/L	J		21	3.02	3.26	9.3
FEX 4	8/3/2015	CARBON-14	1.9	pCi/L	U			4.27	7.08	15.6
FEX 4	8/3/2015	TECHNETIUM-99	4.62	pCi/L	J		21	2.64	4.22	9.5
FEX 4	8/3/2015	TRITIUM	48	pCi/mL				1.38	0.438	3.19
FEX 4	8/3/2015	CESIUM-137	2.66	pCi/L	U			5.17	9.69	20
FEX 4	8/3/2015	COBALT-60	-0.675	pCi/L	U			4.81	8.85	18.5
FEX 4	8/3/2015	IODINE-129	11	pCi/L				2.29	1.31	5.89
FEX 4	8/3/2015	RADIUM-226	0.826	pCi/L	J		21	0.318	0.361	0.997
FEX 4	8/3/2015	RADIUM-228	1.41	pCi/L	J		21, V	0.538	0.777	1.85
FEX 4	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.11	pCi/L	U			0.965	1.46	3.39
FEX 4	11/13/2015	NITRATE-NITRITE AS NITROGEN	9.1	mg/L					0.425	1.25
FEX 4	11/13/2015	CADMIUM	0.26	ug/L	J		21		0.1	1
FEX 4	11/13/2015	LEAD	0.842	ug/L	J		21		0.5	5
FEX 4	11/13/2015	GROSS ALPHA	45.7	pCi/L				6.02	1.41	13.5
FEX 4	11/13/2015	NONVOLATILE BETA	33.9	pCi/L				4.5	3.33	12.3
FEX 4	11/13/2015	TRITIUM	76.2	pCi/mL				1.64	0.452	3.72
FGW003 C	5/11/2015	NITRATE-NITRITE AS NITROGEN	8.12	mg/L					0.17	0.5
FGW003 C	5/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FGW003 C	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW003 C	5/11/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FGW003 C	5/11/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FGW003 C	5/11/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	ACETONE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	BENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CHLOROFORM	0.66	ug/L	J	J	21		0.3	1
FGW003 C	5/11/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW003 C	5/11/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FGW003 C	5/11/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FGW003 C	5/11/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FGW003 C	5/11/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	STYRENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	TOLUENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW003 C	5/11/2015	TRICHLOROETHYLENE (TCE)	13.6	ug/L					0.3	1
FGW003 C	5/11/2015	TRICHLOROFLUOROMETHANE	0.96	ug/L	J	J	21		0.3	1
FGW003 C	5/11/2015	GROSS ALPHA	0.939	pCi/L	U	U		1.43	2.12	4.99
FGW003 C	5/11/2015	NONVOLATILE BETA	1.56	pCi/L	U	U		2.32	3.75	8.38
FGW003 C	5/11/2015	TRITIUM	27	pCi/mL				1.01	0.41	2.43
FGW005 C	5/7/2015	NITRATE-NITRITE AS NITROGEN	56.5	mg/L					0.85	2.5
FGW005 C	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW005 C	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FGW005 C	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FGW005 C	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FGW005 C	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FGW005 C	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FGW005 C	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FGW005 C	5/7/2015	CARBON TETRACHLORIDE	0.72	ug/L	J	J	21		0.3	1
FGW005 C	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW005 C	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CHLOROFORM	0.47	ug/L	J	J	21		0.3	1
FGW005 C	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.82	ug/L	J	J	21		1	5
FGW005 C	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FGW005 C	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FGW005 C	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FGW005 C	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FGW005 C	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J	J	21		0.3	1
FGW005 C	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW005 C	5/7/2015	TRICHLOROETHYLENE (TCE)	22.4	ug/L					0.3	1
FGW005 C	5/7/2015	TRICHLOROFLUOROMETHANE	17.7	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW005 C	5/7/2015	AMERICIUM-241	0.0188	pCi/L	J	U	21, V	0.027	0.0391	0.0925
FGW005 C	5/7/2015	CURIUM-242	0.0835	pCi/L	J	J	21, V	0.06	0.0486	0.169
FGW005 C	5/7/2015	CURIUM-243/244	0.0309	pCi/L	U	U		0.039	0.0419	0.12
FGW005 C	5/7/2015	CURIUM-245/246	0.0764	pCi/L	J	U	21, V	0.056	0.0392	0.151
FGW005 C	5/7/2015	NEPTUNIUM-237	0.818	pCi/L				0.222	0.0672	0.511
FGW005 C	5/7/2015	PLUTONIUM-238	0.0214	pCi/L	U	U		0.034	0.0418	0.11
FGW005 C	5/7/2015	PLUTONIUM-239/240	0.0122	pCi/L	U	U	V	0.029	0.0548	0.112
FGW005 C	5/7/2015	THORIUM-228	0.19	pCi/L	U	U	21, V	0.153	0.172	0.477
FGW005 C	5/7/2015	THORIUM-230	0.204	pCi/L	U	U	21, V	0.148	0.0691	0.365
FGW005 C	5/7/2015	THORIUM-232	0	pCi/L	U	U		0	0.069	0.069
FGW005 C	5/7/2015	URANIUM-233/234	484	pCi/L		R	V, 14	107	0.518	214
FGW005 C	5/7/2015	URANIUM-233/234	394	pCi/L			V	52.4	0.692	106
FGW005 C	5/7/2015	URANIUM-235	68.3	pCi/L		R	V, 14	16.5	0.5	33.4
FGW005 C	5/7/2015	URANIUM-235	50.5	pCi/L				8.61	0.286	17.5
FGW005 C	5/7/2015	URANIUM-238	1500	pCi/L		R	14, V	324	0.54	649
FGW005 C	5/7/2015	GROSS ALPHA	1460	pCi/L				51.3	3.88	106
FGW005 C	5/7/2015	NONVOLATILE BETA	780	pCi/L				35.4	37	108
FGW005 C	5/7/2015	STRONTIUM-90	369	pCi/L				38.7	2.52	80
FGW005 C	5/7/2015	CARBON-14	9.98	pCi/L	J	J	21, Q	4.63	7.37	16.6
FGW005 C	5/7/2015	TECHNETIUM-99	223	pCi/L		J	18	6.32	4.03	16.7
FGW005 C	5/7/2015	TRITIUM	6.92	pCi/mL				0.561	0.459	1.58
FGW005 C	5/7/2015	ACTINIUM-228	19.8	pCi/L	U	U		24.5	40	89.1
FGW005 C	5/7/2015	ANTIMONY-125	1.74	pCi/L	U	U		15	25.8	55.7
FGW005 C	5/7/2015	BARIUM-133	-0.894	pCi/L	U	U		7.14	10.6	24.9
FGW005 C	5/7/2015	BISMUTH-214	59.6	pCi/L		J	V	20.7	16	57.5
FGW005 C	5/7/2015	CESIUM-134	-5.75	pCi/L	U	U		5.38	7.17	17.9
FGW005 C	5/7/2015	CESIUM-137	-2.58	pCi/L	U	U		4.93	8.42	18.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW005 C	5/7/2015	COBALT-60	-1.07	pCi/L	U	U		3.82	7.03	14.7
FGW005 C	5/7/2015	EUROPIUM-152	19.8	pCi/L	U	U		64.6	99.6	229
FGW005 C	5/7/2015	EUROPIUM-154	-5.87	pCi/L	U	U		10.5	18	39
FGW005 C	5/7/2015	EUROPIUM-155	-5.45	pCi/L	U	U		16.7	27.1	60.6
FGW005 C	5/7/2015	IODINE-129	5.3	pCi/L	J	J	V	1.71	1.05	4.46
FGW005 C	5/7/2015	LEAD-212	-1.54	pCi/L	U	U		11.9	18.6	42.5
FGW005 C	5/7/2015	LEAD-214	54.8	pCi/L	J	J	21	19.4	20.2	59
FGW005 C	5/7/2015	POTASSIUM-40	-60.2	pCi/L	U	U		82.1	178	342
FGW005 C	5/7/2015	PROMETHIUM-146	0.573	pCi/L	U	U		6.69	11.5	24.9
FGW005 C	5/7/2015	SODIUM-22	-3.3	pCi/L	U	U		4.66	7.84	17.2
FGW005 C	5/7/2015	THALLIUM-208	0.833	pCi/L	U	U		6.17	11.2	23.6
FGW005 C	5/7/2015	RADIUM-226	17.9	pCi/L				1.33	0.406	3.07
FGW005 C	5/7/2015	RADIUM-228	13.7	pCi/L				1.16	0.554	2.87
FGW012 C	5/7/2015	NITRATE-NITRITE AS NITROGEN	8.28	mg/L					0.17	0.5
FGW012 C	5/7/2015	URANIUM-233/234	0.068	pCi/L	U	U	21, V	0.05	0.039	0.14
FGW012 C	5/7/2015	URANIUM-235	0.0105	pCi/L	U	U	V	0.021	0.0483	0.0905
FGW012 C	5/7/2015	URANIUM-238	0.0596	pCi/L	J	J	21, V	0.046	0.036	0.128
FGW012 C	5/7/2015	GROSS ALPHA	3.12	pCi/L	J	J	21	2.53	3	8.06
FGW012 C	5/7/2015	NONVOLATILE BETA	389	pCi/L				20.1	4.52	44.8
FGW012 C	5/7/2015	STRONTIUM-90	2.57	pCi/L	U	U		2.37	2.97	7.7
FGW012 C	5/7/2015	TECHNETIUM-99	639	pCi/L				10.3	4.42	25
FGW012 C	5/7/2015	TRITIUM	43.1	pCi/mL				1.26	0.459	2.99
FGW012 C	5/7/2015	IODINE-129	0.964	pCi/L	UJ	U	V	0.636	1.08	2.36
FGW012 C	5/7/2015	RADIUM-226	1.61	pCi/L				0.488	0.481	1.46
FGW012 C	5/7/2015	RADIUM-228	0.469	pCi/L	U	U	21, V	0.293	0.427	1.01
FGW012 D	5/11/2015	NITRATE-NITRITE AS NITROGEN	3.04	mg/L					0.085	0.25
FGW012 D	5/11/2015	URANIUM-233/234	0.129	pCi/L	U	U	21, V	0.082	0.0549	0.219

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW012 D	5/11/2015	URANIUM-235	0.0377	pCi/L	J	U	21, V	0.044	0.073	0.161
FGW012 D	5/11/2015	URANIUM-238	0.0237	pCi/L	U	U	V	0.038	0.0467	0.123
FGW012 D	5/11/2015	GROSS ALPHA	3.69	pCi/L	J	J	21	2.53	2.11	7.17
FGW012 D	5/11/2015	NONVOLATILE BETA	5.01	pCi/L	J	J	21	2.97	3.81	9.75
FGW012 D	5/11/2015	STRONTIUM-90	6.35	pCi/L	J	J	21	3.49	2.95	9.92
FGW012 D	5/11/2015	TECHNETIUM-99	5.61	pCi/L	J	J	21, 18	2.56	4.03	9.15
FGW012 D	5/11/2015	TRITIUM	2.67	pCi/mL				0.385	0.405	1.18
FGW012 D	5/11/2015	IODINE-129	0.0132	pCi/L	UJ	U	V	0.654	0.969	2.28
FGW012 D	5/11/2015	RADIUM-226	3.12	pCi/L				0.623	0.458	1.7
FGW012 D	5/11/2015	RADIUM-228	0.839	pCi/L	U	U	21, V	0.374	0.51	1.26
FGW019C	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.0593	mg/L					0.017	0.05
FGW019C	5/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FGW019C	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FGW019C	5/11/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW019C	5/11/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FGW019C	5/11/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	ACETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	BENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROFORM	0.38	ug/L	J	J	21		0.3	1
FGW019C	5/11/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FGW019C	5/11/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW019C	5/11/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	STYRENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TOLUENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	GROSS ALPHA	2.07	pCi/L	J	J	21	1.94	2.06	5.94
FGW019C	5/11/2015	NONVOLATILE BETA	-0.41	pCi/L	U	U		1.88	3.77	7.52
FGW019C	5/11/2015	TRITIUM	1.97	pCi/mL				0.353	0.407	1.11
FGW019C	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.0588	mg/L					0.017	0.05
FGW019C	5/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FGW019C	5/11/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.5	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
FGW019C	5/11/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FGW019C	5/11/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	ACETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	BENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CHLOROFORM	0.45	ug/L	J	J	21		0.3	1
FGW019C	5/11/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW019C	5/11/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FGW019C	5/11/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FGW019C	5/11/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FGW019C	5/11/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	STYRENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TOLUENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW019C	5/11/2015	GROSS ALPHA	0.526	pCi/L	U	U		1.16	2.07	4.39
FGW019C	5/11/2015	NONVOLATILE BETA	3.49	pCi/L	U	U		2.69	3.73	9.11
FGW019C	5/11/2015	TRITIUM	1	pCi/mL	J	J	21	0.3	0.407	1.01
FGW022C	5/7/2015	NITRATE-NITRITE AS NITROGEN	45	mg/L					0.85	2.5
FGW022C	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,1,2-TRICHLORO-1,2,2-	5	ug/L	U	U			2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TRIFLUOROETHANE								
FGW022C	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FGW022C	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FGW022C	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FGW022C	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FGW022C	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FGW022C	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW022C	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CHLOROFORM	0.42	ug/L	J	J	21		0.3	1
FGW022C	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.55	ug/L	J	J	21		1	5
FGW022C	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FGW022C	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FGW022C	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FGW022C	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FGW022C	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	TETRACHLOROETHYLENE (PCE)	0.37	ug/L	J	J	21		0.3	1
FGW022C	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FGW022C	5/7/2015	TRICHLOROETHYLENE (TCE)	13.5	ug/L					0.3	1
FGW022C	5/7/2015	TRICHLOROFLUOROMETHANE	12.2	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FGW022C	5/7/2015	GROSS ALPHA	446	pCi/L				27.8	2.82	58.4
FGW022C	5/7/2015	NONVOLATILE BETA	207	pCi/L				18.9	21.1	58.8
FGW022C	5/7/2015	TRITIUM	6.44	pCi/mL				0.547	0.461	1.56
FGW023	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.835	mg/L					0.085	0.25
FGW023	5/12/2015	URANIUM-233/234	0.0315	pCi/L	U	U	V	0.043	0.0523	0.139
FGW023	5/12/2015	URANIUM-235	0.0107	pCi/L	U	U	V	0.022	0.0516	0.0945
FGW023	5/12/2015	URANIUM-238	0.0519	pCi/L	U	U	21, V	0.043	0.0511	0.137
FGW023	5/12/2015	GROSS ALPHA	0.133	pCi/L	U	U		0.878	2.13	3.88
FGW023	5/12/2015	NONVOLATILE BETA	15.2	pCi/L				4.3	3.73	12.3
FGW023	5/12/2015	STRONTIUM-90	3.28	pCi/L	U	U		3.36	2.94	9.67
FGW023	5/12/2015	TECHNETIUM-99	49.8	pCi/L		J	18	3.65	4.03	11.3
FGW023	5/12/2015	TRITIUM	4.02	pCi/mL				0.445	0.409	1.3
FGW023	5/12/2015	IODINE-129	0.129	pCi/L	U	U		0.711	1.02	2.44
FGW023	5/12/2015	RADIUM-226	1.02	pCi/L				0.341	0.257	0.939
FGW023	5/12/2015	RADIUM-228	0.179	pCi/L	U	U		0.276	0.48	1.03
FGW023	12/10/2015	NITRATE-NITRITE AS NITROGEN	0.598	mg/L					0.017	0.05
FGW023	12/10/2015	URANIUM-233/234	0.0214	pCi/L	U	U	V	0.043	0.0581	0.144
FGW023	12/10/2015	URANIUM-235	0.0264	pCi/L	U	U		0.053	0.0716	0.178
FGW023	12/10/2015	URANIUM-238	0.0374	pCi/L	U	U	V	0.062	0.108	0.231
FGW023	12/10/2015	GROSS ALPHA	0.78	pCi/L	U	U		1.39	2.26	5.03
FGW023	12/10/2015	NONVOLATILE BETA	8.56	pCi/L	J	J	21	3.59	3.94	11.1
FGW023	12/10/2015	STRONTIUM-90	0.364	pCi/L	U	U		1.3	3.12	5.72
FGW023	12/10/2015	TECHNETIUM-99	32.2	pCi/L				3.35	4.22	10.9
FGW023	12/10/2015	TRITIUM	3.22	pCi/mL				0.425	0.447	1.3
FGW023	12/10/2015	IODINE-129	0.952	pCi/L	J	U	21, V	0.933	0.868	2.73
FGW023	12/10/2015	RADIUM-226	0.669	pCi/L	J	J	21	0.415	0.567	1.4
FGW023	12/10/2015	RADIUM-228	0.718	pCi/L	J	J	21	0.344	0.483	1.17

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4A	3/2/2015	TRITIUM	348	pCi/mL				3.54	0.47	7.54
FHB 4A	5/28/2015	TRITIUM	150	pCi/mL				2.3	0.516	5.11
FHB 4A	9/2/2015	ETHANE	0.0049	ug/L	J		21		0.002	0.1
FHB 4A	9/2/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
FHB 4A	9/2/2015	ANTIMONY	10	ug/L	U				1	10
FHB 4A	9/2/2015	ARSENIC	50	ug/L	U				5	50
FHB 4A	9/2/2015	BARIUM	24.2	ug/L					2	20
FHB 4A	9/2/2015	BERYLLIUM	0.111	ug/L	J		21		0.1	1
FHB 4A	9/2/2015	CHROMIUM	100	ug/L	U				10	100
FHB 4A	9/2/2015	COBALT	0.507	ug/L	J		21		0.5	5
FHB 4A	9/2/2015	COPPER	0.949	ug/L	J		21		0.5	5
FHB 4A	9/2/2015	LEAD	5	ug/L	U				0.5	5
FHB 4A	9/2/2015	NICKEL	5	ug/L	U				0.5	5
FHB 4A	9/2/2015	SELENIUM	20	ug/L	U				2	20
FHB 4A	9/2/2015	SILVER	5	ug/L	U				0.5	5
FHB 4A	9/2/2015	THALLIUM	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	TIN	10	ug/L	U				1	10
FHB 4A	9/2/2015	VANADIUM	50	ug/L	U				5	50
FHB 4A	9/2/2015	ZINC	7.37	ug/L	J		21		4	40
FHB 4A	9/2/2015	MERCURY	0.0663	ug/L	J		21		0.02	0.2
FHB 4A	9/2/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FHB 4A	9/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FHB 4A	9/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4A	9/2/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FHB 4A	9/2/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FHB 4A	9/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FHB 4A	9/2/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FHB 4A	9/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FHB 4A	9/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	1,2-DICHLOROETHYLENE	3.1	ug/L					0.15	2
FHB 4A	9/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FHB 4A	9/2/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FHB 4A	9/2/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FHB 4A	9/2/2015	2-HEXANONE	5	ug/L	U				0.22	5
FHB 4A	9/2/2015	ACETONE	2.6	ug/L					0.34	2
FHB 4A	9/2/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FHB 4A	9/2/2015	ACROLEIN	10	ug/L	U				2.8	10
FHB 4A	9/2/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FHB 4A	9/2/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FHB 4A	9/2/2015	BENZENE	1	ug/L	U				0.06	1
FHB 4A	9/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4A	9/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FHB 4A	9/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FHB 4A	9/2/2015	BROMOMETHANE (METHYL	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
FHB 4A	9/2/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FHB 4A	9/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FHB 4A	9/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FHB 4A	9/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FHB 4A	9/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4A	9/2/2015	CHLOROFORM	0.31	ug/L	J		21		0.1	1
FHB 4A	9/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4A	9/2/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FHB 4A	9/2/2015	CIS-1,2-DICHLOROETHYLENE	3.1	ug/L					0.09	1
FHB 4A	9/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4A	9/2/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FHB 4A	9/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FHB 4A	9/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FHB 4A	9/2/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FHB 4A	9/2/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FHB 4A	9/2/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FHB 4A	9/2/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FHB 4A	9/2/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FHB 4A	9/2/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FHB 4A	9/2/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4A	9/2/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FHB 4A	9/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FHB 4A	9/2/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FHB 4A	9/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FHB 4A	9/2/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FHB 4A	9/2/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FHB 4A	9/2/2015	O-XYLENE	1	ug/L	U				0.06	1
FHB 4A	9/2/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FHB 4A	9/2/2015	STYRENE	1	ug/L	U				0.07	1
FHB 4A	9/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FHB 4A	9/2/2015	TOLUENE	0.93	ug/L	J		21		0.07	1
FHB 4A	9/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FHB 4A	9/2/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FHB 4A	9/2/2015	TRICHLOROETHYLENE (TCE)	0.54	ug/L	J		21		0.25	1
FHB 4A	9/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FHB 4A	9/2/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FHB 4A	9/2/2015	XYLENES	3	ug/L	U				0.2	3
FHB 4A	9/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FHB 4A	9/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.584	pCi/L	J		21	0.208	0.224	0.64
FHB 4A	9/2/2015	RADIUM-226	0.253	pCi/L				0.077	0.085	0.2387
FHB 4A	9/2/2015	URANIUM-233/234	0.128	pCi/L	U		21, V	0.106	0.0579	0.27
FHB 4A	9/2/2015	URANIUM-235	0.0132	pCi/L	U			0.056	0.158	0.27
FHB 4A	9/2/2015	URANIUM-238	0.048	pCi/L	U		V	0.076	0.144	0.296
FHB 4A	9/2/2015	GROSS ALPHA	1.19	pCi/L	U			1.61	2.32	5.53

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4A	9/2/2015	NONVOLATILE BETA	6.41	pCi/L	J		21	3.39	4.29	11.1
FHB 4A	9/2/2015	STRONTIUM-90	1.31	pCi/L	U			2.05	2.97	7.08
FHB 4A	9/2/2015	CARBON-14	-1.65	pCi/L	U			4.39	7.43	16.2
FHB 4A	9/2/2015	TECHNETIUM-99	12.6	pCi/L				2.67	3.85	9.19
FHB 4A	9/2/2015	TRITIUM	353	pCi/mL				3.58	0.405	7.57
FHB 4A	9/2/2015	IODINE-129	0.186	pCi/L	U			0.798	1.16	2.75
FHB 4A	11/30/2015	TRITIUM	337	pCi/mL				3.45	0.444	7.34
FHB 4B	3/2/2015	TRITIUM	179	pCi/mL				2.55	0.474	5.58
FHB 4B	5/28/2015	TRITIUM	363	pCi/mL				3.55	0.512	7.61
FHB 4B	9/2/2015	ETHANE	0.0085	ug/L	J		21		0.002	0.1
FHB 4B	9/2/2015	ETHYLENE	0.0093	ug/L	J		21		0.003	0.1
FHB 4B	9/2/2015	ANTIMONY	10	ug/L	U				1	10
FHB 4B	9/2/2015	ARSENIC	50	ug/L	U				5	50
FHB 4B	9/2/2015	BARIUM	15.2	ug/L	J		21		2	20
FHB 4B	9/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	CHROMIUM	100	ug/L	U				10	100
FHB 4B	9/2/2015	COBALT	5	ug/L	U				0.5	5
FHB 4B	9/2/2015	COPPER	5	ug/L	U				0.5	5
FHB 4B	9/2/2015	LEAD	5	ug/L	U				0.5	5
FHB 4B	9/2/2015	NICKEL	5	ug/L	U				0.5	5
FHB 4B	9/2/2015	SELENIUM	20	ug/L	U				2	20
FHB 4B	9/2/2015	SILVER	5	ug/L	U				0.5	5
FHB 4B	9/2/2015	THALLIUM	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	TIN	10	ug/L	U				1	10
FHB 4B	9/2/2015	VANADIUM	50	ug/L	U				5	50
FHB 4B	9/2/2015	ZINC	135	ug/L					4	40
FHB 4B	9/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4B	9/2/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FHB 4B	9/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FHB 4B	9/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FHB 4B	9/2/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FHB 4B	9/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FHB 4B	9/2/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FHB 4B	9/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FHB 4B	9/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
FHB 4B	9/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FHB 4B	9/2/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FHB 4B	9/2/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FHB 4B	9/2/2015	2-HEXANONE	5	ug/L	U				0.22	5
FHB 4B	9/2/2015	ACETONE	2	ug/L	U				0.34	2
FHB 4B	9/2/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FHB 4B	9/2/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4B	9/2/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FHB 4B	9/2/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FHB 4B	9/2/2015	BENZENE	1	ug/L	U				0.06	1
FHB 4B	9/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4B	9/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FHB 4B	9/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FHB 4B	9/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FHB 4B	9/2/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FHB 4B	9/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FHB 4B	9/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FHB 4B	9/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FHB 4B	9/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4B	9/2/2015	CHLOROFORM	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4B	9/2/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FHB 4B	9/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
FHB 4B	9/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4B	9/2/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FHB 4B	9/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FHB 4B	9/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FHB 4B	9/2/2015	ETHYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4B	9/2/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FHB 4B	9/2/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FHB 4B	9/2/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FHB 4B	9/2/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FHB 4B	9/2/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FHB 4B	9/2/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FHB 4B	9/2/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FHB 4B	9/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FHB 4B	9/2/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FHB 4B	9/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FHB 4B	9/2/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FHB 4B	9/2/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FHB 4B	9/2/2015	O-XYLENE	1	ug/L	U				0.06	1
FHB 4B	9/2/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FHB 4B	9/2/2015	STYRENE	1	ug/L	U				0.07	1
FHB 4B	9/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FHB 4B	9/2/2015	TOLUENE	1	ug/L			S		0.07	1
FHB 4B	9/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FHB 4B	9/2/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FHB 4B	9/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FHB 4B	9/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FHB 4B	9/2/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FHB 4B	9/2/2015	XYLENES	3	ug/L	U				0.2	3
FHB 4B	9/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4B	9/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.613	pCi/L	J		21	0.214	0.238	0.666
FHB 4B	9/2/2015	RADIUM-226	0.518	pCi/L				0.099	0.081	0.2779
FHB 4B	9/2/2015	URANIUM-233/234	0.0853	pCi/L	U		V	0.109	0.156	0.375
FHB 4B	9/2/2015	URANIUM-235	0.0383	pCi/L	U			0.077	0.104	0.257
FHB 4B	9/2/2015	URANIUM-238	0	pCi/L	U		V	0	0.0839	0.0839
FHB 4B	9/2/2015	GROSS ALPHA	0.412	pCi/L	U			1.16	2.31	4.63
FHB 4B	9/2/2015	NONVOLATILE BETA	3.06	pCi/L	U			2.83	4.18	9.83
FHB 4B	9/2/2015	STRONTIUM-90	0.0888	pCi/L	U			1.87	2.98	6.72
FHB 4B	9/2/2015	CARBON-14	0.616	pCi/L	U			4.32	7.22	15.9
FHB 4B	9/2/2015	TECHNETIUM-99	3.72	pCi/L	U			2.4	3.85	8.64
FHB 4B	9/2/2015	TRITIUM	653	pCi/mL				4.9	0.41	10.2
FHB 4B	9/2/2015	IODINE-129	1.03	pCi/L	J		21	0.906	0.932	2.74
FHB 4B	11/30/2015	TRITIUM	158	pCi/mL				2.37	0.447	5.2
FHB 4D	3/2/2015	TRITIUM	534	pCi/mL				4.39	0.473	9.25
FHB 4D	5/28/2015	TRITIUM	547	pCi/mL				4.34	0.509	9.18
FHB 4D	9/2/2015	ETHANE	0.0043	ug/L	J		21		0.002	0.1
FHB 4D	9/2/2015	ETHYLENE	0.0081	ug/L	J		21		0.003	0.1
FHB 4D	9/2/2015	ANTIMONY	10	ug/L	U				1	10
FHB 4D	9/2/2015	ARSENIC	50	ug/L	U				5	50
FHB 4D	9/2/2015	BARIUM	9.61	ug/L	J		21		2	20
FHB 4D	9/2/2015	BERYLLIUM	0.401	ug/L	J		21		0.1	1
FHB 4D	9/2/2015	CHROMIUM	100	ug/L	U				10	100
FHB 4D	9/2/2015	COBALT	1.04	ug/L	J		21		0.5	5
FHB 4D	9/2/2015	COPPER	1	ug/L	J		21		0.5	5
FHB 4D	9/2/2015	LEAD	5	ug/L	U				0.5	5
FHB 4D	9/2/2015	NICKEL	2.31	ug/L	J		21		0.5	5
FHB 4D	9/2/2015	SELENIUM	2.03	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4D	9/2/2015	SILVER	5	ug/L	U				0.5	5
FHB 4D	9/2/2015	THALLIUM	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	TIN	10	ug/L	U				1	10
FHB 4D	9/2/2015	VANADIUM	50	ug/L	U				5	50
FHB 4D	9/2/2015	ZINC	17.9	ug/L	J		21		4	40
FHB 4D	9/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FHB 4D	9/2/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FHB 4D	9/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FHB 4D	9/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FHB 4D	9/2/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FHB 4D	9/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FHB 4D	9/2/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FHB 4D	9/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4D	9/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FHB 4D	9/2/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FHB 4D	9/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FHB 4D	9/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	1,2-DICHLOROETHYLENE	1.8	ug/L	J		21		0.15	2
FHB 4D	9/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FHB 4D	9/2/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4D	9/2/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FHB 4D	9/2/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FHB 4D	9/2/2015	2-HEXANONE	5	ug/L	U				0.22	5
FHB 4D	9/2/2015	ACETONE	2	ug/L	U				0.34	2
FHB 4D	9/2/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FHB 4D	9/2/2015	ACROLEIN	10	ug/L	U				2.8	10
FHB 4D	9/2/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FHB 4D	9/2/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FHB 4D	9/2/2015	BENZENE	1	ug/L	U				0.06	1
FHB 4D	9/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4D	9/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FHB 4D	9/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FHB 4D	9/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FHB 4D	9/2/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FHB 4D	9/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FHB 4D	9/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FHB 4D	9/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FHB 4D	9/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4D	9/2/2015	CHLOROFORM	0.2	ug/L	J		21		0.1	1
FHB 4D	9/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FHB 4D	9/2/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FHB 4D	9/2/2015	CIS-1,2-DICHLOROETHYLENE	1.8	ug/L					0.09	1
FHB 4D	9/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4D	9/2/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FHB 4D	9/2/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FHB 4D	9/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FHB 4D	9/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FHB 4D	9/2/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FHB 4D	9/2/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FHB 4D	9/2/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FHB 4D	9/2/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FHB 4D	9/2/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FHB 4D	9/2/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FHB 4D	9/2/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FHB 4D	9/2/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FHB 4D	9/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FHB 4D	9/2/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FHB 4D	9/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FHB 4D	9/2/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FHB 4D	9/2/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FHB 4D	9/2/2015	O-XYLENE	1	ug/L	U				0.06	1
FHB 4D	9/2/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FHB 4D	9/2/2015	STYRENE	1	ug/L	U				0.07	1
FHB 4D	9/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FHB 4D	9/2/2015	TOLUENE	0.51	ug/L	J		21		0.07	1
FHB 4D	9/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FHB 4D	9/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FHB 4D	9/2/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FHB 4D	9/2/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J		21		0.25	1
FHB 4D	9/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FHB 4D	9/2/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FHB 4D	9/2/2015	XYLENES	3	ug/L	U				0.2	3
FHB 4D	9/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FHB 4D	9/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.702	pCi/L	J		21	0.251	0.306	0.808
FHB 4D	9/2/2015	RADIUM-226	0.165	pCi/L	J		21	0.058	0.058	0.1732
FHB 4D	9/2/2015	URANIUM-233/234	0.0596	pCi/L	U		V	0.076	0.109	0.262
FHB 4D	9/2/2015	URANIUM-235	0	pCi/L	U		V	0	0.0725	0.0725
FHB 4D	9/2/2015	URANIUM-238	0.0216	pCi/L	U		V	0.043	0.0586	0.145
FHB 4D	9/2/2015	GROSS ALPHA	0.798	pCi/L	U			1.41	2.36	5.19
FHB 4D	9/2/2015	NONVOLATILE BETA	12.2	pCi/L	J		21	4.11	4.23	12.5
FHB 4D	9/2/2015	STRONTIUM-90	-0.656	pCi/L	U			1.08	3.27	5.42
FHB 4D	9/2/2015	CARBON-14	1.55	pCi/L	U			4.28	7.12	15.7
FHB 4D	9/2/2015	TECHNETIUM-99	32.6	pCi/L				3.2	3.88	10.3
FHB 4D	9/2/2015	TRITIUM	523	pCi/mL				4.35	0.403	9.09
FHB 4D	9/2/2015	IODINE-129	-0.0201	pCi/L	U			0.595	1.03	2.22
FHB 4D	11/30/2015	TRITIUM	507	pCi/mL				4.22	0.442	8.87
FIB024	7/8/2015	SILVER	5	ug/L	U				0.5	5
FIB024	7/8/2015	CHLORIDE	18	mg/L					0.4	4
FIB024	7/8/2015	TRITIUM	470	pCi/mL				4.13	0.472	8.74
FIB024	7/8/2015	IODINE-129	86.8	pCi/L				13.2	1.71	28.1
FIB024	8/5/2015	SILVER	5	ug/L	U				0.5	5
FIB024	8/5/2015	CHLORIDE	15	mg/L					0.4	4
FIB024	8/5/2015	TRITIUM	524	pCi/mL				4.28	0.488	9.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FIB024	8/5/2015	IODINE-129	98.1	pCi/L				15	1.87	31.9
FIB024	9/9/2015	SILVER	5	ug/L	U				0.5	5
FIB024	9/9/2015	CHLORIDE	18	mg/L					0.8	8
FIB024	9/9/2015	TRITIUM	448	pCi/mL				3.67	0.53	7.87
FIB024	9/9/2015	IODINE-129	93.1	pCi/L				14.2	1.42	29.9
FIB024	11/17/2015	SILVER	5	ug/L	U				0.5	5
FIB024	11/17/2015	CHLORIDE	21	mg/L					1	10
FIB024	11/17/2015	TRITIUM	489	pCi/mL				4.18	0.467	8.82
FIB024	11/17/2015	IODINE-129	89.6	pCi/L				13.8	1.72	29.3
FIB024	12/15/2015	SILVER	5	ug/L	U				0.5	5
FIB024	12/15/2015	CHLORIDE	20	mg/L					0.4	4
FIB024	12/15/2015	TRITIUM	74.4	pCi/mL				1.62	0.39	3.63
FIB024	12/15/2015	IODINE-129	84.6	pCi/L				13	1.81	27.9
FIB025	7/8/2015	SILVER	5	ug/L	U				0.5	5
FIB025	7/8/2015	CHLORIDE	3.4	mg/L					0.02	0.2
FIB025	7/8/2015	TRITIUM	24.4	pCi/mL				0.973	0.468	2.41
FIB025	7/8/2015	IODINE-129	61.7	pCi/L				9.6	1.55	20.8
FIB025	8/5/2015	SILVER	5	ug/L	U				0.5	5
FIB025	8/5/2015	CHLORIDE	3.3	mg/L					0.02	0.2
FIB025	8/5/2015	TRITIUM	29.6	pCi/mL				1.05	0.489	2.6
FIB025	8/5/2015	IODINE-129	61.4	pCi/L				9.61	1.65	20.9
FIB025	9/9/2015	SILVER	5	ug/L	U				0.5	5
FIB025	9/9/2015	CHLORIDE	3.2	mg/L					0.02	0.2
FIB025	9/9/2015	TRITIUM	35.7	pCi/mL				1.17	0.473	2.82
FIB025	9/9/2015	IODINE-129	89.4	pCi/L				13.8	1.77	29.4
FIB025	11/17/2015	SILVER	5	ug/L	U				0.5	5
FIB025	11/17/2015	CHLORIDE	3.8	mg/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FIB025	11/17/2015	TRITIUM	53.3	pCi/mL				1.4	0.465	3.26
FIB025	11/17/2015	IODINE-129	225	pCi/L				33.7	2.59	70.1
FIB025	12/15/2015	SILVER	5	ug/L	U				0.5	5
FIB025	12/15/2015	CHLORIDE	3.8	mg/L					0.1	1
FIB025	12/15/2015	TRITIUM	76.1	pCi/mL				1.66	0.399	3.71
FIB025	12/15/2015	IODINE-129	180	pCi/L				27.2	2.33	56.7
FIB026	7/8/2015	SILVER	5	ug/L	U				0.5	5
FIB026	7/8/2015	CHLORIDE	23	mg/L					0.4	4
FIB026	7/8/2015	TRITIUM	321	pCi/mL				3.41	0.47	7.29
FIB026	7/8/2015	IODINE-129	34.3	pCi/L				5.59	1.38	12.6
FIB026	8/5/2015	SILVER	5	ug/L	U				0.5	5
FIB026	8/5/2015	CHLORIDE	25	mg/L					0.4	4
FIB026	8/5/2015	TRITIUM	343	pCi/mL				3.47	0.488	7.42
FIB026	8/5/2015	IODINE-129	38.1	pCi/L				6.28	1.46	14
FIB026	9/9/2015	SILVER	5	ug/L	U				0.5	5
FIB026	9/9/2015	CHLORIDE	24	mg/L					0.8	8
FIB026	9/9/2015	TRITIUM	288	pCi/mL				2.94	0.528	6.42
FIB026	9/9/2015	IODINE-129	37	pCi/L				5.93	1.15	13
FIB026	11/17/2015	SILVER	5	ug/L	U				0.5	5
FIB026	11/17/2015	CHLORIDE	25	mg/L					1	10
FIB026	11/17/2015	TRITIUM	245	pCi/mL				2.97	0.471	6.41
FIB026	11/17/2015	IODINE-129	37.8	pCi/L				6.17	1.35	13.7
FIB026	12/15/2015	SILVER	5	ug/L	U				0.5	5
FIB026	12/15/2015	CHLORIDE	23	mg/L					0.1	1
FIB026	12/15/2015	TRITIUM	228	pCi/mL				2.86	0.403	6.12
FIB026	12/15/2015	IODINE-129	31.2	pCi/L				5.06	1.25	11.4
FIT014	5/13/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FIT014	5/13/2015	CHLORIDE	4.5	mg/L					0.02	0.2
FIT014	5/13/2015	TRITIUM	156	pCi/mL				2.37	0.417	5.16
FIT014	5/13/2015	IODINE-129	22.1	pCi/L				3.71	1.2	8.63
FIT014	5/20/2015	SILVER	5	ug/L	U				0.5	5
FIT014	5/20/2015	CHLORIDE	4.8	mg/L					0.02	0.2
FIT014	5/20/2015	TRITIUM	194	pCi/mL				2.64	0.417	5.7
FIT014	5/20/2015	IODINE-129	26.7	pCi/L				4.44	1.11	9.98
FIT014	5/27/2015	SILVER	5	ug/L	U				0.5	5
FIT014	5/27/2015	CHLORIDE	4.2	mg/L					0.04	0.4
FIT014	5/27/2015	TRITIUM	133	pCi/mL				2.19	0.454	4.84
FIT014	5/27/2015	IODINE-129	32.3	pCi/L				5.23	1.36	11.8
FIT014	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FIT014	6/10/2015	CHLORIDE	5.8	mg/L					0.2	2
FIT014	6/10/2015	TRITIUM	173	pCi/mL				2.42	0.438	5.28
FIT014	6/10/2015	IODINE-129	33.5	pCi/L				5.41	1.2	12
FIT014	6/24/2015	SILVER	5	ug/L	U				0.5	5
FIT014	6/24/2015	CHLORIDE	3.7	mg/L					0.02	0.2
FIT014	6/24/2015	TRITIUM	124	pCi/mL				2.14	0.481	4.76
FIT014	6/24/2015	IODINE-129	28.1	pCi/L				4.67	1.25	10.6
FIT014	7/8/2015	SILVER	5	ug/L	U				0.5	5
FIT014	7/8/2015	CHLORIDE	3.9	mg/L					0.02	0.2
FIT014	7/8/2015	TRITIUM	151	pCi/mL				2.36	0.472	5.18
FIT014	7/8/2015	IODINE-129	27.4	pCi/L				4.52	1.35	10.4
FIT014	8/5/2015	SILVER	5	ug/L	U				0.5	5
FIT014	8/5/2015	CHLORIDE	4.1	mg/L					0.02	0.2
FIT014	8/5/2015	TRITIUM	204	pCi/mL				2.68	0.487	5.84
FIT014	8/5/2015	IODINE-129	39.8	pCi/L				6.58	1.49	14.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FIT014	9/9/2015	SILVER	5	ug/L	U				0.5	5
FIT014	9/9/2015	CHLORIDE	4.5	mg/L					0.02	0.2
FIT014	9/9/2015	TRITIUM	232	pCi/mL				2.64	0.526	5.8
FIT014	9/9/2015	IODINE-129	36.8	pCi/L				5.96	1.33	13.3
FIT014	11/17/2015	SILVER	5	ug/L	U				0.5	5
FIT014	11/17/2015	CHLORIDE	6.6	mg/L					0.4	4
FIT014	11/17/2015	TRITIUM	223	pCi/mL				2.81	0.462	6.08
FIT014	11/17/2015	IODINE-129	34.4	pCi/L				5.65	1.36	12.7
FIT014	12/15/2015	SILVER	5	ug/L	U				0.5	5
FIT014	12/15/2015	CHLORIDE	5.9	mg/L					0.1	1
FIT014	12/15/2015	TRITIUM	246	pCi/mL				2.96	0.4	6.32
FIT014	12/15/2015	IODINE-129	28.9	pCi/L				4.91	1.39	11.2
FNB 2	5/7/2015	NITRATE-NITRITE AS NITROGEN	4.25	mg/L					0.085	0.25
FNB 2	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FNB 2	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FNB 2	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 2	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FNB 2	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FNB 2	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FNB 2	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FNB 2	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 2	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FNB 2	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FNB 2	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FNB 2	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FNB 2	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 2	5/7/2015	GROSS ALPHA	14.1	pCi/L				4.75	2.19	11.7
FNB 2	5/7/2015	NONVOLATILE BETA	45.6	pCi/L				7.43	5.77	20.6
FNB 2	5/7/2015	STRONTIUM-90	16.9	pCi/L				3.93	2.94	10.8
FNB 2	5/7/2015	TRITIUM	4.85	pCi/mL				0.491	0.458	1.44
FNB 2	5/7/2015	IODINE-129	8.07	pCi/L	J	J	V	1.76	1.03	4.56
FNB 5	5/7/2015	NITRATE-NITRITE AS NITROGEN	7.4	mg/L					0.085	0.25
FNB 5	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FNB 5	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 5	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FNB 5	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FNB 5	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FNB 5	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FNB 5	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FNB 5	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CHLOROMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
FNB 5	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.61	ug/L	J	J	21		1	5
FNB 5	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FNB 5	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FNB 5	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FNB 5	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FNB 5	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 5	5/7/2015	GROSS ALPHA	12.3	pCi/L				4.47	2.14	11.1
FNB 5	5/7/2015	NONVOLATILE BETA	16.7	pCi/L				5.04	5.58	15.7
FNB 5	5/7/2015	STRONTIUM-90	6.92	pCi/L	J	J	21	2.62	2.96	8.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 5	5/7/2015	TRITIUM	10.6	pCi/mL				0.67	0.461	1.8
FNB 5	5/7/2015	IODINE-129	1.08	pCi/L	J	J	21	0.644	0.845	2.13
FNB 13	5/7/2015	NITRATE-NITRITE AS NITROGEN	11.7	mg/L					0.17	0.5
FNB 13	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FNB 13	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FNB 13	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FNB 13	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FNB 13	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FNB 13	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	BROMOMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
FNB 13	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FNB 13	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CHLOROFORM	0.38	ug/L	J	J	21		0.3	1
FNB 13	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FNB 13	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FNB 13	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FNB 13	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FNB 13	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FNB 13	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	TETRACHLOROETHYLENE (PCE)	0.46	ug/L	J	J	21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 13	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 13	5/7/2015	TRICHLOROETHYLENE (TCE)	15.1	ug/L					0.3	1
FNB 13	5/7/2015	TRICHLOROFLUOROMETHANE	1.27	ug/L					0.3	1
FNB 13	5/7/2015	GROSS ALPHA	4.5	pCi/L	J	J	21	2.81	2.3	7.92
FNB 13	5/7/2015	NONVOLATILE BETA	57	pCi/L				7.82	4.69	20.3
FNB 13	5/7/2015	STRONTIUM-90	13	pCi/L				3.39	2.94	9.72
FNB 13	5/7/2015	TRITIUM	25.9	pCi/mL				0.993	0.459	2.45
FNB 13	5/7/2015	IODINE-129	3.96	pCi/L				1.19	0.957	3.33
FNB 15	5/7/2015	NITRATE-NITRITE AS NITROGEN	13.1	mg/L					0.17	0.5
FNB 15	5/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FNB 15	5/7/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FNB 15	5/7/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 15	5/7/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FNB 15	5/7/2015	2-HEXANONE	5	ug/L	U	UJ	11		1.5	5
FNB 15	5/7/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FNB 15	5/7/2015	BENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FNB 15	5/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CHLOROFORM	0.33	ug/L	J	J	21		0.3	1
FNB 15	5/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FNB 15	5/7/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FNB 15	5/7/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FNB 15	5/7/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
FNB 15	5/7/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FNB 15	5/7/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	STYRENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	TETRACHLOROETHYLENE (PCE)	0.35	ug/L	J	J	21		0.3	1
FNB 15	5/7/2015	TOLUENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FNB 15	5/7/2015	TRICHLOROETHYLENE (TCE)	8.92	ug/L					0.3	1
FNB 15	5/7/2015	TRICHLOROFLUOROMETHANE	0.88	ug/L	J	J	21		0.3	1
FNB 15	5/7/2015	GROSS ALPHA	4.99	pCi/L	J	J	21	2.95	2.27	8.18
FNB 15	5/7/2015	NONVOLATILE BETA	36.9	pCi/L				6.48	4.75	17.7
FNB 15	5/7/2015	STRONTIUM-90	3.53	pCi/L	J	J	21	2.16	2.94	7.27
FNB 15	5/7/2015	TRITIUM	30.2	pCi/mL				1.07	0.461	2.6
FNB 15	5/7/2015	IODINE-129	3.97	pCi/L				1.16	1.04	3.36
FOB 14D	3/19/2015	CHLORIDE	6.4	mg/L					0.4	4
FOB 14D	3/19/2015	TRITIUM	278	pCi/mL				4.18	0.502	8.862
FOB 14D	6/15/2015	CHLORIDE	6.9	mg/L					0.2	2
FOB 14D	6/15/2015	TRITIUM	366	pCi/mL				5.5	0.487	11.487
FOB 14D	9/22/2015	CHLORIDE	7	mg/L					0.4	4
FOB 14D	9/22/2015	TRITIUM	357	pCi/mL				5.37	0.496	11.236
FOB 14D	12/11/2015	CHLORIDE	6.7	mg/L					0.2	2
FOB 14D	12/11/2015	TRITIUM	301	pCi/mL				4.52	0.393	9.433

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 1A	3/23/2015	CHLORIDE	7.3	mg/L					0.4	4
FPZ 1A	3/23/2015	TRITIUM	313	pCi/mL				4.7	0.432	9.832
FPZ 1A	6/15/2015	CHLORIDE	7.2	mg/L					0.2	2
FPZ 1A	6/15/2015	TRITIUM	325	pCi/mL				4.89	0.47	10.25
FPZ 1A	12/11/2015	CHLORIDE	7.9	mg/L					0.2	2
FPZ 1A	12/11/2015	TRITIUM	215	pCi/mL				3.23	0.344	6.804
FPZ 2A	3/4/2015	NITRATE-NITRITE AS NITROGEN	0.28	mg/L					0.0047	0.05
FPZ 2A	3/4/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 2A	3/4/2015	COBALT	5	ug/L	U				0.5	5
FPZ 2A	3/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 2A	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0912	pCi/L	J		21	0.054	0.076	0.1837
FPZ 2A	3/4/2015	RADIUM-226	0.0524	pCi/L	J		21	0.036	0.051	0.1229
FPZ 2A	3/4/2015	RADIUM-228	0.0852	pCi/L	U			0.168	0.286	0.622
FPZ 2A	3/4/2015	URANIUM-233/234	0.0931	pCi/L	U			0.094	0.0631	0.252
FPZ 2A	3/4/2015	URANIUM-235	0.0215	pCi/L	U			0.059	0.145	0.263
FPZ 2A	3/4/2015	URANIUM-238	0.0407	pCi/L	U			0.067	0.117	0.251
FPZ 2A	3/4/2015	GROSS ALPHA	0.0582	pCi/L	U			0.863	2.27	4
FPZ 2A	3/4/2015	NONVOLATILE BETA	1.36	pCi/L	U			2.38	3.93	8.68
FPZ 2A	3/4/2015	STRONTIUM-90	0.778	pCi/L	U			1.84	3.27	6.94
FPZ 2A	3/4/2015	CARBON-14	0.0944	pCi/L	U			4.34	7.28	16
FPZ 2A	3/4/2015	TECHNETIUM-99	1.81	pCi/L	U			2.55	4.21	9.31
FPZ 2A	3/4/2015	TRITIUM	1.17	pCi/mL				0.328	0.447	1.1
FPZ 2A	3/4/2015	IODINE-129	0.403	pCi/L	U			0.568	0.989	2.12
FPZ 2A	3/23/2015	CHLORIDE	2.5	mg/L					0.02	0.2
FPZ 2A	3/23/2015	TRITIUM	0.959	pCi/mL				0.283	0.359	0.925
FPZ 2A	6/9/2015	NITRATE-NITRITE AS NITROGEN	0.43	mg/L					0.0047	0.05
FPZ 2A	6/9/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 2A	6/9/2015	COBALT	5	ug/L	U				0.5	5
FPZ 2A	6/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 2A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.714	pCi/L	J		21	0.424	0.618	1.466
FPZ 2A	6/9/2015	RADIUM-226	0.157	pCi/L	J		21	0.1	0.143	0.343
FPZ 2A	6/9/2015	RADIUM-228	-0.0931	pCi/L	U			0.326	0.609	1.261
FPZ 2A	6/9/2015	URANIUM-233/234	0.109	pCi/L	J		21, V	0.11	0.074	0.295
FPZ 2A	6/9/2015	URANIUM-235	0	pCi/L	U			0	0.0913	0.0913
FPZ 2A	6/9/2015	URANIUM-238	0.0273	pCi/L	U		V	0.055	0.0739	0.183
FPZ 2A	6/9/2015	GROSS ALPHA	1.76	pCi/L	U			1.85	2.15	5.85
FPZ 2A	6/9/2015	NONVOLATILE BETA	2	pCi/L	U			2.42	3.77	8.61
FPZ 2A	6/9/2015	STRONTIUM-90	0.808	pCi/L	U			2.3	3.28	7.89
FPZ 2A	6/9/2015	CARBON-14	0.712	pCi/L	U			4.42	7.39	16.2
FPZ 2A	6/9/2015	TECHNETIUM-99	1.04	pCi/L	UJ			2.54	4.23	9.32
FPZ 2A	6/9/2015	TRITIUM	1.37	pCi/mL				0.328	0.43	1.09
FPZ 2A	6/9/2015	IODINE-129	0.776	pCi/L	U			0.938	0.95	2.83
FPZ 2A	6/15/2015	CHLORIDE	2.5	mg/L					0.02	0.2
FPZ 2A	6/15/2015	TRITIUM	0.991	pCi/mL				0.292	0.376	0.96
FPZ 2A	9/8/2015	NITRATE-NITRITE AS NITROGEN	0.34	mg/L					0.0047	0.05
FPZ 2A	9/8/2015	ALUMINUM	4750	ug/L					40	400
FPZ 2A	9/8/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 2A	9/8/2015	ARSENIC	50	ug/L	U				5	50
FPZ 2A	9/8/2015	BARIUM	8.43	ug/L	J		21		2	20
FPZ 2A	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1
FPZ 2A	9/8/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 2A	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 2A	9/8/2015	COBALT	5	ug/L	U				0.5	5
FPZ 2A	9/8/2015	COPPER	1.47	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 2A	9/8/2015	LEAD	1.88	ug/L	J		21		0.5	5
FPZ 2A	9/8/2015	NICKEL	1.29	ug/L	J		21		0.5	5
FPZ 2A	9/8/2015	SELENIUM	3.39	ug/L	J		21		2	20
FPZ 2A	9/8/2015	SILVER	5	ug/L	U				0.5	5
FPZ 2A	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 2A	9/8/2015	VANADIUM	50	ug/L	U				5	50
FPZ 2A	9/8/2015	ZINC	40	ug/L	U				4	40
FPZ 2A	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 2A	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 2A	9/8/2015	CHLOROFORM	1	ug/L	U				0.1	1
FPZ 2A	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 2A	9/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 2A	9/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ 2A	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 2A	9/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2	11
FPZ 2A	9/8/2015	PHENOL	11	ug/L	U				2.1	11
FPZ 2A	9/8/2015	CYANIDE	4.3	ug/L	J		21		2.9	10
FPZ 2A	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.127	pCi/L	U			0.131	0.209	0.471
FPZ 2A	9/8/2015	RADIUM-226	-0.00485	pCi/L	U			0.041	0.079	0.1615
FPZ 2A	9/8/2015	RADIUM-228	0.0214	pCi/L	U			0.232	0.411	0.875
FPZ 2A	9/8/2015	AMERICIUM-241	0.0223	pCi/L	U		V	0.045	0.0605	0.15
FPZ 2A	9/8/2015	CURIUM-242	0	pCi/L	U			0	0.0596	0.0596
FPZ 2A	9/8/2015	CURIUM-243/244	0.022	pCi/L	U			0.044	0.0596	0.148
FPZ 2A	9/8/2015	CURIUM-245/246	0.091	pCi/L	U		21, V	0.092	0.0617	0.246
FPZ 2A	9/8/2015	PLUTONIUM-238	0.0206	pCi/L	U			0.041	0.0558	0.138
FPZ 2A	9/8/2015	PLUTONIUM-239/240	-0.00515	pCi/L	U		V	0.01	0.104	0.124

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 2A	9/8/2015	THORIUM-228	-0.0112	pCi/L	U		V	0.088	0.252	0.429
FPZ 2A	9/8/2015	THORIUM-230	0.0665	pCi/L	U		21, V	0.077	0.0601	0.215
FPZ 2A	9/8/2015	THORIUM-232	0	pCi/L	U			0	0.06	0.06
FPZ 2A	9/8/2015	URANIUM-233/234	0.0156	pCi/L	U		V	0.043	0.105	0.191
FPZ 2A	9/8/2015	URANIUM-235	0.0192	pCi/L	U			0.053	0.129	0.235
FPZ 2A	9/8/2015	URANIUM-238	0.083	pCi/L	U		21, V	0.084	0.0562	0.224
FPZ 2A	9/8/2015	GROSS ALPHA	0.829	pCi/L	U			1.43	2.35	5.22
FPZ 2A	9/8/2015	NONVOLATILE BETA	-1.08	pCi/L	U			2.06	4.24	8.35
FPZ 2A	9/8/2015	STRONTIUM-90	1.21	pCi/L	U			2.03	3.32	7.38
FPZ 2A	9/8/2015	CARBON-14	-0.245	pCi/L	U			4.19	7.04	15.4
FPZ 2A	9/8/2015	TECHNETIUM-99	5.04	pCi/L	J		21	2.54	4.03	9.11
FPZ 2A	9/8/2015	TRITIUM	0.88	pCi/mL	J		21	0.306	0.438	1.05
FPZ 2A	9/8/2015	CESIUM-137	0.274	pCi/L	U			5.12	9.24	19.5
FPZ 2A	9/8/2015	COBALT-60	1.94	pCi/L	U			4.35	8.74	17.4
FPZ 2A	9/8/2015	IODINE-129	1.21	pCi/L	J		21	0.952	1.13	3.04
FPZ 2A	12/3/2015	NITRATE-NITRITE AS NITROGEN	0.216	mg/L					0.017	0.05
FPZ 2A	12/3/2015	CADMIUM	0.182	ug/L	J		21		0.1	1
FPZ 2A	12/3/2015	COBALT	5	ug/L	U				0.5	5
FPZ 2A	12/3/2015	TIN	10	ug/L	U				1	10
FPZ 2A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FPZ 2A	12/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 2A	12/3/2015	URANIUM-233/234	0.0654	pCi/L	U		V	0.084	0.12	0.287
FPZ 2A	12/3/2015	URANIUM-235	-0.0147	pCi/L	U		V	0.021	0.176	0.218
FPZ 2A	12/3/2015	URANIUM-238	0.0653	pCi/L	U		V	0.084	0.119	0.287
FPZ 2A	12/3/2015	GROSS ALPHA	2.01	pCi/L	U			2	2.35	6.36
FPZ 2A	12/3/2015	NONVOLATILE BETA	1.71	pCi/L	U			2.56	3.99	9.11
FPZ 2A	12/3/2015	STRONTIUM-90	0.0862	pCi/L	U			1.98	3.33	7.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 2A	12/3/2015	TECHNETIUM-99	1.24	pCi/L	U			2.61	4.33	9.55
FPZ 2A	12/3/2015	TRITIUM	1.52	pCi/mL				0.342	0.435	1.12
FPZ 2A	12/3/2015	IODINE-129	0.576	pCi/L	U			0.687	0.954	2.33
FPZ 2A	12/3/2015	RADIUM-226	0.673	pCi/L	J		21, V	0.292	0.351	0.935
FPZ 2A	12/3/2015	RADIUM-228	0.162	pCi/L	U			0.402	0.71	1.51
FPZ 2A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.176	pCi/L	U			1.04	1.92	4
FPZ 2A	12/11/2015	CHLORIDE	2.6	mg/L					0.02	0.2
FPZ 2A	12/11/2015	TRITIUM	1.27	pCi/mL				0.295	0.331	0.921
FPZ 3A	3/4/2015	NITRATE-NITRITE AS NITROGEN	0.14	mg/L					0.0047	0.05
FPZ 3A	3/4/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 3A	3/4/2015	COBALT	0.955	ug/L	J				0.5	5
FPZ 3A	3/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 3A	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.225	pCi/L	J		21	0.076	0.093	0.2441
FPZ 3A	3/4/2015	RADIUM-226	0.28	pCi/L				0.073	0.078	0.2239
FPZ 3A	3/4/2015	RADIUM-228	0.902	pCi/L				0.265	0.352	0.882
FPZ 3A	3/4/2015	URANIUM-233/234	0.0605	pCi/L	U			0.086	0.145	0.317
FPZ 3A	3/4/2015	URANIUM-235	-0.0149	pCi/L	U			0.021	0.179	0.222
FPZ 3A	3/4/2015	URANIUM-238	0.145	pCi/L	U			0.12	0.0655	0.306
FPZ 3A	3/4/2015	GROSS ALPHA	0.0528	pCi/L	U			0.626	1.32	2.57
FPZ 3A	3/4/2015	NONVOLATILE BETA	11.6	pCi/L				2.82	2.64	8.28
FPZ 3A	3/4/2015	STRONTIUM-90	6.69	pCi/L	J		21	2.83	3.27	8.93
FPZ 3A	3/4/2015	CARBON-14	19.3	pCi/L				4.81	7.32	16.9
FPZ 3A	3/4/2015	TECHNETIUM-99	13.7	pCi/L				2.89	4.21	10
FPZ 3A	3/4/2015	TRITIUM	4.17	pCi/mL				0.463	0.449	1.38
FPZ 3A	3/4/2015	IODINE-129	0.372	pCi/L	U			0.613	1.06	2.28
FPZ 3A	6/9/2015	NITRATE-NITRITE AS NITROGEN	5.6	mg/L					0.094	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 3A	6/9/2015	CADMIUM	0.538	ug/L	J		21		0.1	1
FPZ 3A	6/9/2015	COBALT	3.37	ug/L	J		21		0.5	5
FPZ 3A	6/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 3A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	3.32	pCi/L				0.438	0.265	1.141
FPZ 3A	6/9/2015	RADIUM-226	0.77	pCi/L				0.112	0.068	0.2917
FPZ 3A	6/9/2015	RADIUM-228	6.78	pCi/L				0.549	0.336	1.434
FPZ 3A	6/9/2015	URANIUM-233/234	0.173	pCi/L	J		21, V	0.144	0.159	0.448
FPZ 3A	6/9/2015	URANIUM-235	0.0328	pCi/L	U			0.066	0.0888	0.22
FPZ 3A	6/9/2015	URANIUM-238	0.0729	pCi/L	U		V	0.093	0.133	0.32
FPZ 3A	6/9/2015	GROSS ALPHA	2.09	pCi/L	U			1.96	2.13	6.05
FPZ 3A	6/9/2015	NONVOLATILE BETA	24.7	pCi/L				5.29	3.77	14.3
FPZ 3A	6/9/2015	STRONTIUM-90	11.7	pCi/L				3.93	3.25	11.1
FPZ 3A	6/9/2015	CARBON-14	17.9	pCi/L				4.87	7.46	17.2
FPZ 3A	6/9/2015	TECHNETIUM-99	3.7	pCi/L	UJ			2.63	4.24	9.49
FPZ 3A	6/9/2015	TRITIUM	27.5	pCi/mL				0.992	0.424	2.41
FPZ 3A	6/9/2015	IODINE-129	2.52	pCi/L	J		21	2.01	0.98	4.99
FPZ 3A	10/6/2015	NITRATE-NITRITE AS NITROGEN	6.9	mg/L					0.094	1
FPZ 3A	10/6/2015	ALUMINUM	3560	ug/L					40	400
FPZ 3A	10/6/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 3A	10/6/2015	ARSENIC	50	ug/L	U				5	50
FPZ 3A	10/6/2015	BARIUM	37.4	ug/L					2	20
FPZ 3A	10/6/2015	BERYLLIUM	0.306	ug/L	J		21		0.1	1
FPZ 3A	10/6/2015	CADMIUM	0.767	ug/L	J		21		0.1	1
FPZ 3A	10/6/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 3A	10/6/2015	COBALT	3.78	ug/L	J		21		0.5	5
FPZ 3A	10/6/2015	COPPER	1.69	ug/L	J		21		0.5	5
FPZ 3A	10/6/2015	LEAD	0.968	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 3A	10/6/2015	NICKEL	1.76	ug/L	J		21		0.5	5
FPZ 3A	10/6/2015	SELENIUM	2.7	ug/L	J		21		2	20
FPZ 3A	10/6/2015	SILVER	5	ug/L	U				0.5	5
FPZ 3A	10/6/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 3A	10/6/2015	TIN	10	ug/L	U				1	10
FPZ 3A	10/6/2015	VANADIUM	50	ug/L	U				5	50
FPZ 3A	10/6/2015	ZINC	12.8	ug/L	J		21		4	40
FPZ 3A	10/6/2015	MERCURY	0.269	ug/L					0.02	0.2
FPZ 3A	10/6/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 3A	10/6/2015	CHLOROFORM	0.15	ug/L	J		21		0.1	1
FPZ 3A	10/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 3A	10/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 3A	10/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ 3A	10/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 3A	10/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				2	10
FPZ 3A	10/6/2015	PHENOL	10	ug/L	U				2.1	10
FPZ 3A	10/6/2015	CYANIDE	10	ug/L	U				2.9	10
FPZ 3A	10/6/2015	RADIUM, TOTAL ALPHA-EMITTING	4.85	pCi/L				0.833	0.582	2.248
FPZ 3A	10/6/2015	RADIUM-226	1.18	pCi/L				0.247	0.204	0.698
FPZ 3A	10/6/2015	RADIUM-228	17.2	pCi/L				1.65	1.24	4.54
FPZ 3A	10/6/2015	AMERICIUM-241	0.0441	pCi/L	U		V	0.063	0.0597	0.185
FPZ 3A	10/6/2015	CURIUM-242	-0.00574	pCi/L	U			0.012	0.109	0.132
FPZ 3A	10/6/2015	CURIUM-243/244	0.0435	pCi/L	U		V	0.062	0.0588	0.182
FPZ 3A	10/6/2015	CURIUM-245/246	0.0898	pCi/L	U		21, V	0.091	0.0609	0.242
FPZ 3A	10/6/2015	PLUTONIUM-238	0.0193	pCi/L	U		V	0.039	0.0522	0.129
FPZ 3A	10/6/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0522	0.0522

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 3A	10/6/2015	THORIUM-228	0.142	pCi/L	U		V	0.13	0.154	0.414
FPZ 3A	10/6/2015	THORIUM-230	0.0965	pCi/L	U		V	0.105	0.13	0.339
FPZ 3A	10/6/2015	THORIUM-232	0	pCi/L	U			0	0.0696	0.0696
FPZ 3A	10/6/2015	URANIUM-233/234	0.599	pCi/L			V	0.236	0.101	0.574
FPZ 3A	10/6/2015	URANIUM-235	0.0372	pCi/L	U		V	0.073	0.149	0.294
FPZ 3A	10/6/2015	URANIUM-238	0.532	pCi/L	J		21, V	0.221	0.12	0.563
FPZ 3A	10/6/2015	GROSS ALPHA	5.84	pCi/L	J		21	3.14	2.31	8.59
FPZ 3A	10/6/2015	NONVOLATILE BETA	37.4	pCi/L				6.36	4.07	16.8
FPZ 3A	10/6/2015	STRONTIUM-90	17.4	pCi/L				4.16	3.03	11.3
FPZ 3A	10/6/2015	CARBON-14	41.5	pCi/L				5.06	6.95	17.1
FPZ 3A	10/6/2015	TECHNETIUM-99	8.63	pCi/L	J		21	2.88	4.45	10.2
FPZ 3A	10/6/2015	TRITIUM	33.9	pCi/mL				1.15	0.448	2.74
FPZ 3A	10/6/2015	CESIUM-137	2.68	pCi/L	U			5.07	9.66	19.8
FPZ 3A	10/6/2015	COBALT-60	-0.405	pCi/L	U			5.09	9.13	19.3
FPZ 3A	10/6/2015	IODINE-129	2.1	pCi/L	J		21	1.06	1.02	3.14
FPZ 3A	12/3/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
FPZ 3A	12/3/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 3A	12/3/2015	COBALT	0.754	ug/L	J		21		0.5	5
FPZ 3A	12/3/2015	TIN	10	ug/L	U				1	10
FPZ 3A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FPZ 3A	12/3/2015	MERCURY	0.071	ug/L	J		21		0.02	0.2
FPZ 3A	12/3/2015	URANIUM-233/234	0.0547	pCi/L	U		V	0.078	0.131	0.287
FPZ 3A	12/3/2015	URANIUM-235	0.027	pCi/L	U		V	0.054	0.0732	0.181
FPZ 3A	12/3/2015	URANIUM-238	0.131	pCi/L	U		21, V	0.109	0.0592	0.276
FPZ 3A	12/3/2015	GROSS ALPHA	0.018	pCi/L	U			0.859	2.22	3.93
FPZ 3A	12/3/2015	NONVOLATILE BETA	5.55	pCi/L	J		21	3.17	3.92	10.2
FPZ 3A	12/3/2015	STRONTIUM-90	2.6	pCi/L	U			2.49	3.29	8.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 3A	12/3/2015	TECHNETIUM-99	0.276	pCi/L	U			2.58	4.33	9.49
FPZ 3A	12/3/2015	TRITIUM	2.16	pCi/mL				0.373	0.433	1.18
FPZ 3A	12/3/2015	IODINE-129	1.61	pCi/L	J		21	1.06	0.955	3.08
FPZ 3A	12/3/2015	RADIUM-226	0.364	pCi/L	U		21, V	0.247	0.349	0.843
FPZ 3A	12/3/2015	RADIUM-228	0.609	pCi/L	U			0.396	0.621	1.41
FPZ 3A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0201	pCi/L	U			1.01	1.93	3.95
FPZ 4A	3/4/2015	NITRATE-NITRITE AS NITROGEN	9.7	mg/L					0.047	0.5
FPZ 4A	3/4/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 4A	3/4/2015	COBALT	5	ug/L	U				0.5	5
FPZ 4A	3/4/2015	MERCURY	0.069	ug/L	J		21		0.02	0.2
FPZ 4A	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0183	pCi/L	U			0.033	0.059	0.125
FPZ 4A	3/4/2015	RADIUM-226	0.0501	pCi/L	U			0.038	0.056	0.1312
FPZ 4A	3/4/2015	RADIUM-228	-0.047	pCi/L	U			0.148	0.275	0.571
FPZ 4A	3/4/2015	URANIUM-233/234	0.248	pCi/L	U			0.155	0.129	0.44
FPZ 4A	3/4/2015	URANIUM-235	0.0731	pCi/L	U			0.094	0.134	0.322
FPZ 4A	3/4/2015	URANIUM-238	0.365	pCi/L	J		21	0.186	0.0583	0.431
FPZ 4A	3/4/2015	GROSS ALPHA	0.265	pCi/L	U			0.795	1.43	3.02
FPZ 4A	3/4/2015	NONVOLATILE BETA	3.01	pCi/L	J		21	1.95	2.66	6.56
FPZ 4A	3/4/2015	STRONTIUM-90	0.587	pCi/L	U			1.88	3.24	7
FPZ 4A	3/4/2015	CARBON-14	-0.911	pCi/L	U			4.17	7.03	15.4
FPZ 4A	3/4/2015	TECHNETIUM-99	9.24	pCi/L	J		21	2.75	4.18	9.69
FPZ 4A	3/4/2015	TRITIUM	59.7	pCi/mL				1.48	0.449	3.41
FPZ 4A	3/4/2015	IODINE-129	29.3	pCi/L				4.79	1.27	10.9
FPZ 4A	3/23/2015	CHLORIDE	3.4	mg/L					0.02	0.2
FPZ 4A	3/23/2015	TRITIUM	64.4	pCi/mL				1.66	0.359	3.679
FPZ 4A	6/9/2015	NITRATE-NITRITE AS NITROGEN	6	mg/L					0.094	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 4A	6/9/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 4A	6/9/2015	COBALT	5	ug/L	U				0.5	5
FPZ 4A	6/9/2015	MERCURY	0.0508	ug/L	J		21		0.02	0.2
FPZ 4A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0442	pCi/L	U			0.148	0.268	0.564
FPZ 4A	6/9/2015	RADIUM-226	0.0398	pCi/L	U			0.053	0.088	0.1934
FPZ 4A	6/9/2015	RADIUM-228	0.261	pCi/L	U			0.254	0.413	0.921
FPZ 4A	6/9/2015	URANIUM-233/234	0.225	pCi/L	J		21, V	0.094	0.0486	0.236
FPZ 4A	6/9/2015	URANIUM-235	0.0249	pCi/L	U		V	0.04	0.056	0.136
FPZ 4A	6/9/2015	URANIUM-238	0.254	pCi/L			V	0.101	0.0397	0.242
FPZ 4A	6/9/2015	GROSS ALPHA	0.56	pCi/L	U			1.23	2.2	4.67
FPZ 4A	6/9/2015	NONVOLATILE BETA	3.03	pCi/L	U			2.61	3.75	8.97
FPZ 4A	6/9/2015	STRONTIUM-90	1.31	pCi/L	U			2.13	2.95	7.22
FPZ 4A	6/9/2015	CARBON-14	6.01	pCi/L	U			4.32	7	15.6
FPZ 4A	6/9/2015	TECHNETIUM-99	10.3	pCi/L				2.83	4.26	9.92
FPZ 4A	6/9/2015	TRITIUM	829	pCi/mL				5.29	0.44	11
FPZ 4A	6/9/2015	IODINE-129	18.3	pCi/L				3.43	1.16	8.02
FPZ 4A	6/15/2015	CHLORIDE	2.7	mg/L					0.02	0.2
FPZ 4A	6/15/2015	TRITIUM	31.6	pCi/mL				1.2	0.4	2.8
FPZ 4A	9/9/2015	NITRATE-NITRITE AS NITROGEN	4.7	mg/L					0.047	0.5
FPZ 4A	9/9/2015	ALUMINUM	283	ug/L	J		21		40	400
FPZ 4A	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 4A	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ 4A	9/9/2015	BARIUM	20	ug/L	U				2	20
FPZ 4A	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
FPZ 4A	9/9/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 4A	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 4A	9/9/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 4A	9/9/2015	COPPER	5	ug/L	U				0.5	5
FPZ 4A	9/9/2015	LEAD	5	ug/L	U				0.5	5
FPZ 4A	9/9/2015	NICKEL	5	ug/L	U				0.5	5
FPZ 4A	9/9/2015	SELENIUM	2.56	ug/L	J		21		2	20
FPZ 4A	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ 4A	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 4A	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ 4A	9/9/2015	ZINC	40	ug/L	U				4	40
FPZ 4A	9/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 4A	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 4A	9/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
FPZ 4A	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 4A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 4A	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ 4A	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 4A	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U				1.8	9.8
FPZ 4A	9/9/2015	PHENOL	9.8	ug/L	U				2	9.8
FPZ 4A	9/9/2015	CYANIDE	3.3	ug/L	J		21		2.9	10
FPZ 4A	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.031	pCi/L	U			0.104	0.197	0.405
FPZ 4A	9/9/2015	RADIUM-226	-0.0151	pCi/L	U			0.043	0.085	0.1709
FPZ 4A	9/9/2015	RADIUM-228	0.182	pCi/L	U			0.223	0.37	0.816
FPZ 4A	9/9/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0571	0.0571
FPZ 4A	9/9/2015	CURIUM-242	0	pCi/L	U		V	0	0.0562	0.0562
FPZ 4A	9/9/2015	CURIUM-243/244	-0.00519	pCi/L	U			0.01	0.104	0.125
FPZ 4A	9/9/2015	CURIUM-245/246	0.172	pCi/L	U		21, V	0.124	0.0582	0.306
FPZ 4A	9/9/2015	PLUTONIUM-238	-0.00576	pCi/L	U			0.012	0.116	0.139

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 4A	9/9/2015	PLUTONIUM-239/240	0.0173	pCi/L	U			0.048	0.116	0.211
FPZ 4A	9/9/2015	THORIUM-228	0	pCi/L	U		V	0	0.22	0.22
FPZ 4A	9/9/2015	THORIUM-230	0.309	pCi/L	U		21, V	0.178	0.0644	0.42
FPZ 4A	9/9/2015	THORIUM-232	0.0237	pCi/L	U			0.048	0.0643	0.16
FPZ 4A	9/9/2015	URANIUM-233/234	0.196	pCi/L	U		21, V	0.143	0.161	0.446
FPZ 4A	9/9/2015	URANIUM-235	0.0269	pCi/L	U			0.054	0.0729	0.181
FPZ 4A	9/9/2015	URANIUM-238	0.343	pCi/L	J		21, V	0.181	0.11	0.471
FPZ 4A	9/9/2015	GROSS ALPHA	0.415	pCi/L	U			1.2	2.34	4.74
FPZ 4A	9/9/2015	NONVOLATILE BETA	3.44	pCi/L	U			2.84	3.94	9.63
FPZ 4A	9/9/2015	STRONTIUM-90	0.367	pCi/L	U			1.21	3.26	5.68
FPZ 4A	9/9/2015	CARBON-14	4.49	pCi/L	U			3.97	6.48	14.4
FPZ 4A	9/9/2015	TECHNETIUM-99	3.55	pCi/L	U			2.5	4.03	9.03
FPZ 4A	9/9/2015	TRITIUM	15.9	pCi/mL				0.751	0.525	2.03
FPZ 4A	9/9/2015	CESIUM-137	-4.05	pCi/L	U			5.82	9.84	21.5
FPZ 4A	9/9/2015	COBALT-60	2.52	pCi/L	U			6.37	10.6	23.3
FPZ 4A	9/9/2015	IODINE-129	13.8	pCi/L				2.59	1.28	6.46
FPZ 4A	12/3/2015	NITRATE-NITRITE AS NITROGEN	7.43	mg/L					0.425	1.25
FPZ 4A	12/3/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 4A	12/3/2015	COBALT	5	ug/L	U				0.5	5
FPZ 4A	12/3/2015	TIN	10	ug/L	U				1	10
FPZ 4A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FPZ 4A	12/3/2015	MERCURY	0.0921	ug/L	J		21		0.02	0.2
FPZ 4A	12/3/2015	URANIUM-233/234	0.303	pCi/L	J		21, V	0.175	0.135	0.484
FPZ 4A	12/3/2015	URANIUM-235	0.111	pCi/L	U		21, V	0.112	0.0751	0.3
FPZ 4A	12/3/2015	URANIUM-238	0.404	pCi/L	J		21, V	0.199	0.0608	0.458
FPZ 4A	12/3/2015	GROSS ALPHA	0.821	pCi/L	U			1.46	2.37	5.29
FPZ 4A	12/3/2015	NONVOLATILE BETA	3.9	pCi/L	U			2.92	3.96	9.81

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 4A	12/3/2015	STRONTIUM-90	2.05	pCi/L	U			2.3	3.27	7.86
FPZ 4A	12/3/2015	TECHNETIUM-99	4.17	pCi/L	U			2.68	4.32	9.68
FPZ 4A	12/3/2015	TRITIUM	31.6	pCi/mL				1.09	0.433	2.62
FPZ 4A	12/3/2015	IODINE-129	24.5	pCi/L				4.21	1.29	9.72
FPZ 4A	12/3/2015	RADIUM-226	0.344	pCi/L	U			0.242	0.351	0.835
FPZ 4A	12/3/2015	RADIUM-228	0.365	pCi/L	U			0.287	0.45	1.02
FPZ 4A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.807	pCi/L	U			0.903	1.95	3.76
FPZ 4A	12/11/2015	CHLORIDE	3	mg/L					0.1	1
FPZ 4A	12/11/2015	TRITIUM	30.7	pCi/mL				1.16	0.334	2.654
FPZ 6A	3/9/2015	NITRATE-NITRITE AS NITROGEN	170	mg/L					0.94	10
FPZ 6A	3/9/2015	CADMIUM	1.84	ug/L					0.1	1
FPZ 6A	3/9/2015	COBALT	38.4	ug/L					0.5	5
FPZ 6A	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6A	3/9/2015	RADIUM, TOTAL ALPHA-EMITTING	9.3	pCi/L				0.645	0.202	1.492
FPZ 6A	3/9/2015	RADIUM-226	7.11	pCi/L				0.31	0.069	0.6886
FPZ 6A	3/9/2015	RADIUM-228	19.8	pCi/L				0.865	0.325	2.055
FPZ 6A	3/9/2015	URANIUM-233/234	1.55	pCi/L				0.451	0.0626	0.964
FPZ 6A	3/9/2015	URANIUM-235	0.107	pCi/L	U			0.116	0.143	0.376
FPZ 6A	3/9/2015	URANIUM-238	1.73	pCi/L				0.479	0.0624	1.02
FPZ 6A	3/9/2015	GROSS ALPHA	9.68	pCi/L	J		21	5.17	3.76	14.1
FPZ 6A	3/9/2015	NONVOLATILE BETA	101	pCi/L				10.3	4.36	24.9
FPZ 6A	3/9/2015	STRONTIUM-90	37.6	pCi/L				6.14	3.36	15.6
FPZ 6A	3/9/2015	CARBON-14	13.1	pCi/L	J		21	4.4	6.85	15.6
FPZ 6A	3/9/2015	TECHNETIUM-99	86.3	pCi/L				4.42	4.19	13
FPZ 6A	3/9/2015	TRITIUM	1870	pCi/mL				8.19	0.438	16.8
FPZ 6A	3/9/2015	IODINE-129	77.1	pCi/L				11.8	1.71	25.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6A	6/8/2015	NITRATE-NITRITE AS NITROGEN	160	mg/L					0.94	10
FPZ 6A	6/8/2015	CADMIUM	2.27	ug/L					0.1	1
FPZ 6A	6/8/2015	COBALT	31.9	ug/L					0.5	5
FPZ 6A	6/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6A	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	12.3	pCi/L				0.628	0.145	1.401
FPZ 6A	6/8/2015	RADIUM-226	9.71	pCi/L				0.373	0.066	0.8119
FPZ 6A	6/8/2015	RADIUM-228	22.9	pCi/L				1.16	0.555	2.875
FPZ 6A	6/8/2015	URANIUM-233/234	1.47	pCi/L			V	0.439	0.0665	0.944
FPZ 6A	6/8/2015	URANIUM-235	0.0303	pCi/L	U			0.061	0.0821	0.204
FPZ 6A	6/8/2015	URANIUM-238	1.7	pCi/L			V	0.477	0.147	1.1
FPZ 6A	6/8/2015	GROSS ALPHA	4.87	pCi/L	J		21	3.87	3.78	11.5
FPZ 6A	6/8/2015	NONVOLATILE BETA	97.3	pCi/L				10.1	4.05	24.3
FPZ 6A	6/8/2015	STRONTIUM-90	36.6	pCi/L				6.71	3.25	16.7
FPZ 6A	6/8/2015	CARBON-14	1.2	pCi/L	U			4.43	7.37	16.2
FPZ 6A	6/8/2015	TECHNETIUM-99	96	pCi/L	J			4.63	4.29	13.6
FPZ 6A	6/8/2015	TRITIUM	1720	pCi/mL				7.63	0.427	15.7
FPZ 6A	6/8/2015	IODINE-129	67.4	pCi/L				10.4	1.69	22.6
FPZ 6A	9/9/2015	NITRATE-NITRITE AS NITROGEN	150	mg/L					0.94	10
FPZ 6A	9/9/2015	ALUMINUM	999	ug/L					40	400
FPZ 6A	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 6A	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ 6A	9/9/2015	BARIUM	100	ug/L					2	20
FPZ 6A	9/9/2015	BERYLLIUM	1.93	ug/L					0.1	1
FPZ 6A	9/9/2015	CADMIUM	2.55	ug/L					0.1	1
FPZ 6A	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 6A	9/9/2015	COBALT	31.4	ug/L					0.5	5
FPZ 6A	9/9/2015	COPPER	28.2	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6A	9/9/2015	LEAD	5	ug/L	U				0.5	5
FPZ 6A	9/9/2015	NICKEL	7.13	ug/L					0.5	5
FPZ 6A	9/9/2015	SELENIUM	3.02	ug/L	J		21		2	20
FPZ 6A	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ 6A	9/9/2015	THALLIUM	0.239	ug/L	J		21		0.1	1
FPZ 6A	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ 6A	9/9/2015	ZINC	21.6	ug/L	J		21		4	40
FPZ 6A	9/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6A	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 6A	9/9/2015	CHLOROFORM	0.62	ug/L	J		21		0.1	1
FPZ 6A	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 6A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 6A	9/9/2015	TRICHLOROETHYLENE (TCE)	0.89	ug/L	J		21		0.25	1
FPZ 6A	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 6A	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2	11
FPZ 6A	9/9/2015	PHENOL	11	ug/L	U				2.1	11
FPZ 6A	9/9/2015	CYANIDE	3.5	ug/L	J		21		2.9	10
FPZ 6A	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	14	pCi/L				0.89	0.344	2.124
FPZ 6A	9/9/2015	RADIUM-226	9.11	pCi/L				0.377	0.062	0.8158
FPZ 6A	9/9/2015	RADIUM-228	20.9	pCi/L				0.99	0.417	2.397
FPZ 6A	9/9/2015	AMERICIUM-241	0.0921	pCi/L	J		21, V	0.093	0.0624	0.248
FPZ 6A	9/9/2015	CURIUM-242	0.0484	pCi/L	U		V	0.069	0.0614	0.199
FPZ 6A	9/9/2015	CURIUM-243/244	-0.00568	pCi/L	U			0.011	0.114	0.137
FPZ 6A	9/9/2015	CURIUM-245/246	0.0646	pCi/L	U		V	0.083	0.118	0.284
FPZ 6A	9/9/2015	PLUTONIUM-238	0.0214	pCi/L	U			0.043	0.0579	0.144
FPZ 6A	9/9/2015	PLUTONIUM-239/240	0.016	pCi/L	U			0.044	0.108	0.196

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6A	9/9/2015	THORIUM-228	0.0985	pCi/L	J		21, V	0.112	0.181	0.404
FPZ 6A	9/9/2015	THORIUM-230	0.124	pCi/L	U		21, V	0.108	0.109	0.325
FPZ 6A	9/9/2015	THORIUM-232	0.0431	pCi/L	U			0.061	0.0584	0.181
FPZ 6A	9/9/2015	URANIUM-233/234	1.81	pCi/L			V	0.486	0.136	1.11
FPZ 6A	9/9/2015	URANIUM-235	0.112	pCi/L	J		21	0.114	0.0761	0.303
FPZ 6A	9/9/2015	URANIUM-238	1.77	pCi/L			V	0.472	0.114	1.06
FPZ 6A	9/9/2015	GROSS ALPHA	19.7	pCi/L				6.99	3.6	17.6
FPZ 6A	9/9/2015	NONVOLATILE BETA	114	pCi/L				10.9	4.56	26.3
FPZ 6A	9/9/2015	STRONTIUM-90	45.7	pCi/L				6.42	3.22	16.1
FPZ 6A	9/9/2015	CARBON-14	1.7	pCi/L	U			3.89	6.45	14.2
FPZ 6A	9/9/2015	TECHNETIUM-99	98.7	pCi/L				4.54	3.98	13.1
FPZ 6A	9/9/2015	TRITIUM	1670	pCi/mL				7.06	0.528	14.7
FPZ 6A	9/9/2015	CESIUM-137	-2.83	pCi/L	U			5.41	9.17	20
FPZ 6A	9/9/2015	COBALT-60	-0.713	pCi/L	U			4.33	8.05	16.7
FPZ 6A	9/9/2015	IODINE-129	69	pCi/L				10.7	1.66	23
FPZ 6A	12/3/2015	NITRATE-NITRITE AS NITROGEN	122	mg/L					4.25	12.5
FPZ 6A	12/3/2015	CADMIUM	2.03	ug/L					0.1	1
FPZ 6A	12/3/2015	COBALT	29.5	ug/L					0.5	5
FPZ 6A	12/3/2015	TIN	23	ug/L					1	10
FPZ 6A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FPZ 6A	12/3/2015	MERCURY	0.0771	ug/L	J		21		0.02	0.2
FPZ 6A	12/3/2015	URANIUM-233/234	1.46	pCi/L			V	0.405	0.0557	0.866
FPZ 6A	12/3/2015	URANIUM-235	0.101	pCi/L	U		21, V	0.103	0.0687	0.274
FPZ 6A	12/3/2015	URANIUM-238	1.58	pCi/L			V	0.421	0.0556	0.897
FPZ 6A	12/3/2015	GROSS ALPHA	6.98	pCi/L	J		21	4.25	3.5	12
FPZ 6A	12/3/2015	NONVOLATILE BETA	94.9	pCi/L				9.92	4.26	24.1
FPZ 6A	12/3/2015	STRONTIUM-90	37.4	pCi/L				6.54	3.29	16.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6A	12/3/2015	TECHNETIUM-99	88.9	pCi/L				4.5	4.33	13.3
FPZ 6A	12/3/2015	TRITIUM	1610	pCi/mL				7.6	0.433	15.6
FPZ 6A	12/3/2015	IODINE-129	69.8	pCi/L				10.9	1.65	23.4
FPZ 6A	12/3/2015	RADIUM-226	7.26	pCi/L				0.817	0.369	2
FPZ 6A	12/3/2015	RADIUM-228	2.67	pCi/L				0.494	0.447	1.44
FPZ 6A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.94	pCi/L	J		21	1.34	1.94	4.62
FPZ 6B	3/9/2015	NITRATE-NITRITE AS NITROGEN	86	mg/L					0.47	5
FPZ 6B	3/9/2015	CADMIUM	2.68	ug/L					0.1	1
FPZ 6B	3/9/2015	COBALT	39.5	ug/L					0.5	5
FPZ 6B	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6B	3/9/2015	RADIUM, TOTAL ALPHA-EMITTING	3.6	pCi/L				0.469	0.241	1.179
FPZ 6B	3/9/2015	RADIUM-226	1.56	pCi/L				0.17	0.069	0.4088
FPZ 6B	3/9/2015	RADIUM-228	23.7	pCi/L				1.15	0.495	2.795
FPZ 6B	3/9/2015	URANIUM-233/234	0.323	pCi/L	J		21	0.195	0.155	0.544
FPZ 6B	3/9/2015	URANIUM-235	-0.00797	pCi/L	U			0.016	0.16	0.192
FPZ 6B	3/9/2015	URANIUM-238	0.387	pCi/L	J		21	0.209	0.0699	0.488
FPZ 6B	3/9/2015	GROSS ALPHA	4.08	pCi/L	J		21	2.88	2.66	8.41
FPZ 6B	3/9/2015	NONVOLATILE BETA	136	pCi/L				11.6	4.08	27.2
FPZ 6B	3/9/2015	STRONTIUM-90	44.5	pCi/L				7.13	3.29	17.6
FPZ 6B	3/9/2015	CARBON-14	21.8	pCi/L				4.7	7.04	16.4
FPZ 6B	3/9/2015	TECHNETIUM-99	36.5	pCi/L				3.45	4.21	11.1
FPZ 6B	3/9/2015	TRITIUM	529	pCi/mL				4.36	0.437	9.16
FPZ 6B	3/9/2015	IODINE-129	21.7	pCi/L	J			3.72	1.09	8.54
FPZ 6B	6/8/2015	NITRATE-NITRITE AS NITROGEN	54	mg/L					0.47	5
FPZ 6B	6/8/2015	CADMIUM	2.19	ug/L					0.1	1
FPZ 6B	6/8/2015	COBALT	21	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6B	6/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6B	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	9.91	pCi/L				0.572	0.161	1.305
FPZ 6B	6/8/2015	RADIUM-226	4.75	pCi/L				0.264	0.064	0.5918
FPZ 6B	6/8/2015	RADIUM-228	35.9	pCi/L				1.29	0.426	3.006
FPZ 6B	6/8/2015	URANIUM-233/234	0.858	pCi/L			V	0.298	0.127	0.724
FPZ 6B	6/8/2015	URANIUM-235	0.0784	pCi/L	J		21	0.091	0.0708	0.253
FPZ 6B	6/8/2015	URANIUM-238	0.576	pCi/L	J		21, V	0.238	0.142	0.619
FPZ 6B	6/8/2015	GROSS ALPHA	3.35	pCi/L	J		21	2.68	2.66	8.03
FPZ 6B	6/8/2015	NONVOLATILE BETA	121	pCi/L				11	3.87	26
FPZ 6B	6/8/2015	STRONTIUM-90	40.9	pCi/L				6.87	3.21	17
FPZ 6B	6/8/2015	CARBON-14	13	pCi/L	J		21	4.87	7.65	17.4
FPZ 6B	6/8/2015	TECHNETIUM-99	37.2	pCi/L	J			3.48	4.24	11.2
FPZ 6B	6/8/2015	TRITIUM	395	pCi/mL				3.66	0.426	7.74
FPZ 6B	6/8/2015	IODINE-129	44.2	pCi/L				7.1	1.27	15.5
FPZ 6B	9/9/2015	NITRATE-NITRITE AS NITROGEN	54	mg/L					0.38	4
FPZ 6B	9/9/2015	ALUMINUM	2700	ug/L					40	400
FPZ 6B	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 6B	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ 6B	9/9/2015	BARIUM	111	ug/L					2	20
FPZ 6B	9/9/2015	BERYLLIUM	0.975	ug/L	J		21		0.1	1
FPZ 6B	9/9/2015	CADMIUM	2.86	ug/L					0.1	1
FPZ 6B	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 6B	9/9/2015	COBALT	22.7	ug/L					0.5	5
FPZ 6B	9/9/2015	COPPER	3.76	ug/L	J		21		0.5	5
FPZ 6B	9/9/2015	LEAD	0.519	ug/L	J		21		0.5	5
FPZ 6B	9/9/2015	NICKEL	6.38	ug/L					0.5	5
FPZ 6B	9/9/2015	SELENIUM	2.87	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6B	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ 6B	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 6B	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ 6B	9/9/2015	ZINC	25.8	ug/L	J		21		4	40
FPZ 6B	9/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6B	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 6B	9/9/2015	CHLOROFORM	0.59	ug/L	J		21		0.1	1
FPZ 6B	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 6B	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 6B	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ 6B	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 6B	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2	11
FPZ 6B	9/9/2015	PHENOL	11	ug/L	U				2.1	11
FPZ 6B	9/9/2015	CYANIDE	4	ug/L	J		21		2.9	10
FPZ 6B	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	9.77	pCi/L				0.751	0.285	1.787
FPZ 6B	9/9/2015	RADIUM-226	3.25	pCi/L				0.229	0.062	0.5202
FPZ 6B	9/9/2015	RADIUM-228	24.4	pCi/L				1.03	0.372	2.432
FPZ 6B	9/9/2015	AMERICIUM-241	0.0235	pCi/L	U		V	0.047	0.0636	0.158
FPZ 6B	9/9/2015	CURIUM-242	0.0247	pCi/L	U		V	0.05	0.0627	0.162
FPZ 6B	9/9/2015	CURIUM-243/244	0.0463	pCi/L	U			0.066	0.0627	0.194
FPZ 6B	9/9/2015	CURIUM-245/246	0.12	pCi/L	U		21, V	0.108	0.0649	0.282
FPZ 6B	9/9/2015	PLUTONIUM-238	0.104	pCi/L	U			0.106	0.139	0.351
FPZ 6B	9/9/2015	PLUTONIUM-239/240	-0.0116	pCi/L	U			0.017	0.139	0.172
FPZ 6B	9/9/2015	THORIUM-228	-0.0444	pCi/L	U		V	0.131	0.369	0.632
FPZ 6B	9/9/2015	THORIUM-230	0.175	pCi/L	U		21, V	0.135	0.0678	0.338
FPZ 6B	9/9/2015	THORIUM-232	0.0187	pCi/L	U			0.052	0.126	0.229

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6B	9/9/2015	URANIUM-233/234	0.84	pCi/L			V	0.283	0.0529	0.618
FPZ 6B	9/9/2015	URANIUM-235	0.0361	pCi/L	U			0.071	0.145	0.285
FPZ 6B	9/9/2015	URANIUM-238	1.09	pCi/L			V	0.327	0.0528	0.708
FPZ 6B	9/9/2015	GROSS ALPHA	13.1	pCi/L				5.09	2.86	13
FPZ 6B	9/9/2015	NONVOLATILE BETA	167	pCi/L				12.9	4.31	30.1
FPZ 6B	9/9/2015	STRONTIUM-90	52.9	pCi/L				7.13	3.37	17.6
FPZ 6B	9/9/2015	CARBON-14	3.78	pCi/L	U			3.96	6.49	14.4
FPZ 6B	9/9/2015	TECHNETIUM-99	67.5	pCi/L				3.99	3.99	12
FPZ 6B	9/9/2015	TRITIUM	708	pCi/mL				4.65	0.54	9.84
FPZ 6B	9/9/2015	CESIUM-137	0.584	pCi/L	U			5.25	9.63	20.1
FPZ 6B	9/9/2015	COBALT-60	1	pCi/L	U			5.28	9.78	20.4
FPZ 6B	9/9/2015	IODINE-129	43.7	pCi/L				7.16	1.46	15.8
FPZ 6B	12/3/2015	NITRATE-NITRITE AS NITROGEN	47.3	mg/L					1.7	5
FPZ 6B	12/3/2015	CADMIUM	2.54	ug/L					0.1	1
FPZ 6B	12/3/2015	COBALT	31.1	ug/L					0.5	5
FPZ 6B	12/3/2015	TIN	10	ug/L	U				1	10
FPZ 6B	12/3/2015	VANADIUM	50	ug/L	U				5	50
FPZ 6B	12/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 6B	12/3/2015	URANIUM-233/234	0.392	pCi/L	J		21, V	0.196	0.111	0.504
FPZ 6B	12/3/2015	URANIUM-235	0.109	pCi/L	U		21, V	0.11	0.0738	0.295
FPZ 6B	12/3/2015	URANIUM-238	0.281	pCi/L	J		21, V	0.164	0.111	0.439
FPZ 6B	12/3/2015	GROSS ALPHA	3.17	pCi/L	J		21	2.63	2.77	8.03
FPZ 6B	12/3/2015	NONVOLATILE BETA	163	pCi/L				12.7	4.07	29.4
FPZ 6B	12/3/2015	STRONTIUM-90	58	pCi/L				8.7	3.35	20.7
FPZ 6B	12/3/2015	TECHNETIUM-99	45.4	pCi/L				3.69	4.34	11.7
FPZ 6B	12/3/2015	TRITIUM	532	pCi/mL				4.38	0.436	9.2
FPZ 6B	12/3/2015	IODINE-129	27.2	pCi/L				4.78	1.31	10.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 6B	12/3/2015	RADIUM-226	1.65	pCi/L	J		V	0.371	0.162	0.904
FPZ 6B	12/3/2015	RADIUM-228	2.77	pCi/L				0.54	0.557	1.64
FPZ 6B	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	3.24	pCi/L	J		21	1.58	1.98	5.14
FPZ 7A	3/9/2015	NITRATE-NITRITE AS NITROGEN	36	mg/L					0.19	2
FPZ 7A	3/9/2015	CADMIUM	0.391	ug/L	J				0.1	1
FPZ 7A	3/9/2015	COBALT	7.82	ug/L					0.5	5
FPZ 7A	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 7A	3/9/2015	RADIUM, TOTAL ALPHA-EMITTING	4.1	pCi/L				0.87	0.792	2.532
FPZ 7A	3/9/2015	RADIUM-226	1.3	pCi/L				0.266	0.205	0.737
FPZ 7A	3/9/2015	RADIUM-228	6.79	pCi/L				1.19	1.17	3.55
FPZ 7A	3/9/2015	URANIUM-233/234	7.67	pCi/L				1.52	0.123	3.16
FPZ 7A	3/9/2015	URANIUM-235	0.723	pCi/L				0.321	0.0817	0.724
FPZ 7A	3/9/2015	URANIUM-238	12.1	pCi/L				2.19	0.123	4.5
FPZ 7A	3/9/2015	GROSS ALPHA	24.8	pCi/L				6.74	2.6	16.1
FPZ 7A	3/9/2015	NONVOLATILE BETA	32.8	pCi/L				6.1	4.54	16.7
FPZ 7A	3/9/2015	STRONTIUM-90	8.19	pCi/L	J		21	2.98	3.27	9.23
FPZ 7A	3/9/2015	CARBON-14	10.8	pCi/L	J		21	4.45	7.03	15.9
FPZ 7A	3/9/2015	TECHNETIUM-99	16.7	pCi/L				2.96	4.2	10.1
FPZ 7A	3/9/2015	TRITIUM	339	pCi/mL				3.54	0.449	7.53
FPZ 7A	3/9/2015	IODINE-129	41.3	pCi/L				6.52	1.6	14.6
FPZ 7A	6/8/2015	NITRATE-NITRITE AS NITROGEN	39	mg/L					0.19	2
FPZ 7A	6/8/2015	CADMIUM	0.392	ug/L	J		21		0.1	1
FPZ 7A	6/8/2015	COBALT	6.77	ug/L					0.5	5
FPZ 7A	6/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 7A	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	3.37	pCi/L				0.34	0.158	0.838
FPZ 7A	6/8/2015	RADIUM-226	1.2	pCi/L				0.138	0.09	0.3658

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7A	6/8/2015	RADIUM-228	5.92	pCi/L				0.528	0.384	1.44
FPZ 7A	6/8/2015	URANIUM-233/234	5.88	pCi/L			V	1.14	0.118	2.39
FPZ 7A	6/8/2015	URANIUM-235	0.317	pCi/L	J		21	0.198	0.0781	0.474
FPZ 7A	6/8/2015	URANIUM-238	10.4	pCi/L			V	1.77	0.0632	3.61
FPZ 7A	6/8/2015	GROSS ALPHA	10.2	pCi/L	J		21	4.41	2.5	11.3
FPZ 7A	6/8/2015	NONVOLATILE BETA	37.7	pCi/L				6.42	4.02	16.9
FPZ 7A	6/8/2015	STRONTIUM-90	8.26	pCi/L	J		21	3.44	3.22	10.1
FPZ 7A	6/8/2015	CARBON-14	7.99	pCi/L	J		21	4.65	7.47	16.8
FPZ 7A	6/8/2015	TECHNETIUM-99	15.8	pCi/L	J			2.95	4.23	10.1
FPZ 7A	6/8/2015	TRITIUM	326	pCi/mL				3.32	0.426	7.07
FPZ 7A	6/8/2015	IODINE-129	73.6	pCi/L				11.3	1.71	24.2
FPZ 7A	9/9/2015	NITRATE-NITRITE AS NITROGEN	33	mg/L					0.19	2
FPZ 7A	9/9/2015	ALUMINUM	5710	ug/L					40	400
FPZ 7A	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ 7A	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ 7A	9/9/2015	BARIUM	27	ug/L					2	20
FPZ 7A	9/9/2015	BERYLLIUM	0.122	ug/L	J		21		0.1	1
FPZ 7A	9/9/2015	CADMIUM	0.452	ug/L	J		21		0.1	1
FPZ 7A	9/9/2015	CHROMIUM	10.4	ug/L	J		21		10	100
FPZ 7A	9/9/2015	COBALT	6.9	ug/L					0.5	5
FPZ 7A	9/9/2015	COPPER	6.41	ug/L					0.5	5
FPZ 7A	9/9/2015	LEAD	2.92	ug/L	J		21		0.5	5
FPZ 7A	9/9/2015	NICKEL	2.69	ug/L	J		21		0.5	5
FPZ 7A	9/9/2015	SELENIUM	3.06	ug/L	J		21		2	20
FPZ 7A	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ 7A	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 7A	9/9/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7A	9/9/2015	ZINC	9.21	ug/L	J		21		4	40
FPZ 7A	9/9/2015	MERCURY	0.0578	ug/L	J		21		0.02	0.2
FPZ 7A	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 7A	9/9/2015	CHLOROFORM	0.4	ug/L	J		21		0.1	1
FPZ 7A	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 7A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 7A	9/9/2015	TRICHLOROETHYLENE (TCE)	0.6	ug/L	J		21		0.25	1
FPZ 7A	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 7A	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FPZ 7A	9/9/2015	PHENOL	10	ug/L	U				2	10
FPZ 7A	9/9/2015	CYANIDE	3.3	ug/L	J		21		2.9	10
FPZ 7A	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	4.63	pCi/L				0.537	0.302	1.376
FPZ 7A	9/9/2015	RADIUM-226	1.26	pCi/L				0.147	0.082	0.3761
FPZ 7A	9/9/2015	RADIUM-228	3.83	pCi/L				0.534	0.464	1.532
FPZ 7A	9/9/2015	AMERICIUM-241	1.18	pCi/L			V	0.391	0.0709	0.854
FPZ 7A	9/9/2015	CURIUM-242	-0.00687	pCi/L	U		V	0.014	0.13	0.157
FPZ 7A	9/9/2015	CURIUM-243/244	0.903	pCi/L				0.333	0.0698	0.735
FPZ 7A	9/9/2015	CURIUM-245/246	0.24	pCi/L	J		21, V	0.164	0.0723	0.4
FPZ 7A	9/9/2015	PLUTONIUM-238	-0.00584	pCi/L	U			0.012	0.117	0.141
FPZ 7A	9/9/2015	PLUTONIUM-239/240	-0.00583	pCi/L	U			0.012	0.117	0.141
FPZ 7A	9/9/2015	THORIUM-228	0.212	pCi/L	J		21, V	0.146	0.167	0.459
FPZ 7A	9/9/2015	THORIUM-230	0.0798	pCi/L	U		21, V	0.081	0.0541	0.216
FPZ 7A	9/9/2015	THORIUM-232	0.0398	pCi/L	U			0.057	0.054	0.167
FPZ 7A	9/9/2015	URANIUM-233/234	25	pCi/L			V	3.97	0.0627	8
FPZ 7A	9/9/2015	URANIUM-235	1.37	pCi/L				0.452	0.0773	0.981
FPZ 7A	9/9/2015	URANIUM-238	43.7	pCi/L			V	6.47	0.138	13.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7A	9/9/2015	GROSS ALPHA	28.3	pCi/L				7.14	2.63	16.9
FPZ 7A	9/9/2015	NONVOLATILE BETA	50.1	pCi/L				7.36	4.61	19.3
FPZ 7A	9/9/2015	STRONTIUM-90	27.6	pCi/L				4.46	3.25	12.2
FPZ 7A	9/9/2015	CARBON-14	3.73	pCi/L	U			3.93	6.45	14.3
FPZ 7A	9/9/2015	TECHNETIUM-99	20.7	pCi/L				2.95	3.98	9.88
FPZ 7A	9/9/2015	TRITIUM	311	pCi/mL				3.06	0.53	6.65
FPZ 7A	9/9/2015	CESIUM-137	-4.24	pCi/L	U			5.33	8.92	19.6
FPZ 7A	9/9/2015	COBALT-60	-0.939	pCi/L	U			4.87	8.62	18.4
FPZ 7A	9/9/2015	IODINE-129	45.9	pCi/L				7.31	1.51	16.1
FPZ 7A	12/7/2015	NITRATE-NITRITE AS NITROGEN	28	mg/L					0.85	2.5
FPZ 7A	12/7/2015	CADMIUM	0.378	ug/L	J		21		0.1	1
FPZ 7A	12/7/2015	COBALT	5.85	ug/L					0.5	5
FPZ 7A	12/7/2015	TIN	10	ug/L	U				1	10
FPZ 7A	12/7/2015	VANADIUM	50	ug/L	U				5	50
FPZ 7A	12/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 7A	12/7/2015	URANIUM-233/234	6.22	pCi/L			V	1.19	0.0634	2.45
FPZ 7A	12/7/2015	URANIUM-235	0.418	pCi/L	J		21, V	0.234	0.173	0.641
FPZ 7A	12/7/2015	URANIUM-238	9.73	pCi/L			V	1.68	0.0632	3.41
FPZ 7A	12/7/2015	GROSS ALPHA	15.6	pCi/L				5.36	2.64	13.4
FPZ 7A	12/7/2015	NONVOLATILE BETA	30.4	pCi/L				5.9	4.34	16.1
FPZ 7A	12/7/2015	STRONTIUM-90	7.78	pCi/L	J		21	3.05	3.26	9.36
FPZ 7A	12/7/2015	TECHNETIUM-99	14.6	pCi/L				2.99	4.35	10.3
FPZ 7A	12/7/2015	TRITIUM	296	pCi/mL				3.26	0.432	6.95
FPZ 7A	12/7/2015	IODINE-129	107	pCi/L				16.4	1.96	34.8
FPZ 7A	12/7/2015	RADIUM-226	1.12	pCi/L	J		V	0.358	0.363	1.08
FPZ 7A	12/7/2015	RADIUM-228	0.793	pCi/L	J		21	0.308	0.395	1.01
FPZ 7A	12/7/2015	RADIUM, TOTAL ALPHA-EMITTING	1.77	pCi/L	U			1.24	1.96	4.44

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7B	3/9/2015	NITRATE-NITRITE AS NITROGEN	9.8	mg/L					0.047	0.5
FPZ 7B	3/9/2015	CADMIUM	0.136	ug/L	J				0.1	1
FPZ 7B	3/9/2015	COBALT	1.33	ug/L	J				0.5	5
FPZ 7B	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FPZ 7B	3/9/2015	RADIUM, TOTAL ALPHA-EMITTING	2.06	pCi/L				0.536	0.56	1.632
FPZ 7B	3/9/2015	RADIUM-226	0.368	pCi/L	J		21	0.141	0.177	0.459
FPZ 7B	3/9/2015	RADIUM-228	-0.0712	pCi/L	U			0.553	1.01	2.116
FPZ 7B	3/9/2015	URANIUM-233/234	13.4	pCi/L				2.44	0.0642	4.94
FPZ 7B	3/9/2015	URANIUM-235	1.02	pCi/L				0.389	0.0792	0.856
FPZ 7B	3/9/2015	URANIUM-238	17.2	pCi/L				2.98	0.142	6.11
FPZ 7B	3/9/2015	GROSS ALPHA	28.1	pCi/L				6.87	2.4	16.1
FPZ 7B	3/9/2015	NONVOLATILE BETA	53.1	pCi/L				7.5	4.58	19.6
FPZ 7B	3/9/2015	STRONTIUM-90	0.743	pCi/L	U			1.92	3.24	7.08
FPZ 7B	3/9/2015	CARBON-14	2.08	pCi/L	U			4.24	7.03	15.5
FPZ 7B	3/9/2015	TECHNETIUM-99	36	pCi/L				3.45	4.23	11.1
FPZ 7B	3/9/2015	TRITIUM	95	pCi/mL				2.16	0.582	4.89
FPZ 7B	3/9/2015	IODINE-129	24.8	pCi/L	J			4.28	1.21	9.77
FPZ 7B	6/8/2015	NITRATE-NITRITE AS NITROGEN	8.8	mg/L					0.094	1
FPZ 7B	6/8/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 7B	6/8/2015	COBALT	1.12	ug/L	J		21		0.5	5
FPZ 7B	6/8/2015	MERCURY	0.283	ug/L					0.02	0.2
FPZ 7B	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.421	pCi/L	J		21	0.193	0.219	0.605
FPZ 7B	6/8/2015	RADIUM-226	0.277	pCi/L	J		21	0.131	0.179	0.441
FPZ 7B	6/8/2015	RADIUM-228	0.292	pCi/L	U			0.466	0.787	1.719
FPZ 7B	6/8/2015	URANIUM-233/234	18.3	pCi/L			V	3.06	0.0687	6.19
FPZ 7B	6/8/2015	URANIUM-235	1.16	pCi/L				0.424	0.0847	0.933

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7B	6/8/2015	URANIUM-238	25.4	pCi/L			V	3.99	0.127	8.1
FPZ 7B	6/8/2015	GROSS ALPHA	33.2	pCi/L				7.62	2.38	17.6
FPZ 7B	6/8/2015	NONVOLATILE BETA	64.5	pCi/L				8.26	4.48	21
FPZ 7B	6/8/2015	STRONTIUM-90	-0.942	pCi/L	U			2.42	3.4	8.24
FPZ 7B	6/8/2015	CARBON-14	-1.06	pCi/L	U			4.36	7.35	16.1
FPZ 7B	6/8/2015	TECHNETIUM-99	36.5	pCi/L	J			3.49	4.29	11.3
FPZ 7B	6/8/2015	TRITIUM	103	pCi/mL				2.12	0.537	4.78
FPZ 7B	6/8/2015	IODINE-129	41.8	pCi/L				6.57	1.39	14.5
FPZ 7B	9/9/2015	NITRATE-NITRITE AS NITROGEN	12	mg/L					0.094	1
FPZ 7B	9/9/2015	ALUMINUM	2800	ug/L					40	400
FPZ 7B	9/9/2015	ANTIMONY	10	ug/L	U				1	10
FPZ 7B	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ 7B	9/9/2015	BARIUM	4.02	ug/L	J		21		2	20
FPZ 7B	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
FPZ 7B	9/9/2015	CADMIUM	0.254	ug/L	J		21		0.1	1
FPZ 7B	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ 7B	9/9/2015	COBALT	1.9	ug/L	J		21		0.5	5
FPZ 7B	9/9/2015	COPPER	7.11	ug/L					0.5	5
FPZ 7B	9/9/2015	LEAD	1.1	ug/L	J		21		0.5	5
FPZ 7B	9/9/2015	NICKEL	1.31	ug/L	J		21		0.5	5
FPZ 7B	9/9/2015	SELENIUM	4.21	ug/L	U		21, V		2	20
FPZ 7B	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ 7B	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ 7B	9/9/2015	TIN	10	ug/L	U				1	10
FPZ 7B	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ 7B	9/9/2015	ZINC	15.4	ug/L	J		21		4	40
FPZ 7B	9/9/2015	MERCURY	0.413	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7B	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ 7B	9/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
FPZ 7B	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ 7B	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ 7B	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ 7B	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ 7B	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FPZ 7B	9/9/2015	PHENOL	10	ug/L	U				2.1	10
FPZ 7B	9/9/2015	CYANIDE	4.9	ug/L	J		21		2.9	10
FPZ 7B	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.397	pCi/L	U			0.31	0.458	1.078
FPZ 7B	9/9/2015	RADIUM-226	0.256	pCi/L	J		21	0.126	0.168	0.42
FPZ 7B	9/9/2015	RADIUM-228	0.0572	pCi/L	U			0.531	0.932	1.994
FPZ 7B	9/9/2015	AMERICIUM-241	0.28	pCi/L	J		21, V	0.17	0.12	0.461
FPZ 7B	9/9/2015	CURIUM-242	0.181	pCi/L	U		21, V	0.139	0.0636	0.342
FPZ 7B	9/9/2015	CURIUM-243/244	0.512	pCi/L	J		21, V	0.233	0.118	0.584
FPZ 7B	9/9/2015	CURIUM-245/246	0.17	pCi/L	U		21, V	0.131	0.0659	0.328
FPZ 7B	9/9/2015	PLUTONIUM-238	0.0209	pCi/L	U			0.042	0.0566	0.141
FPZ 7B	9/9/2015	PLUTONIUM-239/240	0.0784	pCi/L	U			0.085	0.105	0.275
FPZ 7B	9/9/2015	THORIUM-228	0.0178	pCi/L	U			0.11	0.294	0.514
FPZ 7B	9/9/2015	THORIUM-230	0.131	pCi/L	U		V	0.143	0.176	0.462
FPZ 7B	9/9/2015	THORIUM-232	-0.00874	pCi/L	U		V	0.018	0.176	0.211
FPZ 7B	9/9/2015	URANIUM-233/234	22.8	pCi/L			V	3.62	0.0602	7.3
FPZ 7B	9/9/2015	URANIUM-235	1.15	pCi/L				0.399	0.0742	0.872
FPZ 7B	9/9/2015	URANIUM-238	27.1	pCi/L			V	4.1	0.06	8.27
FPZ 7B	9/9/2015	GROSS ALPHA	40.5	pCi/L				8.37	2.54	19.3
FPZ 7B	9/9/2015	NONVOLATILE BETA	39	pCi/L				6.65	4.84	18.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ 7B	9/9/2015	STRONTIUM-90	1.05	pCi/L	U			1.38	3.33	6.08
FPZ 7B	9/9/2015	CARBON-14	3.04	pCi/L	U			3.91	6.44	14.3
FPZ 7B	9/9/2015	TECHNETIUM-99	36.8	pCi/L				4.04	5.2	13.3
FPZ 7B	9/9/2015	TRITIUM	193	pCi/mL				3.35	0.702	7.4
FPZ 7B	9/9/2015	CESIUM-137	-2.82	pCi/L	U			5.46	9.31	20.2
FPZ 7B	9/9/2015	COBALT-60	-3.28	pCi/L	U			4.75	8.07	17.6
FPZ 7B	9/9/2015	IODINE-129	77.4	pCi/L	J			12	1.43	25.4
FPZ 7B	12/7/2015	NITRATE-NITRITE AS NITROGEN	8.75	mg/L					0.425	1.25
FPZ 7B	12/7/2015	CADMIUM	1	ug/L	U				0.1	1
FPZ 7B	12/7/2015	COBALT	0.756	ug/L	J		21		0.5	5
FPZ 7B	12/7/2015	TIN	10	ug/L	U				1	10
FPZ 7B	12/7/2015	VANADIUM	50	ug/L	U				5	50
FPZ 7B	12/7/2015	MERCURY	0.258	ug/L					0.02	0.2
FPZ 7B	12/7/2015	URANIUM-233/234	15.6	pCi/L			V	2.59	0.0625	5.24
FPZ 7B	12/7/2015	URANIUM-235	0.939	pCi/L			V	0.36	0.0771	0.797
FPZ 7B	12/7/2015	URANIUM-238	21.5	pCi/L			V	3.35	0.116	6.81
FPZ 7B	12/7/2015	GROSS ALPHA	5.48	pCi/L				1.36	0.494	3.22
FPZ 7B	12/7/2015	NONVOLATILE BETA	7.88	pCi/L				1.32	0.913	3.56
FPZ 7B	12/7/2015	STRONTIUM-90	1.25	pCi/L	U			2.08	3.36	7.53
FPZ 7B	12/7/2015	TECHNETIUM-99	32.9	pCi/L				3.55	4.55	11.6
FPZ 7B	12/7/2015	TRITIUM	84.9	pCi/mL				1.97	0.539	4.48
FPZ 7B	12/7/2015	IODINE-129	47.7	pCi/L				7.59	1.4	16.6
FPZ 7B	12/7/2015	RADIUM-226	0.262	pCi/L	U			0.213	0.326	0.752
FPZ 7B	12/7/2015	RADIUM-228	0.491	pCi/L	U			0.327	0.506	1.16
FPZ 7B	12/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.179	pCi/L	U			1.07	1.97	4.11
FPZ008AR	3/4/2015	NITRATE-NITRITE AS NITROGEN	28	mg/L					0.19	2
FPZ008AR	3/4/2015	CADMIUM	1.31	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008AR	3/4/2015	COBALT	19.4	ug/L					0.5	5
FPZ008AR	3/4/2015	MERCURY	1.47	ug/L					0.02	0.2
FPZ008AR	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	1.7	pCi/L				0.156	0.049	0.3611
FPZ008AR	3/4/2015	RADIUM-226	1.51	pCi/L				0.146	0.079	0.3706
FPZ008AR	3/4/2015	RADIUM-228	6.54	pCi/L				0.503	0.315	1.321
FPZ008AR	3/4/2015	URANIUM-233/234	8.69	pCi/L				1.67	0.122	3.45
FPZ008AR	3/4/2015	URANIUM-235	0.745	pCi/L				0.324	0.0807	0.729
FPZ008AR	3/4/2015	URANIUM-238	18.3	pCi/L				3.13	0.121	6.38
FPZ008AR	3/4/2015	GROSS ALPHA	27.7	pCi/L				6.93	2.48	16.3
FPZ008AR	3/4/2015	NONVOLATILE BETA	68.8	pCi/L				8.45	4.58	21.5
FPZ008AR	3/4/2015	STRONTIUM-90	22	pCi/L				4.71	3.27	12.7
FPZ008AR	3/4/2015	CARBON-14	-2.18	pCi/L	U			4.13	7.02	15.3
FPZ008AR	3/4/2015	TECHNETIUM-99	16.7	pCi/L				2.96	4.19	10.1
FPZ008AR	3/4/2015	TRITIUM	191	pCi/mL				2.61	0.449	5.67
FPZ008AR	3/4/2015	IODINE-129	29.6	pCi/L				4.95	1.36	11.3
FPZ008AR	6/10/2015	NITRATE-NITRITE AS NITROGEN	25	mg/L					0.19	2
FPZ008AR	6/10/2015	CADMIUM	1.1	ug/L					0.1	1
FPZ008AR	6/10/2015	COBALT	13.4	ug/L					0.5	5
FPZ008AR	6/10/2015	MERCURY	0.877	ug/L					0.02	0.2
FPZ008AR	6/10/2015	RADIUM, TOTAL ALPHA-EMITTING	3.02	pCi/L				0.412	0.256	1.08
FPZ008AR	6/10/2015	RADIUM-226	1.38	pCi/L				0.144	0.072	0.3604
FPZ008AR	6/10/2015	RADIUM-228	11.2	pCi/L				0.711	0.327	1.749
FPZ008AR	6/10/2015	URANIUM-233/234	8.27	pCi/L			V	1.16	0.0494	2.36
FPZ008AR	6/10/2015	URANIUM-235	0.554	pCi/L			V	0.17	0.0578	0.397
FPZ008AR	6/10/2015	URANIUM-238	16.8	pCi/L			V	2.12	0.044	4.29
FPZ008AR	6/10/2015	GROSS ALPHA	23.6	pCi/L				6.47	2.38	15.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008AR	6/10/2015	NONVOLATILE BETA	45.5	pCi/L				7.02	4.29	18.3
FPZ008AR	6/10/2015	STRONTIUM-90	18.5	pCi/L				4.48	2.95	11.9
FPZ008AR	6/10/2015	CARBON-14	15.9	pCi/L	J		21	4.87	7.54	17.3
FPZ008AR	6/10/2015	TECHNETIUM-99	15.7	pCi/L				2.99	4.29	10.3
FPZ008AR	6/10/2015	TRITIUM	167	pCi/mL				2.38	0.437	5.2
FPZ008AR	6/10/2015	IODINE-129	23.6	pCi/L				3.88	1.24	9.01
FPZ008AR	9/9/2015	NITRATE-NITRITE AS NITROGEN	25	mg/L					0.19	2
FPZ008AR	9/9/2015	ALUMINUM	1120	ug/L					40	400
FPZ008AR	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ008AR	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ008AR	9/9/2015	BARIUM	39.2	ug/L					2	20
FPZ008AR	9/9/2015	BERYLLIUM	0.303	ug/L	J		21		0.1	1
FPZ008AR	9/9/2015	CADMIUM	1.4	ug/L					0.1	1
FPZ008AR	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ008AR	9/9/2015	COBALT	15.1	ug/L					0.5	5
FPZ008AR	9/9/2015	COPPER	2.34	ug/L	J		21		0.5	5
FPZ008AR	9/9/2015	LEAD	5	ug/L	U				0.5	5
FPZ008AR	9/9/2015	NICKEL	3.94	ug/L	J		21		0.5	5
FPZ008AR	9/9/2015	SELENIUM	3.39	ug/L	J		21		2	20
FPZ008AR	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ008AR	9/9/2015	THALLIUM	0.118	ug/L	J		21		0.1	1
FPZ008AR	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ008AR	9/9/2015	ZINC	10.4	ug/L	J		21		4	40
FPZ008AR	9/9/2015	MERCURY	1.08	ug/L					0.02	0.2
FPZ008AR	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ008AR	9/9/2015	CHLOROFORM	0.73	ug/L	J		21		0.1	1
FPZ008AR	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008AR	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ008AR	9/9/2015	TRICHLOROETHYLENE (TCE)	0.41	ug/L	J		21		0.25	1
FPZ008AR	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FPZ008AR	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FPZ008AR	9/9/2015	PHENOL	10	ug/L	U				2	10
FPZ008AR	9/9/2015	CYANIDE	3.1	ug/L	J		21		2.9	10
FPZ008AR	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	3.79	pCi/L				0.47	0.32	1.26
FPZ008AR	9/9/2015	RADIUM-226	1.59	pCi/L				0.153	0.051	0.3571
FPZ008AR	9/9/2015	RADIUM-228	10.5	pCi/L				0.687	0.408	1.782
FPZ008AR	9/9/2015	AMERICIUM-241	0.266	pCi/L	J		21, V	0.165	0.0656	0.396
FPZ008AR	9/9/2015	CURIUM-242	0.0254	pCi/L	U		V	0.051	0.0646	0.167
FPZ008AR	9/9/2015	CURIUM-243/244	0.28	pCi/L	J		21	0.171	0.12	0.461
FPZ008AR	9/9/2015	CURIUM-245/246	0.197	pCi/L	U		21, V	0.142	0.0668	0.352
FPZ008AR	9/9/2015	PLUTONIUM-238	0.0224	pCi/L	U			0.045	0.0607	0.151
FPZ008AR	9/9/2015	PLUTONIUM-239/240	-0.0056	pCi/L	U			0.011	0.113	0.135
FPZ008AR	9/9/2015	THORIUM-228	0	pCi/L	U		V	0	0.331	0.331
FPZ008AR	9/9/2015	THORIUM-230	0.095	pCi/L	U		V	0.103	0.128	0.334
FPZ008AR	9/9/2015	THORIUM-232	0.0253	pCi/L	U			0.051	0.0685	0.17
FPZ008AR	9/9/2015	URANIUM-233/234	11.2	pCi/L			V	1.94	0.119	4
FPZ008AR	9/9/2015	URANIUM-235	0.759	pCi/L				0.321	0.0791	0.722
FPZ008AR	9/9/2015	URANIUM-238	21.2	pCi/L			V	3.33	0.064	6.72
FPZ008AR	9/9/2015	GROSS ALPHA	20.2	pCi/L				5.91	2.52	14.3
FPZ008AR	9/9/2015	NONVOLATILE BETA	64.9	pCi/L				8.22	4.42	20.9
FPZ008AR	9/9/2015	STRONTIUM-90	22.3	pCi/L				3.89	3.32	11.1
FPZ008AR	9/9/2015	CARBON-14	37.5	pCi/L				4.73	6.54	16
FPZ008AR	9/9/2015	TECHNETIUM-99	13.6	pCi/L				2.95	4.33	10.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008AR	9/9/2015	TRITIUM	194	pCi/mL				2.42	0.528	5.38
FPZ008AR	9/9/2015	CESIUM-137	-4.22	pCi/L	U			5.38	9.02	19.8
FPZ008AR	9/9/2015	COBALT-60	2.46	pCi/L	U			4.89	9.52	19.3
FPZ008AR	9/9/2015	IODINE-129	29.3	pCi/L				5.06	1.25	11.4
FPZ008AR	12/7/2015	NITRATE-NITRITE AS NITROGEN	18.6	mg/L					0.85	2.5
FPZ008AR	12/7/2015	CADMIUM	0.859	ug/L	J		21		0.1	1
FPZ008AR	12/7/2015	COBALT	9.9	ug/L					0.5	5
FPZ008AR	12/7/2015	TIN	10	ug/L	U				1	10
FPZ008AR	12/7/2015	VANADIUM	50	ug/L	U				5	50
FPZ008AR	12/7/2015	MERCURY	1.28	ug/L					0.02	0.2
FPZ008AR	12/7/2015	URANIUM-233/234	6.8	pCi/L			V	1.25	0.11	2.61
FPZ008AR	12/7/2015	URANIUM-235	0.607	pCi/L	J		21, V	0.277	0.162	0.715
FPZ008AR	12/7/2015	URANIUM-238	14.1	pCi/L			V	2.25	0.11	4.61
FPZ008AR	12/7/2015	GROSS ALPHA	15.8	pCi/L				5.27	2.54	13.1
FPZ008AR	12/7/2015	NONVOLATILE BETA	46.1	pCi/L				7.04	4.33	18.4
FPZ008AR	12/7/2015	STRONTIUM-90	14.4	pCi/L				3.92	3.35	11.2
FPZ008AR	12/7/2015	TECHNETIUM-99	11.6	pCi/L				2.91	4.34	10.2
FPZ008AR	12/7/2015	TRITIUM	133	pCi/mL				2.19	0.43	4.81
FPZ008AR	12/7/2015	IODINE-129	23.1	pCi/L				4.09	1.28	9.46
FPZ008AR	12/7/2015	RADIUM-226	1.19	pCi/L	J		V	0.332	0.261	0.925
FPZ008AR	12/7/2015	RADIUM-228	0.293	pCi/L	U			0.272	0.442	0.986
FPZ008AR	12/7/2015	RADIUM, TOTAL ALPHA-EMITTING	1.59	pCi/L	U			1.26	1.98	4.5
FPZ008BR	3/4/2015	NITRATE-NITRITE AS NITROGEN	8.4	mg/L					0.047	0.5
FPZ008BR	3/4/2015	CADMIUM	0.227	ug/L	J				0.1	1
FPZ008BR	3/4/2015	COBALT	1.69	ug/L	J				0.5	5
FPZ008BR	3/4/2015	MERCURY	0.146	ug/L	J		21		0.02	0.2
FPZ008BR	3/4/2015	RADIUM, TOTAL ALPHA-	0.862	pCi/L				0.126	0.097	0.3487

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FPZ008BR	3/4/2015	RADIUM-226	0.733	pCi/L				0.105	0.073	0.2825
FPZ008BR	3/4/2015	RADIUM-228	4.73	pCi/L				0.44	0.294	1.174
FPZ008BR	3/4/2015	URANIUM-233/234	1.32	pCi/L				0.402	0.112	0.915
FPZ008BR	3/4/2015	URANIUM-235	0.041	pCi/L	U			0.08	0.164	0.324
FPZ008BR	3/4/2015	URANIUM-238	2.68	pCi/L				0.635	0.0599	1.33
FPZ008BR	3/4/2015	GROSS ALPHA	4.86	pCi/L	J		21	2.91	2.31	8.14
FPZ008BR	3/4/2015	NONVOLATILE BETA	21.8	pCi/L				5.02	4.05	14.1
FPZ008BR	3/4/2015	STRONTIUM-90	7.08	pCi/L	J		21	2.79	3.36	8.93
FPZ008BR	3/4/2015	CARBON-14	-0.968	pCi/L	U			4.15	7	15.3
FPZ008BR	3/4/2015	TECHNETIUM-99	10.4	pCi/L				2.79	4.19	9.76
FPZ008BR	3/4/2015	TRITIUM	53.6	pCi/mL				1.41	0.452	3.27
FPZ008BR	3/4/2015	IODINE-129	8.21	pCi/L				1.86	1.14	4.87
FPZ008BR	6/10/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
FPZ008BR	6/10/2015	CADMIUM	0.31	ug/L	J		21		0.1	1
FPZ008BR	6/10/2015	COBALT	2.3	ug/L	J		21		0.5	5
FPZ008BR	6/10/2015	MERCURY	0.0677	ug/L	J		21		0.02	0.2
FPZ008BR	6/10/2015	RADIUM, TOTAL ALPHA-EMITTING	3.11	pCi/L				0.411	0.228	1.05
FPZ008BR	6/10/2015	RADIUM-226	0.892	pCi/L				0.12	0.08	0.3202
FPZ008BR	6/10/2015	RADIUM-228	5.7	pCi/L				0.499	0.286	1.284
FPZ008BR	6/10/2015	URANIUM-233/234	1.89	pCi/L			V	0.348	0.04	0.736
FPZ008BR	6/10/2015	URANIUM-235	0.102	pCi/L	J		21, V	0.067	0.0467	0.18
FPZ008BR	6/10/2015	URANIUM-238	3	pCi/L			V	0.481	0.0345	0.996
FPZ008BR	6/10/2015	GROSS ALPHA	4.67	pCi/L	J		21	2.89	2.24	8.01
FPZ008BR	6/10/2015	NONVOLATILE BETA	28.8	pCi/L				5.64	3.85	15.1
FPZ008BR	6/10/2015	STRONTIUM-90	9.51	pCi/L				3.26	2.96	9.49
FPZ008BR	6/10/2015	CARBON-14	-2.2	pCi/L	U			4.08	6.93	15.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008BR	6/10/2015	TECHNETIUM-99	4.63	pCi/L	J		21	2.67	4.27	9.61
FPZ008BR	6/10/2015	TRITIUM	62	pCi/mL				1.46	0.437	3.37
FPZ008BR	6/10/2015	IODINE-129	10.7	pCi/L				2.4	1.07	5.87
FPZ008BR	9/9/2015	NITRATE-NITRITE AS NITROGEN	14	mg/L					0.094	1
FPZ008BR	9/9/2015	ALUMINUM	1220	ug/L					40	400
FPZ008BR	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FPZ008BR	9/9/2015	ARSENIC	50	ug/L	U				5	50
FPZ008BR	9/9/2015	BARIUM	22.7	ug/L					2	20
FPZ008BR	9/9/2015	BERYLLIUM	0.235	ug/L	J		21		0.1	1
FPZ008BR	9/9/2015	CADMIUM	0.626	ug/L	J		21		0.1	1
FPZ008BR	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FPZ008BR	9/9/2015	COBALT	2.3	ug/L	J		21		0.5	5
FPZ008BR	9/9/2015	COPPER	1.14	ug/L	J		21		0.5	5
FPZ008BR	9/9/2015	LEAD	5	ug/L	U				0.5	5
FPZ008BR	9/9/2015	NICKEL	1.12	ug/L	J		21		0.5	5
FPZ008BR	9/9/2015	SELENIUM	2.75	ug/L	J		21		2	20
FPZ008BR	9/9/2015	SILVER	5	ug/L	U				0.5	5
FPZ008BR	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FPZ008BR	9/9/2015	VANADIUM	50	ug/L	U				5	50
FPZ008BR	9/9/2015	ZINC	4.38	ug/L	J		21		4	40
FPZ008BR	9/9/2015	MERCURY	0.147	ug/L	J		21		0.02	0.2
FPZ008BR	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FPZ008BR	9/9/2015	CHLOROFORM	0.58	ug/L	J		21		0.1	1
FPZ008BR	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FPZ008BR	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FPZ008BR	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FPZ008BR	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008BR	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FPZ008BR	9/9/2015	PHENOL	10	ug/L	U				2	10
FPZ008BR	9/9/2015	CYANIDE	3.6	ug/L	J		21		2.9	10
FPZ008BR	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	4.66	pCi/L				0.499	0.183	1.181
FPZ008BR	9/9/2015	RADIUM-226	1.13	pCi/L				0.132	0.055	0.3194
FPZ008BR	9/9/2015	RADIUM-228	5.67	pCi/L				0.529	0.397	1.455
FPZ008BR	9/9/2015	AMERICIUM-241	0.127	pCi/L	J		21, V	0.11	0.137	0.358
FPZ008BR	9/9/2015	CURIUM-242	0	pCi/L	U		V	0	0.0542	0.0542
FPZ008BR	9/9/2015	CURIUM-243/244	0.0401	pCi/L	U			0.057	0.0542	0.168
FPZ008BR	9/9/2015	CURIUM-245/246	0.0984	pCi/L	U		V	0.094	0.104	0.293
FPZ008BR	9/9/2015	PLUTONIUM-238	-0.006	pCi/L	U			0.012	0.121	0.145
FPZ008BR	9/9/2015	PLUTONIUM-239/240	-0.006	pCi/L	U			0.012	0.121	0.145
FPZ008BR	9/9/2015	THORIUM-228	0.0799	pCi/L	J		21, V	0.115	0.214	0.445
FPZ008BR	9/9/2015	THORIUM-230	0.17	pCi/L	U		21, V	0.131	0.0657	0.328
FPZ008BR	9/9/2015	THORIUM-232	0.0182	pCi/L	U			0.05	0.122	0.222
FPZ008BR	9/9/2015	URANIUM-233/234	2.61	pCi/L			V	0.613	0.112	1.34
FPZ008BR	9/9/2015	URANIUM-235	0.102	pCi/L	U			0.111	0.138	0.36
FPZ008BR	9/9/2015	URANIUM-238	4.62	pCi/L			V	0.909	0.0599	1.88
FPZ008BR	9/9/2015	GROSS ALPHA	3.19	pCi/L	J		21	2.44	2.36	7.24
FPZ008BR	9/9/2015	NONVOLATILE BETA	30.1	pCi/L				6.24	4.01	16.5
FPZ008BR	9/9/2015	STRONTIUM-90	9.06	pCi/L				2.35	3.29	7.99
FPZ008BR	9/9/2015	CARBON-14	21.7	pCi/L				4.39	6.53	15.3
FPZ008BR	9/9/2015	TECHNETIUM-99	5.15	pCi/L	J		21	2.71	4.31	9.73
FPZ008BR	9/9/2015	TRITIUM	66.6	pCi/mL				1.44	0.527	3.41
FPZ008BR	9/9/2015	CESIUM-137	-0.996	pCi/L	U			5.63	10	21.3
FPZ008BR	9/9/2015	COBALT-60	5.37	pCi/L	U			5.35	10.8	21.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FPZ008BR	9/9/2015	IODINE-129	8.12	pCi/L				1.96	1.09	5
FPZ008BR	12/7/2015	NITRATE-NITRITE AS NITROGEN	5.3	mg/L					0.17	0.5
FPZ008BR	12/7/2015	CADMIUM	0.215	ug/L	J		21		0.1	1
FPZ008BR	12/7/2015	COBALT	0.904	ug/L	J		21		0.5	5
FPZ008BR	12/7/2015	TIN	10	ug/L	U				1	10
FPZ008BR	12/7/2015	VANADIUM	16.7	ug/L	J		21		5	50
FPZ008BR	12/7/2015	MERCURY	0.199	ug/L	J		21		0.02	0.2
FPZ008BR	12/7/2015	URANIUM-233/234	1.65	pCi/L			V	0.442	0.125	1.01
FPZ008BR	12/7/2015	URANIUM-235	0.0705	pCi/L	U		V	0.091	0.129	0.31
FPZ008BR	12/7/2015	URANIUM-238	3.05	pCi/L			V	0.656	0.104	1.42
FPZ008BR	12/7/2015	GROSS ALPHA	2.45	pCi/L	J		21	2.19	2.4	6.78
FPZ008BR	12/7/2015	NONVOLATILE BETA	10.2	pCi/L	J		21	3.82	4	11.6
FPZ008BR	12/7/2015	STRONTIUM-90	2.75	pCi/L	U			2.27	3.3	7.83
FPZ008BR	12/7/2015	TECHNETIUM-99	4.87	pCi/L	J		21	2.71	4.32	9.74
FPZ008BR	12/7/2015	TRITIUM	35.7	pCi/mL				1.23	0.486	2.95
FPZ008BR	12/7/2015	IODINE-129	14.8	pCi/L				2.8	1.22	6.82
FPZ008BR	12/7/2015	RADIUM-226	1.34	pCi/L	J		V	0.397	0.386	1.18
FPZ008BR	12/7/2015	RADIUM-228	0.473	pCi/L	U			0.342	0.535	1.22
FPZ008BR	12/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.761	pCi/L	U			1.14	1.97	4.25
FRB 1	5/6/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J	J	21		0.3	1
FRB 1	5/6/2015	GROSS ALPHA	11.1	pCi/L	J	J	11	4.25	2.1	10.6
FRB 1	5/6/2015	NONVOLATILE BETA	6.76	pCi/L	J	J	21	3.31	3.98	10.6
FRB 1	5/6/2015	STRONTIUM-90	0.448	pCi/L	U	U		1.93	3.26	7.11
FRB 1	5/6/2015	ACTINIUM-228	-0.0733	pCi/L	U	U		20.5	38.9	79.9
FRB 1	5/6/2015	ANTIMONY-125	-2.75	pCi/L	U	U		14.6	24.5	53.7
FRB 1	5/6/2015	BARIUM-133	0.484	pCi/L	U	U		7.88	11.9	27.6
FRB 1	5/6/2015	BISMUTH-214	23.6	pCi/L	J	U	21, V	14.9	15.9	45.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FRB 1	5/6/2015	CESIUM-134	-2	pCi/L	U	U		5	7.8	17.8
FRB 1	5/6/2015	CESIUM-137	-0.996	pCi/L	U	U		5.04	8.9	19
FRB 1	5/6/2015	COBALT-60	2.29	pCi/L	U	U		4.09	8.38	16.6
FRB 1	5/6/2015	EUROPIUM-152	-20.5	pCi/L	U	U		56	94.5	206
FRB 1	5/6/2015	EUROPIUM-154	-7.51	pCi/L	U	U		9.82	16.6	36.2
FRB 1	5/6/2015	EUROPIUM-155	-4.45	pCi/L	U	U		14.8	24.1	53.7
FRB 1	5/6/2015	LEAD-212	-2.85	pCi/L	U	U		10.5	18.2	39.3
FRB 1	5/6/2015	LEAD-214	41.5	pCi/L	J	J	21	20.7	25.6	67
FRB 1	5/6/2015	POTASSIUM-40	-24.8	pCi/L	U	U		84.4	186	355
FRB 1	5/6/2015	PROMETHIUM-146	-1.71	pCi/L	U	U		6.37	10.7	23.4
FRB 1	5/6/2015	SODIUM-22	1.25	pCi/L	U	U		4.22	8.4	16.8
FRB 1	5/6/2015	THALLIUM-208	2.37	pCi/L	U	U		6.3	11.6	24.2
FRB 1	5/6/2015	RADIUM-226	3.21	pCi/L				0.589	0.405	1.58
FRB 1	12/8/2015	TRICHLOROETHYLENE (TCE)	0.39	ug/L	J	J	21		0.3	1
FRB 1	12/8/2015	GROSS ALPHA	3.6	pCi/L	J	J	21, 11	2.47	2.14	7.08
FRB 1	12/8/2015	NONVOLATILE BETA	3.27	pCi/L	U	U		3.1	4.64	10.8
FRB 1	12/8/2015	STRONTIUM-90	1.69	pCi/L	U	U		2.15	3.11	7.41
FRB 1	12/8/2015	CESIUM-137	1.48	pCi/L	U	U		5.09	9.38	19.6
FRB 1	12/8/2015	RADIUM-226	2.38	pCi/L				0.617	0.309	1.54
FRB 1	12/8/2015	TRICHLOROETHYLENE (TCE)	0.49	ug/L	J	J	21		0.3	1
FRB 1	12/8/2015	GROSS ALPHA	4.81	pCi/L	J	J	21, 11	2.84	2.16	7.83
FRB 1	12/8/2015	NONVOLATILE BETA	0.817	pCi/L	U	U		2.78	4.79	10.3
FRB 1	12/8/2015	STRONTIUM-90	0.12	pCi/L	U	U		1.82	3.11	6.74
FRB 1	12/8/2015	CESIUM-137	-3.06	pCi/L	U	U		5.12	8.62	18.9
FRB 1	12/8/2015	RADIUM-226	3.3	pCi/L				0.843	0.741	2.43
FRB 2	5/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 2	5/6/2015	GROSS ALPHA	6.81	pCi/L	J	J	21, 11	3.36	2.1	8.81

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FRB 2	5/6/2015	NONVOLATILE BETA	2.21	pCi/L	U	U		2.51	3.88	8.9
FRB 2	5/6/2015	STRONTIUM-90	0.523	pCi/L	U	U		1.93	3.22	7.09
FRB 2	5/6/2015	ACTINIUM-228	4.84	pCi/L	U	U		20.4	39.4	80.1
FRB 2	5/6/2015	ANTIMONY-125	0.13	pCi/L	U	U		15	25.5	55.5
FRB 2	5/6/2015	BARIUM-133	2.04	pCi/L	U	U		8.04	12.3	28.4
FRB 2	5/6/2015	BISMUTH-214	54.9	pCi/L		U	V	18.8	15.6	53.2
FRB 2	5/6/2015	CESIUM-134	-4.58	pCi/L	U	U		5.59	7.79	19
FRB 2	5/6/2015	CESIUM-137	0.752	pCi/L	U	U		5.41	9.8	20.6
FRB 2	5/6/2015	COBALT-60	1.48	pCi/L	U	U		5.04	9.71	19.8
FRB 2	5/6/2015	EUROPIUM-152	-17.8	pCi/L	U	U		59.5	101	220
FRB 2	5/6/2015	EUROPIUM-154	-3.79	pCi/L	U	U		9.81	16.9	36.5
FRB 2	5/6/2015	EUROPIUM-155	1.58	pCi/L	U	U		17.3	25.5	60
FRB 2	5/6/2015	LEAD-212	-7.24	pCi/L	U	U		11.2	19	41.5
FRB 2	5/6/2015	LEAD-214	38.8	pCi/L	J	J	21	23.4	19.5	66.3
FRB 2	5/6/2015	POTASSIUM-40	18.9	pCi/L	U	U		89.7	198	377
FRB 2	5/6/2015	PROMETHIUM-146	4.65	pCi/L	U	U		6.84	12.2	25.9
FRB 2	5/6/2015	SODIUM-22	-0.388	pCi/L	U	U		4.42	8.29	17.1
FRB 2	5/6/2015	THALLIUM-208	3.25	pCi/L	U	U		6	11.2	23.2
FRB 2	5/6/2015	RADIUM-226	1.03	pCi/L	J	J	21	0.376	0.415	1.17
FRB 2	12/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 2	12/8/2015	GROSS ALPHA	2.44	pCi/L	J	J	21, 11	2.07	2.14	6.29
FRB 2	12/8/2015	NONVOLATILE BETA	1.93	pCi/L	U	U		2.81	4.49	10.1
FRB 2	12/8/2015	STRONTIUM-90	0.786	pCi/L	U	U		1.93	3.14	7
FRB 2	12/8/2015	CESIUM-137	-5.63	pCi/L	U	U		5.53	8.84	19.9
FRB 2	12/8/2015	RADIUM-226	1.36	pCi/L	J	J	21	0.575	0.685	1.84
FRB 3	5/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 3	5/6/2015	GROSS ALPHA	1.33	pCi/L	UJ	UJ	11	1.63	2.11	5.37

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FRB 3	5/6/2015	NONVOLATILE BETA	2.5	pCi/L	U	U		2.51	3.76	8.77
FRB 3	5/6/2015	STRONTIUM-90	1.28	pCi/L	U	U		1.99	3.23	7.2
FRB 3	5/6/2015	ACTINIUM-228	1.78	pCi/L	U	U		20.3	38.8	79.3
FRB 3	5/6/2015	ANTIMONY-125	-0.241	pCi/L	U	U		13.6	23.3	50.5
FRB 3	5/6/2015	BARIUM-133	-13.9	pCi/L	U	U		8.41	12.3	29.2
FRB 3	5/6/2015	BISMUTH-214	34.9	pCi/L	J	U	21, V	19.2	18.6	57.1
FRB 3	5/6/2015	CESIUM-134	-0.459	pCi/L	U	U		5.48	8.44	19.4
FRB 3	5/6/2015	CESIUM-137	-0.977	pCi/L	U	U		5.24	9.25	19.7
FRB 3	5/6/2015	COBALT-60	0.971	pCi/L	U	U		5.11	8.64	18.9
FRB 3	5/6/2015	EUROPIUM-152	23.7	pCi/L	U	U		56.2	98.6	211
FRB 3	5/6/2015	EUROPIUM-154	3.43	pCi/L	U	U		10.2	18	38.3
FRB 3	5/6/2015	EUROPIUM-155	1.18	pCi/L	U	U		15.2	25.2	55.7
FRB 3	5/6/2015	LEAD-212	1.39	pCi/L	U	U		10.7	18.9	40.3
FRB 3	5/6/2015	LEAD-214	13	pCi/L	U	U		14.1	24.7	52.9
FRB 3	5/6/2015	POTASSIUM-40	-64	pCi/L	U	U		88.8	187	364
FRB 3	5/6/2015	PROMETHIUM-146	-10.1	pCi/L	U	U		6.78	9.87	23.4
FRB 3	5/6/2015	SODIUM-22	-2.22	pCi/L	U	U		4.48	7.85	16.8
FRB 3	5/6/2015	THALLIUM-208	-2.15	pCi/L	U	U		5.98	10.5	22.5
FRB 3	5/6/2015	RADIUM-226	0.962	pCi/L	J	J	21	0.392	0.457	1.24
FRB 3	12/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 3	12/8/2015	GROSS ALPHA	0.911	pCi/L	UJ	U		1.41	2.2	5.02
FRB 3	12/8/2015	NONVOLATILE BETA	1.41	pCi/L	U	U		2.62	4.28	9.52
FRB 3	12/8/2015	STRONTIUM-90	1.3	pCi/L	U	U		1.97	3.11	7.05
FRB 3	12/8/2015	CESIUM-137	-2.28	pCi/L	U	U		4.97	8.52	18.5
FRB 3	12/8/2015	RADIUM-226	0.963	pCi/L	J	J	21	0.398	0.355	1.15
FRB 4	5/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 4	5/6/2015	GROSS ALPHA	6.02	pCi/L	J	J	21, 11	3.16	2.09	8.42

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FRB 4	5/6/2015	NONVOLATILE BETA	2.97	pCi/L	U	U		2.64	3.86	9.15
FRB 4	5/6/2015	STRONTIUM-90	0.141	pCi/L	U	U		1.84	3.32	7
FRB 4	5/6/2015	ACTINIUM-228	-11	pCi/L	U	U		21.5	38.5	81.5
FRB 4	5/6/2015	ANTIMONY-125	10.6	pCi/L	U	U		15.2	27.1	57.4
FRB 4	5/6/2015	BARIUM-133	6.76	pCi/L	U	U		7.25	11.8	26.3
FRB 4	5/6/2015	BISMUTH-214	17.2	pCi/L	U	U		17.7	23.4	58.8
FRB 4	5/6/2015	CESIUM-134	-3.36	pCi/L	U	U		5.6	8.07	19.3
FRB 4	5/6/2015	CESIUM-137	-3.45	pCi/L	U	U		5.4	9.09	19.9
FRB 4	5/6/2015	COBALT-60	1.96	pCi/L	U	U		4.25	8.55	17
FRB 4	5/6/2015	EUROPIUM-152	34.7	pCi/L	U	U		52.5	93.4	198
FRB 4	5/6/2015	EUROPIUM-154	9.23	pCi/L	U	U		9.89	17.8	37.6
FRB 4	5/6/2015	EUROPIUM-155	-3.21	pCi/L	U	U		14.3	23.3	51.9
FRB 4	5/6/2015	LEAD-212	1.83	pCi/L	U	U		9.9	17.6	37.4
FRB 4	5/6/2015	LEAD-214	18.7	pCi/L	U	U		15.3	24.2	54.7
FRB 4	5/6/2015	POTASSIUM-40	73	pCi/L	U	U		86.1	44	216
FRB 4	5/6/2015	PROMETHIUM-146	-2.71	pCi/L	U	U		6.54	10.8	23.8
FRB 4	5/6/2015	SODIUM-22	0.835	pCi/L	U	U		4.27	8.37	16.9
FRB 4	5/6/2015	THALLIUM-208	-1.38	pCi/L	U	U		6	10.7	22.7
FRB 4	5/6/2015	RADIUM-226	1.36	pCi/L	J	J	21	0.475	0.509	1.46
FRB 4	12/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FRB 4	12/8/2015	GROSS ALPHA	3.24	pCi/L	J	J	21, 11	2.36	2.15	6.87
FRB 4	12/8/2015	NONVOLATILE BETA	0.0566	pCi/L	U	U		2.53	4.59	9.66
FRB 4	12/8/2015	STRONTIUM-90	0.26	pCi/L	U	U		1.77	3.11	6.64
FRB 4	12/8/2015	CESIUM-137	0.574	pCi/L	U	U		5.21	9.43	19.8
FRB 4	12/8/2015	RADIUM-226	1.8	pCi/L	J	J	21	0.611	0.645	1.87
FSB 76	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.791	mg/L					0.017	0.05
FSB 76	1/20/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 76	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 76	1/20/2015	BARIUM	20	ug/L	U				2	20
FSB 76	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 76	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76	1/20/2015	CHROMIUM	11	ug/L	J				10	100
FSB 76	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 76	1/20/2015	COPPER	87.2	ug/L					0.5	5
FSB 76	1/20/2015	LEAD	0.994	ug/L	J				0.5	5
FSB 76	1/20/2015	NICKEL	1.56	ug/L	J				0.5	5
FSB 76	1/20/2015	SELENIUM	2.52	ug/L	J				2	20
FSB 76	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 76	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 76	1/20/2015	TIN	10	ug/L	U				1	10
FSB 76	1/20/2015	VANADIUM	42.5	ug/L	U				5	50
FSB 76	1/20/2015	ZINC	57.2	ug/L					4	40
FSB 76	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 76	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 76	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 76	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 76	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 76	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 76	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 76	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 76	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 76	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76	1/20/2015	AMERICIUM-241	-0.00531	pCi/L	U			0.011	0.107	0.128
FSB 76	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0567	0.0567
FSB 76	1/20/2015	CURIUM-243/244	-0.00523	pCi/L	U			0.011	0.105	0.126
FSB 76	1/20/2015	CURIUM-245/246	0.173	pCi/L	U			0.125	0.0587	0.309
FSB 76	1/20/2015	PLUTONIUM-238	0.0245	pCi/L	U			0.049	0.0665	0.165
FSB 76	1/20/2015	PLUTONIUM-239/240	0.0245	pCi/L	U			0.049	0.0665	0.165
FSB 76	1/20/2015	THORIUM-228	0.0805	pCi/L	U			0.14	0.287	0.566
FSB 76	1/20/2015	THORIUM-230	0.269	pCi/L	J		21	0.165	0.115	0.445
FSB 76	1/20/2015	THORIUM-232	-0.0057	pCi/L	U			0.011	0.115	0.138
FSB 76	1/20/2015	URANIUM-233/234	-0.00548	pCi/L	U			0.011	0.11	0.132
FSB 76	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0732	0.0732
FSB 76	1/20/2015	URANIUM-238	0.0219	pCi/L	U			0.044	0.0592	0.147
FSB 76	1/20/2015	GROSS ALPHA	2.37	pCi/L	J		21	2.07	2.22	6.35
FSB 76	1/20/2015	NONVOLATILE BETA	0.524	pCi/L	U			2.23	3.98	8.44
FSB 76	1/20/2015	STRONTIUM-90	0.412	pCi/L	U			1.67	3.1	6.44
FSB 76	1/20/2015	CARBON-14	-2.44	pCi/L	U			4.08	6.94	15.1
FSB 76	1/20/2015	TECHNETIUM-99	0.984	pCi/L	U			2.58	4.3	9.46
FSB 76	1/20/2015	TRITIUM	4.58	pCi/mL				0.496	0.516	1.51
FSB 76	1/20/2015	CESIUM-137	-1.06	pCi/L	U			7.38	12.8	27.6
FSB 76	1/20/2015	COBALT-60	3.19	pCi/L	U			7.08	13.5	27.7
FSB 76	1/20/2015	IODINE-129	-0.0401	pCi/L	U			0.647	0.918	2.21
FSB 76	1/20/2015	RADIUM-226	1.14	pCi/L	U		21, V	0.527	0.655	1.71
FSB 76	1/20/2015	RADIUM-228	0.625	pCi/L	J		21	0.315	0.44	1.07
FSB 76	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.501	pCi/L	U			0.388	0.548	1.32
FSB 76	4/7/2015	NITRATE-NITRITE AS NITROGEN	0.501	mg/L					0.017	0.05
FSB 76	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76	4/7/2015	LEAD	2.57	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76	4/7/2015	GROSS ALPHA	2.19	pCi/L	J		21	2.02	2.16	6.2
FSB 76	4/7/2015	NONVOLATILE BETA	2.66	pCi/L	U			2.86	4.4	10.1
FSB 76	4/7/2015	TRITIUM	4.71	pCi/mL				0.483	0.446	1.41
FSB 76	7/27/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.017	0.05
FSB 76	7/27/2015	ALUMINUM	422	ug/L					40	400
FSB 76	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 76	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 76	7/27/2015	BARIUM	6.83	ug/L	J		21		2	20
FSB 76	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 76	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76	7/27/2015	CHROMIUM	12.2	ug/L	J		21		10	100
FSB 76	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB 76	7/27/2015	COPPER	205	ug/L					0.5	5
FSB 76	7/27/2015	LEAD	4.32	ug/L	J		21		0.5	5
FSB 76	7/27/2015	NICKEL	6.65	ug/L					0.5	5
FSB 76	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 76	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 76	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 76	7/27/2015	TIN	10	ug/L	U				1	10
FSB 76	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 76	7/27/2015	ZINC	125	ug/L			V		4	40
FSB 76	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 76	7/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB 76	7/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 76	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 76	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 76	7/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 76	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.62	ug/L	U				2.88	9.62
FSB 76	7/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 76	7/27/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 76	7/27/2015	AMERICIUM-241	0.0651	pCi/L	U			0.083	0.119	0.286
FSB 76	7/27/2015	CURIUM-242	0.025	pCi/L	U			0.05	0.0631	0.163
FSB 76	7/27/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0631	0.0631
FSB 76	7/27/2015	CURIUM-245/246	0.193	pCi/L	U		21, V	0.139	0.0654	0.344
FSB 76	7/27/2015	PLUTONIUM-238	0.0505	pCi/L	U			0.072	0.0684	0.212
FSB 76	7/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0684	0.0684
FSB 76	7/27/2015	THORIUM-228	0.0352	pCi/L	U			0.069	0.138	0.276
FSB 76	7/27/2015	THORIUM-230	0.121	pCi/L	U		V	0.117	0.156	0.389
FSB 76	7/27/2015	THORIUM-232	-0.0115	pCi/L	U			0.016	0.138	0.171
FSB 76	7/27/2015	URANIUM-233/234	0.0996	pCi/L	U		21, V	0.09	0.054	0.234
FSB 76	7/27/2015	URANIUM-235	0.0491	pCi/L	U		V	0.07	0.0666	0.206
FSB 76	7/27/2015	URANIUM-238	0.0199	pCi/L	U		V	0.04	0.0539	0.134
FSB 76	7/27/2015	GROSS ALPHA	2.08	pCi/L	U			1.98	2.16	6.12
FSB 76	7/27/2015	NONVOLATILE BETA	0.943	pCi/L	U			2.27	3.81	8.34
FSB 76	7/27/2015	STRONTIUM-90	1.06	pCi/L	U			1.92	2.98	6.81
FSB 76	7/27/2015	CARBON-14	-1.43	pCi/L	U			4.19	7.08	15.5
FSB 76	7/27/2015	TECHNETIUM-99	0.44	pCi/L	U			2.51	4.22	9.24
FSB 76	7/27/2015	TRITIUM	3.63	pCi/mL				0.439	0.43	1.31
FSB 76	7/27/2015	CESIUM-137	2.22	pCi/L	U			6.56	10.6	23.7
FSB 76	7/27/2015	COBALT-60	-0.307	pCi/L	U			5.98	10.9	22.9
FSB 76	7/27/2015	IODINE-129	0.97	pCi/L	U			0.731	1.01	2.48
FSB 76	7/27/2015	RADIUM-226	1.38	pCi/L	J		21	0.573	0.675	1.82
FSB 76	7/27/2015	RADIUM-228	0.175	pCi/L	U			0.239	0.41	0.888

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.123	pCi/L	U			0.578	1.18	2.34
FSB 76	10/21/2015	NITRATE-NITRITE AS NITROGEN	0.801	mg/L					0.017	0.05
FSB 76	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76	10/21/2015	LEAD	1.03	ug/L	J		21		0.5	5
FSB 76	10/21/2015	GROSS ALPHA	0.107	pCi/L	U			0.821	2.18	3.82
FSB 76	10/21/2015	NONVOLATILE BETA	2.81	pCi/L	U			2.81	4.17	9.78
FSB 76	10/21/2015	TRITIUM	3.73	pCi/mL				0.456	0.461	1.37
FSB 76C	1/20/2015	NITRATE-NITRITE AS NITROGEN	1.33	mg/L					0.085	0.25
FSB 76C	1/20/2015	ALUMINUM	400	ug/L	U				40	400
FSB 76C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 76C	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 76C	1/20/2015	BARIUM	8.16	ug/L	J				2	20
FSB 76C	1/20/2015	BERYLLIUM	0.134	ug/L	J				0.1	1
FSB 76C	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76C	1/20/2015	CHROMIUM	10.2	ug/L	J				10	100
FSB 76C	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 76C	1/20/2015	COPPER	63.3	ug/L					0.5	5
FSB 76C	1/20/2015	LEAD	1.24	ug/L	J				0.5	5
FSB 76C	1/20/2015	NICKEL	0.957	ug/L	J				0.5	5
FSB 76C	1/20/2015	SELENIUM	2.83	ug/L	J				2	20
FSB 76C	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 76C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 76C	1/20/2015	TIN	10	ug/L	U				1	10
FSB 76C	1/20/2015	VANADIUM	40.5	ug/L	U				5	50
FSB 76C	1/20/2015	ZINC	40.5	ug/L					4	40
FSB 76C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 76C	1/20/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76C	1/20/2015	CHLOROFORM	0.6	ug/L	J		21		0.3	1
FSB 76C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 76C	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 76C	1/20/2015	TRICHLOROETHYLENE (TCE)	0.84	ug/L	J		21		0.3	1
FSB 76C	1/20/2015	TRICHLOROFLUOROMETHANE	1.14	ug/L					0.3	1
FSB 76C	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 76C	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 76C	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 76C	1/20/2015	AMERICIUM-241	0.0415	pCi/L	U			0.059	0.0562	0.174
FSB 76C	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0554	0.0554
FSB 76C	1/20/2015	CURIUM-243/244	0	pCi/L	U			0	0.0554	0.0554
FSB 76C	1/20/2015	CURIUM-245/246	0.185	pCi/L	U			0.13	0.106	0.367
FSB 76C	1/20/2015	PLUTONIUM-238	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB 76C	1/20/2015	PLUTONIUM-239/240	0.023	pCi/L	U			0.046	0.0622	0.154
FSB 76C	1/20/2015	THORIUM-228	0.0241	pCi/L	U			0.105	0.257	0.467
FSB 76C	1/20/2015	THORIUM-230	0.0419	pCi/L	U			0.069	0.121	0.259
FSB 76C	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0647	0.0647
FSB 76C	1/20/2015	URANIUM-233/234	0.0185	pCi/L	U			0.051	0.124	0.226
FSB 76C	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0824	0.0824
FSB 76C	1/20/2015	URANIUM-238	0	pCi/L	U			0	0.0667	0.0667
FSB 76C	1/20/2015	GROSS ALPHA	1.2	pCi/L	U			1.56	2.19	5.31
FSB 76C	1/20/2015	NONVOLATILE BETA	0.591	pCi/L	U			2.23	3.95	8.4
FSB 76C	1/20/2015	STRONTIUM-90	0.552	pCi/L	U			1.73	3.11	6.56
FSB 76C	1/20/2015	CARBON-14	-1.82	pCi/L	U			4.08	6.91	15.1
FSB 76C	1/20/2015	TECHNETIUM-99	0.586	pCi/L	U			2.57	4.3	9.44
FSB 76C	1/20/2015	TRITIUM	1.58	pCi/mL				0.381	0.519	1.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76C	1/20/2015	CESIUM-137	-0.963	pCi/L	U			5.52	9.74	20.8
FSB 76C	1/20/2015	COBALT-60	1.89	pCi/L	U			6.09	11.7	23.9
FSB 76C	1/20/2015	IODINE-129	-0.252	pCi/L	U			0.535	0.907	1.98
FSB 76C	1/20/2015	RADIUM-226	0.704	pCi/L	U		21, V	0.466	0.669	1.6
FSB 76C	1/20/2015	RADIUM-228	0.0327	pCi/L	U			0.229	0.437	0.895
FSB 76C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0465	pCi/L	U			0.311	0.658	1.28
FSB 76C	4/7/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L					0.017	0.05
FSB 76C	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76C	4/7/2015	LEAD	0.94	ug/L	J				0.5	5
FSB 76C	4/7/2015	GROSS ALPHA	0.934	pCi/L	U			1.38	2.08	4.85
FSB 76C	4/7/2015	NONVOLATILE BETA	1.3	pCi/L	U			2.53	4.23	9.3
FSB 76C	4/7/2015	TRITIUM	1.21	pCi/mL				0.326	0.439	1.09
FSB 76C	5/7/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L					0.017	0.05
FSB 76C	5/7/2015	URANIUM-233/234	-2.01	pCi/L	U	R	21, V	3.37	8.34	15.1
FSB 76C	5/7/2015	URANIUM-233/234	0.0443	pCi/L	J	U	21, V	0.05	0.058	0.158
FSB 76C	5/7/2015	URANIUM-235	0.62	pCi/L	J	R	21, V, 14	4.5	8.48	17.5
FSB 76C	5/7/2015	URANIUM-235	0.00386	pCi/L	U	U	V	0.028	0.0676	0.124
FSB 76C	5/7/2015	URANIUM-238	7.52	pCi/L	J	R	21, V, 14	9.68	6.89	26.3
FSB 76C	5/7/2015	URANIUM-238	0.104	pCi/L	J	J	21	0.064	0.0528	0.181
FSB 76C	5/7/2015	GROSS ALPHA	-0.243	pCi/L	U	U		0.259	2.07	2.59
FSB 76C	5/7/2015	NONVOLATILE BETA	1.39	pCi/L	U	U		2.46	4.06	8.98
FSB 76C	5/7/2015	STRONTIUM-90	-1.48	pCi/L	U	U		1.87	2.95	6.68
FSB 76C	5/7/2015	TECHNETIUM-99	6.02	pCi/L	J	J	21, 18	2.57	4.02	9.16
FSB 76C	5/7/2015	TRITIUM	1.46	pCi/mL				0.35	0.46	1.16
FSB 76C	5/7/2015	IODINE-129	0.0261	pCi/L	UJ	U	V	0.556	0.968	2.08
FSB 76C	5/7/2015	RADIUM-226	0.389	pCi/L	J	J	21	0.264	0.374	0.902
FSB 76C	5/7/2015	RADIUM-228	0.426	pCi/L	U	U		0.326	0.51	1.16

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76C	7/27/2015	NITRATE-NITRITE AS NITROGEN	1.31	mg/L					0.017	0.05
FSB 76C	7/27/2015	ALUMINUM	400	ug/L	U				40	400
FSB 76C	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 76C	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 76C	7/27/2015	BARIUM	7.26	ug/L	J		21		2	20
FSB 76C	7/27/2015	BERYLLIUM	0.102	ug/L	J		21		0.1	1
FSB 76C	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 76C	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 76C	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB 76C	7/27/2015	COPPER	178	ug/L					0.5	5
FSB 76C	7/27/2015	LEAD	1.33	ug/L	J		21		0.5	5
FSB 76C	7/27/2015	NICKEL	0.742	ug/L	J		21		0.5	5
FSB 76C	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 76C	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 76C	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 76C	7/27/2015	TIN	10	ug/L	U				1	10
FSB 76C	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 76C	7/27/2015	ZINC	18.9	ug/L	U		21, V		4	40
FSB 76C	7/27/2015	URANIUM-233/234	0.107	pCi/L	J		21, V	0.097	0.0578	0.251
FSB 76C	7/27/2015	URANIUM-235	0	pCi/L	U		V	0	0.0713	0.0713
FSB 76C	7/27/2015	URANIUM-238	0.0639	pCi/L	U		21, V	0.074	0.0577	0.206
FSB 76C	7/27/2015	GROSS ALPHA	1.29	pCi/L	U			1.64	2.15	5.42
FSB 76C	7/27/2015	NONVOLATILE BETA	0.745	pCi/L	U			2.22	3.79	8.22
FSB 76C	7/27/2015	STRONTIUM-90	0.216	pCi/L	U			2.16	3.23	7.54
FSB 76C	7/27/2015	TECHNETIUM-99	0.0469	pCi/L	U			2.53	4.27	9.34
FSB 76C	7/27/2015	TRITIUM	1.51	pCi/mL				0.341	0.431	1.11
FSB 76C	7/27/2015	IODINE-129	0.178	pCi/L	U			0.627	0.933	2.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 76C	7/27/2015	RADIUM-226	1.08	pCi/L	J		21	0.466	0.534	1.47
FSB 76C	7/27/2015	RADIUM-228	0.233	pCi/L	U			0.363	0.624	1.35
FSB 76C	10/21/2015	NITRATE-NITRITE AS NITROGEN	1.32	mg/L					0.085	0.25
FSB 76C	10/21/2015	CADMIUM	0.168	ug/L	J		21		0.1	1
FSB 76C	10/21/2015	LEAD	1.33	ug/L	J		21		0.5	5
FSB 76C	10/21/2015	GROSS ALPHA	-0.285	pCi/L	U			0.224	2.16	2.61
FSB 76C	10/21/2015	NONVOLATILE BETA	1.73	pCi/L	U			2.59	4.11	9.28
FSB 76C	10/21/2015	TRITIUM	1.45	pCi/mL				0.348	0.455	1.15
FSB 78	2/4/2015	NITRATE-NITRITE AS NITROGEN	13.3	mg/L					0.85	2.5
FSB 78	2/4/2015	ALUMINUM	3120	ug/L					40	400
FSB 78	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 78	2/4/2015	BARIUM	41.1	ug/L					2	20
FSB 78	2/4/2015	BERYLLIUM	0.312	ug/L	J				0.1	1
FSB 78	2/4/2015	CADMIUM	0.153	ug/L	J				0.1	1
FSB 78	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 78	2/4/2015	COBALT	3.09	ug/L	J				0.5	5
FSB 78	2/4/2015	COPPER	10.7	ug/L					0.5	5
FSB 78	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB 78	2/4/2015	NICKEL	3.06	ug/L	J				0.5	5
FSB 78	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB 78	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 78	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 78	2/4/2015	TIN	10	ug/L	U				1	10
FSB 78	2/4/2015	VANADIUM	12.8	ug/L	J				5	50
FSB 78	2/4/2015	ZINC	9.19	ug/L	J				4	40
FSB 78	2/4/2015	MERCURY	0.541	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 78	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 78	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 78	2/4/2015	AMERICIUM-241	5.4	pCi/L				1.11	0.0633	2.29
FSB 78	2/4/2015	CURIUM-242	0.0265	pCi/L	U			0.053	0.0624	0.169
FSB 78	2/4/2015	CURIUM-243/244	2.66	pCi/L				0.649	0.0624	1.36
FSB 78	2/4/2015	CURIUM-245/246	0.405	pCi/L	J		21	0.207	0.0646	0.478
FSB 78	2/4/2015	PLUTONIUM-238	0.0192	pCi/L	U			0.053	0.128	0.234
FSB 78	2/4/2015	PLUTONIUM-239/240	0.0128	pCi/L	U			0.054	0.153	0.261
FSB 78	2/4/2015	THORIUM-228	0.121	pCi/L	U			0.128	0.198	0.453
FSB 78	2/4/2015	THORIUM-230	0.0559	pCi/L	U			0.08	0.134	0.294
FSB 78	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0605	0.0605
FSB 78	2/4/2015	URANIUM-233/234	45.1	pCi/L				8.01	0.154	16.2
FSB 78	2/4/2015	URANIUM-235	3.91	pCi/L				1.04	0.19	2.28
FSB 78	2/4/2015	URANIUM-238	143	pCi/L				23.9	0.205	48.1
FSB 78	2/4/2015	GROSS ALPHA	150	pCi/L				12.2	1.94	26.3
FSB 78	2/4/2015	NONVOLATILE BETA	105	pCi/L				8.68	8.34	25.7
FSB 78	2/4/2015	STRONTIUM-90	15	pCi/L				4.16	3.3	11.6
FSB 78	2/4/2015	CARBON-14	1.21	pCi/L	UJ			4.15	6.91	15.2
FSB 78	2/4/2015	TECHNETIUM-99	65	pCi/L				3.98	4.08	12

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78	2/4/2015	TRITIUM	45.1	pCi/mL				1.31	0.553	3.17
FSB 78	2/4/2015	CESIUM-137	5.86	pCi/L	U			5.28	10.3	20.9
FSB 78	2/4/2015	COBALT-60	1.04	pCi/L	U			4.74	9.16	18.6
FSB 78	2/4/2015	IODINE-129	220	pCi/L				32.8	2.36	68
FSB 78	2/4/2015	RADIUM-226	1.82	pCi/L	J		21	0.653	0.672	1.98
FSB 78	2/4/2015	RADIUM-228	5.89	pCi/L				0.751	0.511	2.01
FSB 78	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	5.86	pCi/L	J		21, V	2.68	2.8	8.16
FSB 78	4/13/2015	NITRATE-NITRITE AS NITROGEN	10.5	mg/L					0.85	2.5
FSB 78	4/13/2015	CADMIUM	0.223	ug/L	J		21		0.1	1
FSB 78	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB 78	4/13/2015	GROSS ALPHA	141	pCi/L				16.6	2.86	36
FSB 78	4/13/2015	NONVOLATILE BETA	88.2	pCi/L				11.4	11.7	34.6
FSB 78	4/13/2015	TRITIUM	24.6	pCi/mL				0.964	0.415	2.34
FSB 78	7/30/2015	NITRATE-NITRITE AS NITROGEN	8.05	mg/L					0.425	1.25
FSB 78	7/30/2015	ALUMINUM	2540	ug/L					40	400
FSB 78	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB 78	7/30/2015	BARIUM	48.6	ug/L					2	20
FSB 78	7/30/2015	BERYLLIUM	0.291	ug/L	J		21		0.1	1
FSB 78	7/30/2015	CADMIUM	0.351	ug/L	J		21		0.1	1
FSB 78	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB 78	7/30/2015	COBALT	2.45	ug/L	J		21		0.5	5
FSB 78	7/30/2015	COPPER	12.2	ug/L			V		0.5	5
FSB 78	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB 78	7/30/2015	NICKEL	2.36	ug/L	J		21		0.5	5
FSB 78	7/30/2015	SELENIUM	2.74	ug/L	J		21		2	20
FSB 78	7/30/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78	7/30/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 78	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB 78	7/30/2015	ZINC	15.5	ug/L	J		21		4	40
FSB 78	7/30/2015	GROSS ALPHA	133	pCi/L				16.3	3.25	35.8
FSB 78	7/30/2015	NONVOLATILE BETA	129	pCi/L				13	11.4	37.3
FSB 78	7/30/2015	TRITIUM	15.7	pCi/mL				0.765	0.406	1.94
FSB 78	11/6/2015	NITRATE-NITRITE AS NITROGEN	8.83	mg/L					0.425	1.25
FSB 78	11/6/2015	CADMIUM	0.279	ug/L	J		21		0.1	1
FSB 78	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 78	11/6/2015	GROSS ALPHA	155	pCi/L				17.4	3.03	37.8
FSB 78	11/6/2015	NONVOLATILE BETA	123	pCi/L				13	12.2	38.3
FSB 78	11/6/2015	TRITIUM	22.3	pCi/mL				0.863	0.509	2.24
FSB 78A	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.471	mg/L					0.017	0.05
FSB 78A	1/20/2015	ALUMINUM	400	ug/L	U				40	400
FSB 78A	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78A	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 78A	1/20/2015	BARIUM	18.8	ug/L	J				2	20
FSB 78A	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 78A	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78A	1/20/2015	CHROMIUM	10.6	ug/L	J				10	100
FSB 78A	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 78A	1/20/2015	COPPER	0.872	ug/L	J				0.5	5
FSB 78A	1/20/2015	LEAD	5	ug/L	U				0.5	5
FSB 78A	1/20/2015	NICKEL	0.559	ug/L	J				0.5	5
FSB 78A	1/20/2015	SELENIUM	2.29	ug/L	J				2	20
FSB 78A	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 78A	1/20/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78A	1/20/2015	TIN	10	ug/L	U				1	10
FSB 78A	1/20/2015	VANADIUM	37.3	ug/L	U				5	50
FSB 78A	1/20/2015	ZINC	4.55	ug/L	J				4	40
FSB 78A	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 78A	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78A	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78A	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78A	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78A	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 78A	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 78A	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78A	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78A	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 78A	1/20/2015	AMERICIUM-241	0.0573	pCi/L	U			0.082	0.0776	0.241
FSB 78A	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0764	0.0764
FSB 78A	1/20/2015	CURIUM-243/244	0	pCi/L	U			0	0.0764	0.0764
FSB 78A	1/20/2015	CURIUM-245/246	0.117	pCi/L	U			0.118	0.0791	0.316
FSB 78A	1/20/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0644	0.0644
FSB 78A	1/20/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0644	0.0644
FSB 78A	1/20/2015	THORIUM-228	-0.0339	pCi/L	U			0.105	0.305	0.515
FSB 78A	1/20/2015	THORIUM-230	0.0449	pCi/L	U			0.064	0.0608	0.189
FSB 78A	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0607	0.0607
FSB 78A	1/20/2015	URANIUM-233/234	0.0391	pCi/L	U			0.065	0.113	0.242
FSB 78A	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0747	0.0747
FSB 78A	1/20/2015	URANIUM-238	0	pCi/L	U			0	0.0605	0.0605
FSB 78A	1/20/2015	GROSS ALPHA	-0.335	pCi/L	U			0.344	2.26	2.94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78A	1/20/2015	NONVOLATILE BETA	2.79	pCi/L	U			2.64	3.92	9.2
FSB 78A	1/20/2015	STRONTIUM-90	1.14	pCi/L	U			1.8	3.1	6.7
FSB 78A	1/20/2015	CARBON-14	397	pCi/L				9.99	7.06	27
FSB 78A	1/20/2015	TECHNETIUM-99	1.1	pCi/L	U			2.58	4.29	9.44
FSB 78A	1/20/2015	TRITIUM	3.28	pCi/mL				0.44	0.48	1.36
FSB 78A	1/20/2015	CESIUM-137	-0.438	pCi/L	U			6	10.6	22.6
FSB 78A	1/20/2015	COBALT-60	-0.961	pCi/L	U			6.89	12.3	26.1
FSB 78A	1/20/2015	IODINE-129	-0.235	pCi/L	U			0.562	0.928	2.05
FSB 78A	1/20/2015	RADIUM-226	1.01	pCi/L	U		21, V	0.538	0.71	1.79
FSB 78A	1/20/2015	RADIUM-228	0.217	pCi/L	U			0.389	0.677	1.46
FSB 78A	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.294	pCi/L	U			0.33	0.535	1.2
FSB 78A	4/7/2015	NITRATE-NITRITE AS NITROGEN	1.03	mg/L					0.017	0.05
FSB 78A	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78A	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 78A	4/7/2015	GROSS ALPHA	-0.253	pCi/L	U			0.268	2.15	2.69
FSB 78A	4/7/2015	NONVOLATILE BETA	2.1	pCi/L	U			2.6	4.07	9.28
FSB 78A	4/7/2015	TRITIUM	7.08	pCi/mL				0.56	0.44	1.56
FSB 78A	7/27/2015	NITRATE-NITRITE AS NITROGEN	0.58	mg/L					0.085	0.25
FSB 78A	7/27/2015	ALUMINUM	83.4	ug/L	J		21		40	400
FSB 78A	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78A	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 78A	7/27/2015	BARIUM	19.1	ug/L	J		21		2	20
FSB 78A	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 78A	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78A	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 78A	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB 78A	7/27/2015	COPPER	0.602	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78A	7/27/2015	LEAD	5	ug/L	U				0.5	5
FSB 78A	7/27/2015	NICKEL	5	ug/L	U				0.5	5
FSB 78A	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 78A	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 78A	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 78A	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 78A	7/27/2015	ZINC	40	ug/L	U		V		4	40
FSB 78A	7/27/2015	GROSS ALPHA	0.847	pCi/L	U			1.47	2.42	5.35
FSB 78A	7/27/2015	NONVOLATILE BETA	0.586	pCi/L	U			2.42	4.25	9.08
FSB 78A	7/27/2015	TRITIUM	4.16	pCi/mL				0.462	0.433	1.36
FSB 78A	10/21/2015	NITRATE-NITRITE AS NITROGEN	0.59	mg/L					0.017	0.05
FSB 78A	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78A	10/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 78A	10/21/2015	GROSS ALPHA	2.13	pCi/L	U			2	2.23	6.22
FSB 78A	10/21/2015	NONVOLATILE BETA	1.34	pCi/L	U			2.69	4.44	9.82
FSB 78A	10/21/2015	TRITIUM	3.81	pCi/mL				0.452	0.451	1.36
FSB 78B	1/20/2015	NITRATE-NITRITE AS NITROGEN	14.2	mg/L					0.34	1
FSB 78B	1/20/2015	ALUMINUM	201	ug/L	J				40	400
FSB 78B	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78B	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 78B	1/20/2015	BARIUM	40.8	ug/L					2	20
FSB 78B	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 78B	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78B	1/20/2015	CHROMIUM	11.5	ug/L	J				10	100
FSB 78B	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 78B	1/20/2015	COPPER	0.536	ug/L	J				0.5	5
FSB 78B	1/20/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78B	1/20/2015	NICKEL	1.98	ug/L	J				0.5	5
FSB 78B	1/20/2015	SELENIUM	3	ug/L	J				2	20
FSB 78B	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 78B	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 78B	1/20/2015	TIN	10	ug/L	U				1	10
FSB 78B	1/20/2015	VANADIUM	42.2	ug/L	U				5	50
FSB 78B	1/20/2015	ZINC	40	ug/L	U				4	40
FSB 78B	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 78B	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78B	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78B	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78B	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78B	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 78B	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 78B	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78B	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78B	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 78B	1/20/2015	AMERICIUM-241	0	pCi/L	U			0	0.0605	0.0605
FSB 78B	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0596	0.0596
FSB 78B	1/20/2015	CURIUM-243/244	0	pCi/L	U			0	0.0596	0.0596
FSB 78B	1/20/2015	CURIUM-245/246	0.108	pCi/L	U			0.104	0.115	0.322
FSB 78B	1/20/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0596	0.0596
FSB 78B	1/20/2015	PLUTONIUM-239/240	0.022	pCi/L	U			0.044	0.0596	0.148
FSB 78B	1/20/2015	THORIUM-228	-0.0542	pCi/L	U			0.072	0.289	0.434
FSB 78B	1/20/2015	THORIUM-230	0.074	pCi/L	U			0.095	0.135	0.325
FSB 78B	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0728	0.0728

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78B	1/20/2015	URANIUM-233/234	0.0606	pCi/L	U			0.078	0.111	0.266
FSB 78B	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0736	0.0736
FSB 78B	1/20/2015	URANIUM-238	0	pCi/L	U			0	0.0596	0.0596
FSB 78B	1/20/2015	GROSS ALPHA	0.469	pCi/L	U			1.21	2.36	4.79
FSB 78B	1/20/2015	NONVOLATILE BETA	7.71	pCi/L	J		21	3.42	3.96	10.8
FSB 78B	1/20/2015	STRONTIUM-90	0.398	pCi/L	U			1.67	3.11	6.45
FSB 78B	1/20/2015	CARBON-14	640	pCi/L				12.4	7.2	32
FSB 78B	1/20/2015	TECHNETIUM-99	13.8	pCi/L				2.93	4.28	10.1
FSB 78B	1/20/2015	TRITIUM	170	pCi/mL				2.43	0.517	5.38
FSB 78B	1/20/2015	CESIUM-137	0.654	pCi/L	U			5.72	10.4	21.8
FSB 78B	1/20/2015	COBALT-60	2.29	pCi/L	U			6.01	11.7	23.7
FSB 78B	1/20/2015	IODINE-129	1.13	pCi/L	U			1.14	0.954	3.23
FSB 78B	1/20/2015	RADIUM-226	2.11	pCi/L	J		V	0.662	0.565	1.89
FSB 78B	1/20/2015	RADIUM-228	0.733	pCi/L	J		21	0.361	0.518	1.24
FSB 78B	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.344	pCi/L	U			0.373	0.581	1.33
FSB 78B	4/7/2015	NITRATE-NITRITE AS NITROGEN	19.6	mg/L					0.425	1.25
FSB 78B	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78B	4/7/2015	LEAD	2.88	ug/L	J				0.5	5
FSB 78B	4/7/2015	GROSS ALPHA	4.18	pCi/L	J		21	2.86	2.44	8.15
FSB 78B	4/7/2015	NONVOLATILE BETA	18.2	pCi/L				4.87	4.62	14.4
FSB 78B	4/7/2015	TRITIUM	168	pCi/mL				2.45	0.442	5.34
FSB 78B	7/28/2015	NITRATE-NITRITE AS NITROGEN	24.4	mg/L					1.7	5
FSB 78B	7/28/2015	ALUMINUM	47.1	ug/L	J		21		40	400
FSB 78B	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78B	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB 78B	7/28/2015	BARIUM	74.4	ug/L					2	20
FSB 78B	7/28/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78B	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 78B	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB 78B	7/28/2015	COBALT	5	ug/L	U				0.5	5
FSB 78B	7/28/2015	COPPER	5	ug/L	U				0.5	5
FSB 78B	7/28/2015	LEAD	0.991	ug/L	J		21		0.5	5
FSB 78B	7/28/2015	NICKEL	2.38	ug/L	J		21		0.5	5
FSB 78B	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB 78B	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB 78B	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 78B	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB 78B	7/28/2015	ZINC	40	ug/L	U				4	40
FSB 78B	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 78B	7/28/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78B	7/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78B	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78B	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78B	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 78B	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 78B	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78B	7/28/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78B	7/28/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 78B	7/28/2015	AMERICIUM-241	0.0239	pCi/L	U			0.048	0.0648	0.161
FSB 78B	7/28/2015	CURIUM-242	0.0251	pCi/L	U			0.05	0.0638	0.165
FSB 78B	7/28/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0638	0.0638
FSB 78B	7/28/2015	CURIUM-245/246	0.146	pCi/L	U		21, V	0.121	0.0661	0.309
FSB 78B	7/28/2015	PLUTONIUM-238	0.0164	pCi/L	U			0.045	0.11	0.201

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78B	7/28/2015	PLUTONIUM-239/240	0.0329	pCi/L	U			0.064	0.131	0.26
FSB 78B	7/28/2015	THORIUM-228	-0.0387	pCi/L	U			0.032	0.214	0.278
FSB 78B	7/28/2015	THORIUM-230	0.0764	pCi/L	U		21, V	0.089	0.0691	0.247
FSB 78B	7/28/2015	THORIUM-232	0	pCi/L	U			0	0.0689	0.0689
FSB 78B	7/28/2015	URANIUM-233/234	0.0832	pCi/L	U		21, V	0.084	0.0563	0.224
FSB 78B	7/28/2015	URANIUM-235	0	pCi/L	U		V	0	0.0695	0.0695
FSB 78B	7/28/2015	URANIUM-238	0.166	pCi/L	U		21, V	0.12	0.0562	0.295
FSB 78B	7/28/2015	GROSS ALPHA	0.994	pCi/L	U			1.19	1.45	3.83
FSB 78B	7/28/2015	NONVOLATILE BETA	6.08	pCi/L	J		21	2.32	2.56	7.2
FSB 78B	7/28/2015	STRONTIUM-90	0.675	pCi/L	U			1.7	2.98	6.38
FSB 78B	7/28/2015	CARBON-14	32	pCi/L				4.88	6.99	16.8
FSB 78B	7/28/2015	TECHNETIUM-99	17.2	pCi/L				2.91	4.06	9.87
FSB 78B	7/28/2015	TRITIUM	185	pCi/mL				2.55	0.479	5.59
FSB 78B	7/28/2015	CESIUM-137	-0.644	pCi/L	U			4.92	8.75	18.6
FSB 78B	7/28/2015	COBALT-60	-2.44	pCi/L	U			4.35	7.57	16.3
FSB 78B	7/28/2015	IODINE-129	2.52	pCi/L	J		21	1.39	1.11	3.89
FSB 78B	7/28/2015	RADIUM-226	1.11	pCi/L				0.354	0.359	1.07
FSB 78B	7/28/2015	RADIUM-228	0.438	pCi/L	U			0.295	0.456	1.05
FSB 78B	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.44	pCi/L	J		21	0.725	0.833	2.28
FSB 78B	10/21/2015	NITRATE-NITRITE AS NITROGEN	14.6	mg/L					0.17	0.5
FSB 78B	10/21/2015	CADMIUM	0.114	ug/L	J		21		0.1	1
FSB 78B	10/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 78B	10/21/2015	GROSS ALPHA	1.81	pCi/L	U			1.92	2.35	6.18
FSB 78B	10/21/2015	NONVOLATILE BETA	5.04	pCi/L	J		21	3.27	4.41	10.9
FSB 78B	10/21/2015	TRITIUM	146	pCi/mL				2.32	0.453	5.09
FSB 78C	2/9/2015	NITRATE-NITRITE AS NITROGEN	157	mg/L					3.4	10
FSB 78C	2/9/2015	ALUMINUM	19400	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78C	2/9/2015	ANTIMONY	10	ug/L	U				1	10
FSB 78C	2/9/2015	ARSENIC	50	ug/L	U				5	50
FSB 78C	2/9/2015	BARIUM	539	ug/L					2	20
FSB 78C	2/9/2015	BERYLLIUM	10.7	ug/L					0.1	1
FSB 78C	2/9/2015	CADMIUM	10.3	ug/L					0.1	1
FSB 78C	2/9/2015	CHROMIUM	11	ug/L	J				10	100
FSB 78C	2/9/2015	COBALT	132	ug/L					0.5	5
FSB 78C	2/9/2015	COPPER	17.8	ug/L					0.5	5
FSB 78C	2/9/2015	LEAD	5	ug/L	U				0.5	5
FSB 78C	2/9/2015	NICKEL	54	ug/L					0.5	5
FSB 78C	2/9/2015	SELENIUM	12.6	ug/L	J				2	20
FSB 78C	2/9/2015	SILVER	5	ug/L	U				0.5	5
FSB 78C	2/9/2015	THALLIUM	0.864	ug/L	J				0.1	1
FSB 78C	2/9/2015	TIN	10	ug/L	U				1	10
FSB 78C	2/9/2015	VANADIUM	50	ug/L	U				5	50
FSB 78C	2/9/2015	ZINC	209	ug/L					4	40
FSB 78C	2/9/2015	MERCURY	0.0491	ug/L	J		21		0.02	0.2
FSB 78C	2/9/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78C	2/9/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78C	2/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78C	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78C	2/9/2015	TRICHLOROETHYLENE (TCE)	14.3	ug/L					0.3	1
FSB 78C	2/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 78C	2/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78C	2/9/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78C	2/9/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78C	2/9/2015	AMERICIUM-241	0.633	pCi/L				0.278	0.0715	0.627
FSB 78C	2/9/2015	CURIUM-242	0.257	pCi/L	J		21	0.182	0.131	0.494
FSB 78C	2/9/2015	CURIUM-243/244	0.371	pCi/L	J		21	0.212	0.175	0.598
FSB 78C	2/9/2015	CURIUM-245/246	0.161	pCi/L	U			0.134	0.0729	0.341
FSB 78C	2/9/2015	PLUTONIUM-238	0.0559	pCi/L	U			0.112	0.151	0.376
FSB 78C	2/9/2015	PLUTONIUM-239/240	0.0419	pCi/L	U			0.115	0.281	0.512
FSB 78C	2/9/2015	THORIUM-228	0.179	pCi/L	J		21	0.139	0.0673	0.345
FSB 78C	2/9/2015	THORIUM-230	0.124	pCi/L	U			0.113	0.0675	0.294
FSB 78C	2/9/2015	THORIUM-232	0.0497	pCi/L	U			0.071	0.0673	0.209
FSB 78C	2/9/2015	URANIUM-233/234	175	pCi/L				34.1	0.265	68.4
FSB 78C	2/9/2015	URANIUM-235	10.7	pCi/L				2.73	0.176	5.64
FSB 78C	2/9/2015	URANIUM-238	222	pCi/L				42.2	0.143	84.5
FSB 78C	2/9/2015	GROSS ALPHA	317	pCi/L				28.7	5.95	63.3
FSB 78C	2/9/2015	NONVOLATILE BETA	956	pCi/L				32.2	14.4	78.8
FSB 78C	2/9/2015	STRONTIUM-90	340	pCi/L				37.6	3.31	78.4
FSB 78C	2/9/2015	CARBON-14	0.512	pCi/L	UJ			4.06	6.8	14.9
FSB 78C	2/9/2015	TECHNETIUM-99	4.73	pCi/L	J		21	2.57	4.09	9.24
FSB 78C	2/9/2015	TRITIUM	1760	pCi/mL				7.96	0.38	16.3
FSB 78C	2/9/2015	CESIUM-137	-0.188	pCi/L	U			5.53	9.92	21
FSB 78C	2/9/2015	COBALT-60	-3.31	pCi/L	U			5.59	9.42	20.6
FSB 78C	2/9/2015	IODINE-129	79.9	pCi/L				12.3	1.71	26.2
FSB 78C	2/9/2015	RADIUM-226	52.5	pCi/L				2.2	0.345	4.75
FSB 78C	2/9/2015	RADIUM-228	13.6	pCi/L				0.997	0.537	2.53
FSB 78C	2/9/2015	RADIUM, TOTAL ALPHA-EMITTING	49.6	pCi/L				3.1	0.878	7.08
FSB 78C	4/15/2015	NITRATE-NITRITE AS NITROGEN	169	mg/L					4.25	12.5
FSB 78C	4/15/2015	CADMIUM	10.3	ug/L					0.1	1
FSB 78C	4/15/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78C	4/15/2015	GROSS ALPHA	208	pCi/L				22.7	3.79	49.1
FSB 78C	4/15/2015	NONVOLATILE BETA	632	pCi/L				25.4	7.62	58.4
FSB 78C	4/15/2015	TRITIUM	1880	pCi/mL				8.16	0.461	16.8
FSB 78C	8/3/2015	NITRATE-NITRITE AS NITROGEN	148	mg/L					1.7	5
FSB 78C	8/3/2015	ALUMINUM	28800	ug/L					40	400
FSB 78C	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 78C	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 78C	8/3/2015	BARIUM	566	ug/L					2	20
FSB 78C	8/3/2015	BERYLLIUM	9.46	ug/L					0.1	1
FSB 78C	8/3/2015	CADMIUM	10.5	ug/L					0.1	1
FSB 78C	8/3/2015	CHROMIUM	15.4	ug/L	J		21		10	100
FSB 78C	8/3/2015	COBALT	105	ug/L					0.5	5
FSB 78C	8/3/2015	COPPER	19.7	ug/L					0.5	5
FSB 78C	8/3/2015	LEAD	4.3	ug/L	J		21		0.5	5
FSB 78C	8/3/2015	NICKEL	44.5	ug/L					0.5	5
FSB 78C	8/3/2015	SELENIUM	17.9	ug/L	J		21		2	20
FSB 78C	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 78C	8/3/2015	THALLIUM	0.921	ug/L	J		21		0.1	1
FSB 78C	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 78C	8/3/2015	ZINC	192	ug/L					4	40
FSB 78C	8/3/2015	MERCURY	0.09	ug/L	J		21		0.02	0.2
FSB 78C	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 78C	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 78C	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 78C	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 78C	8/3/2015	TRICHLOROETHYLENE (TCE)	12.1	ug/L					0.3	1
FSB 78C	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 78C	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 78C	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 78C	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 78C	8/3/2015	AMERICIUM-241	0.622	pCi/L			V	0.251	0.0602	0.562
FSB 78C	8/3/2015	CURIUM-242	-0.00588	pCi/L	U			0.012	0.11	0.134
FSB 78C	8/3/2015	CURIUM-243/244	0.548	pCi/L				0.232	0.0593	0.524
FSB 78C	8/3/2015	CURIUM-245/246	0.0849	pCi/L	U		V	0.092	0.114	0.298
FSB 78C	8/3/2015	PLUTONIUM-238	0.0277	pCi/L	U			0.056	0.0749	0.186
FSB 78C	8/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0749	0.0749
FSB 78C	8/3/2015	THORIUM-228	0.0625	pCi/L	U			0.089	0.147	0.325
FSB 78C	8/3/2015	THORIUM-230	0.0985	pCi/L	U		21, V	0.1	0.0667	0.266
FSB 78C	8/3/2015	THORIUM-232	-0.00614	pCi/L	U			0.012	0.124	0.148
FSB 78C	8/3/2015	URANIUM-233/234	165	pCi/L			V	27.8	0.102	55.6
FSB 78C	8/3/2015	URANIUM-235	10.8	pCi/L				2.37	0.126	4.86
FSB 78C	8/3/2015	URANIUM-238	221	pCi/L			V	35.9	0.276	72.1
FSB 78C	8/3/2015	GROSS ALPHA	336	pCi/L				29.6	5.95	65.1
FSB 78C	8/3/2015	NONVOLATILE BETA	938	pCi/L				31.9	14.7	78.6
FSB 78C	8/3/2015	STRONTIUM-90	341	pCi/L				38	3.33	79.3
FSB 78C	8/3/2015	CARBON-14	-0.424	pCi/L	U			4.22	7.09	15.5
FSB 78C	8/3/2015	TECHNETIUM-99	122	pCi/L				5.04	4.28	14.4
FSB 78C	8/3/2015	TRITIUM	1660	pCi/mL				7.8	0.456	16.1
FSB 78C	8/3/2015	CESIUM-137	-1.74	pCi/L	U			5.15	8.95	19.2
FSB 78C	8/3/2015	COBALT-60	-0.379	pCi/L	U			5.02	9.28	19.3
FSB 78C	8/3/2015	IODINE-129	80.1	pCi/L				12.5	1.82	26.8
FSB 78C	8/3/2015	RADIUM-226	20.3	pCi/L				1.34	0.368	3.05
FSB 78C	8/3/2015	RADIUM-228	7.94	pCi/L				0.783	0.446	2.01
FSB 78C	8/3/2015	RADIUM, TOTAL ALPHA-	55.1	pCi/L				4.91	1.37	11.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB 78C	11/12/2015	NITRATE-NITRITE AS NITROGEN	182	mg/L					8.5	25
FSB 78C	11/12/2015	CADMIUM	8.7	ug/L					0.1	1
FSB 78C	11/12/2015	LEAD	5	ug/L	U				0.5	5
FSB 78C	11/12/2015	GROSS ALPHA	158	pCi/L				14.1	2.51	30.8
FSB 78C	11/12/2015	NONVOLATILE BETA	570	pCi/L				17.1	4.78	39
FSB 78C	11/12/2015	TRITIUM	1790	pCi/mL				7.85	0.454	16.1
FSB 79	2/4/2015	NITRATE-NITRITE AS NITROGEN	30.9	mg/L					0.85	2.5
FSB 79	2/4/2015	ALUMINUM	3730	ug/L					40	400
FSB 79	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 79	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 79	2/4/2015	BARIUM	84.3	ug/L					2	20
FSB 79	2/4/2015	BERYLLIUM	1.05	ug/L					0.1	1
FSB 79	2/4/2015	CADMIUM	2.14	ug/L					0.1	1
FSB 79	2/4/2015	CHROMIUM	19.7	ug/L	J				10	100
FSB 79	2/4/2015	COBALT	70.5	ug/L					0.5	5
FSB 79	2/4/2015	COPPER	8.03	ug/L					0.5	5
FSB 79	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB 79	2/4/2015	NICKEL	18.7	ug/L					0.5	5
FSB 79	2/4/2015	SELENIUM	3.06	ug/L	J				2	20
FSB 79	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 79	2/4/2015	THALLIUM	0.147	ug/L	J				0.1	1
FSB 79	2/4/2015	TIN	10	ug/L	U				1	10
FSB 79	2/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 79	2/4/2015	ZINC	18.3	ug/L	J				4	40
FSB 79	2/4/2015	MERCURY	0.717	ug/L					0.02	0.2
FSB 79	2/4/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79	2/4/2015	CHLOROFORM	3.64	ug/L					0.3	1
FSB 79	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 79	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 79	2/4/2015	TRICHLOROETHYLENE (TCE)	1.38	ug/L					0.3	1
FSB 79	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 79	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 79	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 79	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 79	2/4/2015	AMERICIUM-241	0.855	pCi/L				0.309	0.0626	0.68
FSB 79	2/4/2015	CURIUM-242	0.0394	pCi/L	U			0.077	0.137	0.29
FSB 79	2/4/2015	CURIUM-243/244	1.09	pCi/L				0.356	0.115	0.826
FSB 79	2/4/2015	CURIUM-245/246	0.259	pCi/L	U			0.161	0.0639	0.386
FSB 79	2/4/2015	PLUTONIUM-238	0.0175	pCi/L	U			0.048	0.118	0.214
FSB 79	2/4/2015	PLUTONIUM-239/240	0.0234	pCi/L	U			0.047	0.0633	0.157
FSB 79	2/4/2015	THORIUM-228	0.0055	pCi/L	U			0.069	0.188	0.326
FSB 79	2/4/2015	THORIUM-230	0.106	pCi/L	U			0.097	0.0577	0.251
FSB 79	2/4/2015	THORIUM-232	-0.00531	pCi/L	U			0.011	0.107	0.128
FSB 79	2/4/2015	URANIUM-233/234	16.4	pCi/L				2.89	0.12	5.9
FSB 79	2/4/2015	URANIUM-235	0.997	pCi/L				0.382	0.0794	0.844
FSB 79	2/4/2015	URANIUM-238	29.4	pCi/L				4.84	0.0643	9.74
FSB 79	2/4/2015	GROSS ALPHA	63.5	pCi/L				10.8	2.9	24.5
FSB 79	2/4/2015	NONVOLATILE BETA	94	pCi/L				10.8	8.77	30.3
FSB 79	2/4/2015	STRONTIUM-90	30.4	pCi/L				6.32	3.3	15.9
FSB 79	2/4/2015	CARBON-14	124	pCi/L	J			6.5	6.97	20
FSB 79	2/4/2015	TECHNETIUM-99	15	pCi/L	J			2.81	3.99	9.61
FSB 79	2/4/2015	TRITIUM	175	pCi/mL				2.43	0.395	5.26

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79	2/4/2015	CESIUM-137	2.63	pCi/L	U			5.55	10.3	21.4
FSB 79	2/4/2015	COBALT-60	3.27	pCi/L	U			4.68	9.49	18.8
FSB 79	2/4/2015	IODINE-129	15.1	pCi/L				2.72	1.15	6.58
FSB 79	2/4/2015	RADIUM-226	10.1	pCi/L				1.29	0.653	3.23
FSB 79	2/4/2015	RADIUM-228	0.925	pCi/L	J		21	0.337	0.416	1.09
FSB 79	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	5.06	pCi/L	J		21, V	2.1	1.74	5.94
FSB 79	4/8/2015	NITRATE-NITRITE AS NITROGEN	26	mg/L					0.85	2.5
FSB 79	4/8/2015	CADMIUM	2.19	ug/L					0.1	1
FSB 79	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 79	4/8/2015	GROSS ALPHA	40.5	pCi/L				8.53	2.55	19.6
FSB 79	4/8/2015	NONVOLATILE BETA	63	pCi/L				8.86	7.52	25.2
FSB 79	4/8/2015	TRITIUM	266	pCi/mL				3.09	0.424	6.6
FSB 79	8/3/2015	NITRATE-NITRITE AS NITROGEN	42.5	mg/L					0.85	2.5
FSB 79	8/3/2015	ALUMINUM	4690	ug/L					40	400
FSB 79	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 79	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 79	8/3/2015	BARIUM	191	ug/L					2	20
FSB 79	8/3/2015	BERYLLIUM	1.23	ug/L					0.1	1
FSB 79	8/3/2015	CADMIUM	4.36	ug/L					0.1	1
FSB 79	8/3/2015	CHROMIUM	16.8	ug/L	J		21		10	100
FSB 79	8/3/2015	COBALT	70.7	ug/L					0.5	5
FSB 79	8/3/2015	COPPER	16.3	ug/L					0.5	5
FSB 79	8/3/2015	LEAD	5	ug/L	U				0.5	5
FSB 79	8/3/2015	NICKEL	18.3	ug/L					0.5	5
FSB 79	8/3/2015	SELENIUM	6.91	ug/L	J		21		2	20
FSB 79	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 79	8/3/2015	THALLIUM	0.197	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 79	8/3/2015	ZINC	34	ug/L	J		21		4	40
FSB 79	8/3/2015	MERCURY	1.52	ug/L					0.02	0.2
FSB 79	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 79	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 79	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 79	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 79	8/3/2015	TRICHLOROETHYLENE (TCE)	1.58	ug/L					0.3	1
FSB 79	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 79	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 79	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 79	8/3/2015	PHENOLS	0.00292	mg/L	J		21		0.00175	0.005
FSB 79	8/3/2015	AMERICIUM-241	2.8	pCi/L			V	0.678	0.13	1.49
FSB 79	8/3/2015	CURIUM-242	0.0477	pCi/L	U			0.079	0.128	0.285
FSB 79	8/3/2015	CURIUM-243/244	2.62	pCi/L				0.643	0.0688	1.35
FSB 79	8/3/2015	CURIUM-245/246	0.368	pCi/L	U		21, V	0.204	0.0712	0.479
FSB 79	8/3/2015	PLUTONIUM-238	0.0259	pCi/L	U			0.071	0.174	0.317
FSB 79	8/3/2015	PLUTONIUM-239/240	0.0259	pCi/L	U			0.071	0.174	0.317
FSB 79	8/3/2015	THORIUM-228	0.042	pCi/L	U			0.076	0.152	0.304
FSB 79	8/3/2015	THORIUM-230	0.17	pCi/L	U		21, V	0.128	0.139	0.395
FSB 79	8/3/2015	THORIUM-232	-0.00516	pCi/L	U			0.01	0.104	0.125
FSB 79	8/3/2015	URANIUM-233/234	47	pCi/L			V	7.18	0.115	14.5
FSB 79	8/3/2015	URANIUM-235	2.88	pCi/L				0.732	0.141	1.6
FSB 79	8/3/2015	URANIUM-238	91.8	pCi/L			V	13.2	0.0616	26.5
FSB 79	8/3/2015	GROSS ALPHA	122	pCi/L				14.8	3.05	32.6
FSB 79	8/3/2015	NONVOLATILE BETA	183	pCi/L				14.9	11.5	41.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79	8/3/2015	STRONTIUM-90	70.4	pCi/L				10.3	3.25	23.9
FSB 79	8/3/2015	CARBON-14	-1.06	pCi/L	U			4.19	7.07	15.4
FSB 79	8/3/2015	TECHNETIUM-99	13.9	pCi/L				2.91	4.25	10.1
FSB 79	8/3/2015	TRITIUM	491	pCi/mL				4.22	0.452	8.9
FSB 79	8/3/2015	CESIUM-137	0.64	pCi/L	U			5.59	10.1	21.3
FSB 79	8/3/2015	COBALT-60	-1.95	pCi/L	U			4.59	8.14	17.3
FSB 79	8/3/2015	IODINE-129	25.6	pCi/L				4.41	1.36	10.2
FSB 79	8/3/2015	RADIUM-226	5.66	pCi/L				0.721	0.328	1.77
FSB 79	8/3/2015	RADIUM-228	2.76	pCi/L	J		V	0.519	0.464	1.5
FSB 79	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	13.2	pCi/L				2.63	1.66	6.92
FSB 79	11/6/2015	NITRATE-NITRITE AS NITROGEN	42.6	mg/L					1.7	5
FSB 79	11/6/2015	CADMIUM	4.41	ug/L					0.1	1
FSB 79	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 79	11/6/2015	GROSS ALPHA	110	pCi/L				14.2	3.03	31.4
FSB 79	11/6/2015	NONVOLATILE BETA	202	pCi/L				15.3	10.9	41.6
FSB 79	11/6/2015	TRITIUM	486	pCi/mL				3.8	0.509	8.1
FSB 79B	1/20/2015	NITRATE-NITRITE AS NITROGEN	7.24	mg/L					0.17	0.5
FSB 79B	1/20/2015	ALUMINUM	400	ug/L	U				40	400
FSB 79B	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 79B	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 79B	1/20/2015	BARIUM	30.4	ug/L					2	20
FSB 79B	1/20/2015	BERYLLIUM	0.118	ug/L	J				0.1	1
FSB 79B	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 79B	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 79B	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 79B	1/20/2015	COPPER	0.973	ug/L	J				0.5	5
FSB 79B	1/20/2015	LEAD	2.36	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79B	1/20/2015	NICKEL	1.45	ug/L	J				0.5	5
FSB 79B	1/20/2015	SELENIUM	2.89	ug/L	J				2	20
FSB 79B	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 79B	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 79B	1/20/2015	TIN	10	ug/L	U				1	10
FSB 79B	1/20/2015	VANADIUM	38.5	ug/L	U				5	50
FSB 79B	1/20/2015	ZINC	4.9	ug/L	J				4	40
FSB 79B	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 79B	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 79B	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 79B	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 79B	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 79B	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 79B	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 79B	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 79B	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 79B	1/20/2015	PHENOLS	0.00247	mg/L	J		21		0.00167	0.005
FSB 79B	1/20/2015	AMERICIUM-241	0.0844	pCi/L	U			0.085	0.0571	0.228
FSB 79B	1/20/2015	CURIUM-242	0.0429	pCi/L	U			0.061	0.0563	0.178
FSB 79B	1/20/2015	CURIUM-243/244	-0.0052	pCi/L	U			0.01	0.105	0.125
FSB 79B	1/20/2015	CURIUM-245/246	0.237	pCi/L	U			0.147	0.0583	0.353
FSB 79B	1/20/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0637	0.0637
FSB 79B	1/20/2015	PLUTONIUM-239/240	0.0235	pCi/L	U			0.047	0.0637	0.158
FSB 79B	1/20/2015	THORIUM-228	0.0353	pCi/L	U			0.107	0.246	0.46
FSB 79B	1/20/2015	THORIUM-230	0.16	pCi/L	J		21	0.116	0.0542	0.287
FSB 79B	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0541	0.0541

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79B	1/20/2015	URANIUM-233/234	0.11	pCi/L	U			0.106	0.117	0.328
FSB 79B	1/20/2015	URANIUM-235	-0.00714	pCi/L	U			0.014	0.144	0.172
FSB 79B	1/20/2015	URANIUM-238	-0.00577	pCi/L	U			0.012	0.116	0.139
FSB 79B	1/20/2015	GROSS ALPHA	0.469	pCi/L	U			1.21	2.35	4.78
FSB 79B	1/20/2015	NONVOLATILE BETA	4.88	pCi/L	J		21	3	3.96	9.96
FSB 79B	1/20/2015	STRONTIUM-90	0.672	pCi/L	U			1.65	3.1	6.41
FSB 79B	1/20/2015	CARBON-14	2.24	pCi/L	U			4.17	6.9	15.2
FSB 79B	1/20/2015	TECHNETIUM-99	11.8	pCi/L				2.89	4.29	10.1
FSB 79B	1/20/2015	TRITIUM	57.3	pCi/mL				1.45	0.478	3.38
FSB 79B	1/20/2015	CESIUM-137	-4.36	pCi/L	U			5.3	8.53	19.1
FSB 79B	1/20/2015	COBALT-60	-0.0767	pCi/L	U			5.13	9.64	19.9
FSB 79B	1/20/2015	IODINE-129	0.0508	pCi/L	U			0.578	0.981	2.14
FSB 79B	1/20/2015	RADIUM-226	0.285	pCi/L	U			0.348	0.587	1.28
FSB 79B	1/20/2015	RADIUM-228	0.368	pCi/L	U			0.367	0.606	1.34
FSB 79B	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.371	pCi/L	U			0.44	0.732	1.61
FSB 79B	4/7/2015	NITRATE-NITRITE AS NITROGEN	8.74	mg/L					0.17	0.5
FSB 79B	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 79B	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 79B	4/7/2015	GROSS ALPHA	0.984	pCi/L	U			1.47	2.22	5.16
FSB 79B	4/7/2015	NONVOLATILE BETA	6.09	pCi/L	J		21	3.32	4.25	10.9
FSB 79B	4/7/2015	TRITIUM	60.3	pCi/mL				1.47	0.437	3.38
FSB 79B	7/27/2015	NITRATE-NITRITE AS NITROGEN	7.93	mg/L					0.425	1.25
FSB 79B	7/27/2015	ALUMINUM	228	ug/L	J		21		40	400
FSB 79B	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 79B	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 79B	7/27/2015	BARIUM	29.4	ug/L					2	20
FSB 79B	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79B	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 79B	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 79B	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB 79B	7/27/2015	COPPER	0.577	ug/L	J		21		0.5	5
FSB 79B	7/27/2015	LEAD	5	ug/L	U				0.5	5
FSB 79B	7/27/2015	NICKEL	1.01	ug/L	J		21		0.5	5
FSB 79B	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 79B	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 79B	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 79B	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 79B	7/27/2015	ZINC	40	ug/L	U		V		4	40
FSB 79B	7/27/2015	GROSS ALPHA	0.0181	pCi/L	U			0.916	2.48	4.31
FSB 79B	7/27/2015	NONVOLATILE BETA	6.05	pCi/L	J		21	3.28	4.14	10.7
FSB 79B	7/27/2015	TRITIUM	59.6	pCi/mL				1.49	0.431	3.42
FSB 79B	10/21/2015	NITRATE-NITRITE AS NITROGEN	7.22	mg/L					0.17	0.5
FSB 79B	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 79B	10/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 79B	10/21/2015	GROSS ALPHA	0.517	pCi/L	U			1.19	2.29	4.68
FSB 79B	10/21/2015	NONVOLATILE BETA	7.73	pCi/L	J		21	3.57	4.24	11.4
FSB 79B	10/21/2015	TRITIUM	59.6	pCi/mL				1.49	0.453	3.44
FSB 79C	2/4/2015	NITRATE-NITRITE AS NITROGEN	30.7	mg/L					0.85	2.5
FSB 79C	2/4/2015	ALUMINUM	3830	ug/L					40	400
FSB 79C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 79C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 79C	2/4/2015	BARIUM	73.3	ug/L					2	20
FSB 79C	2/4/2015	BERYLLIUM	0.675	ug/L	J				0.1	1
FSB 79C	2/4/2015	CADMIUM	2.99	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 79C	2/4/2015	COBALT	21.8	ug/L					0.5	5
FSB 79C	2/4/2015	COPPER	8.07	ug/L					0.5	5
FSB 79C	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB 79C	2/4/2015	NICKEL	7.12	ug/L					0.5	5
FSB 79C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB 79C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 79C	2/4/2015	THALLIUM	0.101	ug/L	J				0.1	1
FSB 79C	2/4/2015	TIN	10	ug/L	U				1	10
FSB 79C	2/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 79C	2/4/2015	ZINC	16.2	ug/L	J				4	40
FSB 79C	2/4/2015	MERCURY	0.837	ug/L					0.02	0.2
FSB 79C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 79C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 79C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 79C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 79C	2/4/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.3	1
FSB 79C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 79C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 79C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 79C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 79C	2/4/2015	AMERICIUM-241	1.15	pCi/L				0.366	0.0598	0.791
FSB 79C	2/4/2015	CURIUM-242	0.0501	pCi/L	U			0.071	0.0589	0.201
FSB 79C	2/4/2015	CURIUM-243/244	0.409	pCi/L	J		21	0.201	0.109	0.511
FSB 79C	2/4/2015	CURIUM-245/246	0.113	pCi/L	U			0.102	0.061	0.265
FSB 79C	2/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0732	0.0732

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79C	2/4/2015	PLUTONIUM-239/240	-0.00675	pCi/L	U			0.014	0.136	0.163
FSB 79C	2/4/2015	THORIUM-228	-0.0585	pCi/L	U			0.065	0.258	0.387
FSB 79C	2/4/2015	THORIUM-230	0.0906	pCi/L	U			0.092	0.0614	0.245
FSB 79C	2/4/2015	THORIUM-232	-0.00565	pCi/L	U			0.011	0.114	0.137
FSB 79C	2/4/2015	URANIUM-233/234	54.9	pCi/L				8.66	0.0625	17.4
FSB 79C	2/4/2015	URANIUM-235	3.01	pCi/L				0.768	0.0771	1.61
FSB 79C	2/4/2015	URANIUM-238	59.4	pCi/L				9.05	0.0623	18.2
FSB 79C	2/4/2015	GROSS ALPHA	115	pCi/L				14	3.05	31.1
FSB 79C	2/4/2015	NONVOLATILE BETA	245	pCi/L				16.8	11.5	45
FSB 79C	2/4/2015	STRONTIUM-90	110	pCi/L				14.6	3.25	32.5
FSB 79C	2/4/2015	CARBON-14	0.904	pCi/L	UJ			4.19	6.99	15.4
FSB 79C	2/4/2015	TECHNETIUM-99	12.3	pCi/L	J			2.76	4.04	9.56
FSB 79C	2/4/2015	TRITIUM	136	pCi/mL				2.15	0.395	4.69
FSB 79C	2/4/2015	CESIUM-137	-3.2	pCi/L	U			4.93	8.29	18.1
FSB 79C	2/4/2015	COBALT-60	3.16	pCi/L	U			4.85	9.74	19.4
FSB 79C	2/4/2015	IODINE-129	15.9	pCi/L				2.85	1.14	6.85
FSB 79C	2/4/2015	RADIUM-226	4.21	pCi/L				0.833	0.557	2.22
FSB 79C	2/4/2015	RADIUM-228	2.28	pCi/L				0.596	0.77	1.96
FSB 79C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	6.53	pCi/L	J		21, V	2.43	1.99	6.85
FSB 79C	4/8/2015	NITRATE-NITRITE AS NITROGEN	24.9	mg/L					0.85	2.5
FSB 79C	4/8/2015	CADMIUM	3.27	ug/L					0.1	1
FSB 79C	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 79C	4/8/2015	GROSS ALPHA	104	pCi/L				13.2	2.81	29.3
FSB 79C	4/8/2015	NONVOLATILE BETA	224	pCi/L				16	11.1	43.1
FSB 79C	4/8/2015	TRITIUM	140	pCi/mL				2.25	0.424	4.91
FSB 79C	8/3/2015	NITRATE-NITRITE AS NITROGEN	25.8	mg/L					0.85	2.5
FSB 79C	8/3/2015	ALUMINUM	3190	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79C	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 79C	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 79C	8/3/2015	BARIUM	78.4	ug/L					2	20
FSB 79C	8/3/2015	BERYLLIUM	0.601	ug/L	J		21		0.1	1
FSB 79C	8/3/2015	CADMIUM	2.74	ug/L					0.1	1
FSB 79C	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FSB 79C	8/3/2015	COBALT	20.5	ug/L					0.5	5
FSB 79C	8/3/2015	COPPER	8.58	ug/L					0.5	5
FSB 79C	8/3/2015	LEAD	5	ug/L	U				0.5	5
FSB 79C	8/3/2015	NICKEL	6.22	ug/L					0.5	5
FSB 79C	8/3/2015	SELENIUM	2.7	ug/L	J		21		2	20
FSB 79C	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 79C	8/3/2015	THALLIUM	0.11	ug/L	J		21		0.1	1
FSB 79C	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 79C	8/3/2015	ZINC	20.4	ug/L	J		21		4	40
FSB 79C	8/3/2015	MERCURY	0.845	ug/L					0.02	0.2
FSB 79C	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 79C	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 79C	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 79C	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 79C	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 79C	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 79C	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 79C	8/3/2015	CYANIDE	1.72	ug/L	J		21		1.67	5
FSB 79C	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 79C	8/3/2015	AMERICIUM-241	0.847	pCi/L			V	0.308	0.0638	0.679

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79C	8/3/2015	CURIUM-242	0	pCi/L	U			0	0.0628	0.0628
FSB 79C	8/3/2015	CURIUM-243/244	0.441	pCi/L	J		21	0.212	0.0628	0.487
FSB 79C	8/3/2015	CURIUM-245/246	0.144	pCi/L	U		21, V	0.119	0.065	0.304
FSB 79C	8/3/2015	PLUTONIUM-238	-0.0122	pCi/L	U			0.017	0.147	0.181
FSB 79C	8/3/2015	PLUTONIUM-239/240	0.0489	pCi/L	U			0.07	0.0662	0.205
FSB 79C	8/3/2015	THORIUM-228	0.0817	pCi/L	U			0.096	0.138	0.329
FSB 79C	8/3/2015	THORIUM-230	0.155	pCi/L	U		21, V	0.125	0.116	0.365
FSB 79C	8/3/2015	THORIUM-232	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB 79C	8/3/2015	URANIUM-233/234	44.4	pCi/L			V	6.71	0.129	13.6
FSB 79C	8/3/2015	URANIUM-235	2.38	pCi/L				0.627	0.0717	1.33
FSB 79C	8/3/2015	URANIUM-238	47.9	pCi/L			V	6.95	0.128	14
FSB 79C	8/3/2015	GROSS ALPHA	99	pCi/L				13	2.97	29
FSB 79C	8/3/2015	NONVOLATILE BETA	207	pCi/L				15.4	10.8	41.7
FSB 79C	8/3/2015	STRONTIUM-90	97.2	pCi/L				13	3.34	29.4
FSB 79C	8/3/2015	CARBON-14	22.2	pCi/L				4.74	7.1	16.6
FSB 79C	8/3/2015	TECHNETIUM-99	14	pCi/L				2.9	4.22	10
FSB 79C	8/3/2015	TRITIUM	152	pCi/mL				2.37	0.455	5.19
FSB 79C	8/3/2015	CESIUM-137	-0.341	pCi/L	U			5.63	10	21.3
FSB 79C	8/3/2015	COBALT-60	0.165	pCi/L	U			4.55	8.62	17.7
FSB 79C	8/3/2015	IODINE-129	16.1	pCi/L				3.5	1.23	8.23
FSB 79C	8/3/2015	RADIUM-226	6.77	pCi/L				0.864	0.436	2.16
FSB 79C	8/3/2015	RADIUM-228	3.01	pCi/L	J		V	0.531	0.524	1.59
FSB 79C	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	10.1	pCi/L				2.32	1.56	6.2
FSB 79C	11/6/2015	NITRATE-NITRITE AS NITROGEN	22	mg/L					0.85	2.5
FSB 79C	11/6/2015	CADMIUM	2.73	ug/L					0.1	1
FSB 79C	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 79C	11/6/2015	GROSS ALPHA	103	pCi/L				13.2	2.83	29.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 79C	11/6/2015	NONVOLATILE BETA	202	pCi/L				15.4	11	41.8
FSB 79C	11/6/2015	TRITIUM	124	pCi/mL				1.93	0.504	4.36
FSB 87BR	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.533	mg/L					0.017	0.05
FSB 87BR	1/20/2015	ALUMINUM	400	ug/L	U				40	400
FSB 87BR	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87BR	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 87BR	1/20/2015	BARIUM	24.4	ug/L					2	20
FSB 87BR	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 87BR	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 87BR	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 87BR	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 87BR	1/20/2015	COPPER	0.596	ug/L	J				0.5	5
FSB 87BR	1/20/2015	LEAD	5	ug/L	U				0.5	5
FSB 87BR	1/20/2015	NICKEL	5	ug/L	U				0.5	5
FSB 87BR	1/20/2015	SELENIUM	3.11	ug/L	J				2	20
FSB 87BR	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 87BR	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87BR	1/20/2015	TIN	10	ug/L	U				1	10
FSB 87BR	1/20/2015	VANADIUM	40.4	ug/L	U				5	50
FSB 87BR	1/20/2015	ZINC	40	ug/L	U				4	40
FSB 87BR	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 87BR	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 87BR	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 87BR	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 87BR	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 87BR	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 87BR	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87BR	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 87BR	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 87BR	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 87BR	1/20/2015	AMERICIUM-241	0.0391	pCi/L	U			0.065	0.113	0.241
FSB 87BR	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0597	0.0597
FSB 87BR	1/20/2015	CURIUM-243/244	0	pCi/L	U			0	0.0597	0.0597
FSB 87BR	1/20/2015	CURIUM-245/246	0.137	pCi/L	U			0.114	0.0618	0.289
FSB 87BR	1/20/2015	PLUTONIUM-238	0.0261	pCi/L	U			0.052	0.0707	0.175
FSB 87BR	1/20/2015	PLUTONIUM-239/240	0.0261	pCi/L	U			0.052	0.0707	0.175
FSB 87BR	1/20/2015	THORIUM-228	-0.00626	pCi/L	U			0.013	0.125	0.15
FSB 87BR	1/20/2015	THORIUM-230	0.0373	pCi/L	U			0.073	0.149	0.295
FSB 87BR	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0673	0.0673
FSB 87BR	1/20/2015	URANIUM-233/234	0.0835	pCi/L	U			0.097	0.0755	0.27
FSB 87BR	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0931	0.0931
FSB 87BR	1/20/2015	URANIUM-238	0.0208	pCi/L	U			0.057	0.14	0.255
FSB 87BR	1/20/2015	GROSS ALPHA	0.452	pCi/L	U			1.17	2.26	4.59
FSB 87BR	1/20/2015	NONVOLATILE BETA	0.871	pCi/L	U			2.28	3.94	8.5
FSB 87BR	1/20/2015	STRONTIUM-90	-0.429	pCi/L	U			1.43	3.1	5.97
FSB 87BR	1/20/2015	CARBON-14	-0.301	pCi/L	U			4.08	6.86	15
FSB 87BR	1/20/2015	TECHNETIUM-99	-0.304	pCi/L	U			2.54	4.29	9.37
FSB 87BR	1/20/2015	TRITIUM	2.98	pCi/mL				0.441	0.522	1.4
FSB 87BR	1/20/2015	CESIUM-137	2.05	pCi/L	U			5.89	10.9	22.7
FSB 87BR	1/20/2015	COBALT-60	-1.35	pCi/L	U			5.07	9.15	19.3
FSB 87BR	1/20/2015	IODINE-129	1.08	pCi/L	J		21	0.873	0.63	2.38
FSB 87BR	1/20/2015	RADIUM-226	0.127	pCi/L	U			0.36	0.682	1.4
FSB 87BR	1/20/2015	RADIUM-228	0.237	pCi/L	U			0.386	0.667	1.44
FSB 87BR	1/20/2015	RADIUM, TOTAL ALPHA-	0.507	pCi/L	U			0.465	0.726	1.66

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB 87BR	4/7/2015	NITRATE-NITRITE AS NITROGEN	0.523	mg/L					0.017	0.05
FSB 87BR	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 87BR	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 87BR	4/7/2015	GROSS ALPHA	0.97	pCi/L	U			1.44	2.16	5.04
FSB 87BR	4/7/2015	NONVOLATILE BETA	1.79	pCi/L	U			2.63	4.24	9.5
FSB 87BR	4/7/2015	TRITIUM	2.26	pCi/mL				0.38	0.441	1.2
FSB 87BR	7/27/2015	NITRATE-NITRITE AS NITROGEN	0.54	mg/L					0.017	0.05
FSB 87BR	7/27/2015	ALUMINUM	1650	ug/L					40	400
FSB 87BR	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87BR	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 87BR	7/27/2015	BARIUM	26.4	ug/L					2	20
FSB 87BR	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 87BR	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 87BR	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 87BR	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB 87BR	7/27/2015	COPPER	0.625	ug/L	J		21		0.5	5
FSB 87BR	7/27/2015	LEAD	2.14	ug/L	J		21		0.5	5
FSB 87BR	7/27/2015	NICKEL	0.543	ug/L	J		21		0.5	5
FSB 87BR	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 87BR	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 87BR	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87BR	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 87BR	7/27/2015	ZINC	40	ug/L	U		V		4	40
FSB 87BR	7/27/2015	GROSS ALPHA	1.25	pCi/L	U			1.68	2.41	5.76
FSB 87BR	7/27/2015	NONVOLATILE BETA	0.718	pCi/L	U			2.47	4.3	9.24
FSB 87BR	7/27/2015	TRITIUM	2.36	pCi/mL				0.386	0.436	1.21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87BR	10/21/2015	NITRATE-NITRITE AS NITROGEN	0.64	mg/L					0.017	0.05
FSB 87BR	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 87BR	10/21/2015	LEAD	0.826	ug/L	J		21		0.5	5
FSB 87BR	10/21/2015	GROSS ALPHA	0.0203	pCi/L	U			0.903	2.33	4.14
FSB 87BR	10/21/2015	NONVOLATILE BETA	0.649	pCi/L	U			2.33	3.93	8.59
FSB 87BR	10/21/2015	TRITIUM	5.27	pCi/mL				0.495	0.509	1.5
FSB 87C	1/20/2015	NITRATE-NITRITE AS NITROGEN	41.9	mg/L					0.85	2.5
FSB 87C	1/20/2015	ALUMINUM	400	ug/L	U				40	400
FSB 87C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87C	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 87C	1/20/2015	BARIUM	32.6	ug/L					2	20
FSB 87C	1/20/2015	BERYLLIUM	0.11	ug/L	J				0.1	1
FSB 87C	1/20/2015	CADMIUM	0.149	ug/L	J				0.1	1
FSB 87C	1/20/2015	CHROMIUM	11.6	ug/L	J				10	100
FSB 87C	1/20/2015	COBALT	0.888	ug/L	J				0.5	5
FSB 87C	1/20/2015	COPPER	3.8	ug/L	J				0.5	5
FSB 87C	1/20/2015	LEAD	0.666	ug/L	J				0.5	5
FSB 87C	1/20/2015	NICKEL	2.51	ug/L	J				0.5	5
FSB 87C	1/20/2015	SELENIUM	2.23	ug/L	J				2	20
FSB 87C	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 87C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87C	1/20/2015	TIN	10	ug/L	U				1	10
FSB 87C	1/20/2015	VANADIUM	47.8	ug/L	U				5	50
FSB 87C	1/20/2015	ZINC	12.7	ug/L	J				4	40
FSB 87C	1/20/2015	MERCURY	0.982	ug/L					0.02	0.2
FSB 87C	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 87C	1/20/2015	CHLOROFORM	0.44	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 87C	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 87C	1/20/2015	TRICHLOROETHYLENE (TCE)	5.1	ug/L					0.3	1
FSB 87C	1/20/2015	TRICHLOROFLUOROMETHANE	0.42	ug/L	J		21		0.3	1
FSB 87C	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 87C	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 87C	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 87C	1/20/2015	AMERICIUM-241	0.0229	pCi/L	U			0.046	0.0621	0.154
FSB 87C	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0612	0.0612
FSB 87C	1/20/2015	CURIUM-243/244	-0.0113	pCi/L	U			0.016	0.135	0.168
FSB 87C	1/20/2015	CURIUM-245/246	0.21	pCi/L	U			0.144	0.0634	0.352
FSB 87C	1/20/2015	PLUTONIUM-238	0.0266	pCi/L	U			0.053	0.072	0.179
FSB 87C	1/20/2015	PLUTONIUM-239/240	-0.00664	pCi/L	U			0.013	0.134	0.16
FSB 87C	1/20/2015	THORIUM-228	-0.121	pCi/L	U			0.168	0.498	0.834
FSB 87C	1/20/2015	THORIUM-230	0.0212	pCi/L	U			0.059	0.143	0.26
FSB 87C	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0766	0.0766
FSB 87C	1/20/2015	URANIUM-233/234	0.0229	pCi/L	U			0.046	0.0619	0.154
FSB 87C	1/20/2015	URANIUM-235	0.0141	pCi/L	U			0.06	0.169	0.289
FSB 87C	1/20/2015	URANIUM-238	0.0228	pCi/L	U			0.046	0.0618	0.153
FSB 87C	1/20/2015	GROSS ALPHA	1.03	pCi/L	U			1.71	2.75	6.17
FSB 87C	1/20/2015	NONVOLATILE BETA	7.79	pCi/L	J		21	3.47	4.03	11
FSB 87C	1/20/2015	STRONTIUM-90	0.953	pCi/L	U			1.73	3.11	6.57
FSB 87C	1/20/2015	CARBON-14	1.06	pCi/L	U			4.15	6.92	15.2
FSB 87C	1/20/2015	TECHNETIUM-99	13.8	pCi/L				2.93	4.27	10.1
FSB 87C	1/20/2015	TRITIUM	508	pCi/mL				4.27	0.481	9.03
FSB 87C	1/20/2015	CESIUM-137	-3.68	pCi/L	U			6.73	11.2	24.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87C	1/20/2015	COBALT-60	-3.13	pCi/L	U			5.44	9.21	20.1
FSB 87C	1/20/2015	IODINE-129	9.55	pCi/L				1.96	1.06	4.97
FSB 87C	1/20/2015	RADIUM-226	2.64	pCi/L	J		V	0.793	0.776	2.36
FSB 87C	1/20/2015	RADIUM-228	0.62	pCi/L	U			0.427	0.676	1.53
FSB 87C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.63	pCi/L	J		21	0.65	0.594	1.89
FSB 87C	4/7/2015	NITRATE-NITRITE AS NITROGEN	47.8	mg/L					0.85	2.5
FSB 87C	4/7/2015	CADMIUM	0.135	ug/L	J				0.1	1
FSB 87C	4/7/2015	LEAD	1.36	ug/L	J				0.5	5
FSB 87C	4/7/2015	GROSS ALPHA	1.17	pCi/L	U			1.74	2.62	6.1
FSB 87C	4/7/2015	NONVOLATILE BETA	2.81	pCi/L	U			2.85	4.31	10
FSB 87C	4/7/2015	TRITIUM	493	pCi/mL				4.18	0.441	8.81
FSB 87C	7/27/2015	NITRATE-NITRITE AS NITROGEN	44	mg/L					1.7	5
FSB 87C	7/27/2015	ALUMINUM	67	ug/L	J		21		40	400
FSB 87C	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87C	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 87C	7/27/2015	BARIUM	31.5	ug/L					2	20
FSB 87C	7/27/2015	BERYLLIUM	1	ug/L	J		21		0.1	1
FSB 87C	7/27/2015	CADMIUM	0.154	ug/L	J		21		0.1	1
FSB 87C	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 87C	7/27/2015	COBALT	0.542	ug/L	J		21		0.5	5
FSB 87C	7/27/2015	COPPER	12	ug/L					0.5	5
FSB 87C	7/27/2015	LEAD	4.62	ug/L	J		21		0.5	5
FSB 87C	7/27/2015	NICKEL	2.22	ug/L	J		21		0.5	5
FSB 87C	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 87C	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 87C	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87C	7/27/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87C	7/27/2015	ZINC	15.7	ug/L	U		21, V		4	40
FSB 87C	7/27/2015	GROSS ALPHA	1.05	pCi/L	U			1.84	3.04	6.71
FSB 87C	7/27/2015	NONVOLATILE BETA	7.68	pCi/L	J		21	3.6	4.33	11.5
FSB 87C	7/27/2015	TRITIUM	487	pCi/mL				4.21	0.43	8.86
FSB 87C	10/21/2015	NITRATE-NITRITE AS NITROGEN	40.3	mg/L					0.85	2.5
FSB 87C	10/21/2015	CADMIUM	0.126	ug/L	J		21		0.1	1
FSB 87C	10/21/2015	LEAD	0.891	ug/L	J		21		0.5	5
FSB 87C	10/21/2015	GROSS ALPHA	3.6	pCi/L	J		21	2.82	2.74	8.38
FSB 87C	10/21/2015	NONVOLATILE BETA	5.57	pCi/L	J		21	3.43	4.6	11.5
FSB 87C	10/21/2015	TRITIUM	474	pCi/mL				4.15	0.453	8.76
FSB 87D	1/20/2015	NITRATE-NITRITE AS NITROGEN	6.55	mg/L					0.085	0.25
FSB 87D	1/20/2015	ALUMINUM	451	ug/L					40	400
FSB 87D	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87D	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 87D	1/20/2015	BARIUM	13	ug/L	J				2	20
FSB 87D	1/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 87D	1/20/2015	CADMIUM	1.02	ug/L					0.1	1
FSB 87D	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 87D	1/20/2015	COBALT	7.48	ug/L					0.5	5
FSB 87D	1/20/2015	COPPER	7.58	ug/L					0.5	5
FSB 87D	1/20/2015	LEAD	0.894	ug/L	J				0.5	5
FSB 87D	1/20/2015	NICKEL	2.94	ug/L	J				0.5	5
FSB 87D	1/20/2015	SELENIUM	2.11	ug/L	J				2	20
FSB 87D	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 87D	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87D	1/20/2015	TIN	10	ug/L	U				1	10
FSB 87D	1/20/2015	VANADIUM	40.8	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87D	1/20/2015	ZINC	10.2	ug/L	J				4	40
FSB 87D	1/20/2015	MERCURY	0.0558	ug/L	J		21		0.02	0.2
FSB 87D	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 87D	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 87D	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 87D	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 87D	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 87D	1/20/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 87D	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 87D	1/20/2015	CYANIDE	2.04	ug/L	J		21		1.67	5
FSB 87D	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 87D	1/20/2015	AMERICIUM-241	0.0906	pCi/L	U			0.092	0.0614	0.245
FSB 87D	1/20/2015	CURIUM-242	0.0472	pCi/L	U			0.067	0.0605	0.195
FSB 87D	1/20/2015	CURIUM-243/244	0.067	pCi/L	J		21	0.078	0.0605	0.217
FSB 87D	1/20/2015	CURIUM-245/246	0.231	pCi/L	U			0.15	0.0626	0.363
FSB 87D	1/20/2015	PLUTONIUM-238	0.0335	pCi/L	U			0.065	0.134	0.265
FSB 87D	1/20/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0606	0.0606
FSB 87D	1/20/2015	THORIUM-228	0.123	pCi/L	U			0.149	0.273	0.571
FSB 87D	1/20/2015	THORIUM-230	0.0933	pCi/L	U			0.095	0.0632	0.252
FSB 87D	1/20/2015	THORIUM-232	-0.00582	pCi/L	U			0.012	0.117	0.141
FSB 87D	1/20/2015	URANIUM-233/234	11.9	pCi/L				2.19	0.124	4.51
FSB 87D	1/20/2015	URANIUM-235	1.14	pCi/L				0.423	0.182	1.03
FSB 87D	1/20/2015	URANIUM-238	36.2	pCi/L				5.93	0.0666	11.9
FSB 87D	1/20/2015	GROSS ALPHA	44.4	pCi/L				8.4	2.28	19.1
FSB 87D	1/20/2015	NONVOLATILE BETA	47.9	pCi/L				7.22	4.87	19.3
FSB 87D	1/20/2015	STRONTIUM-90	16.7	pCi/L				3.94	3.11	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87D	1/20/2015	CARBON-14	-0.546	pCi/L	U			4.11	6.91	15.1
FSB 87D	1/20/2015	TECHNETIUM-99	3.8	pCi/L	U			2.67	4.31	9.64
FSB 87D	1/20/2015	TRITIUM	57.8	pCi/mL				1.46	0.479	3.4
FSB 87D	1/20/2015	CESIUM-137	2.49	pCi/L	U			6.26	11.6	24.1
FSB 87D	1/20/2015	COBALT-60	-0.578	pCi/L	U			6.14	11.2	23.5
FSB 87D	1/20/2015	IODINE-129	11.2	pCi/L				2.37	1.22	5.97
FSB 87D	1/20/2015	RADIUM-226	1.24	pCi/L	U		21, V	0.658	0.869	2.19
FSB 87D	1/20/2015	RADIUM-228	0.845	pCi/L	J		21	0.484	0.751	1.72
FSB 87D	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	J		21	0.528	0.582	1.64
FSB 87D	4/7/2015	NITRATE-NITRITE AS NITROGEN	8.33	mg/L					0.425	1.25
FSB 87D	4/7/2015	CADMIUM	1.04	ug/L					0.1	1
FSB 87D	4/7/2015	LEAD	0.987	ug/L	J				0.5	5
FSB 87D	4/7/2015	GROSS ALPHA	43.8	pCi/L				8.44	2.3	19.2
FSB 87D	4/7/2015	NONVOLATILE BETA	58	pCi/L				8.74	8.06	25.5
FSB 87D	4/7/2015	TRITIUM	45.5	pCi/mL				1.29	0.442	3.03
FSB 87D	7/27/2015	NITRATE-NITRITE AS NITROGEN	7.13	mg/L					0.425	1.25
FSB 87D	7/27/2015	ALUMINUM	540	ug/L					40	400
FSB 87D	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 87D	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 87D	7/27/2015	BARIUM	16.7	ug/L	J		21		2	20
FSB 87D	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 87D	7/27/2015	CADMIUM	1.02	ug/L					0.1	1
FSB 87D	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB 87D	7/27/2015	COBALT	9.63	ug/L					0.5	5
FSB 87D	7/27/2015	COPPER	6.33	ug/L					0.5	5
FSB 87D	7/27/2015	LEAD	1.01	ug/L	J		21		0.5	5
FSB 87D	7/27/2015	NICKEL	3.42	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 87D	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 87D	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 87D	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 87D	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 87D	7/27/2015	ZINC	17.6	ug/L	U		21, V		4	40
FSB 87D	7/27/2015	GROSS ALPHA	40.3	pCi/L				8.1	2.48	18.7
FSB 87D	7/27/2015	NONVOLATILE BETA	51.2	pCi/L				8.3	7.85	24.4
FSB 87D	7/27/2015	TRITIUM	39	pCi/mL				1.22	0.431	2.86
FSB 87D	10/21/2015	NITRATE-NITRITE AS NITROGEN	7.75	mg/L					0.17	0.5
FSB 87D	10/21/2015	CADMIUM	1.04	ug/L					0.1	1
FSB 87D	10/21/2015	LEAD	0.96	ug/L	J		21		0.5	5
FSB 87D	10/21/2015	GROSS ALPHA	44.1	pCi/L				8.44	2.39	19.3
FSB 87D	10/21/2015	NONVOLATILE BETA	74	pCi/L				9.63	8.14	27.4
FSB 87D	10/21/2015	TRITIUM	23.6	pCi/mL				0.961	0.453	2.37
FSB 88C	1/20/2015	NITRATE-NITRITE AS NITROGEN	5.55	mg/L					0.085	0.25
FSB 88C	1/20/2015	ALUMINUM	49.1	ug/L	J				40	400
FSB 88C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 88C	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 88C	1/20/2015	BARIUM	22.6	ug/L					2	20
FSB 88C	1/20/2015	BERYLLIUM	0.421	ug/L	J				0.1	1
FSB 88C	1/20/2015	CADMIUM	0.113	ug/L	J				0.1	1
FSB 88C	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 88C	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 88C	1/20/2015	COPPER	2.01	ug/L	J				0.5	5
FSB 88C	1/20/2015	LEAD	1.65	ug/L	J				0.5	5
FSB 88C	1/20/2015	NICKEL	2.63	ug/L	J				0.5	5
FSB 88C	1/20/2015	SELENIUM	2.78	ug/L	J				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88C	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 88C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 88C	1/20/2015	TIN	10	ug/L	U				1	10
FSB 88C	1/20/2015	VANADIUM	41.4	ug/L	U				5	50
FSB 88C	1/20/2015	ZINC	25	ug/L	J				4	40
FSB 88C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 88C	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 88C	1/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 88C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 88C	1/20/2015	TETRACHLOROETHYLENE (PCE)	0.8	ug/L	J		21		0.3	1
FSB 88C	1/20/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J		21		0.3	1
FSB 88C	1/20/2015	TRICHLOROFLUOROMETHANE	1.19	ug/L					0.3	1
FSB 88C	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 88C	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 88C	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 88C	1/20/2015	AMERICIUM-241	0.0237	pCi/L	U			0.048	0.0643	0.16
FSB 88C	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.0634	0.0634
FSB 88C	1/20/2015	CURIUM-243/244	-0.00585	pCi/L	U			0.012	0.118	0.141
FSB 88C	1/20/2015	CURIUM-245/246	0.218	pCi/L	U			0.149	0.0656	0.364
FSB 88C	1/20/2015	PLUTONIUM-238	0.0219	pCi/L	U			0.044	0.0594	0.147
FSB 88C	1/20/2015	PLUTONIUM-239/240	0.0164	pCi/L	U			0.045	0.11	0.201
FSB 88C	1/20/2015	THORIUM-228	-0.0415	pCi/L	U			0.111	0.326	0.548
FSB 88C	1/20/2015	THORIUM-230	0.0589	pCi/L	U			0.084	0.141	0.309
FSB 88C	1/20/2015	THORIUM-232	-0.00588	pCi/L	U			0.012	0.118	0.142
FSB 88C	1/20/2015	URANIUM-233/234	-0.0105	pCi/L	U			0.015	0.126	0.156
FSB 88C	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0701	0.0701

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88C	1/20/2015	URANIUM-238	0.0209	pCi/L	U			0.042	0.0567	0.141
FSB 88C	1/20/2015	GROSS ALPHA	-0.327	pCi/L	U			0.336	2.21	2.88
FSB 88C	1/20/2015	NONVOLATILE BETA	0.68	pCi/L	U			2.23	3.91	8.36
FSB 88C	1/20/2015	STRONTIUM-90	0.133	pCi/L	U			1.74	3.1	6.59
FSB 88C	1/20/2015	CARBON-14	0.423	pCi/L	U			4.11	6.88	15.1
FSB 88C	1/20/2015	TECHNETIUM-99	2.4	pCi/L	U			2.63	4.32	9.59
FSB 88C	1/20/2015	TRITIUM	37.7	pCi/mL				1.18	0.521	2.88
FSB 88C	1/20/2015	CESIUM-137	-1.38	pCi/L	U			5.65	9.86	21.2
FSB 88C	1/20/2015	COBALT-60	-2.15	pCi/L	U			6.05	10.6	22.7
FSB 88C	1/20/2015	IODINE-129	2.17	pCi/L	J		21	1.23	0.945	3.41
FSB 88C	1/20/2015	RADIUM-226	2.31	pCi/L	J		V	0.667	0.594	1.93
FSB 88C	1/20/2015	RADIUM-228	0.261	pCi/L	U			0.421	0.724	1.57
FSB 88C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.53	pCi/L	U			0.41	0.569	1.39
FSB 88C	4/7/2015	NITRATE-NITRITE AS NITROGEN	4.82	mg/L					0.17	0.5
FSB 88C	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 88C	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 88C	4/7/2015	GROSS ALPHA	1.34	pCi/L	U			1.61	2.11	5.34
FSB 88C	4/7/2015	NONVOLATILE BETA	2.86	pCi/L	U			2.84	4.29	9.97
FSB 88C	4/7/2015	TRITIUM	34	pCi/mL				1.13	0.442	2.69
FSB 88C	7/28/2015	NITRATE-NITRITE AS NITROGEN	3.87	mg/L					0.17	0.5
FSB 88C	7/28/2015	ALUMINUM	400	ug/L	U				40	400
FSB 88C	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB 88C	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB 88C	7/28/2015	BARIUM	16.3	ug/L	J		21		2	20
FSB 88C	7/28/2015	BERYLLIUM	0.245	ug/L	J		21		0.1	1
FSB 88C	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 88C	7/28/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88C	7/28/2015	COBALT	5	ug/L	U				0.5	5
FSB 88C	7/28/2015	COPPER	0.909	ug/L	J		21		0.5	5
FSB 88C	7/28/2015	LEAD	5	ug/L	U				0.5	5
FSB 88C	7/28/2015	NICKEL	1.59	ug/L	J		21		0.5	5
FSB 88C	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB 88C	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB 88C	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 88C	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB 88C	7/28/2015	ZINC	16	ug/L	J		21		4	40
FSB 88C	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 88C	7/28/2015	BENZENE	1	ug/L	U				0.3	1
FSB 88C	7/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 88C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 88C	7/28/2015	TETRACHLOROETHYLENE (PCE)	0.55	ug/L	J		21		0.3	1
FSB 88C	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 88C	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 88C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 88C	7/28/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 88C	7/28/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 88C	7/28/2015	AMERICIUM-241	0.0412	pCi/L	U			0.068	0.118	0.254
FSB 88C	7/28/2015	CURIUM-242	0	pCi/L	U			0	0.0628	0.0628
FSB 88C	7/28/2015	CURIUM-243/244	0.0232	pCi/L	U		V	0.047	0.0628	0.156
FSB 88C	7/28/2015	CURIUM-245/246	0.24	pCi/L	U		21, V	0.156	0.065	0.376
FSB 88C	7/28/2015	PLUTONIUM-238	0.0628	pCi/L	U			0.081	0.115	0.276
FSB 88C	7/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0619	0.0619
FSB 88C	7/28/2015	THORIUM-228	0.062	pCi/L	U			0.088	0.146	0.323

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88C	7/28/2015	THORIUM-230	0.055	pCi/L	U		V	0.088	0.165	0.34
FSB 88C	7/28/2015	THORIUM-232	0	pCi/L	U			0	0.0662	0.0662
FSB 88C	7/28/2015	URANIUM-233/234	0.0681	pCi/L	U		21, V	0.079	0.0615	0.22
FSB 88C	7/28/2015	URANIUM-235	0	pCi/L	U		V	0	0.0759	0.0759
FSB 88C	7/28/2015	URANIUM-238	0.0679	pCi/L	U		21, V	0.079	0.0614	0.219
FSB 88C	7/28/2015	GROSS ALPHA	-0.284	pCi/L	U			0.469	2.18	3.12
FSB 88C	7/28/2015	NONVOLATILE BETA	2.03	pCi/L	U			2.46	3.75	8.68
FSB 88C	7/28/2015	STRONTIUM-90	-0.0745	pCi/L	U			1.65	2.98	6.28
FSB 88C	7/28/2015	CARBON-14	133	pCi/L				6.77	7.14	20.7
FSB 88C	7/28/2015	TECHNETIUM-99	4.26	pCi/L	J		21	2.54	4.06	9.13
FSB 88C	7/28/2015	TRITIUM	31.8	pCi/mL				1.11	0.482	2.71
FSB 88C	7/28/2015	CESIUM-137	-1.74	pCi/L	U			5.06	8.81	18.9
FSB 88C	7/28/2015	COBALT-60	-2.99	pCi/L	U			4.94	8.51	18.4
FSB 88C	7/28/2015	IODINE-129	2.47	pCi/L	J		21	1.21	1.04	3.45
FSB 88C	7/28/2015	RADIUM-226	0.193	pCi/L	U			0.173	0.264	0.61
FSB 88C	7/28/2015	RADIUM-228	0.777	pCi/L	J		21	0.437	0.676	1.55
FSB 88C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0855	pCi/L	U			0.308	0.797	1.41
FSB 88C	10/21/2015	NITRATE-NITRITE AS NITROGEN	10.7	mg/L					0.17	0.5
FSB 88C	10/21/2015	CADMIUM	0.169	ug/L	J		21		0.1	1
FSB 88C	10/21/2015	LEAD	1.09	ug/L	J		21		0.5	5
FSB 88C	10/21/2015	GROSS ALPHA	1.33	pCi/L	U			1.64	2.25	5.54
FSB 88C	10/21/2015	NONVOLATILE BETA	4.65	pCi/L	J		21	3.18	4.34	10.7
FSB 88C	10/21/2015	TRITIUM	74.9	pCi/mL				1.67	0.451	3.78
FSB 88D	1/26/2015	NITRATE-NITRITE AS NITROGEN	4.09	mg/L					0.17	0.5
FSB 88D	1/26/2015	ALUMINUM	500	ug/L					40	400
FSB 88D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB 88D	1/26/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88D	1/26/2015	BARIUM	12.1	ug/L	J				2	20
FSB 88D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 88D	1/26/2015	CADMIUM	0.122	ug/L	J				0.1	1
FSB 88D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB 88D	1/26/2015	COBALT	5.6	ug/L					0.5	5
FSB 88D	1/26/2015	COPPER	6.05	ug/L					0.5	5
FSB 88D	1/26/2015	LEAD	0.853	ug/L	J				0.5	5
FSB 88D	1/26/2015	NICKEL	2.61	ug/L	J				0.5	5
FSB 88D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSB 88D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB 88D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 88D	1/26/2015	TIN	10	ug/L	U				1	10
FSB 88D	1/26/2015	VANADIUM	46.7	ug/L	U				5	50
FSB 88D	1/26/2015	ZINC	12.2	ug/L	J				4	40
FSB 88D	1/26/2015	MERCURY	3.24	ug/L					0.02	0.2
FSB 88D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB 88D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 88D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 88D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 88D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 88D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 88D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 88D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 88D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 88D	1/26/2015	AMERICIUM-241	0.414	pCi/L	J		21	0.196	0.0561	0.448
FSB 88D	1/26/2015	CURIUM-242	0.0211	pCi/L	U			0.042	0.0553	0.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88D	1/26/2015	CURIUM-243/244	0.531	pCi/L				0.224	0.0553	0.502
FSB 88D	1/26/2015	CURIUM-245/246	0.127	pCi/L	U			0.105	0.0572	0.268
FSB 88D	1/26/2015	PLUTONIUM-238	-0.00698	pCi/L	U			0.014	0.14	0.169
FSB 88D	1/26/2015	PLUTONIUM-239/240	-0.00698	pCi/L	U			0.014	0.14	0.168
FSB 88D	1/26/2015	THORIUM-228	0.0622	pCi/L	U			0.119	0.248	0.485
FSB 88D	1/26/2015	THORIUM-230	0.0617	pCi/L	U			0.079	0.113	0.271
FSB 88D	1/26/2015	THORIUM-232	-0.0056	pCi/L	U			0.011	0.113	0.135
FSB 88D	1/26/2015	URANIUM-233/234	8.79	pCi/L				1.76	0.074	3.59
FSB 88D	1/26/2015	URANIUM-235	0.918	pCi/L	J		21	0.393	0.227	1.01
FSB 88D	1/26/2015	URANIUM-238	10.2	pCi/L				1.95	0.0738	3.98
FSB 88D	1/26/2015	GROSS ALPHA	24.3	pCi/L				6.18	2.22	14.6
FSB 88D	1/26/2015	NONVOLATILE BETA	24.6	pCi/L				5.38	4.47	15.2
FSB 88D	1/26/2015	STRONTIUM-90	6.38	pCi/L	J		21	2.84	3.27	8.94
FSB 88D	1/26/2015	CARBON-14	-1.1	pCi/L	U			4.35	7.33	16
FSB 88D	1/26/2015	TECHNETIUM-99	17.3	pCi/L				2.89	4.02	9.8
FSB 88D	1/26/2015	TRITIUM	4.37	pCi/mL				0.473	0.528	1.47
FSB 88D	1/26/2015	CESIUM-137	-0.589	pCi/L	U			5.82	10.3	22
FSB 88D	1/26/2015	COBALT-60	-2.55	pCi/L	U			5.84	10.1	21.8
FSB 88D	1/26/2015	IODINE-129	29.6	pCi/L				4.88	1.25	11
FSB 88D	1/26/2015	RADIUM-226	0.855	pCi/L	J		21	0.407	0.512	1.33
FSB 88D	1/26/2015	RADIUM-228	0.802	pCi/L	U			0.529	0.839	1.9
FSB 88D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.112	pCi/L	U			0.861	1.85	3.57
FSB 88D	4/13/2015	NITRATE-NITRITE AS NITROGEN	5.43	mg/L					0.425	1.25
FSB 88D	4/13/2015	CADMIUM	0.16	ug/L	J		21		0.1	1
FSB 88D	4/13/2015	LEAD	0.666	ug/L	J		21		0.5	5
FSB 88D	4/13/2015	GROSS ALPHA	22.8	pCi/L				4.3	1.3	9.89
FSB 88D	4/13/2015	NONVOLATILE BETA	20.3	pCi/L				4.08	4.49	12.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88D	4/13/2015	TRITIUM	5.43	pCi/mL				0.513	0.46	1.49
FSB 88D	8/3/2015	NITRATE-NITRITE AS NITROGEN	5.18	mg/L					0.17	0.5
FSB 88D	8/3/2015	ALUMINUM	607	ug/L					40	400
FSB 88D	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 88D	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 88D	8/3/2015	BARIUM	12.5	ug/L	J		21		2	20
FSB 88D	8/3/2015	BERYLLIUM	0.109	ug/L	J		21		0.1	1
FSB 88D	8/3/2015	CADMIUM	0.169	ug/L	J		21		0.1	1
FSB 88D	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FSB 88D	8/3/2015	COBALT	5.34	ug/L					0.5	5
FSB 88D	8/3/2015	COPPER	7.9	ug/L					0.5	5
FSB 88D	8/3/2015	LEAD	0.647	ug/L	J		21		0.5	5
FSB 88D	8/3/2015	NICKEL	1.84	ug/L	J		21		0.5	5
FSB 88D	8/3/2015	SELENIUM	20	ug/L	U				2	20
FSB 88D	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 88D	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 88D	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 88D	8/3/2015	ZINC	19	ug/L	J		21		4	40
FSB 88D	8/3/2015	MERCURY	2.54	ug/L					0.02	0.2
FSB 88D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 88D	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 88D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 88D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 88D	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 88D	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 88D	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88D	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 88D	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 88D	8/3/2015	AMERICIUM-241	0.341	pCi/L	J		21, V	0.183	0.0616	0.427
FSB 88D	8/3/2015	CURIUM-242	0	pCi/L	U		V	0	0.0607	0.0607
FSB 88D	8/3/2015	CURIUM-243/244	0.852	pCi/L				0.302	0.0607	0.664
FSB 88D	8/3/2015	CURIUM-245/246	0.255	pCi/L	U		21, V	0.158	0.0628	0.379
FSB 88D	8/3/2015	PLUTONIUM-238	0.0475	pCi/L	U		V	0.068	0.0644	0.2
FSB 88D	8/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0644	0.0644
FSB 88D	8/3/2015	THORIUM-228	0.0204	pCi/L	U			0.041	0.0547	0.137
FSB 88D	8/3/2015	THORIUM-230	0.0809	pCi/L	U		21, V	0.082	0.0548	0.218
FSB 88D	8/3/2015	THORIUM-232	0	pCi/L	U		V	0	0.0547	0.0547
FSB 88D	8/3/2015	URANIUM-233/234	10.3	pCi/L				1.83	0.0659	3.73
FSB 88D	8/3/2015	URANIUM-235	0.773	pCi/L	J		21, V	0.331	0.151	0.812
FSB 88D	8/3/2015	URANIUM-238	12.4	pCi/L				2.09	0.122	4.3
FSB 88D	8/3/2015	GROSS ALPHA	24.8	pCi/L				6.36	2.41	15.1
FSB 88D	8/3/2015	NONVOLATILE BETA	23	pCi/L				6	6.69	18.7
FSB 88D	8/3/2015	STRONTIUM-90	7.22	pCi/L	J		21	2.6	3.32	8.53
FSB 88D	8/3/2015	CARBON-14	9.2	pCi/L	J		21	4.45	7.11	16
FSB 88D	8/3/2015	TECHNETIUM-99	17.7	pCi/L				2.99	4.22	10.2
FSB 88D	8/3/2015	TRITIUM	5.78	pCi/mL				0.529	0.456	1.52
FSB 88D	8/3/2015	CESIUM-137	-3.79	pCi/L	U			5.32	8.89	19.5
FSB 88D	8/3/2015	COBALT-60	0.342	pCi/L	U			4.17	8.03	16.4
FSB 88D	8/3/2015	IODINE-129	49.9	pCi/L				7.94	1.58	17.5
FSB 88D	8/3/2015	RADIUM-226	1.05	pCi/L	J		21	0.349	0.363	1.06
FSB 88D	8/3/2015	RADIUM-228	0.727	pCi/L	U		21, V	0.421	0.65	1.49
FSB 88D	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	2.22	pCi/L	J		21	1.14	1.51	3.79
FSB 88D	11/10/2015	NITRATE-NITRITE AS NITROGEN	6.82	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 88D	11/10/2015	CADMIUM	0.17	ug/L	J		21		0.1	1
FSB 88D	11/10/2015	LEAD	0.618	ug/L	J		21		0.5	5
FSB 88D	11/10/2015	GROSS ALPHA	17.7	pCi/L				5.38	2.26	13
FSB 88D	11/10/2015	NONVOLATILE BETA	21.9	pCi/L				5.71	6.1	17.5
FSB 88D	11/10/2015	TRITIUM	6.96	pCi/mL				0.546	0.523	1.61
FSB 89C	1/20/2015	NITRATE-NITRITE AS NITROGEN	3.51	mg/L					0.085	0.25
FSB 89C	1/20/2015	ALUMINUM	55.9	ug/L	J				40	400
FSB 89C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 89C	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 89C	1/20/2015	BARIUM	10.6	ug/L	J				2	20
FSB 89C	1/20/2015	BERYLLIUM	0.129	ug/L	J				0.1	1
FSB 89C	1/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 89C	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 89C	1/20/2015	COBALT	5	ug/L	U				0.5	5
FSB 89C	1/20/2015	COPPER	6.62	ug/L					0.5	5
FSB 89C	1/20/2015	LEAD	1.16	ug/L	J				0.5	5
FSB 89C	1/20/2015	NICKEL	1.01	ug/L	J				0.5	5
FSB 89C	1/20/2015	SELENIUM	2.76	ug/L	J				2	20
FSB 89C	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 89C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 89C	1/20/2015	TIN	10	ug/L	U				1	10
FSB 89C	1/20/2015	VANADIUM	43.9	ug/L	U				5	50
FSB 89C	1/20/2015	ZINC	32.1	ug/L	J				4	40
FSB 89C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 89C	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 89C	1/20/2015	CHLOROFORM	0.3	ug/L	J		21		0.3	1
FSB 89C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89C	1/20/2015	TETRACHLOROETHYLENE (PCE)	0.72	ug/L	J		21		0.3	1
FSB 89C	1/20/2015	TRICHLOROETHYLENE (TCE)	0.55	ug/L	J		21		0.3	1
FSB 89C	1/20/2015	TRICHLOROFLUOROMETHANE	1.44	ug/L					0.3	1
FSB 89C	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 89C	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 89C	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 89C	1/20/2015	AMERICIUM-241	0.021	pCi/L	U			0.042	0.0569	0.141
FSB 89C	1/20/2015	CURIUM-242	0	pCi/L	U			0	0.056	0.056
FSB 89C	1/20/2015	CURIUM-243/244	0.0362	pCi/L	U			0.06	0.104	0.223
FSB 89C	1/20/2015	CURIUM-245/246	0.123	pCi/L	U			0.107	0.108	0.322
FSB 89C	1/20/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0615	0.0615
FSB 89C	1/20/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0615	0.0615
FSB 89C	1/20/2015	THORIUM-228	-0.00599	pCi/L	U			0.012	0.12	0.144
FSB 89C	1/20/2015	THORIUM-230	0.155	pCi/L	J		21	0.13	0.143	0.402
FSB 89C	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0643	0.0643
FSB 89C	1/20/2015	URANIUM-233/234	0.0325	pCi/L	U			0.063	0.13	0.257
FSB 89C	1/20/2015	URANIUM-235	0	pCi/L	U			0	0.0725	0.0725
FSB 89C	1/20/2015	URANIUM-238	-0.0216	pCi/L	U			0.022	0.159	0.203
FSB 89C	1/20/2015	GROSS ALPHA	1.6	pCi/L	U			1.76	2.22	5.74
FSB 89C	1/20/2015	NONVOLATILE BETA	1.51	pCi/L	U			2.42	3.96	8.8
FSB 89C	1/20/2015	STRONTIUM-90	0.926	pCi/L	U			1.68	3.11	6.47
FSB 89C	1/20/2015	CARBON-14	-0.756	pCi/L	U			4.09	6.89	15.1
FSB 89C	1/20/2015	TECHNETIUM-99	2.1	pCi/L	U			2.61	4.29	9.51
FSB 89C	1/20/2015	TRITIUM	26	pCi/mL				0.991	0.518	2.5
FSB 89C	1/20/2015	CESIUM-137	0.795	pCi/L	U			5.48	10	21
FSB 89C	1/20/2015	COBALT-60	-3.3	pCi/L	U			6.31	10.7	23.4
FSB 89C	1/20/2015	IODINE-129	0.717	pCi/L	U			0.75	0.903	2.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89C	1/20/2015	RADIUM-226	0.291	pCi/L	U			0.447	0.785	1.68
FSB 89C	1/20/2015	RADIUM-228	0.495	pCi/L	U			0.358	0.567	1.28
FSB 89C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0372	pCi/L	U			0.313	0.62	1.25
FSB 89C	4/7/2015	NITRATE-NITRITE AS NITROGEN	3.52	mg/L					0.085	0.25
FSB 89C	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 89C	4/7/2015	LEAD	1.67	ug/L	J				0.5	5
FSB 89C	4/7/2015	GROSS ALPHA	-0.252	pCi/L	U			0.267	2.14	2.68
FSB 89C	4/7/2015	NONVOLATILE BETA	2.34	pCi/L	U			2.65	4.07	9.36
FSB 89C	4/7/2015	TRITIUM	24.8	pCi/mL				0.971	0.442	2.38
FSB 89C	7/28/2015	NITRATE-NITRITE AS NITROGEN	3.03	mg/L					0.17	0.5
FSB 89C	7/28/2015	ALUMINUM	400	ug/L	U				40	400
FSB 89C	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB 89C	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB 89C	7/28/2015	BARIUM	11	ug/L	J		21		2	20
FSB 89C	7/28/2015	BERYLLIUM	0.12	ug/L	J		21		0.1	1
FSB 89C	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 89C	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB 89C	7/28/2015	COBALT	5	ug/L	U				0.5	5
FSB 89C	7/28/2015	COPPER	6.53	ug/L					0.5	5
FSB 89C	7/28/2015	LEAD	1.92	ug/L	J		21		0.5	5
FSB 89C	7/28/2015	NICKEL	0.927	ug/L	J		21		0.5	5
FSB 89C	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB 89C	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB 89C	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 89C	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB 89C	7/28/2015	ZINC	32.3	ug/L	J		21		4	40
FSB 89C	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89C	7/28/2015	BENZENE	1	ug/L	U				0.3	1
FSB 89C	7/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 89C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 89C	7/28/2015	TETRACHLOROETHYLENE (PCE)	0.54	ug/L	J		21		0.3	1
FSB 89C	7/28/2015	TRICHLOROETHYLENE (TCE)	0.4	ug/L	J		21		0.3	1
FSB 89C	7/28/2015	TRICHLOROFLUOROMETHANE	1.14	ug/L					0.3	1
FSB 89C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 89C	7/28/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 89C	7/28/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 89C	7/28/2015	AMERICIUM-241	0.0221	pCi/L	U			0.044	0.0599	0.149
FSB 89C	7/28/2015	CURIUM-242	0.0232	pCi/L	U			0.047	0.059	0.152
FSB 89C	7/28/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.059	0.059
FSB 89C	7/28/2015	CURIUM-245/246	0.248	pCi/L	U		21, V	0.154	0.0611	0.368
FSB 89C	7/28/2015	PLUTONIUM-238	-0.00548	pCi/L	U			0.011	0.11	0.132
FSB 89C	7/28/2015	PLUTONIUM-239/240	-0.00548	pCi/L	U			0.011	0.11	0.132
FSB 89C	7/28/2015	THORIUM-228	0.00513	pCi/L	U			0.045	0.136	0.226
FSB 89C	7/28/2015	THORIUM-230	0.157	pCi/L	U		21, V	0.117	0.102	0.337
FSB 89C	7/28/2015	THORIUM-232	0	pCi/L	U			0	0.0548	0.0548
FSB 89C	7/28/2015	URANIUM-233/234	0.0576	pCi/L	U		V	0.074	0.105	0.253
FSB 89C	7/28/2015	URANIUM-235	0	pCi/L	U		V	0	0.07	0.07
FSB 89C	7/28/2015	URANIUM-238	0.0836	pCi/L	U		21, V	0.084	0.0566	0.225
FSB 89C	7/28/2015	GROSS ALPHA	-0.0869	pCi/L	U			0.628	1.35	2.6
FSB 89C	7/28/2015	NONVOLATILE BETA	1.9	pCi/L	U			1.81	2.53	6.15
FSB 89C	7/28/2015	STRONTIUM-90	0.963	pCi/L	U			1.74	2.98	6.46
FSB 89C	7/28/2015	CARBON-14	177	pCi/L				7.29	6.99	21.6
FSB 89C	7/28/2015	TECHNETIUM-99	3.27	pCi/L	U			2.53	4.09	9.15

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89C	7/28/2015	TRITIUM	24.6	pCi/mL				0.986	0.48	2.45
FSB 89C	7/28/2015	CESIUM-137	-5.63	pCi/L	U			5.22	8.32	18.8
FSB 89C	7/28/2015	COBALT-60	1.2	pCi/L	U			4.81	9.27	18.9
FSB 89C	7/28/2015	IODINE-129	1.19	pCi/L	J		21	0.65	1.16	2.46
FSB 89C	7/28/2015	RADIUM-226	0.318	pCi/L	U			0.244	0.367	0.855
FSB 89C	7/28/2015	RADIUM-228	0.447	pCi/L	U			0.295	0.455	1.05
FSB 89C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.00823	pCi/L	U			0.534	1.12	2.19
FSB 89C	10/21/2015	NITRATE-NITRITE AS NITROGEN	3.34	mg/L					0.17	0.5
FSB 89C	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 89C	10/21/2015	LEAD	4.56	ug/L	J		21		0.5	5
FSB 89C	10/21/2015	GROSS ALPHA	0.511	pCi/L	U			1.15	2.19	4.48
FSB 89C	10/21/2015	NONVOLATILE BETA	-0.383	pCi/L	U			2.23	4.23	8.69
FSB 89C	10/21/2015	TRITIUM	26.3	pCi/mL				1.01	0.454	2.48
FSB 89D	2/5/2015	NITRATE-NITRITE AS NITROGEN	19.3	mg/L					0.425	1.25
FSB 89D	2/5/2015	ALUMINUM	4690	ug/L					40	400
FSB 89D	2/5/2015	ANTIMONY	10	ug/L	U				1	10
FSB 89D	2/5/2015	ARSENIC	50	ug/L	U				5	50
FSB 89D	2/5/2015	BARIUM	53.4	ug/L					2	20
FSB 89D	2/5/2015	BERYLLIUM	0.32	ug/L	J				0.1	1
FSB 89D	2/5/2015	CADMIUM	1.39	ug/L					0.1	1
FSB 89D	2/5/2015	CHROMIUM	13.2	ug/L	J				10	100
FSB 89D	2/5/2015	COBALT	15.9	ug/L					0.5	5
FSB 89D	2/5/2015	COPPER	9.25	ug/L					0.5	5
FSB 89D	2/5/2015	LEAD	1.14	ug/L	J				0.5	5
FSB 89D	2/5/2015	NICKEL	9.12	ug/L					0.5	5
FSB 89D	2/5/2015	SELENIUM	2.08	ug/L	J				2	20
FSB 89D	2/5/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89D	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 89D	2/5/2015	TIN	10	ug/L	U				1	10
FSB 89D	2/5/2015	VANADIUM	16.9	ug/L	J				5	50
FSB 89D	2/5/2015	ZINC	20.3	ug/L	J				4	40
FSB 89D	2/5/2015	MERCURY	4.8	ug/L					0.02	0.2
FSB 89D	2/5/2015	BENZENE	1	ug/L	U				0.3	1
FSB 89D	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 89D	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 89D	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 89D	2/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 89D	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 89D	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 89D	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 89D	2/5/2015	PHENOLS	0.00174	mg/L	U		21, V		0.00167	0.005
FSB 89D	2/5/2015	AMERICIUM-241	8.35	pCi/L				1.54	0.0573	3.15
FSB 89D	2/5/2015	CURIUM-242	0	pCi/L	U			0	0.0564	0.0564
FSB 89D	2/5/2015	CURIUM-243/244	2.13	pCi/L				0.535	0.0564	1.13
FSB 89D	2/5/2015	CURIUM-245/246	0.797	pCi/L				0.29	0.0584	0.638
FSB 89D	2/5/2015	PLUTONIUM-238	0.0182	pCi/L	U			0.05	0.122	0.222
FSB 89D	2/5/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0657	0.0657
FSB 89D	2/5/2015	THORIUM-228	0.221	pCi/L	J		21	0.156	0.123	0.435
FSB 89D	2/5/2015	THORIUM-230	0.159	pCi/L	U			0.133	0.146	0.413
FSB 89D	2/5/2015	THORIUM-232	0.0244	pCi/L	U			0.049	0.0661	0.164
FSB 89D	2/5/2015	URANIUM-233/234	59.3	pCi/L				10.2	0.149	20.6
FSB 89D	2/5/2015	URANIUM-235	4.73	pCi/L				1.18	0.0986	2.46
FSB 89D	2/5/2015	URANIUM-238	79.4	pCi/L				13.2	0.0798	26.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89D	2/5/2015	GROSS ALPHA	159	pCi/L				16.2	2.68	35
FSB 89D	2/5/2015	NONVOLATILE BETA	133	pCi/L				13.8	13.6	41.2
FSB 89D	2/5/2015	STRONTIUM-90	56.5	pCi/L				8.76	3.26	20.8
FSB 89D	2/5/2015	CARBON-14	26.3	pCi/L				4.8	7.07	16.7
FSB 89D	2/5/2015	TECHNETIUM-99	25.4	pCi/L				3.17	4.17	10.5
FSB 89D	2/5/2015	TRITIUM	72.6	pCi/mL				1.64	0.455	3.73
FSB 89D	2/5/2015	CESIUM-137	3.46	pCi/L	U			6.14	11.6	23.8
FSB 89D	2/5/2015	COBALT-60	0.254	pCi/L	U			6.14	11.4	23.7
FSB 89D	2/5/2015	IODINE-129	69	pCi/L				10.7	1.47	22.8
FSB 89D	2/5/2015	RADIUM-226	6.33	pCi/L	J		V	1.11	0.628	2.85
FSB 89D	2/5/2015	RADIUM-228	5.47	pCi/L				0.752	0.575	2.08
FSB 89D	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	6.36	pCi/L	J		21, V	2.28	2	6.56
FSB 89D	4/8/2015	NITRATE-NITRITE AS NITROGEN	21.1	mg/L					0.85	2.5
FSB 89D	4/8/2015	CADMIUM	2.61	ug/L					0.1	1
FSB 89D	4/8/2015	LEAD	1.52	ug/L	J				0.5	5
FSB 89D	4/8/2015	GROSS ALPHA	158	pCi/L				16.2	2.67	35.2
FSB 89D	4/8/2015	NONVOLATILE BETA	180	pCi/L				15.3	13.4	44
FSB 89D	4/8/2015	TRITIUM	121	pCi/mL				2.09	0.422	4.6
FSB 89D	8/3/2015	NITRATE-NITRITE AS NITROGEN	20.9	mg/L					0.85	2.5
FSB 89D	8/3/2015	ALUMINUM	5760	ug/L					40	400
FSB 89D	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 89D	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 89D	8/3/2015	BARIUM	73.7	ug/L					2	20
FSB 89D	8/3/2015	BERYLLIUM	0.371	ug/L	J		21		0.1	1
FSB 89D	8/3/2015	CADMIUM	2.31	ug/L					0.1	1
FSB 89D	8/3/2015	CHROMIUM	11	ug/L	J		21		10	100
FSB 89D	8/3/2015	COBALT	13.6	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89D	8/3/2015	COPPER	11.2	ug/L					0.5	5
FSB 89D	8/3/2015	LEAD	1.73	ug/L	J		21		0.5	5
FSB 89D	8/3/2015	NICKEL	6.42	ug/L					0.5	5
FSB 89D	8/3/2015	SELENIUM	2.66	ug/L	J		21		2	20
FSB 89D	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 89D	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 89D	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 89D	8/3/2015	ZINC	29.2	ug/L	J		21		4	40
FSB 89D	8/3/2015	MERCURY	7.2	ug/L					0.02	0.2
FSB 89D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 89D	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 89D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 89D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 89D	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 89D	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 89D	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 89D	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 89D	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 89D	8/3/2015	AMERICIUM-241	8.71	pCi/L			V	1.53	0.0615	3.12
FSB 89D	8/3/2015	CURIUM-242	0	pCi/L	U			0	0.0606	0.0606
FSB 89D	8/3/2015	CURIUM-243/244	3.13	pCi/L				0.692	0.0606	1.45
FSB 89D	8/3/2015	CURIUM-245/246	0.671	pCi/L			V	0.267	0.0627	0.596
FSB 89D	8/3/2015	PLUTONIUM-238	-0.00666	pCi/L	U			0.013	0.134	0.161
FSB 89D	8/3/2015	PLUTONIUM-239/240	-0.00666	pCi/L	U			0.013	0.134	0.161
FSB 89D	8/3/2015	THORIUM-228	0.146	pCi/L	U			0.127	0.155	0.41
FSB 89D	8/3/2015	THORIUM-230	0.161	pCi/L	U		21, V	0.124	0.0625	0.311

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 89D	8/3/2015	THORIUM-232	0.023	pCi/L	U			0.046	0.0624	0.155
FSB 89D	8/3/2015	URANIUM-233/234	66.6	pCi/L			V	10.1	0.0636	20.3
FSB 89D	8/3/2015	URANIUM-235	3.73	pCi/L				0.888	0.146	1.92
FSB 89D	8/3/2015	URANIUM-238	83.4	pCi/L			V	12.1	0.0635	24.4
FSB 89D	8/3/2015	GROSS ALPHA	182	pCi/L				17.5	2.85	37.9
FSB 89D	8/3/2015	NONVOLATILE BETA	167	pCi/L				15.2	14.2	44.5
FSB 89D	8/3/2015	STRONTIUM-90	63.2	pCi/L				9.61	3.37	22.6
FSB 89D	8/3/2015	CARBON-14	230	pCi/L				8.03	7.1	23.2
FSB 89D	8/3/2015	TECHNETIUM-99	28.5	pCi/L				3.27	4.23	10.8
FSB 89D	8/3/2015	TRITIUM	159	pCi/mL				2.48	0.438	5.4
FSB 89D	8/3/2015	CESIUM-137	2.48	pCi/L	U			5.37	10	20.7
FSB 89D	8/3/2015	COBALT-60	-0.897	pCi/L	U			5.4	9.82	20.6
FSB 89D	8/3/2015	IODINE-129	89.6	pCi/L				13.8	1.82	29.4
FSB 89D	8/3/2015	RADIUM-226	6.15	pCi/L				0.849	0.46	2.16
FSB 89D	8/3/2015	RADIUM-228	7.79	pCi/L				0.791	0.481	2.06
FSB 89D	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	8.16	pCi/L				1.69	1.04	4.42
FSB 89D	11/6/2015	NITRATE-NITRITE AS NITROGEN	28.3	mg/L					0.85	2.5
FSB 89D	11/6/2015	CADMIUM	2.97	ug/L					0.1	1
FSB 89D	11/6/2015	LEAD	1.95	ug/L	J		21		0.5	5
FSB 89D	11/6/2015	GROSS ALPHA	195	pCi/L				18.1	2.88	39.1
FSB 89D	11/6/2015	NONVOLATILE BETA	238	pCi/L				17.4	14.6	49.5
FSB 89D	11/6/2015	TRITIUM	197	pCi/mL				2.43	0.539	5.4
FSB 90C	1/20/2015	NITRATE-NITRITE AS NITROGEN	14.3	mg/L					0.17	0.5
FSB 90C	1/20/2015	ALUMINUM	241	ug/L	J				40	400
FSB 90C	1/20/2015	ANTIMONY	10	ug/L	U				1	10
FSB 90C	1/20/2015	ARSENIC	50	ug/L	U				5	50
FSB 90C	1/20/2015	BARIUM	30.8	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90C	1/20/2015	BERYLLIUM	0.592	ug/L	J				0.1	1
FSB 90C	1/20/2015	CADMIUM	0.236	ug/L	J				0.1	1
FSB 90C	1/20/2015	CHROMIUM	100	ug/L	U				10	100
FSB 90C	1/20/2015	COBALT	1.11	ug/L	J				0.5	5
FSB 90C	1/20/2015	COPPER	1.21	ug/L	J				0.5	5
FSB 90C	1/20/2015	LEAD	1.05	ug/L	J				0.5	5
FSB 90C	1/20/2015	NICKEL	1.72	ug/L	J				0.5	5
FSB 90C	1/20/2015	SELENIUM	20	ug/L	U				2	20
FSB 90C	1/20/2015	SILVER	5	ug/L	U				0.5	5
FSB 90C	1/20/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 90C	1/20/2015	TIN	10	ug/L	U				1	10
FSB 90C	1/20/2015	VANADIUM	43.8	ug/L	U				5	50
FSB 90C	1/20/2015	ZINC	8.95	ug/L	J				4	40
FSB 90C	1/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 90C	1/20/2015	BENZENE	1	ug/L	U				0.3	1
FSB 90C	1/20/2015	CHLOROFORM	0.39	ug/L	J		21		0.3	1
FSB 90C	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 90C	1/20/2015	TETRACHLOROETHYLENE (PCE)	0.62	ug/L	J		21		0.3	1
FSB 90C	1/20/2015	TRICHLOROETHYLENE (TCE)	1.54	ug/L					0.3	1
FSB 90C	1/20/2015	TRICHLOROFLUOROMETHANE	1.92	ug/L					0.3	1
FSB 90C	1/20/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 90C	1/20/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 90C	1/20/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 90C	1/20/2015	AMERICIUM-241	0.0467	pCi/L	U			0.067	0.0633	0.196
FSB 90C	1/20/2015	CURIUM-242	0.0237	pCi/L	U			0.048	0.0623	0.158
FSB 90C	1/20/2015	CURIUM-243/244	0	pCi/L	U			0	0.0623	0.0623

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90C	1/20/2015	CURIUM-245/246	0.119	pCi/L	U			0.108	0.0645	0.281
FSB 90C	1/20/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0619	0.0619
FSB 90C	1/20/2015	PLUTONIUM-239/240	0.0114	pCi/L	U			0.049	0.137	0.234
FSB 90C	1/20/2015	THORIUM-228	-0.00649	pCi/L	U			0.117	0.317	0.551
FSB 90C	1/20/2015	THORIUM-230	0.0387	pCi/L	U			0.076	0.155	0.306
FSB 90C	1/20/2015	THORIUM-232	0	pCi/L	U			0	0.0698	0.0698
FSB 90C	1/20/2015	URANIUM-233/234	0.0771	pCi/L	U			0.09	0.132	0.313
FSB 90C	1/20/2015	URANIUM-235	-0.00679	pCi/L	U			0.014	0.137	0.164
FSB 90C	1/20/2015	URANIUM-238	0.0165	pCi/L	U			0.045	0.111	0.201
FSB 90C	1/20/2015	GROSS ALPHA	1.66	pCi/L	U			1.82	2.3	5.95
FSB 90C	1/20/2015	NONVOLATILE BETA	14.4	pCi/L				4.25	3.98	12.5
FSB 90C	1/20/2015	STRONTIUM-90	-0.0198	pCi/L	U			1.52	3.1	6.14
FSB 90C	1/20/2015	CARBON-14	-1.22	pCi/L	U			4.1	6.92	15.1
FSB 90C	1/20/2015	TECHNETIUM-99	15.7	pCi/L				3	4.31	10.3
FSB 90C	1/20/2015	TRITIUM	131	pCi/mL				2.14	0.519	4.8
FSB 90C	1/20/2015	CESIUM-137	-1.96	pCi/L	U			7.59	11.2	26.4
FSB 90C	1/20/2015	COBALT-60	1.75	pCi/L	U			5.61	10.9	22.1
FSB 90C	1/20/2015	IODINE-129	4.08	pCi/L				1.49	0.928	3.9
FSB 90C	1/20/2015	RADIUM-226	1.08	pCi/L	U		21, V	0.5	0.622	1.62
FSB 90C	1/20/2015	RADIUM-228	0.582	pCi/L	U			0.475	0.773	1.72
FSB 90C	1/20/2015	RADIUM, TOTAL ALPHA-EMITTING	0.899	pCi/L	J		21	0.513	0.625	1.65
FSB 90C	4/7/2015	NITRATE-NITRITE AS NITROGEN	13.4	mg/L					0.85	2.5
FSB 90C	4/7/2015	CADMIUM	0.296	ug/L	J				0.1	1
FSB 90C	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 90C	4/7/2015	GROSS ALPHA	1.79	pCi/L	U			1.87	2.22	5.96
FSB 90C	4/7/2015	NONVOLATILE BETA	12.6	pCi/L	J		21	4.18	4.35	12.7
FSB 90C	4/7/2015	TRITIUM	113	pCi/mL				2.01	0.441	4.47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90C	7/28/2015	NITRATE-NITRITE AS NITROGEN	11.4	mg/L					0.85	2.5
FSB 90C	7/28/2015	ALUMINUM	91.2	ug/L	J		21		40	400
FSB 90C	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB 90C	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB 90C	7/28/2015	BARIUM	27.1	ug/L					2	20
FSB 90C	7/28/2015	BERYLLIUM	0.54	ug/L	J		21		0.1	1
FSB 90C	7/28/2015	CADMIUM	0.205	ug/L	J		21		0.1	1
FSB 90C	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB 90C	7/28/2015	COBALT	1.45	ug/L	J		21		0.5	5
FSB 90C	7/28/2015	COPPER	1.95	ug/L	J		21		0.5	5
FSB 90C	7/28/2015	LEAD	5	ug/L	U				0.5	5
FSB 90C	7/28/2015	NICKEL	2.3	ug/L	J		21		0.5	5
FSB 90C	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB 90C	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB 90C	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 90C	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB 90C	7/28/2015	ZINC	12.3	ug/L	J		21		4	40
FSB 90C	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 90C	7/28/2015	BENZENE	1	ug/L	U				0.3	1
FSB 90C	7/28/2015	CHLOROFORM	0.33	ug/L	J		21		0.3	1
FSB 90C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 90C	7/28/2015	TETRACHLOROETHYLENE (PCE)	0.51	ug/L	J		21		0.3	1
FSB 90C	7/28/2015	TRICHLOROETHYLENE (TCE)	1.07	ug/L					0.3	1
FSB 90C	7/28/2015	TRICHLOROFLUOROMETHANE	1.14	ug/L					0.3	1
FSB 90C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 90C	7/28/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90C	7/28/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 90C	7/28/2015	AMERICIUM-241	0.0211	pCi/L	U			0.042	0.0571	0.141
FSB 90C	7/28/2015	CURIUM-242	0.0608	pCi/L	U			0.078	0.104	0.26
FSB 90C	7/28/2015	CURIUM-243/244	-0.0208	pCi/L	U		V	0.021	0.153	0.195
FSB 90C	7/28/2015	CURIUM-245/246	0.15	pCi/L	U		21, V	0.116	0.0582	0.289
FSB 90C	7/28/2015	PLUTONIUM-238	0.0217	pCi/L	U			0.044	0.0589	0.146
FSB 90C	7/28/2015	PLUTONIUM-239/240	-0.00543	pCi/L	U			0.011	0.109	0.131
FSB 90C	7/28/2015	THORIUM-228	0.0118	pCi/L	U			0.05	0.139	0.239
FSB 90C	7/28/2015	THORIUM-230	0.0696	pCi/L	U		21, V	0.081	0.0629	0.225
FSB 90C	7/28/2015	THORIUM-232	0	pCi/L	U			0	0.0627	0.0627
FSB 90C	7/28/2015	URANIUM-233/234	0.102	pCi/L	U		21, V	0.093	0.0554	0.241
FSB 90C	7/28/2015	URANIUM-235	0	pCi/L	U		V	0	0.0684	0.0684
FSB 90C	7/28/2015	URANIUM-238	0.0766	pCi/L	U		V	0.083	0.103	0.269
FSB 90C	7/28/2015	GROSS ALPHA	3	pCi/L	J		21	1.72	1.37	4.81
FSB 90C	7/28/2015	NONVOLATILE BETA	7.87	pCi/L				2.5	2.58	7.58
FSB 90C	7/28/2015	STRONTIUM-90	0.0904	pCi/L	U			1.62	2.98	6.22
FSB 90C	7/28/2015	CARBON-14	41.7	pCi/L				5.06	6.94	17.1
FSB 90C	7/28/2015	TECHNETIUM-99	7.42	pCi/L	J		21	2.71	4.19	9.61
FSB 90C	7/28/2015	TRITIUM	109	pCi/mL				2.01	0.481	4.5
FSB 90C	7/28/2015	CESIUM-137	-3.11	pCi/L	U			5.84	9.93	21.6
FSB 90C	7/28/2015	COBALT-60	1.22	pCi/L	U			4.62	8.97	18.2
FSB 90C	7/28/2015	IODINE-129	3.69	pCi/L	J		21	1.6	1.1	4.3
FSB 90C	7/28/2015	RADIUM-226	1.3	pCi/L				0.369	0.349	1.09
FSB 90C	7/28/2015	RADIUM-228	0.406	pCi/L	U			0.276	0.425	0.977
FSB 90C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.29	pCi/L	J		21	0.704	0.756	2.16
FSB 90C	11/2/2015	NITRATE-NITRITE AS NITROGEN	12.6	mg/L					0.425	1.25
FSB 90C	11/2/2015	CADMIUM	0.228	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90C	11/2/2015	LEAD	0.844	ug/L	J		21		0.5	5
FSB 90C	11/2/2015	GROSS ALPHA	4.6	pCi/L	J		21	2.84	2.27	7.95
FSB 90C	11/2/2015	NONVOLATILE BETA	5.95	pCi/L	J		21	3.54	4.75	11.8
FSB 90C	11/2/2015	TRITIUM	108	pCi/mL				1.99	0.453	4.44
FSB 90D	1/21/2015	NITRATE-NITRITE AS NITROGEN	35.7	mg/L					0.85	2.5
FSB 90D	1/21/2015	ALUMINUM	12900	ug/L					40	400
FSB 90D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 90D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 90D	1/21/2015	BARIUM	151	ug/L					2	20
FSB 90D	1/21/2015	BERYLLIUM	2.42	ug/L					0.1	1
FSB 90D	1/21/2015	CADMIUM	7.64	ug/L					0.1	1
FSB 90D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 90D	1/21/2015	COBALT	19.8	ug/L					0.5	5
FSB 90D	1/21/2015	COPPER	35.1	ug/L					0.5	5
FSB 90D	1/21/2015	LEAD	2.23	ug/L	J				0.5	5
FSB 90D	1/21/2015	NICKEL	16	ug/L					0.5	5
FSB 90D	1/21/2015	SELENIUM	8.62	ug/L	J				2	20
FSB 90D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 90D	1/21/2015	THALLIUM	0.182	ug/L	J				0.1	1
FSB 90D	1/21/2015	TIN	10	ug/L	U				1	10
FSB 90D	1/21/2015	VANADIUM	40.7	ug/L	U				5	50
FSB 90D	1/21/2015	ZINC	110	ug/L					4	40
FSB 90D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 90D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 90D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 90D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 90D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 90D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 90D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 90D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 90D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 90D	1/21/2015	AMERICIUM-241	21.9	pCi/L				3.46	0.047	6.97
FSB 90D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0462	0.0462
FSB 90D	1/21/2015	CURIUM-243/244	4.34	pCi/L				0.838	0.0462	1.72
FSB 90D	1/21/2015	CURIUM-245/246	5.79	pCi/L				1.06	0.0479	2.18
FSB 90D	1/21/2015	PLUTONIUM-238	0.0287	pCi/L	U			0.068	0.155	0.291
FSB 90D	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0623	0.0623
FSB 90D	1/21/2015	THORIUM-228	0.0536	pCi/L	U			0.076	0.0721	0.225
FSB 90D	1/21/2015	THORIUM-230	0.0533	pCi/L	U			0.076	0.0723	0.224
FSB 90D	1/21/2015	THORIUM-232	0.0266	pCi/L	U			0.053	0.0721	0.179
FSB 90D	1/21/2015	URANIUM-233/234	57.7	pCi/L				9.59	0.113	19.3
FSB 90D	1/21/2015	URANIUM-235	5.24	pCi/L				1.18	0.0747	2.44
FSB 90D	1/21/2015	URANIUM-238	75.5	pCi/L				12.1	0.0605	24.3
FSB 90D	1/21/2015	GROSS ALPHA	191	pCi/L				17.6	2.48	37.7
FSB 90D	1/21/2015	NONVOLATILE BETA	391	pCi/L				19.8	7.09	46.7
FSB 90D	1/21/2015	STRONTIUM-90	136	pCi/L				16.8	3.1	36.6
FSB 90D	1/21/2015	CARBON-14	-4.59	pCi/L	UJ			4.08	7.03	15.2
FSB 90D	1/21/2015	TECHNETIUM-99	33	pCi/L				3.28	4.02	10.6
FSB 90D	1/21/2015	TRITIUM	25.7	pCi/mL				0.979	0.486	2.45
FSB 90D	1/21/2015	CESIUM-137	-3.13	pCi/L	U			5.6	9.51	20.7
FSB 90D	1/21/2015	COBALT-60	0.0203	pCi/L	U			5.05	9.44	19.5
FSB 90D	1/21/2015	IODINE-129	10.3	pCi/L				2.21	1.03	5.44
FSB 90D	1/21/2015	RADIUM-226	14.5	pCi/L				1.15	0.376	2.68

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	1/21/2015	RADIUM-228	15.8	pCi/L				1.13	0.602	2.86
FSB 90D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	22.3	pCi/L				1.36	0.712	3.43
FSB 90D	4/13/2015	NITRATE-NITRITE AS NITROGEN	31.9	mg/L					0.85	2.5
FSB 90D	4/13/2015	CADMIUM	6.14	ug/L					0.1	1
FSB 90D	4/13/2015	LEAD	2.05	ug/L	J		21		0.5	5
FSB 90D	4/13/2015	GROSS ALPHA	278	pCi/L				15.4	1.93	32.7
FSB 90D	4/13/2015	NONVOLATILE BETA	364	pCi/L				15.3	12.1	42.6
FSB 90D	4/13/2015	TRITIUM	22.2	pCi/mL				0.926	0.459	2.31
FSB 90D	7/28/2015	NITRATE-NITRITE AS NITROGEN	23.6	mg/L					0.85	2.5
FSB 90D	7/28/2015	ALUMINUM	6050	ug/L					40	400
FSB 90D	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 90D	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 90D	7/28/2015	BARIUM	81.1	ug/L					2	20
FSB 90D	7/28/2015	BERYLLIUM	1.55	ug/L					0.1	1
FSB 90D	7/28/2015	CADMIUM	3.48	ug/L					0.1	1
FSB 90D	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 90D	7/28/2015	COBALT	10.2	ug/L					0.5	5
FSB 90D	7/28/2015	COPPER	16.6	ug/L					0.5	5
FSB 90D	7/28/2015	LEAD	1.48	ug/L	J	J	21		0.5	5
FSB 90D	7/28/2015	NICKEL	9.76	ug/L					0.5	5
FSB 90D	7/28/2015	SELENIUM	20	ug/L	U	U			2	20
FSB 90D	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 90D	7/28/2015	THALLIUM	0.13	ug/L	J	J	21		0.1	1
FSB 90D	7/28/2015	TIN	10	ug/L	U	U			1	10
FSB 90D	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 90D	7/28/2015	ZINC	65.7	ug/L					4	40
FSB 90D	7/28/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 90D	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 90D	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 90D	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 90D	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 90D	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 90D	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 90D	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 90D	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 90D	7/28/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 90D	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
FSB 90D	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 90D	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 90D	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
FSB 90D	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 90D	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 90D	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 90D	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 90D	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 90D	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 90D	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 90D	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
FSB 90D	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
FSB 90D	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
FSB 90D	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
FSB 90D	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
FSB 90D	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
FSB 90D	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
FSB 90D	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DIALLATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
FSB 90D	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
FSB 90D	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	KEPONE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
FSB 90D	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	PARATHION	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
FSB 90D	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
FSB 90D	7/28/2015	PHORATE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	P-NITROANILINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
FSB 90D	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
FSB 90D	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
FSB 90D	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	2,3,7,8-TCDD	0.0103	ng/L	U	U			0.00345	0.0103
FSB 90D	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0516	ng/L	U	U			0.0172	0.0516
FSB 90D	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0516	ng/L	U	U			0.0172	0.0516
FSB 90D	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0516	ng/L	U	U			0.0172	0.0516
FSB 90D	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0516	ng/L	U	U			0.0172	0.0516
FSB 90D	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0103	ng/L	U	U			0.00345	0.0103
FSB 90D	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.0103	ng/L	U	U			0.00345	0.0103
FSB 90D	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 90D	7/28/2015	CHLORIDE	1.33	mg/L					0.067	0.2
FSB 90D	7/28/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 90D	7/28/2015	AMERICIUM-241	13.2	pCi/L				2.16	0.06	4.37
FSB 90D	7/28/2015	CURIUM-242	0.0175	pCi/L	U	U		0.048	0.11	0.206
FSB 90D	7/28/2015	CURIUM-243/244	2.05	pCi/L			V	0.513	0.11	1.14
FSB 90D	7/28/2015	CURIUM-245/246	0.723	pCi/L			V	0.275	0.0612	0.611
FSB 90D	7/28/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0564	0.0564
FSB 90D	7/28/2015	PLUTONIUM-239/240	-0.0052	pCi/L	U	U		0.01	0.105	0.126
FSB 90D	7/28/2015	THORIUM-228	0.00607	pCi/L	U	U		0.053	0.161	0.267
FSB 90D	7/28/2015	THORIUM-230	0.0719	pCi/L	U	U	21, V	0.084	0.0649	0.232
FSB 90D	7/28/2015	THORIUM-232	0	pCi/L	U	U		0	0.0648	0.0648
FSB 90D	7/28/2015	URANIUM-233/234	47.7	pCi/L			V	7.19	0.0593	14.4
FSB 90D	7/28/2015	URANIUM-235	2.78	pCi/L			V	0.702	0.0732	1.48
FSB 90D	7/28/2015	URANIUM-238	60.1	pCi/L			V	8.66	0.11	17.4
FSB 90D	7/28/2015	GROSS ALPHA	141	pCi/L				15.4	3.14	34
FSB 90D	7/28/2015	NONVOLATILE BETA	318	pCi/L				19.1	12.7	50.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 90D	7/28/2015	STRONTIUM-90	111	pCi/L				13.7	2.97	30.4
FSB 90D	7/28/2015	NICKEL-63	1.6	pCi/L	U	U		2.93	5.07	10.9
FSB 90D	7/28/2015	TECHNETIUM-99	17.3	pCi/L				3	4.23	10.2
FSB 90D	7/28/2015	TRITIUM	27.9	pCi/mL				1.05	0.481	2.57
FSB 90D	7/28/2015	CESIUM-134	-0.159	pCi/L	U	U		5.54	8.58	19.6
FSB 90D	7/28/2015	CESIUM-137	-0.0653	pCi/L	U	U		5.75	10.2	21.7
FSB 90D	7/28/2015	COBALT-60	2.89	pCi/L	U	U		4.88	9.73	19.5
FSB 90D	7/28/2015	IODINE-129	9.18	pCi/L				1.98	1.11	5.08
FSB 90D	7/28/2015	RADIUM-226	10	pCi/L				0.944	0.28	2.17
FSB 90D	7/28/2015	RADIUM-228	14.9	pCi/L				0.995	0.497	2.49
FSB 90D	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	10.6	pCi/L				1.96	0.957	4.88
FSB 90D	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 90D	11/10/2015	NITRATE-NITRITE AS NITROGEN	38.3	mg/L					0.85	2.5
FSB 90D	11/10/2015	CADMIUM	5.39	ug/L					0.1	1
FSB 90D	11/10/2015	LEAD	2.18	ug/L	J		21		0.5	5
FSB 90D	11/10/2015	GROSS ALPHA	22.9	pCi/L				6.48	2.73	15.7
FSB 90D	11/10/2015	NONVOLATILE BETA	89	pCi/L				9.91	6.32	26.1
FSB 90D	11/10/2015	TRITIUM	43.9	pCi/mL				1.18	0.527	2.89
FSB 91C	1/22/2015	NITRATE-NITRITE AS NITROGEN	18.5	mg/L					0.425	1.25
FSB 91C	1/22/2015	ALUMINUM	622	ug/L					40	400
FSB 91C	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB 91C	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB 91C	1/22/2015	BARIUM	45.4	ug/L					2	20
FSB 91C	1/22/2015	BERYLLIUM	0.994	ug/L	J				0.1	1
FSB 91C	1/22/2015	CADMIUM	1.64	ug/L					0.1	1
FSB 91C	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB 91C	1/22/2015	COBALT	14.4	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91C	1/22/2015	COPPER	3.28	ug/L	J				0.5	5
FSB 91C	1/22/2015	LEAD	5	ug/L	U				0.5	5
FSB 91C	1/22/2015	NICKEL	6.25	ug/L					0.5	5
FSB 91C	1/22/2015	SELENIUM	2.61	ug/L	J				2	20
FSB 91C	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB 91C	1/22/2015	THALLIUM	0.123	ug/L	J				0.1	1
FSB 91C	1/22/2015	TIN	10	ug/L	U				1	10
FSB 91C	1/22/2015	VANADIUM	46.8	ug/L	U				5	50
FSB 91C	1/22/2015	ZINC	16.7	ug/L	J				4	40
FSB 91C	1/22/2015	MERCURY	0.145	ug/L	J		21		0.02	0.2
FSB 91C	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB 91C	1/22/2015	CHLOROFORM	0.45	ug/L	J		21		0.3	1
FSB 91C	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 91C	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 91C	1/22/2015	TRICHLOROETHYLENE (TCE)	1.31	ug/L					0.3	1
FSB 91C	1/22/2015	TRICHLOROFLUOROMETHANE	2.96	ug/L					0.3	1
FSB 91C	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 91C	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 91C	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 91C	1/22/2015	AMERICIUM-241	0.0646	pCi/L	U			0.083	0.118	0.284
FSB 91C	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0627	0.0627
FSB 91C	1/22/2015	CURIUM-243/244	0	pCi/L	U			0	0.0627	0.0627
FSB 91C	1/22/2015	CURIUM-245/246	0.168	pCi/L	U			0.129	0.0649	0.324
FSB 91C	1/22/2015	PLUTONIUM-238	-0.00526	pCi/L	U			0.011	0.106	0.127
FSB 91C	1/22/2015	PLUTONIUM-239/240	-0.00526	pCi/L	U			0.011	0.106	0.127
FSB 91C	1/22/2015	THORIUM-228	0.0377	pCi/L	U			0.062	0.107	0.231

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91C	1/22/2015	THORIUM-230	0.0319	pCi/L	U			0.062	0.128	0.252
FSB 91C	1/22/2015	THORIUM-232	0.0212	pCi/L	U			0.043	0.0575	0.143
FSB 91C	1/22/2015	URANIUM-233/234	0.293	pCi/L	J		21	0.169	0.0612	0.4
FSB 91C	1/22/2015	URANIUM-235	0.00696	pCi/L	U			0.061	0.188	0.309
FSB 91C	1/22/2015	URANIUM-238	0.293	pCi/L	J		21	0.169	0.061	0.398
FSB 91C	1/22/2015	GROSS ALPHA	9.71	pCi/L	J		21	4.34	2.7	11.4
FSB 91C	1/22/2015	NONVOLATILE BETA	98.3	pCi/L				9.95	4.22	24.1
FSB 91C	1/22/2015	STRONTIUM-90	36	pCi/L				6.5	3.27	16.3
FSB 91C	1/22/2015	CARBON-14	68.2	pCi/L	J			5.59	6.97	18.1
FSB 91C	1/22/2015	TECHNETIUM-99	10.9	pCi/L	J			2.88	4.34	10.1
FSB 91C	1/22/2015	TRITIUM	193	pCi/mL				2.39	0.527	5.32
FSB 91C	1/22/2015	CESIUM-137	-4.26	pCi/L	U			6.53	10.8	23.9
FSB 91C	1/22/2015	COBALT-60	7.28	pCi/L	U			6.12	12.9	25.1
FSB 91C	1/22/2015	IODINE-129	56.4	pCi/L				8.75	1.41	18.9
FSB 91C	1/22/2015	RADIUM-226	14	pCi/L				1.64	0.764	4.04
FSB 91C	1/22/2015	RADIUM-228	3.06	pCi/L	J		V	0.633	0.752	2.02
FSB 91C	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	9.41	pCi/L				2.57	1.38	6.52
FSB 91C	4/13/2015	NITRATE-NITRITE AS NITROGEN	15.3	mg/L					0.85	2.5
FSB 91C	4/13/2015	CADMIUM	1.7	ug/L					0.1	1
FSB 91C	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB 91C	4/13/2015	GROSS ALPHA	15.7	pCi/L				3.9	1.68	9.47
FSB 91C	4/13/2015	NONVOLATILE BETA	83.2	pCi/L				6.74	3.87	17.3
FSB 91C	4/13/2015	TRITIUM	169	pCi/mL				2.47	0.461	5.4
FSB 91C	8/3/2015	NITRATE-NITRITE AS NITROGEN	12.1	mg/L					0.425	1.25
FSB 91C	8/3/2015	ALUMINUM	663	ug/L					40	400
FSB 91C	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 91C	8/3/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91C	8/3/2015	BARIUM	42.5	ug/L					2	20
FSB 91C	8/3/2015	BERYLLIUM	1.01	ug/L					0.1	1
FSB 91C	8/3/2015	CADMIUM	1.46	ug/L					0.1	1
FSB 91C	8/3/2015	CHROMIUM	10.2	ug/L	J		21		10	100
FSB 91C	8/3/2015	COBALT	12	ug/L					0.5	5
FSB 91C	8/3/2015	COPPER	3.56	ug/L	J		21		0.5	5
FSB 91C	8/3/2015	LEAD	5	ug/L	U				0.5	5
FSB 91C	8/3/2015	NICKEL	5.12	ug/L					0.5	5
FSB 91C	8/3/2015	SELENIUM	2.61	ug/L	J		21		2	20
FSB 91C	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 91C	8/3/2015	THALLIUM	0.102	ug/L	J		21		0.1	1
FSB 91C	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 91C	8/3/2015	ZINC	28.6	ug/L	J		21		4	40
FSB 91C	8/3/2015	MERCURY	0.201	ug/L					0.02	0.2
FSB 91C	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 91C	8/3/2015	CHLOROFORM	0.33	ug/L	J		21		0.3	1
FSB 91C	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 91C	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 91C	8/3/2015	TRICHLOROETHYLENE (TCE)	0.85	ug/L	J		21		0.3	1
FSB 91C	8/3/2015	TRICHLOROFLUOROMETHANE	1.21	ug/L					0.3	1
FSB 91C	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 91C	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 91C	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 91C	8/3/2015	AMERICIUM-241	0.0668	pCi/L	U		V	0.086	0.122	0.293
FSB 91C	8/3/2015	CURIUM-242	0	pCi/L	U			0	0.0648	0.0648
FSB 91C	8/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0648	0.0648

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91C	8/3/2015	CURIUM-245/246	0.173	pCi/L	U		21, V	0.133	0.0671	0.334
FSB 91C	8/3/2015	PLUTONIUM-238	-0.00573	pCi/L	U			0.012	0.115	0.138
FSB 91C	8/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0621	0.0621
FSB 91C	8/3/2015	THORIUM-228	0	pCi/L	U			0	0.217	0.217
FSB 91C	8/3/2015	THORIUM-230	0.111	pCi/L	U		V	0.106	0.118	0.33
FSB 91C	8/3/2015	THORIUM-232	0.0233	pCi/L	U			0.047	0.0632	0.157
FSB 91C	8/3/2015	URANIUM-233/234	0.4	pCi/L	J		21, V	0.195	0.14	0.531
FSB 91C	8/3/2015	URANIUM-235	0.0256	pCi/L	U			0.051	0.0695	0.172
FSB 91C	8/3/2015	URANIUM-238	0.43	pCi/L	J		21, V	0.199	0.104	0.503
FSB 91C	8/3/2015	GROSS ALPHA	15.3	pCi/L				5.45	2.96	13.9
FSB 91C	8/3/2015	NONVOLATILE BETA	80.2	pCi/L				9.34	5.64	24.3
FSB 91C	8/3/2015	STRONTIUM-90	35.5	pCi/L				6.37	3.22	16
FSB 91C	8/3/2015	CARBON-14	-1.72	pCi/L	U			4.18	7.07	15.4
FSB 91C	8/3/2015	TECHNETIUM-99	18.5	pCi/L				3.05	4.28	10.4
FSB 91C	8/3/2015	TRITIUM	153	pCi/mL				2.36	0.452	5.18
FSB 91C	8/3/2015	CESIUM-137	-5.34	pCi/L	U			6.16	10.1	22.4
FSB 91C	8/3/2015	COBALT-60	-3.65	pCi/L	U			5.32	9.01	19.6
FSB 91C	8/3/2015	IODINE-129	59.2	pCi/L				9.28	1.67	20.2
FSB 91C	8/3/2015	RADIUM-226	4.92	pCi/L				0.707	0.396	1.81
FSB 91C	8/3/2015	RADIUM-228	2.94	pCi/L	J		V	0.656	0.776	2.09
FSB 91C	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	7.14	pCi/L				1.75	1.43	4.93
FSB 91C	11/13/2015	NITRATE-NITRITE AS NITROGEN	22.4	mg/L					0.425	1.25
FSB 91C	11/13/2015	CADMIUM	1.64	ug/L					0.1	1
FSB 91C	11/13/2015	LEAD	5	ug/L	U				0.5	5
FSB 91C	11/13/2015	GROSS ALPHA	14	pCi/L				3.59	1.61	8.8
FSB 91C	11/13/2015	NONVOLATILE BETA	76.8	pCi/L				6.31	2.91	15.5
FSB 91C	11/13/2015	TRITIUM	153	pCi/mL				2.3	0.449	5.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91D	2/5/2015	NITRATE-NITRITE AS NITROGEN	4.52	mg/L					0.085	0.25
FSB 91D	2/5/2015	ALUMINUM	1200	ug/L					40	400
FSB 91D	2/5/2015	ANTIMONY	10	ug/L	U				1	10
FSB 91D	2/5/2015	ARSENIC	50	ug/L	U				5	50
FSB 91D	2/5/2015	BARIUM	15	ug/L	J				2	20
FSB 91D	2/5/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 91D	2/5/2015	CADMIUM	0.243	ug/L	J				0.1	1
FSB 91D	2/5/2015	CHROMIUM	100	ug/L	U				10	100
FSB 91D	2/5/2015	COBALT	1.27	ug/L	J				0.5	5
FSB 91D	2/5/2015	COPPER	1.51	ug/L	J				0.5	5
FSB 91D	2/5/2015	LEAD	5	ug/L	U				0.5	5
FSB 91D	2/5/2015	NICKEL	1.79	ug/L	J				0.5	5
FSB 91D	2/5/2015	SELENIUM	20	ug/L	U				2	20
FSB 91D	2/5/2015	SILVER	5	ug/L	U				0.5	5
FSB 91D	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 91D	2/5/2015	TIN	10	ug/L	U				1	10
FSB 91D	2/5/2015	VANADIUM	15.5	ug/L	J				5	50
FSB 91D	2/5/2015	ZINC	40	ug/L	U				4	40
FSB 91D	2/5/2015	MERCURY	0.0364	ug/L	J		21		0.02	0.2
FSB 91D	2/5/2015	BENZENE	1	ug/L	U				0.3	1
FSB 91D	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 91D	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 91D	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 91D	2/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 91D	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 91D	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91D	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 91D	2/5/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 91D	2/5/2015	AMERICIUM-241	0.18	pCi/L	U			0.135	0.117	0.386
FSB 91D	2/5/2015	CURIUM-242	0.0263	pCi/L	U			0.053	0.0619	0.168
FSB 91D	2/5/2015	CURIUM-243/244	0.252	pCi/L	J		21	0.157	0.0619	0.376
FSB 91D	2/5/2015	CURIUM-245/246	0.26	pCi/L	U			0.162	0.0641	0.388
FSB 91D	2/5/2015	PLUTONIUM-238	0.0255	pCi/L	U			0.051	0.069	0.171
FSB 91D	2/5/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.069	0.069
FSB 91D	2/5/2015	THORIUM-228	0.0877	pCi/L	J		21	0.089	0.0575	0.235
FSB 91D	2/5/2015	THORIUM-230	0.122	pCi/L	U			0.106	0.107	0.32
FSB 91D	2/5/2015	THORIUM-232	0.0212	pCi/L	U			0.043	0.0575	0.143
FSB 91D	2/5/2015	URANIUM-233/234	5.46	pCi/L				1.11	0.179	2.41
FSB 91D	2/5/2015	URANIUM-235	0.467	pCi/L	J		21	0.243	0.14	0.627
FSB 91D	2/5/2015	URANIUM-238	8.91	pCi/L				1.63	0.135	3.4
FSB 91D	2/5/2015	GROSS ALPHA	13.6	pCi/L				4.68	2.29	11.7
FSB 91D	2/5/2015	NONVOLATILE BETA	11.2	pCi/L	J		21	4.59	5.75	14.9
FSB 91D	2/5/2015	STRONTIUM-90	3.77	pCi/L	J		21	2.6	3.27	8.47
FSB 91D	2/5/2015	CARBON-14	0.872	pCi/L	U			4.24	7.07	15.6
FSB 91D	2/5/2015	TECHNETIUM-99	4.91	pCi/L	J		21	2.6	4.14	9.35
FSB 91D	2/5/2015	TRITIUM	1.84	pCi/mL				0.363	0.449	1.18
FSB 91D	2/5/2015	CESIUM-137	4.09	pCi/L	U			5.9	11.3	23.1
FSB 91D	2/5/2015	COBALT-60	3.04	pCi/L	U			5.21	10.6	21.1
FSB 91D	2/5/2015	IODINE-129	3.49	pCi/L				1.21	0.786	3.2
FSB 91D	2/5/2015	RADIUM-226	1.2	pCi/L	U		21, V	0.638	0.842	2.12
FSB 91D	2/5/2015	RADIUM-228	1.61	pCi/L	J		21	0.495	0.643	1.63
FSB 91D	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	2.09	pCi/L	U		21, V	1.34	1.46	4.14
FSB 91D	4/8/2015	NITRATE-NITRITE AS NITROGEN	3.91	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91D	4/8/2015	CADMIUM	0.218	ug/L	J				0.1	1
FSB 91D	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 91D	4/8/2015	GROSS ALPHA	17.3	pCi/L				5.26	2.1	12.6
FSB 91D	4/8/2015	NONVOLATILE BETA	11.1	pCi/L	J		21	4.68	6.08	15.4
FSB 91D	4/8/2015	TRITIUM	1.65	pCi/mL				0.343	0.423	1.11
FSB 91D	8/3/2015	NITRATE-NITRITE AS NITROGEN	3.15	mg/L					0.085	0.25
FSB 91D	8/3/2015	ALUMINUM	979	ug/L					40	400
FSB 91D	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 91D	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 91D	8/3/2015	BARIUM	13.3	ug/L	J		21		2	20
FSB 91D	8/3/2015	BERYLLIUM	0.108	ug/L	J		21		0.1	1
FSB 91D	8/3/2015	CADMIUM	0.209	ug/L	J		21		0.1	1
FSB 91D	8/3/2015	CHROMIUM	10.1	ug/L	J		21		10	100
FSB 91D	8/3/2015	COBALT	0.696	ug/L	J		21		0.5	5
FSB 91D	8/3/2015	COPPER	2.3	ug/L	J		21		0.5	5
FSB 91D	8/3/2015	LEAD	5	ug/L	U				0.5	5
FSB 91D	8/3/2015	NICKEL	1.35	ug/L	J		21		0.5	5
FSB 91D	8/3/2015	SELENIUM	20	ug/L	U				2	20
FSB 91D	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 91D	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 91D	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 91D	8/3/2015	ZINC	40	ug/L	U				4	40
FSB 91D	8/3/2015	MERCURY	0.0479	ug/L	J		21		0.02	0.2
FSB 91D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 91D	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 91D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 91D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91D	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 91D	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 91D	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 91D	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 91D	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 91D	8/3/2015	AMERICIUM-241	0.176	pCi/L	U		21, V	0.127	0.0597	0.314
FSB 91D	8/3/2015	CURIUM-242	0.185	pCi/L	U		21, V	0.134	0.0588	0.326
FSB 91D	8/3/2015	CURIUM-243/244	0.087	pCi/L	J		21	0.088	0.0588	0.235
FSB 91D	8/3/2015	CURIUM-245/246	0.197	pCi/L	U		21, V	0.138	0.113	0.389
FSB 91D	8/3/2015	PLUTONIUM-238	0.024	pCi/L	U		V	0.048	0.0649	0.161
FSB 91D	8/3/2015	PLUTONIUM-239/240	0.0239	pCi/L	U			0.048	0.0649	0.161
FSB 91D	8/3/2015	THORIUM-228	0	pCi/L	U			0	0.058	0.058
FSB 91D	8/3/2015	THORIUM-230	0.0429	pCi/L	U		V	0.061	0.0581	0.18
FSB 91D	8/3/2015	THORIUM-232	0	pCi/L	U		V	0	0.058	0.058
FSB 91D	8/3/2015	URANIUM-233/234	6.05	pCi/L				1.19	0.0677	2.45
FSB 91D	8/3/2015	URANIUM-235	0.17	pCi/L	J		21, V	0.155	0.185	0.495
FSB 91D	8/3/2015	URANIUM-238	9.69	pCi/L				1.7	0.126	3.53
FSB 91D	8/3/2015	GROSS ALPHA	20.2	pCi/L				5.7	2.32	13.7
FSB 91D	8/3/2015	NONVOLATILE BETA	12.3	pCi/L	J		21	4.94	6.36	16.2
FSB 91D	8/3/2015	STRONTIUM-90	3.51	pCi/L	J		21	2.2	3.35	7.74
FSB 91D	8/3/2015	CARBON-14	36.6	pCi/L				5.01	7.05	17.1
FSB 91D	8/3/2015	TECHNETIUM-99	2.81	pCi/L	U			2.59	4.22	9.39
FSB 91D	8/3/2015	TRITIUM	2.95	pCi/mL				0.417	0.451	1.29
FSB 91D	8/3/2015	CESIUM-137	-1.99	pCi/L	U			5.64	9.74	21
FSB 91D	8/3/2015	COBALT-60	-2.35	pCi/L	U			5.21	9.15	19.6
FSB 91D	8/3/2015	IODINE-129	2.84	pCi/L	J		21	1.62	1.09	4.33
FSB 91D	8/3/2015	RADIUM-226	1.99	pCi/L				0.449	0.362	1.26

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 91D	8/3/2015	RADIUM-228	1.79	pCi/L	J		V	0.469	0.493	1.43
FSB 91D	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0785	pCi/L	U			0.961	1.89	3.81
FSB 91D	11/6/2015	NITRATE-NITRITE AS NITROGEN	3.59	mg/L					0.085	0.25
FSB 91D	11/6/2015	CADMIUM	0.204	ug/L	J		21		0.1	1
FSB 91D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 91D	11/6/2015	GROSS ALPHA	21.7	pCi/L				5.9	2.16	14
FSB 91D	11/6/2015	NONVOLATILE BETA	11	pCi/L	J		21	4.9	6.53	16.3
FSB 91D	11/6/2015	TRITIUM	2.21	pCi/mL				0.392	0.509	1.29
FSB 92C	1/27/2015	NITRATE-NITRITE AS NITROGEN	31.7	mg/L					0.85	2.5
FSB 92C	1/27/2015	ALUMINUM	1850	ug/L					40	400
FSB 92C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 92C	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 92C	1/27/2015	BARIUM	69.9	ug/L					2	20
FSB 92C	1/27/2015	BERYLLIUM	1.92	ug/L					0.1	1
FSB 92C	1/27/2015	CADMIUM	2.95	ug/L					0.1	1
FSB 92C	1/27/2015	CHROMIUM	12.4	ug/L	J				10	100
FSB 92C	1/27/2015	COBALT	32.8	ug/L					0.5	5
FSB 92C	1/27/2015	COPPER	4.05	ug/L	J				0.5	5
FSB 92C	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB 92C	1/27/2015	NICKEL	9.48	ug/L					0.5	5
FSB 92C	1/27/2015	SELENIUM	3.04	ug/L	J				2	20
FSB 92C	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 92C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 92C	1/27/2015	TIN	10	ug/L	U				1	10
FSB 92C	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 92C	1/27/2015	ZINC	31.9	ug/L	J				4	40
FSB 92C	1/27/2015	MERCURY	2.85	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB 92C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 92C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.16	ug/L	J		21		1	5
FSB 92C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 92C	1/27/2015	TRICHLOROETHYLENE (TCE)	2.38	ug/L					0.3	1
FSB 92C	1/27/2015	TRICHLOROFLUOROMETHANE	5.54	ug/L					0.3	1
FSB 92C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 92C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 92C	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 92C	1/27/2015	AMERICIUM-241	0.0623	pCi/L	U			0.073	0.0563	0.201
FSB 92C	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0554	0.0554
FSB 92C	1/27/2015	CURIUM-243/244	-0.00512	pCi/L	U			0.01	0.103	0.124
FSB 92C	1/27/2015	CURIUM-245/246	0.191	pCi/L	U			0.13	0.0574	0.318
FSB 92C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0642	0.0642
FSB 92C	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0642	0.0642
FSB 92C	1/27/2015	THORIUM-228	-0.0351	pCi/L	U			0.095	0.29	0.48
FSB 92C	1/27/2015	THORIUM-230	0.133	pCi/L	U			0.116	0.116	0.348
FSB 92C	1/27/2015	THORIUM-232	0.023	pCi/L	U			0.046	0.0624	0.155
FSB 92C	1/27/2015	URANIUM-233/234	0.956	pCi/L				0.33	0.113	0.772
FSB 92C	1/27/2015	URANIUM-235	0.0483	pCi/L	U			0.08	0.139	0.298
FSB 92C	1/27/2015	URANIUM-238	0.58	pCi/L				0.244	0.0605	0.549
FSB 92C	1/27/2015	GROSS ALPHA	23.7	pCi/L				6.59	3.01	16.2
FSB 92C	1/27/2015	NONVOLATILE BETA	168	pCi/L				13.2	6.39	32.9
FSB 92C	1/27/2015	STRONTIUM-90	71.7	pCi/L				10.1	3.11	23.3
FSB 92C	1/27/2015	CARBON-14	5.17	pCi/L	UJ			4.16	6.77	15.1
FSB 92C	1/27/2015	TECHNETIUM-99	23.5	pCi/L				3.27	4.47	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92C	1/27/2015	TRITIUM	351	pCi/mL				3.56	0.439	7.56
FSB 92C	1/27/2015	CESIUM-137	-0.838	pCi/L	U			5.46	9.66	20.6
FSB 92C	1/27/2015	COBALT-60	-0.411	pCi/L	U			5.09	9.49	19.7
FSB 92C	1/27/2015	IODINE-129	29.3	pCi/L				3.82	1.21	8.85
FSB 92C	1/27/2015	RADIUM-226	20.2	pCi/L				1.88	0.709	4.47
FSB 92C	1/27/2015	RADIUM-228	3.96	pCi/L				0.62	0.468	1.71
FSB 92C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	16.2	pCi/L				2.99	1.63	7.61
FSB 92C	4/20/2015	NITRATE-NITRITE AS NITROGEN	32.9	mg/L					0.85	2.5
FSB 92C	4/20/2015	CADMIUM	3.76	ug/L					0.1	1
FSB 92C	4/20/2015	LEAD	5	ug/L	U				0.5	5
FSB 92C	4/20/2015	GROSS ALPHA	28.9	pCi/L				7.32	2.92	17.6
FSB 92C	4/20/2015	NONVOLATILE BETA	178	pCi/L				13.6	6.7	34
FSB 92C	4/20/2015	TRITIUM	292	pCi/mL				3.12	0.403	6.63
FSB 92C	8/10/2015	NITRATE-NITRITE AS NITROGEN	32.1	mg/L					0.85	2.5
FSB 92C	8/10/2015	ALUMINUM	2290	ug/L					40	400
FSB 92C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB 92C	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB 92C	8/10/2015	BARIUM	103	ug/L					2	20
FSB 92C	8/10/2015	BERYLLIUM	2.27	ug/L					0.1	1
FSB 92C	8/10/2015	CADMIUM	4.56	ug/L					0.1	1
FSB 92C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB 92C	8/10/2015	COBALT	28.7	ug/L					0.5	5
FSB 92C	8/10/2015	COPPER	6.12	ug/L					0.5	5
FSB 92C	8/10/2015	LEAD	0.642	ug/L	J		21		0.5	5
FSB 92C	8/10/2015	NICKEL	9.24	ug/L					0.5	5
FSB 92C	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSB 92C	8/10/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 92C	8/10/2015	VANADIUM	20.8	ug/L	J		21		5	50
FSB 92C	8/10/2015	ZINC	34.1	ug/L	J		21		4	40
FSB 92C	8/10/2015	MERCURY	2.72	ug/L					0.02	0.2
FSB 92C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB 92C	8/10/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 92C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.47	ug/L	J		21		1	5
FSB 92C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 92C	8/10/2015	TRICHLOROETHYLENE (TCE)	2.29	ug/L					0.3	1
FSB 92C	8/10/2015	TRICHLOROFLUOROMETHANE	6.29	ug/L					0.3	1
FSB 92C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 92C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 92C	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 92C	8/10/2015	AMERICIUM-241	0.227	pCi/L	J		21, V	0.182	0.17	0.535
FSB 92C	8/10/2015	CURIUM-242	-0.0092	pCi/L	U			0.018	0.167	0.204
FSB 92C	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0899	0.0899
FSB 92C	8/10/2015	CURIUM-245/246	0.172	pCi/L	U		21, V	0.156	0.093	0.405
FSB 92C	8/10/2015	PLUTONIUM-238	0.0172	pCi/L	U		V	0.047	0.115	0.21
FSB 92C	8/10/2015	PLUTONIUM-239/240	-0.00572	pCi/L	U		V	0.012	0.115	0.138
FSB 92C	8/10/2015	THORIUM-228	0.0269	pCi/L	U			0.081	0.193	0.355
FSB 92C	8/10/2015	THORIUM-230	0.204	pCi/L	U		21, V	0.153	0.132	0.438
FSB 92C	8/10/2015	THORIUM-232	0.0197	pCi/L	U			0.054	0.132	0.24
FSB 92C	8/10/2015	URANIUM-233/234	1.58	pCi/L			V	0.444	0.0613	0.949
FSB 92C	8/10/2015	URANIUM-235	-0.00698	pCi/L	U			0.014	0.141	0.169
FSB 92C	8/10/2015	URANIUM-238	0.988	pCi/L			V	0.33	0.114	0.775
FSB 92C	8/10/2015	GROSS ALPHA	27.3	pCi/L				7.01	3	17

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92C	8/10/2015	NONVOLATILE BETA	175	pCi/L				13.5	6.68	33.7
FSB 92C	8/10/2015	STRONTIUM-90	76.1	pCi/L				10.3	3.34	23.9
FSB 92C	8/10/2015	CARBON-14	144	pCi/L				7.05	7.3	21.4
FSB 92C	8/10/2015	TECHNETIUM-99	24.5	pCi/L				3.3	4.47	11.1
FSB 92C	8/10/2015	TRITIUM	329	pCi/mL				3.47	0.472	7.42
FSB 92C	8/10/2015	CESIUM-137	-2.47	pCi/L	U			5.49	9.42	20.4
FSB 92C	8/10/2015	COBALT-60	-2.61	pCi/L	U			4.54	7.87	16.9
FSB 92C	8/10/2015	IODINE-129	25	pCi/L				4.37	1.36	10.1
FSB 92C	8/10/2015	RADIUM-226	13.2	pCi/L				1.53	0.71	3.77
FSB 92C	8/10/2015	RADIUM-228	2.99	pCi/L				0.494	0.409	1.4
FSB 92C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	11.3	pCi/L				1.11	0.881	3.1
FSB 92C	11/13/2015	NITRATE-NITRITE AS NITROGEN	34.7	mg/L					0.85	2.5
FSB 92C	11/13/2015	CADMIUM	3.93	ug/L					0.1	1
FSB 92C	11/13/2015	LEAD	5	ug/L	U				0.5	5
FSB 92C	11/13/2015	GROSS ALPHA	30.5	pCi/L				5.12	1.57	11.8
FSB 92C	11/13/2015	NONVOLATILE BETA	177	pCi/L				9.4	3.14	21.9
FSB 92C	11/13/2015	TRITIUM	281	pCi/mL				3.1	0.447	6.64
FSB 92D	2/5/2015	NITRATE-NITRITE AS NITROGEN	18.5	mg/L					0.425	1.25
FSB 92D	2/5/2015	ALUMINUM	6330	ug/L					40	400
FSB 92D	2/5/2015	ANTIMONY	10	ug/L	U				1	10
FSB 92D	2/5/2015	ARSENIC	50	ug/L	U				5	50
FSB 92D	2/5/2015	BARIUM	62.7	ug/L					2	20
FSB 92D	2/5/2015	BERYLLIUM	0.833	ug/L	J				0.1	1
FSB 92D	2/5/2015	CADMIUM	1.75	ug/L					0.1	1
FSB 92D	2/5/2015	CHROMIUM	11.8	ug/L	J				10	100
FSB 92D	2/5/2015	COBALT	13.4	ug/L					0.5	5
FSB 92D	2/5/2015	COPPER	12.1	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92D	2/5/2015	LEAD	5	ug/L	U				0.5	5
FSB 92D	2/5/2015	NICKEL	8.48	ug/L					0.5	5
FSB 92D	2/5/2015	SELENIUM	20	ug/L	U				2	20
FSB 92D	2/5/2015	SILVER	5	ug/L	U				0.5	5
FSB 92D	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 92D	2/5/2015	TIN	10	ug/L	U				1	10
FSB 92D	2/5/2015	VANADIUM	50	ug/L	U				5	50
FSB 92D	2/5/2015	ZINC	24.1	ug/L	J				4	40
FSB 92D	2/5/2015	MERCURY	0.911	ug/L					0.02	0.2
FSB 92D	2/5/2015	BENZENE	1	ug/L	U				0.3	1
FSB 92D	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 92D	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 92D	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 92D	2/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 92D	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 92D	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 92D	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 92D	2/5/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 92D	2/5/2015	AMERICIUM-241	1.89	pCi/L				0.493	0.124	1.11
FSB 92D	2/5/2015	CURIUM-242	0.0468	pCi/L	U			0.067	0.0551	0.188
FSB 92D	2/5/2015	CURIUM-243/244	0.689	pCi/L				0.261	0.102	0.624
FSB 92D	2/5/2015	CURIUM-245/246	0.205	pCi/L	U			0.137	0.106	0.381
FSB 92D	2/5/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0725	0.0725
FSB 92D	2/5/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0725	0.0725
FSB 92D	2/5/2015	THORIUM-228	0.139	pCi/L	J		21	0.121	0.118	0.361
FSB 92D	2/5/2015	THORIUM-230	0.0235	pCi/L	U			0.047	0.0636	0.158

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92D	2/5/2015	THORIUM-232	0	pCi/L	U			0	0.0635	0.0635
FSB 92D	2/5/2015	URANIUM-233/234	29.9	pCi/L				5.13	0.169	10.4
FSB 92D	2/5/2015	URANIUM-235	2.15	pCi/L				0.639	0.186	1.46
FSB 92D	2/5/2015	URANIUM-238	40.9	pCi/L				6.72	0.15	13.6
FSB 92D	2/5/2015	GROSS ALPHA	93.3	pCi/L				12.3	2.74	27.3
FSB 92D	2/5/2015	NONVOLATILE BETA	185	pCi/L				14.9	10.9	40.8
FSB 92D	2/5/2015	STRONTIUM-90	60.6	pCi/L				9.17	3.29	21.6
FSB 92D	2/5/2015	CARBON-14	55.3	pCi/L				5.36	7.04	17.8
FSB 92D	2/5/2015	TECHNETIUM-99	10.8	pCi/L				2.77	4.13	9.66
FSB 92D	2/5/2015	TRITIUM	77.1	pCi/mL				1.68	0.452	3.81
FSB 92D	2/5/2015	CESIUM-137	-2.64	pCi/L	U			4.46	7.57	16.5
FSB 92D	2/5/2015	COBALT-60	-3.4	pCi/L	U			4.47	7.51	16.4
FSB 92D	2/5/2015	IODINE-129	35.5	pCi/L				5.82	1.28	12.9
FSB 92D	2/5/2015	RADIUM-226	11.7	pCi/L				1.4	0.661	3.46
FSB 92D	2/5/2015	RADIUM-228	4.98	pCi/L				0.678	0.547	1.9
FSB 92D	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	4.2	pCi/L	J		21, V	1.95	1.74	5.64
FSB 92D	4/8/2015	NITRATE-NITRITE AS NITROGEN	15.8	mg/L					0.85	2.5
FSB 92D	4/8/2015	CADMIUM	1.44	ug/L					0.1	1
FSB 92D	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 92D	4/8/2015	GROSS ALPHA	99.9	pCi/L				12.7	2.61	28.1
FSB 92D	4/8/2015	NONVOLATILE BETA	184	pCi/L				14.9	11.2	40.9
FSB 92D	4/8/2015	TRITIUM	51.6	pCi/mL				1.38	0.423	3.18
FSB 92D	8/3/2015	NITRATE-NITRITE AS NITROGEN	9.5	mg/L					0.425	1.25
FSB 92D	8/3/2015	ALUMINUM	4370	ug/L					40	400
FSB 92D	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 92D	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 92D	8/3/2015	BARIUM	87	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92D	8/3/2015	BERYLLIUM	0.881	ug/L	J		21		0.1	1
FSB 92D	8/3/2015	CADMIUM	0.732	ug/L	J		21		0.1	1
FSB 92D	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FSB 92D	8/3/2015	COBALT	2.97	ug/L	J		21		0.5	5
FSB 92D	8/3/2015	COPPER	9.29	ug/L					0.5	5
FSB 92D	8/3/2015	LEAD	5	ug/L	U				0.5	5
FSB 92D	8/3/2015	NICKEL	4.35	ug/L	J		21		0.5	5
FSB 92D	8/3/2015	SELENIUM	20	ug/L	U				2	20
FSB 92D	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 92D	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 92D	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 92D	8/3/2015	ZINC	20.4	ug/L	J		21		4	40
FSB 92D	8/3/2015	MERCURY	0.321	ug/L					0.02	0.2
FSB 92D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 92D	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 92D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 92D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 92D	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 92D	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 92D	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 92D	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 92D	8/3/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 92D	8/3/2015	AMERICIUM-241	2.56	pCi/L			V	0.594	0.109	1.3
FSB 92D	8/3/2015	CURIUM-242	0.0399	pCi/L	U		V	0.066	0.108	0.239
FSB 92D	8/3/2015	CURIUM-243/244	0.937	pCi/L				0.313	0.108	0.734
FSB 92D	8/3/2015	CURIUM-245/246	0.26	pCi/L	U		21, V	0.158	0.111	0.428

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 92D	8/3/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0674	0.0674
FSB 92D	8/3/2015	PLUTONIUM-239/240	-0.00621	pCi/L	U			0.013	0.125	0.15
FSB 92D	8/3/2015	THORIUM-228	0.113	pCi/L	J		21	0.103	0.0609	0.267
FSB 92D	8/3/2015	THORIUM-230	0.157	pCi/L	J		21, V	0.121	0.061	0.304
FSB 92D	8/3/2015	THORIUM-232	-0.00561	pCi/L	U		V	0.011	0.113	0.136
FSB 92D	8/3/2015	URANIUM-233/234	24.6	pCi/L				3.84	0.0585	7.74
FSB 92D	8/3/2015	URANIUM-235	1.68	pCi/L			V	0.499	0.0722	1.07
FSB 92D	8/3/2015	URANIUM-238	34.7	pCi/L				5.11	0.109	10.3
FSB 92D	8/3/2015	GROSS ALPHA	87.8	pCi/L				11.9	2.57	26.4
FSB 92D	8/3/2015	NONVOLATILE BETA	114	pCi/L				12.3	10.7	35.4
FSB 92D	8/3/2015	STRONTIUM-90	44	pCi/L				6.69	3.31	16.7
FSB 92D	8/3/2015	CARBON-14	-0.212	pCi/L	U			4.22	7.08	15.5
FSB 92D	8/3/2015	TECHNETIUM-99	9.05	pCi/L	J		21	2.77	4.23	9.77
FSB 92D	8/3/2015	TRITIUM	3.24	pCi/mL				0.431	0.453	1.31
FSB 92D	8/3/2015	CESIUM-137	-3.25	pCi/L	U			5.12	8.64	18.9
FSB 92D	8/3/2015	COBALT-60	2.84	pCi/L	U			4.69	9.42	18.8
FSB 92D	8/3/2015	IODINE-129	34.9	pCi/L				5.71	1.38	12.8
FSB 92D	8/3/2015	RADIUM-226	5.65	pCi/L				0.699	0.31	1.71
FSB 92D	8/3/2015	RADIUM-228	4.17	pCi/L	J		V	0.629	0.508	1.77
FSB 92D	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	5.1	pCi/L				1.45	1.06	3.96
FSB 92D	11/6/2015	NITRATE-NITRITE AS NITROGEN	18.2	mg/L					0.425	1.25
FSB 92D	11/6/2015	CADMIUM	1.33	ug/L					0.1	1
FSB 92D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 92D	11/6/2015	GROSS ALPHA	93.4	pCi/L				12.3	2.59	27.2
FSB 92D	11/6/2015	NONVOLATILE BETA	165	pCi/L				14.3	10.9	39.6
FSB 92D	11/6/2015	TRITIUM	59.4	pCi/mL				1.36	0.541	3.27
FSB 93C	1/29/2015	NITRATE-NITRITE AS NITROGEN	30	mg/L					0.425	1.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93C	1/29/2015	ALUMINUM	40.4	ug/L	J				40	400
FSB 93C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 93C	1/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 93C	1/29/2015	BARIUM	50.8	ug/L					2	20
FSB 93C	1/29/2015	BERYLLIUM	0.983	ug/L	J				0.1	1
FSB 93C	1/29/2015	CADMIUM	1.73	ug/L					0.1	1
FSB 93C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
FSB 93C	1/29/2015	COBALT	2.8	ug/L	J				0.5	5
FSB 93C	1/29/2015	COPPER	5.22	ug/L					0.5	5
FSB 93C	1/29/2015	LEAD	5	ug/L	U				0.5	5
FSB 93C	1/29/2015	NICKEL	6.7	ug/L					0.5	5
FSB 93C	1/29/2015	SELENIUM	20	ug/L	U				2	20
FSB 93C	1/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 93C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 93C	1/29/2015	TIN	10	ug/L	U				1	10
FSB 93C	1/29/2015	VANADIUM	50	ug/L	U				5	50
FSB 93C	1/29/2015	ZINC	37.8	ug/L	J				4	40
FSB 93C	1/29/2015	MERCURY	0.15	ug/L	J		21		0.02	0.2
FSB 93C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 93C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 93C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.03	ug/L	J		21		1	5
FSB 93C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 93C	1/29/2015	TRICHLOROETHYLENE (TCE)	7.01	ug/L					0.3	1
FSB 93C	1/29/2015	TRICHLOROFLUOROMETHANE	2.86	ug/L					0.3	1
FSB 93C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 93C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93C	1/29/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 93C	1/29/2015	AMERICIUM-241	0.0384	pCi/L	U			0.063	0.11	0.237
FSB 93C	1/29/2015	CURIUM-242	0.0244	pCi/L	U			0.049	0.0585	0.156
FSB 93C	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0585	0.0585
FSB 93C	1/29/2015	CURIUM-245/246	0.335	pCi/L	J		21	0.181	0.0606	0.422
FSB 93C	1/29/2015	PLUTONIUM-238	0.0167	pCi/L	U			0.046	0.112	0.204
FSB 93C	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0602	0.0602
FSB 93C	1/29/2015	THORIUM-228	0.0125	pCi/L	U			0.077	0.203	0.356
FSB 93C	1/29/2015	THORIUM-230	0.0302	pCi/L	U			0.072	0.163	0.306
FSB 93C	1/29/2015	THORIUM-232	-0.00603	pCi/L	U			0.012	0.121	0.146
FSB 93C	1/29/2015	URANIUM-233/234	0.0728	pCi/L	U			0.085	0.0657	0.235
FSB 93C	1/29/2015	URANIUM-235	-0.00748	pCi/L	U			0.015	0.151	0.181
FSB 93C	1/29/2015	URANIUM-238	0.0726	pCi/L	J		21	0.085	0.0656	0.235
FSB 93C	1/29/2015	GROSS ALPHA	0.883	pCi/L	U			1.54	2.54	5.62
FSB 93C	1/29/2015	NONVOLATILE BETA	79.9	pCi/L				9.02	3.8	21.8
FSB 93C	1/29/2015	STRONTIUM-90	27	pCi/L				5.28	3.11	13.7
FSB 93C	1/29/2015	CARBON-14	5.05	pCi/L	UJ			4.29	6.99	15.6
FSB 93C	1/29/2015	TECHNETIUM-99	26.6	pCi/L				3.11	3.98	10.2
FSB 93C	1/29/2015	TRITIUM	298	pCi/mL				3.29	0.389	6.96
FSB 93C	1/29/2015	CESIUM-137	3.5	pCi/L	U			4.96	9.48	19.4
FSB 93C	1/29/2015	COBALT-60	2.68	pCi/L	U			5.05	9.97	20.1
FSB 93C	1/29/2015	IODINE-129	7.44	pCi/L				1.66	1.07	4.4
FSB 93C	1/29/2015	RADIUM-226	2.39	pCi/L				0.54	0.434	1.51
FSB 93C	1/29/2015	RADIUM-228	1.56	pCi/L	J		21	0.524	0.709	1.76
FSB 93C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.7	pCi/L	J		21	1.06	1.31	3.43
FSB 93C	4/7/2015	NITRATE-NITRITE AS NITROGEN	30.9	mg/L					0.85	2.5
FSB 93C	4/7/2015	CADMIUM	1.67	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93C	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 93C	4/7/2015	GROSS ALPHA	0.479	pCi/L	U			1.25	2.51	5.02
FSB 93C	4/7/2015	NONVOLATILE BETA	71.9	pCi/L				8.61	4.19	21.4
FSB 93C	4/7/2015	TRITIUM	295	pCi/mL				3.23	0.44	6.9
FSB 93C	7/28/2015	NITRATE-NITRITE AS NITROGEN	27.4	mg/L					1.7	5
FSB 93C	7/28/2015	ALUMINUM	400	ug/L	U				40	400
FSB 93C	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB 93C	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB 93C	7/28/2015	BARIUM	48	ug/L					2	20
FSB 93C	7/28/2015	BERYLLIUM	0.917	ug/L	J		21		0.1	1
FSB 93C	7/28/2015	CADMIUM	1.52	ug/L					0.1	1
FSB 93C	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB 93C	7/28/2015	COBALT	2.46	ug/L	J		21		0.5	5
FSB 93C	7/28/2015	COPPER	2.56	ug/L	J		21		0.5	5
FSB 93C	7/28/2015	LEAD	0.501	ug/L	J		21		0.5	5
FSB 93C	7/28/2015	NICKEL	5.56	ug/L					0.5	5
FSB 93C	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB 93C	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB 93C	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 93C	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB 93C	7/28/2015	ZINC	29.9	ug/L	J		21		4	40
FSB 93C	7/28/2015	MERCURY	0.169	ug/L	J		21		0.02	0.2
FSB 93C	7/28/2015	BENZENE	1	ug/L	U				0.3	1
FSB 93C	7/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 93C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 93C	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 93C	7/28/2015	TRICHLOROETHYLENE (TCE)	6.37	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93C	7/28/2015	TRICHLOROFLUOROMETHANE	2.6	ug/L					0.3	1
FSB 93C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 93C	7/28/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 93C	7/28/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 93C	7/28/2015	AMERICIUM-241	0.0435	pCi/L	U			0.072	0.125	0.268
FSB 93C	7/28/2015	CURIUM-242	0	pCi/L	U			0	0.0663	0.0663
FSB 93C	7/28/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0663	0.0663
FSB 93C	7/28/2015	CURIUM-245/246	0.279	pCi/L	J		21, V	0.173	0.0686	0.414
FSB 93C	7/28/2015	PLUTONIUM-238	0.0218	pCi/L	U			0.044	0.0592	0.147
FSB 93C	7/28/2015	PLUTONIUM-239/240	0.0382	pCi/L	U			0.063	0.11	0.236
FSB 93C	7/28/2015	THORIUM-228	0.0237	pCi/L	U			0.071	0.172	0.314
FSB 93C	7/28/2015	THORIUM-230	0.111	pCi/L	U		V	0.107	0.118	0.331
FSB 93C	7/28/2015	THORIUM-232	-0.00583	pCi/L	U			0.012	0.117	0.141
FSB 93C	7/28/2015	URANIUM-233/234	0.0203	pCi/L	U		V	0.041	0.055	0.136
FSB 93C	7/28/2015	URANIUM-235	0.0188	pCi/L	U		V	0.052	0.126	0.23
FSB 93C	7/28/2015	URANIUM-238	0.101	pCi/L	U		21, V	0.092	0.0549	0.238
FSB 93C	7/28/2015	GROSS ALPHA	2.23	pCi/L	U			2.17	2.45	6.79
FSB 93C	7/28/2015	NONVOLATILE BETA	69	pCi/L				8.43	3.84	20.7
FSB 93C	7/28/2015	STRONTIUM-90	24.9	pCi/L				4.8	2.99	12.6
FSB 93C	7/28/2015	CARBON-14	0.991	pCi/L	U			4.09	6.81	15
FSB 93C	7/28/2015	TECHNETIUM-99	14.9	pCi/L				2.84	4.06	9.74
FSB 93C	7/28/2015	TRITIUM	298	pCi/mL				3.3	0.479	7.08
FSB 93C	7/28/2015	CESIUM-137	-1.32	pCi/L	U			5.4	9.46	20.3
FSB 93C	7/28/2015	COBALT-60	3.02	pCi/L	U			5.82	11.2	22.9
FSB 93C	7/28/2015	IODINE-129	8.73	pCi/L				2.16	1.19	5.5
FSB 93C	7/28/2015	RADIUM-226	1.43	pCi/L				0.454	0.461	1.37
FSB 93C	7/28/2015	RADIUM-228	0.705	pCi/L	J		21	0.306	0.414	1.03

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	2.07	pCi/L	J		21	0.94	1.06	2.94
FSB 93C	10/21/2015	NITRATE-NITRITE AS NITROGEN	33.7	mg/L					0.85	2.5
FSB 93C	10/21/2015	CADMIUM	1.75	ug/L					0.1	1
FSB 93C	10/21/2015	LEAD	0.656	ug/L	J		21		0.5	5
FSB 93C	10/21/2015	GROSS ALPHA	3	pCi/L	J		21	2.45	2.61	7.51
FSB 93C	10/21/2015	NONVOLATILE BETA	83.5	pCi/L				9.3	4.55	23.2
FSB 93C	10/21/2015	TRITIUM	304	pCi/mL				3.35	0.457	7.15
FSB 93D	1/21/2015	NITRATE-NITRITE AS NITROGEN	35.1	mg/L					0.85	2.5
FSB 93D	1/21/2015	ALUMINUM	12400	ug/L					40	400
FSB 93D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 93D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 93D	1/21/2015	BARIUM	108	ug/L					2	20
FSB 93D	1/21/2015	BERYLLIUM	0.705	ug/L	J				0.1	1
FSB 93D	1/21/2015	CADMIUM	3.68	ug/L					0.1	1
FSB 93D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 93D	1/21/2015	COBALT	17.2	ug/L					0.5	5
FSB 93D	1/21/2015	COPPER	14.7	ug/L					0.5	5
FSB 93D	1/21/2015	LEAD	1.3	ug/L	J				0.5	5
FSB 93D	1/21/2015	NICKEL	11.1	ug/L					0.5	5
FSB 93D	1/21/2015	SELENIUM	3.19	ug/L	J				2	20
FSB 93D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 93D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 93D	1/21/2015	TIN	10	ug/L	U				1	10
FSB 93D	1/21/2015	VANADIUM	24	ug/L	U				5	50
FSB 93D	1/21/2015	ZINC	25.8	ug/L	J				4	40
FSB 93D	1/21/2015	MERCURY	1.38	ug/L					0.02	0.2
FSB 93D	1/21/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 93D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 93D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 93D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 93D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 93D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 93D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 93D	1/21/2015	PHENOLS	0.00307	mg/L	J		21		0.00167	0.005
FSB 93D	1/21/2015	AMERICIUM-241	1.25	pCi/L				0.386	0.0605	0.832
FSB 93D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0596	0.0596
FSB 93D	1/21/2015	CURIUM-243/244	0.44	pCi/L	J		21	0.208	0.0596	0.476
FSB 93D	1/21/2015	CURIUM-245/246	0.205	pCi/L	U			0.14	0.0616	0.342
FSB 93D	1/21/2015	PLUTONIUM-238	0.026	pCi/L	U			0.052	0.0705	0.175
FSB 93D	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0705	0.0705
FSB 93D	1/21/2015	THORIUM-228	0.0835	pCi/L	U			0.097	0.152	0.346
FSB 93D	1/21/2015	THORIUM-230	0.0259	pCi/L	U			0.062	0.14	0.263
FSB 93D	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0561	0.0561
FSB 93D	1/21/2015	URANIUM-233/234	70.9	pCi/L				11.7	0.0663	23.4
FSB 93D	1/21/2015	URANIUM-235	4.87	pCi/L				1.14	0.181	2.45
FSB 93D	1/21/2015	URANIUM-238	84.2	pCi/L				13.4	0.123	26.9
FSB 93D	1/21/2015	GROSS ALPHA	183	pCi/L				17.5	2.54	37.6
FSB 93D	1/21/2015	NONVOLATILE BETA	308	pCi/L				17.6	7.01	42.2
FSB 93D	1/21/2015	STRONTIUM-90	116	pCi/L				14.9	3.1	32.9
FSB 93D	1/21/2015	CARBON-14	72.6	pCi/L	J			5.83	7.3	19
FSB 93D	1/21/2015	TECHNETIUM-99	38.1	pCi/L				3.42	4.06	10.9
FSB 93D	1/21/2015	TRITIUM	391	pCi/mL				3.67	0.519	7.87

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	1/21/2015	CESIUM-137	-1.05	pCi/L	U			7.5	12.7	27.7
FSB 93D	1/21/2015	COBALT-60	6.27	pCi/L	U			6.05	12.6	24.7
FSB 93D	1/21/2015	IODINE-129	77.8	pCi/L				11.9	1.76	25.6
FSB 93D	1/21/2015	RADIUM-226	4.44	pCi/L				1.02	0.826	2.87
FSB 93D	1/21/2015	RADIUM-228	0.61	pCi/L	U			0.505	0.818	1.83
FSB 93D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	12.3	pCi/L				1.13	0.753	3.01
FSB 93D	4/14/2015	NITRATE-NITRITE AS NITROGEN	39.9	mg/L					1.7	5
FSB 93D	4/14/2015	CADMIUM	3.58	ug/L					0.1	1
FSB 93D	4/14/2015	LEAD	0.996	ug/L	J		21		0.5	5
FSB 93D	4/14/2015	GROSS ALPHA	154	pCi/L				16.3	2.68	35.3
FSB 93D	4/14/2015	NONVOLATILE BETA	323	pCi/L				18.1	6.4	42.6
FSB 93D	4/14/2015	TRITIUM	290	pCi/mL				3.22	0.423	6.87
FSB 93D	7/28/2015	NITRATE-NITRITE AS NITROGEN	51.5	mg/L					0.85	2.5
FSB 93D	7/28/2015	ALUMINUM	12400	ug/L					40	400
FSB 93D	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 93D	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 93D	7/28/2015	BARIUM	69.4	ug/L					2	20
FSB 93D	7/28/2015	BERYLLIUM	0.832	ug/L	J	J	21		0.1	1
FSB 93D	7/28/2015	CADMIUM	2.43	ug/L					0.1	1
FSB 93D	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 93D	7/28/2015	COBALT	16.1	ug/L					0.5	5
FSB 93D	7/28/2015	COPPER	11.5	ug/L					0.5	5
FSB 93D	7/28/2015	LEAD	0.894	ug/L	J	J	21		0.5	5
FSB 93D	7/28/2015	NICKEL	7.93	ug/L					0.5	5
FSB 93D	7/28/2015	SELENIUM	20	ug/L	U	U			2	20
FSB 93D	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 93D	7/28/2015	THALLIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	TIN	10	ug/L	U	U			1	10
FSB 93D	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 93D	7/28/2015	ZINC	19.2	ug/L	J	J	21		4	40
FSB 93D	7/28/2015	MERCURY	2.68	ug/L					0.02	0.2
FSB 93D	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 93D	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 93D	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 93D	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 93D	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 93D	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 93D	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 93D	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 93D	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 93D	7/28/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 93D	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
FSB 93D	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 93D	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 93D	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 93D	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 93D	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CHLOROMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
FSB 93D	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 93D	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 93D	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 93D	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 93D	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 93D	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
FSB 93D	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
FSB 93D	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
FSB 93D	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
FSB 93D	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
FSB 93D	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
FSB 93D	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DIALLATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10
FSB 93D	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
FSB 93D	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
FSB 93D	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	KEPONE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
FSB 93D	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	PARATHION	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
FSB 93D	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
FSB 93D	7/28/2015	PHORATE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	P-NITROANILINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
FSB 93D	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
FSB 93D	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10
FSB 93D	7/28/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.00335	0.01
FSB 93D	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 93D	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 93D	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 93D	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 93D	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.00335	0.01
FSB 93D	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.00335	0.01
FSB 93D	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 93D	7/28/2015	CHLORIDE	11.4	mg/L					0.134	0.4
FSB 93D	7/28/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 93D	7/28/2015	AMERICIUM-241	0.93	pCi/L				0.323	0.063	0.709
FSB 93D	7/28/2015	CURIUM-242	0.0245	pCi/L	U	U		0.049	0.0621	0.16
FSB 93D	7/28/2015	CURIUM-243/244	0.321	pCi/L	J	J	21, V	0.178	0.0621	0.418
FSB 93D	7/28/2015	CURIUM-245/246	0.184	pCi/L	U	U	21, V	0.137	0.119	0.394
FSB 93D	7/28/2015	PLUTONIUM-238	-0.00549	pCi/L	U	U		0.011	0.111	0.133
FSB 93D	7/28/2015	PLUTONIUM-239/240	0.022	pCi/L	U	U		0.044	0.0595	0.148
FSB 93D	7/28/2015	THORIUM-228	0.302	pCi/L	J	J	21	0.189	0.155	0.533
FSB 93D	7/28/2015	THORIUM-230	0.408	pCi/L	J	J	21, V	0.218	0.131	0.566
FSB 93D	7/28/2015	THORIUM-232	0.0259	pCi/L	U	U		0.052	0.0701	0.174

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 93D	7/28/2015	URANIUM-233/234	71.5	pCi/L			V	11	0.0679	22
FSB 93D	7/28/2015	URANIUM-235	4.01	pCi/L			V	0.958	0.156	2.07
FSB 93D	7/28/2015	URANIUM-238	86.5	pCi/L			V	12.8	0.168	25.7
FSB 93D	7/28/2015	GROSS ALPHA	153	pCi/L				16.2	3.03	35.5
FSB 93D	7/28/2015	NONVOLATILE BETA	222	pCi/L				16.5	13	45.9
FSB 93D	7/28/2015	STRONTIUM-90	88.5	pCi/L				11.5	2.98	26
FSB 93D	7/28/2015	NICKEL-63	3.4	pCi/L	U	U		2.99	5.12	11.1
FSB 93D	7/28/2015	TECHNETIUM-99	29	pCi/L				3.3	4.26	10.9
FSB 93D	7/28/2015	TRITIUM	448	pCi/mL				4.06	0.483	8.61
FSB 93D	7/28/2015	CESIUM-134	0.0754	pCi/L	U	U		5.28	8.25	18.8
FSB 93D	7/28/2015	CESIUM-137	-0.947	pCi/L	U	U		5.58	9.82	21
FSB 93D	7/28/2015	COBALT-60	2.96	pCi/L	U	U		4.98	9.9	19.9
FSB 93D	7/28/2015	IODINE-129	63.1	pCi/L				9.8	1.6	21.2
FSB 93D	7/28/2015	RADIUM-226	8.4	pCi/L				0.837	0.303	1.98
FSB 93D	7/28/2015	RADIUM-228	13.3	pCi/L				0.95	0.539	2.44
FSB 93D	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	9.03	pCi/L				2.15	1.58	5.88
FSB 93D	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 93D	11/10/2015	NITRATE-NITRITE AS NITROGEN	44.4	mg/L					0.85	2.5
FSB 93D	11/10/2015	CADMIUM	4.37	ug/L					0.1	1
FSB 93D	11/10/2015	LEAD	1.42	ug/L	J		21		0.5	5
FSB 93D	11/10/2015	GROSS ALPHA	178	pCi/L				17.6	3.03	38.2
FSB 93D	11/10/2015	NONVOLATILE BETA	270	pCi/L				18.1	13.8	49.9
FSB 93D	11/10/2015	TRITIUM	509	pCi/mL				3.89	0.526	8.3
FSB 94C	2/5/2015	NITRATE-NITRITE AS NITROGEN	147	mg/L					4.25	12.5
FSB 94C	2/5/2015	ALUMINUM	32600	ug/L					40	400
FSB 94C	2/5/2015	ANTIMONY	10	ug/L	U				1	10
FSB 94C	2/5/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	2/5/2015	BARIUM	713	ug/L					2	20
FSB 94C	2/5/2015	BERYLLIUM	8.4	ug/L					0.1	1
FSB 94C	2/5/2015	CADMIUM	10.7	ug/L					0.1	1
FSB 94C	2/5/2015	CHROMIUM	12	ug/L	J				10	100
FSB 94C	2/5/2015	COBALT	200	ug/L					0.5	5
FSB 94C	2/5/2015	COPPER	48.8	ug/L					0.5	5
FSB 94C	2/5/2015	LEAD	1.04	ug/L	J				0.5	5
FSB 94C	2/5/2015	NICKEL	59.6	ug/L					0.5	5
FSB 94C	2/5/2015	SELENIUM	19.8	ug/L	J				2	20
FSB 94C	2/5/2015	SILVER	5	ug/L	U				0.5	5
FSB 94C	2/5/2015	THALLIUM	0.875	ug/L	J				0.1	1
FSB 94C	2/5/2015	TIN	10	ug/L	U				1	10
FSB 94C	2/5/2015	VANADIUM	50	ug/L	U				5	50
FSB 94C	2/5/2015	ZINC	119	ug/L					4	40
FSB 94C	2/5/2015	MERCURY	0.0434	ug/L	J		21		0.02	0.2
FSB 94C	2/5/2015	BENZENE	1	ug/L	U				0.3	1
FSB 94C	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 94C	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 94C	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 94C	2/5/2015	TRICHLOROETHYLENE (TCE)	15.5	ug/L					0.3	1
FSB 94C	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 94C	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 94C	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 94C	2/5/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 94C	2/5/2015	AMERICIUM-241	0.168	pCi/L	U			0.152	0.0908	0.396
FSB 94C	2/5/2015	CURIUM-242	0.0665	pCi/L	U			0.11	0.166	0.385

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	2/5/2015	CURIUM-243/244	0.0993	pCi/L	U			0.116	0.0894	0.321
FSB 94C	2/5/2015	CURIUM-245/246	0.102	pCi/L	U			0.12	0.0926	0.332
FSB 94C	2/5/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0696	0.0696
FSB 94C	2/5/2015	PLUTONIUM-239/240	-0.00642	pCi/L	U			0.013	0.129	0.155
FSB 94C	2/5/2015	THORIUM-228	0.507	pCi/L	J		21	0.237	0.0633	0.537
FSB 94C	2/5/2015	THORIUM-230	0.0936	pCi/L	U			0.095	0.0634	0.253
FSB 94C	2/5/2015	THORIUM-232	0	pCi/L	U			0	0.0633	0.0633
FSB 94C	2/5/2015	URANIUM-233/234	180	pCi/L				34.9	0.259	70.1
FSB 94C	2/5/2015	URANIUM-235	11.9	pCi/L				2.95	0.38	6.28
FSB 94C	2/5/2015	URANIUM-238	210	pCi/L				39.7	0.258	79.6
FSB 94C	2/5/2015	GROSS ALPHA	369	pCi/L				29.4	5.42	64.2
FSB 94C	2/5/2015	NONVOLATILE BETA	949	pCi/L				32.2	16.3	80.8
FSB 94C	2/5/2015	STRONTIUM-90	350	pCi/L				38.7	3.25	80.6
FSB 94C	2/5/2015	CARBON-14	3.55	pCi/L	U			4.28	7.03	15.6
FSB 94C	2/5/2015	TECHNETIUM-99	57.4	pCi/L				3.91	4.22	12
FSB 94C	2/5/2015	TRITIUM	1990	pCi/mL				8.48	0.456	17.4
FSB 94C	2/5/2015	CESIUM-137	1.12	pCi/L	U			4.65	8.64	17.9
FSB 94C	2/5/2015	COBALT-60	-1.43	pCi/L	U			4.66	8.42	17.7
FSB 94C	2/5/2015	IODINE-129	62.4	pCi/L				9.61	1.46	20.7
FSB 94C	2/5/2015	RADIUM-226	104	pCi/L				4.32	0.748	9.39
FSB 94C	2/5/2015	RADIUM-228	14.4	pCi/L				1.05	0.644	2.74
FSB 94C	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	83	pCi/L				7.81	1.86	17.5
FSB 94C	4/8/2015	NITRATE-NITRITE AS NITROGEN	141	mg/L					4.25	12.5
FSB 94C	4/8/2015	CADMIUM	10	ug/L					0.1	1
FSB 94C	4/8/2015	LEAD	1.15	ug/L	J				0.5	5
FSB 94C	4/8/2015	GROSS ALPHA	328	pCi/L				28.8	5.53	63.1
FSB 94C	4/8/2015	NONVOLATILE BETA	883	pCi/L				31	14.8	76.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	4/8/2015	TRITIUM	1940	pCi/mL				8.37	0.428	17.2
FSB 94C	7/28/2015	NITRATE-NITRITE AS NITROGEN	106	mg/L					3.4	10
FSB 94C	7/28/2015	ALUMINUM	21100	ug/L					40	400
FSB 94C	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 94C	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 94C	7/28/2015	BARIUM	649	ug/L					2	20
FSB 94C	7/28/2015	BERYLLIUM	5.02	ug/L					0.1	1
FSB 94C	7/28/2015	CADMIUM	7.1	ug/L					0.1	1
FSB 94C	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 94C	7/28/2015	COBALT	104	ug/L					0.5	5
FSB 94C	7/28/2015	COPPER	32.8	ug/L					0.5	5
FSB 94C	7/28/2015	LEAD	0.697	ug/L	J	J	21		0.5	5
FSB 94C	7/28/2015	NICKEL	34.5	ug/L					0.5	5
FSB 94C	7/28/2015	SELENIUM	13.7	ug/L	J	J	21		2	20
FSB 94C	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 94C	7/28/2015	THALLIUM	0.779	ug/L	J	J	21		0.1	1
FSB 94C	7/28/2015	TIN	10	ug/L	U	U			1	10
FSB 94C	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 94C	7/28/2015	ZINC	70.4	ug/L					4	40
FSB 94C	7/28/2015	MERCURY	0.045	ug/L	J	J	21		0.02	0.2
FSB 94C	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 94C	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 94C	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 94C	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 94C	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 94C	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 94C	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 94C	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 94C	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 94C	7/28/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 94C	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
FSB 94C	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 94C	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 94C	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,2-DICHLOROETHANE (EDC)	0.79	ug/L	J	J	21		0.3	1
FSB 94C	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
FSB 94C	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 94C	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 94C	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 94C	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 94C	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 94C	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	TRICHLOROETHYLENE (TCE)	14.2	ug/L					0.3	1
FSB 94C	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 94C	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 94C	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
FSB 94C	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
FSB 94C	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
FSB 94C	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
FSB 94C	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
FSB 94C	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
FSB 94C	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
FSB 94C	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
FSB 94C	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DIALLATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10
FSB 94C	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
FSB 94C	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
FSB 94C	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	KEPONE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
FSB 94C	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	PARATHION	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
FSB 94C	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
FSB 94C	7/28/2015	PHORATE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	P-NITROANILINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
FSB 94C	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
FSB 94C	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10
FSB 94C	7/28/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.00334	0.01
FSB 94C	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 94C	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 94C	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0501	ng/L	U	U			0.0167	0.0501
FSB 94C	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0501	ng/L	U	U			0.0167	0.0501

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.00334	0.01
FSB 94C	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.00334	0.01
FSB 94C	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 94C	7/28/2015	CHLORIDE	4.81	mg/L					0.067	0.2
FSB 94C	7/28/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 94C	7/28/2015	AMERICIUM-241	0.181	pCi/L	U	U		0.174	0.192	0.54
FSB 94C	7/28/2015	CURIUM-242	-0.01	pCi/L	U	U		0.02	0.189	0.229
FSB 94C	7/28/2015	CURIUM-243/244	0.104	pCi/L	U	U	V	0.133	0.189	0.455
FSB 94C	7/28/2015	CURIUM-245/246	0.0681	pCi/L	U	U	V	0.112	0.196	0.42
FSB 94C	7/28/2015	PLUTONIUM-238	0.0867	pCi/L	U	U		0.094	0.116	0.305
FSB 94C	7/28/2015	PLUTONIUM-239/240	0.0347	pCi/L	U	U		0.068	0.139	0.274
FSB 94C	7/28/2015	THORIUM-228	0.172	pCi/L	J	J	21	0.138	0.157	0.433
FSB 94C	7/28/2015	THORIUM-230	0.0875	pCi/L	U	U	V	0.095	0.118	0.308
FSB 94C	7/28/2015	THORIUM-232	0	pCi/L	U	U		0	0.0631	0.0631
FSB 94C	7/28/2015	URANIUM-233/234	142	pCi/L			V	22.5	0.0833	45
FSB 94C	7/28/2015	URANIUM-235	7.89	pCi/L			V	1.72	0.103	3.54
FSB 94C	7/28/2015	URANIUM-238	160	pCi/L			V	24.4	0.0831	49
FSB 94C	7/28/2015	GROSS ALPHA	273	pCi/L				18.3	2.81	39.4
FSB 94C	7/28/2015	NONVOLATILE BETA	855	pCi/L				21.2	5.64	48
FSB 94C	7/28/2015	STRONTIUM-90	277	pCi/L				30.6	3	64.2
FSB 94C	7/28/2015	NICKEL-63	8.12	pCi/L	J	J	21	3	4.76	10.8
FSB 94C	7/28/2015	TECHNETIUM-99	55.8	pCi/L				3.86	4.22	11.9
FSB 94C	7/28/2015	TRITIUM	1780	pCi/mL				7.97	0.487	16.4
FSB 94C	7/28/2015	CESIUM-134	-0.995	pCi/L	U	U		5.13	7.82	18.1
FSB 94C	7/28/2015	CESIUM-137	-0.752	pCi/L	U	U		5.73	10.1	21.6
FSB 94C	7/28/2015	COBALT-60	-2.29	pCi/L	U	U		5.54	9.75	20.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94C	7/28/2015	IODINE-129	54.5	pCi/L				8.5	1.54	18.5
FSB 94C	7/28/2015	RADIUM-226	59.8	pCi/L				2.51	0.438	5.46
FSB 94C	7/28/2015	RADIUM-228	14.2	pCi/L				0.968	0.418	2.35
FSB 94C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	64.4	pCi/L				4.8	0.89	10.5
FSB 94C	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 94C	11/6/2015	NITRATE-NITRITE AS NITROGEN	146	mg/L					1.7	5
FSB 94C	11/6/2015	CADMIUM	10.5	ug/L					0.1	1
FSB 94C	11/6/2015	LEAD	0.979	ug/L	J		21		0.5	5
FSB 94C	11/6/2015	GROSS ALPHA	388	pCi/L				30.5	5.4	66.4
FSB 94C	11/6/2015	NONVOLATILE BETA	925	pCi/L				31.9	16.5	80.3
FSB 94C	11/6/2015	TRITIUM	1820	pCi/mL				7.34	0.539	15.2
FSB 94DR	2/5/2015	NITRATE-NITRITE AS NITROGEN	23.4	mg/L					0.425	1.25
FSB 94DR	2/5/2015	ALUMINUM	4380	ug/L					40	400
FSB 94DR	2/5/2015	ANTIMONY	10	ug/L	U				1	10
FSB 94DR	2/5/2015	ARSENIC	50	ug/L	U				5	50
FSB 94DR	2/5/2015	BARIUM	57.6	ug/L					2	20
FSB 94DR	2/5/2015	BERYLLIUM	0.306	ug/L	J				0.1	1
FSB 94DR	2/5/2015	CADMIUM	0.654	ug/L	J				0.1	1
FSB 94DR	2/5/2015	CHROMIUM	100	ug/L	U				10	100
FSB 94DR	2/5/2015	COBALT	1.98	ug/L	J				0.5	5
FSB 94DR	2/5/2015	COPPER	7.76	ug/L					0.5	5
FSB 94DR	2/5/2015	LEAD	1.25	ug/L	J				0.5	5
FSB 94DR	2/5/2015	NICKEL	2.8	ug/L	J				0.5	5
FSB 94DR	2/5/2015	SELENIUM	20	ug/L	U				2	20
FSB 94DR	2/5/2015	SILVER	5	ug/L	U				0.5	5
FSB 94DR	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 94DR	2/5/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94DR	2/5/2015	VANADIUM	50	ug/L	U				5	50
FSB 94DR	2/5/2015	ZINC	6.41	ug/L	J				4	40
FSB 94DR	2/5/2015	MERCURY	0.83	ug/L					0.02	0.2
FSB 94DR	2/5/2015	BENZENE	1	ug/L	U				0.3	1
FSB 94DR	2/5/2015	CHLOROFORM	0.31	ug/L	J		21		0.3	1
FSB 94DR	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 94DR	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 94DR	2/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 94DR	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 94DR	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 94DR	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 94DR	2/5/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 94DR	2/5/2015	AMERICIUM-241	3.46	pCi/L				0.766	0.0579	1.59
FSB 94DR	2/5/2015	CURIUM-242	0	pCi/L	U			0	0.057	0.057
FSB 94DR	2/5/2015	CURIUM-243/244	2.61	pCi/L				0.621	0.106	1.35
FSB 94DR	2/5/2015	CURIUM-245/246	0.24	pCi/L	U			0.149	0.059	0.357
FSB 94DR	2/5/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0819	0.0819
FSB 94DR	2/5/2015	PLUTONIUM-239/240	0.0227	pCi/L	U			0.062	0.152	0.277
FSB 94DR	2/5/2015	THORIUM-228	0.102	pCi/L	J		21	0.104	0.132	0.34
FSB 94DR	2/5/2015	THORIUM-230	0.088	pCi/L	U			0.089	0.0596	0.238
FSB 94DR	2/5/2015	THORIUM-232	0	pCi/L	U			0	0.0595	0.0595
FSB 94DR	2/5/2015	URANIUM-233/234	46.1	pCi/L				8.49	0.18	17.2
FSB 94DR	2/5/2015	URANIUM-235	4.44	pCi/L				1.21	0.119	2.54
FSB 94DR	2/5/2015	URANIUM-238	121	pCi/L				21.1	0.179	42.5
FSB 94DR	2/5/2015	GROSS ALPHA	133	pCi/L				15.7	3.02	34.4
FSB 94DR	2/5/2015	NONVOLATILE BETA	125	pCi/L				12.9	11.7	37.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94DR	2/5/2015	STRONTIUM-90	25.8	pCi/L				5.31	3.24	13.9
FSB 94DR	2/5/2015	CARBON-14	-1.59	pCi/L	U			4.18	7.07	15.4
FSB 94DR	2/5/2015	TECHNETIUM-99	46.7	pCi/L				3.64	4.15	11.4
FSB 94DR	2/5/2015	TRITIUM	107	pCi/mL				1.97	0.454	4.4
FSB 94DR	2/5/2015	CESIUM-137	7.81	pCi/L	U			5.41	10.7	21.6
FSB 94DR	2/5/2015	COBALT-60	4.77	pCi/L	U			5.13	8.83	19.1
FSB 94DR	2/5/2015	IODINE-129	329	pCi/L				48.9	2.68	100
FSB 94DR	2/5/2015	RADIUM-226	1.34	pCi/L	U		21, V	0.527	0.602	1.66
FSB 94DR	2/5/2015	RADIUM-228	4.99	pCi/L				0.739	0.75	2.23
FSB 94DR	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	3.32	pCi/L	U		21, V	1.65	1.85	5.15
FSB 94DR	4/8/2015	NITRATE-NITRITE AS NITROGEN	23.5	mg/L					0.85	2.5
FSB 94DR	4/8/2015	CADMIUM	0.678	ug/L	J				0.1	1
FSB 94DR	4/8/2015	LEAD	0.773	ug/L	J				0.5	5
FSB 94DR	4/8/2015	GROSS ALPHA	122	pCi/L				15	2.75	32.8
FSB 94DR	4/8/2015	NONVOLATILE BETA	105	pCi/L				12	11.3	35.3
FSB 94DR	4/8/2015	TRITIUM	121	pCi/mL				2.09	0.424	4.61
FSB 94DR	8/3/2015	NITRATE-NITRITE AS NITROGEN	24.2	mg/L					0.85	2.5
FSB 94DR	8/3/2015	ALUMINUM	5110	ug/L					40	400
FSB 94DR	8/3/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 94DR	8/3/2015	ARSENIC	50	ug/L	U				5	50
FSB 94DR	8/3/2015	BARIUM	55.9	ug/L					2	20
FSB 94DR	8/3/2015	BERYLLIUM	0.421	ug/L	J		21		0.1	1
FSB 94DR	8/3/2015	CADMIUM	0.651	ug/L	J		21		0.1	1
FSB 94DR	8/3/2015	CHROMIUM	100	ug/L	U				10	100
FSB 94DR	8/3/2015	COBALT	1.96	ug/L	J		21		0.5	5
FSB 94DR	8/3/2015	COPPER	13.2	ug/L					0.5	5
FSB 94DR	8/3/2015	LEAD	1.98	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94DR	8/3/2015	NICKEL	3.05	ug/L	J		21		0.5	5
FSB 94DR	8/3/2015	SELENIUM	20	ug/L	U				2	20
FSB 94DR	8/3/2015	SILVER	5	ug/L	U				0.5	5
FSB 94DR	8/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 94DR	8/3/2015	VANADIUM	50	ug/L	U				5	50
FSB 94DR	8/3/2015	ZINC	13.7	ug/L	J		21		4	40
FSB 94DR	8/3/2015	MERCURY	0.797	ug/L					0.02	0.2
FSB 94DR	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB 94DR	8/3/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1
FSB 94DR	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 94DR	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 94DR	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 94DR	8/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 94DR	8/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 94DR	8/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 94DR	8/3/2015	PHENOLS	0.00285	mg/L	J		21		0.00175	0.005
FSB 94DR	8/3/2015	AMERICIUM-241	3.94	pCi/L			V	0.822	0.114	1.76
FSB 94DR	8/3/2015	CURIUM-242	-0.006	pCi/L	U			0.012	0.113	0.137
FSB 94DR	8/3/2015	CURIUM-243/244	2.22	pCi/L				0.545	0.0606	1.15
FSB 94DR	8/3/2015	CURIUM-245/246	0.278	pCi/L	U		21, V	0.165	0.0627	0.393
FSB 94DR	8/3/2015	PLUTONIUM-238	-0.0182	pCi/L	U			0.021	0.163	0.205
FSB 94DR	8/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0656	0.0656
FSB 94DR	8/3/2015	THORIUM-228	0.0431	pCi/L	U			0.09	0.191	0.371
FSB 94DR	8/3/2015	THORIUM-230	0.139	pCi/L	U		21, V	0.121	0.122	0.365
FSB 94DR	8/3/2015	THORIUM-232	-0.00605	pCi/L	U			0.012	0.122	0.146
FSB 94DR	8/3/2015	URANIUM-233/234	49.9	pCi/L			V	7.9	0.0724	15.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 94DR	8/3/2015	URANIUM-235	3.79	pCi/L				0.941	0.0893	1.97
FSB 94DR	8/3/2015	URANIUM-238	128	pCi/L			V	19.1	0.134	38.3
FSB 94DR	8/3/2015	GROSS ALPHA	181	pCi/L				18.3	2.96	39.5
FSB 94DR	8/3/2015	NONVOLATILE BETA	98.3	pCi/L				12.5	13.4	38.4
FSB 94DR	8/3/2015	STRONTIUM-90	20.1	pCi/L				4.61	3.35	12.6
FSB 94DR	8/3/2015	CARBON-14	42.9	pCi/L				5.16	7.1	17.4
FSB 94DR	8/3/2015	TECHNETIUM-99	24.8	pCi/L				3.19	4.25	10.6
FSB 94DR	8/3/2015	TRITIUM	140	pCi/mL				2.32	0.436	5.08
FSB 94DR	8/3/2015	CESIUM-137	7.44	pCi/L	U			5.82	11.3	23
FSB 94DR	8/3/2015	COBALT-60	1.49	pCi/L	U			4.81	9.36	19
FSB 94DR	8/3/2015	IODINE-129	301	pCi/L				44.9	2.8	92.5
FSB 94DR	8/3/2015	RADIUM-226	1.21	pCi/L	J		21	0.41	0.433	1.25
FSB 94DR	8/3/2015	RADIUM-228	3.7	pCi/L	J		V	0.643	0.611	1.9
FSB 94DR	8/3/2015	RADIUM, TOTAL ALPHA-EMITTING	3.31	pCi/L	J		21	1.38	1.35	4.11
FSB 94DR	11/6/2015	NITRATE-NITRITE AS NITROGEN	29	mg/L					0.85	2.5
FSB 94DR	11/6/2015	CADMIUM	0.935	ug/L	J		21		0.1	1
FSB 94DR	11/6/2015	LEAD	1.06	ug/L	J		21		0.5	5
FSB 94DR	11/6/2015	GROSS ALPHA	189	pCi/L				18.7	2.95	40.4
FSB 94DR	11/6/2015	NONVOLATILE BETA	147	pCi/L				14.3	13.6	42.3
FSB 94DR	11/6/2015	TRITIUM	184	pCi/mL				2.34	0.534	5.21
FSB 95CR	1/22/2015	NITRATE-NITRITE AS NITROGEN	106	mg/L					4.25	12.5
FSB 95CR	1/22/2015	ALUMINUM	6990	ug/L					40	400
FSB 95CR	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB 95CR	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB 95CR	1/22/2015	BARIUM	267	ug/L					2	20
FSB 95CR	1/22/2015	BERYLLIUM	6.68	ug/L					0.1	1
FSB 95CR	1/22/2015	CADMIUM	5.19	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB 95CR	1/22/2015	COBALT	96.5	ug/L					0.5	5
FSB 95CR	1/22/2015	COPPER	13.4	ug/L					0.5	5
FSB 95CR	1/22/2015	LEAD	5	ug/L	U				0.5	5
FSB 95CR	1/22/2015	NICKEL	33.4	ug/L					0.5	5
FSB 95CR	1/22/2015	SELENIUM	3.81	ug/L	J				2	20
FSB 95CR	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB 95CR	1/22/2015	THALLIUM	0.461	ug/L	J				0.1	1
FSB 95CR	1/22/2015	TIN	10	ug/L	U				1	10
FSB 95CR	1/22/2015	VANADIUM	46.3	ug/L	U				5	50
FSB 95CR	1/22/2015	ZINC	138	ug/L					4	40
FSB 95CR	1/22/2015	MERCURY	0.498	ug/L					0.02	0.2
FSB 95CR	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB 95CR	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 95CR	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 95CR	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 95CR	1/22/2015	TRICHLOROETHYLENE (TCE)	16.3	ug/L					0.3	1
FSB 95CR	1/22/2015	TRICHLOROFLUOROMETHANE	0.69	ug/L	J		21		0.3	1
FSB 95CR	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 95CR	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 95CR	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 95CR	1/22/2015	AMERICIUM-241	2.75	pCi/L				0.661	0.0615	1.38
FSB 95CR	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0606	0.0606
FSB 95CR	1/22/2015	CURIUM-243/244	1.61	pCi/L				0.456	0.0606	0.973
FSB 95CR	1/22/2015	CURIUM-245/246	0.139	pCi/L	U			0.115	0.0627	0.293
FSB 95CR	1/22/2015	PLUTONIUM-238	0.0168	pCi/L	U			0.046	0.113	0.206

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	1/22/2015	PLUTONIUM-239/240	0.0393	pCi/L	U			0.065	0.113	0.243
FSB 95CR	1/22/2015	THORIUM-228	0.0455	pCi/L	U			0.082	0.165	0.33
FSB 95CR	1/22/2015	THORIUM-230	0.135	pCi/L	U			0.112	0.0609	0.286
FSB 95CR	1/22/2015	THORIUM-232	-0.00561	pCi/L	U			0.011	0.113	0.135
FSB 95CR	1/22/2015	URANIUM-233/234	63.2	pCi/L				10.7	0.0694	21.4
FSB 95CR	1/22/2015	URANIUM-235	4.31	pCi/L				1.06	0.19	2.31
FSB 95CR	1/22/2015	URANIUM-238	76.5	pCi/L				12.5	0.153	25.1
FSB 95CR	1/22/2015	GROSS ALPHA	110	pCi/L				15.3	3.22	33.9
FSB 95CR	1/22/2015	NONVOLATILE BETA	326	pCi/L				18.1	6.14	42.4
FSB 95CR	1/22/2015	STRONTIUM-90	118	pCi/L				15.2	3.31	33.7
FSB 95CR	1/22/2015	CARBON-14	17.7	pCi/L	J			4.54	6.92	16
FSB 95CR	1/22/2015	TECHNETIUM-99	92.1	pCi/L				4.48	4.04	13
FSB 95CR	1/22/2015	TRITIUM	1360	pCi/mL				6.34	0.533	13.2
FSB 95CR	1/22/2015	CESIUM-137	-1.38	pCi/L	U			6.22	10.8	23.3
FSB 95CR	1/22/2015	COBALT-60	1.93	pCi/L	U			5.33	10.5	21.2
FSB 95CR	1/22/2015	IODINE-129	38.6	pCi/L				6.33	1.34	14
FSB 95CR	1/22/2015	RADIUM-226	20.2	pCi/L				1.78	0.578	4.14
FSB 95CR	1/22/2015	RADIUM-228	5.24	pCi/L	J		V	0.73	0.666	2.13
FSB 95CR	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	16.9	pCi/L				1.12	0.615	2.86
FSB 95CR	4/20/2015	NITRATE-NITRITE AS NITROGEN	112	mg/L					4.25	12.5
FSB 95CR	4/20/2015	CADMIUM	5.96	ug/L					0.1	1
FSB 95CR	4/20/2015	LEAD	0.977	ug/L	J		21		0.5	5
FSB 95CR	4/20/2015	GROSS ALPHA	112	pCi/L				16.4	3.66	36.5
FSB 95CR	4/20/2015	NONVOLATILE BETA	304	pCi/L				17.8	6.04	41.6
FSB 95CR	4/20/2015	TRITIUM	1280	pCi/mL				6.56	0.409	13.5
FSB 95CR	7/29/2015	NITRATE-NITRITE AS NITROGEN	112	mg/L					1.7	5
FSB 95CR	7/29/2015	ALUMINUM	7580	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 95CR	7/29/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 95CR	7/29/2015	BARIUM	211	ug/L					2	20
FSB 95CR	7/29/2015	BERYLLIUM	7.8	ug/L					0.1	1
FSB 95CR	7/29/2015	CADMIUM	4.07	ug/L					0.1	1
FSB 95CR	7/29/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 95CR	7/29/2015	COBALT	82.2	ug/L					0.5	5
FSB 95CR	7/29/2015	COPPER	11.7	ug/L			V		0.5	5
FSB 95CR	7/29/2015	LEAD	5	ug/L	U	U			0.5	5
FSB 95CR	7/29/2015	NICKEL	31.7	ug/L					0.5	5
FSB 95CR	7/29/2015	SELENIUM	4.01	ug/L	J	J	21		2	20
FSB 95CR	7/29/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 95CR	7/29/2015	THALLIUM	0.313	ug/L	J	J	21		0.1	1
FSB 95CR	7/29/2015	TIN	10	ug/L	U	U			1	10
FSB 95CR	7/29/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 95CR	7/29/2015	ZINC	121	ug/L					4	40
FSB 95CR	7/29/2015	MERCURY	0.506	ug/L					0.02	0.2
FSB 95CR	7/29/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 95CR	7/29/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 95CR	7/29/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95CR	7/29/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 95CR	7/29/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 95CR	7/29/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 95CR	7/29/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 95CR	7/29/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 95CR	7/29/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 95CR	7/29/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 95CR	7/29/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
FSB 95CR	7/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1,2-TRICHLORO-1,2,2-	5	ug/L	U	U			2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TRIFLUOROETHANE								
FSB 95CR	7/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 95CR	7/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,2-DICHLOROETHANE (EDC)	0.44	ug/L	J	J	21		0.3	1
FSB 95CR	7/29/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
FSB 95CR	7/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 95CR	7/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FSB 95CR	7/29/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 95CR	7/29/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 95CR	7/29/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	IODOMETHANE (METHYL	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
FSB 95CR	7/29/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 95CR	7/29/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 95CR	7/29/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	TRICHLOROETHYLENE (TCE)	13.8	ug/L					0.3	1
FSB 95CR	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95CR	7/29/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95CR	7/29/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 95CR	7/29/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,2-DICHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,3-DICHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,3-DINITROBENZENE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,4-DICHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,4-DIOXANE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1,4-NAPHTHOQUINONE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	1-NAPHTHYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,4-DICHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,4-DIMETHYLPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,4-DINITROPHENOL	20	ug/L	UJ	UJ	Q, 14		5	20
FSB 95CR	7/29/2015	2,4-DINITROTOLUENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,6-DICHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,6-DINITROTOLUENE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-ACETYLAMINOFLUORENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-CHLORONAPHTHALENE	1	ug/L	UJ	UJ	Q, 14		0.41	1
FSB 95CR	7/29/2015	2-CHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-METHYLNAPHTHALENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	2-NAPHTHYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-NITROANILINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-NITROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2-PICOLINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	3,3-DICHLOROBENZIDINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	UJ	UJ	Q, 14		3.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	4-AMINOBIPHENYL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	4-CHLOROANILINE	10	ug/L	UJ	UJ	Q, 14		3.3	10
FSB 95CR	7/29/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	4-NITROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	UJ	UJ	Q, 14		3.8	10
FSB 95CR	7/29/2015	5-NITRO-O-TOLUIDINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	UJ	UJ	Q, 14		5.4	10
FSB 95CR	7/29/2015	ACENAPHTHENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	ACENAPHTHYLENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	ACETOPHENONE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	ANILINE	10	ug/L	UJ	UJ	Q, 14		4.2	10
FSB 95CR	7/29/2015	ANTHRACENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	ARAMITE	10	ug/L	UJ	UJ	Q, 14		3.7	10
FSB 95CR	7/29/2015	BENZO(G,H,I)PERYLENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	BENZO[A]ANTHRACENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	BENZO[A]PYRENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	BENZO[B]FLUORANTHENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	BENZO[K]FLUORANTHENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	BENZYL ALCOHOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	BIS(2-	10	ug/L	UJ	UJ	Q, 14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROETHOXY)METHANE								
FSB 95CR	7/29/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	BUTYL BENZYL PHTHALATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	CHLOROBENZILATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	CHRYSENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	DIALLATE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	DIBENZOFURAN	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DIETHYL PHTHALATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DIMETHOATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DIMETHYL PHTHALATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DI-N-BUTYL PHTHALATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	DISULFOTON	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	ETHYL METHACRYLATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	ETHYL METHANESULFONATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	FAMPHUR	10	ug/L	U	UJ	Q, 14		5	10
FSB 95CR	7/29/2015	FLUORANTHENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	FLUORENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	HEXACHLOROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	HEXACHLOROBUTADIENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	HEXACHLOROETHANE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	HEXACHLOROPHENE	500	ug/L	UJ	UJ	Q, 14		167	500
FSB 95CR	7/29/2015	HEXACHLOROPROPENE	10	ug/L	UJ	UJ	Q, 14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	ISODRIN	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	ISOPHORONE	10	ug/L	U	UJ	Q, 14		3.5	10
FSB 95CR	7/29/2015	ISOSAFROLE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	KEPONE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	M/P-CRESOL	10	ug/L	UJ	UJ	Q, 14		3.7	10
FSB 95CR	7/29/2015	METHAPYRILENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	METHYL METHANESULFONATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	METHYL PARATHION	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	M-NITROANILINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	NAPHTHALENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	N-DIOCTYL PHTHALATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	NITROBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSODIETHYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSODIPROPYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSOMORPHOLINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSOPIPERIDINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	N-NITROSOPYRROLIDINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PARATHION	10	ug/L	U	UJ	Q, 14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	P-CHLORO-M-CRESOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PENTACHLOROBENZENE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PENTACHLOROETHANE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PENTACHLORONITROBENZENE	10	ug/L	UJ	UJ	Q, 14		3.4	10
FSB 95CR	7/29/2015	PENTACHLOROPHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PHENACETIN	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PHENANTHRENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	PHENOL	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PHORATE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	P-NITROANILINE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	P-PHENYLENEDIAMINE	500	ug/L	UJ	UJ	Q, 14		100	500
FSB 95CR	7/29/2015	PRONAMIDE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	PYRENE	1	ug/L	UJ	UJ	Q, 14		0.3	1
FSB 95CR	7/29/2015	PYRIDINE	10	ug/L	U	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	SAFROLE	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	SULFOTEPP	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	THIONAZIN	10	ug/L	UJ	UJ	Q, 14		3	10
FSB 95CR	7/29/2015	2,3,7,8-TCDD	0.00989	ng/L	U	U			0.0033	0.00989
FSB 95CR	7/29/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0494	ng/L	U	U			0.0165	0.0494
FSB 95CR	7/29/2015	HEXACHLORODIBENZO-P-FURANS	0.0494	ng/L	U	U			0.0165	0.0494
FSB 95CR	7/29/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0494	ng/L	U	U			0.0165	0.0494
FSB 95CR	7/29/2015	PENTACHLORODIBENZO-P-FURANS	0.0494	ng/L	U	U			0.0165	0.0494
FSB 95CR	7/29/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00989	ng/L	U	U			0.0033	0.00989

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	TETRACHLORODIBENZO-P-FURANS	0.00989	ng/L	U	U			0.0033	0.00989
FSB 95CR	7/29/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 95CR	7/29/2015	CHLORIDE	6.98	mg/L					0.067	0.2
FSB 95CR	7/29/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 95CR	7/29/2015	AMERICIUM-241	2.72	pCi/L			V	0.639	0.064	1.34
FSB 95CR	7/29/2015	CURIUM-242	0.0761	pCi/L	U	U	21, V	0.089	0.063	0.24
FSB 95CR	7/29/2015	CURIUM-243/244	1.77	pCi/L				0.479	0.063	1.02
FSB 95CR	7/29/2015	CURIUM-245/246	0.337	pCi/L	U	U	21, V	0.186	0.0652	0.438
FSB 95CR	7/29/2015	PLUTONIUM-238	-0.0185	pCi/L	U	U	V	0.022	0.167	0.21
FSB 95CR	7/29/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.067	0.067
FSB 95CR	7/29/2015	THORIUM-228	0.0598	pCi/L	J	J	21	0.07	0.0532	0.192
FSB 95CR	7/29/2015	THORIUM-230	0.0786	pCi/L	U	U	21, V	0.08	0.0533	0.212
FSB 95CR	7/29/2015	THORIUM-232	0.0392	pCi/L	U	U	V	0.056	0.0532	0.165
FSB 95CR	7/29/2015	URANIUM-233/234	58	pCi/L				8.99	0.127	18.1
FSB 95CR	7/29/2015	URANIUM-235	3.16	pCi/L			V	0.81	0.157	1.78
FSB 95CR	7/29/2015	URANIUM-238	64.8	pCi/L				9.65	0.127	19.4
FSB 95CR	7/29/2015	GROSS ALPHA	110	pCi/L				11.2	2.21	24.7
FSB 95CR	7/29/2015	NONVOLATILE BETA	336	pCi/L				13.2	4.1	30.5
FSB 95CR	7/29/2015	STRONTIUM-90	101	pCi/L				12.7	3.27	28.6
FSB 95CR	7/29/2015	NICKEL-63	10.2	pCi/L	J	J	21	3.12	4.97	11.2
FSB 95CR	7/29/2015	TECHNETIUM-99	86.9	pCi/L				4.42	4.11	12.9
FSB 95CR	7/29/2015	TRITIUM	1360	pCi/mL				7.06	0.46	14.6
FSB 95CR	7/29/2015	CESIUM-134	11.8	pCi/L	J	J	21	5.34	9.01	19.7
FSB 95CR	7/29/2015	CESIUM-137	0.24	pCi/L	U	U		5.98	10.7	22.6
FSB 95CR	7/29/2015	COBALT-60	1.46	pCi/L	U	U		4.71	9.18	18.6
FSB 95CR	7/29/2015	IODINE-129	36.4	pCi/L				5.95	1.47	13.4
FSB 95CR	7/29/2015	RADIUM-226	17.6	pCi/L				1.33	0.411	3.07

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95CR	7/29/2015	RADIUM-228	4.68	pCi/L				0.688	0.532	1.91
FSB 95CR	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	21.3	pCi/L				1.2	0.526	2.93
FSB 95CR	7/29/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 95CR	11/13/2015	NITRATE-NITRITE AS NITROGEN	128	mg/L					1.7	5
FSB 95CR	11/13/2015	CADMIUM	5.93	ug/L					0.1	1
FSB 95CR	11/13/2015	LEAD	2.52	ug/L	J		21		0.5	5
FSB 95CR	11/13/2015	GROSS ALPHA	123	pCi/L				11.5	2.06	25
FSB 95CR	11/13/2015	NONVOLATILE BETA	354	pCi/L				13.4	4.35	31.2
FSB 95CR	11/13/2015	TRITIUM	1260	pCi/mL				6.57	0.451	13.6
FSB 95DR	1/21/2015	NITRATE-NITRITE AS NITROGEN	54	mg/L					0.85	2.5
FSB 95DR	1/21/2015	ALUMINUM	13100	ug/L					40	400
FSB 95DR	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 95DR	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 95DR	1/21/2015	BARIUM	4420	ug/L					2	20
FSB 95DR	1/21/2015	BERYLLIUM	0.883	ug/L	J				0.1	1
FSB 95DR	1/21/2015	CADMIUM	10.9	ug/L					0.1	1
FSB 95DR	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 95DR	1/21/2015	COBALT	9.87	ug/L					0.5	5
FSB 95DR	1/21/2015	COPPER	32.2	ug/L					0.5	5
FSB 95DR	1/21/2015	LEAD	12.1	ug/L					0.5	5
FSB 95DR	1/21/2015	NICKEL	13.7	ug/L					0.5	5
FSB 95DR	1/21/2015	SELENIUM	2.47	ug/L	J				2	20
FSB 95DR	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 95DR	1/21/2015	THALLIUM	0.176	ug/L	J				0.1	1
FSB 95DR	1/21/2015	TIN	10	ug/L	U				1	10
FSB 95DR	1/21/2015	VANADIUM	29.4	ug/L	U				5	50
FSB 95DR	1/21/2015	ZINC	45.7	ug/L					4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	1/21/2015	MERCURY	3.56	ug/L					0.02	0.2
FSB 95DR	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 95DR	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 95DR	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.49	ug/L	U		21, V		1	5
FSB 95DR	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 95DR	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 95DR	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 95DR	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 95DR	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 95DR	1/21/2015	PHENOLS	0.00314	mg/L	J		21		0.00167	0.005
FSB 95DR	1/21/2015	AMERICIUM-241	24.1	pCi/L				4.06	0.0618	8.18
FSB 95DR	1/21/2015	CURIUM-242	-0.00582	pCi/L	U			0.012	0.113	0.136
FSB 95DR	1/21/2015	CURIUM-243/244	7.64	pCi/L				1.45	0.0609	2.97
FSB 95DR	1/21/2015	CURIUM-245/246	1.98	pCi/L				0.528	0.063	1.12
FSB 95DR	1/21/2015	PLUTONIUM-238	0.0227	pCi/L	U			0.046	0.0615	0.153
FSB 95DR	1/21/2015	PLUTONIUM-239/240	-0.00567	pCi/L	U			0.011	0.114	0.137
FSB 95DR	1/21/2015	THORIUM-228	0.303	pCi/L	J		21	0.169	0.0582	0.397
FSB 95DR	1/21/2015	THORIUM-230	0.043	pCi/L	U			0.061	0.0583	0.181
FSB 95DR	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0582	0.0582
FSB 95DR	1/21/2015	URANIUM-233/234	96.8	pCi/L				16.9	0.169	34
FSB 95DR	1/21/2015	URANIUM-235	8.57	pCi/L				1.96	0.249	4.18
FSB 95DR	1/21/2015	URANIUM-238	232	pCi/L				39	0.091	78.1
FSB 95DR	1/21/2015	GROSS ALPHA	336	pCi/L				25	3	53
FSB 95DR	1/21/2015	NONVOLATILE BETA	749	pCi/L				27.4	8.82	63.5
FSB 95DR	1/21/2015	STRONTIUM-90	246	pCi/L				28	3.12	59.2
FSB 95DR	1/21/2015	CARBON-14	-0.849	pCi/L	UJ			4.22	7.11	15.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	1/21/2015	TECHNETIUM-99	49.4	pCi/L				3.64	4.02	11.3
FSB 95DR	1/21/2015	TRITIUM	278	pCi/mL				3.11	0.49	6.7
FSB 95DR	1/21/2015	CESIUM-137	59.8	pCi/L				11	9.43	31.5
FSB 95DR	1/21/2015	COBALT-60	-1.88	pCi/L	U			4.67	8.33	17.7
FSB 95DR	1/21/2015	IODINE-129	411	pCi/L				61	3.93	126
FSB 95DR	1/21/2015	RADIUM-226	12.7	pCi/L				1.05	0.352	2.45
FSB 95DR	1/21/2015	RADIUM-228	30.8	pCi/L				1.52	0.621	3.66
FSB 95DR	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	19.9	pCi/L				2.05	0.787	4.89
FSB 95DR	4/14/2015	NITRATE-NITRITE AS NITROGEN	47.3	mg/L					1.7	5
FSB 95DR	4/14/2015	CADMIUM	10.1	ug/L					0.1	1
FSB 95DR	4/14/2015	LEAD	10.5	ug/L					0.5	5
FSB 95DR	4/14/2015	GROSS ALPHA	273	pCi/L				22.6	3.45	48.7
FSB 95DR	4/14/2015	NONVOLATILE BETA	880	pCi/L				29.8	7.87	67.5
FSB 95DR	4/14/2015	TRITIUM	202	pCi/mL				2.69	0.423	5.8
FSB 95DR	7/29/2015	NITRATE-NITRITE AS NITROGEN	50.5	mg/L					0.85	2.5
FSB 95DR	7/29/2015	ALUMINUM	18100	ug/L					40	400
FSB 95DR	7/29/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 95DR	7/29/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 95DR	7/29/2015	BARIUM	438	ug/L					2	20
FSB 95DR	7/29/2015	BERYLLIUM	1.3	ug/L					0.1	1
FSB 95DR	7/29/2015	CADMIUM	7.76	ug/L					0.1	1
FSB 95DR	7/29/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 95DR	7/29/2015	COBALT	5.44	ug/L					0.5	5
FSB 95DR	7/29/2015	COPPER	19.7	ug/L			V		0.5	5
FSB 95DR	7/29/2015	LEAD	8.65	ug/L					0.5	5
FSB 95DR	7/29/2015	NICKEL	7.84	ug/L					0.5	5
FSB 95DR	7/29/2015	SELENIUM	2.21	ug/L	J	J	21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 95DR	7/29/2015	THALLIUM	0.108	ug/L	J	J	21		0.1	1
FSB 95DR	7/29/2015	TIN	10	ug/L	U	U			1	10
FSB 95DR	7/29/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 95DR	7/29/2015	ZINC	39.1	ug/L	J	J	21		4	40
FSB 95DR	7/29/2015	MERCURY	3.69	ug/L					0.02	0.2
FSB 95DR	7/29/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 95DR	7/29/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 95DR	7/29/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 95DR	7/29/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 95DR	7/29/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 95DR	7/29/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 95DR	7/29/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 95DR	7/29/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 95DR	7/29/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 95DR	7/29/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
FSB 95DR	7/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 95DR	7/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 95DR	7/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
FSB 95DR	7/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 95DR	7/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
FSB 95DR	7/29/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 95DR	7/29/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 95DR	7/29/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 95DR	7/29/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 95DR	7/29/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	O-XYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 95DR	7/29/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 95DR	7/29/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
FSB 95DR	7/29/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
FSB 95DR	7/29/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2-NITROANILINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	2-PICOLINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
FSB 95DR	7/29/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
FSB 95DR	7/29/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
FSB 95DR	7/29/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
FSB 95DR	7/29/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	ACETOPHENONE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	ANILINE	10	ug/L	U	U			4.2	10
FSB 95DR	7/29/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	ARAMITE	10	ug/L	U	U			3.7	10
FSB 95DR	7/29/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	CHRYSENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DIALLATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	DIMETHOATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	DISULFOTON	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	FAMPHUR	10	ug/L	U	U			5	10
FSB 95DR	7/29/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	FLUORENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
FSB 95DR	7/29/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	ISODRIN	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
FSB 95DR	7/29/2015	ISOSAFROLE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	KEPONE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
FSB 95DR	7/29/2015	METHAPYRILENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	METHYL PARATHION	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	M-NITROANILINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	NITROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	PARATHION	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
FSB 95DR	7/29/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	PHENACETIN	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	PHENOL	10	ug/L	U	UJ	14		3	10
FSB 95DR	7/29/2015	PHORATE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	P-NITROANILINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
FSB 95DR	7/29/2015	PRONAMIDE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	PYRENE	1	ug/L	U	U			0.3	1
FSB 95DR	7/29/2015	PYRIDINE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	SAFROLE	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	SULFOTEPP	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	THIONAZIN	10	ug/L	U	U			3	10
FSB 95DR	7/29/2015	2,3,7,8-TCDD	0.00962	ng/L	U	U			0.00321	0.00962
FSB 95DR	7/29/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0481	ng/L	U	U			0.016	0.0481
FSB 95DR	7/29/2015	HEXACHLORODIBENZO-P-FURANS	0.0481	ng/L	U	U			0.016	0.0481
FSB 95DR	7/29/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0481	ng/L	U	U			0.016	0.0481
FSB 95DR	7/29/2015	PENTACHLORODIBENZO-P-FURANS	0.0481	ng/L	U	U			0.016	0.0481
FSB 95DR	7/29/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00962	ng/L	U	U			0.00321	0.00962
FSB 95DR	7/29/2015	TETRACHLORODIBENZO-P-FURANS	0.00962	ng/L	U	U			0.00321	0.00962
FSB 95DR	7/29/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 95DR	7/29/2015	CHLORIDE	2.23	mg/L					0.067	0.2
FSB 95DR	7/29/2015	PHENOLS	0.00221	mg/L	J	J	21		0.00175	0.005
FSB 95DR	7/29/2015	AMERICIUM-241	23.1	pCi/L			V	3.52	0.0564	7.09
FSB 95DR	7/29/2015	CURIUM-242	0.0447	pCi/L	U	U	V	0.064	0.0556	0.183
FSB 95DR	7/29/2015	CURIUM-243/244	5.91	pCi/L				1.08	0.123	2.28
FSB 95DR	7/29/2015	CURIUM-245/246	1.4	pCi/L			V	0.396	0.0575	0.85
FSB 95DR	7/29/2015	PLUTONIUM-238	0.0232	pCi/L	U	U	V	0.047	0.0629	0.156
FSB 95DR	7/29/2015	PLUTONIUM-239/240	-0.00581	pCi/L	U	U		0.012	0.117	0.14
FSB 95DR	7/29/2015	THORIUM-228	0.582	pCi/L	J	J	21	0.242	0.108	0.593

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 95DR	7/29/2015	THORIUM-230	0.172	pCi/L	J	J	21, V	0.124	0.0581	0.306
FSB 95DR	7/29/2015	THORIUM-232	0	pCi/L	U	U	V	0	0.058	0.058
FSB 95DR	7/29/2015	URANIUM-233/234	94.8	pCi/L				16.1	0.193	32.4
FSB 95DR	7/29/2015	URANIUM-235	7.13	pCi/L			V	1.71	0.238	3.66
FSB 95DR	7/29/2015	URANIUM-238	209	pCi/L				33.9	0.193	68
FSB 95DR	7/29/2015	GROSS ALPHA	294	pCi/L				16.6	2.06	35.3
FSB 95DR	7/29/2015	NONVOLATILE BETA	679	pCi/L				18.7	5.61	43
FSB 95DR	7/29/2015	STRONTIUM-90	216	pCi/L				24.3	3.37	51.9
FSB 95DR	7/29/2015	NICKEL-63	1.25	pCi/L	U	U		2.86	4.88	10.6
FSB 95DR	7/29/2015	TECHNETIUM-99	47.2	pCi/L				3.61	4.06	11.3
FSB 95DR	7/29/2015	TRITIUM	246	pCi/mL				3.01	0.458	6.48
FSB 95DR	7/29/2015	CESIUM-134	-3.67	pCi/L	U	U		5.77	8.24	19.8
FSB 95DR	7/29/2015	CESIUM-137	42.8	pCi/L				12.1	9.96	34.2
FSB 95DR	7/29/2015	COBALT-60	2.32	pCi/L	U	U		4.54	9.11	18.2
FSB 95DR	7/29/2015	IODINE-129	481	pCi/L				71.4	3.84	147
FSB 95DR	7/29/2015	RADIUM-226	22.9	pCi/L				1.51	0.412	3.43
FSB 95DR	7/29/2015	RADIUM-228	29.6	pCi/L				1.41	0.386	3.21
FSB 95DR	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	24	pCi/L				1.31	0.653	3.27
FSB 95DR	7/29/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 95DR	11/12/2015	NITRATE-NITRITE AS NITROGEN	45.3	mg/L					1.7	5
FSB 95DR	11/12/2015	CADMIUM	13	ug/L					0.1	1
FSB 95DR	11/12/2015	LEAD	10	ug/L					0.5	5
FSB 95DR	11/12/2015	GROSS ALPHA	294	pCi/L				16.2	1.94	34.4
FSB 95DR	11/12/2015	NONVOLATILE BETA	1190	pCi/L				24.6	5.78	54.9
FSB 95DR	11/12/2015	TRITIUM	242	pCi/mL				2.89	0.45	6.22
FSB 96AR	1/21/2015	NITRATE-NITRITE AS NITROGEN	6.2	mg/L					0.085	0.25
FSB 96AR	1/21/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 96AR	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 96AR	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 96AR	1/21/2015	BARIUM	45.8	ug/L					2	20
FSB 96AR	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 96AR	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 96AR	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 96AR	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB 96AR	1/21/2015	COPPER	5	ug/L	U				0.5	5
FSB 96AR	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 96AR	1/21/2015	NICKEL	0.774	ug/L	J				0.5	5
FSB 96AR	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 96AR	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 96AR	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 96AR	1/21/2015	TIN	10	ug/L	U				1	10
FSB 96AR	1/21/2015	VANADIUM	39.5	ug/L	U				5	50
FSB 96AR	1/21/2015	ZINC	40	ug/L	U				4	40
FSB 96AR	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 96AR	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 96AR	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 96AR	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 96AR	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 96AR	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 96AR	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 96AR	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 96AR	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 96AR	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 96AR	1/21/2015	AMERICIUM-241	0.0353	pCi/L	U			0.071	0.0957	0.237
FSB 96AR	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0943	0.0943
FSB 96AR	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0943	0.0943
FSB 96AR	1/21/2015	CURIUM-245/246	0.108	pCi/L	U			0.126	0.0976	0.35
FSB 96AR	1/21/2015	PLUTONIUM-238	-0.0125	pCi/L	U			0.018	0.149	0.185
FSB 96AR	1/21/2015	PLUTONIUM-239/240	0.0436	pCi/L	U			0.072	0.125	0.269
FSB 96AR	1/21/2015	THORIUM-228	0.0425	pCi/L	U			0.089	0.189	0.366
FSB 96AR	1/21/2015	THORIUM-230	0.0958	pCi/L	U			0.097	0.0649	0.259
FSB 96AR	1/21/2015	THORIUM-232	0.0239	pCi/L	U			0.048	0.0648	0.161
FSB 96AR	1/21/2015	URANIUM-233/234	0.0376	pCi/L	U			0.062	0.108	0.232
FSB 96AR	1/21/2015	URANIUM-235	-0.00662	pCi/L	U			0.013	0.133	0.16
FSB 96AR	1/21/2015	URANIUM-238	0.0429	pCi/L	U			0.061	0.0581	0.18
FSB 96AR	1/21/2015	GROSS ALPHA	0.465	pCi/L	U			1.2	2.33	4.74
FSB 96AR	1/21/2015	NONVOLATILE BETA	3.93	pCi/L	U			2.85	3.95	9.65
FSB 96AR	1/21/2015	STRONTIUM-90	1.31	pCi/L	U			2.32	3.33	7.97
FSB 96AR	1/21/2015	CARBON-14	1.29	pCi/L	UJ			4.1	6.83	15
FSB 96AR	1/21/2015	TECHNETIUM-99	2.98	pCi/L	UJ			2.69	4.38	9.75
FSB 96AR	1/21/2015	TRITIUM	51.5	pCi/mL				1.36	0.487	3.2
FSB 96AR	1/21/2015	CESIUM-137	-1.21	pCi/L	U			4.96	8.74	18.7
FSB 96AR	1/21/2015	COBALT-60	1.22	pCi/L	U			4.94	9.53	19.4
FSB 96AR	1/21/2015	IODINE-129	2.9	pCi/L	J		21	1.7	0.924	4.33
FSB 96AR	1/21/2015	RADIUM-226	0.764	pCi/L	J		21	0.331	0.398	1.06
FSB 96AR	1/21/2015	RADIUM-228	0.5	pCi/L	J		21	0.292	0.418	1
FSB 96AR	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.239	pCi/L	U			0.515	0.895	1.93
FSB 96AR	4/8/2015	NITRATE-NITRITE AS NITROGEN	5.46	mg/L					0.17	0.5
FSB 96AR	4/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 96AR	4/8/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 96AR	4/8/2015	GROSS ALPHA	0.992	pCi/L	U			1.48	2.22	5.18
FSB 96AR	4/8/2015	NONVOLATILE BETA	3.71	pCi/L	U			2.96	4.25	10.2
FSB 96AR	4/8/2015	TRITIUM	49.2	pCi/mL				1.35	0.422	3.11
FSB 96AR	8/4/2015	NITRATE-NITRITE AS NITROGEN	5.27	mg/L					0.17	0.5
FSB 96AR	8/4/2015	ALUMINUM	400	ug/L	U				40	400
FSB 96AR	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 96AR	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 96AR	8/4/2015	BARIUM	43.9	ug/L					2	20
FSB 96AR	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 96AR	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 96AR	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 96AR	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB 96AR	8/4/2015	COPPER	5.65	ug/L					0.5	5
FSB 96AR	8/4/2015	LEAD	2.93	ug/L	J		21		0.5	5
FSB 96AR	8/4/2015	NICKEL	0.723	ug/L	J		21		0.5	5
FSB 96AR	8/4/2015	SELENIUM	20	ug/L	U		V		2	20
FSB 96AR	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 96AR	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 96AR	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 96AR	8/4/2015	ZINC	40	ug/L	U		V		4	40
FSB 96AR	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 96AR	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 96AR	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 96AR	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.66	ug/L	J		21		1	5
FSB 96AR	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 96AR	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 96AR	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 96AR	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 96AR	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 96AR	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 96AR	8/4/2015	AMERICIUM-241	0.047	pCi/L	U		V	0.078	0.135	0.29
FSB 96AR	8/4/2015	CURIUM-242	0.145	pCi/L	J		21	0.132	0.0717	0.335
FSB 96AR	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0717	0.0717
FSB 96AR	8/4/2015	CURIUM-245/246	0.137	pCi/L	U		21, V	0.124	0.0742	0.323
FSB 96AR	8/4/2015	PLUTONIUM-238	-0.0062	pCi/L	U		V	0.012	0.125	0.15
FSB 96AR	8/4/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0671	0.0671
FSB 96AR	8/4/2015	THORIUM-228	0.106	pCi/L	U			0.159	0.306	0.624
FSB 96AR	8/4/2015	THORIUM-230	0.242	pCi/L	J		21, V	0.171	0.139	0.482
FSB 96AR	8/4/2015	THORIUM-232	0	pCi/L	U		V	0	0.0749	0.0749
FSB 96AR	8/4/2015	URANIUM-233/234	0.105	pCi/L	U		V	0.107	0.14	0.355
FSB 96AR	8/4/2015	URANIUM-235	0.0289	pCi/L	U			0.058	0.0783	0.194
FSB 96AR	8/4/2015	URANIUM-238	0.0642	pCi/L	U		V	0.082	0.118	0.282
FSB 96AR	8/4/2015	GROSS ALPHA	1.69	pCi/L	U			1.9	2.46	6.27
FSB 96AR	8/4/2015	NONVOLATILE BETA	2.77	pCi/L	U			2.87	4.36	10.1
FSB 96AR	8/4/2015	STRONTIUM-90	0.0491	pCi/L	U			2.02	3.29	7.33
FSB 96AR	8/4/2015	CARBON-14	97.6	pCi/L				6.06	6.91	19
FSB 96AR	8/4/2015	TECHNETIUM-99	3.79	pCi/L	U			2.6	4.19	9.39
FSB 96AR	8/4/2015	TRITIUM	50.3	pCi/mL				1.37	0.451	3.2
FSB 96AR	8/4/2015	CESIUM-137	1.4	pCi/L	U			5.23	9.6	20.1
FSB 96AR	8/4/2015	COBALT-60	-1.86	pCi/L	U			4.13	7.34	15.6
FSB 96AR	8/4/2015	IODINE-129	2.08	pCi/L	J		21	1.04	0.993	3.06
FSB 96AR	8/4/2015	RADIUM-226	1.43	pCi/L	J		21	0.525	0.579	1.63
FSB 96AR	8/4/2015	RADIUM-228	0.917	pCi/L	U		21, V	0.419	0.586	1.42
FSB 96AR	8/4/2015	RADIUM, TOTAL ALPHA-	0.333	pCi/L	U			0.88	1.68	3.44

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB 96AR	10/21/2015	NITRATE-NITRITE AS NITROGEN	5.8	mg/L					0.085	0.25
FSB 96AR	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 96AR	10/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 96AR	10/21/2015	GROSS ALPHA	3.49	pCi/L	J		21	2.54	2.32	7.4
FSB 96AR	10/21/2015	NONVOLATILE BETA	0.558	pCi/L	U			2.64	4.61	9.88
FSB 96AR	10/21/2015	TRITIUM	50.1	pCi/mL				1.37	0.454	3.2
FSB 97A	1/21/2015	NITRATE-NITRITE AS NITROGEN	13.1	mg/L					0.425	1.25
FSB 97A	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB 97A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 97A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 97A	1/21/2015	BARIUM	36.2	ug/L					2	20
FSB 97A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 97A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 97A	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 97A	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB 97A	1/21/2015	COPPER	2.43	ug/L	J				0.5	5
FSB 97A	1/21/2015	LEAD	1.07	ug/L	J				0.5	5
FSB 97A	1/21/2015	NICKEL	0.88	ug/L	J				0.5	5
FSB 97A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 97A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 97A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 97A	1/21/2015	TIN	10	ug/L	U				1	10
FSB 97A	1/21/2015	VANADIUM	40.5	ug/L	U				5	50
FSB 97A	1/21/2015	ZINC	40	ug/L	U				4	40
FSB 97A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 97A	1/21/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 97A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 97A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97A	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 97A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 97A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 97A	1/21/2015	AMERICIUM-241	0.0944	pCi/L	U			0.096	0.064	0.255
FSB 97A	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.063	0.063
FSB 97A	1/21/2015	CURIUM-243/244	-0.00582	pCi/L	U			0.012	0.117	0.14
FSB 97A	1/21/2015	CURIUM-245/246	0.0963	pCi/L	U			0.097	0.0652	0.26
FSB 97A	1/21/2015	PLUTONIUM-238	0.0226	pCi/L	U			0.045	0.0613	0.152
FSB 97A	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0613	0.0613
FSB 97A	1/21/2015	THORIUM-228	0.0151	pCi/L	U			0.042	0.1	0.184
FSB 97A	1/21/2015	THORIUM-230	0.0598	pCi/L	U			0.07	0.054	0.193
FSB 97A	1/21/2015	THORIUM-232	0.0199	pCi/L	U			0.04	0.0539	0.134
FSB 97A	1/21/2015	URANIUM-233/234	0.289	pCi/L	J		21	0.162	0.12	0.443
FSB 97A	1/21/2015	URANIUM-235	0.0431	pCi/L	U			0.071	0.124	0.266
FSB 97A	1/21/2015	URANIUM-238	0.00996	pCi/L	U			0.042	0.119	0.204
FSB 97A	1/21/2015	GROSS ALPHA	1.7	pCi/L	U			1.87	2.35	6.09
FSB 97A	1/21/2015	NONVOLATILE BETA	3.4	pCi/L	U			2.77	3.99	9.53
FSB 97A	1/21/2015	STRONTIUM-90	0.0773	pCi/L	U			1.95	3.27	7.17
FSB 97A	1/21/2015	CARBON-14	5.24	pCi/L	UJ			4.17	6.79	15.1
FSB 97A	1/21/2015	TECHNETIUM-99	8.72	pCi/L	J		21	2.84	4.37	10
FSB 97A	1/21/2015	TRITIUM	160	pCi/mL				2.36	0.489	5.21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97A	1/21/2015	CESIUM-137	-3.43	pCi/L	U			6.82	11.5	25.1
FSB 97A	1/21/2015	COBALT-60	1.46	pCi/L	U			5.24	10.3	20.7
FSB 97A	1/21/2015	IODINE-129	2.06	pCi/L	J		21	0.986	0.988	2.96
FSB 97A	1/21/2015	RADIUM-226	1.25	pCi/L	J		21	0.568	0.698	1.83
FSB 97A	1/21/2015	RADIUM-228	0.541	pCi/L	J		21	0.352	0.532	1.24
FSB 97A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.737	pCi/L	J		21	0.414	0.619	1.45
FSB 97A	4/8/2015	NITRATE-NITRITE AS NITROGEN	13.4	mg/L					0.85	2.5
FSB 97A	4/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 97A	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 97A	4/8/2015	GROSS ALPHA	3.12	pCi/L	J		21	2.42	2.28	7.11
FSB 97A	4/8/2015	NONVOLATILE BETA	10.6	pCi/L	J		21	4.01	4.51	12.5
FSB 97A	4/8/2015	TRITIUM	168	pCi/mL				2.47	0.425	5.36
FSB 97A	8/4/2015	NITRATE-NITRITE AS NITROGEN	11.4	mg/L					0.17	0.5
FSB 97A	8/4/2015	ALUMINUM	400	ug/L	U				40	400
FSB 97A	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 97A	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 97A	8/4/2015	BARIUM	38.5	ug/L					2	20
FSB 97A	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 97A	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 97A	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 97A	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB 97A	8/4/2015	COPPER	1.04	ug/L	J		21		0.5	5
FSB 97A	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB 97A	8/4/2015	NICKEL	0.886	ug/L	J		21		0.5	5
FSB 97A	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB 97A	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 97A	8/4/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97A	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 97A	8/4/2015	ZINC	40	ug/L	U				4	40
FSB 97A	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 97A	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 97A	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 97A	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.44	ug/L	J		21		1	5
FSB 97A	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97A	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 97A	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 97A	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97A	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97A	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 97A	8/4/2015	AMERICIUM-241	-0.00521	pCi/L	U		V	0.01	0.105	0.126
FSB 97A	8/4/2015	CURIUM-242	-0.00548	pCi/L	U			0.011	0.103	0.125
FSB 97A	8/4/2015	CURIUM-243/244	0.0205	pCi/L	U			0.041	0.0556	0.138
FSB 97A	8/4/2015	CURIUM-245/246	0.34	pCi/L	U		21, V	0.176	0.0575	0.41
FSB 97A	8/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0598	0.0598
FSB 97A	8/4/2015	PLUTONIUM-239/240	0.0386	pCi/L	U			0.064	0.111	0.238
FSB 97A	8/4/2015	THORIUM-228	0	pCi/L	U			0	0.0564	0.0564
FSB 97A	8/4/2015	THORIUM-230	0.167	pCi/L	U		21, V	0.121	0.0565	0.298
FSB 97A	8/4/2015	THORIUM-232	0.0208	pCi/L	U			0.042	0.0564	0.14
FSB 97A	8/4/2015	URANIUM-233/234	0.261	pCi/L	J		21, V	0.159	0.112	0.429
FSB 97A	8/4/2015	URANIUM-235	0	pCi/L	U			0	0.0742	0.0742
FSB 97A	8/4/2015	URANIUM-238	0.0665	pCi/L	U		21, V	0.077	0.06	0.215
FSB 97A	8/4/2015	GROSS ALPHA	2.64	pCi/L	J		21	2.28	2.31	6.87
FSB 97A	8/4/2015	NONVOLATILE BETA	5.25	pCi/L	J		21	3.07	3.84	9.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97A	8/4/2015	STRONTIUM-90	0.78	pCi/L	U			2.27	3.29	7.84
FSB 97A	8/4/2015	CARBON-14	10.9	pCi/L	J		21	4.37	6.9	15.6
FSB 97A	8/4/2015	TECHNETIUM-99	12.5	pCi/L				2.88	4.24	9.99
FSB 97A	8/4/2015	TRITIUM	158	pCi/mL				2.4	0.443	5.25
FSB 97A	8/4/2015	CESIUM-137	1.29	pCi/L	U			5.12	9.41	19.6
FSB 97A	8/4/2015	COBALT-60	-5.25	pCi/L	U			4.92	7.84	17.7
FSB 97A	8/4/2015	IODINE-129	1.62	pCi/L	J		21	0.77	1.34	2.88
FSB 97A	8/4/2015	RADIUM-226	0.557	pCi/L	J		21	0.369	0.529	1.27
FSB 97A	8/4/2015	RADIUM-228	0.751	pCi/L	U		21, V	0.308	0.396	1.01
FSB 97A	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.458	pCi/L	U			0.847	1.95	3.64
FSB 97A	10/30/2015	NITRATE-NITRITE AS NITROGEN	14.3	mg/L					0.425	1.25
FSB 97A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 97A	10/30/2015	LEAD	0.97	ug/L	J		21		0.5	5
FSB 97A	10/30/2015	GROSS ALPHA	0.949	pCi/L	U			1.48	2.34	5.3
FSB 97A	10/30/2015	NONVOLATILE BETA	7.4	pCi/L	J		21	3.55	4.3	11.4
FSB 97A	10/30/2015	TRITIUM	169	pCi/mL				2.49	0.452	5.43
FSB 97C	2/4/2015	NITRATE-NITRITE AS NITROGEN	62	mg/L					0.85	2.5
FSB 97C	2/4/2015	ALUMINUM	2910	ug/L					40	400
FSB 97C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 97C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 97C	2/4/2015	BARIUM	70.6	ug/L					2	20
FSB 97C	2/4/2015	BERYLLIUM	1.92	ug/L					0.1	1
FSB 97C	2/4/2015	CADMIUM	1.54	ug/L					0.1	1
FSB 97C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 97C	2/4/2015	COBALT	30.9	ug/L					0.5	5
FSB 97C	2/4/2015	COPPER	17.6	ug/L					0.5	5
FSB 97C	2/4/2015	LEAD	1.16	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97C	2/4/2015	NICKEL	12.8	ug/L					0.5	5
FSB 97C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB 97C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 97C	2/4/2015	THALLIUM	0.14	ug/L	J				0.1	1
FSB 97C	2/4/2015	TIN	10	ug/L	U				1	10
FSB 97C	2/4/2015	VANADIUM	12.7	ug/L	J				5	50
FSB 97C	2/4/2015	ZINC	37.5	ug/L	J				4	40
FSB 97C	2/4/2015	MERCURY	0.0495	ug/L	J		21		0.02	0.2
FSB 97C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 97C	2/4/2015	CHLOROFORM	0.35	ug/L	J		21		0.3	1
FSB 97C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 97C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97C	2/4/2015	TRICHLOROETHYLENE (TCE)	5.62	ug/L					0.3	1
FSB 97C	2/4/2015	TRICHLOROFLUOROMETHANE	0.37	ug/L	J		21		0.3	1
FSB 97C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 97C	2/4/2015	AMERICIUM-241	1.43	pCi/L				0.427	0.0624	0.917
FSB 97C	2/4/2015	CURIUM-242	-0.0196	pCi/L	U			0.023	0.153	0.198
FSB 97C	2/4/2015	CURIUM-243/244	0.432	pCi/L	J		21	0.21	0.0615	0.481
FSB 97C	2/4/2015	CURIUM-245/246	0.164	pCi/L	U			0.127	0.0636	0.317
FSB 97C	2/4/2015	PLUTONIUM-238	0.0178	pCi/L	U			0.049	0.119	0.217
FSB 97C	2/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0641	0.0641
FSB 97C	2/4/2015	THORIUM-228	0.0219	pCi/L	U			0.044	0.0574	0.145
FSB 97C	2/4/2015	THORIUM-230	0.127	pCi/L	U			0.106	0.0575	0.269
FSB 97C	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0574	0.0574

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97C	2/4/2015	URANIUM-233/234	27.5	pCi/L				4.62	0.114	9.35
FSB 97C	2/4/2015	URANIUM-235	1.62	pCi/L				0.505	0.0755	1.09
FSB 97C	2/4/2015	URANIUM-238	36.1	pCi/L				5.8	0.0611	11.7
FSB 97C	2/4/2015	GROSS ALPHA	75.4	pCi/L				8.88	2.02	19.8
FSB 97C	2/4/2015	NONVOLATILE BETA	89.1	pCi/L				7.53	6.12	21.2
FSB 97C	2/4/2015	STRONTIUM-90	26.5	pCi/L				5.47	3.27	14.2
FSB 97C	2/4/2015	CARBON-14	5.54	pCi/L	UJ			4.26	6.92	15.4
FSB 97C	2/4/2015	TECHNETIUM-99	15.6	pCi/L				2.89	4.1	9.87
FSB 97C	2/4/2015	TRITIUM	736	pCi/mL				5.16	0.556	10.9
FSB 97C	2/4/2015	CESIUM-137	0.854	pCi/L	U			5.18	9.46	19.8
FSB 97C	2/4/2015	COBALT-60	0.761	pCi/L	U			4.49	8.68	17.7
FSB 97C	2/4/2015	IODINE-129	22.1	pCi/L				3.8	1.16	8.77
FSB 97C	2/4/2015	RADIUM-226	12.3	pCi/L				1.49	0.72	3.7
FSB 97C	2/4/2015	RADIUM-228	4.35	pCi/L				0.671	0.675	2.02
FSB 97C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	12.1	pCi/L	J		V	3	1.79	7.79
FSB 97C	4/8/2015	NITRATE-NITRITE AS NITROGEN	62.6	mg/L					1.7	5
FSB 97C	4/8/2015	CADMIUM	1.44	ug/L					0.1	1
FSB 97C	4/8/2015	LEAD	1.78	ug/L	J				0.5	5
FSB 97C	4/8/2015	GROSS ALPHA	48	pCi/L				10.4	3.21	23.9
FSB 97C	4/8/2015	NONVOLATILE BETA	83.5	pCi/L				9.95	7.33	27.2
FSB 97C	4/8/2015	TRITIUM	736	pCi/mL				5.13	0.423	10.7
FSB 97C	7/29/2015	NITRATE-NITRITE AS NITROGEN	66.4	mg/L					1.7	5
FSB 97C	7/29/2015	ALUMINUM	2940	ug/L					40	400
FSB 97C	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 97C	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 97C	7/29/2015	BARIUM	65.8	ug/L					2	20
FSB 97C	7/29/2015	BERYLLIUM	1.84	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97C	7/29/2015	CADMIUM	1.27	ug/L					0.1	1
FSB 97C	7/29/2015	CHROMIUM	10.1	ug/L	J		21		10	100
FSB 97C	7/29/2015	COBALT	22.9	ug/L					0.5	5
FSB 97C	7/29/2015	COPPER	16.2	ug/L			V		0.5	5
FSB 97C	7/29/2015	LEAD	1.29	ug/L	J		21		0.5	5
FSB 97C	7/29/2015	NICKEL	8.91	ug/L					0.5	5
FSB 97C	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB 97C	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 97C	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 97C	7/29/2015	VANADIUM	16	ug/L	J		21		5	50
FSB 97C	7/29/2015	ZINC	33	ug/L	J		21		4	40
FSB 97C	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 97C	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 97C	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 97C	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.15	ug/L	U		21, V		1	5
FSB 97C	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97C	7/29/2015	TRICHLOROETHYLENE (TCE)	4.02	ug/L					0.3	1
FSB 97C	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 97C	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97C	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97C	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 97C	7/29/2015	AMERICIUM-241	1.14	pCi/L			V	0.367	0.0642	0.798
FSB 97C	7/29/2015	CURIUM-242	0.127	pCi/L	U		21, V	0.115	0.0632	0.294
FSB 97C	7/29/2015	CURIUM-243/244	0.491	pCi/L	J		21	0.225	0.0632	0.514
FSB 97C	7/29/2015	CURIUM-245/246	0.314	pCi/L	U		21, V	0.18	0.0654	0.425
FSB 97C	7/29/2015	PLUTONIUM-238	0.0178	pCi/L	U		V	0.049	0.119	0.217

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97C	7/29/2015	PLUTONIUM-239/240	0.0237	pCi/L	U			0.048	0.0643	0.159
FSB 97C	7/29/2015	THORIUM-228	0.12	pCi/L	J		21	0.109	0.0641	0.282
FSB 97C	7/29/2015	THORIUM-230	0.142	pCi/L	J		21, V	0.118	0.0642	0.3
FSB 97C	7/29/2015	THORIUM-232	0.0236	pCi/L	U		V	0.047	0.0641	0.159
FSB 97C	7/29/2015	URANIUM-233/234	28.9	pCi/L				4.53	0.115	9.17
FSB 97C	7/29/2015	URANIUM-235	1.86	pCi/L			V	0.546	0.0765	1.17
FSB 97C	7/29/2015	URANIUM-238	37.6	pCi/L				5.6	0.0619	11.3
FSB 97C	7/29/2015	GROSS ALPHA	62.3	pCi/L				8.25	1.89	18.4
FSB 97C	7/29/2015	NONVOLATILE BETA	100	pCi/L				7.34	3.52	18.2
FSB 97C	7/29/2015	STRONTIUM-90	25.7	pCi/L				4.86	3.26	13
FSB 97C	7/29/2015	CARBON-14	44.3	pCi/L				5.11	6.95	17.2
FSB 97C	7/29/2015	TECHNETIUM-99	23.1	pCi/L				3.07	4.08	10.2
FSB 97C	7/29/2015	TRITIUM	692	pCi/mL				5.01	0.454	10.5
FSB 97C	7/29/2015	CESIUM-137	0.318	pCi/L	U			5.6	10.1	21.3
FSB 97C	7/29/2015	COBALT-60	-0.361	pCi/L	U			5.11	9.44	19.7
FSB 97C	7/29/2015	IODINE-129	27.7	pCi/L				4.61	1.3	10.5
FSB 97C	7/29/2015	RADIUM-226	8.98	pCi/L				0.941	0.397	2.28
FSB 97C	7/29/2015	RADIUM-228	6.02	pCi/L				0.683	0.558	1.92
FSB 97C	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	14.8	pCi/L				3.18	1.89	8.25
FSB 97C	11/6/2015	NITRATE-NITRITE AS NITROGEN	57.5	mg/L					1.7	5
FSB 97C	11/6/2015	CADMIUM	1.4	ug/L					0.1	1
FSB 97C	11/6/2015	LEAD	1.31	ug/L	J		21		0.5	5
FSB 97C	11/6/2015	GROSS ALPHA	63.9	pCi/L				11.5	3.04	25.9
FSB 97C	11/6/2015	NONVOLATILE BETA	78.8	pCi/L				9.98	8.39	28.3
FSB 97C	11/6/2015	TRITIUM	621	pCi/mL				4.27	0.535	9.08
FSB 97D	1/21/2015	NITRATE-NITRITE AS NITROGEN	40.4	mg/L					0.85	2.5
FSB 97D	1/21/2015	ALUMINUM	5140	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 97D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 97D	1/21/2015	BARIUM	75.8	ug/L					2	20
FSB 97D	1/21/2015	BERYLLIUM	0.492	ug/L	J				0.1	1
FSB 97D	1/21/2015	CADMIUM	0.904	ug/L	J				0.1	1
FSB 97D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 97D	1/21/2015	COBALT	14.9	ug/L					0.5	5
FSB 97D	1/21/2015	COPPER	22.6	ug/L					0.5	5
FSB 97D	1/21/2015	LEAD	1.22	ug/L	J				0.5	5
FSB 97D	1/21/2015	NICKEL	7.34	ug/L					0.5	5
FSB 97D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 97D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 97D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 97D	1/21/2015	TIN	10	ug/L	U				1	10
FSB 97D	1/21/2015	VANADIUM	35.5	ug/L	U				5	50
FSB 97D	1/21/2015	ZINC	26.4	ug/L	J				4	40
FSB 97D	1/21/2015	MERCURY	0.395	ug/L					0.02	0.2
FSB 97D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 97D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 97D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 97D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 97D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 97D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97D	1/21/2015	PHENOLS	0.00271	mg/L	J		21		0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97D	1/21/2015	AMERICIUM-241	4.34	pCi/L				0.962	0.0684	1.99
FSB 97D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0674	0.0674
FSB 97D	1/21/2015	CURIUM-243/244	1.94	pCi/L				0.538	0.0674	1.14
FSB 97D	1/21/2015	CURIUM-245/246	0.206	pCi/L	U			0.149	0.0698	0.368
FSB 97D	1/21/2015	PLUTONIUM-238	0.0732	pCi/L	J		21	0.086	0.0661	0.237
FSB 97D	1/21/2015	PLUTONIUM-239/240	0.0244	pCi/L	U			0.049	0.0661	0.164
FSB 97D	1/21/2015	THORIUM-228	0.0549	pCi/L	U			0.07	0.0998	0.241
FSB 97D	1/21/2015	THORIUM-230	0.0496	pCi/L	U			0.071	0.119	0.26
FSB 97D	1/21/2015	THORIUM-232	-0.00496	pCi/L	U			0.01	0.0998	0.12
FSB 97D	1/21/2015	URANIUM-233/234	52.4	pCi/L				8.98	0.0764	18
FSB 97D	1/21/2015	URANIUM-235	4.17	pCi/L				1.06	0.0943	2.21
FSB 97D	1/21/2015	URANIUM-238	134	pCi/L				21.8	0.142	43.7
FSB 97D	1/21/2015	GROSS ALPHA	173	pCi/L				17.4	2.56	37.4
FSB 97D	1/21/2015	NONVOLATILE BETA	99.3	pCi/L				10.5	6.92	27.8
FSB 97D	1/21/2015	STRONTIUM-90	20.2	pCi/L				4.86	3.13	12.8
FSB 97D	1/21/2015	CARBON-14	-1.71	pCi/L	UJ			4.23	7.16	15.6
FSB 97D	1/21/2015	TECHNETIUM-99	38.1	pCi/L				3.44	4.09	11
FSB 97D	1/21/2015	TRITIUM	508	pCi/mL				4.2	0.523	8.92
FSB 97D	1/21/2015	CESIUM-137	-2.62	pCi/L	U			5.76	9.78	21.3
FSB 97D	1/21/2015	COBALT-60	0.512	pCi/L	U			4.89	9.44	19.2
FSB 97D	1/21/2015	IODINE-129	98.3	pCi/L				14.9	1.79	31.7
FSB 97D	1/21/2015	RADIUM-226	0.924	pCi/L	J		21	0.323	0.347	0.993
FSB 97D	1/21/2015	RADIUM-228	7.07	pCi/L				0.811	0.653	2.28
FSB 97D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	4.76	pCi/L				0.797	0.744	2.34
FSB 97D	4/14/2015	NITRATE-NITRITE AS NITROGEN	39.7	mg/L					1.7	5
FSB 97D	4/14/2015	CADMIUM	1.46	ug/L					0.1	1
FSB 97D	4/14/2015	LEAD	1.59	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97D	4/14/2015	GROSS ALPHA	177	pCi/L				17.8	2.58	38.2
FSB 97D	4/14/2015	NONVOLATILE BETA	146	pCi/L				12.5	6.72	31.7
FSB 97D	4/14/2015	TRITIUM	437	pCi/mL				3.96	0.425	8.35
FSB 97D	7/29/2015	NITRATE-NITRITE AS NITROGEN	36.7	mg/L					1.7	5
FSB 97D	7/29/2015	ALUMINUM	11700	ug/L					40	400
FSB 97D	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 97D	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 97D	7/29/2015	BARIUM	99.3	ug/L					2	20
FSB 97D	7/29/2015	BERYLLIUM	0.801	ug/L	J		21		0.1	1
FSB 97D	7/29/2015	CADMIUM	1.18	ug/L					0.1	1
FSB 97D	7/29/2015	CHROMIUM	100	ug/L	U				10	100
FSB 97D	7/29/2015	COBALT	14.4	ug/L					0.5	5
FSB 97D	7/29/2015	COPPER	49.1	ug/L			V		0.5	5
FSB 97D	7/29/2015	LEAD	1.33	ug/L	J		21		0.5	5
FSB 97D	7/29/2015	NICKEL	8.85	ug/L					0.5	5
FSB 97D	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB 97D	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 97D	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 97D	7/29/2015	VANADIUM	50	ug/L	U				5	50
FSB 97D	7/29/2015	ZINC	34.9	ug/L	J		21		4	40
FSB 97D	7/29/2015	MERCURY	0.438	ug/L					0.02	0.2
FSB 97D	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 97D	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 97D	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.08	ug/L	U		21, V		1	5
FSB 97D	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 97D	7/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 97D	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 97D	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 97D	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 97D	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 97D	7/29/2015	AMERICIUM-241	9.16	pCi/L			V	1.59	0.0604	3.23
FSB 97D	7/29/2015	CURIUM-242	0.144	pCi/L	U		21, V	0.119	0.0595	0.298
FSB 97D	7/29/2015	CURIUM-243/244	3.83	pCi/L				0.794	0.0595	1.65
FSB 97D	7/29/2015	CURIUM-245/246	0.728	pCi/L			V	0.277	0.0616	0.616
FSB 97D	7/29/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0727	0.0727
FSB 97D	7/29/2015	PLUTONIUM-239/240	-0.0134	pCi/L	U			0.019	0.161	0.199
FSB 97D	7/29/2015	THORIUM-228	0.205	pCi/L	J		21	0.133	0.0547	0.321
FSB 97D	7/29/2015	THORIUM-230	0.202	pCi/L	J		21, V	0.131	0.0548	0.318
FSB 97D	7/29/2015	THORIUM-232	0.0353	pCi/L	U		V	0.058	0.102	0.218
FSB 97D	7/29/2015	URANIUM-233/234	78.1	pCi/L				13	0.175	26.2
FSB 97D	7/29/2015	URANIUM-235	5.92	pCi/L			V	1.43	0.116	2.99
FSB 97D	7/29/2015	URANIUM-238	189	pCi/L				29.9	0.175	60.1
FSB 97D	7/29/2015	GROSS ALPHA	228	pCi/L				14.3	1.67	30.2
FSB 97D	7/29/2015	NONVOLATILE BETA	233	pCi/L				11.1	5.06	27.2
FSB 97D	7/29/2015	STRONTIUM-90	40.7	pCi/L				6.48	3.25	16.2
FSB 97D	7/29/2015	CARBON-14	12.1	pCi/L	J		21	4.44	6.96	15.8
FSB 97D	7/29/2015	TECHNETIUM-99	24.3	pCi/L				3.1	4.07	10.3
FSB 97D	7/29/2015	TRITIUM	332	pCi/mL				3.42	0.479	7.31
FSB 97D	7/29/2015	CESIUM-137	-2.64	pCi/L	U			6.39	9.39	22.2
FSB 97D	7/29/2015	COBALT-60	-0.346	pCi/L	U			4.67	8.69	18
FSB 97D	7/29/2015	IODINE-129	59.8	pCi/L				9.28	1.52	20.1
FSB 97D	7/29/2015	RADIUM-226	2.66	pCi/L				0.493	0.341	1.33
FSB 97D	7/29/2015	RADIUM-228	7.12	pCi/L				0.748	0.411	1.91
FSB 97D	7/29/2015	RADIUM, TOTAL ALPHA-	6.71	pCi/L				2.23	1.77	6.23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB 97D	11/10/2015	NITRATE-NITRITE AS NITROGEN	33.9	mg/L					1.7	5
FSB 97D	11/10/2015	CADMIUM	1.28	ug/L					0.1	1
FSB 97D	11/10/2015	LEAD	3.32	ug/L	J		21		0.5	5
FSB 97D	11/10/2015	GROSS ALPHA	183	pCi/L				17.8	2.75	38.4
FSB 97D	11/10/2015	NONVOLATILE BETA	141	pCi/L				14.2	14	42.5
FSB 97D	11/10/2015	TRITIUM	332	pCi/mL				3.14	0.524	6.81
FSB 98AR	1/21/2015	NITRATE-NITRITE AS NITROGEN	3.47	mg/L					0.085	0.25
FSB 98AR	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB 98AR	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 98AR	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 98AR	1/21/2015	BARIUM	31.6	ug/L					2	20
FSB 98AR	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 98AR	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 98AR	1/21/2015	CHROMIUM	11.6	ug/L	J				10	100
FSB 98AR	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB 98AR	1/21/2015	COPPER	5	ug/L	U				0.5	5
FSB 98AR	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 98AR	1/21/2015	NICKEL	0.625	ug/L	J				0.5	5
FSB 98AR	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 98AR	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 98AR	1/21/2015	THALLIUM	0.12	ug/L	J				0.1	1
FSB 98AR	1/21/2015	TIN	10	ug/L	U				1	10
FSB 98AR	1/21/2015	VANADIUM	41.3	ug/L	U				5	50
FSB 98AR	1/21/2015	ZINC	40	ug/L	U				4	40
FSB 98AR	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 98AR	1/21/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98AR	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98AR	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 98AR	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98AR	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 98AR	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 98AR	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98AR	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98AR	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 98AR	1/21/2015	AMERICIUM-241	0	pCi/L	U			0	0.0619	0.0619
FSB 98AR	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.061	0.061
FSB 98AR	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.061	0.061
FSB 98AR	1/21/2015	CURIUM-245/246	0.117	pCi/L	U			0.106	0.0631	0.275
FSB 98AR	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0568	0.0568
FSB 98AR	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0568	0.0568
FSB 98AR	1/21/2015	THORIUM-228	0.0337	pCi/L	U			0.066	0.133	0.264
FSB 98AR	1/21/2015	THORIUM-230	0.0997	pCi/L	U			0.102	0.133	0.336
FSB 98AR	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.06	0.06
FSB 98AR	1/21/2015	URANIUM-233/234	0.0164	pCi/L	U			0.045	0.11	0.2
FSB 98AR	1/21/2015	URANIUM-235	0.0202	pCi/L	U			0.056	0.136	0.247
FSB 98AR	1/21/2015	URANIUM-238	0.0327	pCi/L	U			0.064	0.131	0.259
FSB 98AR	1/21/2015	GROSS ALPHA	2.83	pCi/L	J		21	2.27	2.28	6.82
FSB 98AR	1/21/2015	NONVOLATILE BETA	0.5	pCi/L	U			2.24	4	8.47
FSB 98AR	1/21/2015	STRONTIUM-90	-0.652	pCi/L	U			1.8	3.24	6.84
FSB 98AR	1/21/2015	CARBON-14	1.36	pCi/L	UJ			4.13	6.87	15.1
FSB 98AR	1/21/2015	TECHNETIUM-99	1.77	pCi/L	UJ			2.66	4.39	9.71
FSB 98AR	1/21/2015	TRITIUM	24.7	pCi/mL				0.965	0.49	2.42

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98AR	1/21/2015	CESIUM-137	-5.16	pCi/L	U			6.38	10.3	23.1
FSB 98AR	1/21/2015	COBALT-60	-3.53	pCi/L	U			5.22	8.66	19.1
FSB 98AR	1/21/2015	IODINE-129	1.83	pCi/L	J		21	1.15	0.989	3.28
FSB 98AR	1/21/2015	RADIUM-226	0.593	pCi/L	J		21	0.25	0.227	0.727
FSB 98AR	1/21/2015	RADIUM-228	0.679	pCi/L	J		21	0.41	0.618	1.44
FSB 98AR	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0509	pCi/L	U			0.402	0.755	1.56
FSB 98AR	4/13/2015	NITRATE-NITRITE AS NITROGEN	3.23	mg/L					0.17	0.5
FSB 98AR	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 98AR	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB 98AR	4/13/2015	GROSS ALPHA	1.38	pCi/L	U			1.7	2.21	5.6
FSB 98AR	4/13/2015	NONVOLATILE BETA	5.39	pCi/L	J		21	3.02	3.77	9.81
FSB 98AR	4/13/2015	TRITIUM	24.7	pCi/mL				0.975	0.46	2.41
FSB 98AR	8/4/2015	NITRATE-NITRITE AS NITROGEN	3.02	mg/L					0.085	0.25
FSB 98AR	8/4/2015	ALUMINUM	400	ug/L	U				40	400
FSB 98AR	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB 98AR	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 98AR	8/4/2015	BARIUM	30.3	ug/L					2	20
FSB 98AR	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 98AR	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 98AR	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 98AR	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB 98AR	8/4/2015	COPPER	0.736	ug/L	J		21		0.5	5
FSB 98AR	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB 98AR	8/4/2015	NICKEL	0.601	ug/L	J		21		0.5	5
FSB 98AR	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB 98AR	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 98AR	8/4/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98AR	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 98AR	8/4/2015	ZINC	7.16	ug/L	J		21		4	40
FSB 98AR	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 98AR	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 98AR	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98AR	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.68	ug/L	J		21		1	5
FSB 98AR	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98AR	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 98AR	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 98AR	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98AR	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98AR	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 98AR	8/4/2015	AMERICIUM-241	0.0344	pCi/L	U		V	0.057	0.0989	0.212
FSB 98AR	8/4/2015	CURIUM-242	0.0622	pCi/L	J		21	0.072	0.0525	0.197
FSB 98AR	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0525	0.0525
FSB 98AR	8/4/2015	CURIUM-245/246	0.22	pCi/L	U		21, V	0.136	0.0543	0.327
FSB 98AR	8/4/2015	PLUTONIUM-238	-0.0168	pCi/L	U			0.02	0.151	0.19
FSB 98AR	8/4/2015	PLUTONIUM-239/240	0.0336	pCi/L	U			0.066	0.134	0.265
FSB 98AR	8/4/2015	THORIUM-228	-0.0105	pCi/L	U			0.015	0.124	0.154
FSB 98AR	8/4/2015	THORIUM-230	0.0778	pCi/L	U		V	0.084	0.104	0.273
FSB 98AR	8/4/2015	THORIUM-232	0	pCi/L	U			0	0.0561	0.0561
FSB 98AR	8/4/2015	URANIUM-233/234	0.12	pCi/L	J		21, V	0.108	0.0648	0.281
FSB 98AR	8/4/2015	URANIUM-235	0	pCi/L	U			0	0.0799	0.0799
FSB 98AR	8/4/2015	URANIUM-238	0.0477	pCi/L	U		V	0.068	0.0646	0.2
FSB 98AR	8/4/2015	GROSS ALPHA	1.75	pCi/L	U			1.89	2.24	6.01
FSB 98AR	8/4/2015	NONVOLATILE BETA	2.88	pCi/L	U			2.65	3.81	9.11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98AR	8/4/2015	STRONTIUM-90	0.217	pCi/L	U			2.03	3.29	7.34
FSB 98AR	8/4/2015	CARBON-14	1.87	pCi/L	U			4.15	6.88	15.2
FSB 98AR	8/4/2015	TECHNETIUM-99	3.91	pCi/L	U			2.6	4.19	9.39
FSB 98AR	8/4/2015	TRITIUM	24.6	pCi/mL				0.977	0.442	2.4
FSB 98AR	8/4/2015	CESIUM-137	-3.49	pCi/L	U			5.25	8.82	19.3
FSB 98AR	8/4/2015	COBALT-60	-0.846	pCi/L	U			4.69	8.61	18
FSB 98AR	8/4/2015	IODINE-129	0.262	pCi/L	U			0.649	1.12	2.41
FSB 98AR	8/4/2015	RADIUM-226	1.21	pCi/L	J		21	0.495	0.577	1.57
FSB 98AR	8/4/2015	RADIUM-228	1.37	pCi/L	J		21, V	0.484	0.67	1.64
FSB 98AR	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.179	pCi/L	U			0.824	1.86	3.51
FSB 98AR	10/30/2015	NITRATE-NITRITE AS NITROGEN	3.48	mg/L					0.085	0.25
FSB 98AR	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 98AR	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB 98AR	10/30/2015	GROSS ALPHA	1.6	pCi/L	U			1.82	2.34	5.98
FSB 98AR	10/30/2015	NONVOLATILE BETA	3.38	pCi/L	U			2.84	3.97	9.66
FSB 98AR	10/30/2015	TRITIUM	25	pCi/mL				0.908	0.507	2.32
FSB 98C	2/9/2015	NITRATE-NITRITE AS NITROGEN	45.2	mg/L					0.85	2.5
FSB 98C	2/9/2015	ALUMINUM	1940	ug/L					40	400
FSB 98C	2/9/2015	ANTIMONY	10	ug/L	U				1	10
FSB 98C	2/9/2015	ARSENIC	50	ug/L	U				5	50
FSB 98C	2/9/2015	BARIUM	51.7	ug/L					2	20
FSB 98C	2/9/2015	BERYLLIUM	0.556	ug/L	J				0.1	1
FSB 98C	2/9/2015	CADMIUM	1.5	ug/L					0.1	1
FSB 98C	2/9/2015	CHROMIUM	15.2	ug/L	J				10	100
FSB 98C	2/9/2015	COBALT	48.8	ug/L					0.5	5
FSB 98C	2/9/2015	COPPER	6.38	ug/L					0.5	5
FSB 98C	2/9/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98C	2/9/2015	NICKEL	8.23	ug/L					0.5	5
FSB 98C	2/9/2015	SELENIUM	20	ug/L	U				2	20
FSB 98C	2/9/2015	SILVER	5	ug/L	U				0.5	5
FSB 98C	2/9/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 98C	2/9/2015	TIN	10	ug/L	U				1	10
FSB 98C	2/9/2015	VANADIUM	50	ug/L	U				5	50
FSB 98C	2/9/2015	ZINC	15.3	ug/L	J				4	40
FSB 98C	2/9/2015	MERCURY	0.562	ug/L					0.02	0.2
FSB 98C	2/9/2015	BENZENE	1	ug/L	U				0.3	1
FSB 98C	2/9/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98C	2/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 98C	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98C	2/9/2015	TRICHLOROETHYLENE (TCE)	11.5	ug/L					0.3	1
FSB 98C	2/9/2015	TRICHLOROFLUOROMETHANE	1.7	ug/L					0.3	1
FSB 98C	2/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98C	2/9/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98C	2/9/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 98C	2/9/2015	AMERICIUM-241	1.56	pCi/L				0.437	0.058	0.932
FSB 98C	2/9/2015	CURIUM-242	0.0477	pCi/L	U			0.068	0.0571	0.193
FSB 98C	2/9/2015	CURIUM-243/244	0.275	pCi/L	J		21	0.158	0.0571	0.373
FSB 98C	2/9/2015	CURIUM-245/246	0.196	pCi/L	U			0.134	0.0591	0.328
FSB 98C	2/9/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0632	0.0632
FSB 98C	2/9/2015	PLUTONIUM-239/240	-0.00583	pCi/L	U			0.012	0.117	0.141
FSB 98C	2/9/2015	THORIUM-228	0	pCi/L	U			0	0.0619	0.0619
FSB 98C	2/9/2015	THORIUM-230	0.0916	pCi/L	U			0.093	0.062	0.248
FSB 98C	2/9/2015	THORIUM-232	0	pCi/L	U			0	0.0619	0.0619

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98C	2/9/2015	URANIUM-233/234	19.3	pCi/L				3.42	0.0661	6.91
FSB 98C	2/9/2015	URANIUM-235	1.54	pCi/L				0.506	0.0816	1.09
FSB 98C	2/9/2015	URANIUM-238	37.7	pCi/L				6.24	0.066	12.6
FSB 98C	2/9/2015	GROSS ALPHA	58.4	pCi/L				10.5	2.77	23.8
FSB 98C	2/9/2015	NONVOLATILE BETA	75.6	pCi/L				9.01	5.02	23
FSB 98C	2/9/2015	STRONTIUM-90	22.4	pCi/L				4.81	3.27	12.9
FSB 98C	2/9/2015	CARBON-14	-0.452	pCi/L	UJ			4.05	6.81	14.9
FSB 98C	2/9/2015	TECHNETIUM-99	116	pCi/L				4.89	4.11	13.9
FSB 98C	2/9/2015	TRITIUM	533	pCi/mL				4.39	0.382	9.16
FSB 98C	2/9/2015	CESIUM-137	-3.14	pCi/L	U			6.03	10.1	22.2
FSB 98C	2/9/2015	COBALT-60	2.71	pCi/L	U			5.31	10.7	21.3
FSB 98C	2/9/2015	IODINE-129	15.8	pCi/L				2.78	1.14	6.7
FSB 98C	2/9/2015	RADIUM-226	2.07	pCi/L				0.552	0.5	1.6
FSB 98C	2/9/2015	RADIUM-228	1.6	pCi/L				0.386	0.39	1.16
FSB 98C	2/9/2015	RADIUM, TOTAL ALPHA-EMITTING	7.05	pCi/L				2.28	2.02	6.58
FSB 98C	4/8/2015	NITRATE-NITRITE AS NITROGEN	42.8	mg/L					1.7	5
FSB 98C	4/8/2015	CADMIUM	1.91	ug/L					0.1	1
FSB 98C	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB 98C	4/8/2015	GROSS ALPHA	58.5	pCi/L				10.6	2.74	23.9
FSB 98C	4/8/2015	NONVOLATILE BETA	67.1	pCi/L				9.34	8.33	27
FSB 98C	4/8/2015	TRITIUM	528	pCi/mL				4.34	0.422	9.1
FSB 98C	7/29/2015	NITRATE-NITRITE AS NITROGEN	46.7	mg/L					1.7	5
FSB 98C	7/29/2015	ALUMINUM	3420	ug/L					40	400
FSB 98C	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 98C	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 98C	7/29/2015	BARIUM	50.6	ug/L					2	20
FSB 98C	7/29/2015	BERYLLIUM	0.653	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98C	7/29/2015	CADMIUM	1.54	ug/L					0.1	1
FSB 98C	7/29/2015	CHROMIUM	11.3	ug/L	J		21		10	100
FSB 98C	7/29/2015	COBALT	29.9	ug/L					0.5	5
FSB 98C	7/29/2015	COPPER	6.25	ug/L	J		21, V		0.5	5
FSB 98C	7/29/2015	LEAD	0.856	ug/L	J		21		0.5	5
FSB 98C	7/29/2015	NICKEL	6.56	ug/L					0.5	5
FSB 98C	7/29/2015	SELENIUM	2.36	ug/L	J		21		2	20
FSB 98C	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 98C	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 98C	7/29/2015	VANADIUM	9.34	ug/L	J		21		5	50
FSB 98C	7/29/2015	ZINC	13.7	ug/L	J		21		4	40
FSB 98C	7/29/2015	MERCURY	0.167	ug/L	J		21		0.02	0.2
FSB 98C	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 98C	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98C	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.2	ug/L	U		21, V		1	5
FSB 98C	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98C	7/29/2015	TRICHLOROETHYLENE (TCE)	12.8	ug/L					0.3	1
FSB 98C	7/29/2015	TRICHLOROFLUOROMETHANE	0.93	ug/L	J		21		0.3	1
FSB 98C	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98C	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98C	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 98C	7/29/2015	AMERICIUM-241	1.55	pCi/L			V	0.439	0.153	1.03
FSB 98C	7/29/2015	CURIUM-242	0	pCi/L	U		V	0	0.0608	0.0608
FSB 98C	7/29/2015	CURIUM-243/244	0.359	pCi/L	J		21	0.187	0.0608	0.434
FSB 98C	7/29/2015	CURIUM-245/246	0.249	pCi/L	U		21, V	0.158	0.117	0.434
FSB 98C	7/29/2015	PLUTONIUM-238	0.0419	pCi/L	U		V	0.069	0.121	0.259

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98C	7/29/2015	PLUTONIUM-239/240	0.0179	pCi/L	U			0.049	0.121	0.219
FSB 98C	7/29/2015	THORIUM-228	0.0467	pCi/L	U			0.067	0.0624	0.195
FSB 98C	7/29/2015	THORIUM-230	0.0519	pCi/L	U		V	0.083	0.155	0.321
FSB 98C	7/29/2015	THORIUM-232	0	pCi/L	U		V	0	0.0624	0.0624
FSB 98C	7/29/2015	URANIUM-233/234	18.9	pCi/L				2.97	0.0999	6.03
FSB 98C	7/29/2015	URANIUM-235	1.41	pCi/L			V	0.433	0.123	0.989
FSB 98C	7/29/2015	URANIUM-238	34.4	pCi/L				4.98	0.0997	10.1
FSB 98C	7/29/2015	GROSS ALPHA	64.1	pCi/L				7.84	1.66	17.3
FSB 98C	7/29/2015	NONVOLATILE BETA	92.7	pCi/L				7.04	3.49	17.6
FSB 98C	7/29/2015	STRONTIUM-90	24.4	pCi/L				4.71	3.32	12.7
FSB 98C	7/29/2015	CARBON-14	11.3	pCi/L	J		21	4.43	6.98	15.8
FSB 98C	7/29/2015	TECHNETIUM-99	20.5	pCi/L				3.02	4.1	10.1
FSB 98C	7/29/2015	TRITIUM	516	pCi/mL				4.34	0.455	9.13
FSB 98C	7/29/2015	CESIUM-137	0.0447	pCi/L	U			5.58	9.97	21.1
FSB 98C	7/29/2015	COBALT-60	-1.36	pCi/L	U			5.69	10.2	21.6
FSB 98C	7/29/2015	IODINE-129	14.6	pCi/L				2.6	1.13	6.33
FSB 98C	7/29/2015	RADIUM-226	6.29	pCi/L				0.718	0.328	1.76
FSB 98C	7/29/2015	RADIUM-228	1.94	pCi/L				0.447	0.473	1.37
FSB 98C	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	7.9	pCi/L	J		21	2.67	2.59	7.93
FSB 98C	11/6/2015	NITRATE-NITRITE AS NITROGEN	41.9	mg/L					1.7	5
FSB 98C	11/6/2015	CADMIUM	1.95	ug/L					0.1	1
FSB 98C	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB 98C	11/6/2015	GROSS ALPHA	60.9	pCi/L				10.7	2.77	24.2
FSB 98C	11/6/2015	NONVOLATILE BETA	63	pCi/L				9.19	8.53	26.9
FSB 98C	11/6/2015	TRITIUM	512	pCi/mL				3.88	0.535	8.3
FSB 98D	1/27/2015	NITRATE-NITRITE AS NITROGEN	40.2	mg/L					0.85	2.5
FSB 98D	1/27/2015	ALUMINUM	6130	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB 98D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB 98D	1/27/2015	BARIUM	129	ug/L					2	20
FSB 98D	1/27/2015	BERYLLIUM	0.877	ug/L	J				0.1	1
FSB 98D	1/27/2015	CADMIUM	2.43	ug/L					0.1	1
FSB 98D	1/27/2015	CHROMIUM	11.6	ug/L	J				10	100
FSB 98D	1/27/2015	COBALT	25.9	ug/L					0.5	5
FSB 98D	1/27/2015	COPPER	13.3	ug/L					0.5	5
FSB 98D	1/27/2015	LEAD	2.42	ug/L	J				0.5	5
FSB 98D	1/27/2015	NICKEL	8.13	ug/L					0.5	5
FSB 98D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB 98D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB 98D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 98D	1/27/2015	TIN	10	ug/L	U				1	10
FSB 98D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB 98D	1/27/2015	ZINC	19.3	ug/L	J				4	40
FSB 98D	1/27/2015	MERCURY	0.378	ug/L					0.02	0.2
FSB 98D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB 98D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.22	ug/L	J		21		1	5
FSB 98D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 98D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 98D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98D	1/27/2015	AMERICIUM-241	7.82	pCi/L				1.46	0.105	3.02
FSB 98D	1/27/2015	CURIUM-242	0.0436	pCi/L	U			0.062	0.0556	0.18
FSB 98D	1/27/2015	CURIUM-243/244	3.63	pCi/L				0.784	0.0556	1.62
FSB 98D	1/27/2015	CURIUM-245/246	0.446	pCi/L	U			0.206	0.0575	0.47
FSB 98D	1/27/2015	PLUTONIUM-238	0.0603	pCi/L	U			0.121	0.163	0.406
FSB 98D	1/27/2015	PLUTONIUM-239/240	-0.0151	pCi/L	U			0.03	0.304	0.364
FSB 98D	1/27/2015	THORIUM-228	0.15	pCi/L	U			0.126	0.136	0.387
FSB 98D	1/27/2015	THORIUM-230	0.153	pCi/L	U			0.123	0.114	0.361
FSB 98D	1/27/2015	THORIUM-232	0.0397	pCi/L	U			0.066	0.114	0.245
FSB 98D	1/27/2015	URANIUM-233/234	48.9	pCi/L				8.65	0.0872	17.4
FSB 98D	1/27/2015	URANIUM-235	4.56	pCi/L				1.18	0.2	2.57
FSB 98D	1/27/2015	URANIUM-238	134	pCi/L				22.3	0.193	44.9
FSB 98D	1/27/2015	GROSS ALPHA	115	pCi/L				14.4	2.76	31.6
FSB 98D	1/27/2015	NONVOLATILE BETA	171	pCi/L				13.3	5.9	32.5
FSB 98D	1/27/2015	STRONTIUM-90	62.6	pCi/L				9.19	3.13	21.5
FSB 98D	1/27/2015	CARBON-14	3.21	pCi/L	UJ			4.16	6.85	15.2
FSB 98D	1/27/2015	TECHNETIUM-99	18.1	pCi/L				3.13	4.45	10.7
FSB 98D	1/27/2015	TRITIUM	453	pCi/mL				4.05	0.456	8.56
FSB 98D	1/27/2015	CESIUM-137	0.922	pCi/L	U			4.86	8.95	18.7
FSB 98D	1/27/2015	COBALT-60	-0.882	pCi/L	U			3.98	7.39	15.4
FSB 98D	1/27/2015	IODINE-129	53.9	pCi/L				8.43	1.4	18.3
FSB 98D	1/27/2015	RADIUM-226	5.34	pCi/L				0.904	0.371	2.18
FSB 98D	1/27/2015	RADIUM-228	7.98	pCi/L				0.85	0.704	2.4
FSB 98D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	7.8	pCi/L				1.98	1.34	5.3
FSB 98D	4/14/2015	NITRATE-NITRITE AS NITROGEN	45.7	mg/L					1.7	5
FSB 98D	4/14/2015	CADMIUM	2.87	ug/L					0.1	1
FSB 98D	4/14/2015	LEAD	1.94	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98D	4/14/2015	GROSS ALPHA	139	pCi/L				16	2.72	34.7
FSB 98D	4/14/2015	NONVOLATILE BETA	218	pCi/L				15	6.24	36.2
FSB 98D	4/14/2015	TRITIUM	454	pCi/mL				4.04	0.425	8.5
FSB 98D	8/4/2015	NITRATE-NITRITE AS NITROGEN	46.1	mg/L					0.85	2.5
FSB 98D	8/4/2015	ALUMINUM	7710	ug/L					40	400
FSB 98D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB 98D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB 98D	8/4/2015	BARIUM	148	ug/L					2	20
FSB 98D	8/4/2015	BERYLLIUM	1.01	ug/L					0.1	1
FSB 98D	8/4/2015	CADMIUM	2.05	ug/L					0.1	1
FSB 98D	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB 98D	8/4/2015	COBALT	21.7	ug/L					0.5	5
FSB 98D	8/4/2015	COPPER	16.2	ug/L					0.5	5
FSB 98D	8/4/2015	LEAD	2.23	ug/L	J		21		0.5	5
FSB 98D	8/4/2015	NICKEL	9.13	ug/L					0.5	5
FSB 98D	8/4/2015	SELENIUM	2.6	ug/L	U		21, V		2	20
FSB 98D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB 98D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 98D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB 98D	8/4/2015	ZINC	22.3	ug/L	U		21, V		4	40
FSB 98D	8/4/2015	MERCURY	0.689	ug/L					0.02	0.2
FSB 98D	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB 98D	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 98D	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.25	ug/L	J		21		1	5
FSB 98D	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 98D	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 98D	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 98D	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 98D	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 98D	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 98D	8/4/2015	AMERICIUM-241	6.84	pCi/L			V	1.23	0.0579	2.52
FSB 98D	8/4/2015	CURIUM-242	0.0902	pCi/L	J		21	0.091	0.0571	0.239
FSB 98D	8/4/2015	CURIUM-243/244	2.5	pCi/L				0.578	0.106	1.26
FSB 98D	8/4/2015	CURIUM-245/246	0.196	pCi/L	U		21, V	0.134	0.0591	0.326
FSB 98D	8/4/2015	PLUTONIUM-238	0.0165	pCi/L	U			0.045	0.11	0.201
FSB 98D	8/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0595	0.0595
FSB 98D	8/4/2015	THORIUM-228	0.1	pCi/L	U			0.096	0.105	0.297
FSB 98D	8/4/2015	THORIUM-230	0.203	pCi/L	U		21, V	0.135	0.105	0.375
FSB 98D	8/4/2015	THORIUM-232	0	pCi/L	U			0	0.0562	0.0562
FSB 98D	8/4/2015	URANIUM-233/234	37.1	pCi/L			V	5.78	0.0638	11.6
FSB 98D	8/4/2015	URANIUM-235	2.35	pCi/L				0.644	0.0788	1.37
FSB 98D	8/4/2015	URANIUM-238	99.4	pCi/L			V	14.4	0.118	28.9
FSB 98D	8/4/2015	GROSS ALPHA	109	pCi/L				14.4	2.85	31.6
FSB 98D	8/4/2015	NONVOLATILE BETA	192	pCi/L				14.1	5.85	34
FSB 98D	8/4/2015	STRONTIUM-90	61.5	pCi/L				9.11	3.22	21.4
FSB 98D	8/4/2015	CARBON-14	72	pCi/L				5.69	7.09	18.5
FSB 98D	8/4/2015	TECHNETIUM-99	14.2	pCi/L				2.83	4.07	9.72
FSB 98D	8/4/2015	TRITIUM	582	pCi/mL				4.62	0.447	9.69
FSB 98D	8/4/2015	CESIUM-137	-0.113	pCi/L	U			5.7	10.1	21.5
FSB 98D	8/4/2015	COBALT-60	0.951	pCi/L	U			5.22	9.89	20.3
FSB 98D	8/4/2015	IODINE-129	63.5	pCi/L				9.72	1.56	21
FSB 98D	8/4/2015	RADIUM-226	5.33	pCi/L				0.835	0.503	2.17
FSB 98D	8/4/2015	RADIUM-228	8.37	pCi/L	J		V	0.872	0.539	2.28
FSB 98D	8/4/2015	RADIUM, TOTAL ALPHA-	7.19	pCi/L				1.87	1.5	5.24

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB 98D	11/10/2015	NITRATE-NITRITE AS NITROGEN	41.1	mg/L					1.7	5
FSB 98D	11/10/2015	CADMIUM	1.7	ug/L					0.1	1
FSB 98D	11/10/2015	LEAD	2.55	ug/L	J		21		0.5	5
FSB 98D	11/10/2015	GROSS ALPHA	98.9	pCi/L				13.6	3.02	30.3
FSB 98D	11/10/2015	NONVOLATILE BETA	164	pCi/L				13.9	10.3	38.2
FSB 98D	11/10/2015	TRITIUM	744	pCi/mL				4.7	0.526	9.92
FSB 99A	1/21/2015	NITRATE-NITRITE AS NITROGEN	7.37	mg/L					0.17	0.5
FSB 99A	1/21/2015	ALUMINUM	210	ug/L	J				40	400
FSB 99A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 99A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 99A	1/21/2015	BARIUM	9.49	ug/L	J				2	20
FSB 99A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 99A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99A	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 99A	1/21/2015	COBALT	0.805	ug/L	J				0.5	5
FSB 99A	1/21/2015	COPPER	14.1	ug/L					0.5	5
FSB 99A	1/21/2015	LEAD	4.13	ug/L	J				0.5	5
FSB 99A	1/21/2015	NICKEL	0.773	ug/L	J				0.5	5
FSB 99A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 99A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 99A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 99A	1/21/2015	TIN	10	ug/L	U				1	10
FSB 99A	1/21/2015	VANADIUM	38.2	ug/L	U				5	50
FSB 99A	1/21/2015	ZINC	10	ug/L	J				4	40
FSB 99A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 99A	1/21/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 99A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 99A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 99A	1/21/2015	TRICHLOROETHYLENE (TCE)	0.45	ug/L	J		21		0.3	1
FSB 99A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 99A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 99A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 99A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 99A	1/21/2015	AMERICIUM-241	0.0223	pCi/L	U			0.045	0.0605	0.15
FSB 99A	1/21/2015	CURIUM-242	0.0228	pCi/L	U			0.046	0.0596	0.151
FSB 99A	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0596	0.0596
FSB 99A	1/21/2015	CURIUM-245/246	0.318	pCi/L	J		21	0.177	0.0616	0.416
FSB 99A	1/21/2015	PLUTONIUM-238	0.017	pCi/L	U			0.047	0.114	0.207
FSB 99A	1/21/2015	PLUTONIUM-239/240	0.0113	pCi/L	U			0.048	0.136	0.232
FSB 99A	1/21/2015	THORIUM-228	0	pCi/L	U			0	0.0656	0.0656
FSB 99A	1/21/2015	THORIUM-230	0.00607	pCi/L	U			0.053	0.163	0.269
FSB 99A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0656	0.0656
FSB 99A	1/21/2015	URANIUM-233/234	0.0866	pCi/L	U			0.094	0.116	0.304
FSB 99A	1/21/2015	URANIUM-235	-0.00712	pCi/L	U			0.014	0.143	0.172
FSB 99A	1/21/2015	URANIUM-238	0.248	pCi/L	J		21	0.158	0.116	0.432
FSB 99A	1/21/2015	GROSS ALPHA	0.0575	pCi/L	U			0.864	2.27	4
FSB 99A	1/21/2015	NONVOLATILE BETA	4.18	pCi/L	J		21	2.88	3.93	9.69
FSB 99A	1/21/2015	STRONTIUM-90	-1.33	pCi/L	U			1.74	3.12	6.6
FSB 99A	1/21/2015	CARBON-14	-1.46	pCi/L	UJ			4.22	7.13	15.6
FSB 99A	1/21/2015	TECHNETIUM-99	11.7	pCi/L				2.77	4.08	9.63
FSB 99A	1/21/2015	TRITIUM	39.7	pCi/mL				1.2	0.484	2.88

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	1/21/2015	CESIUM-137	0.325	pCi/L	U			4.9	8.91	18.7
FSB 99A	1/21/2015	COBALT-60	5.17	pCi/L	U			4.87	10.2	20
FSB 99A	1/21/2015	IODINE-129	0.474	pCi/L	U			0.689	1.06	2.44
FSB 99A	1/21/2015	RADIUM-226	0.797	pCi/L	J		21	0.325	0.379	1.03
FSB 99A	1/21/2015	RADIUM-228	0.343	pCi/L	U			0.321	0.525	1.17
FSB 99A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.354	pCi/L	U			0.609	1.05	2.27
FSB 99A	4/7/2015	NITRATE-NITRITE AS NITROGEN	6.85	mg/L					0.17	0.5
FSB 99A	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99A	4/7/2015	LEAD	5	ug/L	U				0.5	5
FSB 99A	4/7/2015	GROSS ALPHA	2.19	pCi/L	J		21	2.01	2.16	6.19
FSB 99A	4/7/2015	NONVOLATILE BETA	1.47	pCi/L	U			2.66	4.4	9.71
FSB 99A	4/7/2015	TRITIUM	38.1	pCi/mL				1.19	0.441	2.81
FSB 99A	7/27/2015	NITRATE-NITRITE AS NITROGEN	6.9	mg/L					0.425	1.25
FSB 99A	7/27/2015	ALUMINUM	400	ug/L	U	U			40	400
FSB 99A	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 99A	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 99A	7/27/2015	BARIUM	23	ug/L					2	20
FSB 99A	7/27/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
FSB 99A	7/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
FSB 99A	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 99A	7/27/2015	COBALT	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	COPPER	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	NICKEL	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
FSB 99A	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	THALLIUM	0.113	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	TIN	10	ug/L	U	U			1	10
FSB 99A	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 99A	7/27/2015	ZINC	40	ug/L	U	U	V		4	40
FSB 99A	7/27/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
FSB 99A	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 99A	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 99A	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 99A	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 99A	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
FSB 99A	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 99A	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 99A	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 99A	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 99A	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
FSB 99A	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 99A	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 99A	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 99A	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J	J	21		0.3	1
FSB 99A	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 99A	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,2,4-TRICHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,2-DICHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,3,5-TRINITROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,3-DICHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,3-DINITROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,4-DICHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,4-DIOXANE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1,4-NAPHTHOQUINONE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	1-NAPHTHYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,4,5-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,4,6-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,4-DICHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,4-DIMETHYLPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,4-DINITROPHENOL	19.8	ug/L	U	UJ	14		4.95	19.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	2,4-DINITROTOLUENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2,6-DICHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2,6-DINITROTOLUENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2-ACETYLAMINOFLUORENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2-CHLORONAPHTHALENE	0.99	ug/L	U	U			0.406	0.99
FSB 99A	7/27/2015	2-CHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2-METHYLNAPHTHALENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	2-NAPHTHYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2-NITROANILINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2-NITROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	2-PICOLINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	3,3-DICHLOROBENZIDINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	3,3'-DIMETHYLBENZIDINE	9.9	ug/L	U	U			3.27	9.9
FSB 99A	7/27/2015	3-METHYLCHOLANTHRENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	4-AMINOBIPHENYL	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	4-BROMOPHENYL PHENYL ETHER	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	4-CHLOROANILINE	9.9	ug/L	U	U			3.27	9.9
FSB 99A	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	4-NITROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	4-NITROQUINOLINE-1-OXIDE	9.9	ug/L	U	U			3.76	9.9
FSB 99A	7/27/2015	5-NITRO-O-TOLUIDINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	9.9	ug/L	U	U			5.35	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	ACENAPHTHENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	ACENAPHTHYLENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	ACETOPHENONE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	ANILINE	9.9	ug/L	U	U			4.16	9.9
FSB 99A	7/27/2015	ANTHRACENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	ARAMITE	9.9	ug/L	U	U			3.66	9.9
FSB 99A	7/27/2015	BENZO(G,H,I)PERYLENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	BENZO[A]ANTHRACENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	BENZO[A]PYRENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	BENZO[B]FLUORANTHENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	BENZO[K]FLUORANTHENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	BENZYL ALCOHOL	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	BIS(2-CHLOROETHYL)ETHER	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	BUTYL BENZYL PHTHALATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	CHLOROBENZILATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	CHRYSENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	DIALLATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	DIBENZ[AH]ANTHRACENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	DIBENZOFURAN	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	DIETHYL PHTHALATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	DIMETHOATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	DIMETHYL PHTHALATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	DI-N-BUTYL PHTHALATE	9.9	ug/L	U	U			2.97	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	DINITRO-O-CRESOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	DISULFOTON	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	ETHYL METHACRYLATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	ETHYL METHANESULFONATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	FAMPHUR	9.9	ug/L	U	U			4.95	9.9
FSB 99A	7/27/2015	FLUORANTHENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	FLUORENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	HEXACHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	HEXACHLOROBUTADIENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	HEXACHLOROCYCLOPENTADIENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	HEXACHLOROETHANE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	HEXACHLOROPHENE	495	ug/L	U	U			165	495
FSB 99A	7/27/2015	HEXACHLOROPROPENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	INDENO[1,2,3-CD]PYRENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	ISODRIN	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	ISOPHORONE	9.9	ug/L	U	U			3.47	9.9
FSB 99A	7/27/2015	ISOSAFROLE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	KEPONE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	M/P-CRESOL	9.9	ug/L	U	UJ	14		3.66	9.9
FSB 99A	7/27/2015	METHAPYRILENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	METHYL METHANESULFONATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	METHYL PARATHION	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	M-NITROANILINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	NAPHTHALENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	N-DIOCTYL PHTHALATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	NITROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSODIETHYLAMINE	9.9	ug/L	U	U			2.97	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	N-NITROSODIMETHYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSODI-N-BUTYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSODIPROPYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSOMORPHOLINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSOPIPERIDINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	N-NITROSOPYRROLIDINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	O-CRESOL (2-METHYLPHENOL)	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	PARATHION	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	P-CHLORO-M-CRESOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	PENTACHLOROBENZENE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	PENTACHLOROETHANE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	PENTACHLORONITROBENZENE	9.9	ug/L	U	U			3.37	9.9
FSB 99A	7/27/2015	PENTACHLOROPHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	PHENACETIN	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	PHENANTHRENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	PHENOL	9.9	ug/L	U	UJ	14		2.97	9.9
FSB 99A	7/27/2015	PHORATE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	P-NITROANILINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	P-PHENYLENEDIAMINE	495	ug/L	U	U			99	495
FSB 99A	7/27/2015	PRONAMIDE	9.9	ug/L	U	U			2.97	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	PYRENE	0.99	ug/L	U	U			0.297	0.99
FSB 99A	7/27/2015	PYRIDINE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	SAFROLE	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	SULFOTEPP	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	THIONAZIN	9.9	ug/L	U	U			2.97	9.9
FSB 99A	7/27/2015	2,3,7,8-TCDD	0.00976	ng/L	U	U			0.00326	0.00976
FSB 99A	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0488	ng/L	U	U			0.0163	0.0488
FSB 99A	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0488	ng/L	U	U			0.0163	0.0488
FSB 99A	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0488	ng/L	U	U			0.0163	0.0488
FSB 99A	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0488	ng/L	U	U			0.0163	0.0488
FSB 99A	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00976	ng/L	U	U			0.00326	0.00976
FSB 99A	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.00976	ng/L	U	U			0.00326	0.00976
FSB 99A	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 99A	7/27/2015	CHLORIDE	2.45	mg/L					0.067	0.2
FSB 99A	7/27/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 99A	7/27/2015	AMERICIUM-241	0.0473	pCi/L	U	U		0.067	0.0641	0.199
FSB 99A	7/27/2015	CURIUM-242	0.025	pCi/L	U	U		0.05	0.0632	0.163
FSB 99A	7/27/2015	CURIUM-243/244	-0.00584	pCi/L	U	U	V	0.012	0.117	0.141
FSB 99A	7/27/2015	CURIUM-245/246	0.241	pCi/L	U	U	21, V	0.156	0.0654	0.378
FSB 99A	7/27/2015	PLUTONIUM-238	0.0506	pCi/L	U	U		0.072	0.0685	0.212
FSB 99A	7/27/2015	PLUTONIUM-239/240	0.0442	pCi/L	U	U		0.092	0.2	0.384
FSB 99A	7/27/2015	THORIUM-228	0.00549	pCi/L	U	U		0.069	0.191	0.328
FSB 99A	7/27/2015	THORIUM-230	0.0541	pCi/L	U	U	V	0.077	0.13	0.284
FSB 99A	7/27/2015	THORIUM-232	0	pCi/L	U	U		0	0.0585	0.0585

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	URANIUM-233/234	0.122	pCi/L	U	U	21, V	0.101	0.0549	0.256
FSB 99A	7/27/2015	URANIUM-235	-0.00625	pCi/L	U	U	V	0.013	0.126	0.151
FSB 99A	7/27/2015	URANIUM-238	0.0202	pCi/L	U	U	V	0.041	0.0548	0.136
FSB 99A	7/27/2015	GROSS ALPHA	0.491	pCi/L	U	U		1.19	2.2	4.58
FSB 99A	7/27/2015	NONVOLATILE BETA	4.56	pCi/L	J	J	21	2.97	3.97	9.91
FSB 99A	7/27/2015	STRONTIUM-90	0.1	pCi/L	U	U		1.8	2.98	6.58
FSB 99A	7/27/2015	NICKEL-63	0.238	pCi/L	U	U		3.14	5.68	12
FSB 99A	7/27/2015	TECHNETIUM-99	6.8	pCi/L	J	J	21	2.69	4.19	9.56
FSB 99A	7/27/2015	TRITIUM	42.8	pCi/mL				1.28	0.477	3.03
FSB 99A	7/27/2015	CESIUM-134	-2.44	pCi/L	U	U		5.21	7.63	18
FSB 99A	7/27/2015	CESIUM-137	0.692	pCi/L	U	U		4.96	9.06	19
FSB 99A	7/27/2015	COBALT-60	0.691	pCi/L	U	U		4.37	8.46	17.2
FSB 99A	7/27/2015	IODINE-129	1.19	pCi/L	U	U		0.706	1.24	2.66
FSB 99A	7/27/2015	RADIUM-226	0.679	pCi/L	J	J	21	0.405	0.543	1.35
FSB 99A	7/27/2015	RADIUM-228	0.688	pCi/L	J	J	21	0.302	0.412	1.02
FSB 99A	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.347	pCi/L	U	U		0.635	1.17	2.44
FSB 99A	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 99A	7/27/2015	NITRATE-NITRITE AS NITROGEN	6.58	mg/L					0.425	1.25
FSB 99A	7/27/2015	ALUMINUM	47.5	ug/L	J	J	21		40	400
FSB 99A	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
FSB 99A	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
FSB 99A	7/27/2015	BARIUM	23.5	ug/L					2	20
FSB 99A	7/27/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
FSB 99A	7/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
FSB 99A	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
FSB 99A	7/27/2015	COBALT	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	COPPER	0.548	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	NICKEL	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
FSB 99A	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
FSB 99A	7/27/2015	THALLIUM	0.116	ug/L	J	J	21		0.1	1
FSB 99A	7/27/2015	TIN	10	ug/L	U	U			1	10
FSB 99A	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
FSB 99A	7/27/2015	ZINC	40	ug/L	U	U	V		4	40
FSB 99A	7/27/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
FSB 99A	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
FSB 99A	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
FSB 99A	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
FSB 99A	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
FSB 99A	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
FSB 99A	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
FSB 99A	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
FSB 99A	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
FSB 99A	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
FSB 99A	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
FSB 99A	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSB 99A	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
FSB 99A	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSB 99A	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
FSB 99A	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSB 99A	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
FSB 99A	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSB 99A	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J	J	21		0.3	1
FSB 99A	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSB 99A	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
FSB 99A	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
FSB 99A	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,2,4-TRICHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,2-DICHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,3,5-TRINITROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,3-DICHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,3-DINITROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,4-DICHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,4-DIOXANE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1,4-NAPHTHOQUINONE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	1-NAPHTHYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	2,4,5-TRICHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2,4,6-TRICHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2,4-DICHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2,4-DIMETHYLPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2,4-DINITROPHENOL	18.9	ug/L	U	UJ	14		4.72	18.9
FSB 99A	7/27/2015	2,4-DINITROTOLUENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2,6-DICHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2,6-DINITROTOLUENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2-ACETYLAMINOFLUORENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2-CHLORONAPHTHALENE	0.943	ug/L	U	U			0.387	0.943
FSB 99A	7/27/2015	2-CHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2-METHYLNAPHTHALENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	2-NAPHTHYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2-NITROANILINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2-NITROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	2-PICOLINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	3,3-DICHLOROBENZIDINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	3,3'-DIMETHYLBENZIDINE	9.43	ug/L	U	U			3.11	9.43
FSB 99A	7/27/2015	3-METHYLCHOLANTHRENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	4-AMINOBIPHENYL	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	4-BROMOPHENYL PHENYL ETHER	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	4-CHLOROANILINE	9.43	ug/L	U	U			3.11	9.43
FSB 99A	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	4-NITROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	4-NITROQUINOLINE-1-OXIDE	9.43	ug/L	U	U			3.58	9.43

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	5-NITRO-O-TOLUIDINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	9.43	ug/L	U	U			5.09	9.43
FSB 99A	7/27/2015	ACENAPHTHENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	ACENAPHTHYLENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	ACETOPHENONE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	ANILINE	9.43	ug/L	U	U			3.96	9.43
FSB 99A	7/27/2015	ANTHRACENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	ARAMITE	9.43	ug/L	U	U			3.49	9.43
FSB 99A	7/27/2015	BENZO(G,H,I)PERYLENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	BENZO[A]ANTHRACENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	BENZO[A]PYRENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	BENZO[B]FLUORANTHENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	BENZO[K]FLUORANTHENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	BENZYL ALCOHOL	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	BIS(2-CHLOROETHYL)ETHER	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	BUTYL BENZYL PHTHALATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	CHLOROBENZILATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	CHRYSENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	DIALLATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DIBENZ[AH]ANTHRACENE	0.943	ug/L	U	U			0.283	0.943

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	DIBENZOFURAN	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DIETHYL PHTHALATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DIMETHOATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DIMETHYL PHTHALATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DI-N-BUTYL PHTHALATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	DINITRO-O-CRESOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	DISULFOTON	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	ETHYL METHACRYLATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	ETHYL METHANESULFONATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	FAMPHUR	9.43	ug/L	U	U			4.72	9.43
FSB 99A	7/27/2015	FLUORANTHENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	FLUORENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	HEXACHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	HEXACHLOROBUTADIENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	HEXACHLOROCYCLOPENTADIENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	HEXACHLOROETHANE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	HEXACHLOROPHENE	472	ug/L	U	U			158	472
FSB 99A	7/27/2015	HEXACHLOROPROPENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	INDENO[1,2,3-CD]PYRENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	ISODRIN	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	ISOPHORONE	9.43	ug/L	U	U			3.3	9.43
FSB 99A	7/27/2015	ISOSAFROLE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	KEPONE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	M/P-CRESOL	9.43	ug/L	U	UJ	14		3.49	9.43
FSB 99A	7/27/2015	METHAPYRILENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	METHYL METHANESULFONATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	METHYL PARATHION	9.43	ug/L	U	U			2.83	9.43

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	M-NITROANILINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	NAPHTHALENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	N-DIOCTYL PHTHALATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	NITROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSODIETHYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSODIMETHYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSODI-N-BUTYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSODIPROPYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSOMORPHOLINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSOPIPERIDINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	N-NITROSOPYRROLIDINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	O-CRESOL (2-METHYLPHENOL)	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	PARATHION	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	P-CHLORO-M-CRESOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	PENTACHLOROBENZENE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	PENTACHLOROETHANE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	PENTACHLORONITROBENZENE	9.43	ug/L	U	U			3.21	9.43
FSB 99A	7/27/2015	PENTACHLOROPHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	PHENACETIN	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	PHENANTHRENE	0.943	ug/L	U	U			0.283	0.943

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	PHENOL	9.43	ug/L	U	UJ	14		2.83	9.43
FSB 99A	7/27/2015	PHORATE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	P-NITROANILINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	P-PHENYLENEDIAMINE	472	ug/L	U	U			94.3	472
FSB 99A	7/27/2015	PRONAMIDE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	PYRENE	0.943	ug/L	U	U			0.283	0.943
FSB 99A	7/27/2015	PYRIDINE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	SAFROLE	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	SULFOTEPP	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	THIONAZIN	9.43	ug/L	U	U			2.83	9.43
FSB 99A	7/27/2015	2,3,7,8-TCDD	0.00955	ng/L	U	U			0.00319	0.00955
FSB 99A	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0478	ng/L	U	U			0.0159	0.0478
FSB 99A	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0478	ng/L	U	U			0.0159	0.0478
FSB 99A	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0478	ng/L	U	U			0.0159	0.0478
FSB 99A	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0478	ng/L	U	U			0.0159	0.0478
FSB 99A	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00955	ng/L	U	U			0.00319	0.00955
FSB 99A	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.00955	ng/L	U	U			0.00319	0.00955
FSB 99A	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5
FSB 99A	7/27/2015	CHLORIDE	2.48	mg/L					0.067	0.2
FSB 99A	7/27/2015	PHENOLS	0.005	mg/L	U	U			0.00175	0.005
FSB 99A	7/27/2015	AMERICIUM-241	0.021	pCi/L	U	U		0.042	0.0568	0.141
FSB 99A	7/27/2015	CURIUM-242	0	pCi/L	U	U		0	0.056	0.056
FSB 99A	7/27/2015	CURIUM-243/244	0.0207	pCi/L	U	U	V	0.042	0.056	0.139
FSB 99A	7/27/2015	CURIUM-245/246	0.15	pCi/L	U	U	21, V, 14	0.115	0.058	0.288

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	7/27/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0606	0.0606
FSB 99A	7/27/2015	PLUTONIUM-239/240	0.0112	pCi/L	U	U		0.047	0.134	0.229
FSB 99A	7/27/2015	THORIUM-228	0.0534	pCi/L	U	U		0.1	0.207	0.408
FSB 99A	7/27/2015	THORIUM-230	0.0702	pCi/L	U	U	21, V	0.082	0.0634	0.227
FSB 99A	7/27/2015	THORIUM-232	0	pCi/L	U	U		0	0.0633	0.0633
FSB 99A	7/27/2015	URANIUM-233/234	0.102	pCi/L	U	U	21, V	0.093	0.0555	0.241
FSB 99A	7/27/2015	URANIUM-235	-0.00632	pCi/L	U	U	V	0.013	0.127	0.153
FSB 99A	7/27/2015	URANIUM-238	0.0409	pCi/L	U	U	V	0.058	0.0554	0.172
FSB 99A	7/27/2015	GROSS ALPHA	1.27	pCi/L	U	U		1.62	2.18	5.42
FSB 99A	7/27/2015	NONVOLATILE BETA	3.1	pCi/L	U	U		2.74	3.98	9.45
FSB 99A	7/27/2015	STRONTIUM-90	0.411	pCi/L	U	U		1.71	2.97	6.4
FSB 99A	7/27/2015	NICKEL-63	2.31	pCi/L	U	U		3.06	5.18	11.3
FSB 99A	7/27/2015	TECHNETIUM-99	7.48	pCi/L	J	J	21	2.79	4.33	9.91
FSB 99A	7/27/2015	TRITIUM	41.5	pCi/mL				1.26	0.478	3
FSB 99A	7/27/2015	CESIUM-134	-2.16	pCi/L	U	U		5.45	8.06	19
FSB 99A	7/27/2015	CESIUM-137	-0.935	pCi/L	U	U		5.17	9.13	19.5
FSB 99A	7/27/2015	COBALT-60	-0.529	pCi/L	U	U		5.47	8.71	19.7
FSB 99A	7/27/2015	IODINE-129	0.434	pCi/L	U	U		0.645	1.12	2.41
FSB 99A	7/27/2015	RADIUM-226	0.416	pCi/L	U	U		0.382	0.599	1.36
FSB 99A	7/27/2015	RADIUM-228	0.31	pCi/L	U	U		0.327	0.544	1.2
FSB 99A	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.292	pCi/L	U	U		0.596	1.12	2.31
FSB 99A	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
FSB 99A	10/29/2015	NITRATE-NITRITE AS NITROGEN	8.03	mg/L					0.425	1.25
FSB 99A	10/29/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99A	10/29/2015	LEAD	5	ug/L	U				0.5	5
FSB 99A	10/29/2015	GROSS ALPHA	0.512	pCi/L	U			1.17	2.24	4.58
FSB 99A	10/29/2015	NONVOLATILE BETA	4.14	pCi/L	U			3.05	4.23	10.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99A	10/29/2015	TRITIUM	40.9	pCi/mL				1.22	0.486	2.93
FSB 99C	1/21/2015	NITRATE-NITRITE AS NITROGEN	22.8	mg/L					0.425	1.25
FSB 99C	1/21/2015	ALUMINUM	109	ug/L	J				40	400
FSB 99C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 99C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 99C	1/21/2015	BARIUM	30.2	ug/L					2	20
FSB 99C	1/21/2015	BERYLLIUM	0.157	ug/L	J				0.1	1
FSB 99C	1/21/2015	CADMIUM	0.805	ug/L	J				0.1	1
FSB 99C	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 99C	1/21/2015	COBALT	10.6	ug/L					0.5	5
FSB 99C	1/21/2015	COPPER	1.67	ug/L	J				0.5	5
FSB 99C	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB 99C	1/21/2015	NICKEL	4.92	ug/L	J				0.5	5
FSB 99C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 99C	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 99C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 99C	1/21/2015	TIN	10	ug/L	U				1	10
FSB 99C	1/21/2015	VANADIUM	41.1	ug/L	U				5	50
FSB 99C	1/21/2015	ZINC	9.93	ug/L	J				4	40
FSB 99C	1/21/2015	MERCURY	0.0233	ug/L	J		21		0.02	0.2
FSB 99C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 99C	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 99C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.58	ug/L	U		21, V		1	5
FSB 99C	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 99C	1/21/2015	TRICHLOROETHYLENE (TCE)	2.51	ug/L					0.3	1
FSB 99C	1/21/2015	TRICHLOROFLUOROMETHANE	1.3	ug/L					0.3	1
FSB 99C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB 99C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 99C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 99C	1/21/2015	AMERICIUM-241	0.022	pCi/L	U			0.044	0.0595	0.148
FSB 99C	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0586	0.0586
FSB 99C	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0586	0.0586
FSB 99C	1/21/2015	CURIUM-245/246	0.157	pCi/L	U			0.121	0.0607	0.302
FSB 99C	1/21/2015	PLUTONIUM-238	0.0236	pCi/L	U			0.047	0.0639	0.158
FSB 99C	1/21/2015	PLUTONIUM-239/240	0.0236	pCi/L	U			0.047	0.0639	0.158
FSB 99C	1/21/2015	THORIUM-228	-0.0173	pCi/L	U			0.02	0.155	0.195
FSB 99C	1/21/2015	THORIUM-230	-0.00575	pCi/L	U			0.012	0.116	0.139
FSB 99C	1/21/2015	THORIUM-232	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB 99C	1/21/2015	URANIUM-233/234	10.2	pCi/L				2.35	0.235	4.94
FSB 99C	1/21/2015	URANIUM-235	0.633	pCi/L	J		21	0.402	0.156	0.959
FSB 99C	1/21/2015	URANIUM-238	10.2	pCi/L				2.32	0.279	4.92
FSB 99C	1/21/2015	GROSS ALPHA	25	pCi/L				6.52	2.42	15.5
FSB 99C	1/21/2015	NONVOLATILE BETA	50.7	pCi/L				7.34	4.51	19.2
FSB 99C	1/21/2015	STRONTIUM-90	14.8	pCi/L				4.17	3.11	11.4
FSB 99C	1/21/2015	CARBON-14	-0.0302	pCi/L	UJ			4.22	7.08	15.5
FSB 99C	1/21/2015	TECHNETIUM-99	28.3	pCi/L				3.16	4.02	10.3
FSB 99C	1/21/2015	TRITIUM	151	pCi/mL				2.3	0.517	5.11
FSB 99C	1/21/2015	CESIUM-137	-6.46	pCi/L	U			6.67	10.6	23.9
FSB 99C	1/21/2015	COBALT-60	-3.4	pCi/L	U			6.43	10.9	23.8
FSB 99C	1/21/2015	IODINE-129	4.24	pCi/L				1.27	0.957	3.49
FSB 99C	1/21/2015	RADIUM-226	5.78	pCi/L				0.694	0.259	1.65
FSB 99C	1/21/2015	RADIUM-228	2.66	pCi/L				0.504	0.417	1.43
FSB 99C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	5.28	pCi/L				1.04	0.711	2.79

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99C	4/7/2015	NITRATE-NITRITE AS NITROGEN	22.1	mg/L					0.85	2.5
FSB 99C	4/7/2015	CADMIUM	1.03	ug/L					0.1	1
FSB 99C	4/7/2015	LEAD	1.08	ug/L	J				0.5	5
FSB 99C	4/7/2015	GROSS ALPHA	40.7	pCi/L				8.36	2.51	19.2
FSB 99C	4/7/2015	NONVOLATILE BETA	87.1	pCi/L				10.1	7.68	27.9
FSB 99C	4/7/2015	TRITIUM	69	pCi/mL				1.59	0.446	3.62
FSB 99C	7/29/2015	NITRATE-NITRITE AS NITROGEN	26	mg/L					1.7	5
FSB 99C	7/29/2015	ALUMINUM	991	ug/L					40	400
FSB 99C	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 99C	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 99C	7/29/2015	BARIUM	39.2	ug/L					2	20
FSB 99C	7/29/2015	BERYLLIUM	0.243	ug/L	J		21		0.1	1
FSB 99C	7/29/2015	CADMIUM	0.992	ug/L	J		21		0.1	1
FSB 99C	7/29/2015	CHROMIUM	100	ug/L	U				10	100
FSB 99C	7/29/2015	COBALT	18.6	ug/L					0.5	5
FSB 99C	7/29/2015	COPPER	3.85	ug/L	U		21, V		0.5	5
FSB 99C	7/29/2015	LEAD	0.583	ug/L	J		21		0.5	5
FSB 99C	7/29/2015	NICKEL	7	ug/L					0.5	5
FSB 99C	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB 99C	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 99C	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 99C	7/29/2015	VANADIUM	50	ug/L	U				5	50
FSB 99C	7/29/2015	ZINC	11.8	ug/L	J		21		4	40
FSB 99C	7/29/2015	MERCURY	0.15	ug/L	J		21		0.02	0.2
FSB 99C	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 99C	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 99C	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.06	ug/L	U		21, V		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99C	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 99C	7/29/2015	TRICHLOROETHYLENE (TCE)	0.56	ug/L	U		21, V		0.3	1
FSB 99C	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 99C	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 99C	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 99C	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB 99C	7/29/2015	AMERICIUM-241	0.0628	pCi/L	U		21, V	0.073	0.0567	0.203
FSB 99C	7/29/2015	CURIUM-242	0.18	pCi/L	U		21, V	0.129	0.0558	0.315
FSB 99C	7/29/2015	CURIUM-243/244	0.0207	pCi/L	U			0.041	0.0558	0.139
FSB 99C	7/29/2015	CURIUM-245/246	0.149	pCi/L	U		21, V	0.115	0.0578	0.287
FSB 99C	7/29/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0625	0.0625
FSB 99C	7/29/2015	PLUTONIUM-239/240	0.0231	pCi/L	U			0.046	0.0625	0.155
FSB 99C	7/29/2015	THORIUM-228	0.0617	pCi/L	J		21	0.072	0.0549	0.198
FSB 99C	7/29/2015	THORIUM-230	0.0558	pCi/L	U		V	0.072	0.102	0.245
FSB 99C	7/29/2015	THORIUM-232	-0.00506	pCi/L	U		V	0.01	0.102	0.122
FSB 99C	7/29/2015	URANIUM-233/234	14.2	pCi/L				2.4	0.144	4.94
FSB 99C	7/29/2015	URANIUM-235	0.961	pCi/L			V	0.374	0.177	0.925
FSB 99C	7/29/2015	URANIUM-238	15.8	pCi/L				2.56	0.0648	5.18
FSB 99C	7/29/2015	GROSS ALPHA	41.9	pCi/L				6.02	1.51	13.6
FSB 99C	7/29/2015	NONVOLATILE BETA	113	pCi/L				7.64	3.17	18.4
FSB 99C	7/29/2015	STRONTIUM-90	29.5	pCi/L				5.19	3.29	13.7
FSB 99C	7/29/2015	CARBON-14	4.77	pCi/L	U			4.26	6.95	15.5
FSB 99C	7/29/2015	TECHNETIUM-99	32.4	pCi/L				3.31	4.1	10.7
FSB 99C	7/29/2015	TRITIUM	66.4	pCi/mL				1.58	0.456	3.61
FSB 99C	7/29/2015	CESIUM-137	1.99	pCi/L	U			6.75	10.8	24.3
FSB 99C	7/29/2015	COBALT-60	-1.65	pCi/L	U			5.38	9.61	20.4
FSB 99C	7/29/2015	IODINE-129	4.96	pCi/L				1.24	1.05	3.54

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99C	7/29/2015	RADIUM-226	6.25	pCi/L				0.772	0.378	1.92
FSB 99C	7/29/2015	RADIUM-228	4.11	pCi/L				0.585	0.382	1.55
FSB 99C	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	6.61	pCi/L				2.25	1.9	6.4
FSB 99C	11/17/2015	NITRATE-NITRITE AS NITROGEN	30.3	mg/L					0.425	1.25
FSB 99C	11/17/2015	CADMIUM	1.05	ug/L					0.1	1
FSB 99C	11/17/2015	LEAD	0.526	ug/L	J		21		0.5	5
FSB 99C	11/17/2015	GROSS ALPHA	39	pCi/L				5.67	1.5	12.8
FSB 99C	11/17/2015	NONVOLATILE BETA	120	pCi/L				7.83	3.25	18.9
FSB 99C	11/17/2015	TRITIUM	53.9	pCi/mL				1.4	0.402	3.19
FSB 99D	1/21/2015	NITRATE-NITRITE AS NITROGEN	2.49	mg/L					0.085	0.25
FSB 99D	1/21/2015	ALUMINUM	53.3	ug/L	J				40	400
FSB 99D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB 99D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB 99D	1/21/2015	BARIUM	6.21	ug/L	J				2	20
FSB 99D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 99D	1/21/2015	CADMIUM	0.137	ug/L	J				0.1	1
FSB 99D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB 99D	1/21/2015	COBALT	0.984	ug/L	J				0.5	5
FSB 99D	1/21/2015	COPPER	14.9	ug/L					0.5	5
FSB 99D	1/21/2015	LEAD	2.63	ug/L	J				0.5	5
FSB 99D	1/21/2015	NICKEL	1.02	ug/L	J				0.5	5
FSB 99D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB 99D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB 99D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 99D	1/21/2015	TIN	10	ug/L	U				1	10
FSB 99D	1/21/2015	VANADIUM	42.2	ug/L	U				5	50
FSB 99D	1/21/2015	ZINC	27.4	ug/L	J				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 99D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB 99D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 99D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB 99D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 99D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 99D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 99D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 99D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 99D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB 99D	1/21/2015	AMERICIUM-241	0.0665	pCi/L	U			0.077	0.06	0.215
FSB 99D	1/21/2015	CURIUM-242	0.0231	pCi/L	U			0.046	0.0591	0.152
FSB 99D	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0591	0.0591
FSB 99D	1/21/2015	CURIUM-245/246	0.113	pCi/L	U			0.102	0.0612	0.266
FSB 99D	1/21/2015	PLUTONIUM-238	0.0239	pCi/L	U			0.048	0.0646	0.16
FSB 99D	1/21/2015	PLUTONIUM-239/240	0.0179	pCi/L	U			0.049	0.12	0.219
FSB 99D	1/21/2015	THORIUM-228	0.0382	pCi/L	U			0.126	0.287	0.539
FSB 99D	1/21/2015	THORIUM-230	0.0645	pCi/L	U			0.075	0.0583	0.209
FSB 99D	1/21/2015	THORIUM-232	-0.00537	pCi/L	U			0.011	0.108	0.13
FSB 99D	1/21/2015	URANIUM-233/234	1.01	pCi/L				0.342	0.114	0.798
FSB 99D	1/21/2015	URANIUM-235	0.111	pCi/L	J		21	0.113	0.0754	0.301
FSB 99D	1/21/2015	URANIUM-238	2.54	pCi/L				0.617	0.061	1.29
FSB 99D	1/21/2015	GROSS ALPHA	4.68	pCi/L	J		21	2.8	2.22	7.82
FSB 99D	1/21/2015	NONVOLATILE BETA	8.83	pCi/L	J		21	3.59	4.03	11.2
FSB 99D	1/21/2015	STRONTIUM-90	5.25	pCi/L	J		21	2.73	3.27	8.73
FSB 99D	1/21/2015	CARBON-14	2.75	pCi/L	UJ			4.16	6.87	15.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99D	1/21/2015	TECHNETIUM-99	3.23	pCi/L	UJ			2.67	4.34	9.68
FSB 99D	1/21/2015	TRITIUM	13.8	pCi/mL				0.743	0.487	1.97
FSB 99D	1/21/2015	CESIUM-137	-3.85	pCi/L	U			6.18	10.3	22.6
FSB 99D	1/21/2015	COBALT-60	-1.47	pCi/L	U			6.43	11.4	24.3
FSB 99D	1/21/2015	IODINE-129	1.3	pCi/L	J		21	0.866	1.01	2.74
FSB 99D	1/21/2015	RADIUM-226	1.02	pCi/L	J		21	0.393	0.445	1.23
FSB 99D	1/21/2015	RADIUM-228	0.445	pCi/L	U			0.348	0.552	1.25
FSB 99D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.49	pCi/L	U			0.494	0.817	1.81
FSB 99D	4/7/2015	NITRATE-NITRITE AS NITROGEN	1.72	mg/L					0.085	0.25
FSB 99D	4/7/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99D	4/7/2015	LEAD	2.05	ug/L	J				0.5	5
FSB 99D	4/7/2015	GROSS ALPHA	3.28	pCi/L	J		21	2.37	2.11	6.85
FSB 99D	4/7/2015	NONVOLATILE BETA	8.97	pCi/L	J		21	3.82	4.55	12.2
FSB 99D	4/7/2015	TRITIUM	10.9	pCi/mL				0.659	0.429	1.75
FSB 99D	7/29/2015	NITRATE-NITRITE AS NITROGEN	1.52	mg/L					0.085	0.25
FSB 99D	7/29/2015	ALUMINUM	173	ug/L	J		21		40	400
FSB 99D	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB 99D	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB 99D	7/29/2015	BARIUM	5.38	ug/L	J		21		2	20
FSB 99D	7/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB 99D	7/29/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99D	7/29/2015	CHROMIUM	10.1	ug/L	J		21		10	100
FSB 99D	7/29/2015	COBALT	0.657	ug/L	J		21		0.5	5
FSB 99D	7/29/2015	COPPER	12.2	ug/L			V		0.5	5
FSB 99D	7/29/2015	LEAD	1.78	ug/L	J		21		0.5	5
FSB 99D	7/29/2015	NICKEL	0.615	ug/L	J		21		0.5	5
FSB 99D	7/29/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99D	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB 99D	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB 99D	7/29/2015	VANADIUM	16.8	ug/L	J		21		5	50
FSB 99D	7/29/2015	ZINC	19	ug/L	J		21		4	40
FSB 99D	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB 99D	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB 99D	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB 99D	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.11	ug/L	U		21, V		1	5
FSB 99D	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB 99D	7/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB 99D	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB 99D	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB 99D	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB 99D	7/29/2015	PHENOLS	0.0063	mg/L					0.00175	0.005
FSB 99D	7/29/2015	AMERICIUM-241	0.0699	pCi/L	U		21, V	0.081	0.0631	0.226
FSB 99D	7/29/2015	CURIUM-242	0.475	pCi/L	J		21, V	0.228	0.0622	0.518
FSB 99D	7/29/2015	CURIUM-243/244	0.046	pCi/L	U			0.065	0.0622	0.193
FSB 99D	7/29/2015	CURIUM-245/246	0.19	pCi/L	U		21, V	0.137	0.0643	0.338
FSB 99D	7/29/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0623	0.0623
FSB 99D	7/29/2015	PLUTONIUM-239/240	0.115	pCi/L	J		21	0.104	0.0623	0.271
FSB 99D	7/29/2015	THORIUM-228	0.0165	pCi/L	U			0.045	0.109	0.2
FSB 99D	7/29/2015	THORIUM-230	0.109	pCi/L	J		21, V	0.099	0.0588	0.256
FSB 99D	7/29/2015	THORIUM-232	0	pCi/L	U		V	0	0.0587	0.0587
FSB 99D	7/29/2015	URANIUM-233/234	0.656	pCi/L				0.249	0.101	0.598
FSB 99D	7/29/2015	URANIUM-235	0.0494	pCi/L	U		V	0.07	0.0669	0.207
FSB 99D	7/29/2015	URANIUM-238	1.94	pCi/L				0.477	0.135	1.09

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB 99D	7/29/2015	GROSS ALPHA	2.9	pCi/L	J		21	1.66	1.33	4.65
FSB 99D	7/29/2015	NONVOLATILE BETA	6.65	pCi/L	J		21	2.37	2.57	7.32
FSB 99D	7/29/2015	STRONTIUM-90	2.23	pCi/L	U			1.91	3.26	7.09
FSB 99D	7/29/2015	CARBON-14	45.7	pCi/L				5.15	6.98	17.3
FSB 99D	7/29/2015	TECHNETIUM-99	2.67	pCi/L	U			2.5	4.07	9.06
FSB 99D	7/29/2015	TRITIUM	7.36	pCi/mL				0.579	0.455	1.61
FSB 99D	7/29/2015	CESIUM-137	1.97	pCi/L	U			5.24	9.71	20.2
FSB 99D	7/29/2015	COBALT-60	-1.01	pCi/L	U			4.47	8.18	17.1
FSB 99D	7/29/2015	IODINE-129	1.33	pCi/L	J		21	0.761	0.924	2.45
FSB 99D	7/29/2015	RADIUM-226	0.627	pCi/L	J		21	0.291	0.362	0.944
FSB 99D	7/29/2015	RADIUM-228	0.377	pCi/L	U			0.297	0.468	1.06
FSB 99D	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.824	pCi/L	U			1.03	1.72	3.78
FSB 99D	10/30/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.085	0.25
FSB 99D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB 99D	10/30/2015	LEAD	1.85	ug/L	J		21		0.5	5
FSB 99D	10/30/2015	GROSS ALPHA	4.87	pCi/L	J		21	2.88	2.2	7.95
FSB 99D	10/30/2015	NONVOLATILE BETA	5.58	pCi/L	J		21	3.5	4.79	11.8
FSB 99D	10/30/2015	TRITIUM	6.13	pCi/mL				0.538	0.483	1.56
FSB100A	1/21/2015	NITRATE-NITRITE AS NITROGEN	1.95	mg/L					0.085	0.25
FSB100A	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB100A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB100A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB100A	1/21/2015	BARIUM	24.2	ug/L					2	20
FSB100A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB100A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB100A	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB100A	1/21/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB100A	1/21/2015	COPPER	0.749	ug/L	J				0.5	5
FSB100A	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB100A	1/21/2015	NICKEL	0.659	ug/L	J				0.5	5
FSB100A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB100A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB100A	1/21/2015	THALLIUM	0.289	ug/L	J				0.1	1
FSB100A	1/21/2015	TIN	10	ug/L	U				1	10
FSB100A	1/21/2015	VANADIUM	43.4	ug/L	U				5	50
FSB100A	1/21/2015	ZINC	7.65	ug/L	J				4	40
FSB100A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB100A	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB100A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB100A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.71	ug/L	U		21, V		1	5
FSB100A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB100A	1/21/2015	TRICHLOROETHYLENE (TCE)	1.02	ug/L					0.3	1
FSB100A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB100A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB100A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB100A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB100A	1/21/2015	AMERICIUM-241	0	pCi/L	U			0	0.0556	0.0556
FSB100A	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0547	0.0547
FSB100A	1/21/2015	CURIUM-243/244	-0.0101	pCi/L	U			0.014	0.121	0.15
FSB100A	1/21/2015	CURIUM-245/246	0.23	pCi/L	U			0.143	0.0567	0.343
FSB100A	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0574	0.0574
FSB100A	1/21/2015	PLUTONIUM-239/240	-0.0159	pCi/L	U			0.019	0.143	0.18
FSB100A	1/21/2015	THORIUM-228	0.06	pCi/L	U			0.077	0.108	0.262

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB100A	1/21/2015	THORIUM-230	0.151	pCi/L	U			0.116	0.0583	0.291
FSB100A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0582	0.0582
FSB100A	1/21/2015	URANIUM-233/234	0.0424	pCi/L	U			0.07	0.122	0.262
FSB100A	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0811	0.0811
FSB100A	1/21/2015	URANIUM-238	0.0726	pCi/L	U			0.085	0.0656	0.235
FSB100A	1/21/2015	GROSS ALPHA	2.03	pCi/L	U			1.97	2.27	6.2
FSB100A	1/21/2015	NONVOLATILE BETA	2.89	pCi/L	U			2.68	3.98	9.35
FSB100A	1/21/2015	STRONTIUM-90	-0.774	pCi/L	U			1.93	3.27	7.13
FSB100A	1/21/2015	CARBON-14	27.9	pCi/L	J			4.7	6.81	16.2
FSB100A	1/21/2015	TECHNETIUM-99	1.24	pCi/L	UJ			2.66	4.41	9.72
FSB100A	1/21/2015	TRITIUM	8.57	pCi/mL				0.614	0.491	1.72
FSB100A	1/21/2015	CESIUM-137	6.97	pCi/L	U			6.11	12	24.2
FSB100A	1/21/2015	COBALT-60	-0.115	pCi/L	U			4.95	9.34	19.2
FSB100A	1/21/2015	IODINE-129	1.49	pCi/L	J		21	0.651	0.976	2.28
FSB100A	1/21/2015	RADIUM-226	0.56	pCi/L	J		21	0.267	0.335	0.869
FSB100A	1/21/2015	RADIUM-228	0.517	pCi/L	J		21	0.305	0.449	1.06
FSB100A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.557	pCi/L	U			0.431	0.632	1.49
FSB100A	4/8/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.085	0.25
FSB100A	4/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSB100A	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB100A	4/8/2015	GROSS ALPHA	-0.256	pCi/L	U			0.268	2.16	2.69
FSB100A	4/8/2015	NONVOLATILE BETA	4.25	pCi/L	J		21	2.97	4.07	10
FSB100A	4/8/2015	TRITIUM	8.71	pCi/mL				0.607	0.422	1.64
FSB100A	7/29/2015	NITRATE-NITRITE AS NITROGEN	2.12	mg/L					0.085	0.25
FSB100A	7/29/2015	ALUMINUM	74.4	ug/L	J		21		40	400
FSB100A	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB100A	7/29/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB100A	7/29/2015	BARIUM	24.1	ug/L					2	20
FSB100A	7/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB100A	7/29/2015	CADMIUM	1	ug/L	U				0.1	1
FSB100A	7/29/2015	CHROMIUM	100	ug/L	U				10	100
FSB100A	7/29/2015	COBALT	5	ug/L	U				0.5	5
FSB100A	7/29/2015	COPPER	1.69	ug/L	U		21, V		0.5	5
FSB100A	7/29/2015	LEAD	5	ug/L	U				0.5	5
FSB100A	7/29/2015	NICKEL	0.675	ug/L	J		21		0.5	5
FSB100A	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB100A	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB100A	7/29/2015	THALLIUM	0.255	ug/L	J		21		0.1	1
FSB100A	7/29/2015	VANADIUM	16.1	ug/L	J		21		5	50
FSB100A	7/29/2015	ZINC	9.9	ug/L	J		21		4	40
FSB100A	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB100A	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB100A	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB100A	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.1	ug/L	U		21, V		1	5
FSB100A	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB100A	7/29/2015	TRICHLOROETHYLENE (TCE)	0.92	ug/L	U		21, V		0.3	1
FSB100A	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB100A	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB100A	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB100A	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB100A	7/29/2015	AMERICIUM-241	0.0338	pCi/L	U		V	0.056	0.0971	0.208
FSB100A	7/29/2015	CURIUM-242	0.166	pCi/L	U		21, V	0.119	0.0515	0.29
FSB100A	7/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0515	0.0515

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB100A	7/29/2015	CURIUM-245/246	0.413	pCi/L	U		21, V	0.189	0.0533	0.431
FSB100A	7/29/2015	PLUTONIUM-238	0.0224	pCi/L	U		V	0.045	0.0606	0.15
FSB100A	7/29/2015	PLUTONIUM-239/240	0.0391	pCi/L	U			0.065	0.113	0.242
FSB100A	7/29/2015	THORIUM-228	0	pCi/L	U			0	0.0552	0.0552
FSB100A	7/29/2015	THORIUM-230	0.0408	pCi/L	U		V	0.058	0.0553	0.171
FSB100A	7/29/2015	THORIUM-232	-0.00509	pCi/L	U		V	0.01	0.103	0.123
FSB100A	7/29/2015	URANIUM-233/234	0.108	pCi/L	U			0.103	0.114	0.321
FSB100A	7/29/2015	URANIUM-235	0.028	pCi/L	U		V	0.056	0.0758	0.188
FSB100A	7/29/2015	URANIUM-238	0.0849	pCi/L	U			0.092	0.114	0.298
FSB100A	7/29/2015	GROSS ALPHA	2.15	pCi/L	J		21	1.49	1.35	4.33
FSB100A	7/29/2015	NONVOLATILE BETA	0.822	pCi/L	U			1.68	2.57	5.93
FSB100A	7/29/2015	STRONTIUM-90	-0.0356	pCi/L	U			1.56	3.26	6.37
FSB100A	7/29/2015	CARBON-14	-0.303	pCi/L	U			4.15	6.97	15.3
FSB100A	7/29/2015	TECHNETIUM-99	3.14	pCi/L	U			2.52	4.08	9.11
FSB100A	7/29/2015	TRITIUM	8.4	pCi/mL				0.611	0.455	1.68
FSB100A	7/29/2015	CESIUM-137	-5.23	pCi/L	U			5.4	8.73	19.5
FSB100A	7/29/2015	COBALT-60	5.98	pCi/L	U			4.92	10.3	20.2
FSB100A	7/29/2015	IODINE-129	0.388	pCi/L	U			0.654	1.05	2.36
FSB100A	7/29/2015	RADIUM-226	0.579	pCi/L	J		21	0.263	0.323	0.849
FSB100A	7/29/2015	RADIUM-228	0.29	pCi/L	U			0.375	0.637	1.39
FSB100A	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.372	pCi/L	U			1.09	2.12	4.3
FSB100A	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.01	mg/L					0.085	0.25
FSB100A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB100A	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB100A	10/30/2015	GROSS ALPHA	0.511	pCi/L	UJ			0.838	1.35	3.02
FSB100A	10/30/2015	NONVOLATILE BETA	2.95	pCi/L	J		21	2.09	2.86	7.05
FSB100A	10/30/2015	TRITIUM	8.02	pCi/mL				0.603	0.494	1.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB101A	1/21/2015	NITRATE-NITRITE AS NITROGEN	1	mg/L					0.017	0.05
FSB101A	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB101A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB101A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB101A	1/21/2015	BARIUM	24.2	ug/L					2	20
FSB101A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB101A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB101A	1/21/2015	CHROMIUM	10.8	ug/L	J				10	100
FSB101A	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB101A	1/21/2015	COPPER	0.552	ug/L	J				0.5	5
FSB101A	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB101A	1/21/2015	NICKEL	0.614	ug/L	J				0.5	5
FSB101A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB101A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB101A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB101A	1/21/2015	TIN	10	ug/L	U				1	10
FSB101A	1/21/2015	VANADIUM	40.1	ug/L	U				5	50
FSB101A	1/21/2015	ZINC	40	ug/L	U				4	40
FSB101A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB101A	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB101A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB101A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.44	ug/L	U		21, V		1	5
FSB101A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB101A	1/21/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.3	1
FSB101A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB101A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB101A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB101A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB101A	1/21/2015	AMERICIUM-241	-0.00674	pCi/L	U			0.014	0.136	0.163
FSB101A	1/21/2015	CURIUM-242	0.0275	pCi/L	U			0.055	0.0719	0.182
FSB101A	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0719	0.0719
FSB101A	1/21/2015	CURIUM-245/246	0.275	pCi/L	J		21	0.179	0.0745	0.433
FSB101A	1/21/2015	PLUTONIUM-238	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB101A	1/21/2015	PLUTONIUM-239/240	0.023	pCi/L	U			0.046	0.0622	0.154
FSB101A	1/21/2015	THORIUM-228	0.0213	pCi/L	U			0.043	0.0573	0.143
FSB101A	1/21/2015	THORIUM-230	0.132	pCi/L	U			0.116	0.143	0.374
FSB101A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0573	0.0573
FSB101A	1/21/2015	URANIUM-233/234	0.0698	pCi/L	U			0.081	0.063	0.226
FSB101A	1/21/2015	URANIUM-235	-0.0143	pCi/L	U			0.02	0.172	0.213
FSB101A	1/21/2015	URANIUM-238	0.0464	pCi/L	U			0.066	0.0629	0.195
FSB101A	1/21/2015	GROSS ALPHA	0.0582	pCi/L	U			0.867	2.28	4.02
FSB101A	1/21/2015	NONVOLATILE BETA	2.54	pCi/L	U			2.6	3.93	9.13
FSB101A	1/21/2015	STRONTIUM-90	0.448	pCi/L	U			1.95	3.11	7.02
FSB101A	1/21/2015	CARBON-14	-4.84	pCi/L	UJ			4.12	7.1	15.3
FSB101A	1/21/2015	TECHNETIUM-99	0.966	pCi/L	U			2.41	4.02	8.85
FSB101A	1/21/2015	TRITIUM	0.451	pCi/mL	U			0.306	0.484	1.1
FSB101A	1/21/2015	CESIUM-137	-2.03	pCi/L	U			6.14	10.6	22.9
FSB101A	1/21/2015	COBALT-60	1.52	pCi/L	U			5.25	10.3	20.8
FSB101A	1/21/2015	IODINE-129	0.455	pCi/L	U			0.655	0.979	2.29
FSB101A	1/21/2015	RADIUM-226	0.859	pCi/L	J		21	0.326	0.366	1.02
FSB101A	1/21/2015	RADIUM-228	0.413	pCi/L	U			0.296	0.455	1.05
FSB101A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.148	pCi/L	U			0.347	0.653	1.35
FSB101A	4/8/2015	NITRATE-NITRITE AS NITROGEN	1.13	mg/L					0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB101A	4/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSB101A	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB101A	4/8/2015	GROSS ALPHA	0.563	pCi/L	U			1.18	2.16	4.53
FSB101A	4/8/2015	NONVOLATILE BETA	1.18	pCi/L	U			2.49	4.19	9.16
FSB101A	4/8/2015	TRITIUM	0.313	pCi/mL	U			0.263	0.419	0.944
FSB101A	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.941	mg/L					0.017	0.05
FSB101A	8/4/2015	ALUMINUM	400	ug/L	U				40	400
FSB101A	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB101A	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB101A	8/4/2015	BARIUM	25.6	ug/L					2	20
FSB101A	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB101A	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB101A	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB101A	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB101A	8/4/2015	COPPER	0.587	ug/L	J		21		0.5	5
FSB101A	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB101A	8/4/2015	NICKEL	0.522	ug/L	J		21		0.5	5
FSB101A	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB101A	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB101A	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB101A	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB101A	8/4/2015	ZINC	40	ug/L	U				4	40
FSB101A	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB101A	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB101A	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB101A	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.33	ug/L	J		21		1	5
FSB101A	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB101A	8/4/2015	TRICHLOROETHYLENE (TCE)	1.14	ug/L					0.3	1
FSB101A	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB101A	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB101A	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB101A	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB101A	8/4/2015	AMERICIUM-241	0.0109	pCi/L	U		V	0.046	0.131	0.223
FSB101A	8/4/2015	CURIUM-242	0.0177	pCi/L	U			0.049	0.108	0.205
FSB101A	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0581	0.0581
FSB101A	8/4/2015	CURIUM-245/246	0.355	pCi/L	J		21, V	0.184	0.0602	0.429
FSB101A	8/4/2015	PLUTONIUM-238	0.0272	pCi/L	U		V	0.055	0.0738	0.183
FSB101A	8/4/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0738	0.0738
FSB101A	8/4/2015	THORIUM-228	0.0184	pCi/L	U			0.075	0.19	0.339
FSB101A	8/4/2015	THORIUM-230	0.288	pCi/L	J		21, V	0.172	0.0651	0.41
FSB101A	8/4/2015	THORIUM-232	0	pCi/L	U		V	0	0.065	0.065
FSB101A	8/4/2015	URANIUM-233/234	-0.0197	pCi/L	U		V	0.023	0.177	0.223
FSB101A	8/4/2015	URANIUM-235	-0.00809	pCi/L	U			0.016	0.163	0.195
FSB101A	8/4/2015	URANIUM-238	0.0458	pCi/L	U		V	0.076	0.132	0.283
FSB101A	8/4/2015	GROSS ALPHA	1.24	pCi/L	U			1.67	2.4	5.73
FSB101A	8/4/2015	NONVOLATILE BETA	1.91	pCi/L	U			2.69	4.3	9.68
FSB101A	8/4/2015	STRONTIUM-90	0.225	pCi/L	U			2.24	3.23	7.71
FSB101A	8/4/2015	CARBON-14	5.72	pCi/L	U			4.24	6.88	15.4
FSB101A	8/4/2015	TECHNETIUM-99	0.0703	pCi/L	U			2.46	4.15	9.07
FSB101A	8/4/2015	TRITIUM	0.467	pCi/mL	J		21	0.287	0.446	1.02
FSB101A	8/4/2015	CESIUM-137	-0.184	pCi/L	U			4.75	8.56	18.1
FSB101A	8/4/2015	COBALT-60	-0.88	pCi/L	U			4.33	7.98	16.6
FSB101A	8/4/2015	IODINE-129	0.0627	pCi/L	U			0.55	0.942	2.04
FSB101A	8/4/2015	RADIUM-226	0	pCi/L	U			0.307	0.632	1.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB101A	8/4/2015	RADIUM-228	0.572	pCi/L	U		21, V	0.303	0.43	1.04
FSB101A	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.358	pCi/L	U			0.724	1.84	3.29
FSB101A	10/30/2015	NITRATE-NITRITE AS NITROGEN	1.11	mg/L					0.085	0.25
FSB101A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB101A	10/30/2015	LEAD	0.613	ug/L	J		21		0.5	5
FSB101A	10/30/2015	GROSS ALPHA	1.32	pCi/L	UJ			1.17	1.35	3.69
FSB101A	10/30/2015	NONVOLATILE BETA	2.02	pCi/L	UJ			2.02	2.94	6.98
FSB101A	10/30/2015	TRITIUM	0.557	pCi/mL	J		21	0.315	0.488	1.12
FSB102C	1/27/2015	NITRATE-NITRITE AS NITROGEN	41.4	mg/L					0.85	2.5
FSB102C	1/27/2015	ALUMINUM	350	ug/L	J				40	400
FSB102C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB102C	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB102C	1/27/2015	BARIUM	76.6	ug/L					2	20
FSB102C	1/27/2015	BERYLLIUM	1.19	ug/L					0.1	1
FSB102C	1/27/2015	CADMIUM	2.89	ug/L					0.1	1
FSB102C	1/27/2015	CHROMIUM	12	ug/L	J				10	100
FSB102C	1/27/2015	COBALT	21.7	ug/L					0.5	5
FSB102C	1/27/2015	COPPER	2.42	ug/L	J				0.5	5
FSB102C	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB102C	1/27/2015	NICKEL	10.2	ug/L					0.5	5
FSB102C	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB102C	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB102C	1/27/2015	THALLIUM	0.105	ug/L	J				0.1	1
FSB102C	1/27/2015	TIN	10	ug/L	U				1	10
FSB102C	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB102C	1/27/2015	ZINC	41	ug/L					4	40
FSB102C	1/27/2015	MERCURY	1.62	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB102C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB102C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB102C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.14	ug/L	J		21		1	5
FSB102C	1/27/2015	TETRACHLOROETHYLENE (PCE)	0.46	ug/L	J		21		0.3	1
FSB102C	1/27/2015	TRICHLOROETHYLENE (TCE)	1.53	ug/L					0.3	1
FSB102C	1/27/2015	TRICHLOROFLUOROMETHANE	3.85	ug/L					0.3	1
FSB102C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB102C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB102C	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB102C	1/27/2015	AMERICIUM-241	0.0367	pCi/L	U			0.061	0.106	0.227
FSB102C	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.056	0.056
FSB102C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.056	0.056
FSB102C	1/27/2015	CURIUM-245/246	0.0855	pCi/L	U			0.087	0.0579	0.231
FSB102C	1/27/2015	PLUTONIUM-238	0.0171	pCi/L	U			0.047	0.115	0.209
FSB102C	1/27/2015	PLUTONIUM-239/240	-0.0114	pCi/L	U			0.016	0.137	0.169
FSB102C	1/27/2015	THORIUM-228	0.033	pCi/L	U			0.137	0.315	0.589
FSB102C	1/27/2015	THORIUM-230	0.108	pCi/L	U			0.099	0.0588	0.256
FSB102C	1/27/2015	THORIUM-232	0.0162	pCi/L	U			0.045	0.109	0.198
FSB102C	1/27/2015	URANIUM-233/234	0.0862	pCi/L	U			0.094	0.116	0.303
FSB102C	1/27/2015	URANIUM-235	0	pCi/L	U			0	0.0768	0.0768
FSB102C	1/27/2015	URANIUM-238	0.0115	pCi/L	U			0.049	0.138	0.235
FSB102C	1/27/2015	GROSS ALPHA	4.38	pCi/L	J		21	3.03	2.97	9.04
FSB102C	1/27/2015	NONVOLATILE BETA	121	pCi/L				11.1	4.67	26.9
FSB102C	1/27/2015	STRONTIUM-90	42.3	pCi/L				6.94	3.11	17
FSB102C	1/27/2015	CARBON-14	2.43	pCi/L	U			4.16	6.87	15.2
FSB102C	1/27/2015	TECHNETIUM-99	27.6	pCi/L				3.37	4.46	11.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB102C	1/27/2015	TRITIUM	376	pCi/mL				3.68	0.436	7.79
FSB102C	1/27/2015	CESIUM-137	1.43	pCi/L	U			6.52	11.8	24.9
FSB102C	1/27/2015	COBALT-60	1.22	pCi/L	U			5.55	10.7	21.8
FSB102C	1/27/2015	IODINE-129	25.8	pCi/L				3.63	1.06	8.32
FSB102C	1/27/2015	RADIUM-226	2.7	pCi/L				0.747	0.693	2.19
FSB102C	1/27/2015	RADIUM-228	1.46	pCi/L	J		21	0.451	0.586	1.49
FSB102C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	4.33	pCi/L	J		21	1.67	1.62	4.96
FSB102C	4/20/2015	NITRATE-NITRITE AS NITROGEN	43.7	mg/L					1.7	5
FSB102C	4/20/2015	CADMIUM	2.89	ug/L					0.1	1
FSB102C	4/20/2015	LEAD	5	ug/L	U				0.5	5
FSB102C	4/20/2015	GROSS ALPHA	3.73	pCi/L	J		21	2.82	2.82	8.46
FSB102C	4/20/2015	NONVOLATILE BETA	109	pCi/L				10.5	4.57	25.7
FSB102C	4/20/2015	TRITIUM	353	pCi/mL				3.44	0.407	7.28
FSB102C	7/28/2015	NITRATE-NITRITE AS NITROGEN	37.6	mg/L					1.7	5
FSB102C	7/28/2015	ALUMINUM	469	ug/L					40	400
FSB102C	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB102C	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB102C	7/28/2015	BARIUM	58.1	ug/L					2	20
FSB102C	7/28/2015	BERYLLIUM	0.997	ug/L	J		21		0.1	1
FSB102C	7/28/2015	CADMIUM	2.29	ug/L					0.1	1
FSB102C	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB102C	7/28/2015	COBALT	15.5	ug/L					0.5	5
FSB102C	7/28/2015	COPPER	1.17	ug/L	J		21		0.5	5
FSB102C	7/28/2015	LEAD	5	ug/L	U				0.5	5
FSB102C	7/28/2015	NICKEL	8.63	ug/L					0.5	5
FSB102C	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB102C	7/28/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB102C	7/28/2015	THALLIUM	0.116	ug/L	J		21		0.1	1
FSB102C	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB102C	7/28/2015	ZINC	30.6	ug/L	J		21		4	40
FSB102C	7/28/2015	GROSS ALPHA	2.77	pCi/L	J		21	1.76	1.56	5.08
FSB102C	7/28/2015	NONVOLATILE BETA	72.1	pCi/L				6.13	2.6	14.9
FSB102C	7/28/2015	TRITIUM	344	pCi/mL				3.54	0.478	7.56
FSB102C	11/13/2015	NITRATE-NITRITE AS NITROGEN	39.5	mg/L					0.85	2.5
FSB102C	11/13/2015	CADMIUM	1.95	ug/L					0.1	1
FSB102C	11/13/2015	LEAD	4.34	ug/L	J		21		0.5	5
FSB102C	11/13/2015	GROSS ALPHA	2.57	pCi/L	J		21	1.68	1.58	4.93
FSB102C	11/13/2015	NONVOLATILE BETA	80.2	pCi/L				6.41	2.72	15.5
FSB102C	11/13/2015	TRITIUM	295	pCi/mL				3.18	0.451	6.82
FSB104C	2/4/2015	NITRATE-NITRITE AS NITROGEN	69.6	mg/L					1.7	5
FSB104C	2/4/2015	ALUMINUM	242	ug/L	J				40	400
FSB104C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB104C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB104C	2/4/2015	BARIUM	117	ug/L					2	20
FSB104C	2/4/2015	BERYLLIUM	2.18	ug/L					0.1	1
FSB104C	2/4/2015	CADMIUM	1.1	ug/L					0.1	1
FSB104C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB104C	2/4/2015	COBALT	10.7	ug/L					0.5	5
FSB104C	2/4/2015	COPPER	2.39	ug/L	J				0.5	5
FSB104C	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB104C	2/4/2015	NICKEL	21.7	ug/L					0.5	5
FSB104C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB104C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB104C	2/4/2015	THALLIUM	0.232	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104C	2/4/2015	TIN	10	ug/L	U				1	10
FSB104C	2/4/2015	VANADIUM	50	ug/L	U				5	50
FSB104C	2/4/2015	ZINC	55.3	ug/L					4	40
FSB104C	2/4/2015	MERCURY	0.155	ug/L	J		21		0.02	0.2
FSB104C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB104C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB104C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.03	ug/L	U		21, V		1	5
FSB104C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB104C	2/4/2015	TRICHLOROETHYLENE (TCE)	3.85	ug/L					0.3	1
FSB104C	2/4/2015	TRICHLOROFLUOROMETHANE	0.98	ug/L	J		21		0.3	1
FSB104C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB104C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB104C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB104C	2/4/2015	AMERICIUM-241	0.0685	pCi/L	U			0.08	0.0619	0.222
FSB104C	2/4/2015	CURIUM-242	0.0518	pCi/L	U			0.074	0.061	0.208
FSB104C	2/4/2015	CURIUM-243/244	0.0169	pCi/L	U			0.047	0.113	0.207
FSB104C	2/4/2015	CURIUM-245/246	0.0932	pCi/L	U			0.094	0.0631	0.252
FSB104C	2/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0638	0.0638
FSB104C	2/4/2015	PLUTONIUM-239/240	-0.00589	pCi/L	U			0.012	0.119	0.142
FSB104C	2/4/2015	THORIUM-228	-0.0578	pCi/L	U			0.082	0.281	0.445
FSB104C	2/4/2015	THORIUM-230	0.123	pCi/L	U			0.113	0.134	0.359
FSB104C	2/4/2015	THORIUM-232	-0.00558	pCi/L	U			0.011	0.112	0.135
FSB104C	2/4/2015	URANIUM-233/234	0.0838	pCi/L	U			0.091	0.113	0.295
FSB104C	2/4/2015	URANIUM-235	0.0276	pCi/L	U			0.055	0.0747	0.185
FSB104C	2/4/2015	URANIUM-238	0.111	pCi/L	J		21	0.101	0.0604	0.263
FSB104C	2/4/2015	GROSS ALPHA	4	pCi/L	J		21	2.09	1.77	5.94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104C	2/4/2015	NONVOLATILE BETA	40.9	pCi/L				4.84	3.14	12.8
FSB104C	2/4/2015	STRONTIUM-90	0.705	pCi/L	U			2.26	3.24	7.76
FSB104C	2/4/2015	CARBON-14	-1.17	pCi/L	UJ			4.07	6.88	15
FSB104C	2/4/2015	TECHNETIUM-99	62.8	pCi/L				3.95	4.1	12
FSB104C	2/4/2015	TRITIUM	622	pCi/mL				4.73	0.553	10
FSB104C	2/4/2015	CESIUM-137	0.872	pCi/L	U			4.91	9.02	18.8
FSB104C	2/4/2015	COBALT-60	1.08	pCi/L	U			4.1	8.13	16.3
FSB104C	2/4/2015	IODINE-129	0.221	pCi/L	U			0.55	0.973	2.07
FSB104C	2/4/2015	RADIUM-226	1.11	pCi/L	J		21	0.558	0.718	1.83
FSB104C	2/4/2015	RADIUM-228	0.857	pCi/L	J		21	0.375	0.518	1.27
FSB104C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.256	pCi/L	U			0.925	1.92	3.77
FSB104C	4/8/2015	NITRATE-NITRITE AS NITROGEN	66.3	mg/L					1.7	5
FSB104C	4/8/2015	CADMIUM	1.01	ug/L					0.1	1
FSB104C	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB104C	4/8/2015	GROSS ALPHA	1.96	pCi/L	U			2.12	2.65	6.89
FSB104C	4/8/2015	NONVOLATILE BETA	51.6	pCi/L				7.45	4.38	19.3
FSB104C	4/8/2015	TRITIUM	616	pCi/mL				4.67	0.419	9.77
FSB104C	7/30/2015	NITRATE-NITRITE AS NITROGEN	62.2	mg/L					1.7	5
FSB104C	7/30/2015	ALUMINUM	205	ug/L	J		21		40	400
FSB104C	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB104C	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB104C	7/30/2015	BARIUM	107	ug/L					2	20
FSB104C	7/30/2015	BERYLLIUM	2.19	ug/L					0.1	1
FSB104C	7/30/2015	CADMIUM	0.938	ug/L	J		21		0.1	1
FSB104C	7/30/2015	CHROMIUM	12.6	ug/L	J		21		10	100
FSB104C	7/30/2015	COBALT	5.81	ug/L					0.5	5
FSB104C	7/30/2015	COPPER	2.78	ug/L	U		21, V		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104C	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB104C	7/30/2015	NICKEL	19.4	ug/L					0.5	5
FSB104C	7/30/2015	SELENIUM	20	ug/L	U				2	20
FSB104C	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB104C	7/30/2015	THALLIUM	0.17	ug/L	J		21		0.1	1
FSB104C	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB104C	7/30/2015	ZINC	58	ug/L					4	40
FSB104C	7/30/2015	GROSS ALPHA	4.14	pCi/L	J		21	2.97	2.87	8.82
FSB104C	7/30/2015	NONVOLATILE BETA	46.7	pCi/L				7.17	4.63	19
FSB104C	7/30/2015	TRITIUM	580	pCi/mL				4.45	0.41	9.31
FSB104C	11/6/2015	NITRATE-NITRITE AS NITROGEN	67.2	mg/L					1.7	5
FSB104C	11/6/2015	CADMIUM	1.06	ug/L					0.1	1
FSB104C	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB104C	11/6/2015	GROSS ALPHA	0.0455	pCi/L	U			0.966	2.71	4.64
FSB104C	11/6/2015	NONVOLATILE BETA	49.4	pCi/L				7.3	4.22	18.8
FSB104C	11/6/2015	TRITIUM	605	pCi/mL				4.23	0.538	8.99
FSB104D	2/4/2015	NITRATE-NITRITE AS NITROGEN	3.2	mg/L					0.085	0.25
FSB104D	2/4/2015	ALUMINUM	5260	ug/L					40	400
FSB104D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB104D	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB104D	2/4/2015	BARIUM	14.6	ug/L	J				2	20
FSB104D	2/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB104D	2/4/2015	CADMIUM	0.118	ug/L	J				0.1	1
FSB104D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB104D	2/4/2015	COBALT	6.56	ug/L					0.5	5
FSB104D	2/4/2015	COPPER	1.94	ug/L	J				0.5	5
FSB104D	2/4/2015	LEAD	1.76	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104D	2/4/2015	NICKEL	2.26	ug/L	J				0.5	5
FSB104D	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB104D	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB104D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB104D	2/4/2015	TIN	10	ug/L	U				1	10
FSB104D	2/4/2015	VANADIUM	23.4	ug/L	J				5	50
FSB104D	2/4/2015	ZINC	40	ug/L	U				4	40
FSB104D	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB104D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB104D	2/4/2015	CHLOROFORM	0.34	ug/L	J		21		0.3	1
FSB104D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB104D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB104D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB104D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB104D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB104D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB104D	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB104D	2/4/2015	AMERICIUM-241	0.035	pCi/L	U			0.058	0.101	0.216
FSB104D	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0534	0.0534
FSB104D	2/4/2015	CURIUM-243/244	0.0198	pCi/L	U			0.04	0.0534	0.133
FSB104D	2/4/2015	CURIUM-245/246	0.122	pCi/L	U			0.102	0.0553	0.259
FSB104D	2/4/2015	PLUTONIUM-238	0.018	pCi/L	U			0.05	0.121	0.22
FSB104D	2/4/2015	PLUTONIUM-239/240	0.012	pCi/L	U			0.051	0.144	0.246
FSB104D	2/4/2015	THORIUM-228	-0.0442	pCi/L	U			0.032	0.198	0.263
FSB104D	2/4/2015	THORIUM-230	0.193	pCi/L	J		21	0.132	0.058	0.322
FSB104D	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0579	0.0579

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104D	2/4/2015	URANIUM-233/234	0.297	pCi/L	J		21	0.165	0.0574	0.388
FSB104D	2/4/2015	URANIUM-235	0.098	pCi/L	U			0.107	0.132	0.345
FSB104D	2/4/2015	URANIUM-238	0.845	pCi/L				0.297	0.0573	0.652
FSB104D	2/4/2015	GROSS ALPHA	2.09	pCi/L	J		21	1.45	1.47	4.36
FSB104D	2/4/2015	NONVOLATILE BETA	1.06	pCi/L	U			1.95	2.99	6.9
FSB104D	2/4/2015	STRONTIUM-90	-0.338	pCi/L	U			2.04	3.3	7.37
FSB104D	2/4/2015	CARBON-14	73.8	pCi/L	J			5.64	6.9	18.2
FSB104D	2/4/2015	TECHNETIUM-99	4.35	pCi/L	J		21	2.63	4.2	9.46
FSB104D	2/4/2015	TRITIUM	7.56	pCi/mL				0.641	0.595	1.88
FSB104D	2/4/2015	CESIUM-137	-1.45	pCi/L	U			4.65	8.16	17.5
FSB104D	2/4/2015	COBALT-60	-0.828	pCi/L	U			4.34	8.02	16.7
FSB104D	2/4/2015	IODINE-129	3.07	pCi/L	J		21	1.67	1.04	4.37
FSB104D	2/4/2015	RADIUM-226	0.404	pCi/L	U			0.404	0.653	1.46
FSB104D	2/4/2015	RADIUM-228	0.215	pCi/L	U			0.282	0.482	1.05
FSB104D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.77	pCi/L	U			1.11	1.94	4.16
FSB104D	3/19/2015	CHLORIDE	2.7	mg/L					0.02	0.2
FSB104D	3/19/2015	TRITIUM	8.26	pCi/mL				0.558	0.395	1.511
FSB104D	4/13/2015	NITRATE-NITRITE AS NITROGEN	1.75	mg/L					0.17	0.5
FSB104D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB104D	4/13/2015	LEAD	1.2	ug/L	J		21		0.5	5
FSB104D	4/13/2015	GROSS ALPHA	3.4	pCi/L	J		21	1.75	1.3	4.8
FSB104D	4/13/2015	NONVOLATILE BETA	3.77	pCi/L	J		21	2.25	3.09	7.58
FSB104D	4/13/2015	TRITIUM	7.49	pCi/mL				0.591	0.444	1.62
FSB104D	6/15/2015	CHLORIDE	2.5	mg/L					0.02	0.2
FSB104D	6/15/2015	TRITIUM	7.96	pCi/mL				0.623	0.392	1.638
FSB104D	7/29/2015	NITRATE-NITRITE AS NITROGEN	1.42	mg/L					0.085	0.25
FSB104D	7/29/2015	ALUMINUM	4820	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104D	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB104D	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB104D	7/29/2015	BARIUM	11.1	ug/L	J		21		2	20
FSB104D	7/29/2015	BERYLLIUM	0.164	ug/L	J		21		0.1	1
FSB104D	7/29/2015	CADMIUM	1	ug/L	U				0.1	1
FSB104D	7/29/2015	CHROMIUM	11.7	ug/L	J		21		10	100
FSB104D	7/29/2015	COBALT	2.6	ug/L	J		21		0.5	5
FSB104D	7/29/2015	COPPER	2.22	ug/L	U		21, V		0.5	5
FSB104D	7/29/2015	LEAD	2.67	ug/L	J		21		0.5	5
FSB104D	7/29/2015	NICKEL	1.08	ug/L	J		21		0.5	5
FSB104D	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB104D	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB104D	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB104D	7/29/2015	VANADIUM	19.3	ug/L	J		21		5	50
FSB104D	7/29/2015	ZINC	40	ug/L	U				4	40
FSB104D	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB104D	7/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB104D	7/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB104D	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.11	ug/L	U		21, V		1	5
FSB104D	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB104D	7/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB104D	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB104D	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB104D	7/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB104D	7/29/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB104D	7/29/2015	AMERICIUM-241	0.0829	pCi/L	U		21, V	0.097	0.0749	0.268

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104D	7/29/2015	CURIUM-242	0.2	pCi/L	J		21, V	0.161	0.137	0.458
FSB104D	7/29/2015	CURIUM-243/244	0.0273	pCi/L	U			0.055	0.0738	0.183
FSB104D	7/29/2015	CURIUM-245/246	0.225	pCi/L	U		21, V	0.163	0.0764	0.402
FSB104D	7/29/2015	PLUTONIUM-238	-0.0124	pCi/L	U		V	0.018	0.149	0.184
FSB104D	7/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0673	0.0673
FSB104D	7/29/2015	THORIUM-228	0.0226	pCi/L	U			0.045	0.0603	0.151
FSB104D	7/29/2015	THORIUM-230	0.15	pCi/L	J		21, V	0.121	0.112	0.353
FSB104D	7/29/2015	THORIUM-232	0	pCi/L	U		V	0	0.0603	0.0603
FSB104D	7/29/2015	URANIUM-233/234	0.298	pCi/L	J		21	0.171	0.0622	0.405
FSB104D	7/29/2015	URANIUM-235	-0.00708	pCi/L	U		V	0.014	0.143	0.171
FSB104D	7/29/2015	URANIUM-238	0.321	pCi/L	J		21	0.177	0.0621	0.417
FSB104D	7/29/2015	GROSS ALPHA	1.91	pCi/L	J		21	1.4	1.33	4.13
FSB104D	7/29/2015	NONVOLATILE BETA	3.35	pCi/L	J		21	2	2.56	6.57
FSB104D	7/29/2015	STRONTIUM-90	1.65	pCi/L	U			1.92	3.32	7.16
FSB104D	7/29/2015	CARBON-14	14.1	pCi/L	J		21	4.57	7.12	16.3
FSB104D	7/29/2015	TECHNETIUM-99	3.69	pCi/L	U			2.53	4.07	9.12
FSB104D	7/29/2015	TRITIUM	6.01	pCi/mL				0.544	0.466	1.55
FSB104D	7/29/2015	CESIUM-137	-1.73	pCi/L	U			4.87	8.47	18.2
FSB104D	7/29/2015	COBALT-60	2.11	pCi/L	U			5.19	10.1	20.5
FSB104D	7/29/2015	IODINE-129	0.348	pCi/L	U			0.421	0.678	1.52
FSB104D	7/29/2015	RADIUM-226	0.396	pCi/L	J		21	0.236	0.317	0.789
FSB104D	7/29/2015	RADIUM-228	0.000787	pCi/L	U			0.389	0.712	1.49
FSB104D	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.631	pCi/L	U			1.13	2.06	4.32
FSB104D	9/22/2015	CHLORIDE	2.3	mg/L					0.02	0.2
FSB104D	9/22/2015	TRITIUM	5.79	pCi/mL				0.647	0.457	1.751
FSB104D	11/6/2015	NITRATE-NITRITE AS NITROGEN	1.53	mg/L					0.085	0.25
FSB104D	11/6/2015	CADMIUM	0.156	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB104D	11/6/2015	LEAD	1.66	ug/L	J		21		0.5	5
FSB104D	11/6/2015	GROSS ALPHA	2.1	pCi/L	U			1.97	2.21	6.15
FSB104D	11/6/2015	NONVOLATILE BETA	5.85	pCi/L	J		21	3.39	4.44	11.2
FSB104D	11/6/2015	TRITIUM	11.2	pCi/mL				0.675	0.547	1.9
FSB104D	12/11/2015	CHLORIDE	2.4	mg/L					0.02	0.2
FSB104D	12/11/2015	TRITIUM	11.7	pCi/mL				0.729	0.332	1.79
FSB107C	1/21/2015	NITRATE-NITRITE AS NITROGEN	10.9	mg/L					0.425	1.25
FSB107C	1/21/2015	ALUMINUM	55.4	ug/L	J				40	400
FSB107C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB107C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB107C	1/21/2015	BARIUM	18	ug/L	J				2	20
FSB107C	1/21/2015	BERYLLIUM	0.591	ug/L	J				0.1	1
FSB107C	1/21/2015	CADMIUM	0.18	ug/L	J				0.1	1
FSB107C	1/21/2015	CHROMIUM	12.6	ug/L	J				10	100
FSB107C	1/21/2015	COBALT	0.769	ug/L	J				0.5	5
FSB107C	1/21/2015	COPPER	0.736	ug/L	J				0.5	5
FSB107C	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB107C	1/21/2015	NICKEL	3.18	ug/L	J				0.5	5
FSB107C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB107C	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB107C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB107C	1/21/2015	TIN	10	ug/L	U				1	10
FSB107C	1/21/2015	VANADIUM	45	ug/L	U				5	50
FSB107C	1/21/2015	ZINC	9.13	ug/L	J				4	40
FSB107C	1/21/2015	MERCURY	0.0597	ug/L	J		21		0.02	0.2
FSB107C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB107C	1/21/2015	CHLOROFORM	0.39	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB107C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.71	ug/L	U		21, V		1	5
FSB107C	1/21/2015	TETRACHLOROETHYLENE (PCE)	0.86	ug/L	J		21		0.3	1
FSB107C	1/21/2015	TRICHLOROETHYLENE (TCE)	0.95	ug/L	J		21		0.3	1
FSB107C	1/21/2015	TRICHLOROFLUOROMETHANE	2.51	ug/L					0.3	1
FSB107C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB107C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB107C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB107C	1/21/2015	AMERICIUM-241	0.0229	pCi/L	U			0.046	0.062	0.154
FSB107C	1/21/2015	CURIUM-242	-0.00583	pCi/L	U			0.012	0.113	0.137
FSB107C	1/21/2015	CURIUM-243/244	0.0225	pCi/L	U			0.045	0.061	0.151
FSB107C	1/21/2015	CURIUM-245/246	0.117	pCi/L	U			0.106	0.0632	0.275
FSB107C	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.064	0.064
FSB107C	1/21/2015	PLUTONIUM-239/240	-0.0118	pCi/L	U			0.017	0.142	0.175
FSB107C	1/21/2015	THORIUM-228	0.0521	pCi/L	U			0.083	0.155	0.321
FSB107C	1/21/2015	THORIUM-230	0.0231	pCi/L	U			0.046	0.0625	0.155
FSB107C	1/21/2015	THORIUM-232	-0.00575	pCi/L	U			0.012	0.116	0.139
FSB107C	1/21/2015	URANIUM-233/234	0.0464	pCi/L	U			0.066	0.0629	0.195
FSB107C	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0776	0.0776
FSB107C	1/21/2015	URANIUM-238	0.0174	pCi/L	U			0.048	0.117	0.212
FSB107C	1/21/2015	GROSS ALPHA	0.864	pCi/L	U			1.44	2.32	5.2
FSB107C	1/21/2015	NONVOLATILE BETA	7.67	pCi/L	J		21	3.41	3.96	10.8
FSB107C	1/21/2015	STRONTIUM-90	3.72	pCi/L	J		21	2.34	3.11	7.79
FSB107C	1/21/2015	CARBON-14	-2.66	pCi/L	UJ			4.16	7.08	15.4
FSB107C	1/21/2015	TECHNETIUM-99	10.2	pCi/L				2.72	4.08	9.52
FSB107C	1/21/2015	TRITIUM	103	pCi/mL				1.9	0.489	4.29
FSB107C	1/21/2015	CESIUM-137	-2.92	pCi/L	U			5.56	9.36	20.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB107C	1/21/2015	COBALT-60	-2.99	pCi/L	U			4.78	8.03	17.6
FSB107C	1/21/2015	IODINE-129	4.61	pCi/L				1.3	0.973	3.58
FSB107C	1/21/2015	RADIUM-226	0.344	pCi/L	U			0.279	0.428	0.986
FSB107C	1/21/2015	RADIUM-228	0.00909	pCi/L	U			0.198	0.387	0.783
FSB107C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.003	pCi/L	U			0.24	0.529	1.01
FSB107C	4/13/2015	NITRATE-NITRITE AS NITROGEN	9.83	mg/L					0.425	1.25
FSB107C	4/13/2015	CADMIUM	0.209	ug/L	J		21		0.1	1
FSB107C	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB107C	4/13/2015	GROSS ALPHA	0.972	pCi/L	U			1.05	1.33	3.43
FSB107C	4/13/2015	NONVOLATILE BETA	8.83	pCi/L				2.65	2.87	8.18
FSB107C	4/13/2015	TRITIUM	87.3	pCi/mL				1.77	0.413	3.95
FSB107C	8/4/2015	NITRATE-NITRITE AS NITROGEN	9.22	mg/L					0.17	0.5
FSB107C	8/4/2015	ALUMINUM	75.8	ug/L	J		21		40	400
FSB107C	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB107C	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB107C	8/4/2015	BARIUM	15.3	ug/L	J		21		2	20
FSB107C	8/4/2015	BERYLLIUM	0.572	ug/L	J		21		0.1	1
FSB107C	8/4/2015	CADMIUM	0.113	ug/L	J		21		0.1	1
FSB107C	8/4/2015	CHROMIUM	10.1	ug/L	J		21		10	100
FSB107C	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB107C	8/4/2015	COPPER	0.728	ug/L	J		21		0.5	5
FSB107C	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB107C	8/4/2015	NICKEL	1.69	ug/L	J		21		0.5	5
FSB107C	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB107C	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB107C	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB107C	8/4/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB107C	8/4/2015	ZINC	8.69	ug/L	J		21		4	40
FSB107C	8/4/2015	MERCURY	0.0502	ug/L	J		21		0.02	0.2
FSB107C	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB107C	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB107C	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.33	ug/L	J		21		1	5
FSB107C	8/4/2015	TETRACHLOROETHYLENE (PCE)	0.66	ug/L	J		21		0.3	1
FSB107C	8/4/2015	TRICHLOROETHYLENE (TCE)	0.64	ug/L	J		21		0.3	1
FSB107C	8/4/2015	TRICHLOROFLUOROMETHANE	1.5	ug/L					0.3	1
FSB107C	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB107C	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB107C	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB107C	8/4/2015	AMERICIUM-241	0.0169	pCi/L	U		V	0.047	0.114	0.207
FSB107C	8/4/2015	CURIUM-242	-0.00595	pCi/L	U			0.012	0.112	0.136
FSB107C	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0603	0.0603
FSB107C	8/4/2015	CURIUM-245/246	0.207	pCi/L	U		21, V	0.141	0.0624	0.345
FSB107C	8/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0682	0.0682
FSB107C	8/4/2015	PLUTONIUM-239/240	-0.0189	pCi/L	U			0.022	0.17	0.214
FSB107C	8/4/2015	THORIUM-228	0	pCi/L	U			0	0.0589	0.0589
FSB107C	8/4/2015	THORIUM-230	0.169	pCi/L	U		21, V	0.126	0.11	0.362
FSB107C	8/4/2015	THORIUM-232	0.0217	pCi/L	U			0.044	0.0589	0.146
FSB107C	8/4/2015	URANIUM-233/234	0.0365	pCi/L	U		V	0.06	0.105	0.225
FSB107C	8/4/2015	URANIUM-235	0	pCi/L	U			0	0.0697	0.0697
FSB107C	8/4/2015	URANIUM-238	0.161	pCi/L	U		21, V	0.12	0.105	0.345
FSB107C	8/4/2015	GROSS ALPHA	-0.405	pCi/L	U			0.37	2.47	3.21
FSB107C	8/4/2015	NONVOLATILE BETA	11.2	pCi/L	J		21	3.94	4.08	12
FSB107C	8/4/2015	STRONTIUM-90	1.44	pCi/L	U			2.06	3.23	7.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB107C	8/4/2015	CARBON-14	11.1	pCi/L	J		21	4.36	6.87	15.6
FSB107C	8/4/2015	TECHNETIUM-99	9.08	pCi/L	J		21	2.76	4.21	9.73
FSB107C	8/4/2015	TRITIUM	91.3	pCi/mL				1.84	0.453	4.13
FSB107C	8/4/2015	CESIUM-137	-4.86	pCi/L	U			5.54	9.04	20.1
FSB107C	8/4/2015	COBALT-60	0.833	pCi/L	U			5	9.53	19.5
FSB107C	8/4/2015	IODINE-129	5.69	pCi/L				1.41	1.09	3.9
FSB107C	8/4/2015	RADIUM-226	2.11	pCi/L				0.626	0.608	1.86
FSB107C	8/4/2015	RADIUM-228	0.361	pCi/L	U			0.376	0.627	1.38
FSB107C	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	1.07	pCi/L	U			1.09	1.7	3.88
FSB107C	11/2/2015	NITRATE-NITRITE AS NITROGEN	13.4	mg/L					0.17	0.5
FSB107C	11/2/2015	CADMIUM	0.177	ug/L	J		21		0.1	1
FSB107C	11/2/2015	LEAD	5	ug/L	U				0.5	5
FSB107C	11/2/2015	GROSS ALPHA	1.74	pCi/L	J		21	1.32	1.39	4.04
FSB107C	11/2/2015	NONVOLATILE BETA	11.3	pCi/L	J			2.94	2.97	8.85
FSB107C	11/2/2015	TRITIUM	98.7	pCi/mL				1.86	0.481	4.2
FSB108D	1/21/2015	NITRATE-NITRITE AS NITROGEN	8.45	mg/L					0.425	1.25
FSB108D	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB108D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB108D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB108D	1/21/2015	BARIUM	32.1	ug/L					2	20
FSB108D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB108D	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB108D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB108D	1/21/2015	COBALT	0.619	ug/L	J				0.5	5
FSB108D	1/21/2015	COPPER	101	ug/L					0.5	5
FSB108D	1/21/2015	LEAD	0.837	ug/L	J				0.5	5
FSB108D	1/21/2015	NICKEL	2.31	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB108D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB108D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB108D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB108D	1/21/2015	TIN	10	ug/L	U				1	10
FSB108D	1/21/2015	VANADIUM	46.7	ug/L	U				5	50
FSB108D	1/21/2015	ZINC	47.2	ug/L					4	40
FSB108D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB108D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB108D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB108D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.57	ug/L	U		21, V		1	5
FSB108D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB108D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB108D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB108D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB108D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB108D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB108D	1/21/2015	AMERICIUM-241	0.0427	pCi/L	U			0.061	0.0578	0.179
FSB108D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0569	0.0569
FSB108D	1/21/2015	CURIUM-243/244	-0.0158	pCi/L	U			0.018	0.142	0.178
FSB108D	1/21/2015	CURIUM-245/246	0.0653	pCi/L	U			0.076	0.0589	0.211
FSB108D	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0672	0.0672
FSB108D	1/21/2015	PLUTONIUM-239/240	0.0186	pCi/L	U			0.051	0.125	0.227
FSB108D	1/21/2015	THORIUM-228	-0.0168	pCi/L	U			0.074	0.23	0.377
FSB108D	1/21/2015	THORIUM-230	0.0663	pCi/L	U			0.077	0.0599	0.215
FSB108D	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0598	0.0598
FSB108D	1/21/2015	URANIUM-233/234	0.00676	pCi/L	U			0.059	0.182	0.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB108D	1/21/2015	URANIUM-235	0.025	pCi/L	U			0.069	0.168	0.306
FSB108D	1/21/2015	URANIUM-238	0.0202	pCi/L	U			0.056	0.136	0.247
FSB108D	1/21/2015	GROSS ALPHA	3.97	pCi/L	J		21	2.62	2.25	7.48
FSB108D	1/21/2015	NONVOLATILE BETA	8.18	pCi/L	J		21	3.5	4.02	11
FSB108D	1/21/2015	STRONTIUM-90	1.01	pCi/L	U			2.04	3.27	7.35
FSB108D	1/21/2015	CARBON-14	4.3	pCi/L	UJ			4.17	6.83	15.2
FSB108D	1/21/2015	TECHNETIUM-99	11.7	pCi/L	J			2.97	4.45	10.4
FSB108D	1/21/2015	TRITIUM	17.1	pCi/mL				0.77	0.527	2.07
FSB108D	1/21/2015	CESIUM-137	-2.67	pCi/L	U			6.46	11	23.9
FSB108D	1/21/2015	COBALT-60	-3.76	pCi/L	U			6.91	11.7	25.5
FSB108D	1/21/2015	IODINE-129	1.64	pCi/L	J		21	0.954	0.875	2.78
FSB108D	1/21/2015	RADIUM-226	2.68	pCi/L				0.583	0.456	1.62
FSB108D	1/21/2015	RADIUM-228	0.905	pCi/L	J		21	0.353	0.467	1.17
FSB108D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	1.6	pCi/L	J		21	0.611	0.633	1.86
FSB108D	4/13/2015	NITRATE-NITRITE AS NITROGEN	7.05	mg/L					0.425	1.25
FSB108D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB108D	4/13/2015	LEAD	1.79	ug/L	J		21		0.5	5
FSB108D	4/13/2015	GROSS ALPHA	6.47	pCi/L				2.32	1.27	5.92
FSB108D	4/13/2015	NONVOLATILE BETA	5.87	pCi/L	J		21	2.57	3.36	8.51
FSB108D	4/13/2015	TRITIUM	8.37	pCi/mL				0.604	0.456	1.66
FSB108D	7/29/2015	NITRATE-NITRITE AS NITROGEN	1.28	mg/L					0.085	0.25
FSB108D	7/29/2015	ALUMINUM	136	ug/L	J		21		40	400
FSB108D	7/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB108D	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSB108D	7/29/2015	BARIUM	6.25	ug/L	J		21		2	20
FSB108D	7/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB108D	7/29/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB108D	7/29/2015	CHROMIUM	11.7	ug/L	J		21		10	100
FSB108D	7/29/2015	COBALT	5	ug/L	U				0.5	5
FSB108D	7/29/2015	COPPER	60.1	ug/L			V		0.5	5
FSB108D	7/29/2015	LEAD	5	ug/L	U				0.5	5
FSB108D	7/29/2015	NICKEL	1.18	ug/L	J		21		0.5	5
FSB108D	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSB108D	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSB108D	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSB108D	7/29/2015	VANADIUM	18.1	ug/L	J		21		5	50
FSB108D	7/29/2015	ZINC	23.2	ug/L	J		21		4	40
FSB108D	7/29/2015	GROSS ALPHA	1.6	pCi/L	U			1.8	2.32	5.91
FSB108D	7/29/2015	NONVOLATILE BETA	0.367	pCi/L	U			2.43	4.34	9.2
FSB108D	7/29/2015	TRITIUM	3.75	pCi/mL				0.457	0.48	1.39
FSB108D	10/30/2015	NITRATE-NITRITE AS NITROGEN	6.6	mg/L					0.085	0.25
FSB108D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB108D	10/30/2015	LEAD	1.1	ug/L	J		21		0.5	5
FSB108D	10/30/2015	GROSS ALPHA	6.56	pCi/L	J			2.33	1.32	5.99
FSB108D	10/30/2015	NONVOLATILE BETA	7.58	pCi/L	J		21	2.78	3.4	8.96
FSB108D	10/30/2015	TRITIUM	3.92	pCi/mL				0.462	0.484	1.41
FSB109D	1/21/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L					0.085	0.25
FSB109D	1/21/2015	ALUMINUM	403	ug/L					40	400
FSB109D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB109D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB109D	1/21/2015	BARIUM	19.4	ug/L	J				2	20
FSB109D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB109D	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB109D	1/21/2015	CHROMIUM	12.3	ug/L	J				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB109D	1/21/2015	COBALT	1.2	ug/L	J				0.5	5
FSB109D	1/21/2015	COPPER	6.63	ug/L					0.5	5
FSB109D	1/21/2015	LEAD	1.01	ug/L	J				0.5	5
FSB109D	1/21/2015	NICKEL	3.22	ug/L	J				0.5	5
FSB109D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB109D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB109D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB109D	1/21/2015	TIN	10	ug/L	U				1	10
FSB109D	1/21/2015	VANADIUM	36.5	ug/L	U				5	50
FSB109D	1/21/2015	ZINC	12.2	ug/L	J				4	40
FSB109D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB109D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB109D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB109D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB109D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB109D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB109D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB109D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB109D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB109D	1/21/2015	PHENOLS	0.00448	mg/L	J		21		0.00167	0.005
FSB109D	1/21/2015	AMERICIUM-241	0.0234	pCi/L	U			0.047	0.0635	0.158
FSB109D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0626	0.0626
FSB109D	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0626	0.0626
FSB109D	1/21/2015	CURIUM-245/246	0.191	pCi/L	U			0.138	0.0648	0.342
FSB109D	1/21/2015	PLUTONIUM-238	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB109D	1/21/2015	PLUTONIUM-239/240	-0.0172	pCi/L	U			0.02	0.155	0.195

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB109D	1/21/2015	THORIUM-228	-0.0167	pCi/L	U			0.019	0.149	0.187
FSB109D	1/21/2015	THORIUM-230	0.0552	pCi/L	U			0.079	0.133	0.29
FSB109D	1/21/2015	THORIUM-232	-0.011	pCi/L	U			0.016	0.132	0.164
FSB109D	1/21/2015	URANIUM-233/234	0	pCi/L	U			0	0.0629	0.0629
FSB109D	1/21/2015	URANIUM-235	-0.00716	pCi/L	U			0.014	0.144	0.173
FSB109D	1/21/2015	URANIUM-238	0	pCi/L	U			0	0.0627	0.0627
FSB109D	1/21/2015	GROSS ALPHA	2.32	pCi/L	J		21	2.03	2.17	6.22
FSB109D	1/21/2015	NONVOLATILE BETA	4.73	pCi/L	J		21	2.98	3.97	9.94
FSB109D	1/21/2015	STRONTIUM-90	-0.972	pCi/L	U			1.78	3.12	6.69
FSB109D	1/21/2015	CARBON-14	556	pCi/L	J			11.5	7.21	30.2
FSB109D	1/21/2015	TECHNETIUM-99	2.43	pCi/L	U			2.48	4.05	9.01
FSB109D	1/21/2015	TRITIUM	3.02	pCi/mL				0.441	0.519	1.4
FSB109D	1/21/2015	CESIUM-137	-1.32	pCi/L	U			7.09	12.3	26.5
FSB109D	1/21/2015	COBALT-60	1.22	pCi/L	U			7.31	13.5	28.1
FSB109D	1/21/2015	IODINE-129	0.656	pCi/L	U			0.816	0.871	2.5
FSB109D	1/21/2015	RADIUM-226	2	pCi/L				0.503	0.437	1.44
FSB109D	1/21/2015	RADIUM-228	0.579	pCi/L	J		21	0.316	0.451	1.08
FSB109D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	1.74	pCi/L				0.525	0.673	1.72
FSB109D	4/13/2015	NITRATE-NITRITE AS NITROGEN	2.14	mg/L					0.085	0.25
FSB109D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB109D	4/13/2015	LEAD	0.838	ug/L	J		21		0.5	5
FSB109D	4/13/2015	GROSS ALPHA	4.01	pCi/L	J		21	1.84	1.24	4.91
FSB109D	4/13/2015	NONVOLATILE BETA	4.36	pCi/L	J		21	2.34	3.15	7.83
FSB109D	4/13/2015	TRITIUM	2.66	pCi/mL				0.406	0.459	1.27
FSB109D	8/9/2015	NITRATE-NITRITE AS NITROGEN	1.42	mg/L					0.017	0.05
FSB109D	8/9/2015	ALUMINUM	352	ug/L	J		21		40	400
FSB109D	8/9/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB109D	8/9/2015	ARSENIC	50	ug/L	U				5	50
FSB109D	8/9/2015	BARIUM	15.6	ug/L	J		21		2	20
FSB109D	8/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB109D	8/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB109D	8/9/2015	CHROMIUM	11.7	ug/L	J		21		10	100
FSB109D	8/9/2015	COBALT	0.931	ug/L	J		21		0.5	5
FSB109D	8/9/2015	COPPER	6.51	ug/L					0.5	5
FSB109D	8/9/2015	LEAD	1.22	ug/L	J		21		0.5	5
FSB109D	8/9/2015	NICKEL	1.93	ug/L	J		21		0.5	5
FSB109D	8/9/2015	SELENIUM	20	ug/L	U		V		2	20
FSB109D	8/9/2015	SILVER	5	ug/L	U				0.5	5
FSB109D	8/9/2015	THALLIUM	1	ug/L	U				0.1	1
FSB109D	8/9/2015	VANADIUM	50	ug/L	U				5	50
FSB109D	8/9/2015	ZINC	17.8	ug/L	U		21, V		4	40
FSB109D	8/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB109D	8/9/2015	BENZENE	1	ug/L	U				0.3	1
FSB109D	8/9/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB109D	8/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.61	ug/L	J		21		1	5
FSB109D	8/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB109D	8/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB109D	8/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB109D	8/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB109D	8/9/2015	CYANIDE	5	ug/L	U				1.67	5
FSB109D	8/9/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB109D	8/9/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0645	0.0645
FSB109D	8/9/2015	CURIUM-242	-0.00641	pCi/L	U			0.013	0.118	0.144

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB109D	8/9/2015	CURIUM-243/244	0	pCi/L	U			0	0.0635	0.0635
FSB109D	8/9/2015	CURIUM-245/246	0.146	pCi/L	U		21, V	0.121	0.0658	0.307
FSB109D	8/9/2015	PLUTONIUM-238	-0.00653	pCi/L	U		V	0.013	0.131	0.158
FSB109D	8/9/2015	PLUTONIUM-239/240	0.0131	pCi/L	U		V	0.055	0.157	0.267
FSB109D	8/9/2015	THORIUM-228	-0.0201	pCi/L	U			0.023	0.177	0.224
FSB109D	8/9/2015	THORIUM-230	0.125	pCi/L	U		V	0.12	0.132	0.372
FSB109D	8/9/2015	THORIUM-232	0	pCi/L	U		V	0	0.0711	0.0711
FSB109D	8/9/2015	URANIUM-233/234	0.0207	pCi/L	U		V	0.042	0.0561	0.139
FSB109D	8/9/2015	URANIUM-235	-0.00639	pCi/L	U			0.013	0.129	0.154
FSB109D	8/9/2015	URANIUM-238	0	pCi/L	U		V	0	0.056	0.056
FSB109D	8/9/2015	GROSS ALPHA	4.27	pCi/L	J		21	2.71	2.29	7.7
FSB109D	8/9/2015	NONVOLATILE BETA	5.07	pCi/L	J		21	3.38	4.7	11.4
FSB109D	8/9/2015	STRONTIUM-90	-1.14	pCi/L	U			1.8	3.29	6.9
FSB109D	8/9/2015	CARBON-14	2.69	pCi/L	U			4.34	7.17	15.8
FSB109D	8/9/2015	TECHNETIUM-99	2.31	pCi/L	U			2.5	4.09	9.09
FSB109D	8/9/2015	TRITIUM	2.09	pCi/mL				0.388	0.485	1.26
FSB109D	8/9/2015	CESIUM-137	-5.99	pCi/L	U			5.8	9.34	20.9
FSB109D	8/9/2015	COBALT-60	2.01	pCi/L	U			4.93	9.64	19.5
FSB109D	8/9/2015	IODINE-129	1.11	pCi/L	J		21	0.815	0.866	2.5
FSB109D	8/9/2015	RADIUM-226	1.6	pCi/L				0.509	0.517	1.54
FSB109D	8/9/2015	RADIUM-228	0.298	pCi/L	U			0.254	0.401	0.909
FSB109D	8/9/2015	RADIUM, TOTAL ALPHA-EMITTING	1.91	pCi/L	J		21	1.13	1.38	3.64
FSB109D	10/30/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L					0.085	0.25
FSB109D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB109D	10/30/2015	LEAD	0.672	ug/L	J		21		0.5	5
FSB109D	10/30/2015	GROSS ALPHA	4.93	pCi/L	J		21	2.03	1.29	5.35
FSB109D	10/30/2015	NONVOLATILE BETA	2.18	pCi/L	UJ			2.2	3.27	7.67

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB109D	10/30/2015	TRITIUM	2.45	pCi/mL				0.404	0.483	1.29
FSB112A	1/21/2015	NITRATE-NITRITE AS NITROGEN	1.94	mg/L					0.085	0.25
FSB112A	1/21/2015	ALUMINUM	84.6	ug/L	J				40	400
FSB112A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB112A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB112A	1/21/2015	BARIUM	51.5	ug/L					2	20
FSB112A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB112A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB112A	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB112A	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB112A	1/21/2015	COPPER	2.24	ug/L	J				0.5	5
FSB112A	1/21/2015	LEAD	0.702	ug/L	J				0.5	5
FSB112A	1/21/2015	NICKEL	0.949	ug/L	J				0.5	5
FSB112A	1/21/2015	SELENIUM	2.28	ug/L	J				2	20
FSB112A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB112A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB112A	1/21/2015	TIN	10	ug/L	U				1	10
FSB112A	1/21/2015	VANADIUM	41.2	ug/L	U				5	50
FSB112A	1/21/2015	ZINC	34.5	ug/L	J				4	40
FSB112A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB112A	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB112A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB112A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB112A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112A	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB112A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE	40	ug/L	U				12	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB112A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB112A	1/21/2015	AMERICIUM-241	0.0502	pCi/L	U			0.071	0.068	0.211
FSB112A	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0669	0.0669
FSB112A	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0669	0.0669
FSB112A	1/21/2015	CURIUM-245/246	0.102	pCi/L	U			0.104	0.0693	0.276
FSB112A	1/21/2015	PLUTONIUM-238	0.0167	pCi/L	U			0.046	0.112	0.204
FSB112A	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0603	0.0603
FSB112A	1/21/2015	THORIUM-228	0.0515	pCi/L	U			0.082	0.152	0.316
FSB112A	1/21/2015	THORIUM-230	0.0677	pCi/L	U			0.079	0.0612	0.219
FSB112A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0611	0.0611
FSB112A	1/21/2015	URANIUM-233/234	0.0508	pCi/L	U			0.072	0.0688	0.213
FSB112A	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0849	0.0849
FSB112A	1/21/2015	URANIUM-238	0.0253	pCi/L	U			0.051	0.0687	0.17
FSB112A	1/21/2015	GROSS ALPHA	1.27	pCi/L	U			1.65	2.32	5.62
FSB112A	1/21/2015	NONVOLATILE BETA	9.06	pCi/L	J		21	3.6	3.97	11.2
FSB112A	1/21/2015	STRONTIUM-90	2.16	pCi/L	U			2.43	3.27	8.12
FSB112A	1/21/2015	CARBON-14	-0.848	pCi/L	UJ			4.22	7.11	15.5
FSB112A	1/21/2015	TECHNETIUM-99	1.83	pCi/L	UJ			2.67	4.41	9.75
FSB112A	1/21/2015	TRITIUM	16.1	pCi/mL				0.797	0.491	2.08
FSB112A	1/21/2015	CESIUM-137	2.57	pCi/L	U			6.11	11.4	23.6
FSB112A	1/21/2015	COBALT-60	1.64	pCi/L	U			6.19	11.8	24.2
FSB112A	1/21/2015	IODINE-129	1.03	pCi/L	J		21	0.935	0.968	2.84
FSB112A	1/21/2015	RADIUM-226	0.824	pCi/L	J		21	0.312	0.351	0.975
FSB112A	1/21/2015	RADIUM-228	0.511	pCi/L	U			0.371	0.575	1.32
FSB112A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.22	pCi/L	U			0.529	0.922	1.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112A	4/13/2015	NITRATE-NITRITE AS NITROGEN	2.15	mg/L					0.17	0.5
FSB112A	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB112A	4/13/2015	LEAD	0.966	ug/L	J		21		0.5	5
FSB112A	4/13/2015	GROSS ALPHA	2.86	pCi/L	J		21	1.64	1.35	4.63
FSB112A	4/13/2015	NONVOLATILE BETA	8.84	pCi/L				2.72	3.04	8.47
FSB112A	4/13/2015	TRITIUM	15.8	pCi/mL				0.795	0.458	2.05
FSB112A	8/4/2015	NITRATE-NITRITE AS NITROGEN	1.55	mg/L					0.085	0.25
FSB112A	8/4/2015	ALUMINUM	151	ug/L	J		21		40	400
FSB112A	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB112A	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB112A	8/4/2015	BARIUM	52	ug/L					2	20
FSB112A	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB112A	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB112A	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB112A	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB112A	8/4/2015	COPPER	4.53	ug/L	J		21		0.5	5
FSB112A	8/4/2015	LEAD	0.952	ug/L	J		21		0.5	5
FSB112A	8/4/2015	NICKEL	0.759	ug/L	J		21		0.5	5
FSB112A	8/4/2015	SELENIUM	2.83	ug/L	U		21, V		2	20
FSB112A	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB112A	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB112A	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB112A	8/4/2015	ZINC	27.2	ug/L	U		21, V		4	40
FSB112A	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB112A	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB112A	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB112A	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.41	ug/L	J		21		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112A	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112A	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB112A	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112A	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB112A	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112A	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB112A	8/4/2015	AMERICIUM-241	0.022	pCi/L	U		V	0.044	0.0597	0.148
FSB112A	8/4/2015	CURIUM-242	0	pCi/L	U			0	0.0588	0.0588
FSB112A	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0588	0.0588
FSB112A	8/4/2015	CURIUM-245/246	0.247	pCi/L	U		21, V	0.153	0.0609	0.367
FSB112A	8/4/2015	PLUTONIUM-238	-0.00696	pCi/L	U		V	0.014	0.14	0.168
FSB112A	8/4/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0755	0.0755
FSB112A	8/4/2015	THORIUM-228	0.0386	pCi/L	U			0.064	0.109	0.236
FSB112A	8/4/2015	THORIUM-230	0.151	pCi/L	U		21, V	0.117	0.0585	0.292
FSB112A	8/4/2015	THORIUM-232	0	pCi/L	U		V	0	0.0584	0.0584
FSB112A	8/4/2015	URANIUM-233/234	0.0351	pCi/L	U		V	0.068	0.14	0.277
FSB112A	8/4/2015	URANIUM-235	0	pCi/L	U			0	0.0783	0.0783
FSB112A	8/4/2015	URANIUM-238	0.0935	pCi/L	U		21, V	0.094	0.0633	0.252
FSB112A	8/4/2015	GROSS ALPHA	0.53	pCi/L	U			1.27	2.28	4.83
FSB112A	8/4/2015	NONVOLATILE BETA	7.76	pCi/L	J		21	3.42	3.79	10.6
FSB112A	8/4/2015	STRONTIUM-90	3.47	pCi/L	J		21	2.67	3.29	8.63
FSB112A	8/4/2015	CARBON-14	172	pCi/L				7.31	7.16	21.8
FSB112A	8/4/2015	TECHNETIUM-99	2.03	pCi/L	U			2.51	4.12	9.13
FSB112A	8/4/2015	TRITIUM	13.3	pCi/mL				0.741	0.443	1.92
FSB112A	8/4/2015	CESIUM-137	1.92	pCi/L	U			5.29	9.77	20.3
FSB112A	8/4/2015	COBALT-60	1.67	pCi/L	U			4.7	9.19	18.6
FSB112A	8/4/2015	IODINE-129	0.351	pCi/L	U			0.674	1.01	2.36

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112A	8/4/2015	RADIUM-226	3.26	pCi/L				0.692	0.532	1.92
FSB112A	8/4/2015	RADIUM-228	0.41	pCi/L	U			0.277	0.421	0.975
FSB112A	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.927	pCi/L	U			0.944	1.5	3.39
FSB112A	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.18	mg/L					0.17	0.5
FSB112A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB112A	10/30/2015	LEAD	1.45	ug/L	J		21		0.5	5
FSB112A	10/30/2015	GROSS ALPHA	2.19	pCi/L	J		21	1.47	1.41	4.34
FSB112A	10/30/2015	NONVOLATILE BETA	10.8	pCi/L	J			2.91	3.01	8.83
FSB112A	10/30/2015	TRITIUM	15.9	pCi/mL				0.787	0.479	2.05
FSB112C	1/27/2015	NITRATE-NITRITE AS NITROGEN	114	mg/L					1.7	5
FSB112C	1/27/2015	ALUMINUM	7610	ug/L					40	400
FSB112C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB112C	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB112C	1/27/2015	BARIUM	337	ug/L					2	20
FSB112C	1/27/2015	BERYLLIUM	4.26	ug/L					0.1	1
FSB112C	1/27/2015	CADMIUM	14.8	ug/L					0.1	1
FSB112C	1/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB112C	1/27/2015	COBALT	155	ug/L					0.5	5
FSB112C	1/27/2015	COPPER	11.6	ug/L					0.5	5
FSB112C	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB112C	1/27/2015	NICKEL	43.6	ug/L					0.5	5
FSB112C	1/27/2015	SELENIUM	7.01	ug/L	J				2	20
FSB112C	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB112C	1/27/2015	THALLIUM	0.187	ug/L	J				0.1	1
FSB112C	1/27/2015	TIN	10	ug/L	U				1	10
FSB112C	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB112C	1/27/2015	ZINC	89.9	ug/L					4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112C	1/27/2015	MERCURY	0.575	ug/L					0.02	0.2
FSB112C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB112C	1/27/2015	CHLOROFORM	0.33	ug/L	J		21		0.3	1
FSB112C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB112C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112C	1/27/2015	TRICHLOROETHYLENE (TCE)	0.81	ug/L	J		21		0.3	1
FSB112C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB112C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112C	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB112C	1/27/2015	AMERICIUM-241	0.0902	pCi/L	U			0.091	0.0611	0.244
FSB112C	1/27/2015	CURIUM-242	0.0236	pCi/L	U			0.047	0.0602	0.155
FSB112C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0602	0.0602
FSB112C	1/27/2015	CURIUM-245/246	0.0403	pCi/L	U			0.066	0.116	0.249
FSB112C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0675	0.0675
FSB112C	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0675	0.0675
FSB112C	1/27/2015	THORIUM-228	0.198	pCi/L	U			0.156	0.22	0.532
FSB112C	1/27/2015	THORIUM-230	0.0422	pCi/L	U			0.06	0.0572	0.177
FSB112C	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0571	0.0571
FSB112C	1/27/2015	URANIUM-233/234	0.0847	pCi/L	J		21	0.086	0.0574	0.229
FSB112C	1/27/2015	URANIUM-235	0.0783	pCi/L	U			0.091	0.0707	0.254
FSB112C	1/27/2015	URANIUM-238	0.0792	pCi/L	U			0.086	0.106	0.278
FSB112C	1/27/2015	GROSS ALPHA	81.3	pCi/L				13.9	4.31	32.1
FSB112C	1/27/2015	NONVOLATILE BETA	781	pCi/L				28.2	5.55	61.9
FSB112C	1/27/2015	STRONTIUM-90	0.666	pCi/L	U			2.08	3.11	7.27
FSB112C	1/27/2015	CARBON-14	-1.5	pCi/L	U			4.22	7.14	15.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112C	1/27/2015	TECHNETIUM-99	26.6	pCi/L				3.21	4.2	10.6
FSB112C	1/27/2015	TRITIUM	1440	pCi/mL				7.18	0.452	14.8
FSB112C	1/27/2015	CESIUM-137	0.487	pCi/L	U			5.45	9.85	20.7
FSB112C	1/27/2015	COBALT-60	-3.13	pCi/L	U			5.27	9.08	19.6
FSB112C	1/27/2015	IODINE-129	53.4	pCi/L				8.34	1.54	18.2
FSB112C	1/27/2015	RADIUM-226	71.3	pCi/L				3.42	0.685	7.53
FSB112C	1/27/2015	RADIUM-228	20.3	pCi/L				1.22	0.568	3.01
FSB112C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	55.2	pCi/L				5.04	1.49	11.6
FSB112C	4/20/2015	NITRATE-NITRITE AS NITROGEN	130	mg/L					4.25	12.5
FSB112C	4/20/2015	CADMIUM	21.2	ug/L					0.1	1
FSB112C	4/20/2015	LEAD	5	ug/L	U				0.5	5
FSB112C	4/20/2015	GROSS ALPHA	89.7	pCi/L				15.2	5.29	35.8
FSB112C	4/20/2015	NONVOLATILE BETA	713	pCi/L				27.2	8.62	63
FSB112C	4/20/2015	TRITIUM	1360	pCi/mL				6.72	0.406	13.9
FSB112C	8/10/2015	NITRATE-NITRITE AS NITROGEN	122	mg/L					1.7	5
FSB112C	8/10/2015	ALUMINUM	7530	ug/L					40	400
FSB112C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB112C	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB112C	8/10/2015	BARIUM	420	ug/L					2	20
FSB112C	8/10/2015	BERYLLIUM	4.14	ug/L					0.1	1
FSB112C	8/10/2015	CADMIUM	21.7	ug/L					0.1	1
FSB112C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB112C	8/10/2015	COBALT	143	ug/L					0.5	5
FSB112C	8/10/2015	COPPER	11.8	ug/L					0.5	5
FSB112C	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSB112C	8/10/2015	NICKEL	44.7	ug/L					0.5	5
FSB112C	8/10/2015	SELENIUM	4.98	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112C	8/10/2015	SILVER	5	ug/L	U				0.5	5
FSB112C	8/10/2015	THALLIUM	0.239	ug/L	J		21		0.1	1
FSB112C	8/10/2015	VANADIUM	9.86	ug/L	J		21		5	50
FSB112C	8/10/2015	ZINC	97.6	ug/L					4	40
FSB112C	8/10/2015	MERCURY	0.493	ug/L					0.02	0.2
FSB112C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB112C	8/10/2015	CHLOROFORM	0.39	ug/L	J		21		0.3	1
FSB112C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.4	ug/L	J		21		1	5
FSB112C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112C	8/10/2015	TRICHLOROETHYLENE (TCE)	0.95	ug/L	J		21		0.3	1
FSB112C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB112C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112C	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB112C	8/10/2015	AMERICIUM-241	-0.00692	pCi/L	U		V	0.014	0.139	0.167
FSB112C	8/10/2015	CURIUM-242	0.0331	pCi/L	U		V	0.066	0.0739	0.207
FSB112C	8/10/2015	CURIUM-243/244	-0.00685	pCi/L	U			0.014	0.137	0.165
FSB112C	8/10/2015	CURIUM-245/246	0.127	pCi/L	U		V	0.129	0.169	0.428
FSB112C	8/10/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.053	0.053
FSB112C	8/10/2015	PLUTONIUM-239/240	0.0587	pCi/L	U		21, V	0.068	0.053	0.19
FSB112C	8/10/2015	THORIUM-228	0.485	pCi/L	J		21	0.268	0.274	0.809
FSB112C	8/10/2015	THORIUM-230	0.652	pCi/L	J		21, V	0.291	0.0768	0.66
FSB112C	8/10/2015	THORIUM-232	0.0283	pCi/L	U			0.057	0.0766	0.19
FSB112C	8/10/2015	URANIUM-233/234	1.77	pCi/L			V	0.466	0.128	1.06
FSB112C	8/10/2015	URANIUM-235	0.0528	pCi/L	U			0.075	0.0716	0.222
FSB112C	8/10/2015	URANIUM-238	1.78	pCi/L			V	0.463	0.128	1.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112C	8/10/2015	GROSS ALPHA	120	pCi/L				16.9	5.06	38.8
FSB112C	8/10/2015	NONVOLATILE BETA	703	pCi/L				27.1	10	64.2
FSB112C	8/10/2015	STRONTIUM-90	286	pCi/L				31.5	3.29	66.4
FSB112C	8/10/2015	CARBON-14	9.41	pCi/L	J		21	4.43	7.05	15.9
FSB112C	8/10/2015	TECHNETIUM-99	107	pCi/L				4.83	4.41	14.1
FSB112C	8/10/2015	TRITIUM	1380	pCi/mL				7.09	0.47	14.6
FSB112C	8/10/2015	CESIUM-137	0.0884	pCi/L	U			6.24	11.1	23.5
FSB112C	8/10/2015	COBALT-60	-0.512	pCi/L	U			4.83	8.93	18.6
FSB112C	8/10/2015	IODINE-129	48.1	pCi/L				7.67	1.55	16.9
FSB112C	8/10/2015	RADIUM-226	76	pCi/L				3.87	0.822	8.56
FSB112C	8/10/2015	RADIUM-228	15.8	pCi/L				1.14	0.651	2.93
FSB112C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	56	pCi/L				1.85	0.682	4.38
FSB112C	11/13/2015	NITRATE-NITRITE AS NITROGEN	136	mg/L					1.7	5
FSB112C	11/13/2015	CADMIUM	20.3	ug/L					0.1	1
FSB112C	11/13/2015	LEAD	5	ug/L	U				0.5	5
FSB112C	11/13/2015	GROSS ALPHA	102	pCi/L				10.7	2.29	23.8
FSB112C	11/13/2015	NONVOLATILE BETA	734	pCi/L				19.2	4.14	42.6
FSB112C	11/13/2015	TRITIUM	1210	pCi/mL				6.41	0.448	13.3
FSB112DR	2/4/2015	NITRATE-NITRITE AS NITROGEN	80.7	mg/L					1.7	5
FSB112DR	2/4/2015	ALUMINUM	14500	ug/L					40	400
FSB112DR	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB112DR	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB112DR	2/4/2015	BARIUM	268	ug/L					2	20
FSB112DR	2/4/2015	BERYLLIUM	3.09	ug/L					0.1	1
FSB112DR	2/4/2015	CADMIUM	9.43	ug/L					0.1	1
FSB112DR	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB112DR	2/4/2015	COBALT	125	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112DR	2/4/2015	COPPER	30	ug/L					0.5	5
FSB112DR	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB112DR	2/4/2015	NICKEL	31.7	ug/L					0.5	5
FSB112DR	2/4/2015	SELENIUM	20.6	ug/L					2	20
FSB112DR	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB112DR	2/4/2015	THALLIUM	0.187	ug/L	J				0.1	1
FSB112DR	2/4/2015	TIN	10	ug/L	U				1	10
FSB112DR	2/4/2015	VANADIUM	16.7	ug/L	J				5	50
FSB112DR	2/4/2015	ZINC	53.1	ug/L					4	40
FSB112DR	2/4/2015	MERCURY	0.0534	ug/L	J		21		0.02	0.2
FSB112DR	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB112DR	2/4/2015	CHLOROFORM	0.3	ug/L	J		21		0.3	1
FSB112DR	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB112DR	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112DR	2/4/2015	TRICHLOROETHYLENE (TCE)	1.46	ug/L					0.3	1
FSB112DR	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112DR	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB112DR	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112DR	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB112DR	2/4/2015	AMERICIUM-241	0.295	pCi/L	UJ			0.396	0.707	1.5
FSB112DR	2/4/2015	CURIUM-242	0.559	pCi/L	J		21	0.494	0.417	1.41
FSB112DR	2/4/2015	CURIUM-243/244	0.437	pCi/L	UJ			0.5	0.864	1.86
FSB112DR	2/4/2015	CURIUM-245/246	0.0858	pCi/L	UJ			0.173	0.233	0.578
FSB112DR	2/4/2015	PLUTONIUM-238	-0.00605	pCi/L	U			0.012	0.122	0.146
FSB112DR	2/4/2015	PLUTONIUM-239/240	-0.0121	pCi/L	U			0.017	0.145	0.179
FSB112DR	2/4/2015	THORIUM-228	0.321	pCi/L	J		21	0.18	0.152	0.512

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112DR	2/4/2015	THORIUM-230	0.0829	pCi/L	U			0.084	0.0562	0.224
FSB112DR	2/4/2015	THORIUM-232	-0.00517	pCi/L	U			0.01	0.104	0.125
FSB112DR	2/4/2015	URANIUM-233/234	5.09	pCi/L				1.08	0.146	2.3
FSB112DR	2/4/2015	URANIUM-235	0.39	pCi/L	J		21	0.226	0.0813	0.534
FSB112DR	2/4/2015	URANIUM-238	4.8	pCi/L				1.01	0.122	2.14
FSB112DR	2/4/2015	GROSS ALPHA	103	pCi/L				10.6	2.65	23.9
FSB112DR	2/4/2015	NONVOLATILE BETA	420	pCi/L				15	6.79	36.7
FSB112DR	2/4/2015	STRONTIUM-90	182	pCi/L				21.8	3.27	46.9
FSB112DR	2/4/2015	CARBON-14	23.3	pCi/L	J			4.67	6.93	16.3
FSB112DR	2/4/2015	TECHNETIUM-99	44.2	pCi/L				3.55	4.08	11.2
FSB112DR	2/4/2015	TRITIUM	962	pCi/mL				5.89	0.556	12.3
FSB112DR	2/4/2015	CESIUM-137	1.2	pCi/L	U			4.6	8.58	17.8
FSB112DR	2/4/2015	COBALT-60	5.33	pCi/L	U			4.13	8.75	17
FSB112DR	2/4/2015	IODINE-129	40.5	pCi/L				5.12	1.35	11.6
FSB112DR	2/4/2015	RADIUM-226	60.5	pCi/L				2.95	0.601	6.5
FSB112DR	2/4/2015	RADIUM-228	10.6	pCi/L				0.897	0.536	2.33
FSB112DR	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	42.6	pCi/L				1.96	0.763	4.68
FSB112DR	4/13/2015	NITRATE-NITRITE AS NITROGEN	78.8	mg/L					1.7	5
FSB112DR	4/13/2015	CADMIUM	8.28	ug/L					0.1	1
FSB112DR	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB112DR	4/13/2015	GROSS ALPHA	75.9	pCi/L				9.18	2.49	20.9
FSB112DR	4/13/2015	NONVOLATILE BETA	367	pCi/L				13.9	5.97	33.8
FSB112DR	4/13/2015	TRITIUM	856	pCi/mL				5.54	0.418	11.5
FSB112DR	8/4/2015	NITRATE-NITRITE AS NITROGEN	72	mg/L					0.85	2.5
FSB112DR	8/4/2015	ALUMINUM	11200	ug/L					40	400
FSB112DR	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB112DR	8/4/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112DR	8/4/2015	BARIUM	232	ug/L					2	20
FSB112DR	8/4/2015	BERYLLIUM	2.92	ug/L					0.1	1
FSB112DR	8/4/2015	CADMIUM	9.43	ug/L					0.1	1
FSB112DR	8/4/2015	CHROMIUM	11.6	ug/L	J		21		10	100
FSB112DR	8/4/2015	COBALT	70.1	ug/L					0.5	5
FSB112DR	8/4/2015	COPPER	24	ug/L					0.5	5
FSB112DR	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB112DR	8/4/2015	NICKEL	21.4	ug/L					0.5	5
FSB112DR	8/4/2015	SELENIUM	17.6	ug/L	J		21		2	20
FSB112DR	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB112DR	8/4/2015	THALLIUM	0.185	ug/L	J		21		0.1	1
FSB112DR	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB112DR	8/4/2015	ZINC	38.3	ug/L	J		21		4	40
FSB112DR	8/4/2015	MERCURY	0.0868	ug/L	J		21		0.02	0.2
FSB112DR	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB112DR	8/4/2015	CHLOROFORM	0.3	ug/L	J		21		0.3	1
FSB112DR	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.64	ug/L	J		21		1	5
FSB112DR	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB112DR	8/4/2015	TRICHLOROETHYLENE (TCE)	1.62	ug/L					0.3	1
FSB112DR	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB112DR	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB112DR	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB112DR	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB112DR	8/4/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.184	0.184
FSB112DR	8/4/2015	CURIUM-242	0	pCi/L	U			0	0.182	0.182
FSB112DR	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.182	0.182

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB112DR	8/4/2015	CURIUM-245/246	0.347	pCi/L	U		21, V	0.317	0.188	0.823
FSB112DR	8/4/2015	PLUTONIUM-238	-0.00681	pCi/L	U		V	0.014	0.137	0.164
FSB112DR	8/4/2015	PLUTONIUM-239/240	-0.0136	pCi/L	U		V	0.019	0.163	0.202
FSB112DR	8/4/2015	THORIUM-228	0.204	pCi/L	U			0.167	0.236	0.57
FSB112DR	8/4/2015	THORIUM-230	0.247	pCi/L	J		21, V	0.162	0.141	0.464
FSB112DR	8/4/2015	THORIUM-232	0.0235	pCi/L	U		V	0.047	0.0637	0.158
FSB112DR	8/4/2015	URANIUM-233/234	4.81	pCi/L			V	0.946	0.0581	1.95
FSB112DR	8/4/2015	URANIUM-235	0.212	pCi/L	J		21	0.153	0.0717	0.378
FSB112DR	8/4/2015	URANIUM-238	4.56	pCi/L			V	0.889	0.058	1.84
FSB112DR	8/4/2015	GROSS ALPHA	84.4	pCi/L				13.8	4.21	31.9
FSB112DR	8/4/2015	NONVOLATILE BETA	361	pCi/L				19.5	8.91	48
FSB112DR	8/4/2015	STRONTIUM-90	147	pCi/L				18.2	3.39	39.7
FSB112DR	8/4/2015	CARBON-14	13.1	pCi/L	J		21	4.44	6.92	15.8
FSB112DR	8/4/2015	TECHNETIUM-99	39.5	pCi/L				3.49	4.13	11.1
FSB112DR	8/4/2015	TRITIUM	895	pCi/mL				5.72	0.446	11.9
FSB112DR	8/4/2015	CESIUM-137	-6.33	pCi/L	U			5.67	8.98	20.3
FSB112DR	8/4/2015	COBALT-60	-0.0424	pCi/L	U			4.97	9.28	19.2
FSB112DR	8/4/2015	IODINE-129	35.7	pCi/L				5.8	1.35	12.9
FSB112DR	8/4/2015	RADIUM-226	61.5	pCi/L				3.04	0.624	6.7
FSB112DR	8/4/2015	RADIUM-228	9.23	pCi/L	J		V	0.852	0.454	2.16
FSB112DR	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	45.8	pCi/L				1.83	0.727	4.39
FSB112DR	11/6/2015	NITRATE-NITRITE AS NITROGEN	62.9	mg/L					1.7	5
FSB112DR	11/6/2015	CADMIUM	6.7	ug/L					0.1	1
FSB112DR	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB112DR	11/6/2015	GROSS ALPHA	53.4	pCi/L				10.7	3.83	25.2
FSB112DR	11/6/2015	NONVOLATILE BETA	353	pCi/L				19.1	7.77	46
FSB112DR	11/6/2015	TRITIUM	913	pCi/mL				5.76	0.469	12

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113A	1/21/2015	NITRATE-NITRITE AS NITROGEN	2.72	mg/L					0.085	0.25
FSB113A	1/21/2015	ALUMINUM	847	ug/L					40	400
FSB113A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB113A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB113A	1/21/2015	BARIUM	102	ug/L					2	20
FSB113A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB113A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB113A	1/21/2015	CHROMIUM	10.3	ug/L	J				10	100
FSB113A	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB113A	1/21/2015	COPPER	0.513	ug/L	J				0.5	5
FSB113A	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB113A	1/21/2015	NICKEL	1.06	ug/L	J				0.5	5
FSB113A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB113A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB113A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB113A	1/21/2015	TIN	10	ug/L	U				1	10
FSB113A	1/21/2015	VANADIUM	46.6	ug/L	U				5	50
FSB113A	1/21/2015	ZINC	40	ug/L	U				4	40
FSB113A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB113A	1/21/2015	BENZENE	5	ug/L	U				1.5	5
FSB113A	1/21/2015	CHLOROFORM	5	ug/L	U				1.5	5
FSB113A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				5	25
FSB113A	1/21/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				1.5	5
FSB113A	1/21/2015	TRICHLOROETHYLENE (TCE)	5	ug/L	U				1.5	5
FSB113A	1/21/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				1.5	5
FSB113A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB113A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB113A	1/21/2015	AMERICIUM-241	0.0908	pCi/L	U			0.092	0.0615	0.245
FSB113A	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0606	0.0606
FSB113A	1/21/2015	CURIUM-243/244	0.0224	pCi/L	U			0.045	0.0606	0.15
FSB113A	1/21/2015	CURIUM-245/246	0.0926	pCi/L	U			0.094	0.0627	0.25
FSB113A	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0618	0.0618
FSB113A	1/21/2015	PLUTONIUM-239/240	0.0171	pCi/L	U			0.047	0.115	0.209
FSB113A	1/21/2015	THORIUM-228	-0.00552	pCi/L	U			0.011	0.11	0.133
FSB113A	1/21/2015	THORIUM-230	0.0384	pCi/L	U			0.063	0.111	0.237
FSB113A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0594	0.0594
FSB113A	1/21/2015	URANIUM-233/234	0.0533	pCi/L	U			0.076	0.128	0.279
FSB113A	1/21/2015	URANIUM-235	0.0197	pCi/L	U			0.054	0.132	0.241
FSB113A	1/21/2015	URANIUM-238	-0.00532	pCi/L	U			0.011	0.107	0.128
FSB113A	1/21/2015	GROSS ALPHA	1.3	pCi/L	U			1.69	2.37	5.74
FSB113A	1/21/2015	NONVOLATILE BETA	1.06	pCi/L	U			2.34	3.98	8.66
FSB113A	1/21/2015	STRONTIUM-90	1.28	pCi/L	U			2.06	3.11	7.22
FSB113A	1/21/2015	CARBON-14	494	pCi/L	J			11	7.31	29.4
FSB113A	1/21/2015	TECHNETIUM-99	3.7	pCi/L	U			2.56	4.12	9.23
FSB113A	1/21/2015	TRITIUM	15.8	pCi/mL				0.791	0.491	2.07
FSB113A	1/21/2015	CESIUM-137	0.142	pCi/L	U			4.65	8.47	17.8
FSB113A	1/21/2015	COBALT-60	-2.43	pCi/L	U			4.59	8.03	17.2
FSB113A	1/21/2015	IODINE-129	0.00119	pCi/L	U			0.53	0.923	1.98
FSB113A	1/21/2015	RADIUM-226	0.78	pCi/L	J		21	0.346	0.42	1.11
FSB113A	1/21/2015	RADIUM-228	0.288	pCi/L	U			0.279	0.455	1.01
FSB113A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.198	pCi/L	U			0.764	1.36	2.89
FSB113A	4/8/2015	NITRATE-NITRITE AS NITROGEN	1.79	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113A	4/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSB113A	4/8/2015	LEAD	5	ug/L	U				0.5	5
FSB113A	4/8/2015	GROSS ALPHA	2.25	pCi/L	J		21	2.08	2.24	6.39
FSB113A	4/8/2015	NONVOLATILE BETA	5.07	pCi/L	J		21	3.24	4.41	10.9
FSB113A	4/8/2015	TRITIUM	9.98	pCi/mL				0.648	0.427	1.72
FSB113A	7/27/2015	NITRATE-NITRITE AS NITROGEN	3.87	mg/L					0.085	0.25
FSB113A	7/27/2015	ALUMINUM	1030	ug/L					40	400
FSB113A	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB113A	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB113A	7/27/2015	BARIUM	140	ug/L					2	20
FSB113A	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB113A	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB113A	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB113A	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB113A	7/27/2015	COPPER	5	ug/L	U				0.5	5
FSB113A	7/27/2015	LEAD	5	ug/L	U				0.5	5
FSB113A	7/27/2015	NICKEL	1.16	ug/L	J		21		0.5	5
FSB113A	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB113A	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB113A	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB113A	7/27/2015	TIN	10	ug/L	U				1	10
FSB113A	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB113A	7/27/2015	ZINC	40	ug/L	U		V		4	40
FSB113A	7/27/2015	GROSS ALPHA	1.36	pCi/L	U			1.84	2.65	6.32
FSB113A	7/27/2015	NONVOLATILE BETA	4.82	pCi/L	J		21	3.18	4.33	10.7
FSB113A	7/27/2015	TRITIUM	25.7	pCi/mL				1	0.432	2.43
FSB113A	10/30/2015	NITRATE-NITRITE AS NITROGEN	3.23	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB113A	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB113A	10/30/2015	GROSS ALPHA	0.98	pCi/L	UJ			1.09	1.44	3.61
FSB113A	10/30/2015	NONVOLATILE BETA	2.75	pCi/L	UJ			2.1	2.91	7.11
FSB113A	10/30/2015	TRITIUM	17.3	pCi/mL				0.818	0.48	2.12
FSB113C	1/21/2015	NITRATE-NITRITE AS NITROGEN	7.45	mg/L					0.085	0.25
FSB113C	1/21/2015	ALUMINUM	72.6	ug/L	J				40	400
FSB113C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB113C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB113C	1/21/2015	BARIUM	20.9	ug/L					2	20
FSB113C	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB113C	1/21/2015	CADMIUM	0.151	ug/L	J				0.1	1
FSB113C	1/21/2015	CHROMIUM	10	ug/L	J				10	100
FSB113C	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB113C	1/21/2015	COPPER	4.96	ug/L	J				0.5	5
FSB113C	1/21/2015	LEAD	0.738	ug/L	J				0.5	5
FSB113C	1/21/2015	NICKEL	2.5	ug/L	J				0.5	5
FSB113C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB113C	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB113C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB113C	1/21/2015	TIN	10	ug/L	U				1	10
FSB113C	1/21/2015	VANADIUM	44.9	ug/L	U				5	50
FSB113C	1/21/2015	ZINC	83.9	ug/L					4	40
FSB113C	1/21/2015	MERCURY	0.0309	ug/L	J		21		0.02	0.2
FSB113C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB113C	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB113C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113C	1/21/2015	TETRACHLOROETHYLENE (PCE)	1.69	ug/L					0.3	1
FSB113C	1/21/2015	TRICHLOROETHYLENE (TCE)	0.58	ug/L	J		21		0.3	1
FSB113C	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB113C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB113C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB113C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB113C	1/21/2015	AMERICIUM-241	0.0291	pCi/L	U			0.058	0.0789	0.196
FSB113C	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0777	0.0777
FSB113C	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0777	0.0777
FSB113C	1/21/2015	CURIUM-245/246	0.089	pCi/L	U			0.104	0.0804	0.288
FSB113C	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0597	0.0597
FSB113C	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0597	0.0597
FSB113C	1/21/2015	THORIUM-228	0	pCi/L	U			0	0.062	0.062
FSB113C	1/21/2015	THORIUM-230	0.063	pCi/L	U			0.081	0.115	0.277
FSB113C	1/21/2015	THORIUM-232	-0.00572	pCi/L	U			0.012	0.115	0.138
FSB113C	1/21/2015	URANIUM-233/234	0.0895	pCi/L	U			0.091	0.0606	0.242
FSB113C	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0748	0.0748
FSB113C	1/21/2015	URANIUM-238	0.0223	pCi/L	U			0.045	0.0605	0.15
FSB113C	1/21/2015	GROSS ALPHA	0.0572	pCi/L	U			0.856	2.25	3.97
FSB113C	1/21/2015	NONVOLATILE BETA	3.24	pCi/L	U			2.72	3.93	9.37
FSB113C	1/21/2015	STRONTIUM-90	0.627	pCi/L	U			2.01	3.24	7.26
FSB113C	1/21/2015	CARBON-14	10.3	pCi/L	J		21	4.3	6.79	15.4
FSB113C	1/21/2015	TECHNETIUM-99	0.116	pCi/L	UJ			2.59	4.36	9.54
FSB113C	1/21/2015	TRITIUM	74.3	pCi/mL				1.63	0.49	3.74
FSB113C	1/21/2015	CESIUM-137	3.83	pCi/L	U			5.43	10.3	21.2
FSB113C	1/21/2015	COBALT-60	-1.6	pCi/L	U			4.62	8.3	17.5
FSB113C	1/21/2015	IODINE-129	1.11	pCi/L	J		21	0.828	0.688	2.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113C	1/21/2015	RADIUM-226	0.477	pCi/L	J		21	0.316	0.453	1.09
FSB113C	1/21/2015	RADIUM-228	0.0939	pCi/L	U			0.262	0.476	1
FSB113C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.124	pCi/L	U			0.38	0.677	1.44
FSB113C	4/8/2015	NITRATE-NITRITE AS NITROGEN	8.33	mg/L					0.425	1.25
FSB113C	4/8/2015	CADMIUM	0.183	ug/L	J				0.1	1
FSB113C	4/8/2015	LEAD	1.29	ug/L	J				0.5	5
FSB113C	4/8/2015	GROSS ALPHA	1.78	pCi/L	U			1.84	2.15	5.82
FSB113C	4/8/2015	NONVOLATILE BETA	1.81	pCi/L	U			2.69	4.35	9.72
FSB113C	4/8/2015	TRITIUM	82.2	pCi/mL				1.73	0.423	3.88
FSB113C	7/27/2015	NITRATE-NITRITE AS NITROGEN	7.9	mg/L					0.425	1.25
FSB113C	7/27/2015	ALUMINUM	814	ug/L					40	400
FSB113C	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB113C	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB113C	7/27/2015	BARIUM	24.7	ug/L					2	20
FSB113C	7/27/2015	BERYLLIUM	0.123	ug/L	J		21		0.1	1
FSB113C	7/27/2015	CADMIUM	0.199	ug/L	J		21		0.1	1
FSB113C	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB113C	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB113C	7/27/2015	COPPER	7.32	ug/L					0.5	5
FSB113C	7/27/2015	LEAD	3.17	ug/L	J		21		0.5	5
FSB113C	7/27/2015	NICKEL	2.45	ug/L	J		21		0.5	5
FSB113C	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB113C	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB113C	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB113C	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB113C	7/27/2015	ZINC	99.7	ug/L			V		4	40
FSB113C	7/27/2015	GROSS ALPHA	0.427	pCi/L	U			1.2	2.39	4.79

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB113C	7/27/2015	NONVOLATILE BETA	2.83	pCi/L	U			2.8	4.19	9.78
FSB113C	7/27/2015	TRITIUM	75.6	pCi/mL				1.68	0.433	3.8
FSB113C	10/30/2015	NITRATE-NITRITE AS NITROGEN	7.43	mg/L					0.425	1.25
FSB113C	10/30/2015	CADMIUM	0.275	ug/L	J		21		0.1	1
FSB113C	10/30/2015	LEAD	0.676	ug/L	J		21		0.5	5
FSB113C	10/30/2015	GROSS ALPHA	0.911	pCi/L	U			1.41	2.22	5.04
FSB113C	10/30/2015	NONVOLATILE BETA	3.08	pCi/L	U			2.9	4.28	10.1
FSB113C	10/30/2015	TRITIUM	66.5	pCi/mL				1.58	0.454	3.61
FSB114A	1/21/2015	NITRATE-NITRITE AS NITROGEN	1.43	mg/L					0.017	0.05
FSB114A	1/21/2015	ALUMINUM	330	ug/L	J				40	400
FSB114A	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB114A	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB114A	1/21/2015	BARIUM	63.9	ug/L					2	20
FSB114A	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB114A	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114A	1/21/2015	CHROMIUM	10.2	ug/L	J				10	100
FSB114A	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB114A	1/21/2015	COPPER	5	ug/L	U				0.5	5
FSB114A	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB114A	1/21/2015	NICKEL	0.979	ug/L	J				0.5	5
FSB114A	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB114A	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB114A	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB114A	1/21/2015	TIN	10	ug/L	U				1	10
FSB114A	1/21/2015	VANADIUM	42.9	ug/L	U				5	50
FSB114A	1/21/2015	ZINC	40	ug/L	U				4	40
FSB114A	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114A	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB114A	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB114A	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB114A	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB114A	1/21/2015	TRICHLOROETHYLENE (TCE)	2.03	ug/L					0.3	1
FSB114A	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB114A	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB114A	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB114A	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB114A	1/21/2015	AMERICIUM-241	0	pCi/L	U			0	0.0688	0.0688
FSB114A	1/21/2015	CURIUM-242	0.0265	pCi/L	U			0.053	0.0677	0.174
FSB114A	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0677	0.0677
FSB114A	1/21/2015	CURIUM-245/246	0.0776	pCi/L	U			0.091	0.0701	0.251
FSB114A	1/21/2015	PLUTONIUM-238	0.0213	pCi/L	U			0.043	0.0576	0.143
FSB114A	1/21/2015	PLUTONIUM-239/240	0.0266	pCi/L	U			0.063	0.143	0.269
FSB114A	1/21/2015	THORIUM-228	-0.0392	pCi/L	U			0.092	0.283	0.467
FSB114A	1/21/2015	THORIUM-230	0.0884	pCi/L	U			0.09	0.0599	0.239
FSB114A	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0598	0.0598
FSB114A	1/21/2015	URANIUM-233/234	0.0681	pCi/L	U			0.079	0.0615	0.22
FSB114A	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0759	0.0759
FSB114A	1/21/2015	URANIUM-238	0.0453	pCi/L	U			0.065	0.0614	0.19
FSB114A	1/21/2015	GROSS ALPHA	0.46	pCi/L	U			1.19	2.3	4.67
FSB114A	1/21/2015	NONVOLATILE BETA	0.872	pCi/L	U			2.28	3.95	8.52
FSB114A	1/21/2015	STRONTIUM-90	-1.06	pCi/L	U			1.78	3.27	6.83
FSB114A	1/21/2015	CARBON-14	14.8	pCi/L	J		21	4.42	6.82	15.7
FSB114A	1/21/2015	TECHNETIUM-99	-0.568	pCi/L	UJ			2.63	4.46	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114A	1/21/2015	TRITIUM	0.9	pCi/mL	J		21	0.332	0.486	1.15
FSB114A	1/21/2015	CESIUM-137	-3.42	pCi/L	U			5.91	9.88	21.7
FSB114A	1/21/2015	COBALT-60	2.12	pCi/L	U			5.98	11.6	23.5
FSB114A	1/21/2015	IODINE-129	-0.158	pCi/L	U			0.582	0.969	2.13
FSB114A	1/21/2015	RADIUM-226	0.783	pCi/L	J		21	0.347	0.422	1.12
FSB114A	1/21/2015	RADIUM-228	0.141	pCi/L	U			0.224	0.393	0.841
FSB114A	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.973	pCi/L	J		21	0.566	0.859	1.99
FSB114A	4/9/2015	NITRATE-NITRITE AS NITROGEN	1.57	mg/L					0.17	0.5
FSB114A	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114A	4/9/2015	LEAD	5	ug/L	U				0.5	5
FSB114A	4/9/2015	GROSS ALPHA	0.581	pCi/L	U			1.23	2.24	4.7
FSB114A	4/9/2015	NONVOLATILE BETA	2.62	pCi/L	U			2.76	4.2	9.71
FSB114A	4/9/2015	TRITIUM	0.779	pCi/mL	J		21	0.29	0.414	0.993
FSB114A	7/27/2015	NITRATE-NITRITE AS NITROGEN	1.55	mg/L					0.085	0.25
FSB114A	7/27/2015	ALUMINUM	131	ug/L	J		21		40	400
FSB114A	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB114A	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB114A	7/27/2015	BARIUM	32.2	ug/L					2	20
FSB114A	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB114A	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114A	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB114A	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB114A	7/27/2015	COPPER	5	ug/L	U				0.5	5
FSB114A	7/27/2015	LEAD	5	ug/L	U				0.5	5
FSB114A	7/27/2015	NICKEL	0.726	ug/L	J		21		0.5	5
FSB114A	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB114A	7/27/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114A	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB114A	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB114A	7/27/2015	ZINC	40	ug/L	U		V		4	40
FSB114A	7/27/2015	GROSS ALPHA	0.438	pCi/L	U			1.23	2.45	4.92
FSB114A	7/27/2015	NONVOLATILE BETA	3.08	pCi/L	U			2.84	4.2	9.88
FSB114A	7/27/2015	TRITIUM	0.739	pCi/mL	J		21	0.298	0.433	1.03
FSB114A	10/30/2015	NITRATE-NITRITE AS NITROGEN	1.66	mg/L					0.085	0.25
FSB114A	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114A	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB114A	10/30/2015	GROSS ALPHA	1.18	pCi/L	UJ			1.15	1.42	3.72
FSB114A	10/30/2015	NONVOLATILE BETA	2.57	pCi/L	UJ			2.09	2.93	7.1
FSB114A	10/30/2015	TRITIUM	0.659	pCi/mL	J		21	0.323	0.493	1.14
FSB114C	1/21/2015	NITRATE-NITRITE AS NITROGEN	2.44	mg/L					0.085	0.25
FSB114C	1/21/2015	ALUMINUM	400	ug/L	U				40	400
FSB114C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB114C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB114C	1/21/2015	BARIUM	8.99	ug/L	J				2	20
FSB114C	1/21/2015	BERYLLIUM	0.124	ug/L	J				0.1	1
FSB114C	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114C	1/21/2015	CHROMIUM	10.2	ug/L	J				10	100
FSB114C	1/21/2015	COBALT	0.508	ug/L	J				0.5	5
FSB114C	1/21/2015	COPPER	2.02	ug/L	J				0.5	5
FSB114C	1/21/2015	LEAD	5	ug/L	U				0.5	5
FSB114C	1/21/2015	NICKEL	0.953	ug/L	J				0.5	5
FSB114C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB114C	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB114C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114C	1/21/2015	TIN	10	ug/L	U				1	10
FSB114C	1/21/2015	VANADIUM	38.4	ug/L	U				5	50
FSB114C	1/21/2015	ZINC	7.9	ug/L	J				4	40
FSB114C	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB114C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB114C	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB114C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB114C	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB114C	1/21/2015	TRICHLOROETHYLENE (TCE)	0.51	ug/L	J		21		0.3	1
FSB114C	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB114C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB114C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB114C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB114C	1/21/2015	AMERICIUM-241	0.07	pCi/L	U			0.082	0.0632	0.226
FSB114C	1/21/2015	CURIUM-242	-0.00595	pCi/L	U			0.012	0.116	0.14
FSB114C	1/21/2015	CURIUM-243/244	-0.00575	pCi/L	U			0.012	0.116	0.139
FSB114C	1/21/2015	CURIUM-245/246	0.143	pCi/L	U			0.119	0.0645	0.302
FSB114C	1/21/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0649	0.0649
FSB114C	1/21/2015	PLUTONIUM-239/240	0.0239	pCi/L	U			0.048	0.0649	0.161
FSB114C	1/21/2015	THORIUM-228	0	pCi/L	U			0	0.0586	0.0586
FSB114C	1/21/2015	THORIUM-230	0.0596	pCi/L	U			0.076	0.109	0.262
FSB114C	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.0586	0.0586
FSB114C	1/21/2015	URANIUM-233/234	0.0351	pCi/L	U			0.068	0.14	0.277
FSB114C	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0781	0.0781
FSB114C	1/21/2015	URANIUM-238	0.0233	pCi/L	U			0.07	0.172	0.312
FSB114C	1/21/2015	GROSS ALPHA	0.823	pCi/L	U			1.37	2.2	4.94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114C	1/21/2015	NONVOLATILE BETA	2.02	pCi/L	U			2.5	3.94	8.95
FSB114C	1/21/2015	STRONTIUM-90	-0.377	pCi/L	U			1.8	3.11	6.71
FSB114C	1/21/2015	CARBON-14	-2.36	pCi/L	UJ			4.17	7.09	15.4
FSB114C	1/21/2015	TECHNETIUM-99	2.32	pCi/L	U			2.48	4.06	9.01
FSB114C	1/21/2015	TRITIUM	1.5	pCi/mL				0.364	0.49	1.22
FSB114C	1/21/2015	CESIUM-137	-5.01	pCi/L	U			5.11	8.29	18.5
FSB114C	1/21/2015	COBALT-60	-3.6	pCi/L	U			5.64	7.97	19.2
FSB114C	1/21/2015	IODINE-129	-0.281	pCi/L	U			0.66	0.944	2.26
FSB114C	1/21/2015	RADIUM-226	0.48	pCi/L	J		21	0.255	0.337	0.847
FSB114C	1/21/2015	RADIUM-228	0.327	pCi/L	U			0.328	0.54	1.2
FSB114C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.102	pCi/L	U			0.412	0.738	1.56
FSB114C	4/9/2015	NITRATE-NITRITE AS NITROGEN	2.19	mg/L					0.17	0.5
FSB114C	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114C	4/9/2015	LEAD	5	ug/L	U				0.5	5
FSB114C	4/9/2015	GROSS ALPHA	1.33	pCi/L	U			1.6	2.08	5.28
FSB114C	4/9/2015	NONVOLATILE BETA	-0.464	pCi/L	U			2.21	4.29	8.71
FSB114C	4/9/2015	TRITIUM	1.46	pCi/mL				0.329	0.415	1.07
FSB114C	7/27/2015	NITRATE-NITRITE AS NITROGEN	2.11	mg/L					0.085	0.25
FSB114C	7/27/2015	ALUMINUM	45.5	ug/L	J		21		40	400
FSB114C	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB114C	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB114C	7/27/2015	BARIUM	8.3	ug/L	J		21		2	20
FSB114C	7/27/2015	BERYLLIUM	0.164	ug/L	J		21		0.1	1
FSB114C	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114C	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB114C	7/27/2015	COBALT	5	ug/L	U				0.5	5
FSB114C	7/27/2015	COPPER	4.71	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114C	7/27/2015	LEAD	5	ug/L	U				0.5	5
FSB114C	7/27/2015	NICKEL	0.97	ug/L	J		21		0.5	5
FSB114C	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB114C	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB114C	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB114C	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB114C	7/27/2015	ZINC	11.6	ug/L	U		21, V		4	40
FSB114C	7/27/2015	GROSS ALPHA	1.6	pCi/L	U			1.8	2.32	5.92
FSB114C	7/27/2015	NONVOLATILE BETA	1.79	pCi/L	U			2.69	4.34	9.72
FSB114C	7/27/2015	TRITIUM	1.2	pCi/mL				0.325	0.433	1.08
FSB114C	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.58	mg/L					0.085	0.25
FSB114C	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114C	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB114C	10/30/2015	GROSS ALPHA	1.47	pCi/L	J		21	1.19	1.29	3.67
FSB114C	10/30/2015	NONVOLATILE BETA	0.891	pCi/L	UJ			1.89	2.95	6.72
FSB114C	10/30/2015	TRITIUM	1.41	pCi/mL				0.36	0.489	1.21
FSB114D	1/21/2015	NITRATE-NITRITE AS NITROGEN	0.901	mg/L					0.017	0.05
FSB114D	1/21/2015	ALUMINUM	606	ug/L					40	400
FSB114D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB114D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB114D	1/21/2015	BARIUM	10.6	ug/L	J				2	20
FSB114D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB114D	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114D	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB114D	1/21/2015	COBALT	0.858	ug/L	J				0.5	5
FSB114D	1/21/2015	COPPER	15.2	ug/L					0.5	5
FSB114D	1/21/2015	LEAD	4.82	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114D	1/21/2015	NICKEL	0.864	ug/L	J				0.5	5
FSB114D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB114D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB114D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB114D	1/21/2015	TIN	10	ug/L	U				1	10
FSB114D	1/21/2015	VANADIUM	39.5	ug/L	U				5	50
FSB114D	1/21/2015	ZINC	11	ug/L	J				4	40
FSB114D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB114D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB114D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB114D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB114D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB114D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB114D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB114D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB114D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB114D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB114D	1/21/2015	AMERICIUM-241	0.0452	pCi/L	U			0.064	0.0612	0.19
FSB114D	1/21/2015	CURIUM-242	0.0461	pCi/L	U			0.066	0.0603	0.191
FSB114D	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0603	0.0603
FSB114D	1/21/2015	CURIUM-245/246	0.161	pCi/L	U			0.124	0.0624	0.311
FSB114D	1/21/2015	PLUTONIUM-238	-0.0055	pCi/L	U			0.011	0.111	0.133
FSB114D	1/21/2015	PLUTONIUM-239/240	-0.0055	pCi/L	U			0.011	0.111	0.133
FSB114D	1/21/2015	THORIUM-228	0	pCi/L	U			0	0.0614	0.0614
FSB114D	1/21/2015	THORIUM-230	0.0681	pCi/L	U			0.079	0.0615	0.22
FSB114D	1/21/2015	THORIUM-232	0.0226	pCi/L	U			0.045	0.0614	0.152

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114D	1/21/2015	URANIUM-233/234	-0.00598	pCi/L	U			0.012	0.12	0.144
FSB114D	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.08	0.08
FSB114D	1/21/2015	URANIUM-238	0.0716	pCi/L	U			0.084	0.0647	0.232
FSB114D	1/21/2015	GROSS ALPHA	2.34	pCi/L	J		21	2.04	2.19	6.27
FSB114D	1/21/2015	NONVOLATILE BETA	2.4	pCi/L	U			2.59	3.97	9.15
FSB114D	1/21/2015	STRONTIUM-90	0.966	pCi/L	U			2.03	3.11	7.17
FSB114D	1/21/2015	CARBON-14	-0.757	pCi/L	UJ			4.22	7.11	15.5
FSB114D	1/21/2015	TECHNETIUM-99	0.694	pCi/L	U			2.42	4.04	8.88
FSB114D	1/21/2015	TRITIUM	1.63	pCi/mL				0.368	0.488	1.22
FSB114D	1/21/2015	CESIUM-137	-1.1	pCi/L	U			6.44	9.78	22.6
FSB114D	1/21/2015	COBALT-60	-1.34	pCi/L	U			5.58	10	21.2
FSB114D	1/21/2015	IODINE-129	0.966	pCi/L	U			1.14	0.975	3.25
FSB114D	1/21/2015	RADIUM-226	0.813	pCi/L	J		21	0.319	0.365	1
FSB114D	1/21/2015	RADIUM-228	0.111	pCi/L	U			0.446	0.795	1.69
FSB114D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.816	pCi/L	J		21	0.486	0.716	1.69
FSB114D	4/9/2015	NITRATE-NITRITE AS NITROGEN	1	mg/L					0.085	0.25
FSB114D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114D	4/9/2015	LEAD	3.44	ug/L	J		21		0.5	5
FSB114D	4/9/2015	GROSS ALPHA	2.87	pCi/L	J		21	2.22	2.06	6.5
FSB114D	4/9/2015	NONVOLATILE BETA	0.53	pCi/L	U			2.53	4.49	9.56
FSB114D	4/9/2015	TRITIUM	1.45	pCi/mL				0.33	0.417	1.08
FSB114D	7/27/2015	NITRATE-NITRITE AS NITROGEN	1.38	mg/L					0.085	0.25
FSB114D	7/27/2015	ALUMINUM	52.7	ug/L	J		21		40	400
FSB114D	7/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB114D	7/27/2015	ARSENIC	50	ug/L	U				5	50
FSB114D	7/27/2015	BARIUM	10.7	ug/L	J		21		2	20
FSB114D	7/27/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB114D	7/27/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114D	7/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB114D	7/27/2015	COBALT	0.853	ug/L	J		21		0.5	5
FSB114D	7/27/2015	COPPER	50.8	ug/L					0.5	5
FSB114D	7/27/2015	LEAD	3.4	ug/L	J		21		0.5	5
FSB114D	7/27/2015	NICKEL	0.756	ug/L	J		21		0.5	5
FSB114D	7/27/2015	SELENIUM	20	ug/L	U				2	20
FSB114D	7/27/2015	SILVER	5	ug/L	U				0.5	5
FSB114D	7/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB114D	7/27/2015	VANADIUM	50	ug/L	U				5	50
FSB114D	7/27/2015	ZINC	24.5	ug/L	U		21, V		4	40
FSB114D	7/27/2015	GROSS ALPHA	0.413	pCi/L	U			1.15	2.29	4.59
FSB114D	7/27/2015	NONVOLATILE BETA	0.685	pCi/L	U			2.39	4.17	8.96
FSB114D	7/27/2015	TRITIUM	1.88	pCi/mL				0.362	0.433	1.16
FSB114D	10/30/2015	NITRATE-NITRITE AS NITROGEN	0.833	mg/L					0.017	0.05
FSB114D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB114D	10/30/2015	LEAD	4.1	ug/L	J		21		0.5	5
FSB114D	10/30/2015	GROSS ALPHA	2.04	pCi/L	J		21	1.36	1.28	4
FSB114D	10/30/2015	NONVOLATILE BETA	0.137	pCi/L	UJ			1.82	3	6.64
FSB114D	10/30/2015	TRITIUM	1	pCi/mL	J		21	0.34	0.491	1.17
FSB115C	1/21/2015	NITRATE-NITRITE AS NITROGEN	0.43	mg/L					0.017	0.05
FSB115C	1/21/2015	ALUMINUM	45.2	ug/L	J				40	400
FSB115C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB115C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB115C	1/21/2015	BARIUM	3.59	ug/L	J				2	20
FSB115C	1/21/2015	BERYLLIUM	0.124	ug/L	J				0.1	1
FSB115C	1/21/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB115C	1/21/2015	CHROMIUM	10.3	ug/L	J				10	100
FSB115C	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB115C	1/21/2015	COPPER	7.96	ug/L					0.5	5
FSB115C	1/21/2015	LEAD	6.54	ug/L					0.5	5
FSB115C	1/21/2015	NICKEL	0.736	ug/L	J				0.5	5
FSB115C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB115C	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB115C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB115C	1/21/2015	TIN	10	ug/L	U				1	10
FSB115C	1/21/2015	VANADIUM	38.3	ug/L	U				5	50
FSB115C	1/21/2015	ZINC	18.8	ug/L	J				4	40
FSB115C	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB115C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB115C	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB115C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB115C	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB115C	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB115C	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB115C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB115C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB115C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB115C	1/21/2015	AMERICIUM-241	0.058	pCi/L	U			0.083	0.139	0.304
FSB115C	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0619	0.0619
FSB115C	1/21/2015	CURIUM-243/244	0.0229	pCi/L	U			0.046	0.0619	0.154
FSB115C	1/21/2015	CURIUM-245/246	0.0945	pCi/L	U			0.096	0.0641	0.255
FSB115C	1/21/2015	PLUTONIUM-238	0.0181	pCi/L	U			0.05	0.121	0.221

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB115C	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0654	0.0654
FSB115C	1/21/2015	THORIUM-228	0.0238	pCi/L	U			0.048	0.0641	0.16
FSB115C	1/21/2015	THORIUM-230	0.0888	pCi/L	U			0.097	0.119	0.313
FSB115C	1/21/2015	THORIUM-232	-0.00591	pCi/L	U			0.012	0.119	0.143
FSB115C	1/21/2015	URANIUM-233/234	0	pCi/L	U			0	0.0592	0.0592
FSB115C	1/21/2015	URANIUM-235	-0.00673	pCi/L	U			0.014	0.136	0.163
FSB115C	1/21/2015	URANIUM-238	0.0817	pCi/L	U			0.089	0.11	0.287
FSB115C	1/21/2015	GROSS ALPHA	-0.324	pCi/L	U			0.332	2.18	2.84
FSB115C	1/21/2015	NONVOLATILE BETA	1.38	pCi/L	U			2.37	3.91	8.64
FSB115C	1/21/2015	STRONTIUM-90	0.619	pCi/L	U			1.94	3.11	6.98
FSB115C	1/21/2015	CARBON-14	-4.85	pCi/L	UJ			4.12	7.1	15.3
FSB115C	1/21/2015	TECHNETIUM-99	2.21	pCi/L	U			2.48	4.06	9.02
FSB115C	1/21/2015	TRITIUM	2.18	pCi/mL				0.406	0.517	1.33
FSB115C	1/21/2015	CESIUM-137	-2.94	pCi/L	U			5.72	9.65	21.1
FSB115C	1/21/2015	COBALT-60	-0.932	pCi/L	U			6.1	11	23.2
FSB115C	1/21/2015	IODINE-129	0.367	pCi/L	U			0.564	0.981	2.11
FSB115C	1/21/2015	RADIUM-226	0.353	pCi/L	U			0.245	0.357	0.847
FSB115C	1/21/2015	RADIUM-228	0.251	pCi/L	U			0.332	0.566	1.23
FSB115C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.493	pCi/L	U			0.466	0.765	1.7
FSB115D	1/21/2015	NITRATE-NITRITE AS NITROGEN	0.0985	mg/L					0.017	0.05
FSB115D	1/21/2015	ALUMINUM	58.1	ug/L	J				40	400
FSB115D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB115D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB115D	1/21/2015	BARIUM	6.16	ug/L	J				2	20
FSB115D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB115D	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB115D	1/21/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB115D	1/21/2015	COBALT	0.616	ug/L	J				0.5	5
FSB115D	1/21/2015	COPPER	31.8	ug/L					0.5	5
FSB115D	1/21/2015	LEAD	10.1	ug/L					0.5	5
FSB115D	1/21/2015	NICKEL	0.667	ug/L	J				0.5	5
FSB115D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB115D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB115D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB115D	1/21/2015	TIN	10	ug/L	U				1	10
FSB115D	1/21/2015	VANADIUM	44.1	ug/L	U				5	50
FSB115D	1/21/2015	ZINC	28.2	ug/L	J				4	40
FSB115D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB115D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB115D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB115D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB115D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB115D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB115D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB115D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB115D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB115D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB115D	1/21/2015	AMERICIUM-241	0	pCi/L	U			0	0.0658	0.0658
FSB115D	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.0649	0.0649
FSB115D	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.0649	0.0649
FSB115D	1/21/2015	CURIUM-245/246	0.198	pCi/L	U			0.143	0.0671	0.354
FSB115D	1/21/2015	PLUTONIUM-238	0.0169	pCi/L	U			0.047	0.114	0.207
FSB115D	1/21/2015	PLUTONIUM-239/240	0.0169	pCi/L	U			0.047	0.114	0.207

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB115D	1/21/2015	THORIUM-228	-0.0396	pCi/L	U			0.117	0.329	0.564
FSB115D	1/21/2015	THORIUM-230	0.039	pCi/L	U			0.064	0.112	0.241
FSB115D	1/21/2015	THORIUM-232	0.0223	pCi/L	U			0.045	0.0604	0.15
FSB115D	1/21/2015	URANIUM-233/234	0.118	pCi/L	U			0.114	0.126	0.353
FSB115D	1/21/2015	URANIUM-235	-0.00769	pCi/L	U			0.015	0.155	0.186
FSB115D	1/21/2015	URANIUM-238	0.0498	pCi/L	U			0.071	0.0674	0.209
FSB115D	1/21/2015	GROSS ALPHA	0.805	pCi/L	U			1.34	2.15	4.84
FSB115D	1/21/2015	NONVOLATILE BETA	3.18	pCi/L	U			2.71	3.93	9.36
FSB115D	1/21/2015	STRONTIUM-90	-1.62	pCi/L	U			1.7	3.3	6.7
FSB115D	1/21/2015	CARBON-14	4.62	pCi/L	UJ			4.2	6.85	15.2
FSB115D	1/21/2015	TECHNETIUM-99	-1.03	pCi/L	UJ			2.59	4.41	9.58
FSB115D	1/21/2015	TRITIUM	1.78	pCi/mL				0.377	0.491	1.25
FSB115D	1/21/2015	CESIUM-137	-3.68	pCi/L	U			5.97	9.92	21.9
FSB115D	1/21/2015	COBALT-60	2.62	pCi/L	U			5.61	11.1	22.4
FSB115D	1/21/2015	IODINE-129	0.808	pCi/L	U			0.711	0.957	2.38
FSB115D	1/21/2015	RADIUM-226	0.458	pCi/L	U			0.318	0.463	1.1
FSB115D	1/21/2015	RADIUM-228	0.443	pCi/L	U			0.325	0.512	1.16
FSB115D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.312	pCi/L	U			0.441	0.831	1.71
FSB116C	1/22/2015	NITRATE-NITRITE AS NITROGEN	1.17	mg/L					0.017	0.05
FSB116C	1/22/2015	ALUMINUM	44.9	ug/L	J				40	400
FSB116C	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB116C	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB116C	1/22/2015	BARIUM	5.84	ug/L	J				2	20
FSB116C	1/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB116C	1/22/2015	CADMIUM	1	ug/L	U				0.1	1
FSB116C	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB116C	1/22/2015	COBALT	2.14	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB116C	1/22/2015	COPPER	1.38	ug/L	J				0.5	5
FSB116C	1/22/2015	LEAD	5	ug/L	U				0.5	5
FSB116C	1/22/2015	NICKEL	1.91	ug/L	J				0.5	5
FSB116C	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB116C	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB116C	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FSB116C	1/22/2015	TIN	10	ug/L	U				1	10
FSB116C	1/22/2015	VANADIUM	47.2	ug/L	U				5	50
FSB116C	1/22/2015	ZINC	40	ug/L	U				4	40
FSB116C	1/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB116C	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB116C	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB116C	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB116C	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB116C	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB116C	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB116C	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB116C	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB116C	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB116C	1/22/2015	AMERICIUM-241	0.0179	pCi/L	U			0.049	0.12	0.218
FSB116C	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0636	0.0636
FSB116C	1/22/2015	CURIUM-243/244	0	pCi/L	U			0	0.0636	0.0636
FSB116C	1/22/2015	CURIUM-245/246	0.0729	pCi/L	U			0.085	0.0658	0.236
FSB116C	1/22/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0628	0.0628
FSB116C	1/22/2015	PLUTONIUM-239/240	-0.0116	pCi/L	U			0.017	0.139	0.172
FSB116C	1/22/2015	THORIUM-228	0	pCi/L	U			0	0.146	0.146

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB116C	1/22/2015	THORIUM-230	0.0199	pCi/L	U			0.04	0.0538	0.134
FSB116C	1/22/2015	THORIUM-232	0	pCi/L	U			0	0.0537	0.0537
FSB116C	1/22/2015	URANIUM-233/234	0.023	pCi/L	U			0.046	0.0624	0.155
FSB116C	1/22/2015	URANIUM-235	0	pCi/L	U			0	0.0769	0.0769
FSB116C	1/22/2015	URANIUM-238	0.0172	pCi/L	U			0.047	0.116	0.21
FSB116C	1/22/2015	GROSS ALPHA	0.806	pCi/L	U			1.34	2.16	4.84
FSB116C	1/22/2015	NONVOLATILE BETA	0.847	pCi/L	U			2.27	3.93	8.47
FSB116C	1/22/2015	STRONTIUM-90	0.515	pCi/L	U			2.15	3.3	7.59
FSB116C	1/22/2015	CARBON-14	3.68	pCi/L	UJ			4.42	7.26	16.1
FSB116C	1/22/2015	TECHNETIUM-99	-1.65	pCi/L	UJ			2.59	4.44	9.61
FSB116C	1/22/2015	TRITIUM	2.49	pCi/mL				0.409	0.527	1.35
FSB116C	1/22/2015	CESIUM-137	0.964	pCi/L	U			5.5	10.1	21.1
FSB116C	1/22/2015	COBALT-60	2.6	pCi/L	U			5.61	11.1	22.4
FSB116C	1/22/2015	IODINE-129	-0.256	pCi/L	U			0.554	0.938	2.05
FSB116C	1/22/2015	RADIUM-226	1.25	pCi/L	J		21	0.646	0.842	2.13
FSB116C	1/22/2015	RADIUM-228	0.442	pCi/L	U		21, V	0.274	0.403	0.951
FSB116C	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0876	pCi/L	U			0.914	1.93	3.76
FSB116D	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.153	mg/L					0.017	0.05
FSB116D	1/27/2015	ALUMINUM	3720	ug/L					40	400
FSB116D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB116D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB116D	1/27/2015	BARIUM	12.2	ug/L	J				2	20
FSB116D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB116D	1/27/2015	CADMIUM	0.124	ug/L	J				0.1	1
FSB116D	1/27/2015	CHROMIUM	31.1	ug/L	J				10	100
FSB116D	1/27/2015	COBALT	1.03	ug/L	J				0.5	5
FSB116D	1/27/2015	COPPER	2020	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB116D	1/27/2015	LEAD	25.1	ug/L					0.5	5
FSB116D	1/27/2015	NICKEL	10.9	ug/L					0.5	5
FSB116D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB116D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB116D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB116D	1/27/2015	TIN	6.15	ug/L	J				1	10
FSB116D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB116D	1/27/2015	ZINC	230	ug/L					4	40
FSB116D	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB116D	1/27/2015	BENZENE	38.8	ug/L					0.3	1
FSB116D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB116D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB116D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB116D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB116D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB116D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	56.4	ug/L					3	10
FSB116D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB116D	1/27/2015	PHENOLS	0.0034	mg/L	J		21		0.00167	0.005
FSB116D	1/27/2015	AMERICIUM-241	0.0754	pCi/L	U			0.088	0.0681	0.244
FSB116D	1/27/2015	CURIUM-242	0.0531	pCi/L	U			0.076	0.0671	0.218
FSB116D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0671	0.0671
FSB116D	1/27/2015	CURIUM-245/246	0.25	pCi/L	U			0.167	0.129	0.464
FSB116D	1/27/2015	PLUTONIUM-238	-0.0057	pCi/L	U			0.011	0.115	0.138
FSB116D	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0618	0.0618
FSB116D	1/27/2015	THORIUM-228	0.09	pCi/L	U			0.164	0.338	0.666
FSB116D	1/27/2015	THORIUM-230	0.0886	pCi/L	U			0.096	0.119	0.312

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB116D	1/27/2015	THORIUM-232	0.0885	pCi/L	U			0.096	0.119	0.311
FSB116D	1/27/2015	URANIUM-233/234	0.0855	pCi/L	U			0.093	0.115	0.301
FSB116D	1/27/2015	URANIUM-235	-0.00703	pCi/L	U			0.014	0.142	0.17
FSB116D	1/27/2015	URANIUM-238	0.114	pCi/L	J		21	0.103	0.0617	0.268
FSB116D	1/27/2015	GROSS ALPHA	-0.364	pCi/L	U			0.253	2.35	2.86
FSB116D	1/27/2015	NONVOLATILE BETA	-0.0912	pCi/L	U			2.23	4.09	8.54
FSB116D	1/27/2015	STRONTIUM-90	0.62	pCi/L	U			1.94	3.11	6.99
FSB116D	1/27/2015	CARBON-14	4.88	pCi/L	U			4.26	6.96	15.5
FSB116D	1/27/2015	TECHNETIUM-99	0.416	pCi/L	U			2.6	4.36	9.57
FSB116D	1/27/2015	TRITIUM	2.54	pCi/mL				0.402	0.451	1.25
FSB116D	1/27/2015	CESIUM-137	4.78	pCi/L	U			6.22	11.9	24.3
FSB116D	1/27/2015	COBALT-60	3.74	pCi/L	U			5.35	11	21.7
FSB116D	1/27/2015	IODINE-129	2.5	pCi/L	U			2.9	0.968	6.76
FSB116D	1/27/2015	RADIUM-226	0.651	pCi/L	J		21	0.431	0.619	1.48
FSB116D	1/27/2015	RADIUM-228	0.232	pCi/L	U			0.262	0.438	0.962
FSB116D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0963	pCi/L	U			0.941	1.87	3.75
FSB117D	2/4/2015	NITRATE-NITRITE AS NITROGEN	3.06	mg/L					0.085	0.25
FSB117D	2/4/2015	ALUMINUM	783	ug/L					40	400
FSB117D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB117D	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB117D	2/4/2015	BARIUM	22.1	ug/L					2	20
FSB117D	2/4/2015	BERYLLIUM	0.176	ug/L	J				0.1	1
FSB117D	2/4/2015	CADMIUM	0.748	ug/L	J				0.1	1
FSB117D	2/4/2015	CHROMIUM	11.9	ug/L	J				10	100
FSB117D	2/4/2015	COBALT	24.5	ug/L					0.5	5
FSB117D	2/4/2015	COPPER	1.62	ug/L	J				0.5	5
FSB117D	2/4/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB117D	2/4/2015	NICKEL	2.82	ug/L	J				0.5	5
FSB117D	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB117D	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB117D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB117D	2/4/2015	TIN	10	ug/L	U				1	10
FSB117D	2/4/2015	VANADIUM	50	ug/L	U				5	50
FSB117D	2/4/2015	ZINC	40	ug/L	U				4	40
FSB117D	2/4/2015	MERCURY	0.0635	ug/L	J		21		0.02	0.2
FSB117D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB117D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB117D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.09	ug/L	U		21, V		1	5
FSB117D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB117D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB117D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB117D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB117D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB117D	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB117D	2/4/2015	AMERICIUM-241	0.327	pCi/L	J		21	0.176	0.059	0.411
FSB117D	2/4/2015	CURIUM-242	0.105	pCi/L	U			0.114	0.144	0.372
FSB117D	2/4/2015	CURIUM-243/244	0.108	pCi/L	U			0.098	0.0581	0.253
FSB117D	2/4/2015	CURIUM-245/246	0.133	pCi/L	U			0.111	0.0602	0.282
FSB117D	2/4/2015	PLUTONIUM-238	-0.00574	pCi/L	U			0.012	0.116	0.139
FSB117D	2/4/2015	PLUTONIUM-239/240	-0.0115	pCi/L	U			0.016	0.138	0.17
FSB117D	2/4/2015	THORIUM-228	-0.0177	pCi/L	U			0.077	0.237	0.392
FSB117D	2/4/2015	THORIUM-230	0.137	pCi/L	U			0.114	0.0618	0.29
FSB117D	2/4/2015	THORIUM-232	0.0171	pCi/L	U			0.047	0.115	0.209

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB117D	2/4/2015	URANIUM-233/234	9.63	pCi/L				1.83	0.0666	3.72
FSB117D	2/4/2015	URANIUM-235	0.758	pCi/L				0.33	0.0822	0.742
FSB117D	2/4/2015	URANIUM-238	10.3	pCi/L				1.89	0.0665	3.84
FSB117D	2/4/2015	GROSS ALPHA	24	pCi/L				6.21	2.45	14.9
FSB117D	2/4/2015	NONVOLATILE BETA	75.9	pCi/L				9.56	6.7	25.8
FSB117D	2/4/2015	STRONTIUM-90	33.9	pCi/L				6.42	3.3	16.1
FSB117D	2/4/2015	CARBON-14	51.5	pCi/L	J			5.24	6.95	17.4
FSB117D	2/4/2015	TECHNETIUM-99	4.1	pCi/L	J		21	2.5	4.01	9.01
FSB117D	2/4/2015	TRITIUM	1.88	pCi/mL				0.339	0.397	1.08
FSB117D	2/4/2015	CESIUM-137	3.9	pCi/L	U			5.36	10.2	20.9
FSB117D	2/4/2015	COBALT-60	2.08	pCi/L	U			4.17	8.46	16.8
FSB117D	2/4/2015	IODINE-129	4.13	pCi/L				1.21	1.01	3.44
FSB117D	2/4/2015	RADIUM-226	0.65	pCi/L	J		21	0.431	0.618	1.48
FSB117D	2/4/2015	RADIUM-228	0.794	pCi/L	J		21	0.479	0.747	1.71
FSB117D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.787	pCi/L	U			1.14	1.98	4.26
FSB117D	4/13/2015	NITRATE-NITRITE AS NITROGEN	1.99	mg/L					0.17	0.5
FSB117D	4/13/2015	CADMIUM	0.545	ug/L	J		21		0.1	1
FSB117D	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB117D	4/13/2015	GROSS ALPHA	22.3	pCi/L				4.29	1.32	9.91
FSB117D	4/13/2015	NONVOLATILE BETA	45.6	pCi/L				5.7	4.5	15.9
FSB117D	4/13/2015	TRITIUM	1.61	pCi/mL				0.356	0.458	1.17
FSB117D	7/30/2015	NITRATE-NITRITE AS NITROGEN	0.488	mg/L					0.017	0.05
FSB117D	7/30/2015	ALUMINUM	394	ug/L	J		21		40	400
FSB117D	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB117D	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB117D	7/30/2015	BARIUM	8.58	ug/L	J		21		2	20
FSB117D	7/30/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB117D	7/30/2015	CADMIUM	0.195	ug/L	J		21		0.1	1
FSB117D	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB117D	7/30/2015	COBALT	4.55	ug/L	J		21		0.5	5
FSB117D	7/30/2015	COPPER	1.87	ug/L	U		21, V		0.5	5
FSB117D	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB117D	7/30/2015	NICKEL	1.36	ug/L	J		21		0.5	5
FSB117D	7/30/2015	SELENIUM	20	ug/L	U				2	20
FSB117D	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB117D	7/30/2015	THALLIUM	1	ug/L	U				0.1	1
FSB117D	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB117D	7/30/2015	ZINC	40	ug/L	U				4	40
FSB117D	7/30/2015	GROSS ALPHA	9.62	pCi/L	J		21	3.97	2.33	10.3
FSB117D	7/30/2015	NONVOLATILE BETA	24.7	pCi/L				5.78	5.33	16.9
FSB117D	7/30/2015	TRITIUM	1.47	pCi/mL				0.324	0.409	1.06
FSB117D	11/6/2015	NITRATE-NITRITE AS NITROGEN	0.669	mg/L					0.017	0.05
FSB117D	11/6/2015	CADMIUM	0.355	ug/L	J		21		0.1	1
FSB117D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB117D	11/6/2015	GROSS ALPHA	16.3	pCi/L				5.11	2.19	12.4
FSB117D	11/6/2015	NONVOLATILE BETA	25.3	pCi/L				6.04	6.03	18.1
FSB117D	11/6/2015	TRITIUM	1.84	pCi/mL				0.375	0.503	1.25
FSB118D	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.779	mg/L					0.017	0.05
FSB118D	1/27/2015	ALUMINUM	102	ug/L	J				40	400
FSB118D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB118D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB118D	1/27/2015	BARIUM	2.37	ug/L	J				2	20
FSB118D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB118D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB118D	1/27/2015	CHROMIUM	100	ug/L	U				10	100
FSB118D	1/27/2015	COBALT	5	ug/L	U				0.5	5
FSB118D	1/27/2015	COPPER	27.5	ug/L					0.5	5
FSB118D	1/27/2015	LEAD	3.44	ug/L	J				0.5	5
FSB118D	1/27/2015	NICKEL	0.516	ug/L	J				0.5	5
FSB118D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB118D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB118D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB118D	1/27/2015	TIN	10	ug/L	U				1	10
FSB118D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB118D	1/27/2015	ZINC	46.5	ug/L					4	40
FSB118D	1/27/2015	MERCURY	0.0358	ug/L	J		21		0.02	0.2
FSB118D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB118D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB118D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB118D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB118D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB118D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB118D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB118D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB118D	1/27/2015	PHENOLS	0.00326	mg/L	J		21		0.00167	0.005
FSB118D	1/27/2015	AMERICIUM-241	0.0512	pCi/L	U			0.073	0.0693	0.215
FSB118D	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0683	0.0683
FSB118D	1/27/2015	CURIUM-243/244	0.0252	pCi/L	U			0.051	0.0683	0.17
FSB118D	1/27/2015	CURIUM-245/246	0.104	pCi/L	U			0.106	0.0707	0.282
FSB118D	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0683	0.0683

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB118D	1/27/2015	PLUTONIUM-239/240	0.0693	pCi/L	U			0.089	0.127	0.305
FSB118D	1/27/2015	THORIUM-228	-0.0225	pCi/L	U			0.055	0.205	0.315
FSB118D	1/27/2015	THORIUM-230	0.149	pCi/L	U			0.12	0.111	0.352
FSB118D	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0598	0.0598
FSB118D	1/27/2015	URANIUM-233/234	1.88	pCi/L				0.509	0.151	1.17
FSB118D	1/27/2015	URANIUM-235	0.159	pCi/L	U			0.138	0.139	0.416
FSB118D	1/27/2015	URANIUM-238	1.68	pCi/L				0.467	0.134	1.07
FSB118D	1/27/2015	GROSS ALPHA	0.474	pCi/L	U			1.19	2.27	4.64
FSB118D	1/27/2015	NONVOLATILE BETA	-0.863	pCi/L	U			1.76	3.76	7.29
FSB118D	1/27/2015	STRONTIUM-90	315	pCi/L				35	3.12	73.2
FSB118D	1/27/2015	CARBON-14	-0.182	pCi/L	U			4.31	7.23	15.9
FSB118D	1/27/2015	TECHNETIUM-99	1.43	pCi/L	U			2.59	4.29	9.46
FSB118D	1/27/2015	TRITIUM	2.05	pCi/mL				0.376	0.452	1.2
FSB118D	1/27/2015	CESIUM-137	3.69	pCi/L	U			5.49	10.4	21.3
FSB118D	1/27/2015	COBALT-60	-1.54	pCi/L	U			4.43	7.98	16.8
FSB118D	1/27/2015	IODINE-129	1.2	pCi/L	J		21	1.03	1.03	3.08
FSB118D	1/27/2015	RADIUM-226	0.944	pCi/L	J		21	0.474	0.61	1.56
FSB118D	1/27/2015	RADIUM-228	0.22	pCi/L	U			0.392	0.683	1.47
FSB118D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.261	pCi/L	U			0.756	1.46	2.97
FSB118D	4/9/2015	NITRATE-NITRITE AS NITROGEN	1.72	mg/L					0.085	0.25
FSB118D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB118D	4/9/2015	LEAD	1.47	ug/L	J		21		0.5	5
FSB118D	4/9/2015	GROSS ALPHA	0.538	pCi/L	U			1.14	2.07	4.34
FSB118D	4/9/2015	NONVOLATILE BETA	2.12	pCi/L	U			2.65	4.17	9.48
FSB118D	4/9/2015	TRITIUM	1.74	pCi/mL				0.344	0.414	1.1
FSB118D	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.732	mg/L					0.017	0.05
FSB118D	8/4/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB118D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB118D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB118D	8/4/2015	BARIUM	2.29	ug/L	J		21		2	20
FSB118D	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB118D	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB118D	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB118D	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB118D	8/4/2015	COPPER	18.1	ug/L					0.5	5
FSB118D	8/4/2015	LEAD	2.24	ug/L	J		21		0.5	5
FSB118D	8/4/2015	NICKEL	0.681	ug/L	J		21		0.5	5
FSB118D	8/4/2015	SELENIUM	3.04	ug/L	U		21, V		2	20
FSB118D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB118D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB118D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB118D	8/4/2015	ZINC	44.1	ug/L			V		4	40
FSB118D	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB118D	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB118D	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB118D	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.61	ug/L	J		21		1	5
FSB118D	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB118D	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB118D	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB118D	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB118D	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB118D	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB118D	8/4/2015	AMERICIUM-241	-0.00584	pCi/L	U		V	0.012	0.118	0.141

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB118D	8/4/2015	CURIUM-242	0.0246	pCi/L	U			0.049	0.0624	0.161
FSB118D	8/4/2015	CURIUM-243/244	-0.0115	pCi/L	U			0.016	0.138	0.171
FSB118D	8/4/2015	CURIUM-245/246	0.304	pCi/L	U		21, V	0.178	0.12	0.475
FSB118D	8/4/2015	PLUTONIUM-238	0.047	pCi/L	U			0.067	0.0636	0.197
FSB118D	8/4/2015	PLUTONIUM-239/240	-0.0117	pCi/L	U			0.017	0.141	0.174
FSB118D	8/4/2015	THORIUM-228	0.024	pCi/L	U			0.048	0.0641	0.16
FSB118D	8/4/2015	THORIUM-230	0.142	pCi/L	U		21, V	0.118	0.0642	0.3
FSB118D	8/4/2015	THORIUM-232	0	pCi/L	U			0	0.0641	0.0641
FSB118D	8/4/2015	URANIUM-233/234	0.0531	pCi/L	U		V	0.076	0.127	0.278
FSB118D	8/4/2015	URANIUM-235	-0.0131	pCi/L	U			0.019	0.157	0.194
FSB118D	8/4/2015	URANIUM-238	0.106	pCi/L	U		21, V	0.096	0.0574	0.249
FSB118D	8/4/2015	GROSS ALPHA	0.908	pCi/L	U			1.45	2.18	5.09
FSB118D	8/4/2015	NONVOLATILE BETA	2.2	pCi/L	U			2.51	3.78	8.8
FSB118D	8/4/2015	STRONTIUM-90	-0.54	pCi/L	U			1.84	3.26	6.94
FSB118D	8/4/2015	CARBON-14	3.27	pCi/L	U			4.23	6.96	15.4
FSB118D	8/4/2015	TECHNETIUM-99	3.36	pCi/L	U			2.54	4.1	9.18
FSB118D	8/4/2015	TRITIUM	37.6	pCi/mL				1.2	0.446	2.84
FSB118D	8/4/2015	CESIUM-137	-9.69	pCi/L	U			6.2	9.26	21.7
FSB118D	8/4/2015	COBALT-60	1.78	pCi/L	U			5.48	10.5	21.5
FSB118D	8/4/2015	IODINE-129	1.31	pCi/L	J		21	0.663	1.18	2.51
FSB118D	8/4/2015	RADIUM-226	0.793	pCi/L	J		21	0.348	0.375	1.07
FSB118D	8/4/2015	RADIUM-228	0.493	pCi/L	U			0.359	0.568	1.29
FSB118D	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.509	pCi/L	U			0.936	1.72	3.59
FSB118D	10/30/2015	NITRATE-NITRITE AS NITROGEN	0.85	mg/L					0.085	0.25
FSB118D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB118D	10/30/2015	LEAD	2.74	ug/L	J		21		0.5	5
FSB118D	10/30/2015	GROSS ALPHA	0.107	pCi/L	UJ			0.592	1.3	2.48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB118D	10/30/2015	NONVOLATILE BETA	1.62	pCi/L	UJ			1.91	2.81	6.64
FSB118D	10/30/2015	TRITIUM	1.92	pCi/mL				0.385	0.491	1.26
FSB120AR	1/29/2015	NITRATE-NITRITE AS NITROGEN	15.7	mg/L					0.34	1
FSB120AR	1/29/2015	ALUMINUM	400	ug/L	U				40	400
FSB120AR	1/29/2015	ANTIMONY	10	ug/L	U				1	10
FSB120AR	1/29/2015	ARSENIC	50	ug/L	U				5	50
FSB120AR	1/29/2015	BARIUM	58.2	ug/L					2	20
FSB120AR	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB120AR	1/29/2015	CADMIUM	0.124	ug/L	J				0.1	1
FSB120AR	1/29/2015	CHROMIUM	100	ug/L	U				10	100
FSB120AR	1/29/2015	COBALT	5	ug/L	U				0.5	5
FSB120AR	1/29/2015	COPPER	0.596	ug/L	J				0.5	5
FSB120AR	1/29/2015	LEAD	5	ug/L	U				0.5	5
FSB120AR	1/29/2015	NICKEL	1.43	ug/L	J				0.5	5
FSB120AR	1/29/2015	SELENIUM	20	ug/L	U				2	20
FSB120AR	1/29/2015	SILVER	5	ug/L	U				0.5	5
FSB120AR	1/29/2015	THALLIUM	0.137	ug/L	J				0.1	1
FSB120AR	1/29/2015	TIN	10	ug/L	U				1	10
FSB120AR	1/29/2015	VANADIUM	8.55	ug/L	J				5	50
FSB120AR	1/29/2015	ZINC	40	ug/L	U				4	40
FSB120AR	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB120AR	1/29/2015	BENZENE	1	ug/L	U				0.3	1
FSB120AR	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB120AR	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.03	ug/L	J		21		1	5
FSB120AR	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120AR	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB120AR	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120AR	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120AR	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120AR	1/29/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB120AR	1/29/2015	AMERICIUM-241	0	pCi/L	U			0	0.0658	0.0658
FSB120AR	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0648	0.0648
FSB120AR	1/29/2015	CURIUM-243/244	0.018	pCi/L	U			0.05	0.12	0.219
FSB120AR	1/29/2015	CURIUM-245/246	0.149	pCi/L	U			0.123	0.0671	0.314
FSB120AR	1/29/2015	PLUTONIUM-238	0.0432	pCi/L	U			0.062	0.0585	0.181
FSB120AR	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0585	0.0585
FSB120AR	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.068	0.068
FSB120AR	1/29/2015	THORIUM-230	0.0691	pCi/L	U			0.089	0.126	0.304
FSB120AR	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.068	0.068
FSB120AR	1/29/2015	URANIUM-233/234	0.0391	pCi/L	U			0.076	0.156	0.309
FSB120AR	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.0871	0.0871
FSB120AR	1/29/2015	URANIUM-238	0.078	pCi/L	J		21	0.091	0.0704	0.252
FSB120AR	1/29/2015	GROSS ALPHA	2.56	pCi/L	J		21	2.23	2.36	6.81
FSB120AR	1/29/2015	NONVOLATILE BETA	4.79	pCi/L	J		21	2.95	3.83	9.72
FSB120AR	1/29/2015	STRONTIUM-90	0.312	pCi/L	U			1.92	3.1	6.94
FSB120AR	1/29/2015	CARBON-14	0.533	pCi/L	UJ			4.17	6.96	15.3
FSB120AR	1/29/2015	TECHNETIUM-99	23	pCi/L				3.01	3.97	10
FSB120AR	1/29/2015	TRITIUM	86.2	pCi/mL				1.77	0.386	3.93
FSB120AR	1/29/2015	CESIUM-137	0.15	pCi/L	U			5.42	9.74	20.6
FSB120AR	1/29/2015	COBALT-60	3.07	pCi/L	U			4.45	9.15	18.1
FSB120AR	1/29/2015	IODINE-129	2.18	pCi/L	J		21	1.35	0.967	3.66
FSB120AR	1/29/2015	RADIUM-226	0.16	pCi/L	U			0.246	0.432	0.924
FSB120AR	1/29/2015	RADIUM-228	0.489	pCi/L	J		21	0.313	0.475	1.1
FSB120AR	1/29/2015	RADIUM, TOTAL ALPHA-	1.16	pCi/L	U			1.3	2.14	4.74

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB120AR	4/9/2015	NITRATE-NITRITE AS NITROGEN	13.8	mg/L					0.425	1.25
FSB120AR	4/9/2015	CADMIUM	0.12	ug/L	J		21		0.1	1
FSB120AR	4/9/2015	LEAD	5	ug/L	U				0.5	5
FSB120AR	4/9/2015	GROSS ALPHA	2.22	pCi/L	J		21	2.05	2.21	6.31
FSB120AR	4/9/2015	NONVOLATILE BETA	4.82	pCi/L	J		21	3.2	4.41	10.8
FSB120AR	4/9/2015	TRITIUM	86.5	pCi/mL				1.77	0.416	3.96
FSB120AR	8/4/2015	NITRATE-NITRITE AS NITROGEN	13.4	mg/L					0.17	0.5
FSB120AR	8/4/2015	ALUMINUM	400	ug/L	U				40	400
FSB120AR	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB120AR	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB120AR	8/4/2015	BARIUM	42.1	ug/L					2	20
FSB120AR	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB120AR	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB120AR	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB120AR	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB120AR	8/4/2015	COPPER	0.795	ug/L	J		21		0.5	5
FSB120AR	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB120AR	8/4/2015	NICKEL	1.74	ug/L	J		21		0.5	5
FSB120AR	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB120AR	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB120AR	8/4/2015	THALLIUM	0.12	ug/L	J		21		0.1	1
FSB120AR	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB120AR	8/4/2015	ZINC	4.74	ug/L	J		21		4	40
FSB120AR	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB120AR	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB120AR	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120AR	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.64	ug/L	J		21		1	5
FSB120AR	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120AR	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB120AR	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB120AR	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120AR	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120AR	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB120AR	8/4/2015	AMERICIUM-241	0.0253	pCi/L	U		V	0.051	0.0686	0.17
FSB120AR	8/4/2015	CURIUM-242	0	pCi/L	U			0	0.0676	0.0676
FSB120AR	8/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0676	0.0676
FSB120AR	8/4/2015	CURIUM-245/246	0.329	pCi/L	U		21, V	0.193	0.13	0.516
FSB120AR	8/4/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0722	0.0722
FSB120AR	8/4/2015	PLUTONIUM-239/240	0.0266	pCi/L	U		V	0.053	0.0722	0.179
FSB120AR	8/4/2015	THORIUM-228	0.006	pCi/L	U			0.107	0.275	0.489
FSB120AR	8/4/2015	THORIUM-230	0.182	pCi/L	U		21, V	0.137	0.119	0.392
FSB120AR	8/4/2015	THORIUM-232	0.0646	pCi/L	U		V	0.083	0.118	0.284
FSB120AR	8/4/2015	URANIUM-233/234	0.0957	pCi/L	U		V	0.103	0.152	0.359
FSB120AR	8/4/2015	URANIUM-235	-0.0139	pCi/L	U			0.02	0.167	0.206
FSB120AR	8/4/2015	URANIUM-238	-0.0112	pCi/L	U		V	0.016	0.135	0.167
FSB120AR	8/4/2015	GROSS ALPHA	0.433	pCi/L	U			1.23	2.45	4.91
FSB120AR	8/4/2015	NONVOLATILE BETA	5.7	pCi/L	J		21	3.25	4.2	10.7
FSB120AR	8/4/2015	STRONTIUM-90	0.3	pCi/L	U			2.08	3.26	7.41
FSB120AR	8/4/2015	CARBON-14	-0.756	pCi/L	U			4.1	6.9	15.1
FSB120AR	8/4/2015	TECHNETIUM-99	26.3	pCi/L				3.19	4.17	10.5
FSB120AR	8/4/2015	TRITIUM	94.2	pCi/mL				1.86	0.451	4.18
FSB120AR	8/4/2015	CESIUM-137	-2.43	pCi/L	U			5.49	9.39	20.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120AR	8/4/2015	COBALT-60	-0.816	pCi/L	U			4.64	8.54	17.8
FSB120AR	8/4/2015	IODINE-129	1.71	pCi/L	J		21	0.819	0.931	2.57
FSB120AR	8/4/2015	RADIUM-226	1.03	pCi/L	J		21	0.437	0.52	1.39
FSB120AR	8/4/2015	RADIUM-228	0.604	pCi/L	U			0.414	0.656	1.48
FSB120AR	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.72	pCi/L	U			0.9	1.52	3.32
FSB120AR	10/30/2015	NITRATE-NITRITE AS NITROGEN	16.3	mg/L					0.425	1.25
FSB120AR	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB120AR	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB120AR	10/30/2015	GROSS ALPHA	0.0195	pCi/L	U			0.923	2.38	4.23
FSB120AR	10/30/2015	NONVOLATILE BETA	5.36	pCi/L	J		21	3.14	3.94	10.2
FSB120AR	10/30/2015	TRITIUM	93.2	pCi/mL				1.68	0.506	3.87
FSB120C	2/4/2015	NITRATE-NITRITE AS NITROGEN	55.5	mg/L					0.85	2.5
FSB120C	2/4/2015	ALUMINUM	92.8	ug/L	J				40	400
FSB120C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB120C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB120C	2/4/2015	BARIUM	110	ug/L					2	20
FSB120C	2/4/2015	BERYLLIUM	1.98	ug/L					0.1	1
FSB120C	2/4/2015	CADMIUM	2.64	ug/L					0.1	1
FSB120C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB120C	2/4/2015	COBALT	2.7	ug/L	J				0.5	5
FSB120C	2/4/2015	COPPER	1.68	ug/L	J				0.5	5
FSB120C	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB120C	2/4/2015	NICKEL	5.97	ug/L					0.5	5
FSB120C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB120C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB120C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB120C	2/4/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120C	2/4/2015	VANADIUM	17	ug/L	J				5	50
FSB120C	2/4/2015	ZINC	38.6	ug/L	J				4	40
FSB120C	2/4/2015	MERCURY	0.055	ug/L	J		21		0.02	0.2
FSB120C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB120C	2/4/2015	CHLOROFORM	0.4	ug/L	J		21		0.3	1
FSB120C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB120C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120C	2/4/2015	TRICHLOROETHYLENE (TCE)	7.54	ug/L					0.3	1
FSB120C	2/4/2015	TRICHLOROFLUOROMETHANE	0.73	ug/L	J		21		0.3	1
FSB120C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB120C	2/4/2015	AMERICIUM-241	0.161	pCi/L	U			0.124	0.0621	0.31
FSB120C	2/4/2015	CURIUM-242	0.026	pCi/L	U			0.052	0.0612	0.166
FSB120C	2/4/2015	CURIUM-243/244	0.0227	pCi/L	U			0.046	0.0612	0.152
FSB120C	2/4/2015	CURIUM-245/246	0.187	pCi/L	U			0.135	0.0634	0.334
FSB120C	2/4/2015	PLUTONIUM-238	0.0234	pCi/L	U			0.047	0.0634	0.157
FSB120C	2/4/2015	PLUTONIUM-239/240	0.0585	pCi/L	U			0.083	0.14	0.307
FSB120C	2/4/2015	THORIUM-228	0.124	pCi/L	U			0.119	0.154	0.393
FSB120C	2/4/2015	THORIUM-230	0.0859	pCi/L	U			0.093	0.115	0.302
FSB120C	2/4/2015	THORIUM-232	0.0229	pCi/L	U			0.046	0.062	0.154
FSB120C	2/4/2015	URANIUM-233/234	0.373	pCi/L	J		21	0.19	0.0595	0.44
FSB120C	2/4/2015	URANIUM-235	0.0271	pCi/L	U			0.054	0.0733	0.182
FSB120C	2/4/2015	URANIUM-238	0.323	pCi/L	J		21	0.177	0.11	0.464
FSB120C	2/4/2015	GROSS ALPHA	15.1	pCi/L				3.9	1.83	9.63
FSB120C	2/4/2015	NONVOLATILE BETA	52.9	pCi/L				5.56	3.82	14.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120C	2/4/2015	STRONTIUM-90	10.6	pCi/L				3.62	3.3	10.5
FSB120C	2/4/2015	CARBON-14	105	pCi/L	J			6.17	6.91	19.3
FSB120C	2/4/2015	TECHNETIUM-99	33.8	pCi/L				3.32	4.07	10.7
FSB120C	2/4/2015	TRITIUM	561	pCi/mL				4.5	0.556	9.56
FSB120C	2/4/2015	CESIUM-137	-1.99	pCi/L	U			5.21	9.02	19.4
FSB120C	2/4/2015	COBALT-60	1.21	pCi/L	U			4.46	8.74	17.7
FSB120C	2/4/2015	IODINE-129	9.84	pCi/L				2.42	0.996	5.84
FSB120C	2/4/2015	RADIUM-226	9.08	pCi/L				1.3	0.57	3.17
FSB120C	2/4/2015	RADIUM-228	0.744	pCi/L	J		21	0.353	0.498	1.2
FSB120C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	5.17	pCi/L	J		21, V	1.89	1.86	5.64
FSB120C	4/13/2015	NITRATE-NITRITE AS NITROGEN	54.5	mg/L					1.7	5
FSB120C	4/13/2015	CADMIUM	1.82	ug/L					0.1	1
FSB120C	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSB120C	4/13/2015	GROSS ALPHA	13	pCi/L				3.71	1.74	9.16
FSB120C	4/13/2015	NONVOLATILE BETA	51.9	pCi/L				5.46	3.65	14.6
FSB120C	4/13/2015	TRITIUM	559	pCi/mL				4.46	0.459	9.38
FSB120C	8/4/2015	NITRATE-NITRITE AS NITROGEN	46.4	mg/L					0.85	2.5
FSB120C	8/4/2015	ALUMINUM	123	ug/L	J		21		40	400
FSB120C	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB120C	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB120C	8/4/2015	BARIUM	89.7	ug/L					2	20
FSB120C	8/4/2015	BERYLLIUM	1.32	ug/L					0.1	1
FSB120C	8/4/2015	CADMIUM	2.71	ug/L					0.1	1
FSB120C	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB120C	8/4/2015	COBALT	10.3	ug/L					0.5	5
FSB120C	8/4/2015	COPPER	2.83	ug/L	J		21		0.5	5
FSB120C	8/4/2015	LEAD	1.62	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120C	8/4/2015	NICKEL	8.45	ug/L					0.5	5
FSB120C	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB120C	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB120C	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB120C	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB120C	8/4/2015	ZINC	67	ug/L					4	40
FSB120C	8/4/2015	MERCURY	0.0882	ug/L	J		21		0.02	0.2
FSB120C	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB120C	8/4/2015	CHLOROFORM	0.34	ug/L	J		21		0.3	1
FSB120C	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.5	ug/L	J		21		1	5
FSB120C	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120C	8/4/2015	TRICHLOROETHYLENE (TCE)	5.68	ug/L					0.3	1
FSB120C	8/4/2015	TRICHLOROFLUOROMETHANE	0.56	ug/L	J		21		0.3	1
FSB120C	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120C	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120C	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB120C	8/4/2015	AMERICIUM-241	0.023	pCi/L	U		V	0.046	0.0623	0.155
FSB120C	8/4/2015	CURIUM-242	0	pCi/L	U			0	0.0614	0.0614
FSB120C	8/4/2015	CURIUM-243/244	0.017	pCi/L	U			0.047	0.114	0.208
FSB120C	8/4/2015	CURIUM-245/246	0.188	pCi/L	U		21, V	0.135	0.0635	0.334
FSB120C	8/4/2015	PLUTONIUM-238	0.022	pCi/L	U			0.044	0.0596	0.148
FSB120C	8/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0596	0.0596
FSB120C	8/4/2015	THORIUM-228	0.0819	pCi/L	U			0.096	0.138	0.33
FSB120C	8/4/2015	THORIUM-230	0.161	pCi/L	U		21, V	0.125	0.0625	0.312
FSB120C	8/4/2015	THORIUM-232	0.0173	pCi/L	U			0.048	0.116	0.211
FSB120C	8/4/2015	URANIUM-233/234	0.229	pCi/L	J		21, V	0.139	0.098	0.376

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120C	8/4/2015	URANIUM-235	0	pCi/L	U			0	0.0651	0.0651
FSB120C	8/4/2015	URANIUM-238	0.272	pCi/L	J		21, V	0.15	0.0526	0.353
FSB120C	8/4/2015	GROSS ALPHA	10.7	pCi/L	J		21	4.8	2.88	12.5
FSB120C	8/4/2015	NONVOLATILE BETA	65	pCi/L				8.29	4.11	20.7
FSB120C	8/4/2015	STRONTIUM-90	16.2	pCi/L				4.13	3.26	11.5
FSB120C	8/4/2015	CARBON-14	137	pCi/L				6.72	6.98	20.4
FSB120C	8/4/2015	TECHNETIUM-99	38.6	pCi/L				3.51	4.24	11.3
FSB120C	8/4/2015	TRITIUM	541	pCi/mL				4.44	0.445	9.33
FSB120C	8/4/2015	CESIUM-137	-2.58	pCi/L	U			6.2	10.6	23
FSB120C	8/4/2015	COBALT-60	3.81	pCi/L	U			5.44	10.8	21.7
FSB120C	8/4/2015	IODINE-129	12.1	pCi/L				2.45	1.16	6.06
FSB120C	8/4/2015	RADIUM-226	7.35	pCi/L				0.941	0.296	2.18
FSB120C	8/4/2015	RADIUM-228	1.14	pCi/L	U		21, V	0.383	0.466	1.23
FSB120C	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	6.46	pCi/L				1.94	1.91	5.79
FSB120C	11/6/2015	NITRATE-NITRITE AS NITROGEN	51	mg/L					0.85	2.5
FSB120C	11/6/2015	CADMIUM	2.84	ug/L					0.1	1
FSB120C	11/6/2015	LEAD	1.51	ug/L	J		21		0.5	5
FSB120C	11/6/2015	GROSS ALPHA	6.52	pCi/L	J		21	3.74	2.94	10.4
FSB120C	11/6/2015	NONVOLATILE BETA	60.1	pCi/L				8.1	4.87	21.1
FSB120C	11/6/2015	TRITIUM	547	pCi/mL				4.02	0.508	8.55
FSB120D	2/3/2015	NITRATE-NITRITE AS NITROGEN	3.27	mg/L					0.085	0.25
FSB120D	2/3/2015	ALUMINUM	400	ug/L	U				40	400
FSB120D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
FSB120D	2/3/2015	ARSENIC	50	ug/L	U				5	50
FSB120D	2/3/2015	BARIUM	14.6	ug/L	J				2	20
FSB120D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB120D	2/3/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120D	2/3/2015	CHROMIUM	100	ug/L	U				10	100
FSB120D	2/3/2015	COBALT	5	ug/L	U				0.5	5
FSB120D	2/3/2015	COPPER	5.98	ug/L					0.5	5
FSB120D	2/3/2015	LEAD	0.569	ug/L	J				0.5	5
FSB120D	2/3/2015	NICKEL	3.33	ug/L	J				0.5	5
FSB120D	2/3/2015	SELENIUM	20	ug/L	U				2	20
FSB120D	2/3/2015	SILVER	5	ug/L	U				0.5	5
FSB120D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
FSB120D	2/3/2015	TIN	10	ug/L	U				1	10
FSB120D	2/3/2015	VANADIUM	50	ug/L	U				5	50
FSB120D	2/3/2015	ZINC	18.6	ug/L	J				4	40
FSB120D	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB120D	2/3/2015	BENZENE	1	ug/L	U				0.3	1
FSB120D	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB120D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB120D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB120D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB120D	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120D	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120D	2/3/2015	PHENOLS	0.00233	mg/L	J		21		0.00167	0.005
FSB120D	2/3/2015	AMERICIUM-241	0.0848	pCi/L	U			0.092	0.114	0.298
FSB120D	2/3/2015	CURIUM-242	0.0258	pCi/L	U			0.052	0.0604	0.164
FSB120D	2/3/2015	CURIUM-243/244	-0.00559	pCi/L	U			0.011	0.112	0.135
FSB120D	2/3/2015	CURIUM-245/246	0.115	pCi/L	U			0.105	0.0625	0.272
FSB120D	2/3/2015	PLUTONIUM-238	0.0245	pCi/L	U			0.049	0.0664	0.165

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120D	2/3/2015	PLUTONIUM-239/240	-0.00613	pCi/L	U			0.012	0.123	0.148
FSB120D	2/3/2015	THORIUM-228	0.0289	pCi/L	U			0.069	0.151	0.288
FSB120D	2/3/2015	THORIUM-230	0.0448	pCi/L	U			0.064	0.0606	0.188
FSB120D	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0605	0.0605
FSB120D	2/3/2015	URANIUM-233/234	0.0949	pCi/L	U			0.096	0.0643	0.257
FSB120D	2/3/2015	URANIUM-235	-0.00732	pCi/L	U			0.015	0.147	0.177
FSB120D	2/3/2015	URANIUM-238	0.0415	pCi/L	U			0.068	0.119	0.256
FSB120D	2/3/2015	GROSS ALPHA	2.01	pCi/L	U			1.95	2.3	6.2
FSB120D	2/3/2015	NONVOLATILE BETA	0.696	pCi/L	U			2.56	4.41	9.54
FSB120D	2/3/2015	STRONTIUM-90	1.87	pCi/L	U			2.58	3.42	8.59
FSB120D	2/3/2015	CARBON-14	3.73	pCi/L	UJ			4.21	6.91	15.3
FSB120D	2/3/2015	TECHNETIUM-99	0.757	pCi/L	UJ			2.39	3.99	8.77
FSB120D	2/3/2015	TRITIUM	15.2	pCi/mL				0.751	0.396	1.9
FSB120D	2/3/2015	CESIUM-137	-1.22	pCi/L	U			5.28	9.29	19.9
FSB120D	2/3/2015	COBALT-60	1.25	pCi/L	U			4.36	8.59	17.3
FSB120D	2/3/2015	IODINE-129	2.64	pCi/L	J		21	1.57	0.824	3.96
FSB120D	2/3/2015	RADIUM-226	1.48	pCi/L				0.484	0.499	1.47
FSB120D	2/3/2015	RADIUM-228	0.368	pCi/L	U			0.348	0.569	1.27
FSB120D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1	pCi/L	U			1.18	1.91	4.27
FSB120D	4/9/2015	NITRATE-NITRITE AS NITROGEN	2.8	mg/L					0.17	0.5
FSB120D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB120D	4/9/2015	LEAD	5	ug/L	U				0.5	5
FSB120D	4/9/2015	GROSS ALPHA	2.89	pCi/L	J		21	2.23	2.08	6.55
FSB120D	4/9/2015	NONVOLATILE BETA	3.86	pCi/L	U			3.1	4.49	10.7
FSB120D	4/9/2015	TRITIUM	13.7	pCi/mL				0.737	0.414	1.89
FSB120D	8/4/2015	NITRATE-NITRITE AS NITROGEN	2.31	mg/L					0.085	0.25
FSB120D	8/4/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120D	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB120D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB120D	8/4/2015	BARIUM	15.1	ug/L	J		21		2	20
FSB120D	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB120D	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB120D	8/4/2015	CHROMIUM	11.1	ug/L	J		21		10	100
FSB120D	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB120D	8/4/2015	COPPER	6.8	ug/L					0.5	5
FSB120D	8/4/2015	LEAD	0.624	ug/L	J		21		0.5	5
FSB120D	8/4/2015	NICKEL	3.33	ug/L	J		21		0.5	5
FSB120D	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB120D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB120D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB120D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB120D	8/4/2015	ZINC	29.5	ug/L	J		21		4	40
FSB120D	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB120D	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB120D	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB120D	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.55	ug/L	J		21		1	5
FSB120D	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB120D	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB120D	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB120D	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB120D	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB120D	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB120D	8/4/2015	AMERICIUM-241	0.0448	pCi/L	U		V	0.064	0.0607	0.188

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120D	8/4/2015	CURIUM-242	0	pCi/L	U			0	0.0598	0.0598
FSB120D	8/4/2015	CURIUM-243/244	-0.00552	pCi/L	U			0.011	0.111	0.133
FSB120D	8/4/2015	CURIUM-245/246	0.137	pCi/L	U		21, V	0.114	0.0619	0.289
FSB120D	8/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0604	0.0604
FSB120D	8/4/2015	PLUTONIUM-239/240	-0.00557	pCi/L	U			0.011	0.112	0.135
FSB120D	8/4/2015	THORIUM-228	0.0215	pCi/L	U			0.065	0.156	0.285
FSB120D	8/4/2015	THORIUM-230	0.133	pCi/L	U		V	0.116	0.143	0.374
FSB120D	8/4/2015	THORIUM-232	0.0159	pCi/L	U			0.044	0.107	0.194
FSB120D	8/4/2015	URANIUM-233/234	0.0539	pCi/L	U		V	0.091	0.181	0.362
FSB120D	8/4/2015	URANIUM-235	-0.0133	pCi/L	U			0.019	0.159	0.197
FSB120D	8/4/2015	URANIUM-238	0.0108	pCi/L	U		V	0.046	0.129	0.22
FSB120D	8/4/2015	GROSS ALPHA	2.08	pCi/L	U			1.99	2.17	6.14
FSB120D	8/4/2015	NONVOLATILE BETA	2.86	pCi/L	U			2.64	3.81	9.09
FSB120D	8/4/2015	STRONTIUM-90	-0.0429	pCi/L	U			1.88	3.26	7.01
FSB120D	8/4/2015	CARBON-14	23.3	pCi/L				4.67	6.94	16.3
FSB120D	8/4/2015	TECHNETIUM-99	0.462	pCi/L	U			2.51	4.21	9.23
FSB120D	8/4/2015	TRITIUM	12.1	pCi/mL				0.713	0.446	1.87
FSB120D	8/4/2015	CESIUM-137	-1.44	pCi/L	U			6.3	9.5	22.1
FSB120D	8/4/2015	COBALT-60	3.77	pCi/L	U			5.19	10.4	20.8
FSB120D	8/4/2015	IODINE-129	0.556	pCi/L	U			1.3	1.11	3.72
FSB120D	8/4/2015	RADIUM-226	1.07	pCi/L	J		21	0.454	0.54	1.45
FSB120D	8/4/2015	RADIUM-228	0.889	pCi/L	U		21, V	0.389	0.553	1.33
FSB120D	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0921	pCi/L	U			0.726	1.67	3.12
FSB120D	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.9	mg/L					0.085	0.25
FSB120D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB120D	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB120D	10/30/2015	GROSS ALPHA	1.85	pCi/L	J		21	1.31	1.29	3.91

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB120D	10/30/2015	NONVOLATILE BETA	1.61	pCi/L	UJ			2	2.98	6.98
FSB120D	10/30/2015	TRITIUM	13.4	pCi/mL				0.74	0.49	1.97
FSB121C	2/4/2015	NITRATE-NITRITE AS NITROGEN	14.7	mg/L					0.34	1
FSB121C	2/4/2015	ALUMINUM	92.5	ug/L	J				40	400
FSB121C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB121C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB121C	2/4/2015	BARIUM	72	ug/L					2	20
FSB121C	2/4/2015	BERYLLIUM	1.19	ug/L					0.1	1
FSB121C	2/4/2015	CADMIUM	0.17	ug/L	J				0.1	1
FSB121C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB121C	2/4/2015	COBALT	3.01	ug/L	J				0.5	5
FSB121C	2/4/2015	COPPER	2.25	ug/L	J				0.5	5
FSB121C	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB121C	2/4/2015	NICKEL	4.5	ug/L	J				0.5	5
FSB121C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB121C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB121C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB121C	2/4/2015	TIN	10	ug/L	U				1	10
FSB121C	2/4/2015	VANADIUM	17.8	ug/L	J				5	50
FSB121C	2/4/2015	ZINC	34.4	ug/L	J				4	40
FSB121C	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB121C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB121C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB121C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB121C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB121C	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB121C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB121C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB121C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB121C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB121C	2/4/2015	AMERICIUM-241	0.0236	pCi/L	U			0.047	0.064	0.159
FSB121C	2/4/2015	CURIUM-242	0.0268	pCi/L	U			0.054	0.063	0.17
FSB121C	2/4/2015	CURIUM-243/244	0.0467	pCi/L	U			0.066	0.063	0.196
FSB121C	2/4/2015	CURIUM-245/246	0.265	pCi/L	U			0.165	0.0652	0.395
FSB121C	2/4/2015	PLUTONIUM-238	0.0064	pCi/L	U			0.056	0.172	0.284
FSB121C	2/4/2015	PLUTONIUM-239/240	0.0447	pCi/L	U			0.074	0.129	0.276
FSB121C	2/4/2015	THORIUM-228	0.0178	pCi/L	U			0.049	0.116	0.214
FSB121C	2/4/2015	THORIUM-230	0.0345	pCi/L	U			0.067	0.138	0.273
FSB121C	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0623	0.0623
FSB121C	2/4/2015	URANIUM-233/234	0.0114	pCi/L	U			0.048	0.137	0.233
FSB121C	2/4/2015	URANIUM-235	0	pCi/L	U			0	0.0761	0.0761
FSB121C	2/4/2015	URANIUM-238	0.0852	pCi/L	U			0.093	0.114	0.299
FSB121C	2/4/2015	GROSS ALPHA	7.47	pCi/L				2.57	1.52	6.67
FSB121C	2/4/2015	NONVOLATILE BETA	22.6	pCi/L				3.88	3.43	11.2
FSB121C	2/4/2015	STRONTIUM-90	4.99	pCi/L	J		21	2.86	3.27	8.99
FSB121C	2/4/2015	CARBON-14	6.4	pCi/L	UJ			4.3	6.96	15.6
FSB121C	2/4/2015	TECHNETIUM-99	23.2	pCi/L				3.08	4.09	10.2
FSB121C	2/4/2015	TRITIUM	201	pCi/mL				2.71	0.555	5.97
FSB121C	2/4/2015	CESIUM-137	6.13	pCi/L	U			5.72	8.9	20.3
FSB121C	2/4/2015	COBALT-60	1.43	pCi/L	U			3.81	7.76	15.4
FSB121C	2/4/2015	IODINE-129	2.88	pCi/L	J		21	1.13	1.01	3.27
FSB121C	2/4/2015	RADIUM-226	3.3	pCi/L				0.77	0.635	2.18
FSB121C	2/4/2015	RADIUM-228	0.498	pCi/L	J		21	0.288	0.414	0.99
FSB121C	2/4/2015	RADIUM, TOTAL ALPHA-	1.94	pCi/L	U			1.45	2.11	5.01

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
FSB122C	2/4/2015	NITRATE-NITRITE AS NITROGEN	112	mg/L					1.7	5
FSB122C	2/4/2015	ALUMINUM	1770	ug/L					40	400
FSB122C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB122C	2/4/2015	ARSENIC	50	ug/L	U				5	50
FSB122C	2/4/2015	BARIUM	234	ug/L					2	20
FSB122C	2/4/2015	BERYLLIUM	4.59	ug/L					0.1	1
FSB122C	2/4/2015	CADMIUM	5.45	ug/L					0.1	1
FSB122C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB122C	2/4/2015	COBALT	45.8	ug/L					0.5	5
FSB122C	2/4/2015	COPPER	3.48	ug/L	J				0.5	5
FSB122C	2/4/2015	LEAD	5	ug/L	U				0.5	5
FSB122C	2/4/2015	NICKEL	31.2	ug/L					0.5	5
FSB122C	2/4/2015	SELENIUM	20	ug/L	U				2	20
FSB122C	2/4/2015	SILVER	5	ug/L	U				0.5	5
FSB122C	2/4/2015	THALLIUM	0.213	ug/L	J				0.1	1
FSB122C	2/4/2015	TIN	10	ug/L	U				1	10
FSB122C	2/4/2015	VANADIUM	19.3	ug/L	J				5	50
FSB122C	2/4/2015	ZINC	145	ug/L					4	40
FSB122C	2/4/2015	MERCURY	0.102	ug/L	J		21		0.02	0.2
FSB122C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB122C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB122C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB122C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB122C	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB122C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB122C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB122C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB122C	2/4/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB122C	2/4/2015	AMERICIUM-241	0	pCi/L	U			0	0.0574	0.0574
FSB122C	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0566	0.0566
FSB122C	2/4/2015	CURIUM-243/244	-0.00524	pCi/L	U			0.011	0.105	0.126
FSB122C	2/4/2015	CURIUM-245/246	0.324	pCi/L	U			0.175	0.0586	0.408
FSB122C	2/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0766	0.0766
FSB122C	2/4/2015	PLUTONIUM-239/240	0.0778	pCi/L	U			0.1	0.142	0.342
FSB122C	2/4/2015	THORIUM-228	0.0167	pCi/L	U			0.068	0.17	0.305
FSB122C	2/4/2015	THORIUM-230	0.043	pCi/L	U			0.061	0.0583	0.181
FSB122C	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0582	0.0582
FSB122C	2/4/2015	URANIUM-233/234	0.608	pCi/L	J		21	0.256	0.114	0.626
FSB122C	2/4/2015	URANIUM-235	0.112	pCi/L	U			0.114	0.076	0.304
FSB122C	2/4/2015	URANIUM-238	0.743	pCi/L				0.285	0.114	0.685
FSB122C	2/4/2015	GROSS ALPHA	29.5	pCi/L				5.78	2.22	13.8
FSB122C	2/4/2015	NONVOLATILE BETA	122	pCi/L				8.16	4.36	20.7
FSB122C	2/4/2015	STRONTIUM-90	13.6	pCi/L				3.9	3.33	11.1
FSB122C	2/4/2015	CARBON-14	7.72	pCi/L	J		21	4.31	6.91	15.5
FSB122C	2/4/2015	TECHNETIUM-99	131	pCi/L				5.09	4.08	14.3
FSB122C	2/4/2015	TRITIUM	1220	pCi/mL				6.64	0.557	13.8
FSB122C	2/4/2015	CESIUM-137	9.16	pCi/L	U			5.51	9.58	20.6
FSB122C	2/4/2015	COBALT-60	-0.743	pCi/L	U			4.12	7.68	15.9
FSB122C	2/4/2015	IODINE-129	27.8	pCi/L				4.65	1.23	10.5
FSB122C	2/4/2015	RADIUM-226	16.8	pCi/L				1.68	0.677	4.04
FSB122C	2/4/2015	RADIUM-228	4.03	pCi/L				0.61	0.458	1.68
FSB122C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	13.1	pCi/L	J		V	3.12	1.98	8.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122C	4/14/2015	NITRATE-NITRITE AS NITROGEN	118	mg/L					4.25	12.5
FSB122C	4/14/2015	CADMIUM	5.07	ug/L					0.1	1
FSB122C	4/14/2015	LEAD	5	ug/L	U				0.5	5
FSB122C	4/14/2015	GROSS ALPHA	19.7	pCi/L				7.07	3.48	17.6
FSB122C	4/14/2015	NONVOLATILE BETA	116	pCi/L				11	4.36	26.4
FSB122C	4/14/2015	TRITIUM	1200	pCi/mL				6.55	0.424	13.5
FSB122C	7/30/2015	NITRATE-NITRITE AS NITROGEN	102	mg/L					1.7	5
FSB122C	7/30/2015	ALUMINUM	1520	ug/L					40	400
FSB122C	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB122C	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB122C	7/30/2015	BARIUM	203	ug/L					2	20
FSB122C	7/30/2015	BERYLLIUM	4.32	ug/L					0.1	1
FSB122C	7/30/2015	CADMIUM	4.4	ug/L					0.1	1
FSB122C	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB122C	7/30/2015	COBALT	33.3	ug/L					0.5	5
FSB122C	7/30/2015	COPPER	4.76	ug/L	U		21, V		0.5	5
FSB122C	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB122C	7/30/2015	NICKEL	23.1	ug/L					0.5	5
FSB122C	7/30/2015	SELENIUM	20	ug/L	U				2	20
FSB122C	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB122C	7/30/2015	THALLIUM	0.188	ug/L	J		21		0.1	1
FSB122C	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB122C	7/30/2015	ZINC	123	ug/L					4	40
FSB122C	7/30/2015	GROSS ALPHA	17.1	pCi/L				6.24	3.53	16
FSB122C	7/30/2015	NONVOLATILE BETA	119	pCi/L				11.3	5.6	28.1
FSB122C	7/30/2015	TRITIUM	1040	pCi/mL				5.94	0.407	12.3
FSB122C	11/6/2015	NITRATE-NITRITE AS NITROGEN	100	mg/L					1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122C	11/6/2015	CADMIUM	4.52	ug/L					0.1	1
FSB122C	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB122C	11/6/2015	GROSS ALPHA	18.7	pCi/L				6.34	3.2	15.9
FSB122C	11/6/2015	NONVOLATILE BETA	107	pCi/L				10.7	5.78	27.3
FSB122C	11/6/2015	TRITIUM	1010	pCi/mL				5.47	0.51	11.5
FSB122D	1/22/2015	NITRATE-NITRITE AS NITROGEN	0.588	mg/L					0.017	0.05
FSB122D	1/22/2015	ALUMINUM	822	ug/L					40	400
FSB122D	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB122D	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB122D	1/22/2015	BARIUM	4.9	ug/L	J				2	20
FSB122D	1/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB122D	1/22/2015	CADMIUM	1	ug/L	U				0.1	1
FSB122D	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB122D	1/22/2015	COBALT	5	ug/L	U				0.5	5
FSB122D	1/22/2015	COPPER	21.1	ug/L					0.5	5
FSB122D	1/22/2015	LEAD	4.7	ug/L	J				0.5	5
FSB122D	1/22/2015	NICKEL	1.2	ug/L	J				0.5	5
FSB122D	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB122D	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB122D	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FSB122D	1/22/2015	TIN	10	ug/L	U				1	10
FSB122D	1/22/2015	VANADIUM	44.2	ug/L	U				5	50
FSB122D	1/22/2015	ZINC	18.8	ug/L	J				4	40
FSB122D	1/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB122D	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB122D	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB122D	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122D	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB122D	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB122D	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB122D	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB122D	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB122D	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB122D	1/22/2015	AMERICIUM-241	0.0427	pCi/L	U			0.061	0.0579	0.179
FSB122D	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.057	0.057
FSB122D	1/22/2015	CURIUM-243/244	0	pCi/L	U			0	0.057	0.057
FSB122D	1/22/2015	CURIUM-245/246	0.261	pCi/L	U			0.156	0.059	0.371
FSB122D	1/22/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0621	0.0621
FSB122D	1/22/2015	PLUTONIUM-239/240	0.00573	pCi/L	U			0.05	0.154	0.254
FSB122D	1/22/2015	THORIUM-228	0.0526	pCi/L	U			0.075	0.125	0.274
FSB122D	1/22/2015	THORIUM-230	0.0624	pCi/L	U			0.073	0.0564	0.202
FSB122D	1/22/2015	THORIUM-232	0.0208	pCi/L	U			0.042	0.0562	0.14
FSB122D	1/22/2015	URANIUM-233/234	0.0425	pCi/L	U			0.06	0.0575	0.178
FSB122D	1/22/2015	URANIUM-235	-0.00655	pCi/L	U			0.013	0.132	0.158
FSB122D	1/22/2015	URANIUM-238	-0.0106	pCi/L	U			0.015	0.127	0.157
FSB122D	1/22/2015	GROSS ALPHA	0.435	pCi/L	U			1.12	2.18	4.42
FSB122D	1/22/2015	NONVOLATILE BETA	0.401	pCi/L	U			2.17	3.93	8.27
FSB122D	1/22/2015	STRONTIUM-90	1.74	pCi/L	U			2.27	3.27	7.81
FSB122D	1/22/2015	CARBON-14	2.31	pCi/L	U			4.51	7.46	16.5
FSB122D	1/22/2015	TECHNETIUM-99	2.79	pCi/L	U			2.46	4	8.91
FSB122D	1/22/2015	TRITIUM	4.77	pCi/mL				0.489	0.535	1.51
FSB122D	1/22/2015	CESIUM-137	0.786	pCi/L	U			6.14	11.1	23.4
FSB122D	1/22/2015	COBALT-60	6	pCi/L	U			5.59	11.9	23.1
FSB122D	1/22/2015	IODINE-129	0.974	pCi/L	U			1.1	1.05	3.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122D	1/22/2015	RADIUM-226	1.09	pCi/L	J		21	0.55	0.696	1.8
FSB122D	1/22/2015	RADIUM-228	0.456	pCi/L	U			0.468	0.777	1.71
FSB122D	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.373	pCi/L	U			0.642	1.78	3.06
FSB122D	4/9/2015	NITRATE-NITRITE AS NITROGEN	0.76	mg/L					0.085	0.25
FSB122D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB122D	4/9/2015	LEAD	2.94	ug/L	J		21		0.5	5
FSB122D	4/9/2015	GROSS ALPHA	0.144	pCi/L	U			0.812	2.05	3.67
FSB122D	4/9/2015	NONVOLATILE BETA	2.94	pCi/L	U			2.77	4.11	9.65
FSB122D	4/9/2015	TRITIUM	4.72	pCi/mL				0.476	0.418	1.37
FSB122D	8/4/2015	NITRATE-NITRITE AS NITROGEN	2.08	mg/L					0.085	0.25
FSB122D	8/4/2015	ALUMINUM	874	ug/L					40	400
FSB122D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB122D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB122D	8/4/2015	BARIUM	9.5	ug/L	J		21		2	20
FSB122D	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB122D	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSB122D	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB122D	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSB122D	8/4/2015	COPPER	25	ug/L					0.5	5
FSB122D	8/4/2015	LEAD	3.11	ug/L	J		21		0.5	5
FSB122D	8/4/2015	NICKEL	0.925	ug/L	J		21		0.5	5
FSB122D	8/4/2015	SELENIUM	2.3	ug/L	U		21, V		2	20
FSB122D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB122D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB122D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB122D	8/4/2015	ZINC	101	ug/L			V		4	40
FSB122D	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122D	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB122D	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB122D	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.47	ug/L	J		21		1	5
FSB122D	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB122D	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB122D	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB122D	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB122D	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB122D	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB122D	8/4/2015	AMERICIUM-241	0.0586	pCi/L	U		V	0.083	0.14	0.307
FSB122D	8/4/2015	CURIUM-242	0.0507	pCi/L	U			0.072	0.0625	0.207
FSB122D	8/4/2015	CURIUM-243/244	-0.00578	pCi/L	U			0.012	0.116	0.139
FSB122D	8/4/2015	CURIUM-245/246	0.0955	pCi/L	U		21, V	0.097	0.0647	0.258
FSB122D	8/4/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0677	0.0677
FSB122D	8/4/2015	PLUTONIUM-239/240	0.0125	pCi/L	U		V	0.053	0.15	0.256
FSB122D	8/4/2015	THORIUM-228	0.00615	pCi/L	U			0.095	0.251	0.44
FSB122D	8/4/2015	THORIUM-230	0.181	pCi/L	U		21, V	0.14	0.145	0.425
FSB122D	8/4/2015	THORIUM-232	0	pCi/L	U		V	0	0.0652	0.0652
FSB122D	8/4/2015	URANIUM-233/234	0.122	pCi/L	U		V	0.111	0.15	0.371
FSB122D	8/4/2015	URANIUM-235	0.0251	pCi/L	U			0.05	0.0679	0.168
FSB122D	8/4/2015	URANIUM-238	0.0203	pCi/L	U		V	0.061	0.149	0.271
FSB122D	8/4/2015	GROSS ALPHA	1.29	pCi/L	U			1.64	2.16	5.44
FSB122D	8/4/2015	NONVOLATILE BETA	2.18	pCi/L	U			2.51	3.79	8.81
FSB122D	8/4/2015	STRONTIUM-90	1.05	pCi/L	U			2.15	3.23	7.52
FSB122D	8/4/2015	CARBON-14	38.2	pCi/L				5.22	7.35	17.8
FSB122D	8/4/2015	TECHNETIUM-99	4.52	pCi/L	J		21	2.57	4.1	9.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB122D	8/4/2015	TRITIUM	18	pCi/mL				0.851	0.448	2.15
FSB122D	8/4/2015	CESIUM-137	1.43	pCi/L	U			5.35	9.79	20.5
FSB122D	8/4/2015	COBALT-60	-1.19	pCi/L	U			4.78	8.7	18.3
FSB122D	8/4/2015	IODINE-129	2.25	pCi/L	J		21	0.885	0.967	2.74
FSB122D	8/4/2015	RADIUM-226	0.371	pCi/L	U			0.317	0.485	1.12
FSB122D	8/4/2015	RADIUM-228	0.347	pCi/L	U			0.313	0.509	1.14
FSB122D	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.155	pCi/L	U			0.637	1.58	2.85
FSB122D	10/30/2015	NITRATE-NITRITE AS NITROGEN	0.0318	mg/L	J		21		0.017	0.05
FSB122D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB122D	10/30/2015	LEAD	3.86	ug/L	J		21		0.5	5
FSB122D	10/30/2015	GROSS ALPHA	0.489	pCi/L	UJ			0.798	1.27	2.87
FSB122D	10/30/2015	NONVOLATILE BETA	0.801	pCi/L	UJ			1.83	2.85	6.5
FSB122D	10/30/2015	TRITIUM	1.55	pCi/mL				0.37	0.496	1.24
FSB123C	1/21/2015	NITRATE-NITRITE AS NITROGEN	2.62	mg/L					0.085	0.25
FSB123C	1/21/2015	ALUMINUM	1170	ug/L					40	400
FSB123C	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB123C	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB123C	1/21/2015	BARIUM	10.2	ug/L	J				2	20
FSB123C	1/21/2015	BERYLLIUM	0.126	ug/L	J				0.1	1
FSB123C	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB123C	1/21/2015	CHROMIUM	100	ug/L	U				10	100
FSB123C	1/21/2015	COBALT	5	ug/L	U				0.5	5
FSB123C	1/21/2015	COPPER	2.93	ug/L	J				0.5	5
FSB123C	1/21/2015	LEAD	1.54	ug/L	J				0.5	5
FSB123C	1/21/2015	NICKEL	0.707	ug/L	J				0.5	5
FSB123C	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB123C	1/21/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB123C	1/21/2015	THALLIUM	1	ug/L	U				0.1	1
FSB123C	1/21/2015	TIN	10	ug/L	U				1	10
FSB123C	1/21/2015	VANADIUM	38.6	ug/L	U				5	50
FSB123C	1/21/2015	ZINC	13.4	ug/L	J				4	40
FSB123C	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB123C	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB123C	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB123C	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB123C	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB123C	1/21/2015	TRICHLOROETHYLENE (TCE)	0.67	ug/L	J		21		0.3	1
FSB123C	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB123C	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB123C	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB123C	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB123C	1/21/2015	AMERICIUM-241	0	pCi/L	U			0	0.118	0.118
FSB123C	1/21/2015	CURIUM-242	0	pCi/L	U			0	0.117	0.117
FSB123C	1/21/2015	CURIUM-243/244	0	pCi/L	U			0	0.117	0.117
FSB123C	1/21/2015	CURIUM-245/246	0.178	pCi/L	U			0.181	0.121	0.483
FSB123C	1/21/2015	PLUTONIUM-238	-0.00592	pCi/L	U			0.012	0.119	0.143
FSB123C	1/21/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0641	0.0641
FSB123C	1/21/2015	THORIUM-228	-0.0181	pCi/L	U			0.021	0.161	0.204
FSB123C	1/21/2015	THORIUM-230	0.042	pCi/L	U			0.069	0.121	0.26
FSB123C	1/21/2015	THORIUM-232	0	pCi/L	U			0	0.065	0.065
FSB123C	1/21/2015	URANIUM-233/234	-0.0119	pCi/L	U			0.017	0.142	0.176
FSB123C	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0793	0.0793
FSB123C	1/21/2015	URANIUM-238	0.0473	pCi/L	U			0.067	0.0642	0.199

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB123C	1/21/2015	GROSS ALPHA	0.0565	pCi/L	U			0.843	2.22	3.9
FSB123C	1/21/2015	NONVOLATILE BETA	2.53	pCi/L	U			2.59	3.92	9.11
FSB123C	1/21/2015	STRONTIUM-90	0.471	pCi/L	U			1.98	3.11	7.07
FSB123C	1/21/2015	CARBON-14	-1.98	pCi/L	UJ			4.21	7.13	15.6
FSB123C	1/21/2015	TECHNETIUM-99	1.75	pCi/L	U			2.48	4.09	9.05
FSB123C	1/21/2015	TRITIUM	1.06	pCi/mL	J		21	0.34	0.485	1.16
FSB123C	1/21/2015	CESIUM-137	2.09	pCi/L	U			5.46	10.3	21.2
FSB123C	1/21/2015	COBALT-60	2.23	pCi/L	U			5.21	10.4	20.8
FSB123C	1/21/2015	IODINE-129	0.476	pCi/L	U			0.553	0.993	2.1
FSB123C	1/21/2015	RADIUM-226	0.593	pCi/L	J		21	0.298	0.383	0.979
FSB123C	1/21/2015	RADIUM-228	0.377	pCi/L	U			0.482	0.819	1.78
FSB123C	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.126	pCi/L	U			0.38	0.716	1.48
FSB123D	1/21/2015	NITRATE-NITRITE AS NITROGEN	1.81	mg/L					0.085	0.25
FSB123D	1/21/2015	ALUMINUM	47.5	ug/L	J				40	400
FSB123D	1/21/2015	ANTIMONY	10	ug/L	U				1	10
FSB123D	1/21/2015	ARSENIC	50	ug/L	U				5	50
FSB123D	1/21/2015	BARIUM	8.77	ug/L	J				2	20
FSB123D	1/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB123D	1/21/2015	CADMIUM	1	ug/L	U				0.1	1
FSB123D	1/21/2015	CHROMIUM	10.2	ug/L	J				10	100
FSB123D	1/21/2015	COBALT	0.773	ug/L	J				0.5	5
FSB123D	1/21/2015	COPPER	30.6	ug/L					0.5	5
FSB123D	1/21/2015	LEAD	2.31	ug/L	J				0.5	5
FSB123D	1/21/2015	NICKEL	0.549	ug/L	J				0.5	5
FSB123D	1/21/2015	SELENIUM	20	ug/L	U				2	20
FSB123D	1/21/2015	SILVER	5	ug/L	U				0.5	5
FSB123D	1/21/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB123D	1/21/2015	TIN	10	ug/L	U				1	10
FSB123D	1/21/2015	VANADIUM	39.7	ug/L	U				5	50
FSB123D	1/21/2015	ZINC	12.3	ug/L	J				4	40
FSB123D	1/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB123D	1/21/2015	BENZENE	1	ug/L	U				0.3	1
FSB123D	1/21/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB123D	1/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB123D	1/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB123D	1/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB123D	1/21/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB123D	1/21/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB123D	1/21/2015	CYANIDE	5	ug/L	U				1.67	5
FSB123D	1/21/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB123D	1/21/2015	AMERICIUM-241	0.0705	pCi/L	U			0.082	0.0637	0.228
FSB123D	1/21/2015	CURIUM-242	0.024	pCi/L	U			0.048	0.0627	0.159
FSB123D	1/21/2015	CURIUM-243/244	-0.00579	pCi/L	U			0.012	0.117	0.14
FSB123D	1/21/2015	CURIUM-245/246	0.144	pCi/L	U			0.12	0.0649	0.304
FSB123D	1/21/2015	PLUTONIUM-238	0.0225	pCi/L	U			0.045	0.0611	0.152
FSB123D	1/21/2015	PLUTONIUM-239/240	-0.00564	pCi/L	U			0.011	0.114	0.136
FSB123D	1/21/2015	THORIUM-228	-0.00564	pCi/L	U			0.011	0.113	0.135
FSB123D	1/21/2015	THORIUM-230	0.0561	pCi/L	U			0.08	0.135	0.294
FSB123D	1/21/2015	THORIUM-232	-0.0056	pCi/L	U			0.011	0.113	0.135
FSB123D	1/21/2015	URANIUM-233/234	0.0629	pCi/L	U			0.081	0.115	0.276
FSB123D	1/21/2015	URANIUM-235	0	pCi/L	U			0	0.0764	0.0764
FSB123D	1/21/2015	URANIUM-238	0.0228	pCi/L	U			0.046	0.0618	0.153
FSB123D	1/21/2015	GROSS ALPHA	2.35	pCi/L	J		21	2.05	2.19	6.29

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB123D	1/21/2015	NONVOLATILE BETA	0.993	pCi/L	U			2.32	3.97	8.62
FSB123D	1/21/2015	STRONTIUM-90	1.23	pCi/L	U			2.2	3.1	7.5
FSB123D	1/21/2015	CARBON-14	-2	pCi/L	UJ			4.19	7.11	15.5
FSB123D	1/21/2015	TECHNETIUM-99	1.59	pCi/L	U			2.47	4.08	9.02
FSB123D	1/21/2015	TRITIUM	1.61	pCi/mL				0.383	0.521	1.29
FSB123D	1/21/2015	CESIUM-137	-2.73	pCi/L	U			5.54	9.47	20.5
FSB123D	1/21/2015	COBALT-60	0.839	pCi/L	U			4.89	9.35	19.1
FSB123D	1/21/2015	IODINE-129	-0.498	pCi/L	U			0.58	0.929	2.09
FSB123D	1/21/2015	RADIUM-226	0.789	pCi/L	J		21	0.31	0.354	0.974
FSB123D	1/21/2015	RADIUM-228	-0.00692	pCi/L	U			0.45	0.83	1.73
FSB123D	1/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.423	pCi/L	U			0.501	0.837	1.84
FSB123D	4/9/2015	NITRATE-NITRITE AS NITROGEN	1.65	mg/L					0.085	0.25
FSB123D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSB123D	4/9/2015	LEAD	1.78	ug/L	J		21		0.5	5
FSB123D	4/9/2015	GROSS ALPHA	2.49	pCi/L	J		21	2.09	2.07	6.25
FSB123D	4/9/2015	NONVOLATILE BETA	1.83	pCi/L	U			2.74	4.44	9.92
FSB123D	4/9/2015	TRITIUM	1.81	pCi/mL				0.347	0.414	1.11
FSB123D	7/28/2015	NITRATE-NITRITE AS NITROGEN	1.61	mg/L					0.085	0.25
FSB123D	7/28/2015	ALUMINUM	55.5	ug/L	J		21		40	400
FSB123D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB123D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB123D	7/28/2015	BARIUM	7.41	ug/L	J		21		2	20
FSB123D	7/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB123D	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSB123D	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB123D	7/28/2015	COBALT	0.673	ug/L	J		21		0.5	5
FSB123D	7/28/2015	COPPER	23.7	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB123D	7/28/2015	LEAD	2.06	ug/L	J		21		0.5	5
FSB123D	7/28/2015	NICKEL	1.54	ug/L	J		21		0.5	5
FSB123D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB123D	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB123D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB123D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB123D	7/28/2015	ZINC	9.73	ug/L	J		21		4	40
FSB123D	7/28/2015	GROSS ALPHA	0.506	pCi/L	U			0.914	1.31	3.13
FSB123D	7/28/2015	NONVOLATILE BETA	1.74	pCi/L	U			1.79	2.53	6.11
FSB123D	7/28/2015	TRITIUM	2.1	pCi/mL				0.39	0.483	1.26
FSB123D	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.13	mg/L					0.085	0.25
FSB123D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB123D	10/30/2015	LEAD	2.69	ug/L	J		21		0.5	5
FSB123D	10/30/2015	GROSS ALPHA	1.27	pCi/L	UJ			1.12	1.28	3.51
FSB123D	10/30/2015	NONVOLATILE BETA	0.469	pCi/L	UJ			1.82	2.93	6.58
FSB123D	10/30/2015	TRITIUM	1.83	pCi/mL				0.379	0.488	1.25
FSB124D	1/26/2015	NITRATE-NITRITE AS NITROGEN	31.4	mg/L					0.85	2.5
FSB124D	1/26/2015	ALUMINUM	2450	ug/L					40	400
FSB124D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB124D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSB124D	1/26/2015	BARIUM	222	ug/L					2	20
FSB124D	1/26/2015	BERYLLIUM	0.51	ug/L	J				0.1	1
FSB124D	1/26/2015	CADMIUM	1.17	ug/L					0.1	1
FSB124D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB124D	1/26/2015	COBALT	36	ug/L					0.5	5
FSB124D	1/26/2015	COPPER	10.5	ug/L					0.5	5
FSB124D	1/26/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB124D	1/26/2015	NICKEL	19.6	ug/L					0.5	5
FSB124D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSB124D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB124D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSB124D	1/26/2015	TIN	10	ug/L	U				1	10
FSB124D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSB124D	1/26/2015	ZINC	10.7	ug/L	J				4	40
FSB124D	1/26/2015	MERCURY	0.296	ug/L					0.02	0.2
FSB124D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB124D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB124D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB124D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB124D	1/26/2015	TRICHLOROETHYLENE (TCE)	0.51	ug/L	J		21		0.3	1
FSB124D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB124D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB124D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB124D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB124D	1/26/2015	AMERICIUM-241	0.585	pCi/L				0.256	0.066	0.577
FSB124D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.065	0.065
FSB124D	1/26/2015	CURIUM-243/244	0.096	pCi/L	J		21	0.097	0.065	0.259
FSB124D	1/26/2015	CURIUM-245/246	0.199	pCi/L	U			0.144	0.0673	0.355
FSB124D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0672	0.0672
FSB124D	1/26/2015	PLUTONIUM-239/240	0.0062	pCi/L	U			0.054	0.167	0.275
FSB124D	1/26/2015	THORIUM-228	0.165	pCi/L	U			0.146	0.219	0.51
FSB124D	1/26/2015	THORIUM-230	0.0218	pCi/L	U			0.044	0.0591	0.147
FSB124D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.059	0.059

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB124D	1/26/2015	URANIUM-233/234	50.2	pCi/L				8.36	0.0626	16.8
FSB124D	1/26/2015	URANIUM-235	2.32	pCi/L				0.654	0.171	1.48
FSB124D	1/26/2015	URANIUM-238	58.8	pCi/L				9.46	0.138	19.1
FSB124D	1/26/2015	GROSS ALPHA	119	pCi/L				14.6	2.63	31.8
FSB124D	1/26/2015	NONVOLATILE BETA	161	pCi/L				12.9	6.18	31.9
FSB124D	1/26/2015	STRONTIUM-90	68.5	pCi/L				9.58	3.26	22.4
FSB124D	1/26/2015	CARBON-14	-2.02	pCi/L	U			4.31	7.3	15.9
FSB124D	1/26/2015	TECHNETIUM-99	12.2	pCi/L				2.74	4.01	9.5
FSB124D	1/26/2015	TRITIUM	247	pCi/mL				2.71	0.531	5.95
FSB124D	1/26/2015	CESIUM-137	-1.31	pCi/L	U			6.81	11.8	25.5
FSB124D	1/26/2015	COBALT-60	0.0358	pCi/L	U			5.8	10.8	22.4
FSB124D	1/26/2015	IODINE-129	22	pCi/L				3.64	1.2	8.49
FSB124D	1/26/2015	RADIUM-226	26.7	pCi/L				1.78	0.491	4.05
FSB124D	1/26/2015	RADIUM-228	11.8	pCi/L				1.11	0.52	2.74
FSB124D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	21.8	pCi/L				1.35	0.784	3.48
FSB124D	4/15/2015	NITRATE-NITRITE AS NITROGEN	31.5	mg/L					0.85	2.5
FSB124D	4/15/2015	CADMIUM	1.57	ug/L					0.1	1
FSB124D	4/15/2015	LEAD	5	ug/L	U				0.5	5
FSB124D	4/15/2015	GROSS ALPHA	111	pCi/L				14	2.52	30.5
FSB124D	4/15/2015	NONVOLATILE BETA	205	pCi/L				14.4	6.08	34.8
FSB124D	4/15/2015	TRITIUM	210	pCi/mL				2.74	0.461	5.94
FSB124D	7/30/2015	NITRATE-NITRITE AS NITROGEN	27	mg/L					1.7	5
FSB124D	7/30/2015	ALUMINUM	4100	ug/L					40	400
FSB124D	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB124D	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB124D	7/30/2015	BARIUM	287	ug/L					2	20
FSB124D	7/30/2015	BERYLLIUM	0.721	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB124D	7/30/2015	CADMIUM	1.39	ug/L					0.1	1
FSB124D	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB124D	7/30/2015	COBALT	31.3	ug/L					0.5	5
FSB124D	7/30/2015	COPPER	13	ug/L			V		0.5	5
FSB124D	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB124D	7/30/2015	NICKEL	14.1	ug/L					0.5	5
FSB124D	7/30/2015	SELENIUM	20	ug/L	U				2	20
FSB124D	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB124D	7/30/2015	THALLIUM	1	ug/L	U				0.1	1
FSB124D	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB124D	7/30/2015	ZINC	14.6	ug/L	J		21		4	40
FSB124D	7/30/2015	GROSS ALPHA	113	pCi/L				14.3	3.22	31.8
FSB124D	7/30/2015	NONVOLATILE BETA	243	pCi/L				16.6	11.1	44.3
FSB124D	7/30/2015	TRITIUM	175	pCi/mL				2.48	0.419	5.39
FSB124D	11/6/2015	NITRATE-NITRITE AS NITROGEN	21.9	mg/L					0.85	2.5
FSB124D	11/6/2015	CADMIUM	1.53	ug/L					0.1	1
FSB124D	11/6/2015	LEAD	5.38	ug/L					0.5	5
FSB124D	11/6/2015	GROSS ALPHA	121	pCi/L				14.6	2.99	32.2
FSB124D	11/6/2015	NONVOLATILE BETA	225	pCi/L				16.2	11.6	44
FSB124D	11/6/2015	TRITIUM	201	pCi/mL				2.7	0.466	5.87
FSB125DR	1/26/2015	NITRATE-NITRITE AS NITROGEN	58	mg/L					0.85	2.5
FSB125DR	1/26/2015	ALUMINUM	6140	ug/L					40	400
FSB125DR	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB125DR	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSB125DR	1/26/2015	BARIUM	138	ug/L					2	20
FSB125DR	1/26/2015	BERYLLIUM	1.61	ug/L					0.1	1
FSB125DR	1/26/2015	CADMIUM	5.16	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB125DR	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB125DR	1/26/2015	COBALT	104	ug/L					0.5	5
FSB125DR	1/26/2015	COPPER	24	ug/L					0.5	5
FSB125DR	1/26/2015	LEAD	0.569	ug/L	J				0.5	5
FSB125DR	1/26/2015	NICKEL	14.1	ug/L					0.5	5
FSB125DR	1/26/2015	SELENIUM	5.74	ug/L	J				2	20
FSB125DR	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB125DR	1/26/2015	THALLIUM	0.192	ug/L	J				0.1	1
FSB125DR	1/26/2015	TIN	10	ug/L	U				1	10
FSB125DR	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSB125DR	1/26/2015	ZINC	36.9	ug/L	J				4	40
FSB125DR	1/26/2015	MERCURY	0.921	ug/L					0.02	0.2
FSB125DR	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB125DR	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB125DR	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB125DR	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB125DR	1/26/2015	TRICHLOROETHYLENE (TCE)	4.26	ug/L					0.3	1
FSB125DR	1/26/2015	TRICHLOROFLUOROMETHANE	0.76	ug/L	J		21		0.3	1
FSB125DR	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB125DR	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB125DR	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB125DR	1/26/2015	AMERICIUM-241	1.89	pCi/L				0.529	0.0674	1.12
FSB125DR	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0664	0.0664
FSB125DR	1/26/2015	CURIUM-243/244	2.86	pCi/L				0.699	0.123	1.52
FSB125DR	1/26/2015	CURIUM-245/246	1.57	pCi/L				0.471	0.0687	1.01
FSB125DR	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0693	0.0693

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB125DR	1/26/2015	PLUTONIUM-239/240	0.0256	pCi/L	U			0.051	0.0693	0.172
FSB125DR	1/26/2015	THORIUM-228	0.0491	pCi/L	U			0.118	0.261	0.497
FSB125DR	1/26/2015	THORIUM-230	0.073	pCi/L	U			0.085	0.0659	0.236
FSB125DR	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0658	0.0658
FSB125DR	1/26/2015	URANIUM-233/234	52.7	pCi/L				8.82	0.0687	17.7
FSB125DR	1/26/2015	URANIUM-235	4.18	pCi/L				1.02	0.157	2.21
FSB125DR	1/26/2015	URANIUM-238	79.3	pCi/L				12.7	0.0685	25.6
FSB125DR	1/26/2015	GROSS ALPHA	135	pCi/L				16.3	2.99	35.6
FSB125DR	1/26/2015	NONVOLATILE BETA	355	pCi/L				18.8	6.46	44.1
FSB125DR	1/26/2015	STRONTIUM-90	154	pCi/L				18.6	3.27	40.5
FSB125DR	1/26/2015	CARBON-14	-2.61	pCi/L	U			4.32	7.34	16
FSB125DR	1/26/2015	TECHNETIUM-99	28.9	pCi/L				3.15	3.97	10.3
FSB125DR	1/26/2015	TRITIUM	850	pCi/mL				5.02	0.533	10.6
FSB125DR	1/26/2015	CESIUM-137	1.03	pCi/L	U			6.25	11.3	23.8
FSB125DR	1/26/2015	COBALT-60	2.03	pCi/L	U			6.06	10.5	22.6
FSB125DR	1/26/2015	IODINE-129	40.3	pCi/L				6.36	1.38	14.1
FSB125DR	1/26/2015	RADIUM-226	18.7	pCi/L				1.4	0.431	3.23
FSB125DR	1/26/2015	RADIUM-228	6.3	pCi/L				0.77	0.524	2.06
FSB125DR	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	16.5	pCi/L				1.25	0.802	3.3
FSB125DR	4/15/2015	NITRATE-NITRITE AS NITROGEN	69.8	mg/L					1.7	5
FSB125DR	4/15/2015	CADMIUM	7.14	ug/L					0.1	1
FSB125DR	4/15/2015	LEAD	5	ug/L	U				0.5	5
FSB125DR	4/15/2015	GROSS ALPHA	97.8	pCi/L				14.2	3	31.3
FSB125DR	4/15/2015	NONVOLATILE BETA	350	pCi/L				18.7	5.96	43.4
FSB125DR	4/15/2015	TRITIUM	873	pCi/mL				5.58	0.463	11.6
FSB125DR	7/30/2015	NITRATE-NITRITE AS NITROGEN	65.3	mg/L					1.7	5
FSB125DR	7/30/2015	ALUMINUM	8310	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB125DR	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB125DR	7/30/2015	ARSENIC	50	ug/L	U				5	50
FSB125DR	7/30/2015	BARIUM	107	ug/L					2	20
FSB125DR	7/30/2015	BERYLLIUM	2.57	ug/L					0.1	1
FSB125DR	7/30/2015	CADMIUM	4.07	ug/L					0.1	1
FSB125DR	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB125DR	7/30/2015	COBALT	110	ug/L					0.5	5
FSB125DR	7/30/2015	COPPER	17.5	ug/L			V		0.5	5
FSB125DR	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB125DR	7/30/2015	NICKEL	14.4	ug/L					0.5	5
FSB125DR	7/30/2015	SELENIUM	4.62	ug/L	J		21		2	20
FSB125DR	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB125DR	7/30/2015	THALLIUM	0.169	ug/L	J		21		0.1	1
FSB125DR	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB125DR	7/30/2015	ZINC	34.8	ug/L	J		21		4	40
FSB125DR	7/30/2015	GROSS ALPHA	119	pCi/L				16	4.12	36
FSB125DR	7/30/2015	NONVOLATILE BETA	412	pCi/L				21	10.4	52.4
FSB125DR	7/30/2015	TRITIUM	819	pCi/mL				5.27	0.408	11
FSB125DR	11/6/2015	NITRATE-NITRITE AS NITROGEN	64	mg/L					1.7	5
FSB125DR	11/6/2015	CADMIUM	4.83	ug/L					0.1	1
FSB125DR	11/6/2015	LEAD	0.808	ug/L	J		21		0.5	5
FSB125DR	11/6/2015	GROSS ALPHA	130	pCi/L				16.2	3.75	36.2
FSB125DR	11/6/2015	NONVOLATILE BETA	379	pCi/L				20.3	11.1	51.7
FSB125DR	11/6/2015	TRITIUM	934	pCi/mL				5.66	0.506	11.8
FSB126D	1/26/2015	NITRATE-NITRITE AS NITROGEN	100	mg/L					1.7	5
FSB126D	1/26/2015	ALUMINUM	15000	ug/L					40	400
FSB126D	1/26/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB126D	1/26/2015	ARSENIC	5.22	ug/L	J				5	50
FSB126D	1/26/2015	BARIUM	290	ug/L					2	20
FSB126D	1/26/2015	BERYLLIUM	2.58	ug/L					0.1	1
FSB126D	1/26/2015	CADMIUM	8.71	ug/L					0.1	1
FSB126D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB126D	1/26/2015	COBALT	222	ug/L					0.5	5
FSB126D	1/26/2015	COPPER	30	ug/L					0.5	5
FSB126D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSB126D	1/26/2015	NICKEL	41.1	ug/L					0.5	5
FSB126D	1/26/2015	SELENIUM	38.1	ug/L					2	20
FSB126D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB126D	1/26/2015	THALLIUM	0.532	ug/L	J				0.1	1
FSB126D	1/26/2015	TIN	10	ug/L	U				1	10
FSB126D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSB126D	1/26/2015	ZINC	58	ug/L					4	40
FSB126D	1/26/2015	MERCURY	0.542	ug/L					0.02	0.2
FSB126D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB126D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB126D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB126D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB126D	1/26/2015	TRICHLOROETHYLENE (TCE)	7.66	ug/L					0.3	1
FSB126D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB126D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB126D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB126D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB126D	1/26/2015	AMERICIUM-241	9.74	pCi/L				1.8	0.0607	3.65

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB126D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0598	0.0598
FSB126D	1/26/2015	CURIUM-243/244	13.1	pCi/L				2.32	0.0598	4.71
FSB126D	1/26/2015	CURIUM-245/246	1.32	pCi/L				0.405	0.0619	0.872
FSB126D	1/26/2015	PLUTONIUM-238	0.0451	pCi/L	U			0.064	0.0611	0.19
FSB126D	1/26/2015	PLUTONIUM-239/240	0.0338	pCi/L	U			0.066	0.135	0.267
FSB126D	1/26/2015	THORIUM-228	0.0987	pCi/L	U			0.119	0.204	0.441
FSB126D	1/26/2015	THORIUM-230	0.046	pCi/L	U			0.066	0.0624	0.193
FSB126D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0623	0.0623
FSB126D	1/26/2015	URANIUM-233/234	119	pCi/L				20.4	0.158	41
FSB126D	1/26/2015	URANIUM-235	8.14	pCi/L				1.84	0.195	3.88
FSB126D	1/26/2015	URANIUM-238	177	pCi/L				29.3	0.187	58.7
FSB126D	1/26/2015	GROSS ALPHA	278	pCi/L				24.1	3.23	51.4
FSB126D	1/26/2015	NONVOLATILE BETA	481	pCi/L				22.1	8.29	52.5
FSB126D	1/26/2015	STRONTIUM-90	174	pCi/L				20.6	3.36	44.5
FSB126D	1/26/2015	CARBON-14	-0.245	pCi/L	U			4.35	7.3	16
FSB126D	1/26/2015	TECHNETIUM-99	72.5	pCi/L				4.26	4.38	12.9
FSB126D	1/26/2015	TRITIUM	1170	pCi/mL				6.5	0.435	13.4
FSB126D	1/26/2015	CESIUM-137	-7.28	pCi/L	U			5.37	8.21	18.9
FSB126D	1/26/2015	COBALT-60	4.02	pCi/L	U			4.06	8.77	16.9
FSB126D	1/26/2015	IODINE-129	57.1	pCi/L				8.94	1.46	19.3
FSB126D	1/26/2015	RADIUM-226	47.2	pCi/L				2.28	0.457	5.02
FSB126D	1/26/2015	RADIUM-228	1.19	pCi/L	J		21	0.444	0.59	1.48
FSB126D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	27.2	pCi/L				1.54	0.631	3.71
FSB126D	4/16/2015	NITRATE-NITRITE AS NITROGEN	97.4	mg/L					1.7	5
FSB126D	4/16/2015	CADMIUM	9.56	ug/L					0.1	1
FSB126D	4/16/2015	LEAD	5	ug/L	U				0.5	5
FSB126D	4/16/2015	GROSS ALPHA	261	pCi/L				25.1	4.55	54.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB126D	4/16/2015	NONVOLATILE BETA	484	pCi/L				23.4	13.7	60.4
FSB126D	4/16/2015	TRITIUM	1160	pCi/mL				6.46	0.466	13.4
FSB126D	7/30/2015	NITRATE-NITRITE AS NITROGEN	93.4	mg/L					1.7	5
FSB126D	7/30/2015	ALUMINUM	19900	ug/L					40	400
FSB126D	7/30/2015	ANTIMONY	10	ug/L	U				1	10
FSB126D	7/30/2015	ARSENIC	5.57	ug/L	J		21		5	50
FSB126D	7/30/2015	BARIUM	284	ug/L					2	20
FSB126D	7/30/2015	BERYLLIUM	3.17	ug/L					0.1	1
FSB126D	7/30/2015	CADMIUM	8.36	ug/L					0.1	1
FSB126D	7/30/2015	CHROMIUM	100	ug/L	U				10	100
FSB126D	7/30/2015	COBALT	183	ug/L					0.5	5
FSB126D	7/30/2015	COPPER	30	ug/L			V		0.5	5
FSB126D	7/30/2015	LEAD	5	ug/L	U				0.5	5
FSB126D	7/30/2015	NICKEL	34.7	ug/L					0.5	5
FSB126D	7/30/2015	SELENIUM	39	ug/L					2	20
FSB126D	7/30/2015	SILVER	5	ug/L	U				0.5	5
FSB126D	7/30/2015	THALLIUM	0.511	ug/L	J		21		0.1	1
FSB126D	7/30/2015	VANADIUM	50	ug/L	U				5	50
FSB126D	7/30/2015	ZINC	59.9	ug/L					4	40
FSB126D	7/30/2015	GROSS ALPHA	294	pCi/L				25.3	4.31	54.9
FSB126D	7/30/2015	NONVOLATILE BETA	472	pCi/L				23.3	15.3	61.9
FSB126D	7/30/2015	TRITIUM	1070	pCi/mL				6.04	0.41	12.5
FSB126D	11/6/2015	NITRATE-NITRITE AS NITROGEN	73.5	mg/L					1.7	5
FSB126D	11/6/2015	CADMIUM	11	ug/L					0.1	1
FSB126D	11/6/2015	LEAD	1.75	ug/L	J		21		0.5	5
FSB126D	11/6/2015	GROSS ALPHA	278	pCi/L				24.3	4.15	52.8
FSB126D	11/6/2015	NONVOLATILE BETA	491	pCi/L				23.7	15.1	62.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB126D	11/6/2015	TRITIUM	1150	pCi/mL				6.46	0.47	13.4
FSB127D	1/22/2015	NITRATE-NITRITE AS NITROGEN	3.8	mg/L					0.17	0.5
FSB127D	1/22/2015	ALUMINUM	53.5	ug/L	J				40	400
FSB127D	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB127D	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB127D	1/22/2015	BARIUM	66.3	ug/L					2	20
FSB127D	1/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB127D	1/22/2015	CADMIUM	0.121	ug/L	J				0.1	1
FSB127D	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB127D	1/22/2015	COBALT	30.5	ug/L					0.5	5
FSB127D	1/22/2015	COPPER	6.24	ug/L					0.5	5
FSB127D	1/22/2015	LEAD	5	ug/L	U				0.5	5
FSB127D	1/22/2015	NICKEL	9.25	ug/L					0.5	5
FSB127D	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB127D	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB127D	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FSB127D	1/22/2015	TIN	10	ug/L	U				1	10
FSB127D	1/22/2015	VANADIUM	47.7	ug/L	U				5	50
FSB127D	1/22/2015	ZINC	7.88	ug/L	J				4	40
FSB127D	1/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB127D	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB127D	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB127D	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB127D	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB127D	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB127D	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB127D	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB127D	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB127D	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB127D	1/22/2015	AMERICIUM-241	0.044	pCi/L	U			0.063	0.0596	0.185
FSB127D	1/22/2015	CURIUM-242	-0.00568	pCi/L	U			0.011	0.109	0.132
FSB127D	1/22/2015	CURIUM-243/244	0	pCi/L	U			0	0.0587	0.0587
FSB127D	1/22/2015	CURIUM-245/246	0.134	pCi/L	U			0.112	0.0607	0.284
FSB127D	1/22/2015	PLUTONIUM-238	0.0177	pCi/L	U			0.049	0.119	0.216
FSB127D	1/22/2015	PLUTONIUM-239/240	0.0177	pCi/L	U			0.049	0.119	0.216
FSB127D	1/22/2015	THORIUM-228	-0.0568	pCi/L	U			0.052	0.354	0.459
FSB127D	1/22/2015	THORIUM-230	0.0449	pCi/L	U			0.09	0.122	0.302
FSB127D	1/22/2015	THORIUM-232	0	pCi/L	U			0	0.121	0.121
FSB127D	1/22/2015	URANIUM-233/234	0.0488	pCi/L	U			0.07	0.0661	0.205
FSB127D	1/22/2015	URANIUM-235	0	pCi/L	U			0	0.0816	0.0816
FSB127D	1/22/2015	URANIUM-238	0.0852	pCi/L	U			0.1	0.146	0.346
FSB127D	1/22/2015	GROSS ALPHA	2.34	pCi/L	J		21	2.04	2.19	6.28
FSB127D	1/22/2015	NONVOLATILE BETA	2.63	pCi/L	U			2.63	3.97	9.24
FSB127D	1/22/2015	STRONTIUM-90	-0.328	pCi/L	U			1.83	3.24	6.91
FSB127D	1/22/2015	CARBON-14	51.6	pCi/L	J			5.25	6.93	17.4
FSB127D	1/22/2015	TECHNETIUM-99	-1.29	pCi/L	UJ			2.58	4.41	9.56
FSB127D	1/22/2015	TRITIUM	27.5	pCi/mL				0.952	0.531	2.44
FSB127D	1/22/2015	CESIUM-137	2.88	pCi/L	U			5.66	10.7	22
FSB127D	1/22/2015	COBALT-60	-3.31	pCi/L	U			5.58	9.41	20.6
FSB127D	1/22/2015	IODINE-129	0.938	pCi/L	U			0.614	1.11	2.33
FSB127D	1/22/2015	RADIUM-226	1.33	pCi/L	J		21	0.668	0.86	2.2
FSB127D	1/22/2015	RADIUM-228	0.589	pCi/L	U		21, V	0.317	0.459	1.09
FSB127D	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.432	pCi/L	U			0.805	1.52	3.13

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB127D	4/20/2015	NITRATE-NITRITE AS NITROGEN	2.96	mg/L					0.085	0.25
FSB127D	4/20/2015	CADMIUM	1	ug/L	U				0.1	1
FSB127D	4/20/2015	LEAD	5	ug/L	U				0.5	5
FSB127D	4/20/2015	GROSS ALPHA	4.07	pCi/L	J		21	2.62	2.07	7.3
FSB127D	4/20/2015	NONVOLATILE BETA	-0.0246	pCi/L	U			2.52	4.65	9.68
FSB127D	4/20/2015	TRITIUM	18.9	pCi/mL				0.824	0.404	2.05
FSB127D	7/28/2015	NITRATE-NITRITE AS NITROGEN	3.11	mg/L					0.17	0.5
FSB127D	7/28/2015	ALUMINUM	400	ug/L	U				40	400
FSB127D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB127D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB127D	7/28/2015	BARIUM	38.6	ug/L					2	20
FSB127D	7/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB127D	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSB127D	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB127D	7/28/2015	COBALT	16.3	ug/L					0.5	5
FSB127D	7/28/2015	COPPER	6.06	ug/L					0.5	5
FSB127D	7/28/2015	LEAD	5	ug/L	U				0.5	5
FSB127D	7/28/2015	NICKEL	5.85	ug/L					0.5	5
FSB127D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB127D	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSB127D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB127D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB127D	7/28/2015	ZINC	6.21	ug/L	J		21		4	40
FSB127D	7/28/2015	GROSS ALPHA	0.906	pCi/L	U			1.08	1.32	3.47
FSB127D	7/28/2015	NONVOLATILE BETA	1.96	pCi/L	U			1.82	2.54	6.18
FSB127D	7/28/2015	TRITIUM	22.7	pCi/mL				0.953	0.481	2.39
FSB127D	10/30/2015	NITRATE-NITRITE AS NITROGEN	4.78	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB127D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSB127D	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB127D	10/30/2015	GROSS ALPHA	1.17	pCi/L	U			1.59	2.27	5.46
FSB127D	10/30/2015	NONVOLATILE BETA	1.75	pCi/L	U			2.55	3.95	9.05
FSB127D	10/30/2015	TRITIUM	29	pCi/mL				0.971	0.508	2.45
FSB128D	1/26/2015	NITRATE-NITRITE AS NITROGEN	40.4	mg/L					0.85	2.5
FSB128D	1/26/2015	ALUMINUM	3840	ug/L					40	400
FSB128D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB128D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSB128D	1/26/2015	BARIUM	154	ug/L					2	20
FSB128D	1/26/2015	BERYLLIUM	1.51	ug/L					0.1	1
FSB128D	1/26/2015	CADMIUM	8.4	ug/L					0.1	1
FSB128D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB128D	1/26/2015	COBALT	46.6	ug/L					0.5	5
FSB128D	1/26/2015	COPPER	10.6	ug/L					0.5	5
FSB128D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSB128D	1/26/2015	NICKEL	16.3	ug/L					0.5	5
FSB128D	1/26/2015	SELENIUM	4.08	ug/L	J				2	20
FSB128D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB128D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSB128D	1/26/2015	TIN	10	ug/L	U				1	10
FSB128D	1/26/2015	VANADIUM	8.35	ug/L	J				5	50
FSB128D	1/26/2015	ZINC	26.8	ug/L	J				4	40
FSB128D	1/26/2015	MERCURY	0.0749	ug/L	J		21		0.02	0.2
FSB128D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB128D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB128D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB128D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB128D	1/26/2015	TRICHLOROETHYLENE (TCE)	0.45	ug/L	J		21		0.3	1
FSB128D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB128D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB128D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB128D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB128D	1/26/2015	AMERICIUM-241	0.0326	pCi/L	U			0.065	0.0883	0.219
FSB128D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.087	0.087
FSB128D	1/26/2015	CURIUM-243/244	0.0321	pCi/L	U			0.065	0.087	0.216
FSB128D	1/26/2015	CURIUM-245/246	0.0332	pCi/L	U			0.067	0.09	0.223
FSB128D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0651	0.0651
FSB128D	1/26/2015	PLUTONIUM-239/240	-0.006	pCi/L	U			0.012	0.121	0.145
FSB128D	1/26/2015	THORIUM-228	0.274	pCi/L	U			0.172	0.141	0.485
FSB128D	1/26/2015	THORIUM-230	0.0646	pCi/L	U			0.083	0.118	0.284
FSB128D	1/26/2015	THORIUM-232	-0.00586	pCi/L	U			0.012	0.118	0.142
FSB128D	1/26/2015	URANIUM-233/234	2.38	pCi/L				0.69	0.219	1.6
FSB128D	1/26/2015	URANIUM-235	0.0702	pCi/L	U			0.116	0.202	0.434
FSB128D	1/26/2015	URANIUM-238	1.68	pCi/L				0.544	0.163	1.25
FSB128D	1/26/2015	GROSS ALPHA	74.9	pCi/L				11.8	3.4	27
FSB128D	1/26/2015	NONVOLATILE BETA	313	pCi/L				18.2	9.32	45.7
FSB128D	1/26/2015	STRONTIUM-90	131	pCi/L				16.2	3.11	35.6
FSB128D	1/26/2015	CARBON-14	0.0301	pCi/L	U			4.11	6.9	15.1
FSB128D	1/26/2015	TECHNETIUM-99	22.9	pCi/L				3.21	4.36	10.8
FSB128D	1/26/2015	TRITIUM	397	pCi/mL				3.78	0.431	7.99
FSB128D	1/26/2015	CESIUM-137	-3.39	pCi/L	U			5.64	9.51	20.8
FSB128D	1/26/2015	COBALT-60	1.68	pCi/L	U			5.02	9.74	19.8
FSB128D	1/26/2015	IODINE-129	12.7	pCi/L				2.58	1.12	6.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB128D	1/26/2015	RADIUM-226	39	pCi/L				2.17	0.502	4.84
FSB128D	1/26/2015	RADIUM-228	11.7	pCi/L				1.08	0.548	2.71
FSB128D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	29.1	pCi/L				1.5	0.684	3.68
FSB128D	4/16/2015	NITRATE-NITRITE AS NITROGEN	34.4	mg/L					0.85	2.5
FSB128D	4/16/2015	CADMIUM	7.89	ug/L					0.1	1
FSB128D	4/16/2015	LEAD	1.34	ug/L	J		21		0.5	5
FSB128D	4/16/2015	GROSS ALPHA	35.4	pCi/L				7.99	3	19
FSB128D	4/16/2015	NONVOLATILE BETA	246	pCi/L				15.9	7.22	39.1
FSB128D	4/16/2015	TRITIUM	337	pCi/mL				3.48	0.465	7.43
FSB128D	8/4/2015	NITRATE-NITRITE AS NITROGEN	39.6	mg/L					0.85	2.5
FSB128D	8/4/2015	ALUMINUM	7810	ug/L					40	400
FSB128D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSB128D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB128D	8/4/2015	BARIUM	170	ug/L					2	20
FSB128D	8/4/2015	BERYLLIUM	2.13	ug/L					0.1	1
FSB128D	8/4/2015	CADMIUM	9.45	ug/L					0.1	1
FSB128D	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB128D	8/4/2015	COBALT	40.4	ug/L					0.5	5
FSB128D	8/4/2015	COPPER	15.3	ug/L					0.5	5
FSB128D	8/4/2015	LEAD	6.35	ug/L					0.5	5
FSB128D	8/4/2015	NICKEL	14.9	ug/L					0.5	5
FSB128D	8/4/2015	SELENIUM	6.01	ug/L	U		21, V		2	20
FSB128D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB128D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB128D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB128D	8/4/2015	ZINC	35.7	ug/L	U		21, V		4	40
FSB128D	8/4/2015	GROSS ALPHA	65.1	pCi/L				10.9	2.87	24.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB128D	8/4/2015	NONVOLATILE BETA	316	pCi/L				17.8	5.12	40.7
FSB128D	8/4/2015	TRITIUM	413	pCi/mL				3.89	0.445	8.22
FSB128D	11/6/2015	NITRATE-NITRITE AS NITROGEN	26.1	mg/L					1.7	5
FSB128D	11/6/2015	CADMIUM	7.52	ug/L					0.1	1
FSB128D	11/6/2015	LEAD	1.87	ug/L	J		21		0.5	5
FSB128D	11/6/2015	GROSS ALPHA	46.8	pCi/L				9.07	2.96	21.1
FSB128D	11/6/2015	NONVOLATILE BETA	225	pCi/L				15.4	8.03	38.9
FSB128D	11/6/2015	TRITIUM	316	pCi/mL				3.4	0.47	7.27
FSB129D	1/22/2015	NITRATE-NITRITE AS NITROGEN	0.136	mg/L					0.017	0.05
FSB129D	1/22/2015	ALUMINUM	42.9	ug/L	J				40	400
FSB129D	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB129D	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB129D	1/22/2015	BARIUM	4.26	ug/L	J				2	20
FSB129D	1/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB129D	1/22/2015	CADMIUM	1	ug/L	U				0.1	1
FSB129D	1/22/2015	CHROMIUM	100	ug/L	U				10	100
FSB129D	1/22/2015	COBALT	1.5	ug/L	J				0.5	5
FSB129D	1/22/2015	COPPER	8.71	ug/L					0.5	5
FSB129D	1/22/2015	LEAD	0.701	ug/L	J				0.5	5
FSB129D	1/22/2015	NICKEL	1.25	ug/L	J				0.5	5
FSB129D	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB129D	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB129D	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FSB129D	1/22/2015	TIN	10	ug/L	U				1	10
FSB129D	1/22/2015	VANADIUM	40.7	ug/L	U				5	50
FSB129D	1/22/2015	ZINC	4.06	ug/L	J				4	40
FSB129D	1/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB129D	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB129D	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB129D	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB129D	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB129D	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB129D	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB129D	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB129D	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB129D	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB129D	1/22/2015	AMERICIUM-241	0	pCi/L	U			0	0.0706	0.0706
FSB129D	1/22/2015	CURIUM-242	0.0202	pCi/L	U			0.056	0.129	0.241
FSB129D	1/22/2015	CURIUM-243/244	0	pCi/L	U			0	0.0696	0.0696
FSB129D	1/22/2015	CURIUM-245/246	0.106	pCi/L	U			0.108	0.072	0.287
FSB129D	1/22/2015	PLUTONIUM-238	-0.00572	pCi/L	U			0.012	0.115	0.138
FSB129D	1/22/2015	PLUTONIUM-239/240	-0.00572	pCi/L	U			0.012	0.115	0.138
FSB129D	1/22/2015	THORIUM-228	-0.00581	pCi/L	U			0.012	0.115	0.139
FSB129D	1/22/2015	THORIUM-230	0.0287	pCi/L	U			0.068	0.155	0.291
FSB129D	1/22/2015	THORIUM-232	0	pCi/L	U			0	0.0621	0.0621
FSB129D	1/22/2015	URANIUM-233/234	0.0228	pCi/L	U			0.046	0.0618	0.153
FSB129D	1/22/2015	URANIUM-235	0.0211	pCi/L	U			0.058	0.142	0.258
FSB129D	1/22/2015	URANIUM-238	0	pCi/L	U			0	0.0617	0.0617
FSB129D	1/22/2015	GROSS ALPHA	1.93	pCi/L	U			1.87	2.15	5.89
FSB129D	1/22/2015	NONVOLATILE BETA	3.35	pCi/L	U			2.75	3.96	9.47
FSB129D	1/22/2015	STRONTIUM-90	0.00575	pCi/L	U			2	3.3	7.3
FSB129D	1/22/2015	CARBON-14	4.54	pCi/L	UJ			4.18	6.82	15.2
FSB129D	1/22/2015	TECHNETIUM-99	3.93	pCi/L	U			2.53	4.06	9.12

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB129D	1/22/2015	TRITIUM	2.11	pCi/mL				0.399	0.533	1.33
FSB129D	1/22/2015	CESIUM-137	-5.35	pCi/L	U			6.05	9.66	21.8
FSB129D	1/22/2015	COBALT-60	1.67	pCi/L	U			5.45	10.6	21.5
FSB129D	1/22/2015	IODINE-129	0.0764	pCi/L	U			0.584	0.993	2.16
FSB129D	1/22/2015	RADIUM-226	1.26	pCi/L	J		21	0.584	0.726	1.89
FSB129D	1/22/2015	RADIUM-228	0.27	pCi/L	U			0.376	0.643	1.4
FSB129D	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0478	pCi/L	U			0.859	1.75	3.47
FSB129D	4/13/2015	NITRATE-NITRITE AS NITROGEN	0.0797	mg/L					0.017	0.05
FSB129D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSB129D	4/13/2015	LEAD	1.05	ug/L	J		21		0.5	5
FSB129D	4/13/2015	GROSS ALPHA	0.918	pCi/L	U			1.37	2.07	4.81
FSB129D	4/13/2015	NONVOLATILE BETA	5.57	pCi/L	J		21	3.24	4.22	10.7
FSB129D	4/13/2015	TRITIUM	1.35	pCi/mL				0.323	0.414	1.06
FSB129D	7/28/2015	NITRATE-NITRITE AS NITROGEN	0.0963	mg/L					0.017	0.05
FSB129D	7/28/2015	ALUMINUM	60.2	ug/L	J		21		40	400
FSB129D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSB129D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSB129D	7/28/2015	BARIUM	4.22	ug/L	J		21		2	20
FSB129D	7/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB129D	7/28/2015	CADMIUM	0.141	ug/L	J		21		0.1	1
FSB129D	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSB129D	7/28/2015	COBALT	1.3	ug/L	J		21		0.5	5
FSB129D	7/28/2015	COPPER	22.5	ug/L					0.5	5
FSB129D	7/28/2015	LEAD	20.6	ug/L					0.5	5
FSB129D	7/28/2015	NICKEL	2.17	ug/L	J		21		0.5	5
FSB129D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSB129D	7/28/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB129D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSB129D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSB129D	7/28/2015	ZINC	121	ug/L					4	40
FSB129D	7/28/2015	GROSS ALPHA	1.08	pCi/L	U			1.13	1.3	3.56
FSB129D	7/28/2015	NONVOLATILE BETA	4.1	pCi/L	J		21	2.09	2.54	6.71
FSB129D	7/28/2015	TRITIUM	1.49	pCi/mL				0.361	0.479	1.2
FSB129D	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.115	mg/L					0.017	0.05
FSB129D	11/2/2015	CADMIUM	0.212	ug/L	J		21		0.1	1
FSB129D	11/2/2015	LEAD	2.25	ug/L	J		21		0.5	5
FSB129D	11/2/2015	GROSS ALPHA	0.0189	pCi/L	U			0.891	2.3	4.08
FSB129D	11/2/2015	NONVOLATILE BETA	5.1	pCi/L	J		21	3.1	3.93	10.1
FSB129D	11/2/2015	TRITIUM	1.52	pCi/mL				0.364	0.507	1.23
FSB130D	1/26/2015	NITRATE-NITRITE AS NITROGEN	9.73	mg/L					0.425	1.25
FSB130D	1/26/2015	ALUMINUM	2090	ug/L					40	400
FSB130D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB130D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSB130D	1/26/2015	BARIUM	39.3	ug/L					2	20
FSB130D	1/26/2015	BERYLLIUM	0.195	ug/L	J				0.1	1
FSB130D	1/26/2015	CADMIUM	1.24	ug/L					0.1	1
FSB130D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB130D	1/26/2015	COBALT	12.7	ug/L					0.5	5
FSB130D	1/26/2015	COPPER	5.83	ug/L					0.5	5
FSB130D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSB130D	1/26/2015	NICKEL	2.93	ug/L	J				0.5	5
FSB130D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSB130D	1/26/2015	SILVER	2.05	ug/L	J				0.5	5
FSB130D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	1/26/2015	TIN	10	ug/L	U				1	10
FSB130D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSB130D	1/26/2015	ZINC	12.8	ug/L	J				4	40
FSB130D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB130D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB130D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB130D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB130D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB130D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB130D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB130D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB130D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB130D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB130D	1/26/2015	AMERICIUM-241	2.25	pCi/L				0.58	0.063	1.22
FSB130D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.062	0.062
FSB130D	1/26/2015	CURIUM-243/244	1.83	pCi/L				0.501	0.062	1.06
FSB130D	1/26/2015	CURIUM-245/246	0.237	pCi/L	U			0.154	0.0642	0.373
FSB130D	1/26/2015	PLUTONIUM-238	0.0234	pCi/L	U			0.047	0.0633	0.157
FSB130D	1/26/2015	PLUTONIUM-239/240	0.0175	pCi/L	U			0.048	0.118	0.214
FSB130D	1/26/2015	THORIUM-228	0.0357	pCi/L	U			0.07	0.141	0.28
FSB130D	1/26/2015	THORIUM-230	0.0943	pCi/L	U			0.096	0.0639	0.255
FSB130D	1/26/2015	THORIUM-232	0.0235	pCi/L	U			0.047	0.0638	0.158
FSB130D	1/26/2015	URANIUM-233/234	32.8	pCi/L				5.69	0.174	11.6
FSB130D	1/26/2015	URANIUM-235	2.44	pCi/L				0.704	0.16	1.57
FSB130D	1/26/2015	URANIUM-238	89.9	pCi/L				14.6	0.154	29.4
FSB130D	1/26/2015	GROSS ALPHA	116	pCi/L				13.6	2.29	29.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	1/26/2015	NONVOLATILE BETA	100	pCi/L				10.3	6.07	26.7
FSB130D	1/26/2015	STRONTIUM-90	39.6	pCi/L				6.6	3.26	16.5
FSB130D	1/26/2015	CARBON-14	8.5	pCi/L	J		21	4.57	7.33	16.5
FSB130D	1/26/2015	TECHNETIUM-99	11.2	pCi/L				2.92	4.39	10.2
FSB130D	1/26/2015	TRITIUM	32.9	pCi/mL				1.12	0.432	2.66
FSB130D	1/26/2015	CESIUM-137	1.83	pCi/L	U			5.23	9.69	20.1
FSB130D	1/26/2015	COBALT-60	1.05	pCi/L	U			4.2	8.28	16.7
FSB130D	1/26/2015	IODINE-129	10.8	pCi/L				2.05	1.08	5.18
FSB130D	1/26/2015	RADIUM-226	1.27	pCi/L	J		21	0.421	0.437	1.28
FSB130D	1/26/2015	RADIUM-228	2.78	pCi/L				0.673	0.835	2.18
FSB130D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	1.12	pCi/L	U			1.28	1.75	4.31
FSB130D	3/19/2015	CHLORIDE	5.4	mg/L					0.2	2
FSB130D	3/19/2015	TRITIUM	21.4	pCi/mL				0.858	0.399	2.115
FSB130D	4/16/2015	NITRATE-NITRITE AS NITROGEN	7.43	mg/L					0.425	1.25
FSB130D	4/16/2015	CADMIUM	1.07	ug/L					0.1	1
FSB130D	4/16/2015	LEAD	5	ug/L	U				0.5	5
FSB130D	4/16/2015	GROSS ALPHA	104	pCi/L				13	2.41	28.4
FSB130D	4/16/2015	NONVOLATILE BETA	103	pCi/L				11.9	11.3	35.2
FSB130D	4/16/2015	TRITIUM	13.9	pCi/mL				0.751	0.462	1.96
FSB130D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB130D	5/13/2015	CHLORIDE	4.9	mg/L					0.02	0.2
FSB130D	5/13/2015	TRITIUM	10.8	pCi/mL				0.664	0.415	1.74
FSB130D	5/13/2015	IODINE-129	10.8	pCi/L				2.27	1.03	5.57
FSB130D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB130D	5/20/2015	CHLORIDE	5	mg/L					0.02	0.2
FSB130D	5/20/2015	TRITIUM	8.86	pCi/mL				0.61	0.416	1.64
FSB130D	5/20/2015	IODINE-129	9.32	pCi/L				2.11	1.09	5.31

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	5/27/2015	SILVER	0.531	ug/L	J		21		0.5	5
FSB130D	5/27/2015	CHLORIDE	4.7	mg/L					0.4	4
FSB130D	5/27/2015	TRITIUM	8.54	pCi/mL				0.61	0.454	1.67
FSB130D	5/27/2015	IODINE-129	7.89	pCi/L				1.7	1.12	4.52
FSB130D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB130D	6/10/2015	CHLORIDE	5.6	mg/L					0.2	2
FSB130D	6/10/2015	TRITIUM	5.3	pCi/mL				0.491	0.437	1.42
FSB130D	6/10/2015	IODINE-129	7.09	pCi/L				1.75	1.05	4.54
FSB130D	6/15/2015	CHLORIDE	4.9	mg/L					0.2	2
FSB130D	6/15/2015	TRITIUM	4.81	pCi/mL				0.503	0.392	1.398
FSB130D	6/24/2015	SILVER	11.5	ug/L					0.5	5
FSB130D	6/24/2015	CHLORIDE	4.9	mg/L					0.2	2
FSB130D	6/24/2015	TRITIUM	3.75	pCi/mL				0.46	0.478	1.4
FSB130D	6/24/2015	IODINE-129	3.04	pCi/L	J		21	1.44	1.01	3.89
FSB130D	7/8/2015	SILVER	16.5	ug/L					0.5	5
FSB130D	7/8/2015	CHLORIDE	4.4	mg/L					0.1	1
FSB130D	7/8/2015	TRITIUM	2.97	pCi/mL				0.425	0.471	1.32
FSB130D	7/8/2015	IODINE-129	2.25	pCi/L	J		21	1.01	1.03	3.05
FSB130D	8/5/2015	SILVER	4.32	ug/L	J		21		0.5	5
FSB130D	8/5/2015	CHLORIDE	4.2	mg/L					0.02	0.2
FSB130D	8/5/2015	TRITIUM	2.81	pCi/mL				0.42	0.486	1.33
FSB130D	8/5/2015	IODINE-129	3.25	pCi/L	J		21	1.51	1.15	4.17
FSB130D	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.74	mg/L					0.085	0.25
FSB130D	8/10/2015	ALUMINUM	1080	ug/L					40	400
FSB130D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB130D	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB130D	8/10/2015	BARIUM	26.9	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	8/10/2015	BERYLLIUM	0.109	ug/L	J		21		0.1	1
FSB130D	8/10/2015	CADMIUM	0.617	ug/L	J		21		0.1	1
FSB130D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB130D	8/10/2015	COBALT	9.99	ug/L					0.5	5
FSB130D	8/10/2015	COPPER	3.76	ug/L	J		21		0.5	5
FSB130D	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSB130D	8/10/2015	NICKEL	1.17	ug/L	J		21		0.5	5
FSB130D	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSB130D	8/10/2015	SILVER	3.59	ug/L	J		21		0.5	5
FSB130D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSB130D	8/10/2015	VANADIUM	17.1	ug/L	J		21		5	50
FSB130D	8/10/2015	ZINC	8.12	ug/L	J		21		4	40
FSB130D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB130D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB130D	8/10/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB130D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.51	ug/L	J		21		1	5
FSB130D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB130D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB130D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB130D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB130D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB130D	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB130D	8/10/2015	AMERICIUM-241	0.796	pCi/L			V	0.29	0.148	0.729
FSB130D	8/10/2015	CURIUM-242	0.144	pCi/L	J		21	0.119	0.0586	0.297
FSB130D	8/10/2015	CURIUM-243/244	0.991	pCi/L				0.326	0.109	0.76
FSB130D	8/10/2015	CURIUM-245/246	0.201	pCi/L	U		21, V	0.137	0.0606	0.335

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	8/10/2015	PLUTONIUM-238	0.0213	pCi/L	U		V	0.043	0.0577	0.143
FSB130D	8/10/2015	PLUTONIUM-239/240	0.0213	pCi/L	U		V	0.043	0.0577	0.143
FSB130D	8/10/2015	THORIUM-228	0.0173	pCi/L	U			0.07	0.178	0.319
FSB130D	8/10/2015	THORIUM-230	0.079	pCi/L	U		V	0.093	0.135	0.32
FSB130D	8/10/2015	THORIUM-232	0.0169	pCi/L	U			0.047	0.113	0.207
FSB130D	8/10/2015	URANIUM-233/234	15.1	pCi/L			V	2.48	0.109	5.06
FSB130D	8/10/2015	URANIUM-235	1.12	pCi/L				0.39	0.0725	0.852
FSB130D	8/10/2015	URANIUM-238	40.7	pCi/L			V	5.98	0.109	12.1
FSB130D	8/10/2015	GROSS ALPHA	65.7	pCi/L				10.3	2.47	23.1
FSB130D	8/10/2015	NONVOLATILE BETA	55.1	pCi/L				9.07	9.46	27.6
FSB130D	8/10/2015	STRONTIUM-90	20	pCi/L				4.33	3.29	12
FSB130D	8/10/2015	CARBON-14	1.62	pCi/L	U			4.27	7.09	15.6
FSB130D	8/10/2015	TECHNETIUM-99	5.75	pCi/L	J		21	2.79	4.42	10
FSB130D	8/10/2015	TRITIUM	2.52	pCi/mL				0.408	0.473	1.29
FSB130D	8/10/2015	CESIUM-137	-2.24	pCi/L	U			4.91	8.45	18.3
FSB130D	8/10/2015	COBALT-60	2.06	pCi/L	U			4.36	8.75	17.5
FSB130D	8/10/2015	IODINE-129	2.41	pCi/L	J		21	1.29	0.976	3.56
FSB130D	8/10/2015	RADIUM-226	2.55	pCi/L				0.757	0.736	2.25
FSB130D	8/10/2015	RADIUM-228	1.14	pCi/L	J		21	0.414	0.509	1.34
FSB130D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.8	pCi/L	J		21	0.399	0.598	1.4
FSB130D	9/9/2015	SILVER	0.916	ug/L	J		21		0.5	5
FSB130D	9/9/2015	CHLORIDE	3.4	mg/L					0.02	0.2
FSB130D	9/9/2015	TRITIUM	3.46	pCi/mL				0.446	0.47	1.36
FSB130D	9/9/2015	IODINE-129	4.17	pCi/L	J			1.23	1.02	3.48
FSB130D	9/21/2015	CHLORIDE	3.3	mg/L					0.02	0.2
FSB130D	9/21/2015	TRITIUM	4.04	pCi/mL				0.556	0.457	1.569
FSB130D	11/6/2015	NITRATE-NITRITE AS NITROGEN	1.94	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB130D	11/6/2015	CADMIUM	0.318	ug/L	J		21		0.1	1
FSB130D	11/6/2015	LEAD	6.15	ug/L					0.5	5
FSB130D	11/6/2015	GROSS ALPHA	39.2	pCi/L				7.94	2.3	18.2
FSB130D	11/6/2015	NONVOLATILE BETA	45.7	pCi/L				7.98	7.82	23.8
FSB130D	11/6/2015	TRITIUM	12	pCi/mL				0.712	0.469	1.89
FSB130D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB130D	11/17/2015	CHLORIDE	3.3	mg/L					0.02	0.2
FSB130D	11/17/2015	TRITIUM	13	pCi/mL				0.734	0.469	1.94
FSB130D	11/17/2015	IODINE-129	13.6	pCi/L				2.71	1.01	6.42
FSB130D	12/11/2015	CHLORIDE	3.9	mg/L					0.02	0.2
FSB130D	12/11/2015	TRITIUM	14.2	pCi/mL				0.792	0.328	1.912
FSB130D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB130D	12/15/2015	CHLORIDE	3.8	mg/L					0.02	0.2
FSB130D	12/15/2015	TRITIUM	13.6	pCi/mL				0.748	0.464	1.96
FSB130D	12/15/2015	IODINE-129	18.5	pCi/L	J			3.39	1.22	7.99
FSB131D	1/26/2015	NITRATE-NITRITE AS NITROGEN	5.76	mg/L					0.17	0.5
FSB131D	1/26/2015	ALUMINUM	724	ug/L					40	400
FSB131D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSB131D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSB131D	1/26/2015	BARIUM	30.5	ug/L					2	20
FSB131D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB131D	1/26/2015	CADMIUM	1.69	ug/L					0.1	1
FSB131D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSB131D	1/26/2015	COBALT	1.47	ug/L	J				0.5	5
FSB131D	1/26/2015	COPPER	172	ug/L					0.5	5
FSB131D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSB131D	1/26/2015	NICKEL	1.92	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSB131D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSB131D	1/26/2015	TIN	1.19	ug/L	J				1	10
FSB131D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSB131D	1/26/2015	ZINC	6.14	ug/L	J				4	40
FSB131D	1/26/2015	MERCURY	0.0587	ug/L	J		21		0.02	0.2
FSB131D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSB131D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB131D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB131D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB131D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB131D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB131D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB131D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSB131D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB131D	1/26/2015	AMERICIUM-241	0.491	pCi/L	J		21	0.228	0.0634	0.52
FSB131D	1/26/2015	CURIUM-242	0.0247	pCi/L	U			0.05	0.0624	0.162
FSB131D	1/26/2015	CURIUM-243/244	0.762	pCi/L				0.291	0.0624	0.645
FSB131D	1/26/2015	CURIUM-245/246	0.191	pCi/L	U			0.138	0.0646	0.341
FSB131D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0721	0.0721
FSB131D	1/26/2015	PLUTONIUM-239/240	0.0199	pCi/L	U			0.055	0.134	0.244
FSB131D	1/26/2015	THORIUM-228	0.142	pCi/L	U			0.182	0.341	0.705
FSB131D	1/26/2015	THORIUM-230	-0.0133	pCi/L	U			0.019	0.16	0.197
FSB131D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0719	0.0719
FSB131D	1/26/2015	URANIUM-233/234	17.6	pCi/L				3.29	0.153	6.74

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	1/26/2015	URANIUM-235	1.5	pCi/L				0.546	0.102	1.19
FSB131D	1/26/2015	URANIUM-238	47.1	pCi/L				8.02	0.0824	16.1
FSB131D	1/26/2015	GROSS ALPHA	59.2	pCi/L				9.78	2.34	21.9
FSB131D	1/26/2015	NONVOLATILE BETA	85.7	pCi/L				9.43	5.16	24
FSB131D	1/26/2015	STRONTIUM-90	32.9	pCi/L				5.78	3.1	14.7
FSB131D	1/26/2015	CARBON-14	-3.08	pCi/L	U			4.05	6.91	15
FSB131D	1/26/2015	TECHNETIUM-99	6.57	pCi/L	J		21	2.81	4.41	10
FSB131D	1/26/2015	TRITIUM	19.9	pCi/mL				0.876	0.428	2.18
FSB131D	1/26/2015	CESIUM-137	-0.895	pCi/L	U			4.82	8.57	18.2
FSB131D	1/26/2015	COBALT-60	3.69	pCi/L	U			5.32	10.6	21.2
FSB131D	1/26/2015	IODINE-129	28.4	pCi/L				4.73	1.3	10.8
FSB131D	1/26/2015	RADIUM-226	1.2	pCi/L	J		21	0.463	0.525	1.45
FSB131D	1/26/2015	RADIUM-228	1.47	pCi/L				0.42	0.476	1.32
FSB131D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.851	pCi/L	U			1.08	1.81	3.97
FSB131D	3/19/2015	CHLORIDE	1.8	mg/L					0.02	0.2
FSB131D	3/19/2015	TRITIUM	6	pCi/mL				0.483	0.384	1.35
FSB131D	4/16/2015	NITRATE-NITRITE AS NITROGEN	4.59	mg/L					0.17	0.5
FSB131D	4/16/2015	CADMIUM	1.6	ug/L					0.1	1
FSB131D	4/16/2015	LEAD	5	ug/L	U				0.5	5
FSB131D	4/16/2015	GROSS ALPHA	48.8	pCi/L				8.9	2.31	20.1
FSB131D	4/16/2015	NONVOLATILE BETA	64.4	pCi/L				9.2	8.4	26.8
FSB131D	4/16/2015	TRITIUM	3.08	pCi/mL				0.426	0.464	1.32
FSB131D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	5/13/2015	CHLORIDE	1.9	mg/L					0.02	0.2
FSB131D	5/13/2015	TRITIUM	1.9	pCi/mL				0.356	0.421	1.13
FSB131D	5/13/2015	IODINE-129	7.11	pCi/L				1.58	0.92	4.07
FSB131D	5/20/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	5/20/2015	CHLORIDE	1.9	mg/L					0.02	0.2
FSB131D	5/20/2015	TRITIUM	2.09	pCi/mL				0.361	0.415	1.14
FSB131D	5/20/2015	IODINE-129	7.39	pCi/L				1.83	1.02	4.67
FSB131D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	5/27/2015	CHLORIDE	1.6	mg/L					0.02	0.2
FSB131D	5/27/2015	TRITIUM	2.57	pCi/mL				0.399	0.453	1.25
FSB131D	5/27/2015	IODINE-129	7.1	pCi/L				1.62	1.05	4.29
FSB131D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB131D	6/10/2015	CHLORIDE	1.9	mg/L					0.02	0.2
FSB131D	6/10/2015	TRITIUM	1.79	pCi/mL				0.353	0.439	1.14
FSB131D	6/10/2015	IODINE-129	6.39	pCi/L				1.62	0.964	4.2
FSB131D	6/15/2015	CHLORIDE	1.6	mg/L					0.02	0.2
FSB131D	6/15/2015	TRITIUM	2.91	pCi/mL				0.417	0.394	1.228
FSB131D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	6/24/2015	CHLORIDE	1.5	mg/L					0.02	0.2
FSB131D	6/24/2015	TRITIUM	4.81	pCi/mL				0.502	0.48	1.48
FSB131D	6/24/2015	IODINE-129	20.8	pCi/L				3.48	1.1	8.06
FSB131D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	7/8/2015	CHLORIDE	1.5	mg/L					0.02	0.2
FSB131D	7/8/2015	TRITIUM	4.76	pCi/mL				0.495	0.47	1.46
FSB131D	7/8/2015	IODINE-129	4.73	pCi/L				1.3	1.04	3.63
FSB131D	8/5/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	8/5/2015	CHLORIDE	1.5	mg/L					0.02	0.2
FSB131D	8/5/2015	TRITIUM	7.02	pCi/mL				0.564	0.481	1.61
FSB131D	8/5/2015	IODINE-129	10.4	pCi/L				2.29	1.15	5.72
FSB131D	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.9	mg/L					0.085	0.25
FSB131D	8/10/2015	ALUMINUM	593	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB131D	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB131D	8/10/2015	BARIUM	18.8	ug/L	J		21		2	20
FSB131D	8/10/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSB131D	8/10/2015	CADMIUM	1.02	ug/L					0.1	1
FSB131D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB131D	8/10/2015	COBALT	0.544	ug/L	J		21		0.5	5
FSB131D	8/10/2015	COPPER	120	ug/L					0.5	5
FSB131D	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSB131D	8/10/2015	NICKEL	0.532	ug/L	J		21		0.5	5
FSB131D	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSB131D	8/10/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSB131D	8/10/2015	VANADIUM	50	ug/L	U				5	50
FSB131D	8/10/2015	ZINC	40	ug/L	U				4	40
FSB131D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB131D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB131D	8/10/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB131D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.44	ug/L	J		21		1	5
FSB131D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB131D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB131D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB131D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB131D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB131D	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB131D	8/10/2015	AMERICIUM-241	0.374	pCi/L	J		21, V	0.195	0.0634	0.453

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	8/10/2015	CURIUM-242	0.153	pCi/L	J		21	0.127	0.0624	0.317
FSB131D	8/10/2015	CURIUM-243/244	0.647	pCi/L				0.261	0.0624	0.585
FSB131D	8/10/2015	CURIUM-245/246	0.143	pCi/L	U		21, V	0.119	0.0646	0.302
FSB131D	8/10/2015	PLUTONIUM-238	0.0113	pCi/L	U		V	0.048	0.135	0.231
FSB131D	8/10/2015	PLUTONIUM-239/240	0.0451	pCi/L	U		V	0.064	0.0612	0.19
FSB131D	8/10/2015	THORIUM-228	0.0683	pCi/L	U			0.097	0.16	0.354
FSB131D	8/10/2015	THORIUM-230	0.368	pCi/L	U		21, V	0.209	0.135	0.552
FSB131D	8/10/2015	THORIUM-232	-0.0133	pCi/L	U			0.019	0.16	0.198
FSB131D	8/10/2015	URANIUM-233/234	16.6	pCi/L			V	2.69	0.109	5.5
FSB131D	8/10/2015	URANIUM-235	1.07	pCi/L				0.377	0.0723	0.826
FSB131D	8/10/2015	URANIUM-238	41.5	pCi/L			V	6.09	0.145	12.3
FSB131D	8/10/2015	GROSS ALPHA	52.6	pCi/L				9.27	2.5	21
FSB131D	8/10/2015	NONVOLATILE BETA	53.1	pCi/L				8.66	8.63	25.9
FSB131D	8/10/2015	STRONTIUM-90	26.8	pCi/L				5.22	3.22	13.7
FSB131D	8/10/2015	CARBON-14	3.79	pCi/L	U			4.26	7	15.5
FSB131D	8/10/2015	TECHNETIUM-99	4.31	pCi/L	U			2.75	4.42	9.92
FSB131D	8/10/2015	TRITIUM	4.52	pCi/mL				0.498	0.487	1.48
FSB131D	8/10/2015	CESIUM-137	1.03	pCi/L	U			4.99	9.15	19.1
FSB131D	8/10/2015	COBALT-60	-1.23	pCi/L	U			5.18	9.35	19.7
FSB131D	8/10/2015	IODINE-129	2.84	pCi/L	J		21	1.86	1.14	4.87
FSB131D	8/10/2015	RADIUM-226	1.57	pCi/L	J		21	0.607	0.688	1.9
FSB131D	8/10/2015	RADIUM-228	2.05	pCi/L				0.459	0.488	1.41
FSB131D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	1.58	pCi/L				0.443	0.576	1.46
FSB131D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	9/9/2015	CHLORIDE	1.6	mg/L					0.02	0.2
FSB131D	9/9/2015	TRITIUM	6.19	pCi/mL				0.529	0.528	1.59
FSB131D	9/9/2015	IODINE-129	8.13	pCi/L				1.96	1.03	4.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB131D	11/17/2015	NITRATE-NITRITE AS NITROGEN	3.33	mg/L					0.17	0.5
FSB131D	11/17/2015	CADMIUM	1.22	ug/L					0.1	1
FSB131D	11/17/2015	LEAD	5	ug/L	U				0.5	5
FSB131D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	11/17/2015	CHLORIDE	1.6	mg/L					0.02	0.2
FSB131D	11/17/2015	GROSS ALPHA	40.4	pCi/L				5.65	1.41	12.7
FSB131D	11/17/2015	NONVOLATILE BETA	46.8	pCi/L				5.14	3.26	13.5
FSB131D	11/17/2015	TRITIUM	5.16	pCi/mL				0.505	0.465	1.47
FSB131D	11/17/2015	TRITIUM	3.43	pCi/mL				0.419	0.406	1.24
FSB131D	11/17/2015	IODINE-129	5.98	pCi/L				1.59	1.06	4.25
FSB131D	12/11/2015	CHLORIDE	1.7	mg/L					0.02	0.2
FSB131D	12/11/2015	TRITIUM	2.64	pCi/mL				0.382	0.332	1.096
FSB131D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB131D	12/15/2015	CHLORIDE	1.8	mg/L					0.02	0.2
FSB131D	12/15/2015	TRITIUM	3.14	pCi/mL				0.405	0.401	1.21
FSB131D	12/15/2015	IODINE-129	7.63	pCi/L				2.5	1.08	6.08
FSB132D	1/27/2015	NITRATE-NITRITE AS NITROGEN	32.6	mg/L					0.85	2.5
FSB132D	1/27/2015	ALUMINUM	3230	ug/L					40	400
FSB132D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB132D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB132D	1/27/2015	BARIUM	108	ug/L					2	20
FSB132D	1/27/2015	BERYLLIUM	0.581	ug/L	J				0.1	1
FSB132D	1/27/2015	CADMIUM	2.94	ug/L					0.1	1
FSB132D	1/27/2015	CHROMIUM	11.6	ug/L	J				10	100
FSB132D	1/27/2015	COBALT	22.9	ug/L					0.5	5
FSB132D	1/27/2015	COPPER	8.32	ug/L					0.5	5
FSB132D	1/27/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB132D	1/27/2015	NICKEL	7.21	ug/L					0.5	5
FSB132D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB132D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB132D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB132D	1/27/2015	TIN	10	ug/L	U				1	10
FSB132D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB132D	1/27/2015	ZINC	10.3	ug/L	J				4	40
FSB132D	1/27/2015	MERCURY	0.204	ug/L					0.02	0.2
FSB132D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB132D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB132D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.16	ug/L	J		21		1	5
FSB132D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB132D	1/27/2015	TRICHLOROETHYLENE (TCE)	0.96	ug/L	J		21		0.3	1
FSB132D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB132D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB132D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB132D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB132D	1/27/2015	AMERICIUM-241	2.21	pCi/L				0.567	0.0624	1.2
FSB132D	1/27/2015	CURIUM-242	0.0241	pCi/L	U			0.048	0.0614	0.158
FSB132D	1/27/2015	CURIUM-243/244	1.16	pCi/L				0.37	0.0614	0.802
FSB132D	1/27/2015	CURIUM-245/246	0.328	pCi/L	U			0.183	0.0636	0.429
FSB132D	1/27/2015	PLUTONIUM-238	0.0497	pCi/L	U			0.071	0.0673	0.209
FSB132D	1/27/2015	PLUTONIUM-239/240	-0.00621	pCi/L	U			0.013	0.125	0.15
FSB132D	1/27/2015	THORIUM-228	0.181	pCi/L	U			0.14	0.176	0.457
FSB132D	1/27/2015	THORIUM-230	0.0839	pCi/L	U			0.085	0.0569	0.227
FSB132D	1/27/2015	THORIUM-232	0.0209	pCi/L	U			0.042	0.0568	0.141

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB132D	1/27/2015	URANIUM-233/234	63.6	pCi/L				10.3	0.0607	20.7
FSB132D	1/27/2015	URANIUM-235	4.08	pCi/L				0.966	0.166	2.1
FSB132D	1/27/2015	URANIUM-238	80.6	pCi/L				12.6	0.134	25.4
FSB132D	1/27/2015	GROSS ALPHA	138	pCi/L				15.8	2.71	34.2
FSB132D	1/27/2015	NONVOLATILE BETA	137	pCi/L				12.1	6.22	30.3
FSB132D	1/27/2015	STRONTIUM-90	44.6	pCi/L				7.29	3.1	17.7
FSB132D	1/27/2015	CARBON-14	23	pCi/L	J			4.85	7.23	16.9
FSB132D	1/27/2015	TECHNETIUM-99	16.8	pCi/L				3.12	4.48	10.7
FSB132D	1/27/2015	TRITIUM	359	pCi/mL				3.61	0.457	7.68
FSB132D	1/27/2015	CESIUM-137	3.68	pCi/L	U			4.85	9.36	19.1
FSB132D	1/27/2015	COBALT-60	1.22	pCi/L	U			4.24	8.4	16.9
FSB132D	1/27/2015	IODINE-129	16.3	pCi/L				2.96	1.12	7.04
FSB132D	1/27/2015	RADIUM-226	6.36	pCi/L				1.08	0.69	2.85
FSB132D	1/27/2015	RADIUM-228	5.75	pCi/L				0.731	0.61	2.07
FSB132D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	10.8	pCi/L				2.62	1.78	7.02
FSB132D	4/16/2015	NITRATE-NITRITE AS NITROGEN	34.9	mg/L					0.85	2.5
FSB132D	4/16/2015	CADMIUM	3.81	ug/L					0.1	1
FSB132D	4/16/2015	LEAD	5	ug/L	U				0.5	5
FSB132D	4/16/2015	GROSS ALPHA	110	pCi/L				13.9	2.71	30.6
FSB132D	4/16/2015	NONVOLATILE BETA	128	pCi/L				12.8	11	36.6
FSB132D	4/16/2015	TRITIUM	318	pCi/mL				3.38	0.464	7.22
FSB132D	8/10/2015	NITRATE-NITRITE AS NITROGEN	44.2	mg/L					0.85	2.5
FSB132D	8/10/2015	ALUMINUM	4780	ug/L					40	400
FSB132D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB132D	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB132D	8/10/2015	BARIUM	152	ug/L					2	20
FSB132D	8/10/2015	BERYLLIUM	0.82	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB132D	8/10/2015	CADMIUM	3.92	ug/L					0.1	1
FSB132D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB132D	8/10/2015	COBALT	22.9	ug/L					0.5	5
FSB132D	8/10/2015	COPPER	10.4	ug/L					0.5	5
FSB132D	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSB132D	8/10/2015	NICKEL	8.16	ug/L					0.5	5
FSB132D	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSB132D	8/10/2015	SILVER	5	ug/L	U				0.5	5
FSB132D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSB132D	8/10/2015	VANADIUM	50	ug/L	U				5	50
FSB132D	8/10/2015	ZINC	14	ug/L	J		21		4	40
FSB132D	8/10/2015	MERCURY	0.132	ug/L	J		21		0.02	0.2
FSB132D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB132D	8/10/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB132D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.37	ug/L	J		21		1	5
FSB132D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB132D	8/10/2015	TRICHLOROETHYLENE (TCE)	1.09	ug/L					0.3	1
FSB132D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB132D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB132D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB132D	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB132D	8/10/2015	AMERICIUM-241	2.48	pCi/L			V	0.641	0.0748	1.36
FSB132D	8/10/2015	CURIUM-242	0.0904	pCi/L	J		21	0.105	0.0737	0.284
FSB132D	8/10/2015	CURIUM-243/244	1.34	pCi/L				0.43	0.0737	0.933
FSB132D	8/10/2015	CURIUM-245/246	0.253	pCi/L	U		21, V	0.173	0.0763	0.422
FSB132D	8/10/2015	PLUTONIUM-238	0.0179	pCi/L	U		V	0.049	0.12	0.219

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB132D	8/10/2015	PLUTONIUM-239/240	0.0715	pCi/L	U		21, V	0.083	0.0646	0.231
FSB132D	8/10/2015	THORIUM-228	0.0981	pCi/L	U			0.1	0.128	0.327
FSB132D	8/10/2015	THORIUM-230	0.4	pCi/L	U		21, V	0.196	0.107	0.499
FSB132D	8/10/2015	THORIUM-232	0	pCi/L	U			0	0.0577	0.0577
FSB132D	8/10/2015	URANIUM-233/234	72.5	pCi/L			V	11.3	0.0734	22.7
FSB132D	8/10/2015	URANIUM-235	4.37	pCi/L				1.05	0.0905	2.19
FSB132D	8/10/2015	URANIUM-238	94.1	pCi/L			V	14.1	0.0732	28.3
FSB132D	8/10/2015	GROSS ALPHA	131	pCi/L				15.7	3.07	34.4
FSB132D	8/10/2015	NONVOLATILE BETA	126	pCi/L				12.9	11.6	37.4
FSB132D	8/10/2015	STRONTIUM-90	44.5	pCi/L				6.92	3.22	17.1
FSB132D	8/10/2015	CARBON-14	58.7	pCi/L				5.7	7.5	18.9
FSB132D	8/10/2015	TECHNETIUM-99	17.3	pCi/L				3.08	4.4	10.6
FSB132D	8/10/2015	TRITIUM	398	pCi/mL				3.73	0.456	7.92
FSB132D	8/10/2015	CESIUM-137	-0.505	pCi/L	U			5.81	8.98	20.6
FSB132D	8/10/2015	COBALT-60	-1.73	pCi/L	U			4.75	8.49	18
FSB132D	8/10/2015	IODINE-129	22	pCi/L				4.11	1.19	9.41
FSB132D	8/10/2015	RADIUM-226	10.8	pCi/L				1.51	0.828	3.85
FSB132D	8/10/2015	RADIUM-228	7.22	pCi/L				0.8	0.496	2.1
FSB132D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	16.5	pCi/L				1.67	1.25	4.59
FSB132D	11/6/2015	NITRATE-NITRITE AS NITROGEN	34.5	mg/L					1.7	5
FSB132D	11/6/2015	CADMIUM	3.33	ug/L					0.1	1
FSB132D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB132D	11/6/2015	GROSS ALPHA	146	pCi/L				16.6	3	36.2
FSB132D	11/6/2015	NONVOLATILE BETA	150	pCi/L				13.9	12.1	40
FSB132D	11/6/2015	TRITIUM	447	pCi/mL				4.04	0.47	8.55
FSB133D	1/27/2015	NITRATE-NITRITE AS NITROGEN	22.2	mg/L					0.85	2.5
FSB133D	1/27/2015	ALUMINUM	59.2	ug/L	J				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB133D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB133D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB133D	1/27/2015	BARIUM	103	ug/L					2	20
FSB133D	1/27/2015	BERYLLIUM	0.26	ug/L	J				0.1	1
FSB133D	1/27/2015	CADMIUM	0.944	ug/L	J				0.1	1
FSB133D	1/27/2015	CHROMIUM	13.5	ug/L	J				10	100
FSB133D	1/27/2015	COBALT	27.7	ug/L					0.5	5
FSB133D	1/27/2015	COPPER	1.36	ug/L	J				0.5	5
FSB133D	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB133D	1/27/2015	NICKEL	6.97	ug/L					0.5	5
FSB133D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB133D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB133D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB133D	1/27/2015	TIN	10	ug/L	U				1	10
FSB133D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB133D	1/27/2015	ZINC	6.99	ug/L	J				4	40
FSB133D	1/27/2015	MERCURY	0.12	ug/L	J		21		0.02	0.2
FSB133D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB133D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB133D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB133D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB133D	1/27/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.3	1
FSB133D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB133D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB133D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB133D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB133D	1/27/2015	AMERICIUM-241	0.0379	pCi/L	U			0.063	0.109	0.234
FSB133D	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0578	0.0578
FSB133D	1/27/2015	CURIUM-243/244	-0.00534	pCi/L	U			0.011	0.107	0.129
FSB133D	1/27/2015	CURIUM-245/246	0.221	pCi/L	U			0.144	0.0598	0.347
FSB133D	1/27/2015	PLUTONIUM-238	-0.00583	pCi/L	U			0.012	0.117	0.141
FSB133D	1/27/2015	PLUTONIUM-239/240	0.0175	pCi/L	U			0.048	0.117	0.213
FSB133D	1/27/2015	THORIUM-228	0.00553	pCi/L	U			0.11	0.279	0.499
FSB133D	1/27/2015	THORIUM-230	0.152	pCi/L	U			0.118	0.059	0.295
FSB133D	1/27/2015	THORIUM-232	0.0163	pCi/L	U			0.045	0.109	0.199
FSB133D	1/27/2015	URANIUM-233/234	1.84	pCi/L				0.509	0.0631	1.08
FSB133D	1/27/2015	URANIUM-235	0.0503	pCi/L	U			0.083	0.145	0.311
FSB133D	1/27/2015	URANIUM-238	1.72	pCi/L				0.482	0.063	1.03
FSB133D	1/27/2015	GROSS ALPHA	8.4	pCi/L	J		21	4.01	2.83	10.9
FSB133D	1/27/2015	NONVOLATILE BETA	81.2	pCi/L				9.29	5.09	23.7
FSB133D	1/27/2015	STRONTIUM-90	38.8	pCi/L				6.64	3.11	16.4
FSB133D	1/27/2015	CARBON-14	29	pCi/L	J			4.73	6.83	16.3
FSB133D	1/27/2015	TECHNETIUM-99	8.65	pCi/L	J		21	2.9	4.48	10.3
FSB133D	1/27/2015	TRITIUM	209	pCi/mL				2.75	0.438	5.94
FSB133D	1/27/2015	CESIUM-137	0.911	pCi/L	U			5.75	10.5	22
FSB133D	1/27/2015	COBALT-60	-1.67	pCi/L	U			5.7	10.1	21.5
FSB133D	1/27/2015	IODINE-129	11.5	pCi/L				2.42	1.03	5.87
FSB133D	1/27/2015	RADIUM-226	6.02	pCi/L				1.03	0.606	2.67
FSB133D	1/27/2015	RADIUM-228	1.47	pCi/L	J		21	0.491	0.657	1.64
FSB133D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	4.98	pCi/L	J		21	2.03	2.03	6.09
FSB133D	3/19/2015	CHLORIDE	9.8	mg/L					0.4	4
FSB133D	3/19/2015	TRITIUM	176	pCi/mL				2.65	0.429	5.729
FSB133D	4/21/2015	NITRATE-NITRITE AS NITROGEN	18.3	mg/L					0.425	1.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB133D	4/21/2015	CADMIUM	1.64	ug/L					0.1	1
FSB133D	4/21/2015	LEAD	3.29	ug/L	J		21		0.5	5
FSB133D	4/21/2015	GROSS ALPHA	12	pCi/L	J		21	4.72	2.64	12.1
FSB133D	4/21/2015	NONVOLATILE BETA	89.3	pCi/L				9.74	5.4	24.9
FSB133D	4/21/2015	TRITIUM	173	pCi/mL				2.5	0.422	5.41
FSB133D	6/15/2015	CHLORIDE	7.3	mg/L					0.2	2
FSB133D	6/15/2015	TRITIUM	137	pCi/mL				2.42	0.388	5.228
FSB133D	8/10/2015	NITRATE-NITRITE AS NITROGEN	17.6	mg/L					0.425	1.25
FSB133D	8/10/2015	ALUMINUM	586	ug/L					40	400
FSB133D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSB133D	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSB133D	8/10/2015	BARIUM	120	ug/L					2	20
FSB133D	8/10/2015	BERYLLIUM	0.724	ug/L	J		21		0.1	1
FSB133D	8/10/2015	CADMIUM	1.72	ug/L					0.1	1
FSB133D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSB133D	8/10/2015	COBALT	32.3	ug/L					0.5	5
FSB133D	8/10/2015	COPPER	3.14	ug/L	J		21		0.5	5
FSB133D	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSB133D	8/10/2015	NICKEL	8.14	ug/L					0.5	5
FSB133D	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSB133D	8/10/2015	SILVER	5	ug/L	U				0.5	5
FSB133D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSB133D	8/10/2015	VANADIUM	50	ug/L	U				5	50
FSB133D	8/10/2015	ZINC	17.2	ug/L	J		21		4	40
FSB133D	8/10/2015	MERCURY	0.162	ug/L	J		21		0.02	0.2
FSB133D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
FSB133D	8/10/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB133D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.47	ug/L	J		21		1	5
FSB133D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB133D	8/10/2015	TRICHLOROETHYLENE (TCE)	0.41	ug/L	J		21		0.3	1
FSB133D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB133D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB133D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
FSB133D	8/10/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB133D	8/10/2015	AMERICIUM-241	0.0529	pCi/L	U		V	0.075	0.0717	0.222
FSB133D	8/10/2015	CURIUM-242	0.0578	pCi/L	U			0.082	0.0706	0.235
FSB133D	8/10/2015	CURIUM-243/244	-0.00653	pCi/L	U			0.013	0.131	0.157
FSB133D	8/10/2015	CURIUM-245/246	0.135	pCi/L	U		21, V	0.122	0.0731	0.318
FSB133D	8/10/2015	PLUTONIUM-238	0.0169	pCi/L	U		V	0.047	0.114	0.207
FSB133D	8/10/2015	PLUTONIUM-239/240	0.0169	pCi/L	U		V	0.047	0.114	0.207
FSB133D	8/10/2015	THORIUM-228	-0.0231	pCi/L	U			0.023	0.166	0.212
FSB133D	8/10/2015	THORIUM-230	0.355	pCi/L	U		21, V	0.189	0.114	0.491
FSB133D	8/10/2015	THORIUM-232	0.0225	pCi/L	U			0.045	0.061	0.151
FSB133D	8/10/2015	URANIUM-233/234	11.7	pCi/L			V	2.01	0.0631	4.09
FSB133D	8/10/2015	URANIUM-235	0.28	pCi/L	J		21	0.188	0.145	0.52
FSB133D	8/10/2015	URANIUM-238	11.1	pCi/L			V	1.87	0.063	3.81
FSB133D	8/10/2015	GROSS ALPHA	37.3	pCi/L				8.04	2.7	18.8
FSB133D	8/10/2015	NONVOLATILE BETA	77.2	pCi/L				9.58	7.46	26.6
FSB133D	8/10/2015	STRONTIUM-90	37.8	pCi/L				6.31	3.25	15.9
FSB133D	8/10/2015	CARBON-14	0.454	pCi/L	U			4.11	6.87	15.1
FSB133D	8/10/2015	TECHNETIUM-99	4.46	pCi/L	J		21	2.75	4.41	9.91
FSB133D	8/10/2015	TRITIUM	141	pCi/mL				2.29	0.475	5.05
FSB133D	8/10/2015	CESIUM-137	-2.64	pCi/L	U			5.57	9.52	20.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB133D	8/10/2015	COBALT-60	-1.79	pCi/L	U			4.74	8.46	17.9
FSB133D	8/10/2015	IODINE-129	6.82	pCi/L				1.95	1.14	5.04
FSB133D	8/10/2015	RADIUM-226	11.8	pCi/L				1.44	0.697	3.58
FSB133D	8/10/2015	RADIUM-228	2.2	pCi/L				0.482	0.49	1.45
FSB133D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	5.24	pCi/L				0.677	0.615	1.97
FSB133D	9/22/2015	CHLORIDE	7.8	mg/L					0.4	4
FSB133D	9/22/2015	TRITIUM	196	pCi/mL				3.48	0.46	7.42
FSB133D	11/6/2015	NITRATE-NITRITE AS NITROGEN	11.6	mg/L					0.85	2.5
FSB133D	11/6/2015	CADMIUM	1.51	ug/L					0.1	1
FSB133D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB133D	11/6/2015	GROSS ALPHA	39.3	pCi/L				8.22	2.64	19.1
FSB133D	11/6/2015	NONVOLATILE BETA	111	pCi/L				11.2	7.62	30
FSB133D	11/6/2015	TRITIUM	132	pCi/mL				2.21	0.472	4.89
FSB133D	12/11/2015	CHLORIDE	7.1	mg/L					0.2	2
FSB133D	12/11/2015	TRITIUM	161	pCi/mL				2.63	0.332	5.592
FSB134D	1/27/2015	NITRATE-NITRITE AS NITROGEN	22	mg/L					0.85	2.5
FSB134D	1/27/2015	ALUMINUM	1080	ug/L					40	400
FSB134D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB134D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB134D	1/27/2015	BARIUM	56.9	ug/L					2	20
FSB134D	1/27/2015	BERYLLIUM	0.327	ug/L	J				0.1	1
FSB134D	1/27/2015	CADMIUM	0.826	ug/L	J				0.1	1
FSB134D	1/27/2015	CHROMIUM	15.7	ug/L	J				10	100
FSB134D	1/27/2015	COBALT	11.9	ug/L					0.5	5
FSB134D	1/27/2015	COPPER	5.09	ug/L					0.5	5
FSB134D	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB134D	1/27/2015	NICKEL	5.32	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB134D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB134D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB134D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB134D	1/27/2015	TIN	10	ug/L	U				1	10
FSB134D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB134D	1/27/2015	ZINC	5.17	ug/L	J				4	40
FSB134D	1/27/2015	MERCURY	0.312	ug/L					0.02	0.2
FSB134D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB134D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB134D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB134D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB134D	1/27/2015	TRICHLOROETHYLENE (TCE)	0.37	ug/L	J		21		0.3	1
FSB134D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB134D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB134D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB134D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB134D	1/27/2015	AMERICIUM-241	0.0692	pCi/L	U			0.081	0.0625	0.224
FSB134D	1/27/2015	CURIUM-242	0.0121	pCi/L	U			0.051	0.136	0.239
FSB134D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0616	0.0616
FSB134D	1/27/2015	CURIUM-245/246	0.165	pCi/L	U			0.127	0.0638	0.318
FSB134D	1/27/2015	PLUTONIUM-238	0.0492	pCi/L	U			0.07	0.0667	0.207
FSB134D	1/27/2015	PLUTONIUM-239/240	0.0492	pCi/L	U			0.07	0.0667	0.207
FSB134D	1/27/2015	THORIUM-228	0.12	pCi/L	U			0.11	0.145	0.365
FSB134D	1/27/2015	THORIUM-230	0.079	pCi/L	U			0.08	0.0535	0.214
FSB134D	1/27/2015	THORIUM-232	0.0591	pCi/L	U			0.069	0.0534	0.191
FSB134D	1/27/2015	URANIUM-233/234	16.5	pCi/L				2.91	0.114	5.93

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB134D	1/27/2015	URANIUM-235	0.669	pCi/L				0.296	0.0755	0.668
FSB134D	1/27/2015	URANIUM-238	12.6	pCi/L				2.22	0.135	4.58
FSB134D	1/27/2015	GROSS ALPHA	30.4	pCi/L				7.33	2.56	17.2
FSB134D	1/27/2015	NONVOLATILE BETA	79.7	pCi/L				9.1	4.45	22.7
FSB134D	1/27/2015	STRONTIUM-90	34.7	pCi/L				6.21	3.11	15.5
FSB134D	1/27/2015	CARBON-14	-0.24	pCi/L	U			4.26	7.15	15.7
FSB134D	1/27/2015	TECHNETIUM-99	10.3	pCi/L				2.92	4.44	10.3
FSB134D	1/27/2015	TRITIUM	195	pCi/mL				2.65	0.451	5.75
FSB134D	1/27/2015	CESIUM-137	-3.47	pCi/L	U			4.84	8.08	17.8
FSB134D	1/27/2015	COBALT-60	-0.538	pCi/L	U			4.99	9.22	19.2
FSB134D	1/27/2015	IODINE-129	10.5	pCi/L				2.01	0.996	5.01
FSB134D	1/27/2015	RADIUM-226	10.2	pCi/L				1.25	0.608	3.11
FSB134D	1/27/2015	RADIUM-228	2.85	pCi/L				0.522	0.469	1.51
FSB134D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	10.3	pCi/L				2.61	1.79	7.01
FSB134D	4/21/2015	NITRATE-NITRITE AS NITROGEN	19.2	mg/L					0.425	1.25
FSB134D	4/21/2015	CADMIUM	0.819	ug/L	J		21		0.1	1
FSB134D	4/21/2015	LEAD	5	ug/L	U				0.5	5
FSB134D	4/21/2015	GROSS ALPHA	32.9	pCi/L				7.49	2.46	17.4
FSB134D	4/21/2015	NONVOLATILE BETA	74.8	pCi/L				9.38	7.17	25.9
FSB134D	4/21/2015	TRITIUM	170	pCi/mL				2.24	0.527	5
FSB134D	8/11/2015	NITRATE-NITRITE AS NITROGEN	17.8	mg/L					0.425	1.25
FSB134D	8/11/2015	ALUMINUM	1100	ug/L					40	400
FSB134D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
FSB134D	8/11/2015	ARSENIC	50	ug/L	U				5	50
FSB134D	8/11/2015	BARIUM	50.5	ug/L					2	20
FSB134D	8/11/2015	BERYLLIUM	0.31	ug/L	J		21		0.1	1
FSB134D	8/11/2015	CADMIUM	1	ug/L			S		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB134D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
FSB134D	8/11/2015	COBALT	11.4	ug/L					0.5	5
FSB134D	8/11/2015	COPPER	4.28	ug/L	J		21		0.5	5
FSB134D	8/11/2015	LEAD	5	ug/L	U				0.5	5
FSB134D	8/11/2015	NICKEL	4.28	ug/L	J		21		0.5	5
FSB134D	8/11/2015	SELENIUM	20	ug/L	U				2	20
FSB134D	8/11/2015	SILVER	5	ug/L	U				0.5	5
FSB134D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
FSB134D	8/11/2015	VANADIUM	17.5	ug/L	J		21		5	50
FSB134D	8/11/2015	ZINC	8.09	ug/L	J		21		4	40
FSB134D	8/11/2015	MERCURY	0.266	ug/L					0.02	0.2
FSB134D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
FSB134D	8/11/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB134D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB134D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB134D	8/11/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.3	1
FSB134D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB134D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB134D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
FSB134D	8/11/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB134D	8/11/2015	AMERICIUM-241	0.117	pCi/L	U		V	0.112	0.15	0.374
FSB134D	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0595	0.0595
FSB134D	8/11/2015	CURIUM-243/244	-0.0055	pCi/L	U			0.011	0.111	0.133
FSB134D	8/11/2015	CURIUM-245/246	0.0909	pCi/L	U		21, V	0.092	0.0616	0.245
FSB134D	8/11/2015	PLUTONIUM-238	-0.00627	pCi/L	U			0.013	0.126	0.151
FSB134D	8/11/2015	PLUTONIUM-239/240	0.0188	pCi/L	U			0.052	0.126	0.23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB134D	8/11/2015	THORIUM-228	0.0177	pCi/L	U			0.049	0.116	0.214
FSB134D	8/11/2015	THORIUM-230	0.162	pCi/L	U		21, V	0.125	0.0626	0.312
FSB134D	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0625	0.0625
FSB134D	8/11/2015	URANIUM-233/234	10.9	pCi/L			V	1.86	0.131	3.85
FSB134D	8/11/2015	URANIUM-235	0.779	pCi/L				0.314	0.0728	0.701
FSB134D	8/11/2015	URANIUM-238	9.8	pCi/L			V	1.65	0.0589	3.35
FSB134D	8/11/2015	GROSS ALPHA	36	pCi/L				5.57	1.47	12.6
FSB134D	8/11/2015	NONVOLATILE BETA	71.1	pCi/L				6.15	3.09	15.4
FSB134D	8/11/2015	STRONTIUM-90	27.1	pCi/L				5.44	3.32	14.2
FSB134D	8/11/2015	CARBON-14	7.34	pCi/L	J		21	4.31	6.94	15.6
FSB134D	8/11/2015	TECHNETIUM-99	7.98	pCi/L	J		21	2.86	4.43	10.2
FSB134D	8/11/2015	TRITIUM	161	pCi/mL				2.47	0.461	5.4
FSB134D	8/11/2015	CESIUM-137	0.79	pCi/L	U			5.07	9.24	19.4
FSB134D	8/11/2015	COBALT-60	2.3	pCi/L	U			3.6	7.68	14.9
FSB134D	8/11/2015	IODINE-129	10	pCi/L				2.25	1.14	5.63
FSB134D	8/11/2015	RADIUM-226	6.57	pCi/L				0.721	0.286	1.73
FSB134D	8/11/2015	RADIUM-228	2.94	pCi/L				0.608	0.619	1.84
FSB134D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	6.48	pCi/L				0.597	0.441	1.64
FSB134D	11/6/2015	NITRATE-NITRITE AS NITROGEN	16.1	mg/L					0.85	2.5
FSB134D	11/6/2015	CADMIUM	1.01	ug/L					0.1	1
FSB134D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSB134D	11/6/2015	GROSS ALPHA	25.9	pCi/L				6.7	2.57	16
FSB134D	11/6/2015	NONVOLATILE BETA	80.2	pCi/L				9.54	6.66	25.7
FSB134D	11/6/2015	TRITIUM	197	pCi/mL				2.71	0.476	5.89
FSB135D	1/27/2015	NITRATE-NITRITE AS NITROGEN	15.8	mg/L					0.85	2.5
FSB135D	1/27/2015	ALUMINUM	1480	ug/L					40	400
FSB135D	1/27/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB135D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB135D	1/27/2015	BARIUM	60.3	ug/L					2	20
FSB135D	1/27/2015	BERYLLIUM	0.972	ug/L	J				0.1	1
FSB135D	1/27/2015	CADMIUM	2.37	ug/L					0.1	1
FSB135D	1/27/2015	CHROMIUM	12.9	ug/L	U				10	100
FSB135D	1/27/2015	COBALT	21.5	ug/L					0.5	5
FSB135D	1/27/2015	COPPER	4.02	ug/L	J				0.5	5
FSB135D	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB135D	1/27/2015	NICKEL	6.76	ug/L					0.5	5
FSB135D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB135D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB135D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB135D	1/27/2015	TIN	10	ug/L	U				1	10
FSB135D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB135D	1/27/2015	ZINC	17.6	ug/L	J				4	40
FSB135D	1/27/2015	MERCURY	0.158	ug/L	J		21		0.02	0.2
FSB135D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB135D	1/27/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1
FSB135D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB135D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB135D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB135D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB135D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB135D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB135D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB135D	1/27/2015	AMERICIUM-241	0	pCi/L	U			0	0.0583	0.0583

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB135D	1/27/2015	CURIUM-242	-0.00567	pCi/L	U			0.011	0.107	0.129
FSB135D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0574	0.0574
FSB135D	1/27/2015	CURIUM-245/246	0.148	pCi/L	U			0.119	0.11	0.348
FSB135D	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0576	0.0576
FSB135D	1/27/2015	PLUTONIUM-239/240	-0.0106	pCi/L	U			0.015	0.127	0.158
FSB135D	1/27/2015	THORIUM-228	0.0792	pCi/L	U			0.167	0.355	0.689
FSB135D	1/27/2015	THORIUM-230	0.024	pCi/L	U			0.048	0.0651	0.161
FSB135D	1/27/2015	THORIUM-232	0.0419	pCi/L	U			0.069	0.121	0.259
FSB135D	1/27/2015	URANIUM-233/234	0.289	pCi/L	J		21	0.164	0.106	0.434
FSB135D	1/27/2015	URANIUM-235	0.013	pCi/L	U			0.055	0.156	0.266
FSB135D	1/27/2015	URANIUM-238	0.142	pCi/L	J		21	0.114	0.106	0.333
FSB135D	1/27/2015	GROSS ALPHA	12.4	pCi/L				4.57	2.54	11.7
FSB135D	1/27/2015	NONVOLATILE BETA	73.9	pCi/L				8.98	5.58	23.5
FSB135D	1/27/2015	STRONTIUM-90	28.2	pCi/L				5.46	3.12	14
FSB135D	1/27/2015	CARBON-14	0.542	pCi/L	U			4.13	6.9	15.2
FSB135D	1/27/2015	TECHNETIUM-99	12.7	pCi/L				3.01	4.47	10.5
FSB135D	1/27/2015	TRITIUM	116	pCi/mL				2.05	0.438	4.54
FSB135D	1/27/2015	CESIUM-137	-4.51	pCi/L	U			6.44	10.6	23.4
FSB135D	1/27/2015	COBALT-60	8.79	pCi/L	U			5.84	12.3	24
FSB135D	1/27/2015	IODINE-129	9.79	pCi/L				1.88	1.02	4.78
FSB135D	1/27/2015	RADIUM-226	5.11	pCi/L				0.898	0.594	2.39
FSB135D	1/27/2015	RADIUM-228	3.23	pCi/L				0.667	0.793	2.13
FSB135D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	8.01	pCi/L				2.19	1.64	6.02
FSB135D	4/21/2015	NITRATE-NITRITE AS NITROGEN	18.6	mg/L					0.425	1.25
FSB135D	4/21/2015	CADMIUM	2.84	ug/L					0.1	1
FSB135D	4/21/2015	LEAD	0.8	ug/L	J		21		0.5	5
FSB135D	4/21/2015	GROSS ALPHA	22.6	pCi/L				6.12	2.48	14.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB135D	4/21/2015	NONVOLATILE BETA	119	pCi/L				11.3	6.47	29.1
FSB135D	4/21/2015	TRITIUM	141	pCi/mL				2.26	0.421	4.94
FSB135D	8/11/2015	NITRATE-NITRITE AS NITROGEN	21	mg/L					0.425	1.25
FSB135D	8/11/2015	ALUMINUM	2460	ug/L					40	400
FSB135D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
FSB135D	8/11/2015	ARSENIC	50	ug/L	U				5	50
FSB135D	8/11/2015	BARIUM	71.3	ug/L					2	20
FSB135D	8/11/2015	BERYLLIUM	1.14	ug/L					0.1	1
FSB135D	8/11/2015	CADMIUM	4.39	ug/L					0.1	1
FSB135D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
FSB135D	8/11/2015	COBALT	21.4	ug/L					0.5	5
FSB135D	8/11/2015	COPPER	9.78	ug/L					0.5	5
FSB135D	8/11/2015	LEAD	0.728	ug/L	J		21		0.5	5
FSB135D	8/11/2015	NICKEL	7.56	ug/L					0.5	5
FSB135D	8/11/2015	SELENIUM	2.91	ug/L	J		21		2	20
FSB135D	8/11/2015	SILVER	5	ug/L	U				0.5	5
FSB135D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
FSB135D	8/11/2015	VANADIUM	18.4	ug/L	J		21		5	50
FSB135D	8/11/2015	ZINC	30.1	ug/L	J		21		4	40
FSB135D	8/11/2015	MERCURY	0.116	ug/L	J		21		0.02	0.2
FSB135D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
FSB135D	8/11/2015	CHLOROFORM	0.3	ug/L	J		21		0.3	1
FSB135D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB135D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB135D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB135D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB135D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB135D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
FSB135D	8/11/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB135D	8/11/2015	AMERICIUM-241	0.0432	pCi/L	U		V	0.061	0.0585	0.181
FSB135D	8/11/2015	CURIUM-242	0.0233	pCi/L	U			0.047	0.0576	0.151
FSB135D	8/11/2015	CURIUM-243/244	-0.00533	pCi/L	U			0.011	0.107	0.128
FSB135D	8/11/2015	CURIUM-245/246	0.11	pCi/L	U		21, V	0.1	0.0597	0.259
FSB135D	8/11/2015	PLUTONIUM-238	-0.018	pCi/L	U			0.021	0.162	0.204
FSB135D	8/11/2015	PLUTONIUM-239/240	-0.018	pCi/L	U			0.021	0.162	0.204
FSB135D	8/11/2015	THORIUM-228	0.0835	pCi/L	J		21	0.084	0.0553	0.224
FSB135D	8/11/2015	THORIUM-230	0.245	pCi/L	U		21, V	0.146	0.0554	0.348
FSB135D	8/11/2015	THORIUM-232	0.0102	pCi/L	U			0.043	0.122	0.209
FSB135D	8/11/2015	URANIUM-233/234	0.796	pCi/L			V	0.282	0.0568	0.621
FSB135D	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.07	0.07
FSB135D	8/11/2015	URANIUM-238	0.523	pCi/L			V	0.221	0.0566	0.499
FSB135D	8/11/2015	GROSS ALPHA	25.5	pCi/L				4.65	1.51	10.8
FSB135D	8/11/2015	NONVOLATILE BETA	172	pCi/L				9.39	2.93	21.7
FSB135D	8/11/2015	STRONTIUM-90	76.8	pCi/L				10.8	3.31	24.8
FSB135D	8/11/2015	CARBON-14	4.6	pCi/L	U			4.35	7.11	15.8
FSB135D	8/11/2015	TECHNETIUM-99	27.8	pCi/L				3.39	4.5	11.3
FSB135D	8/11/2015	TRITIUM	144	pCi/mL				2.33	0.459	5.12
FSB135D	8/11/2015	CESIUM-137	1.63	pCi/L	U			5.32	9.78	20.4
FSB135D	8/11/2015	COBALT-60	0.198	pCi/L	U			4.5	8.57	17.6
FSB135D	8/11/2015	IODINE-129	11	pCi/L				2.32	1.1	5.74
FSB135D	8/11/2015	RADIUM-226	11.9	pCi/L				1.05	0.376	2.48
FSB135D	8/11/2015	RADIUM-228	3.56	pCi/L				0.653	0.597	1.9
FSB135D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	11.5	pCi/L				0.828	0.553	2.21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB135D	11/10/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.85	2.5
FSB135D	11/10/2015	CADMIUM	2.95	ug/L					0.1	1
FSB135D	11/10/2015	LEAD	0.767	ug/L	J		21		0.5	5
FSB135D	11/10/2015	GROSS ALPHA	14.5	pCi/L				4.94	2.58	12.5
FSB135D	11/10/2015	NONVOLATILE BETA	134	pCi/L				11.8	5.79	29.5
FSB135D	11/10/2015	TRITIUM	115	pCi/mL				1.86	0.52	4.23
FSB136D	1/27/2015	NITRATE-NITRITE AS NITROGEN	13.6	mg/L					0.425	1.25
FSB136D	1/27/2015	ALUMINUM	141	ug/L	J				40	400
FSB136D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
FSB136D	1/27/2015	ARSENIC	50	ug/L	U				5	50
FSB136D	1/27/2015	BARIUM	12.3	ug/L	J				2	20
FSB136D	1/27/2015	BERYLLIUM	0.248	ug/L	J				0.1	1
FSB136D	1/27/2015	CADMIUM	0.376	ug/L	J				0.1	1
FSB136D	1/27/2015	CHROMIUM	14.3	ug/L	J				10	100
FSB136D	1/27/2015	COBALT	3.11	ug/L	J				0.5	5
FSB136D	1/27/2015	COPPER	3.3	ug/L	J				0.5	5
FSB136D	1/27/2015	LEAD	5	ug/L	U				0.5	5
FSB136D	1/27/2015	NICKEL	1.82	ug/L	J				0.5	5
FSB136D	1/27/2015	SELENIUM	20	ug/L	U				2	20
FSB136D	1/27/2015	SILVER	5	ug/L	U				0.5	5
FSB136D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
FSB136D	1/27/2015	TIN	10	ug/L	U				1	10
FSB136D	1/27/2015	VANADIUM	50	ug/L	U				5	50
FSB136D	1/27/2015	ZINC	40	ug/L	U				4	40
FSB136D	1/27/2015	MERCURY	0.0595	ug/L	J		21		0.02	0.2
FSB136D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
FSB136D	1/27/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB136D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.22	ug/L	J		21		1	5
FSB136D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB136D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB136D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB136D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB136D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
FSB136D	1/27/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB136D	1/27/2015	AMERICIUM-241	0.0392	pCi/L	U			0.056	0.0532	0.165
FSB136D	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0524	0.0524
FSB136D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0524	0.0524
FSB136D	1/27/2015	CURIUM-245/246	0.18	pCi/L	U			0.123	0.0542	0.3
FSB136D	1/27/2015	PLUTONIUM-238	0.0228	pCi/L	U			0.046	0.0618	0.153
FSB136D	1/27/2015	PLUTONIUM-239/240	0.0114	pCi/L	U			0.048	0.137	0.233
FSB136D	1/27/2015	THORIUM-228	0.0443	pCi/L	U			0.063	0.0584	0.185
FSB136D	1/27/2015	THORIUM-230	0.0647	pCi/L	U			0.076	0.0585	0.209
FSB136D	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0584	0.0584
FSB136D	1/27/2015	URANIUM-233/234	0.186	pCi/L	J		21	0.135	0.0631	0.333
FSB136D	1/27/2015	URANIUM-235	-0.0144	pCi/L	U			0.02	0.172	0.213
FSB136D	1/27/2015	URANIUM-238	0.0929	pCi/L	J		21	0.094	0.0629	0.251
FSB136D	1/27/2015	GROSS ALPHA	1.67	pCi/L	U			1.88	2.49	6.25
FSB136D	1/27/2015	NONVOLATILE BETA	23.5	pCi/L				5.32	4.37	15
FSB136D	1/27/2015	STRONTIUM-90	8.91	pCi/L	J		21	3.23	3.12	9.57
FSB136D	1/27/2015	CARBON-14	5.95	pCi/L	U			4.31	6.99	15.6
FSB136D	1/27/2015	TECHNETIUM-99	9.89	pCi/L	J		21	2.93	4.47	10.3
FSB136D	1/27/2015	TRITIUM	73.8	pCi/mL				1.64	0.434	3.71
FSB136D	1/27/2015	CESIUM-137	0.627	pCi/L	U			6.28	11.3	23.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB136D	1/27/2015	COBALT-60	0.876	pCi/L	U			5.32	10.2	20.9
FSB136D	1/27/2015	IODINE-129	8.53	pCi/L				1.61	1.07	4.29
FSB136D	1/27/2015	RADIUM-226	3.35	pCi/L				0.836	0.722	2.39
FSB136D	1/27/2015	RADIUM-228	0.681	pCi/L	U			0.473	0.749	1.7
FSB136D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	U			1.18	1.76	4.12
FSB136D	4/21/2015	NITRATE-NITRITE AS NITROGEN	13.1	mg/L					0.425	1.25
FSB136D	4/21/2015	CADMIUM	0.485	ug/L	J		21		0.1	1
FSB136D	4/21/2015	LEAD	0.506	ug/L	J		21		0.5	5
FSB136D	4/21/2015	GROSS ALPHA	0.948	pCi/L	U			1.47	2.29	5.22
FSB136D	4/21/2015	NONVOLATILE BETA	27.3	pCi/L				5.6	4.24	15.4
FSB136D	4/21/2015	TRITIUM	77.2	pCi/mL				1.67	0.418	3.76
FSB136D	8/11/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.425	1.25
FSB136D	8/11/2015	ALUMINUM	168	ug/L	J		21		40	400
FSB136D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
FSB136D	8/11/2015	ARSENIC	50	ug/L	U				5	50
FSB136D	8/11/2015	BARIUM	12.8	ug/L	J		21		2	20
FSB136D	8/11/2015	BERYLLIUM	0.246	ug/L	J		21		0.1	1
FSB136D	8/11/2015	CADMIUM	0.541	ug/L	J		21		0.1	1
FSB136D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
FSB136D	8/11/2015	COBALT	4.45	ug/L	J		21		0.5	5
FSB136D	8/11/2015	COPPER	4.33	ug/L	J		21		0.5	5
FSB136D	8/11/2015	LEAD	5	ug/L	U				0.5	5
FSB136D	8/11/2015	NICKEL	1.87	ug/L	J		21		0.5	5
FSB136D	8/11/2015	SELENIUM	20	ug/L	U				2	20
FSB136D	8/11/2015	SILVER	5	ug/L	U				0.5	5
FSB136D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
FSB136D	8/11/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB136D	8/11/2015	ZINC	5.99	ug/L	J		21		4	40
FSB136D	8/11/2015	MERCURY	0.0602	ug/L	J		21		0.02	0.2
FSB136D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
FSB136D	8/11/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB136D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB136D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB136D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB136D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB136D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB136D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
FSB136D	8/11/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB136D	8/11/2015	AMERICIUM-241	-0.00612	pCi/L	U		V	0.012	0.123	0.148
FSB136D	8/11/2015	CURIUM-242	0.231	pCi/L	J		21	0.162	0.121	0.446
FSB136D	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0653	0.0653
FSB136D	8/11/2015	CURIUM-245/246	0.225	pCi/L	U		21, V	0.153	0.0676	0.374
FSB136D	8/11/2015	PLUTONIUM-238	-0.00724	pCi/L	U			0.015	0.146	0.175
FSB136D	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0784	0.0784
FSB136D	8/11/2015	THORIUM-228	-0.00528	pCi/L	U			0.011	0.104	0.125
FSB136D	8/11/2015	THORIUM-230	0.119	pCi/L	U		21, V	0.103	0.104	0.311
FSB136D	8/11/2015	THORIUM-232	0.0413	pCi/L	U			0.059	0.0559	0.173
FSB136D	8/11/2015	URANIUM-233/234	0.0481	pCi/L	U		V	0.068	0.0651	0.202
FSB136D	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0803	0.0803
FSB136D	8/11/2015	URANIUM-238	0.126	pCi/L	U		V	0.121	0.162	0.403
FSB136D	8/11/2015	GROSS ALPHA	2.81	pCi/L	J		21	1.69	1.41	4.78
FSB136D	8/11/2015	NONVOLATILE BETA	25.8	pCi/L				3.86	2.58	10.3
FSB136D	8/11/2015	STRONTIUM-90	9.04	pCi/L	J		21	3.27	3.29	9.84

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB136D	8/11/2015	CARBON-14	9.77	pCi/L	J		21	4.4	6.98	15.8
FSB136D	8/11/2015	TECHNETIUM-99	11.6	pCi/L				2.98	4.48	10.4
FSB136D	8/11/2015	TRITIUM	59.5	pCi/mL				1.51	0.456	3.47
FSB136D	8/11/2015	CESIUM-137	0.282	pCi/L	U			5.34	9.6	20.3
FSB136D	8/11/2015	COBALT-60	0.57	pCi/L	U			4.46	8.59	17.5
FSB136D	8/11/2015	IODINE-129	5.75	pCi/L				1.68	1.09	4.45
FSB136D	8/11/2015	RADIUM-226	2.29	pCi/L				0.461	0.34	1.26
FSB136D	8/11/2015	RADIUM-228	1.7	pCi/L				0.413	0.424	1.25
FSB136D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	1.51	pCi/L				0.369	0.469	1.21
FSB136D	11/6/2015	NITRATE-NITRITE AS NITROGEN	11.4	mg/L					0.85	2.5
FSB136D	11/6/2015	CADMIUM	0.482	ug/L	J		21		0.1	1
FSB136D	11/6/2015	LEAD	1.78	ug/L	J		21		0.5	5
FSB136D	11/6/2015	GROSS ALPHA	3.49	pCi/L	J		21	2.56	2.4	7.53
FSB136D	11/6/2015	NONVOLATILE BETA	21.1	pCi/L				5.16	4.61	14.9
FSB136D	11/6/2015	TRITIUM	85.2	pCi/mL				1.79	0.477	4.06
FSB137D	1/22/2015	NITRATE-NITRITE AS NITROGEN	4.7	mg/L					0.17	0.5
FSB137D	1/22/2015	ALUMINUM	1700	ug/L					40	400
FSB137D	1/22/2015	ANTIMONY	10	ug/L	U				1	10
FSB137D	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB137D	1/22/2015	BARIUM	27.3	ug/L					2	20
FSB137D	1/22/2015	BERYLLIUM	0.196	ug/L	J				0.1	1
FSB137D	1/22/2015	CADMIUM	0.499	ug/L	J				0.1	1
FSB137D	1/22/2015	CHROMIUM	17.1	ug/L	J				10	100
FSB137D	1/22/2015	COBALT	25.9	ug/L					0.5	5
FSB137D	1/22/2015	COPPER	2.92	ug/L	J				0.5	5
FSB137D	1/22/2015	LEAD	0.848	ug/L	J				0.5	5
FSB137D	1/22/2015	NICKEL	7.99	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB137D	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB137D	1/22/2015	SILVER	0.561	ug/L	J				0.5	5
FSB137D	1/22/2015	THALLIUM	0.569	ug/L	J				0.1	1
FSB137D	1/22/2015	TIN	10	ug/L	U				1	10
FSB137D	1/22/2015	VANADIUM	30.7	ug/L	U				5	50
FSB137D	1/22/2015	ZINC	6.35	ug/L	J				4	40
FSB137D	1/22/2015	MERCURY	0.354	ug/L					0.02	0.2
FSB137D	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB137D	1/22/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB137D	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB137D	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB137D	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB137D	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB137D	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB137D	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB137D	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB137D	1/22/2015	AMERICIUM-241	0.0397	pCi/L	U			0.065	0.114	0.245
FSB137D	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0605	0.0605
FSB137D	1/22/2015	CURIUM-243/244	0.0223	pCi/L	U			0.045	0.0605	0.15
FSB137D	1/22/2015	CURIUM-245/246	0.179	pCi/L	U			0.134	0.116	0.385
FSB137D	1/22/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0656	0.0656
FSB137D	1/22/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0656	0.0656
FSB137D	1/22/2015	THORIUM-228	0	pCi/L	U			0	0.0563	0.0563
FSB137D	1/22/2015	THORIUM-230	0.0416	pCi/L	U			0.059	0.0564	0.175
FSB137D	1/22/2015	THORIUM-232	-0.00519	pCi/L	U			0.01	0.105	0.125
FSB137D	1/22/2015	URANIUM-233/234	0.17	pCi/L	U			0.132	0.066	0.33

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB137D	1/22/2015	URANIUM-235	0	pCi/L	U			0	0.0814	0.0814
FSB137D	1/22/2015	URANIUM-238	0.17	pCi/L	J		21	0.131	0.0658	0.328
FSB137D	1/22/2015	GROSS ALPHA	6.53	pCi/L	J		21	3.25	2.2	8.71
FSB137D	1/22/2015	NONVOLATILE BETA	28.4	pCi/L				5.62	4.07	15.3
FSB137D	1/22/2015	STRONTIUM-90	15.1	pCi/L				4.12	3.33	11.6
FSB137D	1/22/2015	CARBON-14	9.98	pCi/L	J		21	4.62	7.35	16.6
FSB137D	1/22/2015	TECHNETIUM-99	6.27	pCi/L	J		21	2.6	4.06	9.25
FSB137D	1/22/2015	TRITIUM	18.8	pCi/mL				0.807	0.532	2.15
FSB137D	1/22/2015	CESIUM-137	-3.76	pCi/L	U			6.43	10.7	23.6
FSB137D	1/22/2015	COBALT-60	-1.54	pCi/L	U			5.86	10.4	22.1
FSB137D	1/22/2015	IODINE-129	1.68	pCi/L	J		21	1.14	0.976	3.26
FSB137D	1/22/2015	RADIUM-226	1.48	pCi/L	J		21	0.557	0.591	1.71
FSB137D	1/22/2015	RADIUM-228	1.16	pCi/L	J		21, V	0.378	0.475	1.23
FSB137D	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	2.48	pCi/L	J		21	1.5	1.9	4.9
FSB137D	4/9/2015	NITRATE-NITRITE AS NITROGEN	3.82	mg/L					0.17	0.5
FSB137D	4/9/2015	CADMIUM	0.405	ug/L	J		21		0.1	1
FSB137D	4/9/2015	LEAD	5	ug/L	U				0.5	5
FSB137D	4/9/2015	GROSS ALPHA	6.32	pCi/L	J		21	3.22	2.13	8.57
FSB137D	4/9/2015	NONVOLATILE BETA	25.4	pCi/L				5.65	4.93	16.2
FSB137D	4/9/2015	TRITIUM	12.1	pCi/mL				0.697	0.415	1.81
FSB137D	8/4/2015	NITRATE-NITRITE AS NITROGEN	7.3	mg/L					0.085	0.25
FSB137D	8/4/2015	ALUMINUM	594	ug/L					40	400
FSB137D	8/4/2015	ANTIMONY	10	ug/L	U		V		1	10
FSB137D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSB137D	8/4/2015	BARIUM	30.2	ug/L					2	20
FSB137D	8/4/2015	BERYLLIUM	0.234	ug/L	J		21		0.1	1
FSB137D	8/4/2015	CADMIUM	0.466	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB137D	8/4/2015	CHROMIUM	100	ug/L	U				10	100
FSB137D	8/4/2015	COBALT	18.5	ug/L					0.5	5
FSB137D	8/4/2015	COPPER	2.94	ug/L	J		21		0.5	5
FSB137D	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSB137D	8/4/2015	NICKEL	2.65	ug/L	J		21		0.5	5
FSB137D	8/4/2015	SELENIUM	20	ug/L	U				2	20
FSB137D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSB137D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSB137D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSB137D	8/4/2015	ZINC	9.24	ug/L	J		21		4	40
FSB137D	8/4/2015	MERCURY	0.429	ug/L					0.02	0.2
FSB137D	8/4/2015	BENZENE	1	ug/L	U				0.3	1
FSB137D	8/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSB137D	8/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.52	ug/L	J		21		1	5
FSB137D	8/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB137D	8/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB137D	8/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB137D	8/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB137D	8/4/2015	CYANIDE	5	ug/L	U				1.67	5
FSB137D	8/4/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB137D	8/4/2015	AMERICIUM-241	0.0118	pCi/L	U		V	0.05	0.142	0.242
FSB137D	8/4/2015	CURIUM-242	0.0249	pCi/L	U			0.05	0.0631	0.163
FSB137D	8/4/2015	CURIUM-243/244	-0.00583	pCi/L	U			0.012	0.117	0.141
FSB137D	8/4/2015	CURIUM-245/246	0.211	pCi/L	U		21, V	0.148	0.121	0.418
FSB137D	8/4/2015	PLUTONIUM-238	-0.00632	pCi/L	U			0.013	0.127	0.153
FSB137D	8/4/2015	PLUTONIUM-239/240	0.0442	pCi/L	U			0.073	0.127	0.273

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB137D	8/4/2015	THORIUM-228	0.0448	pCi/L	U			0.064	0.0597	0.187
FSB137D	8/4/2015	THORIUM-230	0.127	pCi/L	U		21, V	0.11	0.111	0.332
FSB137D	8/4/2015	THORIUM-232	0	pCi/L	U			0	0.0597	0.0597
FSB137D	8/4/2015	URANIUM-233/234	0.143	pCi/L	J		21, V	0.119	0.132	0.37
FSB137D	8/4/2015	URANIUM-235	0.0271	pCi/L	U			0.054	0.0734	0.182
FSB137D	8/4/2015	URANIUM-238	0.175	pCi/L	U		21, V	0.126	0.0594	0.312
FSB137D	8/4/2015	GROSS ALPHA	7.45	pCi/L	J		21	3.54	2.38	9.45
FSB137D	8/4/2015	NONVOLATILE BETA	24.4	pCi/L				5.58	5.07	16.2
FSB137D	8/4/2015	STRONTIUM-90	12.2	pCi/L				3.77	3.32	10.9
FSB137D	8/4/2015	CARBON-14	6.61	pCi/L	U			4.25	6.86	15.4
FSB137D	8/4/2015	TECHNETIUM-99	7.06	pCi/L	J		21	2.66	4.12	9.44
FSB137D	8/4/2015	TRITIUM	45.2	pCi/mL				1.31	0.443	3.05
FSB137D	8/4/2015	CESIUM-137	1.48	pCi/L	U			5.76	10.5	22
FSB137D	8/4/2015	COBALT-60	2.12	pCi/L	U			4.48	8.94	17.9
FSB137D	8/4/2015	IODINE-129	1.79	pCi/L	J		21	1.08	1.13	3.28
FSB137D	8/4/2015	RADIUM-226	1.73	pCi/L				0.531	0.527	1.59
FSB137D	8/4/2015	RADIUM-228	2.21	pCi/L	J		V	0.578	0.701	1.86
FSB137D	8/4/2015	RADIUM, TOTAL ALPHA-EMITTING	2.05	pCi/L	J		21	1.18	1.35	3.71
FSB137D	10/30/2015	NITRATE-NITRITE AS NITROGEN	8.47	mg/L					0.17	0.5
FSB137D	10/30/2015	CADMIUM	0.485	ug/L	J		21		0.1	1
FSB137D	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSB137D	10/30/2015	GROSS ALPHA	4.23	pCi/L	J		21	2.69	2.28	7.66
FSB137D	10/30/2015	NONVOLATILE BETA	29.4	pCi/L				5.73	4.02	15.5
FSB137D	10/30/2015	TRITIUM	36.6	pCi/mL				1.08	0.508	2.67
FSB138D	1/22/2015	NITRATE-NITRITE AS NITROGEN	8.37	mg/L					0.17	0.5
FSB138D	1/22/2015	ALUMINUM	390	ug/L	J				40	400
FSB138D	1/22/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB138D	1/22/2015	ARSENIC	50	ug/L	U				5	50
FSB138D	1/22/2015	BARIUM	16.8	ug/L	J				2	20
FSB138D	1/22/2015	BERYLLIUM	0.1	ug/L	J				0.1	1
FSB138D	1/22/2015	CADMIUM	0.285	ug/L	J				0.1	1
FSB138D	1/22/2015	CHROMIUM	13.5	ug/L	J				10	100
FSB138D	1/22/2015	COBALT	7.78	ug/L					0.5	5
FSB138D	1/22/2015	COPPER	3.5	ug/L	J				0.5	5
FSB138D	1/22/2015	LEAD	2.77	ug/L	J				0.5	5
FSB138D	1/22/2015	NICKEL	6.26	ug/L					0.5	5
FSB138D	1/22/2015	SELENIUM	20	ug/L	U				2	20
FSB138D	1/22/2015	SILVER	5	ug/L	U				0.5	5
FSB138D	1/22/2015	THALLIUM	1	ug/L	U				0.1	1
FSB138D	1/22/2015	TIN	10	ug/L	U				1	10
FSB138D	1/22/2015	VANADIUM	46.9	ug/L	U				5	50
FSB138D	1/22/2015	ZINC	6.32	ug/L	J				4	40
FSB138D	1/22/2015	MERCURY	0.163	ug/L	J		21		0.02	0.2
FSB138D	1/22/2015	BENZENE	1	ug/L	U				0.3	1
FSB138D	1/22/2015	CHLOROFORM	1.13	ug/L					0.3	1
FSB138D	1/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSB138D	1/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB138D	1/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSB138D	1/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB138D	1/22/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSB138D	1/22/2015	CYANIDE	5	ug/L	U				1.67	5
FSB138D	1/22/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSB138D	1/22/2015	AMERICIUM-241	0.243	pCi/L	J		21	0.158	0.0658	0.383

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB138D	1/22/2015	CURIUM-242	0	pCi/L	U			0	0.0648	0.0648
FSB138D	1/22/2015	CURIUM-243/244	0.0239	pCi/L	U			0.048	0.0648	0.161
FSB138D	1/22/2015	CURIUM-245/246	0.217	pCi/L	U			0.153	0.125	0.431
FSB138D	1/22/2015	PLUTONIUM-238	-0.00646	pCi/L	U			0.013	0.13	0.156
FSB138D	1/22/2015	PLUTONIUM-239/240	0.0258	pCi/L	U			0.052	0.07	0.174
FSB138D	1/22/2015	THORIUM-228	0.0265	pCi/L	U			0.063	0.141	0.267
FSB138D	1/22/2015	THORIUM-230	0.0629	pCi/L	U			0.073	0.0568	0.204
FSB138D	1/22/2015	THORIUM-232	0.0366	pCi/L	U			0.06	0.105	0.226
FSB138D	1/22/2015	URANIUM-233/234	4.86	pCi/L				1.01	0.133	2.15
FSB138D	1/22/2015	URANIUM-235	0.24	pCi/L	J		21	0.17	0.138	0.478
FSB138D	1/22/2015	URANIUM-238	5.61	pCi/L				1.11	0.0601	2.28
FSB138D	1/22/2015	GROSS ALPHA	13	pCi/L				4.58	2.26	11.4
FSB138D	1/22/2015	NONVOLATILE BETA	29.7	pCi/L				5.75	4.23	15.7
FSB138D	1/22/2015	STRONTIUM-90	11.3	pCi/L				3.57	3.33	10.5
FSB138D	1/22/2015	CARBON-14	0.312	pCi/L	UJ			4.22	7.07	15.5
FSB138D	1/22/2015	TECHNETIUM-99	5.15	pCi/L	J		21	2.77	4.41	9.95
FSB138D	1/22/2015	TRITIUM	74.9	pCi/mL				1.51	0.525	3.54
FSB138D	1/22/2015	CESIUM-137	1.31	pCi/L	U			6.28	11.4	24
FSB138D	1/22/2015	COBALT-60	0.797	pCi/L	U			5.77	10.9	22.5
FSB138D	1/22/2015	IODINE-129	4.29	pCi/L				1.35	0.978	3.67
FSB138D	1/22/2015	RADIUM-226	2.76	pCi/L				0.67	0.384	1.72
FSB138D	1/22/2015	RADIUM-228	1.1	pCi/L	J		21, V	0.386	0.492	1.26
FSB138D	1/22/2015	RADIUM, TOTAL ALPHA-EMITTING	2.96	pCi/L	J		21	1.48	1.77	4.73
FSB138D	4/9/2015	NITRATE-NITRITE AS NITROGEN	8.2	mg/L					0.85	2.5
FSB138D	4/9/2015	CADMIUM	0.337	ug/L	J		21		0.1	1
FSB138D	4/9/2015	LEAD	10.8	ug/L					0.5	5
FSB138D	4/9/2015	GROSS ALPHA	12.6	pCi/L				4.57	2.23	11.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB138D	4/9/2015	NONVOLATILE BETA	31.8	pCi/L				6.31	5.57	18.2
FSB138D	4/9/2015	TRITIUM	65.6	pCi/mL				1.55	0.417	3.51
FSB138D	8/9/2015	NITRATE-NITRITE AS NITROGEN	12.4	mg/L					0.425	1.25
FSB138D	8/9/2015	ALUMINUM	569	ug/L					40	400
FSB138D	8/9/2015	ANTIMONY	10	ug/L	U				1	10
FSB138D	8/9/2015	ARSENIC	50	ug/L	U				5	50
FSB138D	8/9/2015	BARIUM	29.7	ug/L					2	20
FSB138D	8/9/2015	BERYLLIUM	0.146	ug/L	J		21		0.1	1
FSB138D	8/9/2015	CADMIUM	0.51	ug/L	J		21		0.1	1
FSB138D	8/9/2015	CHROMIUM	10.2	ug/L	J		21		10	100
FSB138D	8/9/2015	COBALT	11.3	ug/L					0.5	5
FSB138D	8/9/2015	COPPER	3.47	ug/L	J		21		0.5	5
FSB138D	8/9/2015	LEAD	2.1	ug/L	J		21		0.5	5
FSB138D	8/9/2015	NICKEL	3.21	ug/L	J		21		0.5	5
FSB138D	8/9/2015	SELENIUM	2.03	ug/L	U		21, V		2	20
FSB138D	8/9/2015	SILVER	5	ug/L	U				0.5	5
FSB138D	8/9/2015	THALLIUM	1	ug/L	U				0.1	1
FSB138D	8/9/2015	VANADIUM	50	ug/L	U				5	50
FSB138D	8/9/2015	ZINC	7.71	ug/L	U		21, V		4	40
FSB138D	8/9/2015	MERCURY	0.228	ug/L					0.02	0.2
FSB138D	8/9/2015	BENZENE	1	ug/L	U				0.3	1
FSB138D	8/9/2015	CHLOROFORM	0.62	ug/L	J		21		0.3	1
FSB138D	8/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.49	ug/L	J		21		1	5
FSB138D	8/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSB138D	8/9/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.3	1
FSB138D	8/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSB138D	8/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSB138D	8/9/2015	CYANIDE	5	ug/L	U				1.67	5
FSB138D	8/9/2015	PHENOLS	0.005	mg/L	U				0.00175	0.005
FSB138D	8/9/2015	AMERICIUM-241	0.116	pCi/L	U		21, V	0.105	0.063	0.274
FSB138D	8/9/2015	CURIUM-242	0.0188	pCi/L	U			0.052	0.115	0.219
FSB138D	8/9/2015	CURIUM-243/244	0.0229	pCi/L	U			0.046	0.0621	0.154
FSB138D	8/9/2015	CURIUM-245/246	0.119	pCi/L	U		21, V	0.107	0.0642	0.279
FSB138D	8/9/2015	PLUTONIUM-238	0.0119	pCi/L	U		V	0.05	0.142	0.243
FSB138D	8/9/2015	PLUTONIUM-239/240	-0.00592	pCi/L	U		V	0.054	0.187	0.296
FSB138D	8/9/2015	THORIUM-228	0.096	pCi/L	U			0.104	0.126	0.335
FSB138D	8/9/2015	THORIUM-230	0.0754	pCi/L	U		21, V	0.088	0.0681	0.244
FSB138D	8/9/2015	THORIUM-232	0	pCi/L	U		V	0	0.0679	0.0679
FSB138D	8/9/2015	URANIUM-233/234	5.67	pCi/L			V	1.07	0.0578	2.2
FSB138D	8/9/2015	URANIUM-235	0.178	pCi/L	J		21	0.143	0.132	0.418
FSB138D	8/9/2015	URANIUM-238	5.9	pCi/L			V	1.08	0.0577	2.22
FSB138D	8/9/2015	GROSS ALPHA	18.1	pCi/L				5.62	2.59	13.8
FSB138D	8/9/2015	NONVOLATILE BETA	39.3	pCi/L				6.99	6.03	20
FSB138D	8/9/2015	STRONTIUM-90	13.3	pCi/L				3.88	3.41	11.2
FSB138D	8/9/2015	CARBON-14	53.3	pCi/L				5.39	7.16	17.9
FSB138D	8/9/2015	TECHNETIUM-99	5.28	pCi/L	J		21	2.59	4.1	9.29
FSB138D	8/9/2015	TRITIUM	132	pCi/mL				2.2	0.443	4.84
FSB138D	8/9/2015	CESIUM-137	-3.2	pCi/L	U			6.17	8.92	21.2
FSB138D	8/9/2015	COBALT-60	-1.24	pCi/L	U			5.01	9.06	19.1
FSB138D	8/9/2015	IODINE-129	4.74	pCi/L				1.43	1.16	4.01
FSB138D	8/9/2015	RADIUM-226	3.68	pCi/L				0.697	0.449	1.84
FSB138D	8/9/2015	RADIUM-228	2.08	pCi/L	J		V	0.467	0.477	1.41
FSB138D	8/9/2015	RADIUM, TOTAL ALPHA-EMITTING	5.58	pCi/L				1.81	1.65	5.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB138D	11/2/2015	NITRATE-NITRITE AS NITROGEN	10.9	mg/L					0.425	1.25
FSB138D	11/2/2015	CADMIUM	0.419	ug/L	J		21		0.1	1
FSB138D	11/2/2015	LEAD	2.6	ug/L	J		21		0.5	5
FSB138D	11/2/2015	GROSS ALPHA	9.03	pCi/L	J		21	3.87	2.33	10.1
FSB138D	11/2/2015	NONVOLATILE BETA	25.2	pCi/L				5.39	4.15	14.9
FSB138D	11/2/2015	TRITIUM	82.7	pCi/mL				1.71	0.509	3.93
FSB142D	5/5/2015	TOTAL SUSPENDED SOLIDS	7	mg/L					4	4
FSB142D	5/5/2015	TOTAL PHOSPHATES (AS P)	200	ug/L					6	50
FSB142D	5/5/2015	ARSENIC	50	ug/L	U				5	50
FSB142D	5/5/2015	BARIUM	221	ug/L					2	20
FSB142D	5/5/2015	BERYLLIUM	0.932	ug/L	J		21		0.1	1
FSB142D	5/5/2015	CADMIUM	2.46	ug/L					0.1	1
FSB142D	5/5/2015	CHROMIUM	12.1	ug/L	U		21, V		10	100
FSB142D	5/5/2015	LEAD	5	ug/L	U				0.5	5
FSB142D	5/5/2015	SELENIUM	2.29	ug/L	J		21		2	20
FSB142D	5/5/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	5/5/2015	MERCURY	0.0742	ug/L	J		21		0.02	0.2
FSB142D	5/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSB142D	5/5/2015	TRICHLOROETHYLENE (TCE)	3.1	ug/L					0.25	1
FSB142D	5/5/2015	CHLORIDE	34	mg/L					0.4	4
FSB142D	5/5/2015	SULFATE	1.6	mg/L					0.05	0.5
FSB142D	5/5/2015	GROSS ALPHA	107	pCi/L	J			15.3	3.28	33.8
FSB142D	5/5/2015	NONVOLATILE BETA	252	pCi/L				16.1	5.89	38.1
FSB142D	5/5/2015	STRONTIUM-90	77.7	pCi/L				10.8	3.33	25
FSB142D	5/5/2015	TRITIUM	786	pCi/mL				5.32	0.443	11.1
FSB142D	5/5/2015	CESIUM-137	-3.74	pCi/L	U			6.21	10.3	22.7
FSB142D	5/5/2015	IODINE-129	33.4	pCi/L				5.54	1.38	12.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB142D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	5/13/2015	CHLORIDE	36	mg/L					0.4	4
FSB142D	5/13/2015	TRITIUM	871	pCi/mL				5.62	0.423	11.7
FSB142D	5/13/2015	IODINE-129	37.8	pCi/L				6.01	1.28	13.3
FSB142D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	5/20/2015	CHLORIDE	37	mg/L					0.4	4
FSB142D	5/20/2015	TRITIUM	877	pCi/mL				5.62	0.421	11.7
FSB142D	5/20/2015	IODINE-129	41.5	pCi/L				6.57	1.34	14.5
FSB142D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	5/27/2015	CHLORIDE	34	mg/L					1	10
FSB142D	5/27/2015	TRITIUM	873	pCi/mL				5.61	0.459	11.7
FSB142D	5/27/2015	IODINE-129	41.2	pCi/L				6.64	1.35	14.6
FSB142D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB142D	6/10/2015	CHLORIDE	38	mg/L					1	10
FSB142D	6/10/2015	TRITIUM	30.5	pCi/mL				1.05	0.441	2.53
FSB142D	6/10/2015	IODINE-129	41.7	pCi/L				6.56	1.37	14.5
FSB142D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	6/24/2015	CHLORIDE	37	mg/L					0.4	4
FSB142D	6/24/2015	TRITIUM	905	pCi/mL				5.77	0.484	12
FSB142D	6/24/2015	IODINE-129	40.5	pCi/L				6.52	1.29	14.3
FSB142D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	7/8/2015	CHLORIDE	35	mg/L					0.4	4
FSB142D	7/8/2015	TRITIUM	850	pCi/mL				5.54	0.47	11.5
FSB142D	7/8/2015	IODINE-129	43.3	pCi/L				6.87	1.36	15.1
FSB142D	8/5/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	8/5/2015	CHLORIDE	36	mg/L					0.4	4
FSB142D	8/5/2015	TRITIUM	867	pCi/mL				5.63	0.478	11.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB142D	8/5/2015	IODINE-129	46	pCi/L	J			7.31	1.29	15.9
FSB142D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	9/9/2015	CHLORIDE	37	mg/L					0.8	8
FSB142D	9/9/2015	TRITIUM	842	pCi/mL				5.01	0.527	10.6
FSB142D	9/9/2015	IODINE-129	40.9	pCi/L				6.55	1.34	14.4
FSB142D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	11/17/2015	CHLORIDE	39	mg/L					2	20
FSB142D	11/17/2015	TRITIUM	813	pCi/mL				5.37	0.465	11.2
FSB142D	11/17/2015	IODINE-129	43.3	pCi/L				6.87	1.16	14.9
FSB142D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB142D	12/15/2015	CHLORIDE	36	mg/L					0.4	4
FSB142D	12/15/2015	TRITIUM	847	pCi/mL				5.48	0.4	11.4
FSB142D	12/15/2015	IODINE-129	42.4	pCi/L				6.83	1.43	15.1
FSB143D	5/4/2015	TOTAL SUSPENDED SOLIDS	7	mg/L					4	4
FSB143D	5/4/2015	TOTAL PHOSPHATES (AS P)	160	ug/L					6	50
FSB143D	5/4/2015	ARSENIC	50	ug/L	U				5	50
FSB143D	5/4/2015	BARIUM	173	ug/L					2	20
FSB143D	5/4/2015	BERYLLIUM	1.02	ug/L					0.1	1
FSB143D	5/4/2015	CADMIUM	2.33	ug/L					0.1	1
FSB143D	5/4/2015	CHROMIUM	13.7	ug/L	U		21, V		10	100
FSB143D	5/4/2015	LEAD	5	ug/L	U				0.5	5
FSB143D	5/4/2015	SELENIUM	20	ug/L	U				2	20
FSB143D	5/4/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	5/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB143D	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSB143D	5/4/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
FSB143D	5/4/2015	CHLORIDE	16	mg/L					0.4	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB143D	5/4/2015	SULFATE	2.1	mg/L					0.05	0.5
FSB143D	5/4/2015	GROSS ALPHA	250	pCi/L				21.9	3.2	46.9
FSB143D	5/4/2015	NONVOLATILE BETA	243	pCi/L				17.7	15.2	50.7
FSB143D	5/4/2015	STRONTIUM-90	88.2	pCi/L				11.9	3.24	27.1
FSB143D	5/4/2015	TRITIUM	473	pCi/mL				4.08	0.497	8.65
FSB143D	5/4/2015	CESIUM-137	0.745	pCi/L	U			5.98	10.8	22.8
FSB143D	5/4/2015	IODINE-129	40.1	pCi/L				6.37	1.43	14.2
FSB143D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	5/13/2015	CHLORIDE	18	mg/L					0.4	4
FSB143D	5/13/2015	TRITIUM	546	pCi/mL				4.43	0.418	9.27
FSB143D	5/13/2015	IODINE-129	51.8	pCi/L				8.1	1.47	17.7
FSB143D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	5/20/2015	CHLORIDE	18	mg/L					0.4	4
FSB143D	5/20/2015	TRITIUM	544	pCi/mL				4.42	0.419	9.27
FSB143D	5/20/2015	IODINE-129	45.6	pCi/L				7.33	1.34	16
FSB143D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	5/27/2015	CHLORIDE	19	mg/L					0.1	1
FSB143D	5/27/2015	TRITIUM	573	pCi/mL				4.52	0.454	9.5
FSB143D	5/27/2015	IODINE-129	48.7	pCi/L				7.63	1.45	16.7
FSB143D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB143D	6/10/2015	CHLORIDE	18	mg/L					0.2	2
FSB143D	6/10/2015	TRITIUM	527	pCi/mL				4.22	0.439	8.87
FSB143D	6/10/2015	IODINE-129	42.1	pCi/L				6.66	1.35	14.7
FSB143D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	6/24/2015	CHLORIDE	16	mg/L					0.4	4
FSB143D	6/24/2015	TRITIUM	527	pCi/mL				4.38	0.479	9.25
FSB143D	6/24/2015	IODINE-129	38	pCi/L				6.09	1.32	13.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB143D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	7/8/2015	CHLORIDE	18	mg/L					0.4	4
FSB143D	7/8/2015	TRITIUM	658	pCi/mL				4.8	0.455	10.1
FSB143D	7/8/2015	IODINE-129	46.9	pCi/L				7.42	1.46	16.3
FSB143D	8/5/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	8/5/2015	CHLORIDE	16	mg/L					0.4	4
FSB143D	8/5/2015	TRITIUM	597	pCi/mL				4.54	0.484	9.57
FSB143D	8/5/2015	IODINE-129	56.5	pCi/L				8.98	1.63	19.6
FSB143D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	9/9/2015	CHLORIDE	17	mg/L					0.8	8
FSB143D	9/9/2015	TRITIUM	537	pCi/mL				4.01	0.529	8.55
FSB143D	9/9/2015	IODINE-129	51.5	pCi/L				8.11	1.29	17.5
FSB143D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	11/17/2015	CHLORIDE	17	mg/L					0.1	1
FSB143D	11/17/2015	TRITIUM	501	pCi/mL				4.18	0.457	8.81
FSB143D	11/17/2015	IODINE-129	37.9	pCi/L				6.3	1.58	14.2
FSB143D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB143D	12/15/2015	CHLORIDE	18	mg/L					0.4	4
FSB143D	12/15/2015	TRITIUM	518	pCi/mL				4.33	0.407	9.06
FSB143D	12/15/2015	IODINE-129	44	pCi/L				7.24	1.53	16
FSB144D	5/4/2015	TOTAL SUSPENDED SOLIDS	4	mg/L	U				4	4
FSB144D	5/4/2015	TOTAL PHOSPHATES (AS P)	230	ug/L					6	50
FSB144D	5/4/2015	ARSENIC	50	ug/L	U				5	50
FSB144D	5/4/2015	BARIUM	92.1	ug/L					2	20
FSB144D	5/4/2015	BERYLLIUM	0.504	ug/L	J		21		0.1	1
FSB144D	5/4/2015	CADMIUM	2.2	ug/L					0.1	1
FSB144D	5/4/2015	CHROMIUM	100	ug/L	U		V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB144D	5/4/2015	LEAD	5	ug/L	U				0.5	5
FSB144D	5/4/2015	SELENIUM	20	ug/L	U				2	20
FSB144D	5/4/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	5/4/2015	MERCURY	0.139	ug/L	J		21		0.02	0.2
FSB144D	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSB144D	5/4/2015	TRICHLOROETHYLENE (TCE)	0.71	ug/L	J		21		0.25	1
FSB144D	5/4/2015	CHLORIDE	17	mg/L					0.4	4
FSB144D	5/4/2015	SULFATE	2.2	mg/L					0.05	0.5
FSB144D	5/4/2015	GROSS ALPHA	114	pCi/L				14.2	2.74	31.2
FSB144D	5/4/2015	NONVOLATILE BETA	142	pCi/L				13.4	11.2	38
FSB144D	5/4/2015	STRONTIUM-90	50	pCi/L				7.99	3.22	19.2
FSB144D	5/4/2015	TRITIUM	286	pCi/mL				3.16	0.492	6.8
FSB144D	5/4/2015	CESIUM-137	3.79	pCi/L	U			6.26	11.8	24.3
FSB144D	5/4/2015	IODINE-129	18.4	pCi/L				3.18	1.19	7.56
FSB144D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	5/13/2015	CHLORIDE	25	mg/L					0.4	4
FSB144D	5/13/2015	TRITIUM	378	pCi/mL				3.7	0.422	7.83
FSB144D	5/13/2015	IODINE-129	26.7	pCi/L				4.48	1.23	10.2
FSB144D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	5/20/2015	CHLORIDE	25	mg/L					0.4	4
FSB144D	5/20/2015	TRITIUM	343	pCi/mL				3.5	0.416	7.42
FSB144D	5/20/2015	IODINE-129	25.2	pCi/L				4.3	1.19	9.79
FSB144D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	5/27/2015	CHLORIDE	20	mg/L					1	10
FSB144D	5/27/2015	TRITIUM	334	pCi/mL				3.45	0.454	7.36
FSB144D	5/27/2015	IODINE-129	22	pCi/L				3.83	1.27	8.92
FSB144D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB144D	6/10/2015	CHLORIDE	26	mg/L					0.4	4
FSB144D	6/10/2015	TRITIUM	353	pCi/mL				3.47	0.442	7.37
FSB144D	6/10/2015	IODINE-129	10.9	pCi/L				2.2	1.16	5.55
FSB144D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	6/24/2015	CHLORIDE	17	mg/L					0.4	4
FSB144D	6/24/2015	TRITIUM	223	pCi/mL				2.87	0.482	6.22
FSB144D	6/24/2015	IODINE-129	5.62	pCi/L				1.62	0.982	4.23
FSB144D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	7/8/2015	CHLORIDE	25	mg/L					0.4	4
FSB144D	7/8/2015	TRITIUM	379	pCi/mL				3.7	0.468	7.86
FSB144D	7/8/2015	IODINE-129	23.9	pCi/L				3.95	1.22	9.12
FSB144D	8/5/2015	SILVER	1.75	ug/L	J		21		0.5	5
FSB144D	8/5/2015	CHLORIDE	19	mg/L					0.4	4
FSB144D	8/5/2015	TRITIUM	311	pCi/mL				3.31	0.499	7.11
FSB144D	8/5/2015	IODINE-129	8.08	pCi/L				1.79	1.28	4.86
FSB144D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	9/9/2015	CHLORIDE	21	mg/L					0.8	8
FSB144D	9/9/2015	TRITIUM	293	pCi/mL				3.28	0.473	7.03
FSB144D	9/9/2015	IODINE-129	16.6	pCi/L	J			3.08	1.07	7.24
FSB144D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	11/17/2015	CHLORIDE	19	mg/L					0.4	4
FSB144D	11/17/2015	TRITIUM	233	pCi/mL				2.87	0.461	6.2
FSB144D	11/17/2015	IODINE-129	21.9	pCi/L				3.8	1.24	8.85
FSB144D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB144D	12/15/2015	CHLORIDE	21	mg/L					0.4	4
FSB144D	12/15/2015	TRITIUM	255	pCi/mL				3.02	0.403	6.45
FSB144D	12/15/2015	IODINE-129	19.5	pCi/L				3.68	1.25	8.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB145D	4/30/2015	TOTAL SUSPENDED SOLIDS	5	mg/L					4	4
FSB145D	4/30/2015	TOTAL PHOSPHATES (AS P)	91	ug/L					6	50
FSB145D	4/30/2015	ARSENIC	50	ug/L	U				5	50
FSB145D	4/30/2015	BARIUM	136	ug/L					2	20
FSB145D	4/30/2015	BERYLLIUM	0.764	ug/L	J		21		0.1	1
FSB145D	4/30/2015	CADMIUM	2.27	ug/L					0.1	1
FSB145D	4/30/2015	CHROMIUM	12.4	ug/L	U		21, V		10	100
FSB145D	4/30/2015	LEAD	1.09	ug/L	J		21		0.5	5
FSB145D	4/30/2015	SELENIUM	20	ug/L	U				2	20
FSB145D	4/30/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	4/30/2015	MERCURY	2.8	ug/L					0.02	0.2
FSB145D	4/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSB145D	4/30/2015	TRICHLOROETHYLENE (TCE)	0.75	ug/L	J		21		0.25	1
FSB145D	4/30/2015	CHLORIDE	22	mg/L					0.4	4
FSB145D	4/30/2015	SULFATE	1.3	mg/L					0.05	0.5
FSB145D	4/30/2015	GROSS ALPHA	134	pCi/L				15.7	3.11	34.5
FSB145D	4/30/2015	NONVOLATILE BETA	257	pCi/L				17.2	11.8	46.2
FSB145D	4/30/2015	STRONTIUM-90	115	pCi/L				14.7	3.24	32.7
FSB145D	4/30/2015	TRITIUM	397	pCi/mL				3.71	0.49	7.91
FSB145D	4/30/2015	CESIUM-137	-4.56	pCi/L	U			5.89	9.56	21.3
FSB145D	4/30/2015	IODINE-129	45.4	pCi/L				5.73	1.13	12.6
FSB145D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	5/13/2015	CHLORIDE	25	mg/L					0.4	4
FSB145D	5/13/2015	TRITIUM	465	pCi/mL				4.08	0.418	8.58
FSB145D	5/13/2015	IODINE-129	52.6	pCi/L				8.28	1.41	18
FSB145D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	5/20/2015	CHLORIDE	26	mg/L					0.4	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB145D	5/20/2015	TRITIUM	456	pCi/mL				4.04	0.417	8.5
FSB145D	5/20/2015	IODINE-129	48.6	pCi/L				7.58	1.7	16.9
FSB145D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	5/27/2015	CHLORIDE	24	mg/L					1	10
FSB145D	5/27/2015	TRITIUM	445	pCi/mL				3.99	0.454	8.43
FSB145D	5/27/2015	IODINE-129	50.9	pCi/L				7.93	1.72	17.6
FSB145D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB145D	6/10/2015	CHLORIDE	30	mg/L					1	10
FSB145D	6/10/2015	TRITIUM	567	pCi/mL				4.37	0.438	9.18
FSB145D	6/10/2015	IODINE-129	57	pCi/L				8.82	1.62	19.3
FSB145D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	6/24/2015	CHLORIDE	24	mg/L					0.4	4
FSB145D	6/24/2015	TRITIUM	473	pCi/mL				4.17	0.484	8.83
FSB145D	6/24/2015	IODINE-129	43.3	pCi/L				7	1.34	15.3
FSB145D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	7/8/2015	CHLORIDE	26	mg/L					0.4	4
FSB145D	7/8/2015	TRITIUM	520	pCi/mL				4.35	0.473	9.17
FSB145D	7/8/2015	IODINE-129	47.4	pCi/L				7.49	1.5	16.5
FSB145D	8/5/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	8/5/2015	CHLORIDE	25	mg/L					0.4	4
FSB145D	8/5/2015	TRITIUM	508	pCi/mL				4.31	0.478	9.11
FSB145D	8/5/2015	IODINE-129	54.5	pCi/L				8.64	1.55	18.8
FSB145D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	9/9/2015	CHLORIDE	25	mg/L					0.8	8
FSB145D	9/9/2015	TRITIUM	447	pCi/mL				4.04	0.471	8.55
FSB145D	9/9/2015	IODINE-129	59.6	pCi/L	J			9.37	1.62	20.4
FSB145D	11/17/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB145D	11/17/2015	CHLORIDE	27	mg/L					1	10
FSB145D	11/17/2015	TRITIUM	442	pCi/mL				3.95	0.462	8.36
FSB145D	11/17/2015	IODINE-129	60.8	pCi/L				9.42	1.23	20.1
FSB145D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB145D	12/15/2015	CHLORIDE	28	mg/L					0.4	4
FSB145D	12/15/2015	TRITIUM	502	pCi/mL				4.27	0.41	8.95
FSB145D	12/15/2015	IODINE-129	53.7	pCi/L				8.51	1.33	18.3
FSB146D	4/29/2015	TOTAL SUSPENDED SOLIDS	4	mg/L			S		4	4
FSB146D	4/29/2015	TOTAL PHOSPHATES (AS P)	110	ug/L					6	50
FSB146D	4/29/2015	ARSENIC	50	ug/L	U				5	50
FSB146D	4/29/2015	BARIUM	50.5	ug/L					2	20
FSB146D	4/29/2015	BERYLLIUM	0.157	ug/L	J		21		0.1	1
FSB146D	4/29/2015	CADMIUM	1.13	ug/L					0.1	1
FSB146D	4/29/2015	CHROMIUM	10.5	ug/L	U		21, V		10	100
FSB146D	4/29/2015	LEAD	5	ug/L	U				0.5	5
FSB146D	4/29/2015	SELENIUM	20	ug/L	U				2	20
FSB146D	4/29/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	4/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSB146D	4/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSB146D	4/29/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J		21		0.25	1
FSB146D	4/29/2015	CHLORIDE	4.3	mg/L					0.02	0.2
FSB146D	4/29/2015	SULFATE	2.3	mg/L					0.05	0.5
FSB146D	4/29/2015	GROSS ALPHA	30.8	pCi/L				7.31	2.56	17.2
FSB146D	4/29/2015	NONVOLATILE BETA	98.1	pCi/L				10.5	6.98	27.9
FSB146D	4/29/2015	STRONTIUM-90	38.5	pCi/L				6.66	3.28	16.6
FSB146D	4/29/2015	TRITIUM	80.8	pCi/mL				1.71	0.5	3.92
FSB146D	4/29/2015	CESIUM-137	2.92	pCi/L	U			6.08	11.4	23.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB146D	4/29/2015	IODINE-129	14	pCi/L				2.53	1.12	6.19
FSB146D	5/13/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	5/13/2015	CHLORIDE	4.3	mg/L					0.02	0.2
FSB146D	5/13/2015	TRITIUM	86.3	pCi/mL				1.77	0.417	3.96
FSB146D	5/13/2015	IODINE-129	17.4	pCi/L				3.1	1.11	7.31
FSB146D	5/20/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	5/20/2015	CHLORIDE	4	mg/L					0.02	0.2
FSB146D	5/20/2015	TRITIUM	82.1	pCi/mL				1.73	0.418	3.88
FSB146D	5/20/2015	IODINE-129	15.1	pCi/L				2.94	1.13	7.01
FSB146D	5/27/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	5/27/2015	CHLORIDE	4.2	mg/L					0.02	0.2
FSB146D	5/27/2015	TRITIUM	85.3	pCi/mL				1.77	0.458	4
FSB146D	5/27/2015	IODINE-129	20	pCi/L				3.44	1.1	7.97
FSB146D	6/10/2015	SILVER	5	ug/L	UJ				0.5	5
FSB146D	6/10/2015	CHLORIDE	4.4	mg/L					0.02	0.2
FSB146D	6/10/2015	TRITIUM	76.8	pCi/mL				1.63	0.439	3.69
FSB146D	6/10/2015	IODINE-129	18.6	pCi/L				3.29	1.24	7.82
FSB146D	6/24/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	6/24/2015	CHLORIDE	3.9	mg/L					0.02	0.2
FSB146D	6/24/2015	TRITIUM	75.5	pCi/mL				1.68	0.478	3.83
FSB146D	6/24/2015	IODINE-129	17.3	pCi/L				3.08	1.18	7.34
FSB146D	7/8/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	7/8/2015	CHLORIDE	4.9	mg/L					0.1	1
FSB146D	7/8/2015	TRITIUM	119	pCi/mL				2.09	0.468	4.64
FSB146D	7/8/2015	IODINE-129	17	pCi/L				3.08	1.1	7.25
FSB146D	8/5/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	8/5/2015	CHLORIDE	4.1	mg/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSB146D	8/5/2015	TRITIUM	104	pCi/mL				1.93	0.501	4.35
FSB146D	8/5/2015	IODINE-129	24.1	pCi/L	J			4.1	1.34	9.54
FSB146D	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	9/9/2015	CHLORIDE	4.4	mg/L					0.02	0.2
FSB146D	9/9/2015	TRITIUM	118	pCi/mL				1.9	0.526	4.32
FSB146D	9/9/2015	IODINE-129	23.1	pCi/L				4.07	1.07	9.21
FSB146D	11/17/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	11/17/2015	CHLORIDE	4.6	mg/L					0.02	0.2
FSB146D	11/17/2015	TRITIUM	83.3	pCi/mL				1.74	0.468	3.95
FSB146D	11/17/2015	IODINE-129	19.8	pCi/L				3.53	1.22	8.29
FSB146D	12/15/2015	SILVER	5	ug/L	U				0.5	5
FSB146D	12/15/2015	CHLORIDE	5.8	mg/L					0.2	2
FSB146D	12/15/2015	TRITIUM	97.2	pCi/mL				1.87	0.4	4.14
FSB146D	12/15/2015	IODINE-129	23.6	pCi/L				4.05	1.22	9.31
FSL 1D	1/26/2015	NITRATE-NITRITE AS NITROGEN	2.34	mg/L					0.085	0.25
FSL 1D	1/26/2015	ALUMINUM	132	ug/L	J				40	400
FSL 1D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 1D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 1D	1/26/2015	BARIUM	6.81	ug/L	J				2	20
FSL 1D	1/26/2015	BERYLLIUM	0.729	ug/L	J				0.1	1
FSL 1D	1/26/2015	CADMIUM	0.14	ug/L	J				0.1	1
FSL 1D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 1D	1/26/2015	COBALT	1.89	ug/L	J				0.5	5
FSL 1D	1/26/2015	COPPER	4.34	ug/L	J				0.5	5
FSL 1D	1/26/2015	LEAD	1.68	ug/L	J				0.5	5
FSL 1D	1/26/2015	NICKEL	1.89	ug/L	J				0.5	5
FSL 1D	1/26/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 1D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 1D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 1D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 1D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSL 1D	1/26/2015	ZINC	8.24	ug/L	J				4	40
FSL 1D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 1D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 1D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 1D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 1D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 1D	1/26/2015	TRICHLOROETHYLENE (TCE)	1.6	ug/L					0.3	1
FSL 1D	1/26/2015	TRICHLOROFLUOROMETHANE	2.24	ug/L					0.3	1
FSL 1D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 1D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 1D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 1D	1/26/2015	AMERICIUM-241	0	pCi/L	U			0	0.0664	0.0664
FSL 1D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0654	0.0654
FSL 1D	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0654	0.0654
FSL 1D	1/26/2015	CURIUM-245/246	0.15	pCi/L	U			0.125	0.0677	0.317
FSL 1D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0621	0.0621
FSL 1D	1/26/2015	PLUTONIUM-239/240	0.0229	pCi/L	U			0.046	0.0621	0.154
FSL 1D	1/26/2015	THORIUM-228	-0.0112	pCi/L	U			0.101	0.277	0.479
FSL 1D	1/26/2015	THORIUM-230	0.0165	pCi/L	U			0.046	0.111	0.202
FSL 1D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0596	0.0596
FSL 1D	1/26/2015	URANIUM-233/234	0.0798	pCi/L	U			0.102	0.146	0.351
FSL 1D	1/26/2015	URANIUM-235	0.0268	pCi/L	U			0.074	0.18	0.328

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 1D	1/26/2015	URANIUM-238	0.116	pCi/L	U			0.117	0.0785	0.313
FSL 1D	1/26/2015	GROSS ALPHA	1.6	pCi/L	U			1.77	2.28	5.82
FSL 1D	1/26/2015	NONVOLATILE BETA	-0.623	pCi/L	U			2.27	4.36	8.9
FSL 1D	1/26/2015	STRONTIUM-90	0.748	pCi/L	U			1.95	3.12	7.03
FSL 1D	1/26/2015	CARBON-14	1.51	pCi/L	U			4.17	6.93	15.3
FSL 1D	1/26/2015	TECHNETIUM-99	0.117	pCi/L	U			2.6	4.38	9.58
FSL 1D	1/26/2015	TRITIUM	2.02	pCi/mL				0.364	0.428	1.16
FSL 1D	1/26/2015	CESIUM-137	-4.06	pCi/L	U			5.38	8.92	19.7
FSL 1D	1/26/2015	COBALT-60	0.894	pCi/L	U			4.8	9.22	18.8
FSL 1D	1/26/2015	IODINE-129	0.488	pCi/L	U			0.641	0.995	2.28
FSL 1D	1/26/2015	RADIUM-226	1.48	pCi/L	J		21	0.489	0.508	1.49
FSL 1D	1/26/2015	RADIUM-228	1.06	pCi/L	J		21	0.411	0.534	1.36
FSL 1D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.77	pCi/L	U			1.07	1.84	3.98
FSL 1D	4/9/2015	NITRATE-NITRITE AS NITROGEN	2.34	mg/L					0.085	0.25
FSL 1D	4/9/2015	CADMIUM	0.183	ug/L	J		21		0.1	1
FSL 1D	4/9/2015	LEAD	0.677	ug/L	J		21		0.5	5
FSL 1D	4/9/2015	GROSS ALPHA	1.7	pCi/L	U			1.76	2.07	5.59
FSL 1D	4/9/2015	NONVOLATILE BETA	2.99	pCi/L	U			2.88	4.34	10.1
FSL 1D	4/9/2015	TRITIUM	2.01	pCi/mL				0.358	0.416	1.13
FSL 1D	7/28/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L					0.085	0.25
FSL 1D	7/28/2015	ALUMINUM	236	ug/L	J		21		40	400
FSL 1D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSL 1D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSL 1D	7/28/2015	BARIUM	5.99	ug/L	J		21		2	20
FSL 1D	7/28/2015	BERYLLIUM	0.997	ug/L	J		21		0.1	1
FSL 1D	7/28/2015	CADMIUM	0.207	ug/L	J		21		0.1	1
FSL 1D	7/28/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 1D	7/28/2015	COBALT	2.11	ug/L	J		21		0.5	5
FSL 1D	7/28/2015	COPPER	2.03	ug/L	J		21		0.5	5
FSL 1D	7/28/2015	LEAD	5	ug/L	U				0.5	5
FSL 1D	7/28/2015	NICKEL	2.65	ug/L	J		21		0.5	5
FSL 1D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSL 1D	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSL 1D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 1D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSL 1D	7/28/2015	ZINC	11.2	ug/L	J		21		4	40
FSL 1D	7/28/2015	GROSS ALPHA	1.68	pCi/L	J		21	1.33	1.3	3.96
FSL 1D	7/28/2015	NONVOLATILE BETA	2.64	pCi/L	J		21	1.91	2.55	6.38
FSL 1D	7/28/2015	TRITIUM	1.87	pCi/mL				0.376	0.478	1.23
FSL 1D	11/3/2015	NITRATE-NITRITE AS NITROGEN	2.59	mg/L					0.17	0.5
FSL 1D	11/3/2015	CADMIUM	0.262	ug/L	J		21		0.1	1
FSL 1D	11/3/2015	LEAD	1.04	ug/L	J		21		0.5	5
FSL 1D	11/3/2015	GROSS ALPHA	1.92	pCi/L	U			1.91	2.25	6.07
FSL 1D	11/3/2015	NONVOLATILE BETA	0.0694	pCi/L	U			2.23	3.97	8.42
FSL 1D	11/3/2015	TRITIUM	1.27	pCi/mL				0.364	0.512	1.24
FSL 2D	1/26/2015	NITRATE-NITRITE AS NITROGEN	1.29	mg/L					0.085	0.25
FSL 2D	1/26/2015	ALUMINUM	400	ug/L	U				40	400
FSL 2D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 2D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 2D	1/26/2015	BARIUM	11.9	ug/L	J				2	20
FSL 2D	1/26/2015	BERYLLIUM	0.347	ug/L	J				0.1	1
FSL 2D	1/26/2015	CADMIUM	0.184	ug/L	J				0.1	1
FSL 2D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 2D	1/26/2015	COBALT	3.34	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	1/26/2015	COPPER	12.3	ug/L					0.5	5
FSL 2D	1/26/2015	LEAD	3.34	ug/L	J				0.5	5
FSL 2D	1/26/2015	NICKEL	4.71	ug/L	J				0.5	5
FSL 2D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 2D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 2D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 2D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 2D	1/26/2015	VANADIUM	47.8	ug/L	U				5	50
FSL 2D	1/26/2015	ZINC	23.5	ug/L	J				4	40
FSL 2D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 2D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 2D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 2D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 2D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 2D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 2D	1/26/2015	TRICHLOROFLUOROMETHANE	1.29	ug/L					0.3	1
FSL 2D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 2D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 2D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 2D	1/26/2015	AMERICIUM-241	0.0351	pCi/L	U			0.068	0.14	0.277
FSL 2D	1/26/2015	CURIUM-242	0.0179	pCi/L	U			0.049	0.116	0.215
FSL 2D	1/26/2015	CURIUM-243/244	0.0173	pCi/L	U			0.048	0.116	0.211
FSL 2D	1/26/2015	CURIUM-245/246	0.119	pCi/L	U			0.108	0.0646	0.281
FSL 2D	1/26/2015	PLUTONIUM-238	0.0188	pCi/L	U			0.052	0.126	0.229
FSL 2D	1/26/2015	PLUTONIUM-239/240	0.0188	pCi/L	U			0.052	0.126	0.229
FSL 2D	1/26/2015	THORIUM-228	-0.0298	pCi/L	U			0.08	0.262	0.422

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	1/26/2015	THORIUM-230	0.0414	pCi/L	U			0.068	0.119	0.256
FSL 2D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.064	0.064
FSL 2D	1/26/2015	URANIUM-233/234	0.0246	pCi/L	U			0.049	0.0667	0.165
FSL 2D	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.0823	0.0823
FSL 2D	1/26/2015	URANIUM-238	0.0614	pCi/L	U			0.087	0.147	0.322
FSL 2D	1/26/2015	GROSS ALPHA	-0.325	pCi/L	U			0.334	2.19	2.86
FSL 2D	1/26/2015	NONVOLATILE BETA	0.913	pCi/L	U			2.27	3.91	8.45
FSL 2D	1/26/2015	STRONTIUM-90	1.12	pCi/L	U			2.11	3.24	7.47
FSL 2D	1/26/2015	CARBON-14	-1.32	pCi/L	U			4.36	7.36	16.1
FSL 2D	1/26/2015	TECHNETIUM-99	1.34	pCi/L	U			2.42	4	8.84
FSL 2D	1/26/2015	TRITIUM	2.5	pCi/mL				0.412	0.53	1.35
FSL 2D	1/26/2015	CESIUM-137	-4.85	pCi/L	U			7.38	12.2	26.9
FSL 2D	1/26/2015	COBALT-60	-2.59	pCi/L	U			6.81	11.8	25.4
FSL 2D	1/26/2015	IODINE-129	0.523	pCi/L	U			0.628	0.998	2.25
FSL 2D	1/26/2015	RADIUM-226	0.681	pCi/L	J		21	0.4	0.55	1.35
FSL 2D	1/26/2015	RADIUM-228	0.699	pCi/L	J		21	0.449	0.698	1.6
FSL 2D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.684	pCi/L	U			1.09	1.95	4.13
FSL 2D	4/9/2015	NITRATE-NITRITE AS NITROGEN	1.29	mg/L					0.17	0.5
FSL 2D	4/9/2015	CADMIUM	0.239	ug/L	J		21		0.1	1
FSL 2D	4/9/2015	LEAD	3.11	ug/L	J		21		0.5	5
FSL 2D	4/9/2015	GROSS ALPHA	0.937	pCi/L	U			1.38	2.07	4.84
FSL 2D	4/9/2015	NONVOLATILE BETA	-0.358	pCi/L	U			2.2	4.23	8.63
FSL 2D	4/9/2015	TRITIUM	2.4	pCi/mL				0.378	0.417	1.17
FSL 2D	5/6/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.017	0.05
FSL 2D	5/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,1,2-TRICHLORO-1,2,2-	5	ug/L	U	U			2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TRIFLUOROETHANE								
FSL 2D	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
FSL 2D	5/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
FSL 2D	5/6/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	ACETONE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	BENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
FSL 2D	5/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
FSL 2D	5/6/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
FSL 2D	5/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	O-XYLENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	STYRENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TOLUENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
FSL 2D	5/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	5/6/2015	GROSS ALPHA	2.51	pCi/L	J	J	21, 11	2.13	2.11	6.36
FSL 2D	5/6/2015	NONVOLATILE BETA	3.16	pCi/L	U	U		2.64	3.78	9.07
FSL 2D	5/6/2015	TRITIUM	2.25	pCi/mL				0.389	0.462	1.24
FSL 2D	7/28/2015	NITRATE-NITRITE AS NITROGEN	1.09	mg/L					0.017	0.05
FSL 2D	7/28/2015	ALUMINUM	65.7	ug/L	J		21		40	400
FSL 2D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSL 2D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSL 2D	7/28/2015	BARIUM	14.3	ug/L	J		21		2	20
FSL 2D	7/28/2015	BERYLLIUM	0.367	ug/L	J		21		0.1	1
FSL 2D	7/28/2015	CADMIUM	0.23	ug/L	J		21		0.1	1
FSL 2D	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSL 2D	7/28/2015	COBALT	3.01	ug/L	J		21		0.5	5
FSL 2D	7/28/2015	COPPER	8.16	ug/L					0.5	5
FSL 2D	7/28/2015	LEAD	2.87	ug/L	J		21		0.5	5
FSL 2D	7/28/2015	NICKEL	3.46	ug/L	J		21		0.5	5
FSL 2D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSL 2D	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSL 2D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 2D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSL 2D	7/28/2015	ZINC	19.8	ug/L	J		21		4	40
FSL 2D	7/28/2015	GROSS ALPHA	0.899	pCi/L	U			1.07	1.31	3.45
FSL 2D	7/28/2015	NONVOLATILE BETA	2.56	pCi/L	J		21	1.9	2.54	6.33
FSL 2D	7/28/2015	TRITIUM	1.92	pCi/mL				0.38	0.474	1.23
FSL 2D	8/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				2	5
FSL 2D	8/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	8/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.5	1
FSL 2D	8/3/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	1,4-DIOXANE	50	ug/L	U				15	50
FSL 2D	8/3/2015	2-HEXANONE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	ACETONE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	BENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	8/3/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	CYCLOHEXANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 2D	8/3/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	M,P-XYLENE	2	ug/L	U				0.3	2
FSL 2D	8/3/2015	METHYL ACETATE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
FSL 2D	8/3/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	METHYLCYCLOHEXANE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	O-XYLENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	STYRENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TOLUENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 2D	8/3/2015	TRICHLOROFLUOROMETHANE	0.71	ug/L	J		21		0.3	1
FSL 2D	11/2/2015	NITRATE-NITRITE AS NITROGEN	1.45	mg/L					0.085	0.25
FSL 2D	11/2/2015	CADMIUM	0.204	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 2D	11/2/2015	LEAD	2.32	ug/L	J		21		0.5	5
FSL 2D	11/2/2015	GROSS ALPHA	0.402	pCi/L	U			1.16	2.26	4.59
FSL 2D	11/2/2015	NONVOLATILE BETA	3.67	pCi/L	U			2.87	3.93	9.68
FSL 2D	11/2/2015	TRITIUM	2.36	pCi/mL				0.412	0.512	1.34
FSL 3D	1/26/2015	NITRATE-NITRITE AS NITROGEN	1.93	mg/L					0.085	0.25
FSL 3D	1/26/2015	ALUMINUM	400	ug/L	U				40	400
FSL 3D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 3D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 3D	1/26/2015	BARIUM	18.8	ug/L	J				2	20
FSL 3D	1/26/2015	BERYLLIUM	0.135	ug/L	J				0.1	1
FSL 3D	1/26/2015	CADMIUM	0.131	ug/L	J				0.1	1
FSL 3D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 3D	1/26/2015	COBALT	1.71	ug/L	J				0.5	5
FSL 3D	1/26/2015	COPPER	6.18	ug/L					0.5	5
FSL 3D	1/26/2015	LEAD	0.931	ug/L	J				0.5	5
FSL 3D	1/26/2015	NICKEL	3.9	ug/L	J				0.5	5
FSL 3D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 3D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 3D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 3D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 3D	1/26/2015	VANADIUM	7.24	ug/L	J				5	50
FSL 3D	1/26/2015	ZINC	23.9	ug/L	J				4	40
FSL 3D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 3D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 3D	1/26/2015	CHLOROFORM	0.43	ug/L	J		21		0.3	1
FSL 3D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 3D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 3D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 3D	1/26/2015	TRICHLOROFLUOROMETHANE	2.51	ug/L					0.3	1
FSL 3D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 3D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 3D	1/26/2015	PHENOLS	0.00171	mg/L	J		21		0.00167	0.005
FSL 3D	1/26/2015	AMERICIUM-241	0.061	pCi/L	U			0.078	0.112	0.268
FSL 3D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0592	0.0592
FSL 3D	1/26/2015	CURIUM-243/244	0.0437	pCi/L	U			0.062	0.0592	0.184
FSL 3D	1/26/2015	CURIUM-245/246	0.204	pCi/L	U			0.139	0.0613	0.34
FSL 3D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0606	0.0606
FSL 3D	1/26/2015	PLUTONIUM-239/240	-0.00559	pCi/L	U			0.011	0.113	0.135
FSL 3D	1/26/2015	THORIUM-228	-0.0383	pCi/L	U			0.075	0.254	0.404
FSL 3D	1/26/2015	THORIUM-230	0.0597	pCi/L	U			0.077	0.109	0.262
FSL 3D	1/26/2015	THORIUM-232	-0.00541	pCi/L	U			0.011	0.109	0.131
FSL 3D	1/26/2015	URANIUM-233/234	0.0216	pCi/L	U			0.043	0.0586	0.145
FSL 3D	1/26/2015	URANIUM-235	0.02	pCi/L	U			0.055	0.134	0.245
FSL 3D	1/26/2015	URANIUM-238	0.0324	pCi/L	U			0.063	0.129	0.256
FSL 3D	1/26/2015	GROSS ALPHA	0.813	pCi/L	U			1.35	2.17	4.88
FSL 3D	1/26/2015	NONVOLATILE BETA	1.55	pCi/L	U			2.41	3.93	8.76
FSL 3D	1/26/2015	STRONTIUM-90	-0.0781	pCi/L	U			1.8	3.27	6.87
FSL 3D	1/26/2015	CARBON-14	-0.338	pCi/L	U			4.37	7.33	16.1
FSL 3D	1/26/2015	TECHNETIUM-99	1.88	pCi/L	U			2.44	4.02	8.91
FSL 3D	1/26/2015	TRITIUM	20.5	pCi/mL				0.837	0.532	2.21
FSL 3D	1/26/2015	CESIUM-137	3.36	pCi/L	U			5.35	10.1	20.8
FSL 3D	1/26/2015	COBALT-60	-1.8	pCi/L	U			4.79	8.56	18.1
FSL 3D	1/26/2015	IODINE-129	0.339	pCi/L	U			0.573	0.993	2.14
FSL 3D	1/26/2015	RADIUM-226	0.741	pCi/L	J		21	0.372	0.479	1.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 3D	1/26/2015	RADIUM-228	0.588	pCi/L	J		21	0.351	0.526	1.23
FSL 3D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.684	pCi/L	U			0.909	1.53	3.35
FSL 3D	4/9/2015	NITRATE-NITRITE AS NITROGEN	1.91	mg/L					0.17	0.5
FSL 3D	4/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 3D	4/9/2015	LEAD	1.51	ug/L	J		21		0.5	5
FSL 3D	4/9/2015	GROSS ALPHA	0.932	pCi/L	U			1.38	2.07	4.82
FSL 3D	4/9/2015	NONVOLATILE BETA	-0.121	pCi/L	U			2.25	4.23	8.73
FSL 3D	4/9/2015	TRITIUM	15.8	pCi/mL				0.786	0.415	1.99
FSL 3D	7/28/2015	NITRATE-NITRITE AS NITROGEN	2.17	mg/L					0.085	0.25
FSL 3D	7/28/2015	ALUMINUM	400	ug/L	U				40	400
FSL 3D	7/28/2015	ANTIMONY	10	ug/L	U				1	10
FSL 3D	7/28/2015	ARSENIC	50	ug/L	U				5	50
FSL 3D	7/28/2015	BARIUM	19.1	ug/L	J		21		2	20
FSL 3D	7/28/2015	BERYLLIUM	0.176	ug/L	J		21		0.1	1
FSL 3D	7/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 3D	7/28/2015	CHROMIUM	100	ug/L	U				10	100
FSL 3D	7/28/2015	COBALT	0.798	ug/L	J		21		0.5	5
FSL 3D	7/28/2015	COPPER	6.56	ug/L					0.5	5
FSL 3D	7/28/2015	LEAD	47.1	ug/L					0.5	5
FSL 3D	7/28/2015	NICKEL	1.89	ug/L	J		21		0.5	5
FSL 3D	7/28/2015	SELENIUM	20	ug/L	U				2	20
FSL 3D	7/28/2015	SILVER	5	ug/L	U				0.5	5
FSL 3D	7/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 3D	7/28/2015	VANADIUM	50	ug/L	U				5	50
FSL 3D	7/28/2015	ZINC	20.1	ug/L	J		21		4	40
FSL 3D	7/28/2015	GROSS ALPHA	2.1	pCi/L	J		21	1.45	1.32	4.23
FSL 3D	7/28/2015	NONVOLATILE BETA	2.38	pCi/L	U			1.88	2.56	6.33

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 3D	7/28/2015	TRITIUM	20.7	pCi/mL				0.909	0.479	2.3
FSL 3D	11/2/2015	NITRATE-NITRITE AS NITROGEN	3.09	mg/L					0.085	0.25
FSL 3D	11/2/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 3D	11/2/2015	LEAD	190	ug/L					0.5	5
FSL 3D	11/2/2015	GROSS ALPHA	3.06	pCi/L	J		21	2.32	2.25	6.89
FSL 3D	11/2/2015	NONVOLATILE BETA	1.64	pCi/L	U			2.55	3.99	9.09
FSL 3D	11/2/2015	TRITIUM	24.4	pCi/mL				0.961	0.508	2.43
FSL 4D	1/26/2015	NITRATE-NITRITE AS NITROGEN	2.01	mg/L					0.085	0.25
FSL 4D	1/26/2015	ALUMINUM	156	ug/L	J				40	400
FSL 4D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 4D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 4D	1/26/2015	BARIUM	9.79	ug/L	J				2	20
FSL 4D	1/26/2015	BERYLLIUM	0.35	ug/L	J				0.1	1
FSL 4D	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 4D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 4D	1/26/2015	COBALT	0.707	ug/L	J				0.5	5
FSL 4D	1/26/2015	COPPER	5	ug/L	U				0.5	5
FSL 4D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSL 4D	1/26/2015	NICKEL	1.03	ug/L	J				0.5	5
FSL 4D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 4D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 4D	1/26/2015	THALLIUM	0.132	ug/L	J				0.1	1
FSL 4D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 4D	1/26/2015	VANADIUM	46.3	ug/L	U				5	50
FSL 4D	1/26/2015	ZINC	6.35	ug/L	J				4	40
FSL 4D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 4D	1/26/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 4D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 4D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 4D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 4D	1/26/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.3	1
FSL 4D	1/26/2015	TRICHLOROFLUOROMETHANE	1.86	ug/L					0.3	1
FSL 4D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 4D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 4D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 4D	1/26/2015	AMERICIUM-241	0.0238	pCi/L	U			0.048	0.0644	0.16
FSL 4D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0635	0.0635
FSL 4D	1/26/2015	CURIUM-243/244	0.0234	pCi/L	U			0.047	0.0635	0.158
FSL 4D	1/26/2015	CURIUM-245/246	0.145	pCi/L	U			0.121	0.0657	0.308
FSL 4D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0681	0.0681
FSL 4D	1/26/2015	PLUTONIUM-239/240	0.0628	pCi/L	U			0.09	0.151	0.33
FSL 4D	1/26/2015	THORIUM-228	0	pCi/L	U			0	0.348	0.348
FSL 4D	1/26/2015	THORIUM-230	0.087	pCi/L	U			0.095	0.117	0.306
FSL 4D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0627	0.0627
FSL 4D	1/26/2015	URANIUM-233/234	0.233	pCi/L	J		21	0.157	0.153	0.466
FSL 4D	1/26/2015	URANIUM-235	0.0491	pCi/L	U			0.081	0.141	0.303
FSL 4D	1/26/2015	URANIUM-238	0.199	pCi/L	J		21	0.14	0.114	0.394
FSL 4D	1/26/2015	GROSS ALPHA	1.98	pCi/L	U			1.92	2.22	6.05
FSL 4D	1/26/2015	NONVOLATILE BETA	3.12	pCi/L	U			2.72	3.97	9.4
FSL 4D	1/26/2015	STRONTIUM-90	-0.884	pCi/L	U			1.78	3.27	6.83
FSL 4D	1/26/2015	CARBON-14	-0.339	pCi/L	U			4.39	7.36	16.1
FSL 4D	1/26/2015	TECHNETIUM-99	3.84	pCi/L	U			2.51	4.03	9.05
FSL 4D	1/26/2015	TRITIUM	2.46	pCi/mL				0.41	0.528	1.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 4D	1/26/2015	CESIUM-137	-8.67	pCi/L	U			7.41	11.5	26.3
FSL 4D	1/26/2015	COBALT-60	1.44	pCi/L	U			5.4	10.5	21.3
FSL 4D	1/26/2015	IODINE-129	-0.492	pCi/L	U			0.536	0.853	1.92
FSL 4D	1/26/2015	RADIUM-226	0.498	pCi/L	J		21	0.293	0.402	0.988
FSL 4D	1/26/2015	RADIUM-228	0.69	pCi/L	U			0.522	0.843	1.89
FSL 4D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.946	pCi/L	U			1.06	1.71	3.83
FSL 4D	4/13/2015	NITRATE-NITRITE AS NITROGEN	2.13	mg/L					0.17	0.5
FSL 4D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 4D	4/13/2015	LEAD	0.582	ug/L	J		21		0.5	5
FSL 4D	4/13/2015	GROSS ALPHA	0.544	pCi/L	U			0.829	1.25	2.91
FSL 4D	4/13/2015	NONVOLATILE BETA	0.58	pCi/L	U			1.73	2.82	6.29
FSL 4D	4/13/2015	TRITIUM	1.93	pCi/mL				0.373	0.461	1.21
FSL 4D	5/6/2015	NITRATE-NITRITE AS NITROGEN	2.21	mg/L					0.085	0.25
FSL 4D	5/6/2015	URANIUM-233/234	0.155	pCi/L	J	J	21	0.124	0.115	0.364
FSL 4D	5/6/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.0766	0.0766
FSL 4D	5/6/2015	URANIUM-238	0.109	pCi/L	U	U	V	0.104	0.115	0.323
FSL 4D	5/6/2015	GROSS ALPHA	2.91	pCi/L	J	J	21, 11	2.27	2.11	6.66
FSL 4D	5/6/2015	NONVOLATILE BETA	3.14	pCi/L	U	U		2.64	3.79	9.08
FSL 4D	5/6/2015	STRONTIUM-90	1.08	pCi/L	U	U		2.03	3.16	7.21
FSL 4D	5/6/2015	TRITIUM	1.95	pCi/mL				0.375	0.462	1.21
FSL 4D	5/6/2015	IODINE-129	0.0701	pCi/L	U	U		0.562	0.957	2.08
FSL 4D	5/6/2015	RADIUM-226	0.854	pCi/L	J	J	21	0.331	0.328	0.99
FSL 4D	5/6/2015	RADIUM-228	0.308	pCi/L	U	U		0.34	0.568	1.25
FSL 4D	5/6/2015	NITRATE-NITRITE AS NITROGEN	2.21	mg/L					0.085	0.25
FSL 4D	5/6/2015	URANIUM-233/234	0.235	pCi/L	J	J	21	0.162	0.173	0.497
FSL 4D	5/6/2015	URANIUM-235	0.00725	pCi/L	U	U	V	0.063	0.195	0.322
FSL 4D	5/6/2015	URANIUM-238	0.182	pCi/L	J	J	21, V	0.136	0.118	0.39

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 4D	5/6/2015	GROSS ALPHA	0.147	pCi/L	U	U		0.819	2.06	3.7
FSL 4D	5/6/2015	NONVOLATILE BETA	1.52	pCi/L	U	U		2.51	4.11	9.14
FSL 4D	5/6/2015	STRONTIUM-90	-0.431	pCi/L	U	U		2.16	3.15	7.47
FSL 4D	5/6/2015	TECHNETIUM-99	0.393	pCi/L	U	U		2.62	4.39	9.62
FSL 4D	5/6/2015	TRITIUM	1.9	pCi/mL				0.372	0.462	1.21
FSL 4D	5/6/2015	IODINE-129	0.465	pCi/L	U	U		0.634	0.953	2.22
FSL 4D	5/6/2015	RADIUM-226	0.455	pCi/L	U	U		0.316	0.46	1.09
FSL 4D	5/6/2015	RADIUM-228	0.409	pCi/L	U	U		0.364	0.59	1.32
FSL 4D	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.38	mg/L					0.085	0.25
FSL 4D	8/10/2015	ALUMINUM	335	ug/L	J		21		40	400
FSL 4D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
FSL 4D	8/10/2015	ARSENIC	50	ug/L	U				5	50
FSL 4D	8/10/2015	BARIUM	11.2	ug/L	J		21		2	20
FSL 4D	8/10/2015	BERYLLIUM	0.283	ug/L	J		21		0.1	1
FSL 4D	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 4D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
FSL 4D	8/10/2015	COBALT	0.529	ug/L	J		21		0.5	5
FSL 4D	8/10/2015	COPPER	0.663	ug/L	J		21		0.5	5
FSL 4D	8/10/2015	LEAD	5	ug/L	U				0.5	5
FSL 4D	8/10/2015	MANGANESE	9.35	ug/L	J		21		1	10
FSL 4D	8/10/2015	NICKEL	2.03	ug/L	J		21		0.5	5
FSL 4D	8/10/2015	SELENIUM	20	ug/L	U				2	20
FSL 4D	8/10/2015	SILVER	5	ug/L	U				0.5	5
FSL 4D	8/10/2015	SODIUM	3570	ug/L					20	200
FSL 4D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 4D	8/10/2015	VANADIUM	19.7	ug/L	J		21		5	50
FSL 4D	8/10/2015	ZINC	5.43	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 4D	8/10/2015	URANIUM-233/234	0.0339	pCi/L	U		V	0.066	0.136	0.268
FSL 4D	8/10/2015	URANIUM-235	0	pCi/L	U			0	0.0755	0.0755
FSL 4D	8/10/2015	URANIUM-238	0.0564	pCi/L	U		V	0.08	0.135	0.295
FSL 4D	8/10/2015	GROSS ALPHA	-0.371	pCi/L	U			0.35	2.32	3.02
FSL 4D	8/10/2015	NONVOLATILE BETA	3.04	pCi/L	U			2.77	4.06	9.61
FSL 4D	8/10/2015	STRONTIUM-90	2.3	pCi/L	U			2.33	3.26	7.92
FSL 4D	8/10/2015	TECHNETIUM-99	0.943	pCi/L	U			2.63	4.39	9.66
FSL 4D	8/10/2015	TRITIUM	1.61	pCi/mL				0.364	0.471	1.2
FSL 4D	8/10/2015	IODINE-129	0.173	pCi/L	U			0.597	1.04	2.24
FSL 4D	8/10/2015	RADIUM-226	1.44	pCi/L	J		21	0.496	0.528	1.52
FSL 4D	8/10/2015	RADIUM-228	0.241	pCi/L	U			0.447	0.777	1.67
FSL 4D	11/18/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L					0.085	0.25
FSL 4D	11/18/2015	CADMIUM	0.271	ug/L	J		21		0.1	1
FSL 4D	11/18/2015	LEAD	0.839	ug/L	J		21		0.5	5
FSL 4D	11/18/2015	GROSS ALPHA	2.12	pCi/L	J		21	1.44	1.38	4.26
FSL 4D	11/18/2015	NONVOLATILE BETA	1.93	pCi/L	U			1.94	2.68	6.55
FSL 4D	11/18/2015	TRITIUM	1.64	pCi/mL				0.358	0.459	1.17
FSL 5D	1/26/2015	NITRATE-NITRITE AS NITROGEN	2.36	mg/L					0.085	0.25
FSL 5D	1/26/2015	ALUMINUM	400	ug/L	U				40	400
FSL 5D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 5D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 5D	1/26/2015	BARIUM	11.2	ug/L	J				2	20
FSL 5D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 5D	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 5D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 5D	1/26/2015	COBALT	0.711	ug/L	J				0.5	5
FSL 5D	1/26/2015	COPPER	8.38	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 5D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSL 5D	1/26/2015	NICKEL	1.66	ug/L	J				0.5	5
FSL 5D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 5D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 5D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 5D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 5D	1/26/2015	VANADIUM	8.57	ug/L	J				5	50
FSL 5D	1/26/2015	ZINC	23	ug/L	J				4	40
FSL 5D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 5D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 5D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 5D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 5D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 5D	1/26/2015	TRICHLOROETHYLENE (TCE)	0.8	ug/L	J		21		0.3	1
FSL 5D	1/26/2015	TRICHLOROFLUOROMETHANE	1.49	ug/L					0.3	1
FSL 5D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 5D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 5D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 5D	1/26/2015	AMERICIUM-241	0.104	pCi/L	U			0.1	0.11	0.309
FSL 5D	1/26/2015	CURIUM-242	0.0446	pCi/L	U			0.064	0.0584	0.185
FSL 5D	1/26/2015	CURIUM-243/244	-0.00539	pCi/L	U			0.011	0.108	0.13
FSL 5D	1/26/2015	CURIUM-245/246	0.0892	pCi/L	U			0.09	0.0604	0.241
FSL 5D	1/26/2015	PLUTONIUM-238	0.0216	pCi/L	U			0.043	0.0585	0.145
FSL 5D	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0585	0.0585
FSL 5D	1/26/2015	THORIUM-228	0.0221	pCi/L	U			0.083	0.203	0.369
FSL 5D	1/26/2015	THORIUM-230	0.0548	pCi/L	U			0.078	0.131	0.287

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 5D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0593	0.0593
FSL 5D	1/26/2015	URANIUM-233/234	0.0465	pCi/L	U			0.066	0.063	0.195
FSL 5D	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.0778	0.0778
FSL 5D	1/26/2015	URANIUM-238	0	pCi/L	U			0	0.0629	0.0629
FSL 5D	1/26/2015	GROSS ALPHA	2.35	pCi/L	J		21	2.07	2.26	6.4
FSL 5D	1/26/2015	NONVOLATILE BETA	99.6	pCi/L				9.99	3.98	24
FSL 5D	1/26/2015	STRONTIUM-90	0.766	pCi/L	U			1.97	3.3	7.24
FSL 5D	1/26/2015	CARBON-14	6.44	pCi/L	U			4.52	7.33	16.4
FSL 5D	1/26/2015	TECHNETIUM-99	183	pCi/L				5.95	4.38	16.3
FSL 5D	1/26/2015	TRITIUM	90.3	pCi/mL				1.82	0.433	4.07
FSL 5D	1/26/2015	CESIUM-137	-0.516	pCi/L	U			5.35	9.52	20.2
FSL 5D	1/26/2015	COBALT-60	3.64	pCi/L	U			4.64	9.56	18.8
FSL 5D	1/26/2015	IODINE-129	1.16	pCi/L	J		21	0.715	0.688	2.12
FSL 5D	1/26/2015	RADIUM-226	0.575	pCi/L	J		21	0.326	0.442	1.09
FSL 5D	1/26/2015	RADIUM-228	0.633	pCi/L	U			0.438	0.687	1.56
FSL 5D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	2.63	pCi/L	J		21	1.5	1.88	4.88
FSL 5D	4/13/2015	NITRATE-NITRITE AS NITROGEN	2.58	mg/L					0.17	0.5
FSL 5D	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 5D	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSL 5D	4/13/2015	GROSS ALPHA	2.75	pCi/L	J		21	1.65	1.61	4.91
FSL 5D	4/13/2015	NONVOLATILE BETA	161	pCi/L				9.07	3.03	21.2
FSL 5D	4/13/2015	TRITIUM	76	pCi/mL				1.66	0.459	3.79
FSL 5D	5/6/2015	NITRATE-NITRITE AS NITROGEN	2.33	mg/L					0.085	0.25
FSL 5D	5/6/2015	URANIUM-233/234	0.0592	pCi/L	U	U	21, V	0.045	0.0229	0.114
FSL 5D	5/6/2015	URANIUM-233/234	0.0116	pCi/L	U	U		0.049	0.139	0.237
FSL 5D	5/6/2015	URANIUM-235	-0.00715	pCi/L	U	U	V	0.014	0.144	0.173
FSL 5D	5/6/2015	URANIUM-235	0.0209	pCi/L	U	U		0.03	0.0283	0.0875

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 5D	5/6/2015	URANIUM-238	0.0925	pCi/L	U	U	V	0.094	0.0627	0.25
FSL 5D	5/6/2015	URANIUM-238	0.0337	pCi/L	U	U	V	0.034	0.0229	0.0908
FSL 5D	5/6/2015	GROSS ALPHA	3.48	pCi/L	J	J	21	2.56	2.65	7.78
FSL 5D	5/6/2015	NONVOLATILE BETA	193	pCi/L				13.9	4.57	32.5
FSL 5D	5/6/2015	STRONTIUM-90	0.923	pCi/L	U	U		2.03	3.16	7.23
FSL 5D	5/6/2015	TECHNETIUM-99	222	pCi/L				6.39	4.38	17.2
FSL 5D	5/6/2015	TRITIUM	75.6	pCi/mL				1.66	0.459	3.78
FSL 5D	5/6/2015	IODINE-129	0.895	pCi/L	U	U		0.788	1	2.58
FSL 5D	5/6/2015	RADIUM-226	1.89	pCi/L				0.488	0.431	1.41
FSL 5D	5/6/2015	RADIUM-228	0.414	pCi/L	U	U		0.485	0.816	1.79
FSL 5D	8/6/2015	NITRATE-NITRITE AS NITROGEN	2.27	mg/L					0.085	0.25
FSL 5D	8/6/2015	ALUMINUM	48.3	ug/L	U		21, V		40	400
FSL 5D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
FSL 5D	8/6/2015	ARSENIC	50	ug/L	U				5	50
FSL 5D	8/6/2015	BARIUM	9.68	ug/L	J		21		2	20
FSL 5D	8/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 5D	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 5D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
FSL 5D	8/6/2015	COBALT	0.571	ug/L	J		21		0.5	5
FSL 5D	8/6/2015	COPPER	4.17	ug/L	J		21		0.5	5
FSL 5D	8/6/2015	LEAD	5	ug/L	U				0.5	5
FSL 5D	8/6/2015	NICKEL	0.537	ug/L	J		21		0.5	5
FSL 5D	8/6/2015	SELENIUM	20	ug/L	U				2	20
FSL 5D	8/6/2015	SILVER	5	ug/L	U				0.5	5
FSL 5D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 5D	8/6/2015	VANADIUM	50	ug/L	U				5	50
FSL 5D	8/6/2015	ZINC	18.4	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 5D	8/6/2015	URANIUM-233/234	0.122	pCi/L	J		21, V	0.106	0.107	0.319
FSL 5D	8/6/2015	URANIUM-235	0.0523	pCi/L	U		V	0.075	0.0709	0.22
FSL 5D	8/6/2015	URANIUM-238	0.0582	pCi/L	U		V	0.075	0.107	0.256
FSL 5D	8/6/2015	GROSS ALPHA	1.62	pCi/L	U			1.79	2.23	5.8
FSL 5D	8/6/2015	NONVOLATILE BETA	128	pCi/L				11.3	3.99	26.5
FSL 5D	8/6/2015	STRONTIUM-90	-0.496	pCi/L	U			1.95	3.23	7.13
FSL 5D	8/6/2015	TECHNETIUM-99	206	pCi/L				6.25	4.33	16.8
FSL 5D	8/6/2015	TRITIUM	73	pCi/mL				1.62	0.499	3.74
FSL 5D	8/6/2015	IODINE-129	3.82	pCi/L	J		21, V	2	0.966	4.97
FSL 5D	8/6/2015	RADIUM-226	1.04	pCi/L				0.34	0.35	1.03
FSL 5D	8/6/2015	RADIUM-228	-0.0294	pCi/L	U			0.362	0.679	1.4
FSL 5D	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.76	mg/L					0.17	0.5
FSL 5D	10/30/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 5D	10/30/2015	LEAD	5	ug/L	U				0.5	5
FSL 5D	10/30/2015	GROSS ALPHA	2.33	pCi/L	U			2.11	2.37	6.6
FSL 5D	10/30/2015	NONVOLATILE BETA	128	pCi/L				11.3	3.99	26.6
FSL 5D	10/30/2015	TRITIUM	83.5	pCi/mL				1.72	0.511	3.96
FSL 6D	1/26/2015	NITRATE-NITRITE AS NITROGEN	1.07	mg/L					0.085	0.25
FSL 6D	1/26/2015	ALUMINUM	98.8	ug/L	J				40	400
FSL 6D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 6D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 6D	1/26/2015	BARIUM	2.16	ug/L	J				2	20
FSL 6D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 6D	1/26/2015	CADMIUM	0.101	ug/L	J				0.1	1
FSL 6D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 6D	1/26/2015	COBALT	5	ug/L	U				0.5	5
FSL 6D	1/26/2015	COPPER	3.44	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 6D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSL 6D	1/26/2015	NICKEL	1.96	ug/L	J				0.5	5
FSL 6D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 6D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 6D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 6D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 6D	1/26/2015	VANADIUM	13.2	ug/L	J				5	50
FSL 6D	1/26/2015	ZINC	11.1	ug/L	J				4	40
FSL 6D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 6D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 6D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 6D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 6D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 6D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 6D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSL 6D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 6D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 6D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 6D	1/26/2015	AMERICIUM-241	0.0527	pCi/L	U			0.075	0.0715	0.222
FSL 6D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0704	0.0704
FSL 6D	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0704	0.0704
FSL 6D	1/26/2015	CURIUM-245/246	0.269	pCi/L	J		21	0.175	0.0729	0.424
FSL 6D	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.075	0.075
FSL 6D	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.075	0.075
FSL 6D	1/26/2015	THORIUM-228	0.0118	pCi/L	U			0.05	0.137	0.237
FSL 6D	1/26/2015	THORIUM-230	0.229	pCi/L	U			0.15	0.062	0.361

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 6D	1/26/2015	THORIUM-232	0.0457	pCi/L	U			0.065	0.0619	0.192
FSL 6D	1/26/2015	URANIUM-233/234	0.21	pCi/L	J		21	0.144	0.0632	0.351
FSL 6D	1/26/2015	URANIUM-235	0.0863	pCi/L	J		21	0.101	0.0779	0.279
FSL 6D	1/26/2015	URANIUM-238	0.233	pCi/L	J		21	0.152	0.0631	0.366
FSL 6D	1/26/2015	GROSS ALPHA	0.883	pCi/L	U			1.47	2.37	5.31
FSL 6D	1/26/2015	NONVOLATILE BETA	6.51	pCi/L	J		21	3.25	3.97	10.5
FSL 6D	1/26/2015	STRONTIUM-90	3.4	pCi/L	J		21	2.38	3.24	7.99
FSL 6D	1/26/2015	CARBON-14	-1.32	pCi/L	U			4.35	7.34	16
FSL 6D	1/26/2015	TECHNETIUM-99	8.64	pCi/L	J		21	2.63	3.99	9.26
FSL 6D	1/26/2015	TRITIUM	2.71	pCi/mL				0.419	0.53	1.37
FSL 6D	1/26/2015	CESIUM-137	5.57	pCi/L	U			5.24	10.2	20.7
FSL 6D	1/26/2015	COBALT-60	-1.05	pCi/L	U			3.94	7.26	15.1
FSL 6D	1/26/2015	IODINE-129	20.9	pCi/L				3.7	1.18	8.58
FSL 6D	1/26/2015	RADIUM-226	0.558	pCi/L	J		21	0.317	0.43	1.06
FSL 6D	1/26/2015	RADIUM-228	0.478	pCi/L	U			0.344	0.537	1.23
FSL 6D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.358	pCi/L	U			0.981	1.93	3.89
FSL 6D	4/22/2015	NITRATE-NITRITE AS NITROGEN	1.02	mg/L					0.017	0.05
FSL 6D	4/22/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 6D	4/22/2015	LEAD	0.894	ug/L	J		21		0.5	5
FSL 6D	4/22/2015	GROSS ALPHA	0.982	pCi/L	U			1.48	2.25	5.21
FSL 6D	4/22/2015	NONVOLATILE BETA	10.6	pCi/L	J		21	3.92	4.25	12.1
FSL 6D	4/22/2015	TRITIUM	2.52	pCi/mL				0.411	0.529	1.35
FSL 6D	5/7/2015	NITRATE-NITRITE AS NITROGEN	0.899	mg/L					0.017	0.05
FSL 6D	5/7/2015	URANIUM-233/234	0.0749	pCi/L	U	U	21, V	0.059	0.0504	0.168
FSL 6D	5/7/2015	URANIUM-235	-1.7E-05	pCi/L	U	U	V	4E-04	0.0641	0.0649
FSL 6D	5/7/2015	URANIUM-238	0.196	pCi/L	J	J	21, V	0.098	0.0516	0.247
FSL 6D	5/7/2015	GROSS ALPHA	0.574	pCi/L	U	U		1.22	2.24	4.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 6D	5/7/2015	NONVOLATILE BETA	5.49	pCi/L	J	J	21	3.22	4.2	10.6
FSL 6D	5/7/2015	STRONTIUM-90	5.37	pCi/L	J	J	21	3.21	2.95	9.38
FSL 6D	5/7/2015	TECHNETIUM-99	8.38	pCi/L	J	J	21, 18	2.65	4.03	9.32
FSL 6D	5/7/2015	TRITIUM	2.43	pCi/mL				0.397	0.461	1.25
FSL 6D	5/7/2015	IODINE-129	17.1	pCi/L	J		V	3.43	1.11	7.96
FSL 6D	5/7/2015	RADIUM-226	0.871	pCi/L	J	J	21	0.31	0.29	0.91
FSL 6D	5/7/2015	RADIUM-228	0.276	pCi/L	U	U		0.47	0.812	1.75
FSL 6D	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.949	mg/L					0.017	0.05
FSL 6D	8/4/2015	ALUMINUM	51.1	ug/L	J		21		40	400
FSL 6D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSL 6D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSL 6D	8/4/2015	BARIUM	2.05	ug/L	J		21		2	20
FSL 6D	8/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 6D	8/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 6D	8/4/2015	CHROMIUM	10.4	ug/L	J		21		10	100
FSL 6D	8/4/2015	COBALT	5	ug/L	U				0.5	5
FSL 6D	8/4/2015	COPPER	3.17	ug/L	J		21		0.5	5
FSL 6D	8/4/2015	LEAD	5	ug/L	U				0.5	5
FSL 6D	8/4/2015	NICKEL	5	ug/L	U				0.5	5
FSL 6D	8/4/2015	SELENIUM	4.78	ug/L	U		21, V		2	20
FSL 6D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSL 6D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 6D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSL 6D	8/4/2015	ZINC	7.35	ug/L	U		21, V		4	40
FSL 6D	8/4/2015	URANIUM-233/234	0.184	pCi/L	J		21, V	0.133	0.13	0.396
FSL 6D	8/4/2015	URANIUM-235	0.0267	pCi/L	U		V	0.054	0.0723	0.179
FSL 6D	8/4/2015	URANIUM-238	0.108	pCi/L	U		21, V	0.098	0.0585	0.254

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 6D	8/4/2015	GROSS ALPHA	0.538	pCi/L	U			1.3	2.33	4.93
FSL 6D	8/4/2015	NONVOLATILE BETA	10.7	pCi/L	J		21	3.81	3.8	11.4
FSL 6D	8/4/2015	STRONTIUM-90	2.98	pCi/L	U			2.58	3.32	8.47
FSL 6D	8/4/2015	TECHNETIUM-99	7.28	pCi/L	J		21	2.7	4.18	9.57
FSL 6D	8/4/2015	TRITIUM	2.78	pCi/mL				0.405	0.441	1.25
FSL 6D	8/4/2015	IODINE-129	23.7	pCi/L				4.04	1.1	9.18
FSL 6D	8/4/2015	RADIUM-226	0.629	pCi/L	J		21	0.308	0.377	0.993
FSL 6D	8/4/2015	RADIUM-228	0.438	pCi/L	U			0.309	0.48	1.1
FSL 6D	11/6/2015	NITRATE-NITRITE AS NITROGEN	0.87	mg/L					0.085	0.25
FSL 6D	11/6/2015	CADMIUM	0.105	ug/L	J		21		0.1	1
FSL 6D	11/6/2015	LEAD	5	ug/L	U				0.5	5
FSL 6D	11/6/2015	GROSS ALPHA	0.53	pCi/L	U			1.23	2.37	4.84
FSL 6D	11/6/2015	NONVOLATILE BETA	10.1	pCi/L	J		21	3.89	4.25	12
FSL 6D	11/6/2015	TRITIUM	2.68	pCi/mL				0.423	0.508	1.35
FSL 7D	1/26/2015	NITRATE-NITRITE AS NITROGEN	6.36	mg/L					0.17	0.5
FSL 7D	1/26/2015	ALUMINUM	113	ug/L	J				40	400
FSL 7D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 7D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 7D	1/26/2015	BARIUM	16.5	ug/L	J				2	20
FSL 7D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 7D	1/26/2015	CADMIUM	0.827	ug/L	J				0.1	1
FSL 7D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 7D	1/26/2015	COBALT	4.95	ug/L	J				0.5	5
FSL 7D	1/26/2015	COPPER	2.98	ug/L	J				0.5	5
FSL 7D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSL 7D	1/26/2015	NICKEL	1.49	ug/L	J				0.5	5
FSL 7D	1/26/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 7D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 7D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 7D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 7D	1/26/2015	VANADIUM	49.8	ug/L	U				5	50
FSL 7D	1/26/2015	ZINC	40	ug/L	U				4	40
FSL 7D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 7D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 7D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 7D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 7D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 7D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 7D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSL 7D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 7D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 7D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 7D	1/26/2015	AMERICIUM-241	0.0392	pCi/L	U			0.065	0.113	0.242
FSL 7D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0598	0.0598
FSL 7D	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0598	0.0598
FSL 7D	1/26/2015	CURIUM-245/246	0.114	pCi/L	U			0.104	0.0619	0.269
FSL 7D	1/26/2015	PLUTONIUM-238	-0.00617	pCi/L	U			0.012	0.124	0.149
FSL 7D	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0669	0.0669
FSL 7D	1/26/2015	THORIUM-228	-0.0231	pCi/L	U			0.118	0.322	0.557
FSL 7D	1/26/2015	THORIUM-230	0.137	pCi/L	U			0.114	0.062	0.291
FSL 7D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0619	0.0619
FSL 7D	1/26/2015	URANIUM-233/234	0.044	pCi/L	U			0.063	0.0596	0.185
FSL 7D	1/26/2015	URANIUM-235	0.0271	pCi/L	U			0.055	0.0736	0.183

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 7D	1/26/2015	URANIUM-238	0.0384	pCi/L	U			0.063	0.111	0.237
FSL 7D	1/26/2015	GROSS ALPHA	9.59	pCi/L	J		21	3.91	2.22	10
FSL 7D	1/26/2015	NONVOLATILE BETA	55.1	pCi/L				7.59	4.14	19.3
FSL 7D	1/26/2015	STRONTIUM-90	24.5	pCi/L				5.08	3.27	13.4
FSL 7D	1/26/2015	CARBON-14	-2.19	pCi/L	U			4.35	7.38	16.1
FSL 7D	1/26/2015	TECHNETIUM-99	8.62	pCi/L	J		21	2.64	4.01	9.29
FSL 7D	1/26/2015	TRITIUM	3.18	pCi/mL				0.432	0.525	1.39
FSL 7D	1/26/2015	CESIUM-137	-4.15	pCi/L	U			6.09	10	22.2
FSL 7D	1/26/2015	COBALT-60	1	pCi/L	U			6.65	12.4	25.7
FSL 7D	1/26/2015	IODINE-129	-0.102	pCi/L	U			0.58	0.971	2.13
FSL 7D	1/26/2015	RADIUM-226	4.32	pCi/L				0.725	0.463	1.91
FSL 7D	1/26/2015	RADIUM-228	12.6	pCi/L				0.976	0.465	2.42
FSL 7D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	2.21	pCi/L	J		21	1.45	1.8	4.7
FSL 7D	4/15/2015	NITRATE-NITRITE AS NITROGEN	6.28	mg/L					0.425	1.25
FSL 7D	4/15/2015	CADMIUM	0.679	ug/L	J		21		0.1	1
FSL 7D	4/15/2015	LEAD	5	ug/L	U				0.5	5
FSL 7D	4/15/2015	GROSS ALPHA	7.51	pCi/L	J		21	3.51	2.2	9.22
FSL 7D	4/15/2015	NONVOLATILE BETA	42.7	pCi/L				7	5.06	19.1
FSL 7D	4/15/2015	TRITIUM	2.24	pCi/mL				0.389	0.464	1.24
FSL 7D	5/6/2015	NITRATE-NITRITE AS NITROGEN	4.77	mg/L					0.17	0.5
FSL 7D	5/6/2015	URANIUM-233/234	0.018	pCi/L	U	U		0.05	0.121	0.22
FSL 7D	5/6/2015	URANIUM-235	0.0296	pCi/L	U	U	V	0.059	0.0802	0.199
FSL 7D	5/6/2015	URANIUM-238	0.0479	pCi/L	U	U	V	0.068	0.0649	0.201
FSL 7D	5/6/2015	GROSS ALPHA	3.61	pCi/L	J	J	21	2.49	2.17	7.14
FSL 7D	5/6/2015	NONVOLATILE BETA	34.2	pCi/L				6.27	4.59	17.1
FSL 7D	5/6/2015	STRONTIUM-90	17.9	pCi/L				4.43	3.16	12
FSL 7D	5/6/2015	TECHNETIUM-99	2.19	pCi/L	U	U		2.66	4.37	9.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 7D	5/6/2015	TRITIUM	1.94	pCi/mL				0.373	0.46	1.21
FSL 7D	5/6/2015	IODINE-129	0.823	pCi/L	U	U		0.843	0.919	2.6
FSL 7D	5/6/2015	RADIUM-226	6.03	pCi/L				0.888	0.508	2.28
FSL 7D	5/6/2015	RADIUM-228	0.836	pCi/L	U	U	21, V	0.469	0.712	1.65
FSL 7D	8/6/2015	NITRATE-NITRITE AS NITROGEN	6	mg/L					0.085	0.25
FSL 7D	8/6/2015	ALUMINUM	104	ug/L	U		21, V		40	400
FSL 7D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
FSL 7D	8/6/2015	ARSENIC	50	ug/L	U				5	50
FSL 7D	8/6/2015	BARIUM	13.5	ug/L	J		21		2	20
FSL 7D	8/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 7D	8/6/2015	CADMIUM	0.59	ug/L	J		21		0.1	1
FSL 7D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
FSL 7D	8/6/2015	COBALT	5.63	ug/L					0.5	5
FSL 7D	8/6/2015	COPPER	3.8	ug/L	J		21		0.5	5
FSL 7D	8/6/2015	LEAD	1.05	ug/L	J		21		0.5	5
FSL 7D	8/6/2015	NICKEL	1.15	ug/L	J		21		0.5	5
FSL 7D	8/6/2015	SELENIUM	20	ug/L	U				2	20
FSL 7D	8/6/2015	SILVER	5	ug/L	U				0.5	5
FSL 7D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 7D	8/6/2015	VANADIUM	50	ug/L	U				5	50
FSL 7D	8/6/2015	ZINC	4.88	ug/L	J		21		4	40
FSL 7D	8/6/2015	URANIUM-233/234	0.044	pCi/L	U		V	0.063	0.0596	0.185
FSL 7D	8/6/2015	URANIUM-235	0.0271	pCi/L	U		V	0.055	0.0736	0.182
FSL 7D	8/6/2015	URANIUM-238	0.0604	pCi/L	U		V	0.077	0.111	0.265
FSL 7D	8/6/2015	GROSS ALPHA	6.54	pCi/L	J		21	3.25	2.14	8.64
FSL 7D	8/6/2015	NONVOLATILE BETA	44	pCi/L				6.85	4.1	17.8
FSL 7D	8/6/2015	STRONTIUM-90	18.4	pCi/L				4.49	3.38	12.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 7D	8/6/2015	TECHNETIUM-99	5.03	pCi/L	J		21	2.69	4.28	9.65
FSL 7D	8/6/2015	TRITIUM	2.54	pCi/mL				0.413	0.496	1.32
FSL 7D	8/6/2015	IODINE-129	0.834	pCi/L	UJ		V	0.747	0.971	2.46
FSL 7D	8/6/2015	RADIUM-226	2.69	pCi/L				0.504	0.351	1.36
FSL 7D	8/6/2015	RADIUM-228	0.717	pCi/L	J		21	0.355	0.509	1.22
FSL 7D	10/30/2015	NITRATE-NITRITE AS NITROGEN	7.4	mg/L					0.425	1.25
FSL 7D	10/30/2015	CADMIUM	0.716	ug/L	J		21		0.1	1
FSL 7D	10/30/2015	LEAD	1.57	ug/L	J		21		0.5	5
FSL 7D	10/30/2015	GROSS ALPHA	5.74	pCi/L	J		21	3.09	2.28	8.45
FSL 7D	10/30/2015	NONVOLATILE BETA	47.8	pCi/L				7.12	4.06	18.3
FSL 7D	10/30/2015	TRITIUM	2.67	pCi/mL				0.424	0.51	1.36
FSL 8D	1/26/2015	NITRATE-NITRITE AS NITROGEN	1.44	mg/L					0.085	0.25
FSL 8D	1/26/2015	ALUMINUM	400	ug/L	U				40	400
FSL 8D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 8D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 8D	1/26/2015	BARIUM	10.6	ug/L	J				2	20
FSL 8D	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 8D	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 8D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 8D	1/26/2015	COBALT	1.38	ug/L	J				0.5	5
FSL 8D	1/26/2015	COPPER	7.26	ug/L					0.5	5
FSL 8D	1/26/2015	LEAD	3.38	ug/L	J				0.5	5
FSL 8D	1/26/2015	NICKEL	1.28	ug/L	J				0.5	5
FSL 8D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 8D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 8D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 8D	1/26/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 8D	1/26/2015	VANADIUM	50.6	ug/L	J				5	50
FSL 8D	1/26/2015	ZINC	4.22	ug/L	J				4	40
FSL 8D	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 8D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 8D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 8D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 8D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 8D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 8D	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
FSL 8D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 8D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 8D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 8D	1/26/2015	AMERICIUM-241	0.024	pCi/L	U			0.048	0.0651	0.161
FSL 8D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0641	0.0641
FSL 8D	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0641	0.0641
FSL 8D	1/26/2015	CURIUM-245/246	0.0245	pCi/L	U			0.049	0.0663	0.165
FSL 8D	1/26/2015	PLUTONIUM-238	0.0185	pCi/L	U			0.051	0.124	0.226
FSL 8D	1/26/2015	PLUTONIUM-239/240	0.0185	pCi/L	U			0.051	0.124	0.226
FSL 8D	1/26/2015	THORIUM-228	-0.0112	pCi/L	U			0.113	0.301	0.527
FSL 8D	1/26/2015	THORIUM-230	0.0332	pCi/L	U			0.065	0.133	0.262
FSL 8D	1/26/2015	THORIUM-232	0.0166	pCi/L	U			0.046	0.111	0.203
FSL 8D	1/26/2015	URANIUM-233/234	0.0777	pCi/L	U			0.091	0.133	0.315
FSL 8D	1/26/2015	URANIUM-235	-0.00684	pCi/L	U			0.014	0.138	0.165
FSL 8D	1/26/2015	URANIUM-238	0.0443	pCi/L	U			0.063	0.06	0.186
FSL 8D	1/26/2015	GROSS ALPHA	1.21	pCi/L	U			1.57	2.2	5.35
FSL 8D	1/26/2015	NONVOLATILE BETA	1.29	pCi/L	U			2.37	3.95	8.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 8D	1/26/2015	STRONTIUM-90	1.65	pCi/L	U			2.06	3.24	7.36
FSL 8D	1/26/2015	CARBON-14	96.3	pCi/L				6.36	7.53	20.2
FSL 8D	1/26/2015	TECHNETIUM-99	4.32	pCi/L	J		21	2.53	4.05	9.11
FSL 8D	1/26/2015	TRITIUM	2.03	pCi/mL				0.395	0.53	1.32
FSL 8D	1/26/2015	CESIUM-137	-2.65	pCi/L	U			5.76	9.77	21.3
FSL 8D	1/26/2015	COBALT-60	1.46	pCi/L	U			5.97	10.2	22.1
FSL 8D	1/26/2015	IODINE-129	0.528	pCi/L	U			0.593	0.981	2.17
FSL 8D	1/26/2015	RADIUM-226	0.728	pCi/L	J		21	0.338	0.42	1.1
FSL 8D	1/26/2015	RADIUM-228	0.756	pCi/L	J		21	0.476	0.745	1.7
FSL 8D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.624	pCi/L	U			0.907	1.58	3.39
FSL 8D	4/15/2015	NITRATE-NITRITE AS NITROGEN	1.67	mg/L					0.085	0.25
FSL 8D	4/15/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 8D	4/15/2015	LEAD	2.18	ug/L	J		21		0.5	5
FSL 8D	4/15/2015	GROSS ALPHA	2.09	pCi/L	J		21	1.92	2.05	5.9
FSL 8D	4/15/2015	NONVOLATILE BETA	1.22	pCi/L	U			2.6	4.39	9.59
FSL 8D	4/15/2015	TRITIUM	1.7	pCi/mL				0.362	0.462	1.19
FSL 8D	8/6/2015	NITRATE-NITRITE AS NITROGEN	1.91	mg/L					0.034	0.1
FSL 8D	8/6/2015	ALUMINUM	400	ug/L	U		V		40	400
FSL 8D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
FSL 8D	8/6/2015	ARSENIC	50	ug/L	U				5	50
FSL 8D	8/6/2015	BARIUM	10.1	ug/L	J		21		2	20
FSL 8D	8/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSL 8D	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 8D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
FSL 8D	8/6/2015	COBALT	1.05	ug/L	J		21		0.5	5
FSL 8D	8/6/2015	COPPER	7.47	ug/L					0.5	5
FSL 8D	8/6/2015	LEAD	2.72	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 8D	8/6/2015	NICKEL	1.05	ug/L	J		21		0.5	5
FSL 8D	8/6/2015	SELENIUM	20	ug/L	U				2	20
FSL 8D	8/6/2015	SILVER	5	ug/L	U				0.5	5
FSL 8D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 8D	8/6/2015	VANADIUM	50	ug/L	U				5	50
FSL 8D	8/6/2015	ZINC	6.35	ug/L	J		21		4	40
FSL 8D	8/6/2015	GROSS ALPHA	2.36	pCi/L	J		21	2.04	2.1	6.18
FSL 8D	8/6/2015	NONVOLATILE BETA	-0.945	pCi/L	U			1.93	4	7.85
FSL 8D	8/6/2015	TRITIUM	1.17	pCi/mL	J		21	0.349	0.493	1.19
FSL 8D	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.01	mg/L					0.17	0.5
FSL 8D	10/30/2015	CADMIUM	0.114	ug/L	J		21		0.1	1
FSL 8D	10/30/2015	LEAD	3.54	ug/L	J		21		0.5	5
FSL 8D	10/30/2015	GROSS ALPHA	0.779	pCi/L	U			1.38	2.24	5.01
FSL 8D	10/30/2015	NONVOLATILE BETA	0.603	pCi/L	U			2.32	3.94	8.58
FSL 8D	10/30/2015	TRITIUM	1.24	pCi/mL				0.36	0.509	1.23
FSL 9D	1/26/2015	NITRATE-NITRITE AS NITROGEN	16.9	mg/L					0.425	1.25
FSL 9D	1/26/2015	ALUMINUM	959	ug/L					40	400
FSL 9D	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 9D	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 9D	1/26/2015	BARIUM	15.2	ug/L	J				2	20
FSL 9D	1/26/2015	BERYLLIUM	0.108	ug/L	J				0.1	1
FSL 9D	1/26/2015	CADMIUM	0.12	ug/L	J				0.1	1
FSL 9D	1/26/2015	CHROMIUM	100	ug/L	U				10	100
FSL 9D	1/26/2015	COBALT	12.2	ug/L					0.5	5
FSL 9D	1/26/2015	COPPER	5.51	ug/L					0.5	5
FSL 9D	1/26/2015	LEAD	5	ug/L	U				0.5	5
FSL 9D	1/26/2015	NICKEL	3.52	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 9D	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 9D	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 9D	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 9D	1/26/2015	TIN	10	ug/L	U				1	10
FSL 9D	1/26/2015	VANADIUM	50	ug/L	U				5	50
FSL 9D	1/26/2015	ZINC	5.68	ug/L	J				4	40
FSL 9D	1/26/2015	MERCURY	2.44	ug/L					0.02	0.2
FSL 9D	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 9D	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 9D	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 9D	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 9D	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
FSL 9D	1/26/2015	TRICHLOROFLUOROMETHANE	2.53	ug/L					0.3	1
FSL 9D	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 9D	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 9D	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 9D	1/26/2015	AMERICIUM-241	1.31	pCi/L				0.389	0.105	0.882
FSL 9D	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0557	0.0557
FSL 9D	1/26/2015	CURIUM-243/244	1.28	pCi/L				0.379	0.0557	0.814
FSL 9D	1/26/2015	CURIUM-245/246	0.277	pCi/L	J		21	0.159	0.0577	0.376
FSL 9D	1/26/2015	PLUTONIUM-238	0.0211	pCi/L	U			0.042	0.0571	0.142
FSL 9D	1/26/2015	PLUTONIUM-239/240	0.0422	pCi/L	U			0.06	0.0571	0.177
FSL 9D	1/26/2015	THORIUM-228	0.0893	pCi/L	U			0.123	0.228	0.474
FSL 9D	1/26/2015	THORIUM-230	0.106	pCi/L	U			0.108	0.142	0.358
FSL 9D	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0639	0.0639
FSL 9D	1/26/2015	URANIUM-233/234	25.6	pCi/L				4.36	0.157	8.87

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 9D	1/26/2015	URANIUM-235	1.75	pCi/L				0.539	0.0779	1.16
FSL 9D	1/26/2015	URANIUM-238	30.6	pCi/L				5	0.063	10.1
FSL 9D	1/26/2015	GROSS ALPHA	68.4	pCi/L				10.6	2.37	23.6
FSL 9D	1/26/2015	NONVOLATILE BETA	44.6	pCi/L				7.11	5.33	19.5
FSL 9D	1/26/2015	STRONTIUM-90	8.48	pCi/L	J		21	3.06	3.24	9.36
FSL 9D	1/26/2015	CARBON-14	-0.552	pCi/L	U			4.36	7.32	16
FSL 9D	1/26/2015	TECHNETIUM-99	19.9	pCi/L				2.96	4.03	9.96
FSL 9D	1/26/2015	TRITIUM	214	pCi/mL				2.8	0.436	6.03
FSL 9D	1/26/2015	CESIUM-137	5.97	pCi/L	U			4.68	9.28	18.6
FSL 9D	1/26/2015	COBALT-60	3.71	pCi/L	U			4.45	9.27	18.2
FSL 9D	1/26/2015	IODINE-129	64	pCi/L				9.87	1.57	21.3
FSL 9D	1/26/2015	RADIUM-226	1.82	pCi/L				0.514	0.483	1.51
FSL 9D	1/26/2015	RADIUM-228	2.62	pCi/L				0.518	0.46	1.5
FSL 9D	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	1.83	pCi/L	U			1.35	1.92	4.62
FSL 9D	4/22/2015	NITRATE-NITRITE AS NITROGEN	24.3	mg/L					0.85	2.5
FSL 9D	4/22/2015	CADMIUM	0.127	ug/L	J		21		0.1	1
FSL 9D	4/22/2015	LEAD	0.856	ug/L	J		21		0.5	5
FSL 9D	4/22/2015	GROSS ALPHA	55.4	pCi/L				9.68	2.33	21.7
FSL 9D	4/22/2015	NONVOLATILE BETA	36.2	pCi/L				7.66	8.62	23.9
FSL 9D	4/22/2015	TRITIUM	230	pCi/mL				2.6	0.529	5.74
FSL 9D	8/4/2015	NITRATE-NITRITE AS NITROGEN	26.2	mg/L					0.85	2.5
FSL 9D	8/4/2015	ALUMINUM	1730	ug/L					40	400
FSL 9D	8/4/2015	ANTIMONY	10	ug/L	U				1	10
FSL 9D	8/4/2015	ARSENIC	50	ug/L	U				5	50
FSL 9D	8/4/2015	BARIUM	22.7	ug/L					2	20
FSL 9D	8/4/2015	BERYLLIUM	0.2	ug/L	J		21		0.1	1
FSL 9D	8/4/2015	CADMIUM	0.164	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 9D	8/4/2015	CHROMIUM	14.8	ug/L	J		21		10	100
FSL 9D	8/4/2015	COBALT	22.4	ug/L					0.5	5
FSL 9D	8/4/2015	COPPER	9.97	ug/L					0.5	5
FSL 9D	8/4/2015	LEAD	0.853	ug/L	J		21		0.5	5
FSL 9D	8/4/2015	NICKEL	4.65	ug/L	J		21		0.5	5
FSL 9D	8/4/2015	SELENIUM	2.41	ug/L	U		21, V		2	20
FSL 9D	8/4/2015	SILVER	5	ug/L	U				0.5	5
FSL 9D	8/4/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 9D	8/4/2015	VANADIUM	50	ug/L	U				5	50
FSL 9D	8/4/2015	ZINC	12.7	ug/L	U		21, V		4	40
FSL 9D	8/4/2015	GROSS ALPHA	50.3	pCi/L				9.38	2.44	21.2
FSL 9D	8/4/2015	NONVOLATILE BETA	49.6	pCi/L				7.41	4.83	19.7
FSL 9D	8/4/2015	TRITIUM	266	pCi/mL				3.11	0.442	6.67
FSL 9D	11/6/2015	NITRATE-NITRITE AS NITROGEN	35.8	mg/L					0.85	2.5
FSL 9D	11/6/2015	CADMIUM	0.266	ug/L	J		21		0.1	1
FSL 9D	11/6/2015	LEAD	1.65	ug/L	J		21		0.5	5
FSL 9D	11/6/2015	GROSS ALPHA	79.5	pCi/L				12	2.67	26.6
FSL 9D	11/6/2015	NONVOLATILE BETA	71	pCi/L				9.95	9.65	29.5
FSL 9D	11/6/2015	TRITIUM	357	pCi/mL				3.53	0.514	7.57
FSL 10C	1/26/2015	NITRATE-NITRITE AS NITROGEN	3.52	mg/L					0.085	0.25
FSL 10C	1/26/2015	ALUMINUM	107	ug/L	J				40	400
FSL 10C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
FSL 10C	1/26/2015	ARSENIC	50	ug/L	U				5	50
FSL 10C	1/26/2015	BARIUM	12.7	ug/L	J				2	20
FSL 10C	1/26/2015	BERYLLIUM	0.471	ug/L	J				0.1	1
FSL 10C	1/26/2015	CADMIUM	0.108	ug/L	J				0.1	1
FSL 10C	1/26/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 10C	1/26/2015	COBALT	1.61	ug/L	J				0.5	5
FSL 10C	1/26/2015	COPPER	1.72	ug/L	J				0.5	5
FSL 10C	1/26/2015	LEAD	0.738	ug/L	J				0.5	5
FSL 10C	1/26/2015	NICKEL	2.42	ug/L	J				0.5	5
FSL 10C	1/26/2015	SELENIUM	20	ug/L	U				2	20
FSL 10C	1/26/2015	SILVER	5	ug/L	U				0.5	5
FSL 10C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 10C	1/26/2015	TIN	10	ug/L	U				1	10
FSL 10C	1/26/2015	VANADIUM	6.46	ug/L	J				5	50
FSL 10C	1/26/2015	ZINC	6.98	ug/L	J				4	40
FSL 10C	1/26/2015	MERCURY	0.0209	ug/L	J		21		0.02	0.2
FSL 10C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
FSL 10C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 10C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 10C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 10C	1/26/2015	TRICHLOROETHYLENE (TCE)	2.93	ug/L					0.3	1
FSL 10C	1/26/2015	TRICHLOROFLUOROMETHANE	9.34	ug/L					0.3	1
FSL 10C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 10C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 10C	1/26/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 10C	1/26/2015	AMERICIUM-241	-0.00674	pCi/L	U			0.014	0.136	0.163
FSL 10C	1/26/2015	CURIUM-242	-0.00712	pCi/L	U			0.014	0.134	0.162
FSL 10C	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0719	0.0719
FSL 10C	1/26/2015	CURIUM-245/246	0.137	pCi/L	U			0.125	0.0745	0.324
FSL 10C	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0749	0.0749
FSL 10C	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0749	0.0749

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 10C	1/26/2015	THORIUM-228	0.0293	pCi/L	U			0.126	0.296	0.548
FSL 10C	1/26/2015	THORIUM-230	0.0925	pCi/L	U			0.094	0.0627	0.25
FSL 10C	1/26/2015	THORIUM-232	0.0404	pCi/L	U			0.067	0.116	0.249
FSL 10C	1/26/2015	URANIUM-233/234	0.547	pCi/L	J		21	0.282	0.0872	0.651
FSL 10C	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.108	0.108
FSL 10C	1/26/2015	URANIUM-238	0.642	pCi/L	J		21	0.307	0.087	0.701
FSL 10C	1/26/2015	GROSS ALPHA	5.01	pCi/L	J		21	2.87	2.19	7.93
FSL 10C	1/26/2015	NONVOLATILE BETA	3.88	pCi/L	U			2.87	4.04	9.79
FSL 10C	1/26/2015	STRONTIUM-90	-0.238	pCi/L	U			1.81	3.12	6.73
FSL 10C	1/26/2015	CARBON-14	-1.45	pCi/L	U			4.18	7.08	15.4
FSL 10C	1/26/2015	TECHNETIUM-99	9.86	pCi/L	J		21	2.9	4.41	10.2
FSL 10C	1/26/2015	TRITIUM	1.72	pCi/mL				0.35	0.43	1.13
FSL 10C	1/26/2015	CESIUM-137	1.2	pCi/L	U			4.89	9.04	18.8
FSL 10C	1/26/2015	COBALT-60	2.86	pCi/L	U			4.89	8.94	18.7
FSL 10C	1/26/2015	IODINE-129	-0.507	pCi/L	U			0.679	0.943	2.3
FSL 10C	1/26/2015	RADIUM-226	1.08	pCi/L	J		21	0.404	0.449	1.26
FSL 10C	1/26/2015	RADIUM-228	-0.124	pCi/L	U			0.438	0.821	1.7
FSL 10C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.457	pCi/L	U			1.07	1.99	4.13
FSL 10C	4/13/2015	NITRATE-NITRITE AS NITROGEN	3.72	mg/L					0.17	0.5
FSL 10C	4/13/2015	CADMIUM	0.134	ug/L	J		21		0.1	1
FSL 10C	4/13/2015	LEAD	1.41	ug/L	J		21		0.5	5
FSL 10C	4/13/2015	GROSS ALPHA	4.84	pCi/L	J		21	2.02	1.26	5.3
FSL 10C	4/13/2015	NONVOLATILE BETA	7.12	pCi/L	J		21	2.63	3.22	8.49
FSL 10C	4/13/2015	TRITIUM	1.49	pCi/mL				0.35	0.457	1.16
FSL 10C	7/29/2015	NITRATE-NITRITE AS NITROGEN	3.96	mg/L					0.085	0.25
FSL 10C	7/29/2015	ALUMINUM	144	ug/L	J		21		40	400
FSL 10C	7/29/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 10C	7/29/2015	ARSENIC	50	ug/L	U				5	50
FSL 10C	7/29/2015	BARIUM	13.4	ug/L	J		21		2	20
FSL 10C	7/29/2015	BERYLLIUM	0.644	ug/L	J		21		0.1	1
FSL 10C	7/29/2015	CADMIUM	0.112	ug/L	J		21		0.1	1
FSL 10C	7/29/2015	CHROMIUM	14.3	ug/L	J		21		10	100
FSL 10C	7/29/2015	COBALT	1.51	ug/L	J		21		0.5	5
FSL 10C	7/29/2015	COPPER	3.36	ug/L	U		21, V		0.5	5
FSL 10C	7/29/2015	LEAD	1.24	ug/L	J		21		0.5	5
FSL 10C	7/29/2015	NICKEL	2.54	ug/L	J		21		0.5	5
FSL 10C	7/29/2015	SELENIUM	20	ug/L	U				2	20
FSL 10C	7/29/2015	SILVER	5	ug/L	U				0.5	5
FSL 10C	7/29/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 10C	7/29/2015	VANADIUM	10.4	ug/L	J		21		5	50
FSL 10C	7/29/2015	ZINC	9.34	ug/L	J		21		4	40
FSL 10C	7/29/2015	GROSS ALPHA	2.75	pCi/L	J		21	2.23	2.31	6.78
FSL 10C	7/29/2015	NONVOLATILE BETA	4.79	pCi/L	J		21	3.24	4.5	11
FSL 10C	7/29/2015	TRITIUM	2.16	pCi/mL				0.391	0.481	1.26
FSL 10C	10/30/2015	NITRATE-NITRITE AS NITROGEN	3.09	mg/L					0.085	0.25
FSL 10C	10/30/2015	CADMIUM	0.153	ug/L	J		21		0.1	1
FSL 10C	10/30/2015	LEAD	1.21	ug/L	J		21		0.5	5
FSL 10C	10/30/2015	GROSS ALPHA	1.17	pCi/L	U			1.59	2.26	5.44
FSL 10C	10/30/2015	NONVOLATILE BETA	5.97	pCi/L	J		21	3.23	3.95	10.4
FSL 10C	10/30/2015	TRITIUM	1.74	pCi/mL				0.384	0.509	1.28
FSL 11C	1/28/2015	NITRATE-NITRITE AS NITROGEN	2.05	mg/L					0.085	0.25
FSL 11C	1/28/2015	ALUMINUM	400	ug/L	U				40	400
FSL 11C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
FSL 11C	1/28/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 11C	1/28/2015	BARIUM	7.03	ug/L	J				2	20
FSL 11C	1/28/2015	BERYLLIUM	0.286	ug/L	J				0.1	1
FSL 11C	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 11C	1/28/2015	CHROMIUM	12.8	ug/L	U				10	100
FSL 11C	1/28/2015	COBALT	3.16	ug/L	J				0.5	5
FSL 11C	1/28/2015	COPPER	0.707	ug/L	J				0.5	5
FSL 11C	1/28/2015	LEAD	5	ug/L	U				0.5	5
FSL 11C	1/28/2015	NICKEL	1.31	ug/L	J				0.5	5
FSL 11C	1/28/2015	SELENIUM	20	ug/L	U				2	20
FSL 11C	1/28/2015	SILVER	5	ug/L	U				0.5	5
FSL 11C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 11C	1/28/2015	TIN	10	ug/L	U				1	10
FSL 11C	1/28/2015	VANADIUM	50	ug/L	U				5	50
FSL 11C	1/28/2015	ZINC	5.06	ug/L	J				4	40
FSL 11C	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSL 11C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
FSL 11C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
FSL 11C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
FSL 11C	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
FSL 11C	1/28/2015	TRICHLOROETHYLENE (TCE)	1.5	ug/L					0.3	1
FSL 11C	1/28/2015	TRICHLOROFLUOROMETHANE	2.54	ug/L					0.3	1
FSL 11C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
FSL 11C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
FSL 11C	1/28/2015	PHENOLS	0.005	mg/L	U				0.00167	0.005
FSL 11C	1/28/2015	AMERICIUM-241	0	pCi/L	U			0	0.0651	0.0651
FSL 11C	1/28/2015	CURIUM-242	0.0282	pCi/L	U			0.057	0.0641	0.177

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 11C	1/28/2015	CURIUM-243/244	0.0238	pCi/L	U			0.048	0.0641	0.159
FSL 11C	1/28/2015	CURIUM-245/246	0.196	pCi/L	U			0.142	0.0664	0.35
FSL 11C	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.06	0.06
FSL 11C	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.06	0.06
FSL 11C	1/28/2015	THORIUM-228	0.0595	pCi/L	U			0.085	0.139	0.309
FSL 11C	1/28/2015	THORIUM-230	0.0696	pCi/L	U			0.081	0.0629	0.225
FSL 11C	1/28/2015	THORIUM-232	0	pCi/L	U			0	0.0628	0.0628
FSL 11C	1/28/2015	URANIUM-233/234	0.026	pCi/L	U			0.052	0.0704	0.175
FSL 11C	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0868	0.0868
FSL 11C	1/28/2015	URANIUM-238	0.0518	pCi/L	U			0.074	0.0702	0.218
FSL 11C	1/28/2015	GROSS ALPHA	0.809	pCi/L	UJ			1.37	2.21	4.94
FSL 11C	1/28/2015	NONVOLATILE BETA	44.9	pCi/L				6.86	3.94	17.7
FSL 11C	1/28/2015	STRONTIUM-90	-0.423	pCi/L	U			1.31	2.96	5.57
FSL 11C	1/28/2015	CARBON-14	3.55	pCi/L	U			4.23	6.94	15.4
FSL 11C	1/28/2015	TECHNETIUM-99	105	pCi/L				4.79	4.36	13.9
FSL 11C	1/28/2015	TRITIUM	2.48	pCi/mL				0.394	0.447	1.24
FSL 11C	1/28/2015	CESIUM-137	-1.99	pCi/L	U			5.26	9.11	19.6
FSL 11C	1/28/2015	COBALT-60	0.199	pCi/L	U			4.6	8.72	17.9
FSL 11C	1/28/2015	IODINE-129	0.28	pCi/L	U			0.555	0.961	2.07
FSL 11C	1/28/2015	RADIUM-226	0.804	pCi/L	J		21	0.365	0.448	1.18
FSL 11C	1/28/2015	RADIUM-228	0.835	pCi/L	U		21, V	0.367	0.499	1.23
FSL 11C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.45	pCi/L	U			1.28	1.93	4.49
FSL 11C	4/13/2015	NITRATE-NITRITE AS NITROGEN	1.78	mg/L					0.085	0.25
FSL 11C	4/13/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 11C	4/13/2015	LEAD	5	ug/L	U				0.5	5
FSL 11C	4/13/2015	GROSS ALPHA	0.726	pCi/L	U			0.992	1.5	3.48
FSL 11C	4/13/2015	NONVOLATILE BETA	133	pCi/L				8.66	2.84	20.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 11C	4/13/2015	TRITIUM	2.58	pCi/mL				0.384	0.414	1.18
FSL 11C	5/7/2015	NITRATE-NITRITE AS NITROGEN	1.88	mg/L					0.085	0.25
FSL 11C	5/7/2015	URANIUM-233/234	-0.00614	pCi/L	U	U	V	0.013	0.0472	0.0731
FSL 11C	5/7/2015	URANIUM-235	0.0109	pCi/L	U	U	V	0.022	0.0612	0.105
FSL 11C	5/7/2015	URANIUM-238	0.0205	pCi/L	U	U	V	0.033	0.0438	0.11
FSL 11C	5/7/2015	GROSS ALPHA	1.17	pCi/L	U	U		1.59	2.35	5.52
FSL 11C	5/7/2015	NONVOLATILE BETA	96.8	pCi/L				10.1	4.26	24.4
FSL 11C	5/7/2015	STRONTIUM-90	1.37	pCi/L	U	U		2.28	2.96	7.52
FSL 11C	5/7/2015	TECHNETIUM-99	192	pCi/L		J	18	5.93	4.03	15.9
FSL 11C	5/7/2015	TRITIUM	2.41	pCi/mL				0.396	0.461	1.25
FSL 11C	5/7/2015	IODINE-129	0.00177	pCi/L	UJ	U	V	0.633	0.937	2.2
FSL 11C	5/7/2015	RADIUM-226	0.407	pCi/L	U	U		0.296	0.438	1.03
FSL 11C	5/7/2015	RADIUM-228	0.507	pCi/L	U	U		0.339	0.522	1.2
FSL 11C	8/6/2015	NITRATE-NITRITE AS NITROGEN	1.91	mg/L					0.085	0.25
FSL 11C	8/6/2015	ALUMINUM	49.1	ug/L	U		21, V		40	400
FSL 11C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
FSL 11C	8/6/2015	ARSENIC	50	ug/L	U				5	50
FSL 11C	8/6/2015	BARIUM	6.29	ug/L	J		21		2	20
FSL 11C	8/6/2015	BERYLLIUM	0.268	ug/L	J		21		0.1	1
FSL 11C	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 11C	8/6/2015	CHROMIUM	100	ug/L	U				10	100
FSL 11C	8/6/2015	COBALT	1.49	ug/L	J		21		0.5	5
FSL 11C	8/6/2015	COPPER	0.746	ug/L	J		21		0.5	5
FSL 11C	8/6/2015	LEAD	5	ug/L	U				0.5	5
FSL 11C	8/6/2015	MANGANESE	7.39	ug/L	J		21		1	10
FSL 11C	8/6/2015	NICKEL	1.12	ug/L	J		21		0.5	5
FSL 11C	8/6/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSL 11C	8/6/2015	SILVER	5	ug/L	U				0.5	5
FSL 11C	8/6/2015	SODIUM	1910	ug/L					20	200
FSL 11C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSL 11C	8/6/2015	VANADIUM	50	ug/L	U				5	50
FSL 11C	8/6/2015	ZINC	8.14	ug/L	J		21		4	40
FSL 11C	8/6/2015	URANIUM-233/234	0.0935	pCi/L	J		21, V	0.095	0.125	0.315
FSL 11C	8/6/2015	URANIUM-235	-0.0128	pCi/L	U		V	0.018	0.154	0.19
FSL 11C	8/6/2015	URANIUM-238	0.0415	pCi/L	U		V	0.059	0.0562	0.174
FSL 11C	8/6/2015	GROSS ALPHA	1.2	pCi/L	U			1.56	2.16	5.29
FSL 11C	8/6/2015	NONVOLATILE BETA	112	pCi/L				10.9	3.97	25.7
FSL 11C	8/6/2015	STRONTIUM-90	0.785	pCi/L	U			2.31	3.23	7.84
FSL 11C	8/6/2015	TECHNETIUM-99	236	pCi/L				6.64	4.34	17.6
FSL 11C	8/6/2015	TRITIUM	2.93	pCi/mL				0.433	0.502	1.37
FSL 11C	8/6/2015	IODINE-129	0.295	pCi/L	UJ		V	0.677	1.05	2.4
FSL 11C	8/6/2015	RADIUM-226	0.399	pCi/L	U			0.277	0.403	0.957
FSL 11C	8/6/2015	RADIUM-228	0.204	pCi/L	U			0.411	0.72	1.54
FSL 11C	11/2/2015	NITRATE-NITRITE AS NITROGEN	2.11	mg/L					0.085	0.25
FSL 11C	11/2/2015	CADMIUM	1	ug/L	U				0.1	1
FSL 11C	11/2/2015	LEAD	5	ug/L	U				0.5	5
FSL 11C	11/2/2015	GROSS ALPHA	-0.00454	pCi/L	U			0.873	2.29	4.04
FSL 11C	11/2/2015	NONVOLATILE BETA	95.7	pCi/L				9.9	3.92	23.7
FSL 11C	11/2/2015	TRITIUM	2.4	pCi/mL				0.413	0.511	1.34
FSP 2A	3/4/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.094	1
FSP 2A	3/4/2015	CADMIUM	1	ug/L	U				0.1	1
FSP 2A	3/4/2015	COBALT	5	ug/L	U				0.5	5
FSP 2A	3/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2A	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.232	pCi/L	J		21	0.074	0.087	0.2344

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2A	3/4/2015	RADIUM-226	0.245	pCi/L				0.067	0.07	0.2027
FSP 2A	3/4/2015	RADIUM-228	0.119	pCi/L	U			0.159	0.266	0.584
FSP 2A	3/4/2015	URANIUM-233/234	0.0265	pCi/L	U			0.053	0.0719	0.178
FSP 2A	3/4/2015	URANIUM-235	0	pCi/L	U			0	0.0886	0.0886
FSP 2A	3/4/2015	URANIUM-238	0.0265	pCi/L	U			0.053	0.0717	0.178
FSP 2A	3/4/2015	GROSS ALPHA	0.0588	pCi/L	U			0.883	2.32	4.09
FSP 2A	3/4/2015	NONVOLATILE BETA	4.19	pCi/L	J		21	2.89	3.94	9.71
FSP 2A	3/4/2015	STRONTIUM-90	0.343	pCi/L	U			1.72	3.27	6.72
FSP 2A	3/4/2015	CARBON-14	73.2	pCi/L				5.71	7.06	18.5
FSP 2A	3/4/2015	TECHNETIUM-99	27.7	pCi/L				3.24	4.2	10.7
FSP 2A	3/4/2015	TRITIUM	118	pCi/mL				2.07	0.449	4.58
FSP 2A	3/4/2015	IODINE-129	0.441	pCi/L	U			0.65	0.972	2.27
FSP 2A	6/10/2015	NITRATE-NITRITE AS NITROGEN	14	mg/L					0.094	1
FSP 2A	6/10/2015	CADMIUM	1	ug/L	U				0.1	1
FSP 2A	6/10/2015	COBALT	5	ug/L	U				0.5	5
FSP 2A	6/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2A	6/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.286	pCi/L	J		21	0.189	0.274	0.652
FSP 2A	6/10/2015	RADIUM-226	0.237	pCi/L				0.071	0.07	0.2112
FSP 2A	6/10/2015	RADIUM-228	0.0476	pCi/L	U			0.231	0.407	0.869
FSP 2A	6/10/2015	URANIUM-233/234	0.0818	pCi/L	U		V	0.056	0.057	0.169
FSP 2A	6/10/2015	URANIUM-235	-5.5E-05	pCi/L	U		V	0.001	0.0537	0.0563
FSP 2A	6/10/2015	URANIUM-238	0.0271	pCi/L	U		V	0.046	0.0591	0.151
FSP 2A	6/10/2015	GROSS ALPHA	1.82	pCi/L	U			1.92	2.26	6.1
FSP 2A	6/10/2015	NONVOLATILE BETA	16.4	pCi/L				4.45	3.79	12.7
FSP 2A	6/10/2015	STRONTIUM-90	2.39	pCi/L	U			2.31	2.95	7.57
FSP 2A	6/10/2015	CARBON-14	5.95	pCi/L	U			4.32	7	15.6
FSP 2A	6/10/2015	TECHNETIUM-99	22.5	pCi/L				3.15	4.27	10.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2A	6/10/2015	TRITIUM	107	pCi/mL				1.91	0.439	4.26
FSP 2A	6/10/2015	IODINE-129	0.0431	pCi/L	U			0.584	0.962	2.13
FSP 2A	9/8/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.094	1
FSP 2A	9/8/2015	ALUMINUM	127	ug/L	J		21		40	400
FSP 2A	9/8/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP 2A	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP 2A	9/8/2015	BARIUM	34.5	ug/L					2	20
FSP 2A	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSP 2A	9/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSP 2A	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP 2A	9/8/2015	COBALT	5	ug/L	U				0.5	5
FSP 2A	9/8/2015	COPPER	5	ug/L	U				0.5	5
FSP 2A	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP 2A	9/8/2015	NICKEL	0.576	ug/L	J		21		0.5	5
FSP 2A	9/8/2015	SELENIUM	20	ug/L	U				2	20
FSP 2A	9/8/2015	SILVER	5	ug/L	U				0.5	5
FSP 2A	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FSP 2A	9/8/2015	VANADIUM	50	ug/L	U				5	50
FSP 2A	9/8/2015	ZINC	40	ug/L	U				4	40
FSP 2A	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2A	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP 2A	9/8/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSP 2A	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP 2A	9/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP 2A	9/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSP 2A	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP 2A	9/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				1.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
FSP 2A	9/8/2015	PHENOL	10	ug/L	U				2	10
FSP 2A	9/8/2015	CYANIDE	3.6	ug/L	J		21		2.9	10
FSP 2A	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.112	pCi/L	U			0.144	0.241	0.529
FSP 2A	9/8/2015	RADIUM-226	0.232	pCi/L	J		21	0.076	0.092	0.2445
FSP 2A	9/8/2015	RADIUM-228	0.0997	pCi/L	U			0.238	0.407	0.883
FSP 2A	9/8/2015	AMERICIUM-241	0.0419	pCi/L	U		V	0.069	0.121	0.259
FSP 2A	9/8/2015	CURIUM-242	0.0251	pCi/L	U			0.05	0.0639	0.165
FSP 2A	9/8/2015	CURIUM-243/244	0	pCi/L	U			0	0.0639	0.0639
FSP 2A	9/8/2015	CURIUM-245/246	0.146	pCi/L	U		21, V	0.121	0.0661	0.309
FSP 2A	9/8/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0605	0.0605
FSP 2A	9/8/2015	PLUTONIUM-239/240	0.0223	pCi/L	U		V	0.045	0.0605	0.15
FSP 2A	9/8/2015	THORIUM-228	-0.0419	pCi/L	U		V	0.084	0.32	0.488
FSP 2A	9/8/2015	THORIUM-230	0.132	pCi/L	U		21, V	0.134	0.0897	0.358
FSP 2A	9/8/2015	THORIUM-232	-0.00826	pCi/L	U			0.017	0.166	0.199
FSP 2A	9/8/2015	URANIUM-233/234	0.0981	pCi/L	U		21, V	0.099	0.0664	0.265
FSP 2A	9/8/2015	URANIUM-235	0	pCi/L	U			0	0.082	0.082
FSP 2A	9/8/2015	URANIUM-238	0.0918	pCi/L	U		V	0.1	0.123	0.322
FSP 2A	9/8/2015	GROSS ALPHA	0.429	pCi/L	U			1.23	2.47	4.93
FSP 2A	9/8/2015	NONVOLATILE BETA	8.81	pCi/L	J		21	3.68	4.2	11.6
FSP 2A	9/8/2015	STRONTIUM-90	0.0292	pCi/L	U			1.89	3.23	7
FSP 2A	9/8/2015	CARBON-14	38.4	pCi/L				5.14	7.2	17.5
FSP 2A	9/8/2015	TECHNETIUM-99	27.3	pCi/L				3.15	4.03	10.3
FSP 2A	9/8/2015	TRITIUM	111	pCi/mL				1.95	0.436	4.35
FSP 2A	9/8/2015	CESIUM-137	-5.19	pCi/L	U			5.61	9.08	20.3
FSP 2A	9/8/2015	COBALT-60	-0.928	pCi/L	U			5.19	8.17	18.5
FSP 2A	9/8/2015	IODINE-129	0.685	pCi/L	U			0.635	1	2.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2A	12/3/2015	NITRATE-NITRITE AS NITROGEN	15.3	mg/L					0.85	2.5
FSP 2A	12/3/2015	CADMIUM	1	ug/L	U				0.1	1
FSP 2A	12/3/2015	COBALT	5	ug/L	U				0.5	5
FSP 2A	12/3/2015	TIN	10	ug/L	U				1	10
FSP 2A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FSP 2A	12/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2A	12/3/2015	URANIUM-233/234	0.11	pCi/L	U		21, V	0.1	0.0596	0.259
FSP 2A	12/3/2015	URANIUM-235	-0.00679	pCi/L	U		V	0.014	0.137	0.164
FSP 2A	12/3/2015	URANIUM-238	0.0933	pCi/L	U		V	0.101	0.148	0.35
FSP 2A	12/3/2015	GROSS ALPHA	0.425	pCi/L	U			1.23	2.4	4.86
FSP 2A	12/3/2015	NONVOLATILE BETA	3.92	pCi/L	U			2.93	3.95	9.81
FSP 2A	12/3/2015	STRONTIUM-90	0.165	pCi/L	U			2.06	3.3	7.41
FSP 2A	12/3/2015	TECHNETIUM-99	27.2	pCi/L				3.29	4.35	10.9
FSP 2A	12/3/2015	TRITIUM	121	pCi/mL				2.08	0.429	4.6
FSP 2A	12/3/2015	IODINE-129	0.153	pCi/L	U			0.597	1.04	2.24
FSP 2A	12/3/2015	RADIUM-226	0.167	pCi/L	U			0.204	0.344	0.752
FSP 2A	12/3/2015	RADIUM-228	0.274	pCi/L	U			0.28	0.464	1.02
FSP 2A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.352	pCi/L	U			1.09	1.96	4.14
FSP 2B	3/4/2015	NITRATE-NITRITE AS NITROGEN	0.085	mg/L					0.0047	0.05
FSP 2B	3/4/2015	CADMIUM	0.119	ug/L	J				0.1	1
FSP 2B	3/4/2015	COBALT	1.39	ug/L	J				0.5	5
FSP 2B	3/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2B	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.496	pCi/L				0.097	0.083	0.278
FSP 2B	3/4/2015	RADIUM-226	0.475	pCi/L				0.088	0.075	0.2497
FSP 2B	3/4/2015	RADIUM-228	6.96	pCi/L				0.511	0.283	1.305
FSP 2B	3/4/2015	URANIUM-233/234	0.0586	pCi/L	U			0.083	0.141	0.307

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2B	3/4/2015	URANIUM-235	0.0506	pCi/L	U			0.084	0.146	0.313
FSP 2B	3/4/2015	URANIUM-238	0.0234	pCi/L	U			0.047	0.0634	0.157
FSP 2B	3/4/2015	GROSS ALPHA	0.458	pCi/L	U			1.22	2.4	4.85
FSP 2B	3/4/2015	NONVOLATILE BETA	58.9	pCi/L				7.75	3.96	19.5
FSP 2B	3/4/2015	STRONTIUM-90	21.4	pCi/L				4.53	3.3	12.4
FSP 2B	3/4/2015	CARBON-14	1.97	pCi/L	U			4.24	7.02	15.5
FSP 2B	3/4/2015	TECHNETIUM-99	2.1	pCi/L	U			2.57	4.23	9.38
FSP 2B	3/4/2015	TRITIUM	12.3	pCi/mL				0.71	0.449	1.87
FSP 2B	3/4/2015	IODINE-129	0.938	pCi/L	U			0.971	0.968	2.91
FSP 2B	6/10/2015	NITRATE-NITRITE AS NITROGEN	0.18	mg/L					0.0047	0.05
FSP 2B	6/10/2015	CADMIUM	0.137	ug/L	J		21		0.1	1
FSP 2B	6/10/2015	COBALT	1.41	ug/L	J		21		0.5	5
FSP 2B	6/10/2015	MERCURY	0.0219	ug/L	J		21		0.02	0.2
FSP 2B	6/10/2015	RADIUM, TOTAL ALPHA-EMITTING	1.91	pCi/L				0.552	0.625	1.729
FSP 2B	6/10/2015	RADIUM-226	0.668	pCi/L				0.15	0.117	0.417
FSP 2B	6/10/2015	RADIUM-228	12.9	pCi/L				1.03	0.539	2.599
FSP 2B	6/10/2015	URANIUM-233/234	0.201	pCi/L	J		21, V	0.09	0.0533	0.233
FSP 2B	6/10/2015	URANIUM-235	0.0425	pCi/L	U		V	0.043	0.0561	0.142
FSP 2B	6/10/2015	URANIUM-238	0.207	pCi/L	J		21, V	0.089	0.0539	0.231
FSP 2B	6/10/2015	GROSS ALPHA	1.41	pCi/L	U			1.77	2.36	5.89
FSP 2B	6/10/2015	NONVOLATILE BETA	50	pCi/L				7.23	3.79	18.3
FSP 2B	6/10/2015	STRONTIUM-90	21.8	pCi/L				5.05	2.95	13
FSP 2B	6/10/2015	CARBON-14	-0.277	pCi/L	U			4.16	6.99	15.3
FSP 2B	6/10/2015	TECHNETIUM-99	4.62	pCi/L	J		21	2.7	4.32	9.72
FSP 2B	6/10/2015	TRITIUM	79.9	pCi/mL				1.7	0.461	3.86
FSP 2B	6/10/2015	IODINE-129	4.29	pCi/L				1.1	0.976	3.17
FSP 2B	9/8/2015	NITRATE-NITRITE AS NITROGEN	8.2	mg/L					0.047	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2B	9/8/2015	ALUMINUM	128	ug/L	J		21		40	400
FSP 2B	9/8/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP 2B	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP 2B	9/8/2015	BARIUM	91.2	ug/L					2	20
FSP 2B	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSP 2B	9/8/2015	CADMIUM	0.248	ug/L	J		21		0.1	1
FSP 2B	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP 2B	9/8/2015	COBALT	1.91	ug/L	J		21		0.5	5
FSP 2B	9/8/2015	COPPER	5	ug/L	U				0.5	5
FSP 2B	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP 2B	9/8/2015	NICKEL	0.69	ug/L	J		21		0.5	5
FSP 2B	9/8/2015	SELENIUM	2.63	ug/L	J		21		2	20
FSP 2B	9/8/2015	SILVER	5	ug/L	U				0.5	5
FSP 2B	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FSP 2B	9/8/2015	VANADIUM	50	ug/L	U				5	50
FSP 2B	9/8/2015	ZINC	40	ug/L	U				4	40
FSP 2B	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2B	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP 2B	9/8/2015	CHLOROFORM	0.11	ug/L	J		21		0.1	1
FSP 2B	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP 2B	9/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP 2B	9/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSP 2B	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP 2B	9/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FSP 2B	9/8/2015	PHENOL	10	ug/L	U				2	10
FSP 2B	9/8/2015	CYANIDE	10	ug/L	U				2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2B	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	1.37	pCi/L				0.294	0.251	0.839
FSP 2B	9/8/2015	RADIUM-226	0.408	pCi/L				0.084	0.064	0.2315
FSP 2B	9/8/2015	RADIUM-228	9.74	pCi/L				0.707	0.403	1.817
FSP 2B	9/8/2015	AMERICIUM-241	0.0688	pCi/L	U		21, V	0.08	0.0621	0.222
FSP 2B	9/8/2015	CURIUM-242	0	pCi/L	U			0	0.0612	0.0612
FSP 2B	9/8/2015	CURIUM-243/244	-0.00565	pCi/L	U			0.011	0.114	0.136
FSP 2B	9/8/2015	CURIUM-245/246	0.0701	pCi/L	U		21, V	0.082	0.0633	0.226
FSP 2B	9/8/2015	PLUTONIUM-238	0.00521	pCi/L	U			0.045	0.14	0.231
FSP 2B	9/8/2015	PLUTONIUM-239/240	-0.00521	pCi/L	U		V	0.01	0.105	0.126
FSP 2B	9/8/2015	THORIUM-228	-0.0607	pCi/L	U		V	0.128	0.381	0.636
FSP 2B	9/8/2015	THORIUM-230	0.14	pCi/L	U		V	0.134	0.179	0.448
FSP 2B	9/8/2015	THORIUM-232	-0.00665	pCi/L	U			0.013	0.134	0.161
FSP 2B	9/8/2015	URANIUM-233/234	0.162	pCi/L	U		21, V	0.125	0.13	0.38
FSP 2B	9/8/2015	URANIUM-235	0	pCi/L	U			0	0.0722	0.0722
FSP 2B	9/8/2015	URANIUM-238	0.237	pCi/L	J		21, V	0.147	0.0584	0.352
FSP 2B	9/8/2015	GROSS ALPHA	1.18	pCi/L	U			1.69	2.56	5.95
FSP 2B	9/8/2015	NONVOLATILE BETA	51.3	pCi/L				7.38	4.29	19.1
FSP 2B	9/8/2015	STRONTIUM-90	21.3	pCi/L				4.67	3.26	12.6
FSP 2B	9/8/2015	CARBON-14	-3.47	pCi/L	U			4.12	7.05	15.3
FSP 2B	9/8/2015	TECHNETIUM-99	7.94	pCi/L	J		21	2.62	4.01	9.24
FSP 2B	9/8/2015	TRITIUM	66.3	pCi/mL				1.52	0.437	3.48
FSP 2B	9/8/2015	CESIUM-137	0.654	pCi/L	U			5.38	9.71	20.5
FSP 2B	9/8/2015	COBALT-60	-0.0226	pCi/L	U			4	7.67	15.7
FSP 2B	9/8/2015	IODINE-129	0.268	pCi/L	U			0.71	1.21	2.63
FSP 2B	12/3/2015	NITRATE-NITRITE AS NITROGEN	0.398	mg/L					0.017	0.05
FSP 2B	12/3/2015	CADMIUM	0.161	ug/L	J		21		0.1	1
FSP 2B	12/3/2015	COBALT	2.66	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 2B	12/3/2015	TIN	10	ug/L	U				1	10
FSP 2B	12/3/2015	VANADIUM	50	ug/L	U				5	50
FSP 2B	12/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP 2B	12/3/2015	URANIUM-233/234	0.107	pCi/L	U		21, V	0.097	0.0581	0.252
FSP 2B	12/3/2015	URANIUM-235	0.0529	pCi/L	U		V	0.075	0.0717	0.222
FSP 2B	12/3/2015	URANIUM-238	0.187	pCi/L	J		21, V	0.131	0.108	0.371
FSP 2B	12/3/2015	GROSS ALPHA	1.71	pCi/L	U			1.97	2.56	6.5
FSP 2B	12/3/2015	NONVOLATILE BETA	71.5	pCi/L				8.53	4.01	21.1
FSP 2B	12/3/2015	STRONTIUM-90	29.6	pCi/L				5.58	3.38	14.5
FSP 2B	12/3/2015	TECHNETIUM-99	2.94	pCi/L	U			2.67	4.36	9.7
FSP 2B	12/3/2015	TRITIUM	16.7	pCi/mL				0.814	0.435	2.06
FSP 2B	12/3/2015	IODINE-129	2.6	pCi/L	J		21	1.04	0.637	2.72
FSP 2B	12/3/2015	RADIUM-226	0.699	pCi/L	J		21, V	0.303	0.365	0.971
FSP 2B	12/3/2015	RADIUM-228	1.3	pCi/L	J		21	0.404	0.5	1.31
FSP 2B	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.06	pCi/L	U			1.17	1.95	4.29
FSP 47A	3/10/2015	NITRATE-NITRITE AS NITROGEN	2.7	mg/L					0.0094	0.1
FSP 47A	3/10/2015	CADMIUM	1	ug/L	U				0.1	1
FSP 47A	3/10/2015	COBALT	5	ug/L	U				0.5	5
FSP 47A	3/10/2015	MERCURY	0.129	ug/L	J		21		0.02	0.2
FSP 47A	3/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.107	pCi/L	U			0.167	0.285	0.619
FSP 47A	3/10/2015	RADIUM-226	0.171	pCi/L				0.054	0.051	0.1581
FSP 47A	3/10/2015	RADIUM-228	0.745	pCi/L	J		21	0.278	0.391	0.947
FSP 47A	3/10/2015	URANIUM-233/234	0.336	pCi/L	J		21	0.188	0.065	0.44
FSP 47A	3/10/2015	URANIUM-235	0	pCi/L	U			0	0.0802	0.0802
FSP 47A	3/10/2015	URANIUM-238	0.24	pCi/L	U			0.156	0.0649	0.377
FSP 47A	3/10/2015	GROSS ALPHA	0.0582	pCi/L	U			0.874	2.3	4.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 47A	3/10/2015	NONVOLATILE BETA	4.19	pCi/L	J		21	2.88	3.94	9.7
FSP 47A	3/10/2015	STRONTIUM-90	4.03	pCi/L	J		21	2.65	3.3	8.6
FSP 47A	3/10/2015	CARBON-14	16.7	pCi/L				4.47	6.84	15.8
FSP 47A	3/10/2015	TECHNETIUM-99	2.07	pCi/L	U			2.5	4.11	9.11
FSP 47A	3/10/2015	TRITIUM	6.23	pCi/mL				0.543	0.448	1.53
FSP 47A	3/10/2015	IODINE-129	4.47	pCi/L	J			1.65	0.911	4.2
FSP 47A	6/9/2015	NITRATE-NITRITE AS NITROGEN	6.6	mg/L					0.094	1
FSP 47A	6/9/2015	CADMIUM	0.12	ug/L	J		21		0.1	1
FSP 47A	6/9/2015	COBALT	5	ug/L	U				0.5	5
FSP 47A	6/9/2015	MERCURY	0.185	ug/L	J		21		0.02	0.2
FSP 47A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.237	pCi/L	U			0.17	0.252	0.592
FSP 47A	6/9/2015	RADIUM-226	0.292	pCi/L				0.075	0.072	0.2216
FSP 47A	6/9/2015	RADIUM-228	1.88	pCi/L				0.315	0.307	0.937
FSP 47A	6/9/2015	URANIUM-233/234	0.276	pCi/L	J		21, V	0.165	0.132	0.462
FSP 47A	6/9/2015	URANIUM-235	0.0272	pCi/L	U			0.055	0.0737	0.183
FSP 47A	6/9/2015	URANIUM-238	0.0605	pCi/L	U		V	0.078	0.111	0.266
FSP 47A	6/9/2015	GROSS ALPHA	0.964	pCi/L	U			1.48	2.21	5.18
FSP 47A	6/9/2015	NONVOLATILE BETA	13.3	pCi/L				4.09	3.76	11.9
FSP 47A	6/9/2015	STRONTIUM-90	5.93	pCi/L	J		21	2.88	3.25	9.01
FSP 47A	6/9/2015	CARBON-14	16.4	pCi/L	J		21	4.89	7.56	17.3
FSP 47A	6/9/2015	TECHNETIUM-99	4.24	pCi/L	U			2.65	4.25	9.55
FSP 47A	6/9/2015	TRITIUM	33.6	pCi/mL				1.09	0.428	2.62
FSP 47A	6/9/2015	IODINE-129	5.44	pCi/L				1.42	1.02	3.86
FSP 47A	10/6/2015	NITRATE-NITRITE AS NITROGEN	10	mg/L					0.19	2
FSP 47A	10/6/2015	ALUMINUM	2830	ug/L					40	400
FSP 47A	10/6/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP 47A	10/6/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 47A	10/6/2015	BARIUM	11.7	ug/L	J		21		2	20
FSP 47A	10/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSP 47A	10/6/2015	CADMIUM	0.376	ug/L	J		21		0.1	1
FSP 47A	10/6/2015	CHROMIUM	100	ug/L	U				10	100
FSP 47A	10/6/2015	COBALT	1.69	ug/L	J		21		0.5	5
FSP 47A	10/6/2015	COPPER	1.81	ug/L	J		21		0.5	5
FSP 47A	10/6/2015	LEAD	1.41	ug/L	J		21		0.5	5
FSP 47A	10/6/2015	NICKEL	0.87	ug/L	J		21		0.5	5
FSP 47A	10/6/2015	SELENIUM	2.85	ug/L	J		21		2	20
FSP 47A	10/6/2015	SILVER	5	ug/L	U				0.5	5
FSP 47A	10/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSP 47A	10/6/2015	VANADIUM	50	ug/L	U				5	50
FSP 47A	10/6/2015	ZINC	40	ug/L	U				4	40
FSP 47A	10/6/2015	MERCURY	0.59	ug/L					0.02	0.2
FSP 47A	10/6/2015	BENZENE	1	ug/L	U				0.06	1
FSP 47A	10/6/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSP 47A	10/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP 47A	10/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP 47A	10/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSP 47A	10/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP 47A	10/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FSP 47A	10/6/2015	PHENOL	10	ug/L	U				2	10
FSP 47A	10/6/2015	CYANIDE	10	ug/L	U				2.9	10
FSP 47A	10/6/2015	RADIUM, TOTAL ALPHA-EMITTING	1.87	pCi/L				0.588	0.648	1.824
FSP 47A	10/6/2015	RADIUM-226	1.4	pCi/L				0.234	0.182	0.65
FSP 47A	10/6/2015	RADIUM-228	2.79	pCi/L	J		21	1.12	1.56	3.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 47A	10/6/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0608	0.0608
FSP 47A	10/6/2015	CURIUM-242	0	pCi/L	U			0	0.0599	0.0599
FSP 47A	10/6/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0599	0.0599
FSP 47A	10/6/2015	CURIUM-245/246	0.0915	pCi/L	U		21, V	0.093	0.062	0.247
FSP 47A	10/6/2015	PLUTONIUM-238	0.00513	pCi/L	U		V	0.045	0.138	0.228
FSP 47A	10/6/2015	PLUTONIUM-239/240	-0.00513	pCi/L	U		V	0.01	0.103	0.124
FSP 47A	10/6/2015	THORIUM-228	-0.0118	pCi/L	U		V	0.056	0.198	0.309
FSP 47A	10/6/2015	THORIUM-230	0.188	pCi/L	U		21, V	0.136	0.0638	0.336
FSP 47A	10/6/2015	THORIUM-232	0.0235	pCi/L	U			0.047	0.0637	0.158
FSP 47A	10/6/2015	URANIUM-233/234	0.951	pCi/L			V	0.323	0.112	0.758
FSP 47A	10/6/2015	URANIUM-235	0.0549	pCi/L	U		V	0.078	0.0744	0.231
FSP 47A	10/6/2015	URANIUM-238	0.599	pCi/L			V	0.245	0.0602	0.551
FSP 47A	10/6/2015	GROSS ALPHA	4.87	pCi/L	J		21	2.95	2.4	8.3
FSP 47A	10/6/2015	NONVOLATILE BETA	19.9	pCi/L				4.89	4.06	13.8
FSP 47A	10/6/2015	STRONTIUM-90	6.98	pCi/L	J		21	2.82	3.02	8.67
FSP 47A	10/6/2015	CARBON-14	2.15	pCi/L	U			4.17	6.9	15.2
FSP 47A	10/6/2015	TECHNETIUM-99	7.35	pCi/L	J		21	2.85	4.45	10.2
FSP 47A	10/6/2015	TRITIUM	73.8	pCi/mL				1.67	0.449	3.79
FSP 47A	10/6/2015	CESIUM-137	0.773	pCi/L	U			4.96	9.18	19.1
FSP 47A	10/6/2015	COBALT-60	1.44	pCi/L	U			5.12	9.63	19.9
FSP 47A	10/6/2015	IODINE-129	10.1	pCi/L				2.31	1.1	5.71
FSP 47A	12/3/2015	NITRATE-NITRITE AS NITROGEN	5.05	mg/L					0.17	0.5
FSP 47A	12/3/2015	CADMIUM	0.175	ug/L	J		21		0.1	1
FSP 47A	12/3/2015	COBALT	5	ug/L	U				0.5	5
FSP 47A	12/3/2015	TIN	10	ug/L	U				1	10
FSP 47A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FSP 47A	12/3/2015	MERCURY	0.109	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP 47A	12/3/2015	URANIUM-233/234	0.213	pCi/L	J		21, V	0.138	0.0577	0.334
FSP 47A	12/3/2015	URANIUM-235	0	pCi/L	U		V	0	0.0712	0.0712
FSP 47A	12/3/2015	URANIUM-238	0.271	pCi/L	J		21, V	0.158	0.107	0.423
FSP 47A	12/3/2015	GROSS ALPHA	0.823	pCi/L	U			1.46	2.38	5.3
FSP 47A	12/3/2015	NONVOLATILE BETA	5.07	pCi/L	J		21	3.11	3.96	10.2
FSP 47A	12/3/2015	STRONTIUM-90	1.88	pCi/L	U			2.19	3.3	7.68
FSP 47A	12/3/2015	TECHNETIUM-99	7.95	pCi/L	J		21	2.8	4.34	9.95
FSP 47A	12/3/2015	TRITIUM	21.9	pCi/mL				0.917	0.431	2.26
FSP 47A	12/3/2015	IODINE-129	6.95	pCi/L				1.76	1.02	4.53
FSP 47A	12/3/2015	RADIUM-226	0.745	pCi/L	J		21	0.298	0.344	0.94
FSP 47A	12/3/2015	RADIUM-228	0.486	pCi/L	J		21	0.302	0.449	1.05
FSP 47A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.233	pCi/L	U			1.06	1.95	4.07
FSP-072A	3/2/2015	TRITIUM	811	pCi/mL				5.4	0.471	11.3
FSP-072A	5/28/2015	TRITIUM	649	pCi/mL				4.37	0.527	9.26
FSP-072A	9/8/2015	ETHANE	0.1	ug/L	U				0.002	0.1
FSP-072A	9/8/2015	ETHYLENE	0.0088	ug/L	J		21		0.003	0.1
FSP-072A	9/8/2015	ANTIMONY	10	ug/L	U				1	10
FSP-072A	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP-072A	9/8/2015	BARIUM	2.91	ug/L	J		21		2	20
FSP-072A	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP-072A	9/8/2015	COBALT	5	ug/L	U				0.5	5
FSP-072A	9/8/2015	COPPER	5	ug/L	U				0.5	5
FSP-072A	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP-072A	9/8/2015	NICKEL	5	ug/L	U				0.5	5
FSP-072A	9/8/2015	SELENIUM	2.1	ug/L	J		21		2	20
FSP-072A	9/8/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072A	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	TIN	10	ug/L	U				1	10
FSP-072A	9/8/2015	VANADIUM	50	ug/L	U				5	50
FSP-072A	9/8/2015	ZINC	40	ug/L	U				4	40
FSP-072A	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP-072A	9/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSP-072A	9/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSP-072A	9/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FSP-072A	9/8/2015	1,1-DICHLOROETHANE	0.88	ug/L	J		21		0.07	1
FSP-072A	9/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSP-072A	9/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSP-072A	9/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSP-072A	9/8/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSP-072A	9/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FSP-072A	9/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	1,2-DICHLOROETHYLENE	34	ug/L					0.15	2
FSP-072A	9/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSP-072A	9/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSP-072A	9/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072A	9/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSP-072A	9/8/2015	2-HEXANONE	5	ug/L	U				0.22	5
FSP-072A	9/8/2015	ACETONE	2	ug/L	U				0.34	2
FSP-072A	9/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSP-072A	9/8/2015	ACROLEIN	10	ug/L	U				2.8	10
FSP-072A	9/8/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSP-072A	9/8/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSP-072A	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP-072A	9/8/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSP-072A	9/8/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FSP-072A	9/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSP-072A	9/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSP-072A	9/8/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSP-072A	9/8/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSP-072A	9/8/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSP-072A	9/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSP-072A	9/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSP-072A	9/8/2015	CHLOROFORM	0.29	ug/L	J		21		0.1	1
FSP-072A	9/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FSP-072A	9/8/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSP-072A	9/8/2015	CIS-1,2-DICHLOROETHYLENE	34	ug/L					0.09	1
FSP-072A	9/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSP-072A	9/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	CYCLOHEXANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072A	9/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSP-072A	9/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FSP-072A	9/8/2015	DICHLORODIFLUOROMETHANE	0.72	ug/L	J		21		0.08	2
FSP-072A	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP-072A	9/8/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FSP-072A	9/8/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSP-072A	9/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSP-072A	9/8/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSP-072A	9/8/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FSP-072A	9/8/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSP-072A	9/8/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSP-072A	9/8/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSP-072A	9/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSP-072A	9/8/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSP-072A	9/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSP-072A	9/8/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSP-072A	9/8/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSP-072A	9/8/2015	O-XYLENE	1	ug/L	U				0.06	1
FSP-072A	9/8/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FSP-072A	9/8/2015	STYRENE	1	ug/L	U				0.07	1
FSP-072A	9/8/2015	TETRACHLOROETHYLENE (PCE)	0.4	ug/L	J		21		0.18	1
FSP-072A	9/8/2015	TOLUENE	0.75	ug/L	J		21		0.07	1
FSP-072A	9/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSP-072A	9/8/2015	TRANS-1,4-DICHLORO-2-	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BUTENE								
FSP-072A	9/8/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
FSP-072A	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP-072A	9/8/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSP-072A	9/8/2015	XYLENES	3	ug/L	U				0.2	3
FSP-072A	9/8/2015	1,4-DIOXANE	53	ug/L					0.85	3
FSP-072A	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L				0.291	0.324	0.906
FSP-072A	9/8/2015	RADIUM-226	0.375	pCi/L				0.08	0.061	0.2206
FSP-072A	9/8/2015	URANIUM-233/234	0.0431	pCi/L	U		V	0.071	0.124	0.266
FSP-072A	9/8/2015	URANIUM-235	0	pCi/L	U		V	0	0.0823	0.0823
FSP-072A	9/8/2015	URANIUM-238	0.104	pCi/L	U		V	0.113	0.166	0.391
FSP-072A	9/8/2015	GROSS ALPHA	0.411	pCi/L	U			1.15	2.29	4.6
FSP-072A	9/8/2015	NONVOLATILE BETA	2.11	pCi/L	U			2.66	4.17	9.5
FSP-072A	9/8/2015	STRONTIUM-90	-0.44	pCi/L	U			1.12	3.33	5.57
FSP-072A	9/8/2015	CARBON-14	-3.39	pCi/L	U			4.1	7.01	15.2
FSP-072A	9/8/2015	TECHNETIUM-99	1.62	pCi/L	U			2.43	4.02	8.89
FSP-072A	9/8/2015	TRITIUM	580	pCi/mL				4.43	0.433	9.3
FSP-072A	9/8/2015	IODINE-129	-15.7	pCi/L	U			11.4	18.2	41
FSP-072A	12/1/2015	TRITIUM	632	pCi/mL				4.74	0.457	9.93
FSP-072B	3/2/2015	TRITIUM	569	pCi/mL				4.53	0.473	9.53
FSP-072B	5/28/2015	TRITIUM	481	pCi/mL				4.08	0.511	8.67
FSP-072B	9/8/2015	ETHANE	0.002	ug/L	J		21		0.002	0.1
FSP-072B	9/8/2015	ETHYLENE	0.0084	ug/L	J		21		0.003	0.1
FSP-072B	9/8/2015	ANTIMONY	10	ug/L	U				1	10
FSP-072B	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP-072B	9/8/2015	BARIUM	20	ug/L	U				2	20
FSP-072B	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072B	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP-072B	9/8/2015	COBALT	5	ug/L	U				0.5	5
FSP-072B	9/8/2015	COPPER	0.685	ug/L	J		21		0.5	5
FSP-072B	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP-072B	9/8/2015	NICKEL	5	ug/L	U				0.5	5
FSP-072B	9/8/2015	SELENIUM	2.13	ug/L	J		21		2	20
FSP-072B	9/8/2015	SILVER	5	ug/L	U				0.5	5
FSP-072B	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	TIN	10	ug/L	U				1	10
FSP-072B	9/8/2015	VANADIUM	50	ug/L	U				5	50
FSP-072B	9/8/2015	ZINC	40	ug/L	U				4	40
FSP-072B	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP-072B	9/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSP-072B	9/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSP-072B	9/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FSP-072B	9/8/2015	1,1-DICHLOROETHANE	1.7	ug/L					0.07	1
FSP-072B	9/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSP-072B	9/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSP-072B	9/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSP-072B	9/8/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSP-072B	9/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072B	9/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	1,2-DICHLOROETHYLENE	24	ug/L					0.15	2
FSP-072B	9/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSP-072B	9/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSP-072B	9/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FSP-072B	9/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSP-072B	9/8/2015	2-HEXANONE	5	ug/L	U				0.22	5
FSP-072B	9/8/2015	ACETONE	2	ug/L	U				0.34	2
FSP-072B	9/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSP-072B	9/8/2015	ACROLEIN	10	ug/L	U				2.8	10
FSP-072B	9/8/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSP-072B	9/8/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSP-072B	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP-072B	9/8/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSP-072B	9/8/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FSP-072B	9/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSP-072B	9/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSP-072B	9/8/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSP-072B	9/8/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSP-072B	9/8/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSP-072B	9/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSP-072B	9/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSP-072B	9/8/2015	CHLOROFORM	0.3	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072B	9/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FSP-072B	9/8/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSP-072B	9/8/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L					0.09	1
FSP-072B	9/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSP-072B	9/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FSP-072B	9/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSP-072B	9/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FSP-072B	9/8/2015	DICHLORODIFLUOROMETHANE	0.78	ug/L	J		21		0.08	2
FSP-072B	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP-072B	9/8/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FSP-072B	9/8/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSP-072B	9/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSP-072B	9/8/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSP-072B	9/8/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FSP-072B	9/8/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSP-072B	9/8/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSP-072B	9/8/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSP-072B	9/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSP-072B	9/8/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSP-072B	9/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSP-072B	9/8/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSP-072B	9/8/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSP-072B	9/8/2015	O-XYLENE	1	ug/L	U				0.06	1
FSP-072B	9/8/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-072B	9/8/2015	STYRENE	1	ug/L	U				0.07	1
FSP-072B	9/8/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
FSP-072B	9/8/2015	TOLUENE	0.3	ug/L	J		21		0.07	1
FSP-072B	9/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSP-072B	9/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FSP-072B	9/8/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
FSP-072B	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP-072B	9/8/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSP-072B	9/8/2015	XYLENES	3	ug/L	U				0.2	3
FSP-072B	9/8/2015	1,4-DIOXANE	69	ug/L					0.85	3
FSP-072B	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.337	pCi/L	J		21	0.213	0.313	0.739
FSP-072B	9/8/2015	RADIUM-226	0.199	pCi/L	J		21	0.07	0.082	0.2209
FSP-072B	9/8/2015	URANIUM-233/234	0.0407	pCi/L	U		V	0.074	0.15	0.297
FSP-072B	9/8/2015	URANIUM-235	0.0752	pCi/L	U		21, V	0.088	0.068	0.243
FSP-072B	9/8/2015	URANIUM-238	0.0457	pCi/L	U		V	0.073	0.137	0.282
FSP-072B	9/8/2015	GROSS ALPHA	0.024	pCi/L	U			0.852	2.29	3.99
FSP-072B	9/8/2015	NONVOLATILE BETA	1.27	pCi/L	U			2.48	4.12	9.07
FSP-072B	9/8/2015	STRONTIUM-90	0.653	pCi/L	U			1.32	3.27	5.9
FSP-072B	9/8/2015	CARBON-14	-1.53	pCi/L	U			4.15	7.03	15.3
FSP-072B	9/8/2015	TECHNETIUM-99	3.57	pCi/L	U			2.48	4	8.97
FSP-072B	9/8/2015	TRITIUM	511	pCi/mL				4.16	0.433	8.76
FSP-072B	9/8/2015	IODINE-129	-40.7	pCi/L	U			15.6	23.3	54.5
FSP-072B	12/1/2015	TRITIUM	530	pCi/mL				4.34	0.458	9.14
FSP-12A	3/4/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.094	1
FSP-12A	3/4/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-12A	3/4/2015	COBALT	5	ug/L	U				0.5	5
FSP-12A	3/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP-12A	3/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0531	pCi/L	U			0.048	0.074	0.169
FSP-12A	3/4/2015	RADIUM-226	0.0632	pCi/L	U			0.044	0.064	0.1518
FSP-12A	3/4/2015	RADIUM-228	0.194	pCi/L	U			0.181	0.292	0.654
FSP-12A	3/4/2015	URANIUM-233/234	1.71	pCi/L				0.486	0.145	1.12
FSP-12A	3/4/2015	URANIUM-235	0.0747	pCi/L	U			0.106	0.179	0.392
FSP-12A	3/4/2015	URANIUM-238	2.42	pCi/L				0.602	0.0655	1.27
FSP-12A	3/4/2015	GROSS ALPHA	3.11	pCi/L	J		21	1.78	1.52	5.09
FSP-12A	3/4/2015	NONVOLATILE BETA	3.69	pCi/L	J		21	2.06	2.73	6.84
FSP-12A	3/4/2015	STRONTIUM-90	1.1	pCi/L	U			1.84	3.3	6.98
FSP-12A	3/4/2015	CARBON-14	9.93	pCi/L	J		21	4.41	7.01	15.8
FSP-12A	3/4/2015	TECHNETIUM-99	5.95	pCi/L	J		21	2.66	4.18	9.49
FSP-12A	3/4/2015	TRITIUM	107	pCi/mL				1.98	0.453	4.41
FSP-12A	3/4/2015	IODINE-129	5.07	pCi/L				1.86	1.05	4.76
FSP-12A	3/23/2015	CHLORIDE	3.4	mg/L					0.02	0.2
FSP-12A	3/23/2015	TRITIUM	66.6	pCi/mL				1.68	0.355	3.715
FSP-12A	6/9/2015	NITRATE-NITRITE AS NITROGEN	6.5	mg/L					0.094	1
FSP-12A	6/9/2015	CADMIUM	1	ug/L	U				0.1	1
FSP-12A	6/9/2015	COBALT	5	ug/L	U				0.5	5
FSP-12A	6/9/2015	MERCURY	0.0245	ug/L	J		21		0.02	0.2
FSP-12A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0715	pCi/L	U			0.101	0.172	0.374
FSP-12A	6/9/2015	RADIUM-226	0.15	pCi/L	J		21	0.061	0.077	0.1998
FSP-12A	6/9/2015	RADIUM-228	0.119	pCi/L	U			0.221	0.377	0.819
FSP-12A	6/9/2015	URANIUM-233/234	1.31	pCi/L			V	0.414	0.0685	0.896
FSP-12A	6/9/2015	URANIUM-235	0.0935	pCi/L	J		21	0.109	0.0845	0.303

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-12A	6/9/2015	URANIUM-238	1.21	pCi/L			V	0.39	0.0683	0.849
FSP-12A	6/9/2015	GROSS ALPHA	3.96	pCi/L	J		21	2.71	2.26	7.68
FSP-12A	6/9/2015	NONVOLATILE BETA	3.1	pCi/L	U			2.66	3.84	9.16
FSP-12A	6/9/2015	STRONTIUM-90	-0.264	pCi/L	U			1.84	3.28	6.96
FSP-12A	6/9/2015	CARBON-14	0.707	pCi/L	U			4.39	7.33	16.1
FSP-12A	6/9/2015	TECHNETIUM-99	3.35	pCi/L	UJ			2.61	4.24	9.46
FSP-12A	6/9/2015	TRITIUM	60.6	pCi/mL				1.46	0.433	3.36
FSP-12A	6/9/2015	IODINE-129	5.41	pCi/L				1.52	0.92	3.96
FSP-12A	6/15/2015	CHLORIDE	3.8	mg/L					0.02	0.2
FSP-12A	6/15/2015	TRITIUM	76.6	pCi/mL				1.8	0.358	3.958
FSP-12A	9/8/2015	NITRATE-NITRITE AS NITROGEN	8.4	mg/L					0.047	0.5
FSP-12A	9/8/2015	ALUMINUM	402	ug/L					40	400
FSP-12A	9/8/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP-12A	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP-12A	9/8/2015	BARIUM	20	ug/L	U				2	20
FSP-12A	9/8/2015	BERYLLIUM	1	ug/L	U				0.1	1
FSP-12A	9/8/2015	CADMIUM	1	ug/L	U				0.1	1
FSP-12A	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP-12A	9/8/2015	COBALT	5	ug/L	U				0.5	5
FSP-12A	9/8/2015	COPPER	23.1	ug/L					0.5	5
FSP-12A	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP-12A	9/8/2015	NICKEL	5	ug/L	U				0.5	5
FSP-12A	9/8/2015	SELENIUM	20	ug/L	U				2	20
FSP-12A	9/8/2015	SILVER	5	ug/L	U				0.5	5
FSP-12A	9/8/2015	THALLIUM	1	ug/L	U				0.1	1
FSP-12A	9/8/2015	VANADIUM	52.9	ug/L					5	50
FSP-12A	9/8/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-12A	9/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP-12A	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP-12A	9/8/2015	CHLOROFORM	0.4	ug/L	J		21		0.1	1
FSP-12A	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP-12A	9/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP-12A	9/8/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J		21		0.25	1
FSP-12A	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP-12A	9/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FSP-12A	9/8/2015	PHENOL	10	ug/L	U				2	10
FSP-12A	9/8/2015	CYANIDE	3.6	ug/L	J		21		2.9	10
FSP-12A	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0639	pCi/L	U			0.126	0.222	0.474
FSP-12A	9/8/2015	RADIUM-226	0.0455	pCi/L	U			0.039	0.06	0.1386
FSP-12A	9/8/2015	RADIUM-228	-0.0825	pCi/L	U			0.208	0.384	0.8
FSP-12A	9/8/2015	AMERICIUM-241	0.0166	pCi/L	U		V	0.046	0.112	0.203
FSP-12A	9/8/2015	CURIUM-242	0.0583	pCi/L	U			0.083	0.131	0.297
FSP-12A	9/8/2015	CURIUM-243/244	0	pCi/L	U			0	0.0593	0.0593
FSP-12A	9/8/2015	CURIUM-245/246	0.136	pCi/L	U		21, V	0.113	0.0613	0.286
FSP-12A	9/8/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0588	0.0588
FSP-12A	9/8/2015	PLUTONIUM-239/240	0.038	pCi/L	U		V	0.063	0.109	0.235
FSP-12A	9/8/2015	THORIUM-228	-0.0175	pCi/L	U		V	0.02	0.155	0.196
FSP-12A	9/8/2015	THORIUM-230	0.358	pCi/L	U		21, V	0.193	0.138	0.525
FSP-12A	9/8/2015	THORIUM-232	0.0173	pCi/L	U			0.048	0.116	0.211
FSP-12A	9/8/2015	URANIUM-233/234	0.752	pCi/L			V	0.288	0.139	0.715
FSP-12A	9/8/2015	URANIUM-235	0.0856	pCi/L	J		21	0.1	0.0773	0.277
FSP-12A	9/8/2015	URANIUM-238	1.02	pCi/L			V	0.338	0.0625	0.738
FSP-12A	9/8/2015	GROSS ALPHA	2.6	pCi/L	J		21	2.3	2.53	7.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-12A	9/8/2015	NONVOLATILE BETA	2.57	pCi/L	U			2.89	4.47	10.3
FSP-12A	9/8/2015	STRONTIUM-90	0.669	pCi/L	U			1.97	3.23	7.16
FSP-12A	9/8/2015	CARBON-14	2.53	pCi/L	U			4.28	7.07	15.6
FSP-12A	9/8/2015	TECHNETIUM-99	5.73	pCi/L	J		21	2.56	4.02	9.15
FSP-12A	9/8/2015	TRITIUM	62.7	pCi/mL				1.48	0.433	3.39
FSP-12A	9/8/2015	CESIUM-137	-1.31	pCi/L	U			5.65	9.85	21.1
FSP-12A	9/8/2015	COBALT-60	4.93	pCi/L	U			5.41	10.1	21
FSP-12A	9/8/2015	IODINE-129	6.17	pCi/L				1.68	1.18	4.53
FSP-12A	12/3/2015	NITRATE-NITRITE AS NITROGEN	3.67	mg/L					0.17	0.5
FSP-12A	12/3/2015	CADMIUM	0.105	ug/L	J		21		0.1	1
FSP-12A	12/3/2015	COBALT	5	ug/L	U				0.5	5
FSP-12A	12/3/2015	TIN	10	ug/L	U				1	10
FSP-12A	12/3/2015	VANADIUM	26.5	ug/L	J		21		5	50
FSP-12A	12/3/2015	MERCURY	0.0252	ug/L	J		21		0.02	0.2
FSP-12A	12/3/2015	URANIUM-233/234	0.973	pCi/L			V	0.331	0.115	0.777
FSP-12A	12/3/2015	URANIUM-235	0.14	pCi/L	U		21, V	0.128	0.0761	0.331
FSP-12A	12/3/2015	URANIUM-238	1.17	pCi/L			V	0.367	0.136	0.871
FSP-12A	12/3/2015	GROSS ALPHA	1.24	pCi/L	U			1.69	2.41	5.79
FSP-12A	12/3/2015	NONVOLATILE BETA	3.64	pCi/L	U			2.89	3.98	9.76
FSP-12A	12/3/2015	STRONTIUM-90	-0.472	pCi/L	U			1.91	3.36	7.17
FSP-12A	12/3/2015	TECHNETIUM-99	2.7	pCi/L	U			2.66	4.34	9.66
FSP-12A	12/3/2015	TRITIUM	28.5	pCi/mL				1.05	0.439	2.53
FSP-12A	12/3/2015	IODINE-129	2.63	pCi/L	J		21	1.36	1.04	3.77
FSP-12A	12/3/2015	RADIUM-226	0.917	pCi/L	J		21, V	0.389	0.463	1.24
FSP-12A	12/3/2015	RADIUM-228	-0.0053	pCi/L	U			0.206	0.404	0.816
FSP-12A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.232	pCi/L	U			1.04	1.93	4.01
FSP-12A	12/11/2015	CHLORIDE	3.5	mg/L					0.2	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP-12A	12/11/2015	TRITIUM	33.2	pCi/mL				1.22	0.341	2.781
FSP204A	3/11/2015	NITRATE-NITRITE AS NITROGEN	72	mg/L					0.38	4
FSP204A	3/11/2015	CADMIUM	4.36	ug/L					0.1	1
FSP204A	3/11/2015	COBALT	56.9	ug/L					0.5	5
FSP204A	3/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP204A	3/11/2015	RADIUM, TOTAL ALPHA-EMITTING	18.2	pCi/L				0.913	0.259	2.085
FSP204A	3/11/2015	RADIUM-226	6.63	pCi/L				0.292	0.07	0.6543
FSP204A	3/11/2015	RADIUM-228	45.7	pCi/L				1.36	0.368	3.088
FSP204A	3/11/2015	URANIUM-233/234	0.336	pCi/L	J		21	0.187	0.065	0.44
FSP204A	3/11/2015	URANIUM-235	0.0592	pCi/L	U			0.084	0.0802	0.249
FSP204A	3/11/2015	URANIUM-238	0.401	pCi/L	J		21	0.207	0.121	0.535
FSP204A	3/11/2015	GROSS ALPHA	15.7	pCi/L				5.39	2.74	13.5
FSP204A	3/11/2015	NONVOLATILE BETA	338	pCi/L				18.1	4.34	40.6
FSP204A	3/11/2015	STRONTIUM-90	127	pCi/L				15.8	3.22	34.8
FSP204A	3/11/2015	CARBON-14	17.7	pCi/L				4.48	6.82	15.8
FSP204A	3/11/2015	TECHNETIUM-99	51.6	pCi/L				3.83	4.32	12
FSP204A	3/11/2015	TRITIUM	537	pCi/mL				4.39	0.436	9.22
FSP204A	3/11/2015	IODINE-129	15.5	pCi/L				2.76	1.12	6.64
FSP204A	6/9/2015	NITRATE-NITRITE AS NITROGEN	72	mg/L					0.47	5
FSP204A	6/9/2015	CADMIUM	5.88	ug/L					0.1	1
FSP204A	6/9/2015	COBALT	51.3	ug/L					0.5	5
FSP204A	6/9/2015	MERCURY	0.107	ug/L	J		21		0.02	0.2
FSP204A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	25.4	pCi/L				1.15	0.253	2.553
FSP204A	6/9/2015	RADIUM-226	9.44	pCi/L				0.368	0.05	0.7858
FSP204A	6/9/2015	RADIUM-228	90.4	pCi/L				1.93	0.343	4.203
FSP204A	6/9/2015	URANIUM-233/234	0.85	pCi/L			V	0.31	0.064	0.684

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP204A	6/9/2015	URANIUM-235	0	pCi/L	U			0	0.0789	0.0789
FSP204A	6/9/2015	URANIUM-238	0.518	pCi/L	J		21, V	0.233	0.0639	0.53
FSP204A	6/9/2015	GROSS ALPHA	24.3	pCi/L				6.87	3.04	16.8
FSP204A	6/9/2015	NONVOLATILE BETA	412	pCi/L				20.2	4.34	44.8
FSP204A	6/9/2015	STRONTIUM-90	151	pCi/L				18.8	3.38	41.1
FSP204A	6/9/2015	CARBON-14	0.161	pCi/L	U			4.39	7.36	16.1
FSP204A	6/9/2015	TECHNETIUM-99	40.5	pCi/L	J			3.54	4.23	11.3
FSP204A	6/9/2015	TRITIUM	634	pCi/mL				4.62	0.425	9.67
FSP204A	6/9/2015	IODINE-129	19.9	pCi/L				3.54	1.02	8.11
FSP204A	9/8/2015	NITRATE-NITRITE AS NITROGEN	87	mg/L					0.38	4
FSP204A	9/8/2015	ALUMINUM	4540	ug/L					40	400
FSP204A	9/8/2015	ANTIMONY	1.03	ug/L	U		21, V		1	10
FSP204A	9/8/2015	ARSENIC	50	ug/L	U				5	50
FSP204A	9/8/2015	BARIUM	366	ug/L					2	20
FSP204A	9/8/2015	BERYLLIUM	2.02	ug/L					0.1	1
FSP204A	9/8/2015	CADMIUM	8.2	ug/L					0.1	1
FSP204A	9/8/2015	CHROMIUM	100	ug/L	U				10	100
FSP204A	9/8/2015	COBALT	67.7	ug/L					0.5	5
FSP204A	9/8/2015	COPPER	1.44	ug/L	J		21		0.5	5
FSP204A	9/8/2015	LEAD	5	ug/L	U				0.5	5
FSP204A	9/8/2015	NICKEL	24.3	ug/L					0.5	5
FSP204A	9/8/2015	SELENIUM	3.27	ug/L	J		21		2	20
FSP204A	9/8/2015	SILVER	5	ug/L	U				0.5	5
FSP204A	9/8/2015	THALLIUM	0.149	ug/L	J		21		0.1	1
FSP204A	9/8/2015	VANADIUM	50	ug/L	U				5	50
FSP204A	9/8/2015	ZINC	74.4	ug/L					4	40
FSP204A	9/8/2015	MERCURY	0.0952	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP204A	9/8/2015	BENZENE	1	ug/L	U				0.06	1
FSP204A	9/8/2015	CHLOROFORM	1.2	ug/L					0.1	1
FSP204A	9/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP204A	9/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP204A	9/8/2015	TRICHLOROETHYLENE (TCE)	0.71	ug/L	J		21		0.25	1
FSP204A	9/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP204A	9/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FSP204A	9/8/2015	PHENOL	10	ug/L	U				2.1	10
FSP204A	9/8/2015	CYANIDE	3.3	ug/L	J		21		2.9	10
FSP204A	9/8/2015	RADIUM, TOTAL ALPHA-EMITTING	30.6	pCi/L				1.23	0.315	2.775
FSP204A	9/8/2015	RADIUM-226	11	pCi/L				0.391	0.053	0.8347
FSP204A	9/8/2015	RADIUM-228	99.9	pCi/L				2.01	0.454	4.474
FSP204A	9/8/2015	AMERICIUM-241	0.0704	pCi/L	U		21, V	0.082	0.0636	0.228
FSP204A	9/8/2015	CURIUM-242	0.0493	pCi/L	U			0.07	0.0627	0.203
FSP204A	9/8/2015	CURIUM-243/244	0	pCi/L	U			0	0.0627	0.0627
FSP204A	9/8/2015	CURIUM-245/246	0.186	pCi/L	U		21, V	0.138	0.121	0.398
FSP204A	9/8/2015	PLUTONIUM-238	-0.011	pCi/L	U			0.016	0.131	0.163
FSP204A	9/8/2015	PLUTONIUM-239/240	-0.00548	pCi/L	U		V	0.011	0.11	0.132
FSP204A	9/8/2015	THORIUM-228	0.0462	pCi/L	U		V	0.168	0.379	0.716
FSP204A	9/8/2015	THORIUM-230	0.217	pCi/L	U		21, V	0.149	0.137	0.434
FSP204A	9/8/2015	THORIUM-232	0.0114	pCi/L	U			0.048	0.137	0.233
FSP204A	9/8/2015	URANIUM-233/234	0.641	pCi/L	J		21, V	0.267	0.121	0.655
FSP204A	9/8/2015	URANIUM-235	0.0222	pCi/L	U			0.061	0.149	0.271
FSP204A	9/8/2015	URANIUM-238	0.479	pCi/L	J		21, V	0.225	0.0648	0.514
FSP204A	9/8/2015	GROSS ALPHA	20.9	pCi/L				6.61	4.07	17.3
FSP204A	9/8/2015	NONVOLATILE BETA	555	pCi/L				23.5	6.02	53.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP204A	9/8/2015	STRONTIUM-90	219	pCi/L				24.9	3.28	53
FSP204A	9/8/2015	CARBON-14	-0.308	pCi/L	U			4.21	7.06	15.5
FSP204A	9/8/2015	TECHNETIUM-99	67.7	pCi/L				3.99	3.99	12
FSP204A	9/8/2015	TRITIUM	780	pCi/mL				5.17	0.438	10.8
FSP204A	9/8/2015	CESIUM-137	-7.93	pCi/L	U			5.8	8.86	20.5
FSP204A	9/8/2015	COBALT-60	1.78	pCi/L	U			4.53	8.99	18.1
FSP204A	9/8/2015	IODINE-129	30	pCi/L				4.95	1.39	11.3
FSP204A	12/3/2015	NITRATE-NITRITE AS NITROGEN	59.3	mg/L					1.7	5
FSP204A	12/3/2015	CADMIUM	4.72	ug/L					0.1	1
FSP204A	12/3/2015	COBALT	48.4	ug/L					0.5	5
FSP204A	12/3/2015	TIN	10	ug/L	U				1	10
FSP204A	12/3/2015	VANADIUM	50	ug/L	U				5	50
FSP204A	12/3/2015	MERCURY	0.0837	ug/L	J		21		0.02	0.2
FSP204A	12/3/2015	URANIUM-233/234	0.565	pCi/L			V	0.241	0.0613	0.543
FSP204A	12/3/2015	URANIUM-235	0.0279	pCi/L	U		V	0.056	0.0756	0.188
FSP204A	12/3/2015	URANIUM-238	0.463	pCi/L	J		21, V	0.217	0.135	0.57
FSP204A	12/3/2015	GROSS ALPHA	19.8	pCi/L				6.01	2.77	14.8
FSP204A	12/3/2015	NONVOLATILE BETA	355	pCi/L				18.6	4.43	41.6
FSP204A	12/3/2015	STRONTIUM-90	136	pCi/L				16.6	3.39	36.6
FSP204A	12/3/2015	TECHNETIUM-99	48.8	pCi/L				3.75	4.33	11.8
FSP204A	12/3/2015	TRITIUM	571	pCi/mL				4.51	0.431	9.46
FSP204A	12/3/2015	IODINE-129	16.4	pCi/L				3.04	1.2	7.28
FSP204A	12/3/2015	RADIUM-226	7.18	pCi/L				0.888	0.436	2.21
FSP204A	12/3/2015	RADIUM-228	11.5	pCi/L				0.958	0.387	2.3
FSP204A	12/3/2015	RADIUM, TOTAL ALPHA-EMITTING	8.55	pCi/L				1.96	1.98	5.9
FSP226A	3/10/2015	NITRATE-NITRITE AS NITROGEN	16	mg/L					0.19	2
FSP226A	3/10/2015	CADMIUM	1.06	ug/L					0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP226A	3/10/2015	COBALT	6.81	ug/L					0.5	5
FSP226A	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP226A	3/10/2015	RADIUM, TOTAL ALPHA-EMITTING	4.37	pCi/L				0.513	0.311	1.337
FSP226A	3/10/2015	RADIUM-226	1.52	pCi/L				0.146	0.057	0.3491
FSP226A	3/10/2015	RADIUM-228	9.12	pCi/L				0.628	0.345	1.601
FSP226A	3/10/2015	URANIUM-233/234	0.13	pCi/L	U			0.114	0.114	0.341
FSP226A	3/10/2015	URANIUM-235	0	pCi/L	U			0	0.0758	0.0758
FSP226A	3/10/2015	URANIUM-238	0.294	pCi/L	J		21	0.169	0.0613	0.4
FSP226A	3/10/2015	GROSS ALPHA	5.57	pCi/L	J		21	3.08	2.3	8.46
FSP226A	3/10/2015	NONVOLATILE BETA	66.1	pCi/L				8.19	4.06	20.5
FSP226A	3/10/2015	STRONTIUM-90	24.9	pCi/L				5.23	3.33	13.8
FSP226A	3/10/2015	CARBON-14	54.8	pCi/L				5.39	7.05	17.8
FSP226A	3/10/2015	TECHNETIUM-99	17	pCi/L				2.98	4.2	10.2
FSP226A	3/10/2015	TRITIUM	157	pCi/mL				2.42	0.448	5.29
FSP226A	3/10/2015	IODINE-129	3.03	pCi/L	J		21	1.45	0.954	3.85
FSP226A	6/9/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.094	1
FSP226A	6/9/2015	CADMIUM	1	ug/L			S		0.1	1
FSP226A	6/9/2015	COBALT	5.28	ug/L					0.5	5
FSP226A	6/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP226A	6/9/2015	RADIUM, TOTAL ALPHA-EMITTING	5.74	pCi/L				0.441	0.165	1.047
FSP226A	6/9/2015	RADIUM-226	1.99	pCi/L				0.174	0.081	0.4286
FSP226A	6/9/2015	RADIUM-228	15.3	pCi/L				0.789	0.346	1.924
FSP226A	6/9/2015	URANIUM-233/234	0.221	pCi/L	J		21, V	0.151	0.139	0.442
FSP226A	6/9/2015	URANIUM-235	-0.00716	pCi/L	U			0.014	0.144	0.173
FSP226A	6/9/2015	URANIUM-238	0.226	pCi/L	U		V	0.15	0.117	0.418
FSP226A	6/9/2015	GROSS ALPHA	3.36	pCi/L	J		21	2.47	2.25	7.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP226A	6/9/2015	NONVOLATILE BETA	61	pCi/L				7.93	3.81	19.7
FSP226A	6/9/2015	STRONTIUM-90	23.4	pCi/L				5.22	3.28	13.7
FSP226A	6/9/2015	CARBON-14	2.9	pCi/L	U			4.2	6.93	15.3
FSP226A	6/9/2015	TECHNETIUM-99	16.3	pCi/L				2.99	4.27	10.2
FSP226A	6/9/2015	TRITIUM	147	pCi/mL				2.24	0.425	4.9
FSP226A	6/9/2015	IODINE-129	3.32	pCi/L	J		21	1.95	0.983	4.89
FSP226A	10/6/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.19	2
FSP226A	10/6/2015	ALUMINUM	3340	ug/L					40	400
FSP226A	10/6/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP226A	10/6/2015	ARSENIC	50	ug/L	U				5	50
FSP226A	10/6/2015	BARIUM	45.4	ug/L					2	20
FSP226A	10/6/2015	BERYLLIUM	0.447	ug/L	J		21		0.1	1
FSP226A	10/6/2015	CADMIUM	1.08	ug/L					0.1	1
FSP226A	10/6/2015	CHROMIUM	100	ug/L	U				10	100
FSP226A	10/6/2015	COBALT	4.51	ug/L	J		21		0.5	5
FSP226A	10/6/2015	COPPER	0.944	ug/L	J		21		0.5	5
FSP226A	10/6/2015	LEAD	1.24	ug/L	J		21		0.5	5
FSP226A	10/6/2015	NICKEL	2.45	ug/L	J		21		0.5	5
FSP226A	10/6/2015	SELENIUM	2.98	ug/L	J		21		2	20
FSP226A	10/6/2015	SILVER	5	ug/L	U				0.5	5
FSP226A	10/6/2015	THALLIUM	1	ug/L	U				0.1	1
FSP226A	10/6/2015	TIN	10	ug/L	U				1	10
FSP226A	10/6/2015	VANADIUM	50	ug/L	U				5	50
FSP226A	10/6/2015	ZINC	11.3	ug/L	J		21		4	40
FSP226A	10/6/2015	MERCURY	0.231	ug/L					0.02	0.2
FSP226A	10/6/2015	BENZENE	1	ug/L	U				0.06	1
FSP226A	10/6/2015	CHLOROFORM	0.35	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP226A	10/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP226A	10/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP226A	10/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSP226A	10/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP226A	10/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2	11
FSP226A	10/6/2015	PHENOL	11	ug/L	U				2.1	11
FSP226A	10/6/2015	CYANIDE	10	ug/L	U				2.9	10
FSP226A	10/6/2015	RADIUM, TOTAL ALPHA-EMITTING	4.36	pCi/L				0.54	0.266	1.346
FSP226A	10/6/2015	RADIUM-226	1.88	pCi/L				0.212	0.137	0.561
FSP226A	10/6/2015	RADIUM-228	9.24	pCi/L				1.37	1.22	3.96
FSP226A	10/6/2015	AMERICIUM-241	0.0388	pCi/L	U		V	0.064	0.112	0.239
FSP226A	10/6/2015	CURIUM-242	-0.00577	pCi/L	U			0.012	0.11	0.133
FSP226A	10/6/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0591	0.0591
FSP226A	10/6/2015	CURIUM-245/246	0.203	pCi/L	U		21, V	0.138	0.0612	0.338
FSP226A	10/6/2015	PLUTONIUM-238	-0.0156	pCi/L	U		V	0.018	0.14	0.176
FSP226A	10/6/2015	PLUTONIUM-239/240	0.0156	pCi/L	U		V	0.043	0.104	0.19
FSP226A	10/6/2015	THORIUM-228	-0.0111	pCi/L	U		V	0.132	0.34	0.604
FSP226A	10/6/2015	THORIUM-230	0.54	pCi/L	J		21, V	0.235	0.132	0.603
FSP226A	10/6/2015	THORIUM-232	0.022	pCi/L	U			0.044	0.0596	0.148
FSP226A	10/6/2015	URANIUM-233/234	0.352	pCi/L	U		21, V	0.189	0.0635	0.441
FSP226A	10/6/2015	URANIUM-235	-0.0217	pCi/L	U		V	0.025	0.195	0.245
FSP226A	10/6/2015	URANIUM-238	0.164	pCi/L	U		21, V	0.126	0.0634	0.315
FSP226A	10/6/2015	GROSS ALPHA	7.13	pCi/L	J		21	3.48	2.37	9.33
FSP226A	10/6/2015	NONVOLATILE BETA	58.7	pCi/L				7.79	4.11	19.7
FSP226A	10/6/2015	STRONTIUM-90	22.9	pCi/L				4.81	3.03	12.7
FSP226A	10/6/2015	CARBON-14	0.637	pCi/L	U			4.13	6.91	15.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP226A	10/6/2015	TECHNETIUM-99	13.7	pCi/L				2.98	4.39	10.4
FSP226A	10/6/2015	TRITIUM	155	pCi/mL				2.39	0.445	5.23
FSP226A	10/6/2015	CESIUM-137	-2.27	pCi/L	U			4.68	8.14	17.5
FSP226A	10/6/2015	COBALT-60	0.0953	pCi/L	U			5.04	9.18	19.3
FSP226A	10/6/2015	IODINE-129	1.85	pCi/L	J		21	1.2	1	3.39
FSP226A	12/7/2015	NITRATE-NITRITE AS NITROGEN	13.9	mg/L					0.425	1.25
FSP226A	12/7/2015	CADMIUM	0.917	ug/L	J		21		0.1	1
FSP226A	12/7/2015	COBALT	4.94	ug/L	J		21		0.5	5
FSP226A	12/7/2015	TIN	10	ug/L	U				1	10
FSP226A	12/7/2015	VANADIUM	50	ug/L	U				5	50
FSP226A	12/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP226A	12/7/2015	URANIUM-233/234	0.264	pCi/L	J		21, V	0.168	0.123	0.459
FSP226A	12/7/2015	URANIUM-235	0	pCi/L	U		V	0	0.082	0.082
FSP226A	12/7/2015	URANIUM-238	0.239	pCi/L	J		21, V	0.159	0.123	0.441
FSP226A	12/7/2015	GROSS ALPHA	6.69	pCi/L	J		21	3.37	2.35	9.08
FSP226A	12/7/2015	NONVOLATILE BETA	50.3	pCi/L				7.26	4.09	18.6
FSP226A	12/7/2015	STRONTIUM-90	17	pCi/L				4.06	3.32	11.4
FSP226A	12/7/2015	TECHNETIUM-99	13.5	pCi/L				2.95	4.34	10.3
FSP226A	12/7/2015	TRITIUM	145	pCi/mL				2.28	0.429	5
FSP226A	12/7/2015	IODINE-129	1.67	pCi/L	J		21	0.783	1.24	2.81
FSP226A	12/7/2015	RADIUM-226	1.63	pCi/L	J		V	0.464	0.439	1.37
FSP226A	12/7/2015	RADIUM-228	3.39	pCi/L				0.613	0.658	1.88
FSP226A	12/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.08	pCi/L	J		21	1.37	1.98	4.72
FSP249A	3/10/2015	NITRATE-NITRITE AS NITROGEN	66	mg/L					0.38	4
FSP249A	3/10/2015	CADMIUM	7.66	ug/L					0.1	1
FSP249A	3/10/2015	COBALT	50	ug/L					0.5	5
FSP249A	3/10/2015	MERCURY	0.0484	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249A	3/10/2015	RADIUM, TOTAL ALPHA-EMITTING	12.9	pCi/L				0.779	0.268	1.826
FSP249A	3/10/2015	RADIUM-226	7.52	pCi/L				0.316	0.076	0.7075
FSP249A	3/10/2015	RADIUM-228	24.8	pCi/L				1.02	0.408	2.448
FSP249A	3/10/2015	URANIUM-233/234	0.193	pCi/L	U			0.136	0.111	0.383
FSP249A	3/10/2015	URANIUM-235	-0.00679	pCi/L	U			0.014	0.137	0.164
FSP249A	3/10/2015	URANIUM-238	0.214	pCi/L	U			0.143	0.111	0.397
FSP249A	3/10/2015	GROSS ALPHA	13.1	pCi/L				4.96	2.71	12.6
FSP249A	3/10/2015	NONVOLATILE BETA	236	pCi/L				15.2	4.29	34.7
FSP249A	3/10/2015	STRONTIUM-90	67.9	pCi/L				9.72	3.32	22.8
FSP249A	3/10/2015	CARBON-14	13.3	pCi/L	J		21	4.39	6.84	15.6
FSP249A	3/10/2015	TECHNETIUM-99	53.2	pCi/L				3.77	4.13	11.7
FSP249A	3/10/2015	TRITIUM	638	pCi/mL				4.83	0.444	10.1
FSP249A	3/10/2015	IODINE-129	11.1	pCi/L				2.24	1.01	5.49
FSP249A	6/8/2015	NITRATE-NITRITE AS NITROGEN	58	mg/L					0.19	2
FSP249A	6/8/2015	CADMIUM	7.61	ug/L					0.1	1
FSP249A	6/8/2015	COBALT	40.3	ug/L					0.5	5
FSP249A	6/8/2015	MERCURY	0.0367	ug/L	J		21		0.02	0.2
FSP249A	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	13.7	pCi/L				0.652	0.167	1.471
FSP249A	6/8/2015	RADIUM-226	8.46	pCi/L				0.352	0.097	0.8005
FSP249A	6/8/2015	RADIUM-228	45.8	pCi/L				1.33	0.32	2.98
FSP249A	6/8/2015	URANIUM-233/234	0.249	pCi/L	J		21, V	0.171	0.157	0.5
FSP249A	6/8/2015	URANIUM-235	0.0324	pCi/L	U			0.065	0.0878	0.218
FSP249A	6/8/2015	URANIUM-238	0.157	pCi/L	U		V	0.13	0.071	0.332
FSP249A	6/8/2015	GROSS ALPHA	18.9	pCi/L				6	2.77	14.8
FSP249A	6/8/2015	NONVOLATILE BETA	227	pCi/L				15	4.22	34.3
FSP249A	6/8/2015	STRONTIUM-90	81.1	pCi/L				10.8	3.21	24.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249A	6/8/2015	CARBON-14	-1.78	pCi/L	U			4.37	7.4	16.1
FSP249A	6/8/2015	TECHNETIUM-99	68.3	pCi/L	J			4.13	4.27	12.5
FSP249A	6/8/2015	TRITIUM	547	pCi/mL				4.3	0.425	9.02
FSP249A	6/8/2015	IODINE-129	7.06	pCi/L				1.7	1.04	4.44
FSP249A	9/9/2015	NITRATE-NITRITE AS NITROGEN	53	mg/L					0.38	4
FSP249A	9/9/2015	ALUMINUM	1400	ug/L					40	400
FSP249A	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP249A	9/9/2015	ARSENIC	50	ug/L	U				5	50
FSP249A	9/9/2015	BARIUM	195	ug/L					2	20
FSP249A	9/9/2015	BERYLLIUM	1.49	ug/L					0.1	1
FSP249A	9/9/2015	CADMIUM	8.08	ug/L					0.1	1
FSP249A	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FSP249A	9/9/2015	COBALT	37.2	ug/L					0.5	5
FSP249A	9/9/2015	COPPER	1.73	ug/L	J		21		0.5	5
FSP249A	9/9/2015	LEAD	5	ug/L	U				0.5	5
FSP249A	9/9/2015	NICKEL	16.4	ug/L					0.5	5
FSP249A	9/9/2015	SELENIUM	2.44	ug/L	J		21		2	20
FSP249A	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSP249A	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FSP249A	9/9/2015	VANADIUM	50	ug/L	U				5	50
FSP249A	9/9/2015	ZINC	45.9	ug/L					4	40
FSP249A	9/9/2015	MERCURY	0.0283	ug/L	J		21		0.02	0.2
FSP249A	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FSP249A	9/9/2015	CHLOROFORM	0.13	ug/L	J		21		0.1	1
FSP249A	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP249A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP249A	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249A	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP249A	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
FSP249A	9/9/2015	PHENOL	10	ug/L	U				2	10
FSP249A	9/9/2015	CYANIDE	3.6	ug/L	J		21		2.9	10
FSP249A	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	16	pCi/L				0.902	0.283	2.087
FSP249A	9/9/2015	RADIUM-226	8.43	pCi/L				0.346	0.043	0.7354
FSP249A	9/9/2015	RADIUM-228	34.7	pCi/L				1.21	0.417	2.837
FSP249A	9/9/2015	AMERICIUM-241	-0.0145	pCi/L	U		V	0.021	0.174	0.215
FSP249A	9/9/2015	CURIUM-242	0	pCi/L	U		V	0	0.0774	0.0774
FSP249A	9/9/2015	CURIUM-243/244	0	pCi/L	U			0	0.0774	0.0774
FSP249A	9/9/2015	CURIUM-245/246	0.148	pCi/L	U		21, V	0.134	0.0801	0.348
FSP249A	9/9/2015	PLUTONIUM-238	0.0158	pCi/L	U			0.044	0.106	0.193
FSP249A	9/9/2015	PLUTONIUM-239/240	0.0422	pCi/L	U			0.06	0.0572	0.177
FSP249A	9/9/2015	THORIUM-228	0.119	pCi/L	J		21, V	0.153	0.287	0.593
FSP249A	9/9/2015	THORIUM-230	0.308	pCi/L	U		21, V	0.174	0.113	0.462
FSP249A	9/9/2015	THORIUM-232	0.0615	pCi/L	U			0.079	0.113	0.27
FSP249A	9/9/2015	URANIUM-233/234	0.253	pCi/L	U		21, V	0.157	0.0624	0.377
FSP249A	9/9/2015	URANIUM-235	0	pCi/L	U			0	0.077	0.077
FSP249A	9/9/2015	URANIUM-238	0.287	pCi/L	J		21, V	0.171	0.138	0.48
FSP249A	9/9/2015	GROSS ALPHA	21.6	pCi/L				6.27	2.72	15.3
FSP249A	9/9/2015	NONVOLATILE BETA	242	pCi/L				15.4	4.47	35.3
FSP249A	9/9/2015	STRONTIUM-90	79.4	pCi/L				9.82	3.3	22.9
FSP249A	9/9/2015	CARBON-14	4.04	pCi/L	U			3.97	6.49	14.4
FSP249A	9/9/2015	TECHNETIUM-99	59.7	pCi/L				3.86	4.02	11.7
FSP249A	9/9/2015	TRITIUM	534	pCi/mL				3.99	0.526	8.51
FSP249A	9/9/2015	CESIUM-137	-4.53	pCi/L	U			5.78	9.68	21.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249A	9/9/2015	COBALT-60	0.55	pCi/L	U			5.57	10.1	21.3
FSP249A	9/9/2015	IODINE-129	6.42	pCi/L				1.74	1.07	4.54
FSP249A	12/8/2015	NITRATE-NITRITE AS NITROGEN	50.5	mg/L					1.7	5
FSP249A	12/8/2015	CADMIUM	7.19	ug/L			V		0.1	1
FSP249A	12/8/2015	COBALT	38.2	ug/L					0.5	5
FSP249A	12/8/2015	TIN	10	ug/L	U				1	10
FSP249A	12/8/2015	VANADIUM	50	ug/L	U				5	50
FSP249A	12/8/2015	MERCURY	0.0907	ug/L	J		21		0.02	0.2
FSP249A	12/8/2015	URANIUM-233/234	0.29	pCi/L	J		21, V	0.167	0.153	0.487
FSP249A	12/8/2015	URANIUM-235	0.096	pCi/L	U			0.104	0.129	0.337
FSP249A	12/8/2015	URANIUM-238	0.248	pCi/L	J		21, V	0.147	0.0561	0.351
FSP249A	12/8/2015	GROSS ALPHA	18.3	pCi/L				5.83	2.75	14.4
FSP249A	12/8/2015	NONVOLATILE BETA	201	pCi/L				14.1	4.41	32.5
FSP249A	12/8/2015	STRONTIUM-90	113	pCi/L				14.5	3.11	32.1
FSP249A	12/8/2015	TECHNETIUM-99	71.6	pCi/L				4.15	4.23	12.5
FSP249A	12/8/2015	TRITIUM	582	pCi/mL				4.57	0.42	9.55
FSP249A	12/8/2015	IODINE-129	7.9	pCi/L				2.5	1.08	6.08
FSP249A	12/8/2015	RADIUM-226	9.69	pCi/L				0.95	0.377	2.28
FSP249A	12/8/2015	RADIUM-228	4.52	pCi/L				0.703	0.724	2.13
FSP249A	12/8/2015	RADIUM, TOTAL ALPHA-EMITTING	10.9	pCi/L				1.9	1.68	5.48
FSP249B	3/10/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.094	1
FSP249B	3/10/2015	CADMIUM	1.99	ug/L					0.1	1
FSP249B	3/10/2015	COBALT	10.1	ug/L					0.5	5
FSP249B	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP249B	3/10/2015	RADIUM, TOTAL ALPHA-EMITTING	2.03	pCi/L				0.328	0.251	0.907
FSP249B	3/10/2015	RADIUM-226	1.11	pCi/L				0.126	0.078	0.3296

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249B	3/10/2015	RADIUM-228	8.27	pCi/L				0.595	0.366	1.556
FSP249B	3/10/2015	URANIUM-233/234	0.128	pCi/L	U			0.112	0.112	0.336
FSP249B	3/10/2015	URANIUM-235	0	pCi/L	U			0	0.0746	0.0746
FSP249B	3/10/2015	URANIUM-238	0.128	pCi/L	U			0.111	0.112	0.335
FSP249B	3/10/2015	GROSS ALPHA	2.4	pCi/L	J		21	2.11	2.29	6.52
FSP249B	3/10/2015	NONVOLATILE BETA	67.9	pCi/L				8.29	3.99	20.6
FSP249B	3/10/2015	STRONTIUM-90	28.9	pCi/L				5.46	3.33	14.2
FSP249B	3/10/2015	CARBON-14	14.4	pCi/L	J		21	4.41	6.83	15.7
FSP249B	3/10/2015	TECHNETIUM-99	12.4	pCi/L				2.82	4.14	9.77
FSP249B	3/10/2015	TRITIUM	139	pCi/mL				2.26	0.442	4.97
FSP249B	3/10/2015	IODINE-129	1.02	pCi/L	J		21	0.741	0.832	2.31
FSP249B	6/8/2015	NITRATE-NITRITE AS NITROGEN	17	mg/L					0.094	1
FSP249B	6/8/2015	CADMIUM	2.48	ug/L					0.1	1
FSP249B	6/8/2015	COBALT	10.7	ug/L					0.5	5
FSP249B	6/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP249B	6/8/2015	RADIUM, TOTAL ALPHA-EMITTING	3.33	pCi/L				0.34	0.186	0.866
FSP249B	6/8/2015	RADIUM-226	1.64	pCi/L				0.153	0.047	0.3532
FSP249B	6/8/2015	RADIUM-228	19.8	pCi/L				0.954	0.356	2.264
FSP249B	6/8/2015	URANIUM-233/234	0.133	pCi/L	J		21, V	0.116	0.117	0.348
FSP249B	6/8/2015	URANIUM-235	0.05	pCi/L	U			0.082	0.144	0.309
FSP249B	6/8/2015	URANIUM-238	0.162	pCi/L	U		V	0.124	0.0626	0.311
FSP249B	6/8/2015	GROSS ALPHA	3.34	pCi/L	J		21	2.46	2.26	7.18
FSP249B	6/8/2015	NONVOLATILE BETA	76.8	pCi/L				8.85	3.81	21.5
FSP249B	6/8/2015	STRONTIUM-90	29.9	pCi/L				5.97	3.21	15.2
FSP249B	6/8/2015	CARBON-14	1.68	pCi/L	U			4.43	7.37	16.2
FSP249B	6/8/2015	TECHNETIUM-99	13.4	pCi/L	J			2.89	4.23	10
FSP249B	6/8/2015	TRITIUM	141	pCi/mL				2.2	0.426	4.82

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249B	6/8/2015	IODINE-129	1.46	pCi/L	U			1.54	0.915	3.99
FSP249B	9/9/2015	NITRATE-NITRITE AS NITROGEN	16	mg/L					0.19	2
FSP249B	9/9/2015	ALUMINUM	888	ug/L					40	400
FSP249B	9/9/2015	ANTIMONY	10	ug/L	U		V		1	10
FSP249B	9/9/2015	ARSENIC	50	ug/L	U				5	50
FSP249B	9/9/2015	BARIUM	71.8	ug/L					2	20
FSP249B	9/9/2015	BERYLLIUM	0.602	ug/L	J		21		0.1	1
FSP249B	9/9/2015	CADMIUM	2.56	ug/L					0.1	1
FSP249B	9/9/2015	CHROMIUM	100	ug/L	U				10	100
FSP249B	9/9/2015	COBALT	10.1	ug/L					0.5	5
FSP249B	9/9/2015	COPPER	1.64	ug/L	J		21		0.5	5
FSP249B	9/9/2015	LEAD	5	ug/L	U				0.5	5
FSP249B	9/9/2015	NICKEL	4.04	ug/L	J		21		0.5	5
FSP249B	9/9/2015	SELENIUM	2.79	ug/L	J		21		2	20
FSP249B	9/9/2015	SILVER	5	ug/L	U				0.5	5
FSP249B	9/9/2015	THALLIUM	1	ug/L	U				0.1	1
FSP249B	9/9/2015	VANADIUM	50	ug/L	U				5	50
FSP249B	9/9/2015	ZINC	15.2	ug/L	J		21		4	40
FSP249B	9/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
FSP249B	9/9/2015	BENZENE	1	ug/L	U				0.06	1
FSP249B	9/9/2015	CHLOROFORM	0.12	ug/L	J		21		0.1	1
FSP249B	9/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSP249B	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSP249B	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSP249B	9/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSP249B	9/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U				1.8	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249B	9/9/2015	PHENOL	9.5	ug/L	U				1.9	9.5
FSP249B	9/9/2015	CYANIDE	3.4	ug/L	J		21		2.9	10
FSP249B	9/9/2015	RADIUM, TOTAL ALPHA-EMITTING	5.38	pCi/L				0.546	0.312	1.404
FSP249B	9/9/2015	RADIUM-226	2.15	pCi/L				0.175	0.046	0.396
FSP249B	9/9/2015	RADIUM-228	13.1	pCi/L				0.748	0.365	1.861
FSP249B	9/9/2015	AMERICIUM-241	0.076	pCi/L	U		21, V	0.089	0.0686	0.246
FSP249B	9/9/2015	CURIUM-242	0.0533	pCi/L	U		V	0.076	0.0676	0.219
FSP249B	9/9/2015	CURIUM-243/244	0.025	pCi/L	U			0.05	0.0676	0.168
FSP249B	9/9/2015	CURIUM-245/246	0.129	pCi/L	U		21, V	0.117	0.07	0.304
FSP249B	9/9/2015	PLUTONIUM-238	-0.0114	pCi/L	U			0.016	0.137	0.169
FSP249B	9/9/2015	PLUTONIUM-239/240	-0.0171	pCi/L	U			0.02	0.153	0.193
FSP249B	9/9/2015	THORIUM-228	0.0381	pCi/L	J		21, V	0.123	0.285	0.531
FSP249B	9/9/2015	THORIUM-230	0.238	pCi/L	U		21, V	0.164	0.15	0.477
FSP249B	9/9/2015	THORIUM-232	0.025	pCi/L	U			0.05	0.0677	0.168
FSP249B	9/9/2015	URANIUM-233/234	0.169	pCi/L	U		21, V	0.126	0.11	0.363
FSP249B	9/9/2015	URANIUM-235	0	pCi/L	U			0	0.073	0.073
FSP249B	9/9/2015	URANIUM-238	0.169	pCi/L	U		21, V	0.126	0.11	0.362
FSP249B	9/9/2015	GROSS ALPHA	5.5	pCi/L	J		21	3.07	2.35	8.5
FSP249B	9/9/2015	NONVOLATILE BETA	77.8	pCi/L				8.87	4.06	21.8
FSP249B	9/9/2015	STRONTIUM-90	29.1	pCi/L				4.54	3.37	12.5
FSP249B	9/9/2015	CARBON-14	3.45	pCi/L	U			3.93	6.45	14.3
FSP249B	9/9/2015	TECHNETIUM-99	17.1	pCi/L				3.06	4.36	10.5
FSP249B	9/9/2015	TRITIUM	143	pCi/mL				2.09	0.528	4.7
FSP249B	9/9/2015	CESIUM-137	-3.11	pCi/L	U			5.03	8.59	18.6
FSP249B	9/9/2015	COBALT-60	-0.87	pCi/L	U			5.01	8.87	18.9
FSP249B	9/9/2015	IODINE-129	1.3	pCi/L	J		21	0.706	1.26	2.67
FSP249B	12/8/2015	NITRATE-NITRITE AS NITROGEN	11.6	mg/L					0.85	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSP249B	12/8/2015	CADMIUM	1.82	ug/L			V		0.1	1
FSP249B	12/8/2015	COBALT	8.44	ug/L					0.5	5
FSP249B	12/8/2015	TIN	10	ug/L	U				1	10
FSP249B	12/8/2015	VANADIUM	50	ug/L	U				5	50
FSP249B	12/8/2015	MERCURY	0.059	ug/L	J		21		0.02	0.2
FSP249B	12/8/2015	URANIUM-233/234	0.335	pCi/L	J		21, V	0.178	0.139	0.494
FSP249B	12/8/2015	URANIUM-235	0	pCi/L	U			0	0.069	0.069
FSP249B	12/8/2015	URANIUM-238	0.206	pCi/L	U		21, V	0.133	0.0558	0.322
FSP249B	12/8/2015	GROSS ALPHA	4.7	pCi/L	J		21	2.86	2.34	8.06
FSP249B	12/8/2015	NONVOLATILE BETA	66.1	pCi/L				8.22	4.04	20.5
FSP249B	12/8/2015	STRONTIUM-90	26.2	pCi/L				4.4	3.12	11.9
FSP249B	12/8/2015	TECHNETIUM-99	13.5	pCi/L				2.89	4.23	10
FSP249B	12/8/2015	TRITIUM	136	pCi/mL				2.21	0.418	4.84
FSP249B	12/8/2015	IODINE-129	1.44	pCi/L	J		21	1.42	0.997	3.83
FSP249B	12/8/2015	RADIUM-226	1.91	pCi/L	J		V	0.484	0.393	1.36
FSP249B	12/8/2015	RADIUM-228	0.868	pCi/L	J		21	0.328	0.404	1.06
FSP249B	12/8/2015	RADIUM, TOTAL ALPHA-EMITTING	1.82	pCi/L	U			1.27	1.95	4.49
FSS 1D	7/17/2015	ETHANE	0.0081	ug/L	J		21		0.002	0.1
FSS 1D	7/17/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1
FSS 1D	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FSS 1D	7/17/2015	TRITIUM	2.03	pCi/mL				0.384	0.472	1.24
FSS 1D	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSS 1D	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 1D	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSS 1D	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSS 1D	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSS 1D	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSS 1D	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FSS 1D	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	1,2-DICHLOROETHYLENE	0.17	ug/L	J		21		0.15	2
FSS 1D	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSS 1D	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FSS 1D	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSS 1D	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
FSS 1D	7/24/2015	ACETONE	2	ug/L	U				0.34	2
FSS 1D	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSS 1D	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
FSS 1D	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSS 1D	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSS 1D	7/24/2015	BENZENE	1	ug/L	U				0.06	1
FSS 1D	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 1D	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 1D	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSS 1D	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSS 1D	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSS 1D	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSS 1D	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSS 1D	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSS 1D	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 1D	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 1D	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSS 1D	7/24/2015	CIS-1,2-DICHLOROETHYLENE	0.17	ug/L	J		21		0.09	1
FSS 1D	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 1D	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FSS 1D	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FSS 1D	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSS 1D	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FSS 1D	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSS 1D	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSS 1D	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSS 1D	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 1D	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSS 1D	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSS 1D	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSS 1D	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSS 1D	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSS 1D	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSS 1D	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSS 1D	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSS 1D	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
FSS 1D	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FSS 1D	7/24/2015	STYRENE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS 1D	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
FSS 1D	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 1D	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FSS 1D	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSS 1D	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSS 1D	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSS 1D	7/24/2015	XYLENES	3	ug/L	U				0.2	3
FSS 2D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS 2D	1/13/2015	TRICHLOROETHYLENE (TCE)	0.9	ug/L	J		21		0.25	1
FSS 2D	7/17/2015	ETHANE	0.013	ug/L	J		21		0.002	0.1
FSS 2D	7/17/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
FSS 2D	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FSS 2D	7/17/2015	TRITIUM	7.88	pCi/mL				0.602	0.474	1.68

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 2D	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSS 2D	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FSS 2D	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSS 2D	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSS 2D	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSS 2D	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSS 2D	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FSS 2D	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	1,2-DICHLOROETHYLENE	10	ug/L					0.15	2
FSS 2D	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSS 2D	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FSS 2D	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSS 2D	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
FSS 2D	7/24/2015	ACETONE	2	ug/L	U				0.34	2
FSS 2D	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSS 2D	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 2D	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSS 2D	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSS 2D	7/24/2015	BENZENE	1	ug/L	U				0.06	1
FSS 2D	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 2D	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FSS 2D	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSS 2D	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSS 2D	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSS 2D	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSS 2D	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSS 2D	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSS 2D	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 2D	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 2D	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSS 2D	7/24/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L					0.09	1
FSS 2D	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 2D	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FSS 2D	7/24/2015	DICHLORODIFLUOROMETHANE	1	ug/L	J		21		0.08	2
FSS 2D	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSS 2D	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 2D	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSS 2D	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSS 2D	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSS 2D	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FSS 2D	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSS 2D	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSS 2D	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSS 2D	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSS 2D	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSS 2D	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSS 2D	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSS 2D	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSS 2D	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
FSS 2D	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FSS 2D	7/24/2015	STYRENE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS 2D	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
FSS 2D	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 2D	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FSS 2D	7/24/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
FSS 2D	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSS 2D	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSS 2D	7/24/2015	XYLENES	3	ug/L	U				0.2	3
FSS 3D	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 3D	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSS 3D	7/23/2015	ETHANE	0.0098	ug/L	J		21		0.002	0.1
FSS 3D	7/23/2015	ETHYLENE	0.0076	ug/L	J		21		0.003	0.1
FSS 3D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSS 3D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FSS 3D	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSS 3D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSS 3D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSS 3D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSS 3D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FSS 3D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	1,2-DICHLOROETHYLENE	0.41	ug/L	J		21		0.15	2
FSS 3D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSS 3D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FSS 3D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSS 3D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 3D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
FSS 3D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSS 3D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
FSS 3D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSS 3D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSS 3D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
FSS 3D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 3D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FSS 3D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSS 3D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSS 3D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSS 3D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSS 3D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSS 3D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSS 3D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 3D	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
FSS 3D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSS 3D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	0.41	ug/L	J		21		0.09	1
FSS 3D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS 3D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 3D	7/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
FSS 3D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSS 3D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FSS 3D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSS 3D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSS 3D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSS 3D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FSS 3D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSS 3D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSS 3D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSS 3D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSS 3D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSS 3D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSS 3D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSS 3D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSS 3D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
FSS 3D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FSS 3D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS 3D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
FSS 3D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS 3D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FSS 3D	7/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
FSS 3D	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS 3D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSS 3D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
FSS 3D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FSS 3D	7/23/2015	TRITIUM	9.92	pCi/mL				0.668	0.538	1.87
FSS003C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS003C	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1
FSS003C	1/6/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
FSS003C	1/6/2015	TRITIUM	66.5	pCi/mL				1.53	0.431	3.49
FSS003C	7/23/2015	ETHANE	0.0051	ug/L	J		21		0.002	0.1
FSS003C	7/23/2015	ETHYLENE	0.0079	ug/L	J		21		0.003	0.1
FSS003C	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
FSS003C	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
FSS003C	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
FSS003C	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
FSS003C	7/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
FSS003C	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
FSS003C	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
FSS003C	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
FSS003C	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
FSS003C	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
FSS003C	7/23/2015	1,2-DICHLOROETHYLENE	6.7	ug/L					0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS003C	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
FSS003C	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
FSS003C	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
FSS003C	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
FSS003C	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
FSS003C	7/23/2015	ACETONE	2	ug/L	U				0.34	2
FSS003C	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
FSS003C	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
FSS003C	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
FSS003C	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
FSS003C	7/23/2015	BENZENE	1	ug/L	U				0.06	1
FSS003C	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS003C	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
FSS003C	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
FSS003C	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
FSS003C	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
FSS003C	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
FSS003C	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
FSS003C	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
FSS003C	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
FSS003C	7/23/2015	CHLOROFORM	1	ug/L	U				0.1	1
FSS003C	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS003C	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
FSS003C	7/23/2015	CIS-1,2-DICHLOROETHYLENE	6.7	ug/L					0.09	1
FSS003C	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
FSS003C	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
FSS003C	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
FSS003C	7/23/2015	DICHLORODIFLUOROMETHANE	0.88	ug/L	J		21		0.08	2
FSS003C	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
FSS003C	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
FSS003C	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
FSS003C	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
FSS003C	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
FSS003C	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
FSS003C	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
FSS003C	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
FSS003C	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
FSS003C	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
FSS003C	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
FSS003C	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
FSS003C	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
FSS003C	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
FSS003C	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
FSS003C	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
FSS003C	7/23/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FSS003C	7/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
FSS003C	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
FSS003C	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
FSS003C	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
FSS003C	7/23/2015	TRICHLOROETHYLENE (TCE)	0.87	ug/L	J		21		0.25	1
FSS003C	7/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
FSS003C	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
FSS003C	7/23/2015	XYLENES	3	ug/L	U				0.2	3
FSS003C	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
FSS003C	7/23/2015	TRITIUM	65.4	pCi/mL				1.55	0.541	3.65
FTF 19	2/9/2015	NITRATE-NITRITE AS NITROGEN	1.7	mg/L					0.0094	0.1
FTF 19	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 19	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 19	2/9/2015	MANGANESE	44	ug/L					1	10
FTF 19	2/9/2015	SODIUM	5670	ug/L					20	200
FTF 19	2/9/2015	GROSS ALPHA	1.67	pCi/L	U	U		1.82	2.27	5.92
FTF 19	2/9/2015	NONVOLATILE BETA	7.46	pCi/L	J	J	21	3.34	3.79	10.5
FTF 19	2/9/2015	TRITIUM	6.24	pCi/mL				0.528	0.415	1.47
FTF 19	2/9/2015	IODINE-129	0.298	pCi/L	U	UJ	Q	0.336	0.555	1.227
FTF 19	11/10/2015	NITRATE-NITRITE AS NITROGEN	1.92	mg/L					0.17	0.5
FTF 19	11/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 19	11/10/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 19	11/10/2015	MANGANESE	63.4	ug/L					1	10
FTF 19	11/10/2015	SODIUM	4300	ug/L					20	200
FTF 19	11/10/2015	TRITIUM	1.04	pCi/mL	J	J	21	0.324	0.456	1.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 19	11/10/2015	GROSS ALPHA	7.91	pCi/L	J	J	21	2.81	2.63	8.25
FTF 19	11/10/2015	NONVOLATILE BETA	7.68	pCi/L				2.13	2.18	6.44
FTF 19	11/10/2015	IODINE-129	0.147	pCi/L	U	U		0.421	0.502	1.34
FTF 20	2/9/2015	NITRATE-NITRITE AS NITROGEN	2.5	mg/L					0.0094	0.1
FTF 20	2/9/2015	CADMIUM	0.138	ug/L	J	J	21		0.1	1
FTF 20	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 20	2/9/2015	MANGANESE	57.9	ug/L					1	10
FTF 20	2/9/2015	SODIUM	14900	ug/L					20	200
FTF 20	2/9/2015	GROSS ALPHA	3.36	pCi/L	J	J	21	2.5	2.34	7.33
FTF 20	2/9/2015	NONVOLATILE BETA	4.03	pCi/L	J	J	21	2.83	3.84	9.49
FTF 20	2/9/2015	TRITIUM	1.48	pCi/mL				0.329	0.414	1.07
FTF 20	2/9/2015	IODINE-129	-0.00467	pCi/L	U	UJ	Q	0.313	0.54	1.166
FTF 20	11/10/2015	NITRATE-NITRITE AS NITROGEN	2.51	mg/L					0.17	0.5
FTF 20	11/10/2015	CADMIUM	0.116	ug/L	J	J	21		0.1	1
FTF 20	11/10/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 20	11/10/2015	MANGANESE	79.5	ug/L					1	10
FTF 20	11/10/2015	SODIUM	12800	ug/L					20	200
FTF 20	11/10/2015	TRITIUM	1.84	pCi/mL				0.385	0.523	1.29
FTF 20	11/10/2015	GROSS ALPHA	5.78	pCi/L	J	J	21	2.7	2.95	8.35
FTF 20	11/10/2015	NONVOLATILE BETA	2.79	pCi/L	J	J	21	1.66	2.28	5.6
FTF 20	11/10/2015	IODINE-129	0.0904	pCi/L	U	U		0.371	0.668	1.41
FTF 22	2/9/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.0094	0.1
FTF 22	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 22	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 22	2/9/2015	MANGANESE	11.4	ug/L					1	10
FTF 22	2/9/2015	SODIUM	14300	ug/L					20	200
FTF 22	2/9/2015	GROSS ALPHA	3.38	pCi/L	J	J	21	2.51	2.35	7.37

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 22	2/9/2015	NONVOLATILE BETA	3.79	pCi/L	U	U		2.79	3.84	9.42
FTF 22	2/9/2015	TRITIUM	1.41	pCi/mL				0.327	0.415	1.07
FTF 22	2/9/2015	IODINE-129	0	pCi/L	U	UJ	Q	0.31	0.528	1.148
FTF 22	11/10/2015	NITRATE-NITRITE AS NITROGEN	1.86	mg/L					0.17	0.5
FTF 22	11/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 22	11/10/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 22	11/10/2015	MANGANESE	10.6	ug/L					1	10
FTF 22	11/10/2015	SODIUM	15400	ug/L					20	200
FTF 22	11/10/2015	TRITIUM	1.47	pCi/mL				0.345	0.453	1.14
FTF 22	11/10/2015	GROSS ALPHA	3.58	pCi/L	J	J	21	2.13	2.84	7.1
FTF 22	11/10/2015	NONVOLATILE BETA	-1.63	pCi/L	U	U		1.28	2.72	5.28
FTF 22	11/10/2015	IODINE-129	0.349	pCi/L	U	U		0.432	0.823	1.69
FTF 23	2/9/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L					0.0094	0.1
FTF 23	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 23	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 23	2/9/2015	MANGANESE	6.96	ug/L	J	J	21		1	10
FTF 23	2/9/2015	SODIUM	8060	ug/L					20	200
FTF 23	2/9/2015	GROSS ALPHA	2.88	pCi/L	J	J	21	2.3	2.28	6.87
FTF 23	2/9/2015	NONVOLATILE BETA	3.8	pCi/L	U	U		2.78	3.82	9.38
FTF 23	2/9/2015	TRITIUM	0.88	pCi/mL	J	J	21	0.296	0.414	1.01
FTF 23	2/9/2015	IODINE-129	0.203	pCi/L	U	UJ	Q	0.338	0.564	1.24
FTF 23	11/10/2015	NITRATE-NITRITE AS NITROGEN	2.14	mg/L					0.17	0.5
FTF 23	11/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 23	11/10/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 23	11/10/2015	MANGANESE	10.4	ug/L					1	10
FTF 23	11/10/2015	SODIUM	6640	ug/L					20	200
FTF 23	11/10/2015	TRITIUM	0.616	pCi/mL	J	J	21	0.301	0.456	1.06

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 23	11/10/2015	GROSS ALPHA	4.83	pCi/L	J	J	21	2.23	2.92	7.38
FTF 23	11/10/2015	NONVOLATILE BETA	3.44	pCi/L	J	J	21	1.8	2.64	6.24
FTF 23	11/10/2015	IODINE-129	-0.141	pCi/L	U	U		0.306	0.523	1.14
FTF 28	2/9/2015	CARBON-14	5.53	pCi/L	U	U		6.54	10.8	23.88
FTF 28	2/9/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.0094	0.1
FTF 28	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 28	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 28	2/9/2015	MANGANESE	9.4	ug/L	J	J	21		1	10
FTF 28	2/9/2015	SODIUM	2900	ug/L					20	200
FTF 28	2/9/2015	GROSS ALPHA	1.74	pCi/L	J	J	21	0.875	1.11	2.86
FTF 28	2/9/2015	NONVOLATILE BETA	747	pCi/L				8.63	0.911	18.171
FTF 28	2/9/2015	RADIUM-226	0.272	pCi/L	J	J	21	0.115	0.147	0.377
FTF 28	2/9/2015	RADIUM-228	0.0864	pCi/L	U	U		0.196	0.336	0.728
FTF 28	2/9/2015	ACTINIUM-228	0	pCi/L	U	U		20.4	86.3	127.1
FTF 28	2/9/2015	BISMUTH-214	152	pCi/L				29.3	26.8	85.4
FTF 28	2/9/2015	CESIUM-137	-1.17	pCi/L	U	U		7.53	13.7	28.76
FTF 28	2/9/2015	COBALT-60	1.48	pCi/L	U	U		3.63	17.3	24.56
FTF 28	2/9/2015	LEAD-212	-5.81	pCi/L	U	U		33.2	22.3	88.7
FTF 28	2/9/2015	LEAD-214	161	pCi/L				27.4	21.7	76.5
FTF 28	2/9/2015	POTASSIUM-40	-15.2	pCi/L	U	U		126	188	440
FTF 28	2/9/2015	THALLIUM-208	-2.72	pCi/L	U	U		41.6	13.2	96.4
FTF 28	2/9/2015	TRITIUM	2.78	pCi/mL				0.395	0.416	1.21
FTF 28	2/9/2015	STRONTIUM-90	0.127	pCi/L	U	U		0.17	0.283	0.623
FTF 28	2/9/2015	IODINE-129	0.0539	pCi/L	U	UJ	Q	0.321	0.545	1.187
FTF 28	2/9/2015	NICKEL-59	0	pCi/L	U	U		1.31	2.21	4.83
FTF 28	2/9/2015	NICKEL-63	2.88	pCi/L	U	U		1.95	3.15	7.05
FTF 28	2/9/2015	PROMETHIUM-147	-1.55	pCi/L	U	UJ	2	1.1	1.91	4.11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 28	2/9/2015	TECHNETIUM-99	1330	pCi/L				20.1	3.28	43.48
FTF 28	2/9/2015	CARBON-14	0.12	pCi/L	U	U		6.33	10.8	23.46
FTF 28	2/9/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.0094	0.1
FTF 28	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 28	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 28	2/9/2015	MANGANESE	9.41	ug/L	J	J	21		1	10
FTF 28	2/9/2015	SODIUM	2950	ug/L					20	200
FTF 28	2/9/2015	GROSS ALPHA	1.65	pCi/L	J	J	21	1.01	1.45	3.47
FTF 28	2/9/2015	NONVOLATILE BETA	827	pCi/L				9.13	0.87	19.13
FTF 28	2/9/2015	RADIUM-226	0.333	pCi/L	J	J	21	0.126	0.157	0.409
FTF 28	2/9/2015	RADIUM-228	0.0855	pCi/L	U	U		0.184	0.317	0.685
FTF 28	2/9/2015	ACTINIUM-228	7.88	pCi/L	U	U		12	40.8	64.8
FTF 28	2/9/2015	BISMUTH-214	147	pCi/L				26.9	25.3	79.1
FTF 28	2/9/2015	CESIUM-137	0.0393	pCi/L	U	U		5.99	11.1	23.08
FTF 28	2/9/2015	COBALT-60	1.27	pCi/L	U	U		7.06	13.1	27.22
FTF 28	2/9/2015	LEAD-212	0.0832	pCi/L	U	U		13.3	24.4	51
FTF 28	2/9/2015	LEAD-214	194	pCi/L				24.4	22.7	71.5
FTF 28	2/9/2015	POTASSIUM-40	-30.8	pCi/L	U	U		132	158	422
FTF 28	2/9/2015	THALLIUM-208	-0.408	pCi/L	U	U		1.09	11.5	13.68
FTF 28	2/9/2015	TRITIUM	2.37	pCi/mL				0.376	0.415	1.17
FTF 28	2/9/2015	STRONTIUM-90	0.387	pCi/L	J	U	21, V	0.189	0.269	0.647
FTF 28	2/9/2015	IODINE-129	0.0534	pCi/L	U	UJ	Q	0.346	0.593	1.285
FTF 28	2/9/2015	NICKEL-59	0	pCi/L	U	U		1.38	2.2	4.96
FTF 28	2/9/2015	NICKEL-63	2.15	pCi/L	U	U		1.91	3.14	6.96
FTF 28	2/9/2015	PROMETHIUM-147	-1.66	pCi/L	U	U		1.06	1.86	3.98
FTF 28	2/9/2015	TECHNETIUM-99	1280	pCi/L				19.4	3.14	41.94
FTF 28	5/7/2015	NITRATE-NITRITE AS NITROGEN	2.11	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 28	5/7/2015	URANIUM-233/234	-0.00026	pCi/L	U	U	V	0.006	0.0416	0.0539
FTF 28	5/7/2015	URANIUM-235	-0.00747	pCi/L	U	U	V	0.015	0.0466	0.0764
FTF 28	5/7/2015	URANIUM-238	0.0301	pCi/L	U	U	V	0.038	0.0524	0.129
FTF 28	5/7/2015	GROSS ALPHA	1.06	pCi/L	U	U		1.76	2.99	6.51
FTF 28	5/7/2015	NONVOLATILE BETA	418	pCi/L				22.9	4.25	50.1
FTF 28	5/7/2015	STRONTIUM-90	3.51	pCi/L	J	J	21	2.87	2.95	8.69
FTF 28	5/7/2015	TECHNETIUM-99	1040	pCi/L		J	18	12.9	4.03	29.8
FTF 28	5/7/2015	TRITIUM	2.37	pCi/mL				0.392	0.458	1.24
FTF 28	5/7/2015	IODINE-129	-0.363	pCi/L	UJ	U	V	0.633	0.954	2.22
FTF 28	5/7/2015	RADIUM-226	0.766	pCi/L	J	J	21	0.318	0.356	0.992
FTF 28	5/7/2015	RADIUM-228	0.336	pCi/L	U	U		0.378	0.634	1.39
FTF 28	10/14/2015	NITRATE-NITRITE AS NITROGEN	1.99	mg/L					0.085	0.25
FTF 28	10/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 28	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 28	10/14/2015	MANGANESE	9.8	ug/L	J	J	21		1	10
FTF 28	10/14/2015	SODIUM	2720	ug/L					20	200
FTF 28	10/14/2015	TRITIUM	2.48	pCi/mL				0.401	0.459	1.26
FTF 28	10/14/2015	GROSS ALPHA	4.51	pCi/L	J	J	21, 9	2.86	2.6	8.32
FTF 28	10/14/2015	NONVOLATILE BETA	670	pCi/L				17.4	2.89	37.7
FTF 28	10/14/2015	CARBON-14	8.13	pCi/L	U	U		20.4	34.9	75.7
FTF 28	10/14/2015	STRONTIUM-90	-3.56	pCi/L	U	U		2.86	6.29	12
FTF 28	10/14/2015	TECHNETIUM-99	1420	pCi/L				23.6	8.9	56.1
FTF 28	10/14/2015	IODINE-129	-0.333	pCi/L	U	U		0.649	1.1	2.4
FTF 28	10/14/2015	RADIUM-226	0.92	pCi/L	J	J	21	0.361	0.413	1.14
FTF 28	10/14/2015	RADIUM-228	0.344	pCi/L	U	U		0.365	0.608	1.34
FTF 28	10/14/2015	ACTINIUM-228	1.8	pCi/L	U	U		12.9	22.4	48.2
FTF 28	10/14/2015	BISMUTH-214	106	pCi/L				12.7	10.4	35.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 28	10/14/2015	CESIUM-137	0.545	pCi/L	U	U		3.21	5.19	11.6
FTF 28	10/14/2015	COBALT-60	0.104	pCi/L	U	U		2.74	5.34	10.8
FTF 28	10/14/2015	LEAD-212	2.9	pCi/L	U	U		5.62	9.19	20.4
FTF 28	10/14/2015	LEAD-214	101	pCi/L				13	10.5	36.5
FTF 28	10/14/2015	POTASSIUM-40	-2.5	pCi/L	U	U		39.7	65	144
FTF 28	10/14/2015	THALLIUM-208	2.6	pCi/L	U	U		3.99	4.72	12.7
FTF 28	10/14/2015	PROMETHIUM-147	1.07	pCi/L	U	U		4.36	7.47	16.2
FTF 28	10/14/2015	NICKEL-59	-44.8	pCi/L	UJ	UJ	L	11.1	15.6	37.8
FTF 28	10/14/2015	NICKEL-63	7.51	pCi/L	U	U		20	34.4	74.4
FTF 28	10/14/2015	NITRATE-NITRITE AS NITROGEN	1.95	mg/L					0.085	0.25
FTF 28	10/14/2015	CADMIUM	0.1	ug/L	J	J	21		0.1	1
FTF 28	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 28	10/14/2015	MANGANESE	9.35	ug/L	J	J	21		1	10
FTF 28	10/14/2015	SODIUM	2730	ug/L					20	200
FTF 28	10/14/2015	TRITIUM	2.36	pCi/mL				0.396	0.459	1.25
FTF 28	10/14/2015	GROSS ALPHA	2.11	pCi/L		J	9	0.642	0.78	2.06
FTF 28	10/14/2015	NONVOLATILE BETA	676	pCi/L				5.8	0.91	12.5
FTF 28	10/14/2015	CARBON-14	8.44	pCi/L	U	U		20.5	35	76
FTF 28	10/14/2015	STRONTIUM-90	-0.648	pCi/L	U	U		1.63	3.35	6.61
FTF 28	10/14/2015	TECHNETIUM-99	1300	pCi/L				22.5	8.81	53.8
FTF 28	10/14/2015	IODINE-129	-0.412	pCi/L	U	U		0.588	0.947	2.12
FTF 28	10/14/2015	RADIUM-226	0.62	pCi/L	J	J	21	0.311	0.401	1.02
FTF 28	10/14/2015	RADIUM-228	0.193	pCi/L	U	U		0.199	0.325	0.723
FTF 28	10/14/2015	ACTINIUM-228	-4.09	pCi/L	U	U		11.6	18.4	41.6
FTF 28	10/14/2015	BISMUTH-214	108	pCi/L		J	18	13.1	9.4	35.6
FTF 28	10/14/2015	CESIUM-137	3.19	pCi/L	U	U		2.96	4.23	10.2
FTF 28	10/14/2015	COBALT-60	2.83	pCi/L	U	U		2.49	5.06	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF 28	10/14/2015	LEAD-212	0.375	pCi/L	U	U		6.09	9.1	21.3
FTF 28	10/14/2015	LEAD-214	123	pCi/L				12.4	23	47.8
FTF 28	10/14/2015	POTASSIUM-40	22.1	pCi/L	U	U		57.8	35.1	151
FTF 28	10/14/2015	THALLIUM-208	0.0298	pCi/L	U	U		3.45	5.55	12.5
FTF 28	10/14/2015	PROMETHIUM-147	3	pCi/L	U	U		4.42	7.47	16.3
FTF 28	10/14/2015	NICKEL-59	2.54	pCi/L	U	U		9.64	17.1	36.4
FTF 28	10/14/2015	NICKEL-63	-9.35	pCi/L	U	U		18.6	33.1	70.3
FTF 29	2/11/2015	NITRATE-NITRITE AS NITROGEN	2.8	mg/L					0.019	0.2
FTF 29	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF 29	2/11/2015	CHROMIUM	11.2	ug/L	U	U	21, V		10	100
FTF 29	2/11/2015	MANGANESE	1.44	ug/L	J	J	21		1	10
FTF 29	2/11/2015	SODIUM	5170	ug/L					20	200
FTF 29	2/11/2015	GROSS ALPHA	0.88	pCi/L	U	U		1.5	2.51	5.51
FTF 29	2/11/2015	NONVOLATILE BETA	8.45	pCi/L	J	J	21	3.69	4.27	11.7
FTF 29	2/11/2015	TRITIUM	4.77	pCi/mL				0.479	0.439	1.4
FTF 29	2/11/2015	IODINE-129	-0.186	pCi/L	U	U		0.354	0.616	1.324
FTF 29	12/3/2015	NITRATE-NITRITE AS NITROGEN	3.16	mg/L					0.085	0.25
FTF 29	12/3/2015	CADMIUM	0.102	ug/L	J	J	21		0.1	1
FTF 29	12/3/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF 29	12/3/2015	MANGANESE	10	ug/L	U	U			1	10
FTF 29	12/3/2015	SODIUM	5830	ug/L					20	200
FTF 29	12/3/2015	TRITIUM	4.5	pCi/mL				0.472	0.434	1.38
FTF 29	12/3/2015	GROSS ALPHA	0.529	pCi/L	U	U		1.45	2.93	5.83
FTF 29	12/3/2015	NONVOLATILE BETA	16.3	pCi/L				3.16	2.91	9.23
FTF 29	12/3/2015	IODINE-129	-0.0401	pCi/L	U	U		0.272	0.467	1.01
FTF009R	2/10/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L					0.0094	0.1
FTF009R	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF009R	2/10/2015	CHROMIUM	12.4	ug/L	U	U	21, V		10	100
FTF009R	2/10/2015	MANGANESE	395	ug/L					1	10
FTF009R	2/10/2015	SODIUM	3540	ug/L					20	200
FTF009R	2/10/2015	GROSS ALPHA	0.071	pCi/L	U	U		0.886	2.29	4.07
FTF009R	2/10/2015	NONVOLATILE BETA	5.39	pCi/L	J	J	21	3.02	3.76	9.79
FTF009R	2/10/2015	TRITIUM	1.28	pCi/mL				0.318	0.411	1.05
FTF009R	2/10/2015	IODINE-129	0	pCi/L	U	UJ	Q	0.37	0.638	1.378
FTF009R	12/2/2015	NITRATE-NITRITE AS NITROGEN	2.85	mg/L					0.085	0.25
FTF009R	12/2/2015	CADMIUM	0.184	ug/L	J	J	21		0.1	1
FTF009R	12/2/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF009R	12/2/2015	MANGANESE	59.5	ug/L					1	10
FTF009R	12/2/2015	SODIUM	2710	ug/L					20	200
FTF009R	12/2/2015	TRITIUM	0.82	pCi/mL	J	J	21	0.297	0.425	1.02
FTF009R	12/2/2015	GROSS ALPHA	0.212	pCi/L	U	U		1.38	2.9	5.66
FTF009R	12/2/2015	NONVOLATILE BETA	0.819	pCi/L	U	U		1.63	2.83	6.09
FTF009R	12/2/2015	IODINE-129	0.33	pCi/L	U	U		0.429	0.686	1.54
FTF012R	2/10/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L			V		0.019	0.2
FTF012R	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF012R	2/10/2015	CHROMIUM	19	ug/L	U	U	21, V		10	100
FTF012R	2/10/2015	MANGANESE	4.35	ug/L	J	J	21		1	10
FTF012R	2/10/2015	SODIUM	5220	ug/L					20	200
FTF012R	2/10/2015	GROSS ALPHA	2.95	pCi/L	J	J	21	2.4	2.49	7.29
FTF012R	2/10/2015	NONVOLATILE BETA	93.1	pCi/L				9.7	3.84	23.2
FTF012R	2/10/2015	TRITIUM	4.7	pCi/mL				0.472	0.411	1.36
FTF012R	2/10/2015	IODINE-129	0.368	pCi/L	U	UJ	Q	0.378	0.625	1.381
FTF012R	3/16/2015	CARBON-14	-3.12	pCi/L	U	U		5.99	10.4	22.38
FTF012R	3/16/2015	RADIUM-226	1.33	pCi/L				0.136	0.052	0.3238

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF012R	3/16/2015	RADIUM-228	1.69	pCi/L				0.277	0.251	0.805
FTF012R	3/16/2015	ACTINIUM-228	5.5	pCi/L	U	U		17.6	44.5	79.7
FTF012R	3/16/2015	BISMUTH-214	114	pCi/L				24.1	21.5	69.7
FTF012R	3/16/2015	CESIUM-137	-0.00941	pCi/L	U	U		5.11	9.72	19.94
FTF012R	3/16/2015	COBALT-60	0.354	pCi/L	U	U		3.8	5.38	12.98
FTF012R	3/16/2015	LEAD-212	15.5	pCi/L	U	U		15.4	20.3	51.1
FTF012R	3/16/2015	LEAD-214	121	pCi/L				23	22.5	68.5
FTF012R	3/16/2015	POTASSIUM-40	-20.4	pCi/L	U	U		146	178	470
FTF012R	3/16/2015	THALLIUM-208	-0.24	pCi/L	U	U		0.956	10.2	12.112
FTF012R	3/16/2015	STRONTIUM-90	3.91	pCi/L				0.39	0.25	1.03
FTF012R	3/16/2015	IODINE-129	2.56	pCi/L	U	U		3.24	5.44	11.92
FTF012R	3/16/2015	NICKEL-59	0	pCi/L	U	U		0.903	1.5	3.306
FTF012R	3/16/2015	NICKEL-63	4.01	pCi/L	J	J	21	1.41	2.22	5.04
FTF012R	3/16/2015	PROMETHIUM-147	0.255	pCi/L	U	U		0.816	1.4	3.032
FTF012R	3/16/2015	TECHNETIUM-99	142	pCi/L				5.43	4.06	14.92
FTF012R	11/11/2015	NITRATE-NITRITE AS NITROGEN	2.12	mg/L					0.17	0.5
FTF012R	11/11/2015	CADMIUM	0.136	ug/L	J	J	21		0.1	1
FTF012R	11/11/2015	CHROMIUM	11.8	ug/L	J	J	21		10	100
FTF012R	11/11/2015	MANGANESE	63.9	ug/L					1	10
FTF012R	11/11/2015	SODIUM	5450	ug/L					20	200
FTF012R	11/11/2015	TRITIUM	2.71	pCi/mL				0.403	0.456	1.26
FTF012R	11/11/2015	GROSS ALPHA	22.4	pCi/L				5.44	2.94	13.8
FTF012R	11/11/2015	NONVOLATILE BETA	153	pCi/L				8.29	2.42	19
FTF012R	11/11/2015	CARBON-14	-18.8	pCi/L	U	UJ	Q	20	36	76
FTF012R	11/11/2015	STRONTIUM-90	-0.0539	pCi/L	U	U		4.36	7.71	16.4
FTF012R	11/11/2015	TECHNETIUM-99	152	pCi/L				8.01	8.77	24.8
FTF012R	11/11/2015	IODINE-129	-0.00686	pCi/L	U	U		0.4	0.526	1.33

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF012R	11/11/2015	RADIUM-226	2.55	pCi/L				0.603	0.502	1.71
FTF012R	11/11/2015	RADIUM-228	-0.0609	pCi/L	U	U		0.235	0.47	0.94
FTF012R	11/11/2015	ACTINIUM-228	5.43	pCi/L	U	U		11.3	18.3	40.9
FTF012R	11/11/2015	BISMUTH-214	189	pCi/L				16.7	9.81	43.2
FTF012R	11/11/2015	CESIUM-137	-3.15	pCi/L	U	U		3.27	4.5	11
FTF012R	11/11/2015	COBALT-60	-2.02	pCi/L	U	U		2.84	4.88	10.6
FTF012R	11/11/2015	LEAD-212	9.16	pCi/L	U	U		8.35	9.66	26.4
FTF012R	11/11/2015	LEAD-214	191	pCi/L				18.1	12.9	49.1
FTF012R	11/11/2015	POTASSIUM-40	14.3	pCi/L	U	U		34.8	67.8	137
FTF012R	11/11/2015	THALLIUM-208	-0.126	pCi/L	U	U		3.21	5.53	12
FTF012R	11/11/2015	PROMETHIUM-147	1.23	pCi/L	U	U		4.7	8.06	17.5
FTF012R	11/11/2015	NICKEL-59	1.9	pCi/L	UJ	U	V	8.97	15.5	33.4
FTF012R	11/11/2015	NICKEL-63	-21.7	pCi/L	U	U		21.9	38.6	82.4
FTF030	2/10/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L			V		0.019	0.2
FTF030	2/10/2015	CADMIUM	0.418	ug/L	J	J	21		0.1	1
FTF030	2/10/2015	CHROMIUM	13.1	ug/L	U	U	21, V		10	100
FTF030	2/10/2015	MANGANESE	72.5	ug/L					1	10
FTF030	2/10/2015	SODIUM	2890	ug/L					20	200
FTF030	2/10/2015	GROSS ALPHA	-0.328	pCi/L	U	U		0.366	2.27	3
FTF030	2/10/2015	NONVOLATILE BETA	3.97	pCi/L	J	J	21	2.77	3.74	9.29
FTF030	2/10/2015	TRITIUM	1.31	pCi/mL				0.32	0.412	1.05
FTF030	2/10/2015	IODINE-129	-0.0522	pCi/L	U	UJ	Q	0.322	0.553	1.197
FTF030	2/10/2015	TECHNETIUM-99	2.43	pCi/L	J	J	21	1.33	2.12	4.78
FTF030	11/11/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.17	0.5
FTF030	11/11/2015	CADMIUM	0.416	ug/L	J	J	21		0.1	1
FTF030	11/11/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF030	11/11/2015	MANGANESE	49.7	ug/L					1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF030	11/11/2015	SODIUM	3220	ug/L					20	200
FTF030	11/11/2015	TRITIUM	1.21	pCi/mL				0.332	0.454	1.12
FTF030	11/11/2015	GROSS ALPHA	-0.0292	pCi/L	U	U		1.34	2.67	5.35
FTF030	11/11/2015	NONVOLATILE BETA	1.81	pCi/L	U	U		2.28	3.86	8.42
FTF030	11/11/2015	TECHNETIUM-99	3.23	pCi/L	U	U		4.77	8.06	17.6
FTF030	11/11/2015	IODINE-129	0.0355	pCi/L	U	U		0.626	1.1	2.35
FTF030D	2/11/2015	NITRATE-NITRITE AS NITROGEN	3	mg/L			V		0.019	0.2
FTF030D	2/11/2015	CADMIUM	0.287	ug/L	J	J	21		0.1	1
FTF030D	2/11/2015	CHROMIUM	16.4	ug/L	U	U	21, V		10	100
FTF030D	2/11/2015	MANGANESE	70.8	ug/L					1	10
FTF030D	2/11/2015	SODIUM	10500	ug/L					20	200
FTF030D	2/11/2015	GROSS ALPHA	3.26	pCi/L	J	J	21	2.44	2.37	7.25
FTF030D	2/11/2015	NONVOLATILE BETA	6.81	pCi/L	J	J	21	3.58	4.57	11.7
FTF030D	2/11/2015	TRITIUM	16.7	pCi/mL				0.802	0.44	2.04
FTF030D	11/11/2015	NITRATE-NITRITE AS NITROGEN	2.99	mg/L					0.17	0.5
FTF030D	11/11/2015	CADMIUM	0.356	ug/L	J	J	21		0.1	1
FTF030D	11/11/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF030D	11/11/2015	MANGANESE	71.5	ug/L					1	10
FTF030D	11/11/2015	SODIUM	7480	ug/L					20	200
FTF030D	11/11/2015	TRITIUM	10.3	pCi/mL				0.633	0.529	1.8
FTF030D	11/11/2015	GROSS ALPHA	4.27	pCi/L	J	J	21	2.27	2.59	7.13
FTF030D	11/11/2015	NONVOLATILE BETA	1.89	pCi/L	U	U		2	3.3	7.3
FTF030D	11/11/2015	IODINE-129	0.286	pCi/L	U	U		0.5	0.953	1.95
FTF031	2/9/2015	NITRATE-NITRITE AS NITROGEN	2.6	mg/L					0.0094	0.1
FTF031	2/9/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF031	2/9/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF031	2/9/2015	MANGANESE	11.2	ug/L					1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
FTF031	2/9/2015	SODIUM	4150	ug/L					20	200
FTF031	2/9/2015	GROSS ALPHA	0.467	pCi/L	U	U		1.17	2.24	4.59
FTF031	2/9/2015	NONVOLATILE BETA	1.05	pCi/L	U	U		2.22	3.76	8.2
FTF031	2/9/2015	TRITIUM	1.8	pCi/mL				0.347	0.414	1.11
FTF031	2/9/2015	IODINE-129	0.0394	pCi/L	U	UJ	Q	0.303	0.515	1.121
FTF031	11/10/2015	NITRATE-NITRITE AS NITROGEN	2.87	mg/L					0.17	0.5
FTF031	11/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
FTF031	11/10/2015	CHROMIUM	100	ug/L	U	U			10	100
FTF031	11/10/2015	MANGANESE	9.86	ug/L	J	J	21		1	10
FTF031	11/10/2015	SODIUM	4010	ug/L					20	200
FTF031	11/10/2015	TRITIUM	1.23	pCi/mL				0.333	0.454	1.12
FTF031	11/10/2015	GROSS ALPHA	1.6	pCi/L	U	U		1.8	2.97	6.57
FTF031	11/10/2015	NONVOLATILE BETA	-0.157	pCi/L	U	U		2.17	3.93	8.27
FTF031	11/10/2015	IODINE-129	-0.341	pCi/L	U	U		0.365	0.57	1.3
TR92 2A	9/9/2015	TRITIUM	0.16	pCi/mL	U			0.283	0.472	1.04
TR92 1I	9/9/2015	TRITIUM	0.142	pCi/mL	U			0.282	0.473	1.04
TR92 1H	9/9/2015	TRITIUM	0.14	pCi/mL	U			0.282	0.474	1.04
HAA 1A	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.044	mg/L	J	J	21		0.0047	0.05
HAA 1A	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 1A	2/10/2015	CHROMIUM	13.3	ug/L	U	U	21, V		10	100
HAA 1A	2/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 1A	2/10/2015	SODIUM	1920	ug/L					20	200
HAA 1A	2/10/2015	GROSS ALPHA	0.0754	pCi/L	U	U		0.914	2.36	4.19
HAA 1A	2/10/2015	NONVOLATILE BETA	2.28	pCi/L	U	U		2.48	3.77	8.72
HAA 1A	2/10/2015	TRITIUM	0.486	pCi/mL	J	J	21	0.269	0.41	0.948
HAA 1A	2/10/2015	TECHNETIUM-99	-0.989	pCi/L	U	U		1.27	2.22	4.76
HAA 1A	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.0485	mg/L	J	J	21		0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 1A	9/10/2015	CADMIUM	0.218	ug/L	J	J	21		0.1	1
HAA 1A	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 1A	9/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 1A	9/10/2015	SODIUM	2060	ug/L					20	200
HAA 1A	9/10/2015	TRITIUM	0.327	pCi/mL	U	U		0.278	0.445	1
HAA 1A	9/10/2015	GROSS ALPHA	0.718	pCi/L	U	U		1.42	2.66	5.5
HAA 1A	9/10/2015	NONVOLATILE BETA	0.482	pCi/L	U	U		1.5	2.71	5.71
HAA 1A	9/10/2015	TECHNETIUM-99	1.72	pCi/L	U	U		4.76	8.11	17.6
HAA 1C	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.0047	0.05
HAA 1C	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 1C	2/10/2015	CHROMIUM	12.7	ug/L	U	U	21, V		10	100
HAA 1C	2/10/2015	MANGANESE	27.5	ug/L					1	10
HAA 1C	2/10/2015	SODIUM	2000	ug/L					20	200
HAA 1C	2/10/2015	GROSS ALPHA	0.881	pCi/L	U	U		1.45	2.29	5.18
HAA 1C	2/10/2015	NONVOLATILE BETA	1.75	pCi/L	U	U		2.38	3.78	8.53
HAA 1C	2/10/2015	TRITIUM	0.0968	pCi/mL	U	U		0.243	0.413	0.899
HAA 1C	2/10/2015	TECHNETIUM-99	-1.22	pCi/L	U	U		1.61	2.8	6.02
HAA 1C	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
HAA 1C	9/10/2015	CADMIUM	0.131	ug/L	J	J	21		0.1	1
HAA 1C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 1C	9/10/2015	MANGANESE	27.6	ug/L					1	10
HAA 1C	9/10/2015	SODIUM	2210	ug/L					20	200
HAA 1C	9/10/2015	TRITIUM	0.135	pCi/mL	U	U		0.264	0.443	0.971
HAA 1C	9/10/2015	GROSS ALPHA	2.04	pCi/L	U	U		1.78	2.59	6.15
HAA 1C	9/10/2015	NONVOLATILE BETA	1.74	pCi/L	U	U		1.62	2.61	5.85
HAA 1C	9/10/2015	TECHNETIUM-99	-2.15	pCi/L	U	U		4.43	7.71	16.6
HAA 1D	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.87	mg/L					0.0094	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 1D	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 1D	2/10/2015	CHROMIUM	16.2	ug/L	U	U	21, V		10	100
HAA 1D	2/10/2015	MANGANESE	14	ug/L					1	10
HAA 1D	2/10/2015	SODIUM	3220	ug/L					20	200
HAA 1D	2/10/2015	GROSS ALPHA	1.68	pCi/L	U	U		1.84	2.29	5.96
HAA 1D	2/10/2015	NONVOLATILE BETA	1.23	pCi/L	U	U		2.28	3.79	8.35
HAA 1D	2/10/2015	TRITIUM	2.27	pCi/mL				0.373	0.417	1.16
HAA 1D	2/10/2015	TECHNETIUM-99	-0.864	pCi/L	U	U		1.22	2.14	4.58
HAA 1D	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.12	mg/L					0.085	0.25
HAA 1D	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 1D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 1D	9/10/2015	MANGANESE	13.3	ug/L					1	10
HAA 1D	9/10/2015	SODIUM	3250	ug/L					20	200
HAA 1D	9/10/2015	TRITIUM	2.36	pCi/mL				0.393	0.448	1.23
HAA 1D	9/10/2015	GROSS ALPHA	0.637	pCi/L	U	U		1.53	2.67	5.73
HAA 1D	9/10/2015	NONVOLATILE BETA	-0.423	pCi/L	U	U		2.13	3.87	8.13
HAA 1D	9/10/2015	TECHNETIUM-99	0.11	pCi/L	U	U		4.44	7.64	16.5
HAA 2B	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.089	mg/L					0.0047	0.05
HAA 2B	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 2B	2/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2B	2/10/2015	MANGANESE	2.36	ug/L	J	J	21		1	10
HAA 2B	2/10/2015	SODIUM	7350	ug/L					20	200
HAA 2B	2/10/2015	GROSS ALPHA	0.0775	pCi/L	U	U		0.92	2.37	4.21
HAA 2B	2/10/2015	NONVOLATILE BETA	-0.124	pCi/L	U	U		1.96	3.77	7.68
HAA 2B	2/10/2015	TRITIUM	-0.0339	pCi/mL	U	U		0.232	0.41	0.875
HAA 2B	2/10/2015	TECHNETIUM-99	-0.446	pCi/L	U	U		1.36	2.33	5.05
HAA 2B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.162	mg/L					0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 2B	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 2B	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2B	9/10/2015	MANGANESE	1.92	ug/L	J	J	21		1	10
HAA 2B	9/10/2015	SODIUM	7030	ug/L					20	200
HAA 2B	9/10/2015	TRITIUM	0.425	pCi/mL	U	U		0.285	0.446	1.02
HAA 2B	9/10/2015	GROSS ALPHA	-0.813	pCi/L	U	U		1.09	2.92	5.1
HAA 2B	9/10/2015	NONVOLATILE BETA	-0.682	pCi/L	U	U		2.15	4.06	8.36
HAA 2B	9/10/2015	TECHNETIUM-99	-2.09	pCi/L	U	U		4.33	7.54	16.2
HAA 2C	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.68	mg/L					0.0047	0.05
HAA 2C	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 2C	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2C	2/5/2015	MANGANESE	16.7	ug/L					1	10
HAA 2C	2/5/2015	SODIUM	2020	ug/L					20	200
HAA 2C	2/5/2015	GROSS ALPHA	0.0383	pCi/L	U	U		0.819	2.28	3.92
HAA 2C	2/5/2015	NONVOLATILE BETA	-0.434	pCi/L	U	U		2.18	4.13	8.49
HAA 2C	2/5/2015	TRITIUM	0.975	pCi/mL	J	J	21	0.303	0.417	1.02
HAA 2C	2/5/2015	TECHNETIUM-99	-0.15	pCi/L	U	U		1.21	2.06	4.48
HAA 2C	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.51	mg/L					0.017	0.05
HAA 2C	9/10/2015	CADMIUM	0.12	ug/L	J	J	21		0.1	1
HAA 2C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2C	9/10/2015	MANGANESE	17.5	ug/L					1	10
HAA 2C	9/10/2015	SODIUM	1730	ug/L					20	200
HAA 2C	9/10/2015	TRITIUM	1.08	pCi/mL	J	J	21	0.324	0.445	1.09
HAA 2C	9/10/2015	GROSS ALPHA	0.755	pCi/L	U	U		1.58	2.86	6.02
HAA 2C	9/10/2015	NONVOLATILE BETA	0.494	pCi/L	U	U		1.15	2.04	4.34
HAA 2C	9/10/2015	TECHNETIUM-99	-2.3	pCi/L	U	U		4.43	7.72	16.6
HAA 2D	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.71	mg/L					0.0047	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 2D	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 2D	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2D	2/5/2015	MANGANESE	3.67	ug/L	J	J	21		1	10
HAA 2D	2/5/2015	SODIUM	3820	ug/L					20	200
HAA 2D	2/5/2015	GROSS ALPHA	0.813	pCi/L	U	U		1.37	2.27	5.01
HAA 2D	2/5/2015	NONVOLATILE BETA	1.49	pCi/L	U	U		2.62	4.24	9.49
HAA 2D	2/5/2015	TRITIUM	2.15	pCi/mL				0.365	0.415	1.14
HAA 2D	2/5/2015	TECHNETIUM-99	0.717	pCi/L	U	U		1.22	2.03	4.47
HAA 2D	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.58	mg/L					0.085	0.25
HAA 2D	9/10/2015	CADMIUM	0.169	ug/L	J	J	21		0.1	1
HAA 2D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 2D	9/10/2015	MANGANESE	4.08	ug/L	J	J	21		1	10
HAA 2D	9/10/2015	SODIUM	3040	ug/L					20	200
HAA 2D	9/10/2015	TRITIUM	2.35	pCi/mL				0.391	0.446	1.23
HAA 2D	9/10/2015	GROSS ALPHA	0.0486	pCi/L	U	U		1.43	2.94	5.8
HAA 2D	9/10/2015	NONVOLATILE BETA	0.953	pCi/L	U	U		2.06	3.61	7.73
HAA 2D	9/10/2015	TECHNETIUM-99	-3.73	pCi/L	U	U		4.33	7.62	16.3
HAA 4B	2/11/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L					0.0094	0.1
HAA 4B	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4B	2/11/2015	CHROMIUM	12.8	ug/L	U	U	21, V		10	100
HAA 4B	2/11/2015	MANGANESE	1.58	ug/L	J	J	21		1	10
HAA 4B	2/11/2015	SODIUM	3340	ug/L					20	200
HAA 4B	2/11/2015	GROSS ALPHA	0.0361	pCi/L	U	U		0.862	2.4	4.13
HAA 4B	2/11/2015	NONVOLATILE BETA	2.19	pCi/L	U	U		2.7	4.15	9.56
HAA 4B	2/11/2015	TRITIUM	5.86	pCi/mL				0.517	0.438	1.47
HAA 4B	2/11/2015	TECHNETIUM-99	10.6	pCi/L				1.58	2.12	5.28
HAA 4B	12/2/2015	NITRATE-NITRITE AS NITROGEN	2.68	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 4B	12/2/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4B	12/2/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 4B	12/2/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 4B	12/2/2015	SODIUM	4360	ug/L					20	200
HAA 4B	12/2/2015	TRITIUM	8.2	pCi/mL				0.596	0.433	1.62
HAA 4B	12/2/2015	GROSS ALPHA	-0.233	pCi/L	U	U		1.26	2.78	5.3
HAA 4B	12/2/2015	NONVOLATILE BETA	7.92	pCi/L				2.17	2.51	6.85
HAA 4B	12/2/2015	TECHNETIUM-99	15.9	pCi/L	J	J	21	4.96	7.88	17.8
HAA 4C	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.4	mg/L					0.0047	0.05
HAA 4C	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4C	2/11/2015	CHROMIUM	14.3	ug/L	U	U	21, V		10	100
HAA 4C	2/11/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 4C	2/11/2015	SODIUM	1420	ug/L					20	200
HAA 4C	2/11/2015	GROSS ALPHA	0.0381	pCi/L	U	U		0.847	2.36	4.05
HAA 4C	2/11/2015	NONVOLATILE BETA	0.517	pCi/L	U	U		2.39	4.15	8.92
HAA 4C	2/11/2015	TRITIUM	0.227	pCi/mL	U	U		0.27	0.443	0.982
HAA 4C	2/11/2015	TECHNETIUM-99	-0.447	pCi/L	U	U		1.27	2.18	4.72
HAA 4C	10/13/2015	NITRATE-NITRITE AS NITROGEN	0.378	mg/L					0.085	0.25
HAA 4C	10/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4C	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 4C	10/13/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 4C	10/13/2015	SODIUM	1730	ug/L					20	200
HAA 4C	10/13/2015	TRITIUM	0.42	pCi/mL	U	U		0.275	0.429	0.979
HAA 4C	10/13/2015	GROSS ALPHA	-0.407	pCi/L	U	U		0.873	2.49	4.24
HAA 4C	10/13/2015	NONVOLATILE BETA	0.0943	pCi/L	U	U		1.52	2.86	5.9
HAA 4C	10/13/2015	TECHNETIUM-99	1.45	pCi/L	U	U		4.19	7.14	15.5
HAA 4D	2/11/2015	AMERICIUM-241	-0.0104	pCi/L	U	U		0.041	0.126	0.2072

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 4D	2/11/2015	AMERICIUM-243	0.058	pCi/L	U	U		0.062	0.075	0.1994
HAA 4D	2/11/2015	CURIUM-242	0	pCi/L	U	U		0.013	0.046	0.0712
HAA 4D	2/11/2015	CURIUM-243/244	-0.00637	pCi/L	U	U		0.013	0.085	0.1099
HAA 4D	2/11/2015	CURIUM-245/246	0	pCi/L	U	U		0.035	0.105	0.1752
HAA 4D	2/11/2015	NEPTUNIUM-237	-0.0185	pCi/L	U	U		0.019	0.124	0.161
HAA 4D	2/11/2015	PLUTONIUM-238	0.0992	pCi/L	J	J	21	0.062	0.058	0.1832
HAA 4D	2/11/2015	PLUTONIUM-239/240	0.0148	pCi/L	U	U		0.045	0.09	0.1803
HAA 4D	2/11/2015	PLUTONIUM-242	-0.0503	pCi/L	U	U		0.035	0.116	0.185
HAA 4D	2/11/2015	THORIUM-228	0.0453	pCi/L	U	U		0.087	0.16	0.3334
HAA 4D	2/11/2015	THORIUM-230	0.0867	pCi/L	U	U		0.082	0.103	0.2678
HAA 4D	2/11/2015	THORIUM-232	0.02	pCi/L	U	U		0.055	0.118	0.228
HAA 4D	2/11/2015	URANIUM-233/234	0.0657	pCi/L	U	U		0.07	0.096	0.2364
HAA 4D	2/11/2015	URANIUM-235	0	pCi/L	U	U		0.01	0.058	0.07694
HAA 4D	2/11/2015	URANIUM-238	0.0579	pCi/L	U	U		0.062	0.075	0.1991
HAA 4D	2/11/2015	NITRATE-NITRITE AS NITROGEN	8.4	mg/L			V		0.047	0.5
HAA 4D	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4D	2/11/2015	CHROMIUM	12	ug/L	U	U	21, V		10	100
HAA 4D	2/11/2015	MANGANESE	34.9	ug/L					1	10
HAA 4D	2/11/2015	SODIUM	2620	ug/L					20	200
HAA 4D	2/11/2015	GROSS ALPHA	5.78	pCi/L				1.59	1.78	4.96
HAA 4D	2/11/2015	NONVOLATILE BETA	21.9	pCi/L				1.64	1.13	4.41
HAA 4D	2/11/2015	TRITIUM	4.98	pCi/mL				0.499	0.475	1.47
HAA 4D	2/11/2015	TECHNETIUM-99	-0.415	pCi/L	U	U		1.64	2.8	6.08
HAA 4D	10/13/2015	NITRATE-NITRITE AS NITROGEN	7.58	mg/L					0.17	0.5
HAA 4D	10/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 4D	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 4D	10/13/2015	MANGANESE	33.7	ug/L					1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 4D	10/13/2015	SODIUM	2690	ug/L					20	200
HAA 4D	10/13/2015	TRITIUM	5.16	pCi/mL				0.499	0.43	1.43
HAA 4D	10/13/2015	GROSS ALPHA	7.58	pCi/L	J	J	21	2.94	2.88	8.76
HAA 4D	10/13/2015	NONVOLATILE BETA	28.3	pCi/L				3.95	3.5	11.4
HAA 4D	10/13/2015	TECHNETIUM-99	3.64	pCi/L	U	U		4.42	7.43	16.3
HAA 4D	10/13/2015	AMERICIUM-241	-0.0182	pCi/L	U	U		0.055	0.154	0.264
HAA 4D	10/13/2015	AMERICIUM-243	-0.0491	pCi/L	U	U		0.112	0.304	0.528
HAA 4D	10/13/2015	CURIUM-242	-0.0272	pCi/L	U	U		0.082	0.231	0.395
HAA 4D	10/13/2015	CURIUM-243/244	0.0379	pCi/L	U	U		0.087	0.138	0.312
HAA 4D	10/13/2015	CURIUM-245/246	0	pCi/L	U	U		0.082	0.122	0.286
HAA 4D	10/13/2015	PLUTONIUM-238	-0.0073	pCi/L	U	U		0.063	0.146	0.272
HAA 4D	10/13/2015	PLUTONIUM-239/240	0.0401	pCi/L	U	U		0.126	0.236	0.488
HAA 4D	10/13/2015	PLUTONIUM-242	0.0462	pCi/L	U	U		0.106	0.168	0.38
HAA 4D	10/13/2015	URANIUM-233/234	0.152	pCi/L	U	U	21, V	0.107	0.0998	0.314
HAA 4D	10/13/2015	URANIUM-235	0.0759	pCi/L	U	U		0.09	0.0968	0.276
HAA 4D	10/13/2015	URANIUM-238	0.0451	pCi/L	U	U		0.065	0.0783	0.208
HAA 4D	10/13/2015	NEPTUNIUM-237	0.11	pCi/L	U	U		0.218	0.354	0.79
HAA 4D	10/13/2015	THORIUM-228	0.359	pCi/L	U	U		0.359	0.418	1.14
HAA 4D	10/13/2015	THORIUM-230	0.406	pCi/L	U	U		0.437	0.643	1.52
HAA 4D	10/13/2015	THORIUM-232	0.258	pCi/L	U	U		0.293	0.275	0.861
HAA 5D	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 5D	4/27/2015	LEAD	5	ug/L	U	U			0.5	5
HAA 5D	4/27/2015	1,1,1-TRICHLOROETHANE	5.4	ug/L					0.07	1
HAA 5D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 5D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 5D	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 5D	4/27/2015	1,1-DICHLOROETHANE	15	ug/L					0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 5D	4/27/2015	1,1-DICHLOROETHYLENE	32	ug/L					0.08	1
HAA 5D	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 5D	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 5D	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 5D	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 5D	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 5D	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 5D	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 5D	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 5D	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 5D	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 5D	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 5D	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HAA 5D	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 5D	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 5D	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 5D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 5D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 5D	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 5D	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 5D	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 5D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 5D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 5D	4/27/2015	CHLOROFORM	0.31	ug/L	J	U	21, 8		0.1	1
HAA 5D	4/27/2015	CHLOROMETHANE (METHYL	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
HAA 5D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 5D	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 5D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 5D	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 5D	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 5D	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 5D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 5D	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 5D	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 5D	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 5D	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 5D	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 5D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 5D	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 5D	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 5D	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 5D	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 5D	4/27/2015	TOLUENE	4.3	ug/L		U	8		0.07	1
HAA 5D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 5D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 5D	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 5D	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 5D	4/27/2015	GROSS ALPHA	0.549	pCi/L	U	U		1.16	2.11	4.43
HAA 5D	4/27/2015	NONVOLATILE BETA	1.65	pCi/L	U	U		2.57	4.18	9.32
HAA 5D	4/27/2015	TRITIUM	2.15	pCi/mL				0.367	0.419	1.15

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 7B	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.11	mg/L					0.0047	0.05
HAA 7B	2/11/2015	CADMIUM	0.118	ug/L	J	J	21		0.1	1
HAA 7B	2/11/2015	CHROMIUM	12.1	ug/L	U	U	21, V		10	100
HAA 7B	2/11/2015	MANGANESE	2.56	ug/L	J	J	21		1	10
HAA 7B	2/11/2015	SODIUM	2440	ug/L					20	200
HAA 7B	2/11/2015	GROSS ALPHA	0.858	pCi/L	U	U		1.44	2.4	5.29
HAA 7B	2/11/2015	NONVOLATILE BETA	1.26	pCi/L	U	U		2.59	4.26	9.44
HAA 7B	2/11/2015	TRITIUM	-0.285	pCi/mL	U	U		0.256	0.475	0.986
HAA 7B	2/11/2015	TECHNETIUM-99	-0.928	pCi/L	U	U		1.2	2.09	4.49
HAA 7B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.0873	mg/L					0.017	0.05
HAA 7B	9/10/2015	CADMIUM	0.324	ug/L	J	J	21		0.1	1
HAA 7B	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 7B	9/10/2015	MANGANESE	1.83	ug/L	J	J	21		1	10
HAA 7B	9/10/2015	SODIUM	2540	ug/L					20	200
HAA 7B	9/10/2015	TRITIUM	0.0445	pCi/mL	U	U		0.258	0.444	0.961
HAA 7B	9/10/2015	GROSS ALPHA	0.446	pCi/L	U	U		1.44	2.87	5.75
HAA 7B	9/10/2015	NONVOLATILE BETA	0.915	pCi/L	U	U		1.34	2.3	4.98
HAA 7B	9/10/2015	TECHNETIUM-99	-3.9	pCi/L	U	U		4.5	7.92	16.9
HAA 7C	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.065	mg/L			V		0.0047	0.05
HAA 7C	2/11/2015	CADMIUM	0.208	ug/L	J	J	21		0.1	1
HAA 7C	2/11/2015	CHROMIUM	23.5	ug/L	U	U	21, V		10	100
HAA 7C	2/11/2015	MANGANESE	97.1	ug/L					1	10
HAA 7C	2/11/2015	SODIUM	2400	ug/L					20	200
HAA 7C	2/11/2015	GROSS ALPHA	1.24	pCi/L	U	U		1.62	2.33	5.56
HAA 7C	2/11/2015	NONVOLATILE BETA	0.198	pCi/L	U	U		2.41	4.31	9.13
HAA 7C	2/11/2015	TRITIUM	-0.338	pCi/mL	U	U		0.251	0.473	0.976
HAA 7C	2/11/2015	TECHNETIUM-99	0.0734	pCi/L	U	U		1.23	2.08	4.54

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 7C	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.0362	mg/L	J	J	21		0.017	0.05
HAA 7C	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 7C	9/10/2015	CHROMIUM	10.7	ug/L	J	J	21		10	100
HAA 7C	9/10/2015	MANGANESE	19.6	ug/L					1	10
HAA 7C	9/10/2015	SODIUM	2530	ug/L					20	200
HAA 7C	9/10/2015	TRITIUM	0.0406	pCi/mL	U	U		0.256	0.441	0.954
HAA 7C	9/10/2015	GROSS ALPHA	1.65	pCi/L	U	U		1.75	2.85	6.35
HAA 7C	9/10/2015	NONVOLATILE BETA	2.55	pCi/L	U	U		2.31	3.73	8.35
HAA 7C	9/10/2015	TECHNETIUM-99	-0.512	pCi/L	U	U		4.51	7.78	16.8
HAA 7D	2/11/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L			V		0.0047	0.05
HAA 7D	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 7D	2/11/2015	CHROMIUM	14.6	ug/L	U	U	21, V		10	100
HAA 7D	2/11/2015	MANGANESE	3.15	ug/L	J	J	21		1	10
HAA 7D	2/11/2015	SODIUM	3550	ug/L					20	200
HAA 7D	2/11/2015	GROSS ALPHA	3.56	pCi/L	J	J	21	2.5	2.3	7.3
HAA 7D	2/11/2015	NONVOLATILE BETA	5.73	pCi/L	J	J	21	3.46	4.61	11.5
HAA 7D	2/11/2015	TRITIUM	3.16	pCi/mL				0.417	0.44	1.28
HAA 7D	2/11/2015	TECHNETIUM-99	-0.666	pCi/L	U	U		1.19	2.06	4.44
HAA 7D	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.44	mg/L					0.085	0.25
HAA 7D	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 7D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 7D	9/10/2015	MANGANESE	3.67	ug/L	J	J	21		1	10
HAA 7D	9/10/2015	SODIUM	2650	ug/L					20	200
HAA 7D	9/10/2015	TRITIUM	3.38	pCi/mL				0.436	0.444	1.32
HAA 7D	9/10/2015	GROSS ALPHA	3.98	pCi/L	J	J	21	2.07	2.88	7.02
HAA 7D	9/10/2015	NONVOLATILE BETA	5.19	pCi/L	J	J	21	1.98	2.83	6.79
HAA 7D	9/10/2015	TECHNETIUM-99	-0.163	pCi/L	U	U		4.38	7.55	16.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 8B	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.15	mg/L			V		0.0047	0.05
HAA 8B	2/5/2015	CADMIUM	0.1	ug/L	J	J	21		0.1	1
HAA 8B	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8B	2/5/2015	MANGANESE	2.41	ug/L	J	J	21		1	10
HAA 8B	2/5/2015	SODIUM	1930	ug/L					20	200
HAA 8B	2/5/2015	GROSS ALPHA	1.21	pCi/L	U	U		1.59	2.3	5.48
HAA 8B	2/5/2015	NONVOLATILE BETA	1.86	pCi/L	U	U		2.72	4.3	9.73
HAA 8B	2/5/2015	TRITIUM	-0.0981	pCi/mL	U	U		0.253	0.451	0.956
HAA 8B	2/5/2015	TECHNETIUM-99	0.321	pCi/L	U	U		1.22	2.05	4.49
HAA 8B	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.0794	mg/L					0.017	0.05
HAA 8B	2/5/2015	CADMIUM	0.124	ug/L	J	J	21		0.11	1
HAA 8B	2/5/2015	CHROMIUM	3.47	ug/L	J	J	21		2	10
HAA 8B	2/5/2015	MANGANESE	4.28	ug/L	J	J	21		1	5
HAA 8B	2/5/2015	SODIUM	2000	ug/L					80	250
HAA 8B	2/5/2015	GROSS ALPHA	-0.498	pCi/L	U	U		1.24	2.95	5.43
HAA 8B	2/5/2015	NONVOLATILE BETA	0.895	pCi/L	U	U		1.36	2.36	5.08
HAA 8B	2/5/2015	TRITIUM	-0.15	pCi/mL	U	U		0.372	0.696	1.44
HAA 8B	2/5/2015	TECHNETIUM-99	1.19	pCi/L	U	U		4.08	6.97	15.1
HAA 8B	10/13/2015	NITRATE-NITRITE AS NITROGEN	0.0777	mg/L					0.017	0.05
HAA 8B	10/13/2015	CADMIUM	0.124	ug/L	J	J	21		0.1	1
HAA 8B	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8B	10/13/2015	MANGANESE	2.48	ug/L	J	J	21		1	10
HAA 8B	10/13/2015	SODIUM	1910	ug/L					20	200
HAA 8B	10/13/2015	TRITIUM	0.171	pCi/mL	U	U		0.26	0.431	0.951
HAA 8B	10/13/2015	GROSS ALPHA	0.569	pCi/L	U	U		1.24	2.43	4.91
HAA 8B	10/13/2015	NONVOLATILE BETA	0.413	pCi/L	U	U		1.37	2.5	5.24
HAA 8B	10/13/2015	TECHNETIUM-99	0.293	pCi/L	U	U		4.98	8.54	18.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 8B	10/13/2015	NITRATE-NITRITE AS NITROGEN	0.091	mg/L					0.0047	0.05
HAA 8B	10/13/2015	CADMIUM	0.21	ug/L	J	J	21		0.1	0.5
HAA 8B	10/13/2015	CHROMIUM	3.9	ug/L	J	J	21		1	10
HAA 8B	10/13/2015	MANGANESE	3.5	ug/L					0.88	2
HAA 8B	10/13/2015	SODIUM	2300	ug/L			V		24	50
HAA 8B	10/13/2015	GROSS ALPHA	0.147	pCi/L	U	U		0.894	1.7	3.488
HAA 8B	10/13/2015	NONVOLATILE BETA	0.22	pCi/L	U	U		0.759	1.31	2.828
HAA 8B	10/13/2015	TRITIUM	0.0315	pCi/mL	U	U		0.203	0.352	0.758
HAA 8B	10/13/2015	TECHNETIUM-99	-0.314	pCi/L	U	U		1.21	2.09	4.51
HAA 8C	2/5/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.0094	0.1
HAA 8C	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 8C	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8C	2/5/2015	MANGANESE	30.4	ug/L					1	10
HAA 8C	2/5/2015	SODIUM	6750	ug/L					20	200
HAA 8C	2/5/2015	GROSS ALPHA	0.433	pCi/L	U	U		1.15	2.33	4.63
HAA 8C	2/5/2015	NONVOLATILE BETA	1.84	pCi/L	U	U		2.66	4.2	9.52
HAA 8C	2/5/2015	TRITIUM	1.55	pCi/mL				0.335	0.416	1.09
HAA 8C	2/5/2015	TECHNETIUM-99	-0.761	pCi/L	U	U		1.21	2.1	4.52
HAA 8C	9/10/2015	NITRATE-NITRITE AS NITROGEN	2.03	mg/L					0.085	0.25
HAA 8C	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 8C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8C	9/10/2015	MANGANESE	32.9	ug/L					1	10
HAA 8C	9/10/2015	SODIUM	6500	ug/L					20	200
HAA 8C	9/10/2015	TRITIUM	1.08	pCi/mL	J	J	21	0.327	0.449	1.1
HAA 8C	9/10/2015	GROSS ALPHA	1.09	pCi/L	U	U		1.6	2.79	5.99
HAA 8C	9/10/2015	NONVOLATILE BETA	3.08	pCi/L	U	U		2.37	3.8	8.54
HAA 8C	9/10/2015	TECHNETIUM-99	0.793	pCi/L	U	U		4.53	7.76	16.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 8D	2/5/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L			V		0.0094	0.1
HAA 8D	2/5/2015	CADMIUM	0.1	ug/L	J	J	21		0.1	1
HAA 8D	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8D	2/5/2015	MANGANESE	14.6	ug/L					1	10
HAA 8D	2/5/2015	SODIUM	6250	ug/L					20	200
HAA 8D	2/5/2015	GROSS ALPHA	0.0347	pCi/L	U	U		0.823	2.29	3.94
HAA 8D	2/5/2015	NONVOLATILE BETA	1.94	pCi/L	U	U		2.65	4.14	9.43
HAA 8D	2/5/2015	TRITIUM	7.47	pCi/mL				0.583	0.457	1.62
HAA 8D	2/5/2015	TECHNETIUM-99	-0.351	pCi/L	U	U		1.18	2.02	4.38
HAA 8D	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.13	mg/L					0.085	0.25
HAA 8D	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 8D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 8D	9/10/2015	MANGANESE	10.4	ug/L					1	10
HAA 8D	9/10/2015	SODIUM	5580	ug/L					20	200
HAA 8D	9/10/2015	TRITIUM	7.59	pCi/mL				0.59	0.446	1.63
HAA 8D	9/10/2015	GROSS ALPHA	0.111	pCi/L	U	U		1.51	2.95	5.97
HAA 8D	9/10/2015	NONVOLATILE BETA	-0.639	pCi/L	U	U		1.03	2.11	4.17
HAA 8D	9/10/2015	TECHNETIUM-99	-0.977	pCi/L	U	U		4.63	8.01	17.3
HAA 9AR	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	LEAD	5	ug/L	U	U			0.5	5
HAA 9AR	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9AR	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 9AR	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9AR	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9AR	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 9AR	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 9AR	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 9AR	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 9AR	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 9AR	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 9AR	4/22/2015	ACETONE	3.4	ug/L		J	11, 18		0.34	2
HAA 9AR	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 9AR	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9AR	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 9AR	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 9AR	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 9AR	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 9AR	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 9AR	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 9AR	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 9AR	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9AR	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 9AR	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9AR	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9AR	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 9AR	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 9AR	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9AR	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 9AR	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 9AR	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 9AR	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 9AR	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 9AR	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 9AR	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 9AR	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 9AR	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 9AR	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 9AR	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 9AR	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 9AR	4/22/2015	TOLUENE	0.18	ug/L	J	U	21, 8		0.07	1
HAA 9AR	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 9AR	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 9AR	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 9AR	4/22/2015	GROSS ALPHA	0.542	pCi/L	U	U		1.14	2.07	4.34
HAA 9AR	4/22/2015	NONVOLATILE BETA	-0.489	pCi/L	U	U		2.14	4.17	8.45
HAA 9AR	4/22/2015	TRITIUM	0.221	pCi/mL	U	U		0.318	0.525	1.16
HAA 9B	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.12	mg/L			V		0.0047	0.05
HAA 9B	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9B	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9B	2/5/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 9B	2/5/2015	SODIUM	3510	ug/L					20	200
HAA 9B	2/5/2015	GROSS ALPHA	0.0368	pCi/L	U	U		0.897	2.5	4.3
HAA 9B	2/5/2015	NONVOLATILE BETA	2.67	pCi/L	U	U		2.79	4.17	9.76
HAA 9B	2/5/2015	TRITIUM	-0.061	pCi/mL	U	U		0.257	0.454	0.968
HAA 9B	2/5/2015	TECHNETIUM-99	-0.625	pCi/L	U	U		1.38	2.37	5.13
HAA 9B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.108	mg/L					0.017	0.05
HAA 9B	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 9B	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9B	9/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 9B	9/10/2015	SODIUM	3000	ug/L					20	200
HAA 9B	9/10/2015	TRITIUM	-0.0206	pCi/mL	U	U		0.255	0.448	0.958
HAA 9B	9/10/2015	GROSS ALPHA	1.44	pCi/L	U	U		1.61	2.6	5.82
HAA 9B	9/10/2015	NONVOLATILE BETA	1.24	pCi/L	U	U		1.81	3.09	6.71
HAA 9B	9/10/2015	TECHNETIUM-99	-0.569	pCi/L	U	U		4.52	7.8	16.8
HAA 9C	2/5/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L			V		0.019	0.2
HAA 9C	2/5/2015	CADMIUM	0.436	ug/L	J	J	21		0.1	1
HAA 9C	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9C	2/5/2015	MANGANESE	3.87	ug/L	J	J	21		1	10
HAA 9C	2/5/2015	SODIUM	3390	ug/L					20	200
HAA 9C	2/5/2015	GROSS ALPHA	0.0356	pCi/L	U	U		0.824	2.3	3.95
HAA 9C	2/5/2015	NONVOLATILE BETA	1.47	pCi/L	U	U		2.56	4.14	9.26
HAA 9C	2/5/2015	TRITIUM	1.4	pCi/mL				0.345	0.456	1.15
HAA 9C	2/5/2015	TECHNETIUM-99	-1.05	pCi/L	U	U		1.15	2.02	4.32
HAA 9C	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.64	mg/L					0.17	0.5
HAA 9C	9/10/2015	CADMIUM	0.5	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9C	9/10/2015	MANGANESE	4.19	ug/L	J	J	21		1	10
HAA 9C	9/10/2015	SODIUM	2850	ug/L					20	200
HAA 9C	9/10/2015	TRITIUM	1.2	pCi/mL				0.333	0.447	1.11
HAA 9C	9/10/2015	GROSS ALPHA	0.369	pCi/L	U	U		0.881	1.77	3.53
HAA 9C	9/10/2015	NONVOLATILE BETA	0.32	pCi/L	U	U		1.67	3.04	6.38
HAA 9C	9/10/2015	TECHNETIUM-99	-4.03	pCi/L	U	U		4.57	8.05	17.2
HAA 9D	2/5/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L			V		0.019	0.2
HAA 9D	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 9D	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9D	2/5/2015	MANGANESE	7.36	ug/L	J	J	21		1	10
HAA 9D	2/5/2015	SODIUM	4810	ug/L					20	200
HAA 9D	2/5/2015	GROSS ALPHA	0.038	pCi/L	U	U		0.82	2.28	3.92
HAA 9D	2/5/2015	NONVOLATILE BETA	-0.197	pCi/L	U	U		2.23	4.13	8.6
HAA 9D	2/5/2015	TRITIUM	6.75	pCi/mL				0.557	0.454	1.57
HAA 9D	2/5/2015	TECHNETIUM-99	-0.202	pCi/L	U	U		1.42	2.42	5.26
HAA 9D	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	LEAD	5	ug/L	U	U			0.5	5
HAA 9D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 9D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
HAA 9D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 9D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 9D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 9D	4/22/2015	ACETONE	4.1	ug/L		J	11, 18		0.34	2
HAA 9D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 9D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 9D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 9D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 9D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 9D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 9D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 9D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 9D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 9D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 9D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 9D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 9D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 9D	4/22/2015	TOLUENE	1.3	ug/L		J	9		0.07	1
HAA 9D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 9D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 9D	4/22/2015	GROSS ALPHA	0.54	pCi/L	U	U		1.13	2.06	4.33
HAA 9D	4/22/2015	NONVOLATILE BETA	-0.0144	pCi/L	U	U		2.24	4.17	8.65
HAA 9D	4/22/2015	TRITIUM	6.72	pCi/mL				0.538	0.526	1.6
HAA 9D	4/22/2015	CADMIUM	0.106	ug/L	J	J	21		0.1	1
HAA 9D	4/22/2015	LEAD	0.889	ug/L	J	J	21		0.5	5
HAA 9D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 9D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 9D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 9D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 9D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 9D	4/22/2015	ACETONE	4.2	ug/L		J	11, 18		0.34	2
HAA 9D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 9D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 9D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 9D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 9D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 9D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 9D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 9D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 9D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 9D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 9D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 9D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 9D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 9D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 9D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 9D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 9D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 9D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 9D	4/22/2015	TOLUENE	2.5	ug/L		UJ	8, 9		0.07	1
HAA 9D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 9D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 9D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 9D	4/22/2015	GROSS ALPHA	0.152	pCi/L	U	U		0.824	2.06	3.71
HAA 9D	4/22/2015	NONVOLATILE BETA	-0.857	pCi/L	U	U		2.02	4.12	8.15
HAA 9D	4/22/2015	TRITIUM	6.97	pCi/mL				0.548	0.531	1.63
HAA 9D	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.17	mg/L					0.085	0.25
HAA 9D	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 9D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 9D	9/10/2015	MANGANESE	3.56	ug/L	J	J	21		1	10
HAA 9D	9/10/2015	SODIUM	4640	ug/L					20	200
HAA 9D	9/10/2015	TRITIUM	6.07	pCi/mL				0.54	0.445	1.52
HAA 9D	9/10/2015	GROSS ALPHA	-0.233	pCi/L	U	U		1.44	2.96	5.84
HAA 9D	9/10/2015	NONVOLATILE BETA	-0.93	pCi/L	U	U		1.55	3.01	6.11
HAA 9D	9/10/2015	TECHNETIUM-99	-1.08	pCi/L	U	U		4.31	7.46	16.1
HAA 10B	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.75	mg/L					0.0047	0.05
HAA 10B	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10B	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10B	2/5/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 10B	2/5/2015	SODIUM	3400	ug/L					20	200
HAA 10B	2/5/2015	GROSS ALPHA	0.0408	pCi/L	U	U		0.882	2.45	4.22
HAA 10B	2/5/2015	NONVOLATILE BETA	-0.198	pCi/L	U	U		2.25	4.16	8.66
HAA 10B	2/5/2015	TRITIUM	0.278	pCi/mL	U	U		0.256	0.413	0.926
HAA 10B	2/5/2015	TECHNETIUM-99	0.714	pCi/L	U	U		1.22	2.03	4.47
HAA 10B	2/5/2015	NITRATE-NITRITE AS NITROGEN	0.71	mg/L					0.0047	0.05
HAA 10B	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10B	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10B	2/5/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 10B	2/5/2015	SODIUM	3280	ug/L					20	200
HAA 10B	2/5/2015	GROSS ALPHA	0.457	pCi/L	U	U		1.21	2.43	4.85

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 10B	2/5/2015	NONVOLATILE BETA	0.175	pCi/L	U	U		2.35	4.21	8.92
HAA 10B	2/5/2015	TRITIUM	0.0946	pCi/mL	U	U		0.245	0.416	0.906
HAA 10B	2/5/2015	TECHNETIUM-99	1.39	pCi/L	U	U		1.2	1.96	4.36
HAA 10B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.765	mg/L					0.085	0.25
HAA 10B	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10B	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10B	9/10/2015	MANGANESE	1.04	ug/L	J	J	21		1	10
HAA 10B	9/10/2015	SODIUM	3220	ug/L					20	200
HAA 10B	9/10/2015	TRITIUM	0.262	pCi/mL	U	U		0.274	0.445	0.993
HAA 10B	9/10/2015	GROSS ALPHA	0.675	pCi/L	U	U		1.43	2.72	5.58
HAA 10B	9/10/2015	NONVOLATILE BETA	2.48	pCi/L	U	U		1.81	2.8	6.42
HAA 10B	9/10/2015	TECHNETIUM-99	3.99	pCi/L	U	U		4.79	8.06	17.6
HAA 10B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.835	mg/L					0.085	0.25
HAA 10B	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10B	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10B	9/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 10B	9/10/2015	SODIUM	3200	ug/L					20	200
HAA 10B	9/10/2015	TRITIUM	0.336	pCi/mL	U	U		0.277	0.442	0.996
HAA 10B	9/10/2015	GROSS ALPHA	-0.0192	pCi/L	U	U		1.13	2.63	4.89
HAA 10B	9/10/2015	NONVOLATILE BETA	1.22	pCi/L	U	U		1.54	2.6	5.68
HAA 10B	9/10/2015	TECHNETIUM-99	-0.197	pCi/L	U	U		4.58	7.89	17.1
HAA 10C	2/5/2015	NITRATE-NITRITE AS NITROGEN	1.7	mg/L					0.0094	0.1
HAA 10C	2/5/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10C	2/5/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10C	2/5/2015	MANGANESE	5.08	ug/L	J	J	21		1	10
HAA 10C	2/5/2015	SODIUM	3250	ug/L					20	200
HAA 10C	2/5/2015	GROSS ALPHA	0.0312	pCi/L	U	U		0.826	2.31	3.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 10C	2/5/2015	NONVOLATILE BETA	4.32	pCi/L	J	J	21	3.05	4.14	10.2
HAA 10C	2/5/2015	TRITIUM	3.46	pCi/mL				0.424	0.414	1.26
HAA 10C	2/5/2015	TECHNETIUM-99	0.0186	pCi/L	U	U		1.29	2.18	4.76
HAA 10C	9/10/2015	NITRATE-NITRITE AS NITROGEN	1.72	mg/L					0.17	0.5
HAA 10C	9/10/2015	CADMIUM	0.134	ug/L	J	J	21		0.1	1
HAA 10C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10C	9/10/2015	MANGANESE	4.91	ug/L	J	J	21		1	10
HAA 10C	9/10/2015	SODIUM	2980	ug/L					20	200
HAA 10C	9/10/2015	TRITIUM	3.01	pCi/mL				0.42	0.444	1.28
HAA 10C	9/10/2015	GROSS ALPHA	0.244	pCi/L	U	U		1.4	2.81	5.61
HAA 10C	9/10/2015	NONVOLATILE BETA	0.322	pCi/L	U	U		1.36	2.44	5.16
HAA 10C	9/10/2015	TECHNETIUM-99	-2.99	pCi/L	U	U		4.65	8.14	17.4
HAA 10D	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.51	mg/L					0.0047	0.05
HAA 10D	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10D	2/11/2015	CHROMIUM	13	ug/L	U	U	21, V		10	100
HAA 10D	2/11/2015	MANGANESE	355	ug/L					1	10
HAA 10D	2/11/2015	SODIUM	12300	ug/L					20	200
HAA 10D	2/11/2015	GROSS ALPHA	1.26	pCi/L	U	U		1.65	2.38	5.67
HAA 10D	2/11/2015	NONVOLATILE BETA	1.15	pCi/L	U	U		2.6	4.31	9.51
HAA 10D	2/11/2015	TRITIUM	5.37	pCi/mL				0.498	0.436	1.43
HAA 10D	2/11/2015	TECHNETIUM-99	13.9	pCi/L				1.73	2.22	5.68
HAA 10D	10/13/2015	NITRATE-NITRITE AS NITROGEN	0.529	mg/L					0.017	0.05
HAA 10D	10/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 10D	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 10D	10/13/2015	MANGANESE	375	ug/L					1	10
HAA 10D	10/13/2015	SODIUM	13600	ug/L					20	200
HAA 10D	10/13/2015	TRITIUM	5.82	pCi/mL				0.522	0.429	1.47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 10D	10/13/2015	GROSS ALPHA	0.365	pCi/L	U	U		1.38	2.53	5.29
HAA 10D	10/13/2015	NONVOLATILE BETA	9.78	pCi/L				2.74	3.37	8.85
HAA 10D	10/13/2015	TECHNETIUM-99	16.4	pCi/L	J	J	21	5.62	8.78	20
HAA 11A	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	LEAD	1.24	ug/L	J	J	21		0.5	5
HAA 11A	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 11A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 11A	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 11A	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 11A	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 11A	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 11A	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 11A	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 11A	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 11A	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 11A	4/22/2015	ACETONE	3.8	ug/L		J	11, 18, 14		0.34	2
HAA 11A	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 11A	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 11A	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 11A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 11A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 11A	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 11A	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 11A	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 11A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 11A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 11A	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 11A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 11A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 11A	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 11A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 11A	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 11A	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 11A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 11A	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 11A	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 11A	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 11A	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 11A	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 11A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 11A	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 11A	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 11A	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 11A	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 11A	4/22/2015	TOLUENE	1	ug/L		UJ	S, 8, 14		0.07	1
HAA 11A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 11A	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 11A	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 11A	4/22/2015	GROSS ALPHA	-0.26	pCi/L	U	U		0.269	2.17	2.71
HAA 11A	4/22/2015	NONVOLATILE BETA	5.92	pCi/L	J	J	21	3.23	4.07	10.5
HAA 11A	4/22/2015	TRITIUM	-0.0145	pCi/mL	U	U		0.308	0.527	1.14
HAA 11B	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.83	mg/L					0.0047	0.05
HAA 11B	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 11B	2/10/2015	CHROMIUM	15.9	ug/L	U	U	21, V		10	100
HAA 11B	2/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 11B	2/10/2015	SODIUM	2770	ug/L					20	200
HAA 11B	2/10/2015	GROSS ALPHA	0.0742	pCi/L	U	U		0.903	2.33	4.14
HAA 11B	2/10/2015	NONVOLATILE BETA	2.76	pCi/L	U	U		2.57	3.76	8.89
HAA 11B	2/10/2015	TRITIUM	0.843	pCi/mL	J	J	21	0.293	0.413	0.999
HAA 11B	2/10/2015	TECHNETIUM-99	0.109	pCi/L	U	U		1.51	2.56	5.58
HAA 11B	10/13/2015	NITRATE-NITRITE AS NITROGEN	0.822	mg/L					0.017	0.05
HAA 11B	10/13/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 11B	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 11B	10/13/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 11B	10/13/2015	SODIUM	3220	ug/L					20	200
HAA 11B	10/13/2015	TRITIUM	1.37	pCi/mL				0.334	0.431	1.1
HAA 11B	10/13/2015	GROSS ALPHA	0.106	pCi/L	U	U		1.35	2.78	5.48
HAA 11B	10/13/2015	NONVOLATILE BETA	2.55	pCi/L	U	U		2.11	3.4	7.62

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 11B	10/13/2015	TECHNETIUM-99	1.82	pCi/L	U	U		5.07	8.63	18.8
HAA 11C	2/10/2015	NITRATE-NITRITE AS NITROGEN	1	mg/L					0.0094	0.1
HAA 11C	2/10/2015	CADMIUM	0.113	ug/L	J	J	21		0.1	1
HAA 11C	2/10/2015	CHROMIUM	18.4	ug/L	U	U	21, V		10	100
HAA 11C	2/10/2015	MANGANESE	2.11	ug/L	J	J	21		1	10
HAA 11C	2/10/2015	SODIUM	1840	ug/L					20	200
HAA 11C	2/10/2015	GROSS ALPHA	-0.324	pCi/L	U	U		0.363	2.25	2.98
HAA 11C	2/10/2015	NONVOLATILE BETA	0.377	pCi/L	U	U		2.06	3.74	7.86
HAA 11C	2/10/2015	TRITIUM	1.07	pCi/mL				0.306	0.411	1.02
HAA 11C	2/10/2015	TECHNETIUM-99	-0.939	pCi/L	U	U		1.29	2.24	4.82
HAA 11C	10/13/2015	NITRATE-NITRITE AS NITROGEN	1.01	mg/L					0.017	0.05
HAA 11C	10/13/2015	CADMIUM	0.166	ug/L	J	J	21		0.1	1
HAA 11C	10/13/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 11C	10/13/2015	MANGANESE	4.18	ug/L	J	J	21		1	10
HAA 11C	10/13/2015	SODIUM	2120	ug/L					20	200
HAA 11C	10/13/2015	TRITIUM	0.877	pCi/mL	J	J	21	0.306	0.432	1.04
HAA 11C	10/13/2015	GROSS ALPHA	-0.211	pCi/L	U	U		1.32	2.95	5.59
HAA 11C	10/13/2015	NONVOLATILE BETA	0.173	pCi/L	U	U		1.99	3.63	7.61
HAA 11C	10/13/2015	TECHNETIUM-99	3.22	pCi/L	U	U		4.95	8.36	18.3
HAA 11D	2/10/2015	NITRATE-NITRITE AS NITROGEN	2.7	mg/L					0.019	0.2
HAA 11D	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 11D	2/10/2015	CHROMIUM	16.8	ug/L	U	U	21, V		10	100
HAA 11D	2/10/2015	MANGANESE	3.23	ug/L	J	J	21		1	10
HAA 11D	2/10/2015	SODIUM	1360	ug/L					20	200
HAA 11D	2/10/2015	GROSS ALPHA	0.47	pCi/L	U	U		1.18	2.25	4.6
HAA 11D	2/10/2015	NONVOLATILE BETA	-0.383	pCi/L	U	U		1.89	3.76	7.53
HAA 11D	2/10/2015	TRITIUM	9.87	pCi/mL				0.64	0.413	1.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 11D	2/10/2015	TECHNETIUM-99	-1.17	pCi/L	U	U		1.24	2.16	4.64
HAA 11D	4/22/2015	CADMIUM	0.117	ug/L	J	J	21		0.1	1
HAA 11D	4/22/2015	LEAD	69.8	ug/L					0.5	5
HAA 11D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 11D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 11D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 11D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 11D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 11D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 11D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 11D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 11D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 11D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 11D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 11D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 11D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 11D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 11D	4/22/2015	ACETONE	2.9	ug/L		J	11, 18		0.34	2
HAA 11D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 11D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 11D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 11D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 11D	4/22/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
HAA 11D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 11D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 11D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 11D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 11D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 11D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 11D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 11D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 11D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 11D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 11D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 11D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 11D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 11D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 11D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 11D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 11D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 11D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 11D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 11D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 11D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 11D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 11D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 11D	4/22/2015	TOLUENE	1	ug/L		U	S, 8		0.07	1
HAA 11D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 11D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 11D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 11D	4/22/2015	GROSS ALPHA	-0.243	pCi/L	U	U		0.256	2.06	2.57
HAA 11D	4/22/2015	NONVOLATILE BETA	3.04	pCi/L	U	U		2.76	4.05	9.58
HAA 11D	4/22/2015	TRITIUM	8.99	pCi/mL				0.597	0.529	1.72
HAA 11D	9/10/2015	NITRATE-NITRITE AS NITROGEN	2.4	mg/L					0.17	0.5
HAA 11D	9/10/2015	CADMIUM	0.141	ug/L	J	J	21		0.1	1
HAA 11D	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 11D	9/10/2015	MANGANESE	2.25	ug/L	J	J	21		1	10
HAA 11D	9/10/2015	SODIUM	1360	ug/L					20	200
HAA 11D	9/10/2015	TRITIUM	9.4	pCi/mL				0.644	0.445	1.73
HAA 11D	9/10/2015	GROSS ALPHA	0.507	pCi/L	U	U		1.3	2.4	5
HAA 11D	9/10/2015	NONVOLATILE BETA	1.84	pCi/L	U	U		2.04	3.41	7.49
HAA 11D	9/10/2015	TECHNETIUM-99	-1.37	pCi/L	U	U		4.91	8.51	18.3
HAA 12A	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 12A	4/22/2015	LEAD	6.22	ug/L					0.5	5
HAA 12A	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 12A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 12A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 12A	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	R	14		0.15	1
HAA 12A	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 12A	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	R	14		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12A	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	R	14		0.41	1
HAA 12A	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	R	14		0.13	1
HAA 12A	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	R	14		0.06	1
HAA 12A	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	R	14		0.1	1
HAA 12A	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	R	14		0.1	1
HAA 12A	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	R	14		0.12	1
HAA 12A	4/22/2015	1,4-DIOXANE	80	ug/L	U	R	14		7.6	80
HAA 12A	4/22/2015	2-HEXANONE	5	ug/L	U	R	14		0.22	5
HAA 12A	4/22/2015	ACETONE	8.3	ug/L		J	11, 18, 14		0.34	2
HAA 12A	4/22/2015	BENZENE	1	ug/L	U	R	14		0.06	1
HAA 12A	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 12A	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	R	14		0.09	1
HAA 12A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	R	14		0.17	1
HAA 12A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	R	14		0.25	2
HAA 12A	4/22/2015	CARBON DISULFIDE	1	ug/L	U	R	14		0.05	1
HAA 12A	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	R	14		0.13	1
HAA 12A	4/22/2015	CHLOROBENZENE	1	ug/L	U	R	14		0.15	1
HAA 12A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	R	14		0.1	2
HAA 12A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 12A	4/22/2015	CHLOROFORM	1	ug/L	U	R	14		0.1	1
HAA 12A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 12A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12A	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.07	1
HAA 12A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	CYCLOHEXANE	1	ug/L	U	R	14		0.07	1
HAA 12A	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 12A	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	R	14		0.08	2
HAA 12A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	R	14		0.27	1
HAA 12A	4/22/2015	ETHYLBENZENE	1	ug/L	U	R	14		0.09	1
HAA 12A	4/22/2015	M,P-XYLENE	2	ug/L	U	R	14		0.14	2
HAA 12A	4/22/2015	METHYL ACETATE	25	ug/L	U	R	14		0.37	25
HAA 12A	4/22/2015	METHYL ETHYL KETONE	1.3	ug/L	J	J	21, 14		0.52	5
HAA 12A	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	R	14		0.12	5
HAA 12A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	R	14		0.11	2
HAA 12A	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	R	14		0.1	4
HAA 12A	4/22/2015	O-XYLENE	1	ug/L	U	R	14		0.06	1
HAA 12A	4/22/2015	STYRENE	1	ug/L	U	R	14		0.07	1
HAA 12A	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	R	14		0.18	1
HAA 12A	4/22/2015	TOLUENE	0.97	ug/L	J	U	21, 8, 14		0.07	1
HAA 12A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.08	1
HAA 12A	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	R	14		0.25	1
HAA 12A	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	R	14		0.11	1
HAA 12A	4/22/2015	GROSS ALPHA	1.71	pCi/L	U	U		3.81	7.15	14.8
HAA 12A	4/22/2015	NONVOLATILE BETA	50.4	pCi/L				11.1	8.73	30.9
HAA 12A	4/22/2015	TRITIUM	28.6	pCi/mL				0.966	0.532	2.46
HAA 12B	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.13	mg/L					0.0047	0.05
HAA 12B	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12B	2/10/2015	CHROMIUM	19.5	ug/L	U	U	21, V		10	100
HAA 12B	2/10/2015	MANGANESE	1.43	ug/L	J	J	21		1	10
HAA 12B	2/10/2015	SODIUM	3390	ug/L					20	200
HAA 12B	2/10/2015	GROSS ALPHA	0.896	pCi/L	U	U		1.47	2.34	5.28
HAA 12B	2/10/2015	NONVOLATILE BETA	3.2	pCi/L	U	U		2.66	3.78	9.09
HAA 12B	2/10/2015	TRITIUM	0.304	pCi/mL	U	U		0.258	0.411	0.927
HAA 12B	2/10/2015	TECHNETIUM-99	1.88	pCi/L	U	U		1.37	2.21	4.95
HAA 12B	9/10/2015	NITRATE-NITRITE AS NITROGEN	0.13	mg/L					0.017	0.05
HAA 12B	9/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 12B	9/10/2015	CHROMIUM	13	ug/L	J	J	21		10	100
HAA 12B	9/10/2015	MANGANESE	1.84	ug/L	J	J	21		1	10
HAA 12B	9/10/2015	SODIUM	3700	ug/L					20	200
HAA 12B	9/10/2015	TRITIUM	0.548	pCi/mL	J	J	21	0.293	0.446	1.03
HAA 12B	9/10/2015	GROSS ALPHA	-0.599	pCi/L	U	U		1.11	2.93	5.15
HAA 12B	9/10/2015	NONVOLATILE BETA	2.71	pCi/L	U	U		1.98	3.11	7.07
HAA 12B	9/10/2015	TECHNETIUM-99	1.9	pCi/L	U	U		4.68	7.96	17.3
HAA 12C	2/10/2015	NITRATE-NITRITE AS NITROGEN	3.6	mg/L					0.019	0.2
HAA 12C	2/10/2015	CADMIUM	0.107	ug/L	J	J	21		0.1	1
HAA 12C	2/10/2015	CHROMIUM	18.2	ug/L	U	U	21, V		10	100
HAA 12C	2/10/2015	MANGANESE	13.9	ug/L					1	10
HAA 12C	2/10/2015	SODIUM	2980	ug/L					20	200
HAA 12C	2/10/2015	GROSS ALPHA	0.467	pCi/L	U	U		1.18	2.26	4.61
HAA 12C	2/10/2015	NONVOLATILE BETA	4.64	pCi/L	J	J	21	2.89	3.76	9.55
HAA 12C	2/10/2015	TRITIUM	64.7	pCi/mL				1.54	0.41	3.48
HAA 12C	2/10/2015	TECHNETIUM-99	10.4	pCi/L				1.57	2.12	5.26
HAA 12C	9/10/2015	NITRATE-NITRITE AS NITROGEN	3.26	mg/L					0.17	0.5
HAA 12C	9/10/2015	CADMIUM	0.367	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12C	9/10/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 12C	9/10/2015	MANGANESE	13	ug/L					1	10
HAA 12C	9/10/2015	SODIUM	3280	ug/L					20	200
HAA 12C	9/10/2015	TRITIUM	64.7	pCi/mL				1.58	0.448	3.6
HAA 12C	9/10/2015	GROSS ALPHA	0.652	pCi/L	U	U		1.5	2.85	5.85
HAA 12C	9/10/2015	NONVOLATILE BETA	8.39	pCi/L				2.38	2.72	7.48
HAA 12C	9/10/2015	TECHNETIUM-99	9.81	pCi/L	J	J	21	4.89	7.98	17.8
HAA 12D	2/10/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L					0.019	0.2
HAA 12D	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 12D	2/10/2015	CHROMIUM	14.3	ug/L	U	U	21, V		10	100
HAA 12D	2/10/2015	MANGANESE	1.47	ug/L	J	J	21		1	10
HAA 12D	2/10/2015	SODIUM	3640	ug/L					20	200
HAA 12D	2/10/2015	GROSS ALPHA	1.65	pCi/L	U	U		1.8	2.24	5.84
HAA 12D	2/10/2015	NONVOLATILE BETA	5.06	pCi/L	J	J	21	2.97	3.79	9.73
HAA 12D	2/10/2015	TRITIUM	17.8	pCi/mL				0.83	0.409	2.07
HAA 12D	2/10/2015	TECHNETIUM-99	3.42	pCi/L	J	J	21	1.51	2.37	5.39
HAA 12D	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	LEAD	0.86	ug/L	J	J	21		0.5	5
HAA 12D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 12D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 12D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 12D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 12D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 12D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 12D	4/22/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
HAA 12D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 12D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 12D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 12D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 12D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 12D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 12D	4/22/2015	ACETONE	4.5	ug/L		J	11, 18		0.34	2
HAA 12D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 12D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 12D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 12D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 12D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 12D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 12D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 12D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 12D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 12D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 12D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 12D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 12D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 12D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 12D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 12D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 12D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 12D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 12D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 12D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 12D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 12D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 12D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 12D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 12D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 12D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 12D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 12D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 12D	4/22/2015	TOLUENE	1.7	ug/L		U	8		0.07	1
HAA 12D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 12D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 12D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 12D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 12D	4/22/2015	GROSS ALPHA	1.69	pCi/L	U	U		1.75	2.06	5.56
HAA 12D	4/22/2015	NONVOLATILE BETA	3.46	pCi/L	U	U		2.96	4.33	10.3
HAA 12D	4/22/2015	TRITIUM	12.3	pCi/mL				0.671	0.525	1.87
HAA 12D	10/14/2015	NITRATE-NITRITE AS NITROGEN	2.54	mg/L					0.085	0.25
HAA 12D	10/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 12D	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 12D	10/14/2015	MANGANESE	1.32	ug/L	J	J	21		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 12D	10/14/2015	SODIUM	4150	ug/L					20	200
HAA 12D	10/14/2015	TRITIUM	19.5	pCi/mL				0.886	0.459	2.23
HAA 12D	10/14/2015	GROSS ALPHA	0.842	pCi/L	U	U		1.17	1.99	4.33
HAA 12D	10/14/2015	NONVOLATILE BETA	4.73	pCi/L	J	J	21	2.02	2.72	6.76
HAA 12D	10/14/2015	TECHNETIUM-99	5.17	pCi/L	U	U		5.18	8.67	19
HAA 13A	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13A	4/27/2015	LEAD	1.05	ug/L	J	J	21		0.5	5
HAA 13A	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 13A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 13A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 13A	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	R	14		0.15	1
HAA 13A	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 13A	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	R	14		0.09	1
HAA 13A	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	R	14		0.41	1
HAA 13A	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	R	14		0.13	1
HAA 13A	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	R	14		0.06	1
HAA 13A	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	R	14		0.1	1
HAA 13A	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	R	14		0.1	1
HAA 13A	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	R	14		0.12	1
HAA 13A	4/27/2015	1,4-DIOXANE	80	ug/L	U	R	14		7.6	80
HAA 13A	4/27/2015	2-HEXANONE	0.66	ug/L	J	J	21, 14		0.22	5
HAA 13A	4/27/2015	ACETONE	17	ug/L		UJ	8, 18, 14		0.34	2
HAA 13A	4/27/2015	BENZENE	1	ug/L	U	R	14		0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13A	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 13A	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	R	14		0.09	1
HAA 13A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	R	14		0.17	1
HAA 13A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	R	14		0.25	2
HAA 13A	4/27/2015	CARBON DISULFIDE	1	ug/L	U	R	14		0.05	1
HAA 13A	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	R	14		0.13	1
HAA 13A	4/27/2015	CHLOROBENZENE	1	ug/L	U	R	14		0.15	1
HAA 13A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	R	14		0.1	2
HAA 13A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 13A	4/27/2015	CHLOROFORM	1	ug/L	U	R	14		0.1	1
HAA 13A	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 13A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.09	1
HAA 13A	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.07	1
HAA 13A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	CYCLOHEXANE	1	ug/L	U	R	14		0.07	1
HAA 13A	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 13A	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	R	14		0.08	2
HAA 13A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	R	14		0.27	1
HAA 13A	4/27/2015	ETHYLBENZENE	1	ug/L	U	R	14		0.09	1
HAA 13A	4/27/2015	M,P-XYLENE	2	ug/L	U	R	14		0.14	2
HAA 13A	4/27/2015	METHYL ACETATE	25	ug/L	U	R	14		0.37	25
HAA 13A	4/27/2015	METHYL ETHYL KETONE	0.93	ug/L	J	J	21, 14		0.52	5
HAA 13A	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	R	14		0.12	5
HAA 13A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	R	14		0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13A	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	R	14		0.1	4
HAA 13A	4/27/2015	O-XYLENE	1	ug/L	U	R	14		0.06	1
HAA 13A	4/27/2015	STYRENE	1	ug/L	U	R	14		0.07	1
HAA 13A	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	R	14		0.18	1
HAA 13A	4/27/2015	TOLUENE	5.8	ug/L		UJ	8, 14		0.07	1
HAA 13A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.08	1
HAA 13A	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	R	14		0.25	1
HAA 13A	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	R	14		0.11	1
HAA 13A	4/27/2015	GROSS ALPHA	3.36	pCi/L	U	U		4.09	5.45	13.6
HAA 13A	4/27/2015	NONVOLATILE BETA	30.2	pCi/L				9	8.73	26.7
HAA 13A	4/27/2015	TRITIUM	-0.00356	pCi/mL	U	U		0.239	0.417	0.894
HAA 13B	2/23/2015	NITRATE-NITRITE AS NITROGEN	0.069	mg/L					0.0047	0.05
HAA 13B	2/23/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13B	2/23/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 13B	2/23/2015	MANGANESE	2.84	ug/L	J	J	21		1	10
HAA 13B	2/23/2015	SODIUM	3490	ug/L					20	200
HAA 13B	2/23/2015	GROSS ALPHA	0.888	pCi/L	U	U		1.5	2.48	5.47
HAA 13B	2/23/2015	NONVOLATILE BETA	1.03	pCi/L	U	U		2.55	4.27	9.38
HAA 13B	2/23/2015	TRITIUM	-0.0518	pCi/mL	U	U		0.248	0.437	0.933
HAA 13B	2/23/2015	TECHNETIUM-99	-0.432	pCi/L	U	U		1.23	2.11	4.57
HAA 13B	11/24/2015	NITRATE-NITRITE AS NITROGEN	0.494	mg/L					0.017	0.05
HAA 13B	11/24/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13B	11/24/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 13B	11/24/2015	MANGANESE	1.23	ug/L	J	J	21		1	10
HAA 13B	11/24/2015	SODIUM	3030	ug/L					20	200
HAA 13B	11/24/2015	TRITIUM	0.878	pCi/mL	J	J	21	0.309	0.442	1.06

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13B	11/24/2015	GROSS ALPHA	2.3	pCi/L	U	U		1.97	2.98	6.92
HAA 13B	11/24/2015	NONVOLATILE BETA	0.877	pCi/L	U	U		1.25	2.11	4.61
HAA 13B	11/24/2015	TECHNETIUM-99	2.19	pCi/L	U	U		4.51	7.65	16.7
HAA 13C	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.36	mg/L					0.0047	0.05
HAA 13C	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13C	2/10/2015	CHROMIUM	17.6	ug/L	U	U	21, V		10	100
HAA 13C	2/10/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 13C	2/10/2015	SODIUM	1740	ug/L					20	200
HAA 13C	2/10/2015	GROSS ALPHA	0.0742	pCi/L	U	U		0.882	2.28	4.04
HAA 13C	2/10/2015	NONVOLATILE BETA	0.117	pCi/L	U	U		2.01	3.75	7.77
HAA 13C	2/10/2015	TRITIUM	2.13	pCi/mL				0.362	0.41	1.13
HAA 13C	2/10/2015	TECHNETIUM-99	-0.0445	pCi/L	U	U		1.23	2.09	4.55
HAA 13C	10/12/2015	NITRATE-NITRITE AS NITROGEN	0.39	mg/L					0.085	0.25
HAA 13C	10/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13C	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 13C	10/12/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 13C	10/12/2015	SODIUM	2070	ug/L					20	200
HAA 13C	10/12/2015	TRITIUM	2.16	pCi/mL				0.374	0.431	1.18
HAA 13C	10/12/2015	GROSS ALPHA	-1.49	pCi/L	U	U		0.977	2.56	4.51
HAA 13C	10/12/2015	NONVOLATILE BETA	0.339	pCi/L	U	U		1.38	2.43	5.19
HAA 13C	10/12/2015	TECHNETIUM-99	4.23	pCi/L	U	U		4.61	7.73	17
HAA 13D	2/10/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.019	0.2
HAA 13D	2/10/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13D	2/10/2015	CHROMIUM	36.6	ug/L	U	U	21, V		10	100
HAA 13D	2/10/2015	MANGANESE	4.72	ug/L	J	J	21		1	10
HAA 13D	2/10/2015	SODIUM	2820	ug/L					20	200
HAA 13D	2/10/2015	GROSS ALPHA	-0.322	pCi/L	U	U		0.36	2.23	2.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13D	2/10/2015	NONVOLATILE BETA	3.25	pCi/L	U	U		2.64	3.74	9.03
HAA 13D	2/10/2015	TRITIUM	11.3	pCi/mL				0.676	0.411	1.76
HAA 13D	2/10/2015	TECHNETIUM-99	-0.0573	pCi/L	U	U		1.32	2.24	4.88
HAA 13D	4/22/2015	CADMIUM	0.116	ug/L	J	J	21		0.1	1
HAA 13D	4/22/2015	LEAD	7.88	ug/L					0.5	5
HAA 13D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 13D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 13D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 13D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 13D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 13D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 13D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 13D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 13D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 13D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 13D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 13D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 13D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 13D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 13D	4/22/2015	ACETONE	4.9	ug/L		J	11, 18		0.34	2
HAA 13D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 13D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 13D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 13D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 13D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 13D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 13D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 13D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 13D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 13D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 13D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 13D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 13D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 13D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 13D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 13D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 13D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 13D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 13D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 13D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 13D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 13D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 13D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 13D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 13D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 13D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 13D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 13D	4/22/2015	TOLUENE	2.4	ug/L		U	8		0.07	1
HAA 13D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 13D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 13D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 13D	4/22/2015	GROSS ALPHA	3.47	pCi/L	J	J	21	2.5	2.19	7.19
HAA 13D	4/22/2015	NONVOLATILE BETA	0.922	pCi/L	U	U		2.64	4.56	9.84
HAA 13D	4/22/2015	TRITIUM	11	pCi/mL				0.656	0.543	1.85
HAA 13D	10/12/2015	NITRATE-NITRITE AS NITROGEN	2.03	mg/L					0.085	0.25
HAA 13D	10/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 13D	10/12/2015	CHROMIUM	33.1	ug/L	J	J	21		10	100
HAA 13D	10/12/2015	MANGANESE	7.84	ug/L	J	J	21		1	10
HAA 13D	10/12/2015	SODIUM	3150	ug/L					20	200
HAA 13D	10/12/2015	TRITIUM	10.4	pCi/mL				0.667	0.432	1.77
HAA 13D	10/12/2015	GROSS ALPHA	6.64	pCi/L	J	J	21	2.55	2.55	7.65
HAA 13D	10/12/2015	NONVOLATILE BETA	2.48	pCi/L	U	U		1.8	2.88	6.48
HAA 13D	10/12/2015	TECHNETIUM-99	-0.126	pCi/L	U	U		4.67	8.03	17.4
HAA 14A	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	LEAD	4	ug/L	J	J	21		0.5	5
HAA 14A	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 14A	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14A	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 14A	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 14A	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 14A	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 14A	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HAA 14A	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 14A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 14A	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 14A	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 14A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 14A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 14A	4/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	CHLOROMETHANE (METHYL	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
HAA 14A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 14A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 14A	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 14A	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 14A	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 14A	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 14A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 14A	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 14A	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 14A	4/27/2015	TOLUENE	3.8	ug/L		J	9		0.07	1
HAA 14A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 14A	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 14A	4/27/2015	GROSS ALPHA	0.546	pCi/L	U	U		1.14	2.08	4.37
HAA 14A	4/27/2015	NONVOLATILE BETA	-0.489	pCi/L	U	U		2.14	4.17	8.45
HAA 14A	4/27/2015	TRITIUM	0.0965	pCi/mL	U	U		0.247	0.418	0.912

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14A	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	LEAD	3.1	ug/L	J	J	21		0.5	5
HAA 14A	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 14A	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 14A	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 14A	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 14A	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 14A	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HAA 14A	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 14A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14A	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 14A	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 14A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 14A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 14A	4/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 14A	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 14A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14A	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 14A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 14A	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 14A	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 14A	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 14A	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 14A	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 14A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 14A	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 14A	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 14A	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 14A	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 14A	4/27/2015	TOLUENE	1.4	ug/L		UJ	8, 9		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 14A	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 14A	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 14A	4/27/2015	GROSS ALPHA	0.545	pCi/L	U	U		1.15	2.09	4.39
HAA 14A	4/27/2015	NONVOLATILE BETA	1.41	pCi/L	U	U		2.53	4.18	9.23
HAA 14A	4/27/2015	TRITIUM	0.0817	pCi/mL	U	U		0.244	0.416	0.905
HAA 14B	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.19	mg/L					0.0047	0.05
HAA 14B	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14B	2/12/2015	CHROMIUM	15.1	ug/L	U	U	21, V		10	100
HAA 14B	2/12/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 14B	2/12/2015	SODIUM	2970	ug/L					20	200
HAA 14B	2/12/2015	GROSS ALPHA	2.53	pCi/L	J	J	21	2.22	2.43	6.87
HAA 14B	2/12/2015	NONVOLATILE BETA	2.28	pCi/L	U	U		2.87	4.48	10.2
HAA 14B	2/12/2015	TRITIUM	0.1	pCi/mL	U	U		0.279	0.471	1.03
HAA 14B	2/12/2015	TECHNETIUM-99	0.272	pCi/L	U	U		1.4	2.35	5.15
HAA 14B	10/12/2015	NITRATE-NITRITE AS NITROGEN	0.168	mg/L					0.017	0.05
HAA 14B	10/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14B	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 14B	10/12/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 14B	10/12/2015	SODIUM	3140	ug/L					20	200
HAA 14B	10/12/2015	TRITIUM	0.0871	pCi/mL	U	U		0.251	0.427	0.928
HAA 14B	10/12/2015	GROSS ALPHA	-0.174	pCi/L	U	U		1.07	2.51	4.65
HAA 14B	10/12/2015	NONVOLATILE BETA	0.969	pCi/L	U	U		1.56	2.69	5.81
HAA 14B	10/12/2015	TECHNETIUM-99	2.34	pCi/L	U	U		4.35	7.38	16.1
HAA 14C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.42	mg/L			V		0.0047	0.05
HAA 14C	2/12/2015	CADMIUM	0.104	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14C	2/12/2015	CHROMIUM	16.7	ug/L	U	U	21, V		10	100
HAA 14C	2/12/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 14C	2/12/2015	SODIUM	1810	ug/L					20	200
HAA 14C	2/12/2015	GROSS ALPHA	1.64	pCi/L	U	U		1.81	2.34	5.95
HAA 14C	2/12/2015	NONVOLATILE BETA	-0.146	pCi/L	U	U		2.37	4.36	9.11
HAA 14C	2/12/2015	TRITIUM	-0.0663	pCi/mL	U	U		0.271	0.476	1.02
HAA 14C	2/12/2015	TECHNETIUM-99	-0.768	pCi/L	U	U		1.44	2.48	5.36
HAA 14C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.421	mg/L					0.017	0.05
HAA 14C	2/12/2015	CADMIUM	1	ug/L	U	U			0.11	1
HAA 14C	2/12/2015	CHROMIUM	5.8	ug/L	J	J	21		2	10
HAA 14C	2/12/2015	MANGANESE	5	ug/L	U	U			1	5
HAA 14C	2/12/2015	SODIUM	2130	ug/L					80	250
HAA 14C	2/12/2015	GROSS ALPHA	-0.649	pCi/L	U	U		0.943	2.63	4.52
HAA 14C	2/12/2015	NONVOLATILE BETA	2.39	pCi/L	U	U		1.9	3.07	6.87
HAA 14C	2/12/2015	TRITIUM	0.000785	pCi/mL	U	U		0.338	0.611	1.29
HAA 14C	2/12/2015	TECHNETIUM-99	0.554	pCi/L	U	U		5.13	8.79	19.1
HAA 14C	10/12/2015	NITRATE-NITRITE AS NITROGEN	0.443	mg/L					0.017	0.05
HAA 14C	10/12/2015	CADMIUM	0.1	ug/L	J	J	21		0.1	1
HAA 14C	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 14C	10/12/2015	MANGANESE	10	ug/L	U	U			1	10
HAA 14C	10/12/2015	SODIUM	2140	ug/L					20	200
HAA 14C	10/12/2015	TRITIUM	0.511	pCi/mL	J	J	21	0.283	0.432	0.998
HAA 14C	10/12/2015	GROSS ALPHA	-0.33	pCi/L	U	U		1.31	2.9	5.52
HAA 14C	10/12/2015	NONVOLATILE BETA	1.19	pCi/L	U	U		1.63	2.78	6.04
HAA 14C	10/12/2015	TECHNETIUM-99	1.7	pCi/L	U	U		4.51	7.67	16.7
HAA 14C	10/12/2015	NITRATE-NITRITE AS NITROGEN	0.48	mg/L					0.0047	0.05
HAA 14C	10/12/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14C	10/12/2015	CHROMIUM	6.5	ug/L	J	J	21		1	10
HAA 14C	10/12/2015	MANGANESE	0.96	ug/L	J	J	21		0.88	2
HAA 14C	10/12/2015	SODIUM	2000	ug/L			V		24	50
HAA 14C	10/12/2015	GROSS ALPHA	0.769	pCi/L	U	U		0.967	1.61	3.544
HAA 14C	10/12/2015	NONVOLATILE BETA	0.263	pCi/L	U	U		0.644	1.09	2.378
HAA 14C	10/12/2015	TRITIUM	0.419	pCi/mL	J	J	21	0.227	0.342	0.796
HAA 14C	10/12/2015	TECHNETIUM-99	0.465	pCi/L	U	U		1.21	2.04	4.46
HAA 14D	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L			V		0.019	0.2
HAA 14D	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14D	2/12/2015	CHROMIUM	14.1	ug/L	U	U	21, V		10	100
HAA 14D	2/12/2015	MANGANESE	3	ug/L	J	J	21		1	10
HAA 14D	2/12/2015	SODIUM	1880	ug/L					20	200
HAA 14D	2/12/2015	GROSS ALPHA	2.37	pCi/L	J	J	21	2.07	2.27	6.41
HAA 14D	2/12/2015	NONVOLATILE BETA	1.06	pCi/L	U	U		2.65	4.46	9.77
HAA 14D	2/12/2015	TRITIUM	6.18	pCi/mL				0.537	0.473	1.55
HAA 14D	2/12/2015	TECHNETIUM-99	0.18	pCi/L	U	U		1.26	2.12	4.64
HAA 14D	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	LEAD	13	ug/L					0.5	5
HAA 14D	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 14D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 14D	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 14D	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14D	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 14D	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14D	4/27/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
HAA 14D	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 14D	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 14D	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 14D	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 14D	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 14D	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 14D	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HAA 14D	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 14D	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14D	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HAA 14D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 14D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 14D	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 14D	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 14D	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 14D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 14D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 14D	4/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 14D	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 14D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 14D	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 14D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14D	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 14D	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 14D	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 14D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 14D	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 14D	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 14D	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 14D	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 14D	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 14D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 14D	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 14D	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HAA 14D	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 14D	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 14D	4/27/2015	TOLUENE	1.8	ug/L		U	8		0.07	1
HAA 14D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 14D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 14D	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 14D	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 14D	4/27/2015	GROSS ALPHA	0.924	pCi/L	U	U		1.37	2.05	4.79
HAA 14D	4/27/2015	NONVOLATILE BETA	0.827	pCi/L	U	U		2.44	4.23	9.11
HAA 14D	4/27/2015	TRITIUM	5.57	pCi/mL				0.504	0.415	1.42
HAA 14D	10/12/2015	NITRATE-NITRITE AS NITROGEN	1.79	mg/L					0.085	0.25
HAA 14D	10/12/2015	CADMIUM	0.109	ug/L	J	J	21		0.1	1
HAA 14D	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 14D	10/12/2015	MANGANESE	2.63	ug/L	J	J	21		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 14D	10/12/2015	SODIUM	2240	ug/L					20	200
HAA 14D	10/12/2015	TRITIUM	6.44	pCi/mL				0.543	0.429	1.52
HAA 14D	10/12/2015	GROSS ALPHA	3.77	pCi/L	J	J	21	2.25	3.21	7.71
HAA 14D	10/12/2015	NONVOLATILE BETA	2.65	pCi/L	U	U		1.77	2.81	6.35
HAA 14D	10/12/2015	TECHNETIUM-99	1.71	pCi/L	U	U		4.27	7.27	15.8
HAA 15A	4/28/2015	CADMIUM	0.14	ug/L	J	J	21		0.1	1
HAA 15A	4/28/2015	LEAD	62	ug/L					0.5	5
HAA 15A	4/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 15A	4/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 15A	4/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	R	14		0.1	1
HAA 15A	4/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	R	14		0.15	1
HAA 15A	4/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	R	14		0.07	1
HAA 15A	4/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	R	14		0.09	1
HAA 15A	4/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	R	14		0.41	1
HAA 15A	4/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	R	14		0.13	1
HAA 15A	4/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	R	14		0.06	1
HAA 15A	4/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	R	14		0.1	1
HAA 15A	4/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	R	14		0.1	1
HAA 15A	4/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	R	14		0.12	1
HAA 15A	4/28/2015	1,4-DIOXANE	80	ug/L	U	R	14		7.6	80
HAA 15A	4/28/2015	2-HEXANONE	0.84	ug/L	J	J	21, 14		0.22	5
HAA 15A	4/28/2015	ACETONE	27	ug/L		J	18, 14		0.34	2
HAA 15A	4/28/2015	BENZENE	1	ug/L	U	R	14		0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15A	4/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 15A	4/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	R	14		0.09	1
HAA 15A	4/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	R	14		0.17	1
HAA 15A	4/28/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	R	14		0.25	2
HAA 15A	4/28/2015	CARBON DISULFIDE	1	ug/L	U	R	14		0.05	1
HAA 15A	4/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	R	14		0.13	1
HAA 15A	4/28/2015	CHLOROBENZENE	1	ug/L	U	R	14		0.15	1
HAA 15A	4/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	R	14		0.1	2
HAA 15A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 15A	4/28/2015	CHLOROFORM	1	ug/L	U	R	14		0.1	1
HAA 15A	4/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	R	14		0.08	2
HAA 15A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.09	1
HAA 15A	4/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.07	1
HAA 15A	4/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	CYCLOHEXANE	1	ug/L	U	R	14		0.07	1
HAA 15A	4/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	R	14		0.13	1
HAA 15A	4/28/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	R	14		0.08	2
HAA 15A	4/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	R	14		0.27	1
HAA 15A	4/28/2015	ETHYLBENZENE	0.84	ug/L	J	J	21, 14		0.09	1
HAA 15A	4/28/2015	M,P-XYLENE	3.6	ug/L		J	14		0.14	2
HAA 15A	4/28/2015	METHYL ACETATE	25	ug/L	U	R	14		0.37	25
HAA 15A	4/28/2015	METHYL ETHYL KETONE	5.4	ug/L		J	14		0.52	5
HAA 15A	4/28/2015	METHYL ISOBUTYL KETONE	0.7	ug/L	J	J	21, 14		0.12	5
HAA 15A	4/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.79	ug/L	J	J	21, 14		0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15A	4/28/2015	METHYLCYCLOHEXANE	4	ug/L	U	R	14		0.1	4
HAA 15A	4/28/2015	O-XYLENE	2.2	ug/L		J	14		0.06	1
HAA 15A	4/28/2015	STYRENE	1	ug/L	U	R	14		0.07	1
HAA 15A	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	R	14		0.18	1
HAA 15A	4/28/2015	TOLUENE	4.1	ug/L		UJ	8, 14		0.07	1
HAA 15A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	R	14		0.08	1
HAA 15A	4/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	R	14		0.25	1
HAA 15A	4/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	R	14		0.11	1
HAA 15A	4/28/2015	GROSS ALPHA	8.28	pCi/L	J	J	21	6.46	6.17	19.1
HAA 15A	4/28/2015	NONVOLATILE BETA	45.6	pCi/L				10.7	9.18	30.6
HAA 15A	4/28/2015	TRITIUM	0.827	pCi/mL	J	J	21	0.295	0.418	1.01
HAA 15B	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L			V		0.019	0.2
HAA 15B	2/12/2015	CADMIUM	0.163	ug/L	J	J	21		0.1	1
HAA 15B	2/12/2015	CHROMIUM	14.5	ug/L	U	U	21, V		10	100
HAA 15B	2/12/2015	MANGANESE	3.51	ug/L	J	J	21		1	10
HAA 15B	2/12/2015	SODIUM	2190	ug/L					20	200
HAA 15B	2/12/2015	GROSS ALPHA	0.0729	pCi/L	U	U		0.877	2.26	4.02
HAA 15B	2/12/2015	NONVOLATILE BETA	1.31	pCi/L	U	U		2.27	3.75	8.3
HAA 15B	2/12/2015	TRITIUM	0.223	pCi/mL	U	U		0.29	0.478	1.06
HAA 15B	2/12/2015	TECHNETIUM-99	-0.57	pCi/L	U	U		1.23	2.13	4.59
HAA 15B	10/21/2015	NITRATE-NITRITE AS NITROGEN	1.37	mg/L					0.085	0.25
HAA 15B	10/21/2015	CADMIUM	0.1	ug/L	J	J	21		0.1	1
HAA 15B	10/21/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 15B	10/21/2015	MANGANESE	3.64	ug/L	J	J	21		1	10
HAA 15B	10/21/2015	SODIUM	2170	ug/L					20	200
HAA 15B	10/21/2015	TRITIUM	0.42	pCi/mL	U	U		0.286	0.447	1.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15B	10/21/2015	GROSS ALPHA	0.637	pCi/L	U	U		1.37	2.59	5.33
HAA 15B	10/21/2015	NONVOLATILE BETA	-0.0869	pCi/L	U	U		1.49	2.83	5.81
HAA 15B	10/21/2015	TECHNETIUM-99	2.47	pCi/L	U	U		4.45	7.54	16.4
HAA 15C	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L			V		0.019	0.2
HAA 15C	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 15C	2/12/2015	CHROMIUM	12.1	ug/L	U	U	21, V		10	100
HAA 15C	2/12/2015	MANGANESE	6.71	ug/L	J	J	21		1	10
HAA 15C	2/12/2015	SODIUM	2950	ug/L					20	200
HAA 15C	2/12/2015	GROSS ALPHA	1.64	pCi/L	U	U		1.79	2.23	5.82
HAA 15C	2/12/2015	NONVOLATILE BETA	2.9	pCi/L	U	U		2.6	3.78	8.99
HAA 15C	2/12/2015	TRITIUM	2.34	pCi/mL				0.394	0.472	1.26
HAA 15C	2/12/2015	TECHNETIUM-99	10.4	pCi/L				1.53	2.04	5.1
HAA 15C	10/21/2015	NITRATE-NITRITE AS NITROGEN	0.95	mg/L					0.085	0.25
HAA 15C	10/21/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 15C	10/21/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 15C	10/21/2015	MANGANESE	5.66	ug/L	J	J	21		1	10
HAA 15C	10/21/2015	SODIUM	3000	ug/L					20	200
HAA 15C	10/21/2015	TRITIUM	1.84	pCi/mL				0.364	0.444	1.17
HAA 15C	10/21/2015	GROSS ALPHA	0.343	pCi/L	U	U		1.25	2.53	5.03
HAA 15C	10/21/2015	NONVOLATILE BETA	1.08	pCi/L	U	U		1.62	2.8	6.04
HAA 15C	10/21/2015	TECHNETIUM-99	6.54	pCi/L	U	U		4.81	7.99	17.6
HAA 15D	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.8	mg/L			V		0.019	0.2
HAA 15D	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 15D	2/12/2015	CHROMIUM	13.5	ug/L	U	U	21, V		10	100
HAA 15D	2/12/2015	MANGANESE	1.45	ug/L	J	J	21		1	10
HAA 15D	2/12/2015	SODIUM	4980	ug/L					20	200
HAA 15D	2/12/2015	GROSS ALPHA	-0.319	pCi/L	U	U		0.359	2.23	2.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15D	2/12/2015	NONVOLATILE BETA	-1.06	pCi/L	U	U		1.69	3.74	7.12
HAA 15D	2/12/2015	TRITIUM	5.9	pCi/mL				0.517	0.412	1.44
HAA 15D	2/12/2015	TECHNETIUM-99	0.107	pCi/L	U	U		1.2	2.03	4.43
HAA 15D	4/28/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 15D	4/28/2015	LEAD	1.65	ug/L	J	J	21		0.5	5
HAA 15D	4/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 15D	4/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HAA 15D	4/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	ug/L	J	J	21, 14		0.1	1
HAA 15D	4/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HAA 15D	4/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HAA 15D	4/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HAA 15D	4/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HAA 15D	4/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HAA 15D	4/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HAA 15D	4/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HAA 15D	4/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HAA 15D	4/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HAA 15D	4/28/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HAA 15D	4/28/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HAA 15D	4/28/2015	ACETONE	2	ug/L	U	U			0.34	2
HAA 15D	4/28/2015	BENZENE	1	ug/L	U	U			0.06	1
HAA 15D	4/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 15D	4/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15D	4/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HAA 15D	4/28/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HAA 15D	4/28/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HAA 15D	4/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HAA 15D	4/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HAA 15D	4/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HAA 15D	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 15D	4/28/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HAA 15D	4/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HAA 15D	4/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HAA 15D	4/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HAA 15D	4/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HAA 15D	4/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HAA 15D	4/28/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HAA 15D	4/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HAA 15D	4/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HAA 15D	4/28/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HAA 15D	4/28/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HAA 15D	4/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HAA 15D	4/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HAA 15D	4/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HAA 15D	4/28/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HAA 15D	4/28/2015	O-XYLENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA 15D	4/28/2015	STYRENE	1	ug/L	U	U			0.07	1
HAA 15D	4/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HAA 15D	4/28/2015	TOLUENE	2.1	ug/L		UJ	8, 14		0.07	1
HAA 15D	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HAA 15D	4/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HAA 15D	4/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HAA 15D	4/28/2015	GROSS ALPHA	0.151	pCi/L	U	U		0.823	2.06	3.71
HAA 15D	4/28/2015	NONVOLATILE BETA	-0.382	pCi/L	U	U		2.13	4.12	8.37
HAA 15D	4/28/2015	TRITIUM	5.58	pCi/mL				0.505	0.415	1.43
HAA 15D	10/21/2015	NITRATE-NITRITE AS NITROGEN	1.81	mg/L					0.085	0.25
HAA 15D	10/21/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA 15D	10/21/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA 15D	10/21/2015	MANGANESE	1.08	ug/L	J	J	21		1	10
HAA 15D	10/21/2015	SODIUM	5040	ug/L					20	200
HAA 15D	10/21/2015	TRITIUM	5.35	pCi/mL				0.511	0.445	1.47
HAA 15D	10/21/2015	GROSS ALPHA	-0.49	pCi/L	U	U		1.21	2.91	5.33
HAA 15D	10/21/2015	NONVOLATILE BETA	1.22	pCi/L	U	U		1.4	2.32	5.12
HAA 15D	10/21/2015	TECHNETIUM-99	1.55	pCi/L	U	U		4.38	7.47	16.2
HAA017C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.12	mg/L					0.0047	0.05
HAA017C	2/12/2015	CADMIUM	0.242	ug/L	J	J	21		0.1	1
HAA017C	2/12/2015	CHROMIUM	14	ug/L	U	U	21, V		10	100
HAA017C	2/12/2015	MANGANESE	539	ug/L					1	10
HAA017C	2/12/2015	SODIUM	2370	ug/L					20	200
HAA017C	2/12/2015	GROSS ALPHA	1.27	pCi/L	U	U		1.64	2.27	5.56
HAA017C	2/12/2015	NONVOLATILE BETA	2.93	pCi/L	U	U		2.61	3.78	8.99
HAA017C	2/12/2015	TRITIUM	0.0968	pCi/mL	U	U		0.243	0.413	0.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA017C	2/12/2015	TECHNETIUM-99	-0.369	pCi/L	U	U		1.15	1.98	4.28
HAA017C	11/4/2015	NITRATE-NITRITE AS NITROGEN	0.124	mg/L					0.017	0.05
HAA017C	11/4/2015	CADMIUM	0.329	ug/L	J	J	21		0.1	1
HAA017C	11/4/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA017C	11/4/2015	MANGANESE	411	ug/L					1	10
HAA017C	11/4/2015	SODIUM	1910	ug/L					20	200
HAA017C	11/4/2015	TRITIUM	0.0404	pCi/mL	U	U		0.259	0.445	0.963
HAA017C	11/4/2015	GROSS ALPHA	1.64	pCi/L	U	U		1.72	2.78	6.22
HAA017C	11/4/2015	NONVOLATILE BETA	-0.539	pCi/L	U	U		1.46	2.88	5.8
HAA017C	11/4/2015	TECHNETIUM-99	3.63	pCi/L	U	U		4.47	7.52	16.5
HAA017D	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.019	0.2
HAA017D	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA017D	2/12/2015	CHROMIUM	12.7	ug/L	U	U	21, V		10	100
HAA017D	2/12/2015	MANGANESE	40.9	ug/L					1	10
HAA017D	2/12/2015	SODIUM	4750	ug/L					20	200
HAA017D	2/12/2015	GROSS ALPHA	1.67	pCi/L	U	U		1.82	2.27	5.91
HAA017D	2/12/2015	NONVOLATILE BETA	0.751	pCi/L	U	U		2.17	3.79	8.13
HAA017D	2/12/2015	TRITIUM	3.07	pCi/mL				0.407	0.412	1.22
HAA017D	2/25/2015	IODINE-129	0.788	pCi/L	U	U		0.925	1.52	3.37
HAA017D	11/4/2015	NITRATE-NITRITE AS NITROGEN	1.68	mg/L					0.085	0.25
HAA017D	11/4/2015	CADMIUM	0.152	ug/L	J	J	21		0.1	1
HAA017D	11/4/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA017D	11/4/2015	MANGANESE	40.3	ug/L					1	10
HAA017D	11/4/2015	SODIUM	4120	ug/L					20	200
HAA017D	11/4/2015	TRITIUM	3.3	pCi/mL				0.432	0.446	1.31
HAA017D	11/4/2015	GROSS ALPHA	1.33	pCi/L	U	U		1.68	2.84	6.2
HAA017D	11/4/2015	NONVOLATILE BETA	-0.0341	pCi/L	U	U		1.23	2.32	4.78

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA017D	11/4/2015	TECHNETIUM-99	0.0814	pCi/L	U	U		4.71	8.09	17.5
HAA018C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.11	mg/L					0.0047	0.05
HAA018C	2/12/2015	CADMIUM	0.369	ug/L	J	J	21		0.1	1
HAA018C	2/12/2015	CHROMIUM	14.8	ug/L	U	U	21, V		10	100
HAA018C	2/12/2015	MANGANESE	14.4	ug/L					1	10
HAA018C	2/12/2015	SODIUM	1560	ug/L					20	200
HAA018C	2/12/2015	GROSS ALPHA	0.829	pCi/L	U	U		1.39	2.3	5.09
HAA018C	2/12/2015	NONVOLATILE BETA	-0.41	pCi/L	U	U		2.25	4.25	8.76
HAA018C	2/12/2015	TRITIUM	-0.39	pCi/mL	U	U		0.248	0.473	0.969
HAA018C	2/12/2015	TECHNETIUM-99	-0.918	pCi/L	U	U		1.15	2.01	4.31
HAA018C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.1	mg/L					0.0047	0.05
HAA018C	2/12/2015	CADMIUM	0.159	ug/L	J	J	21		0.1	1
HAA018C	2/12/2015	CHROMIUM	16.4	ug/L	U	U	21, V		10	100
HAA018C	2/12/2015	MANGANESE	14.3	ug/L					1	10
HAA018C	2/12/2015	SODIUM	1580	ug/L					20	200
HAA018C	2/12/2015	GROSS ALPHA	2.46	pCi/L	J	J	21	2.14	2.26	6.54
HAA018C	2/12/2015	NONVOLATILE BETA	1.67	pCi/L	U	U		2.37	3.81	8.56
HAA018C	2/12/2015	TRITIUM	0.0983	pCi/mL	U	U		0.243	0.411	0.897
HAA018C	2/12/2015	TECHNETIUM-99	0.263	pCi/L	U	U		2.49	4.19	9.17
HAA018C	11/4/2015	NITRATE-NITRITE AS NITROGEN	0.115	mg/L					0.017	0.05
HAA018C	11/4/2015	CADMIUM	0.166	ug/L	J	J	21		0.1	1
HAA018C	11/4/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA018C	11/4/2015	MANGANESE	9.34	ug/L	J	J	21		1	10
HAA018C	11/4/2015	SODIUM	1640	ug/L					20	200
HAA018C	11/4/2015	TRITIUM	0.0584	pCi/mL	U	U		0.259	0.443	0.961
HAA018C	11/4/2015	GROSS ALPHA	1.17	pCi/L	U	U		1.58	2.71	5.87
HAA018C	11/4/2015	NONVOLATILE BETA	0.69	pCi/L	U	U		2.19	3.84	8.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA018C	11/4/2015	TECHNETIUM-99	2.52	pCi/L	U	U		4.71	7.98	17.4
HAA018C	11/4/2015	NITRATE-NITRITE AS NITROGEN	0.115	mg/L					0.017	0.05
HAA018C	11/4/2015	CADMIUM	0.17	ug/L	J	J	21		0.1	1
HAA018C	11/4/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA018C	11/4/2015	MANGANESE	9.38	ug/L	J	J	21		1	10
HAA018C	11/4/2015	SODIUM	1650	ug/L					20	200
HAA018C	11/4/2015	TRITIUM	0.0146	pCi/mL	U	U		0.256	0.444	0.957
HAA018C	11/4/2015	GROSS ALPHA	0.0225	pCi/L	U	U		1.41	2.96	5.78
HAA018C	11/4/2015	NONVOLATILE BETA	-0.522	pCi/L	U	U		1.57	3.07	6.21
HAA018C	11/4/2015	TECHNETIUM-99	4.14	pCi/L	U	U		5.02	8.45	18.5
HAA018D	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L					0.0094	0.1
HAA018D	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA018D	2/12/2015	CHROMIUM	12.9	ug/L	U	U	21, V		10	100
HAA018D	2/12/2015	MANGANESE	319	ug/L					1	10
HAA018D	2/12/2015	SODIUM	2440	ug/L					20	200
HAA018D	2/12/2015	GROSS ALPHA	3.36	pCi/L	J	J	21	2.49	2.33	7.31
HAA018D	2/12/2015	NONVOLATILE BETA	0.664	pCi/L	U	U		2.18	3.84	8.2
HAA018D	2/12/2015	TRITIUM	3.02	pCi/mL				0.404	0.411	1.22
HAA018D	2/12/2015	TECHNETIUM-99	-0.897	pCi/L	U	U		1.21	2.11	4.53
HAA018D	11/3/2015	NITRATE-NITRITE AS NITROGEN	1.86	mg/L					0.085	0.25
HAA018D	11/3/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA018D	11/3/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA018D	11/3/2015	MANGANESE	272	ug/L					1	10
HAA018D	11/3/2015	SODIUM	2730	ug/L					20	200
HAA018D	11/3/2015	TRITIUM	2.94	pCi/mL				0.415	0.444	1.27
HAA018D	11/3/2015	GROSS ALPHA	0.844	pCi/L	U	U		1.56	2.83	5.95
HAA018D	11/3/2015	NONVOLATILE BETA	0.0445	pCi/L	U	U		1.43	2.7	5.56

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA018D	11/3/2015	TECHNETIUM-99	4.51	pCi/L	U	U		4.49	7.52	16.5
HAA019C	2/12/2015	NITRATE-NITRITE AS NITROGEN	0.74	mg/L			V		0.0094	0.1
HAA019C	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA019C	2/12/2015	CHROMIUM	15.5	ug/L	U	U	21, V		10	100
HAA019C	2/12/2015	MANGANESE	1.11	ug/L	J	J	21		1	10
HAA019C	2/12/2015	SODIUM	2040	ug/L					20	200
HAA019C	2/12/2015	GROSS ALPHA	1.63	pCi/L	U	U		1.81	2.34	5.95
HAA019C	2/12/2015	NONVOLATILE BETA	1.76	pCi/L	U	U		2.73	4.36	9.82
HAA019C	2/12/2015	TRITIUM	0.111	pCi/mL	U	U		0.282	0.475	1.04
HAA019C	2/12/2015	TECHNETIUM-99	-1.11	pCi/L	U	U		1.21	2.12	4.54
HAA019C	10/14/2015	NITRATE-NITRITE AS NITROGEN	0.77	mg/L					0.017	0.05
HAA019C	10/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA019C	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA019C	10/14/2015	MANGANESE	2.83	ug/L	J	J	21		1	10
HAA019C	10/14/2015	SODIUM	2100	ug/L					20	200
HAA019C	10/14/2015	TRITIUM	0.207	pCi/mL	U	U		0.278	0.459	1.01
HAA019C	10/14/2015	GROSS ALPHA	-0.61	pCi/L	U	U		0.828	2.47	4.13
HAA019C	10/14/2015	NONVOLATILE BETA	-0.374	pCi/L	U	U		1.23	2.51	4.97
HAA019C	10/14/2015	TECHNETIUM-99	1.29	pCi/L	U	U		4.86	8.3	18
HAA019D	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L			V		0.019	0.2
HAA019D	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA019D	2/12/2015	CHROMIUM	17	ug/L	U	U	21, V		10	100
HAA019D	2/12/2015	MANGANESE	247	ug/L					1	10
HAA019D	2/12/2015	SODIUM	4490	ug/L					20	200
HAA019D	2/12/2015	GROSS ALPHA	1.21	pCi/L	U	U		1.58	2.28	5.44
HAA019D	2/12/2015	NONVOLATILE BETA	0.432	pCi/L	U	U		2.45	4.3	9.21
HAA019D	2/12/2015	TRITIUM	3.04	pCi/mL				0.426	0.475	1.33

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA019D	2/12/2015	TECHNETIUM-99	0.185	pCi/L	U	U		1.29	2.18	4.76
HAA019D	10/14/2015	NITRATE-NITRITE AS NITROGEN	1.41	mg/L					0.017	0.05
HAA019D	10/14/2015	CADMIUM	0.162	ug/L	J	J	21		0.1	1
HAA019D	10/14/2015	CHROMIUM	18.6	ug/L	J	J	21		10	100
HAA019D	10/14/2015	MANGANESE	157	ug/L					1	10
HAA019D	10/14/2015	SODIUM	4950	ug/L					20	200
HAA019D	10/14/2015	TRITIUM	3.23	pCi/mL				0.433	0.458	1.32
HAA019D	10/14/2015	GROSS ALPHA	6.13	pCi/L	J	J	21	2.56	2.99	8.11
HAA019D	10/14/2015	NONVOLATILE BETA	4.86	pCi/L	J	J	21	2.45	3.75	8.65
HAA019D	10/14/2015	TECHNETIUM-99	6.09	pCi/L	U	U		5.26	8.79	19.3
HAA020C	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.68	mg/L					0.0047	0.05
HAA020C	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA020C	2/11/2015	CHROMIUM	12.2	ug/L	U	U	21, V		10	100
HAA020C	2/11/2015	MANGANESE	6.09	ug/L	J	J	21		1	10
HAA020C	2/11/2015	SODIUM	2970	ug/L					20	200
HAA020C	2/11/2015	GROSS ALPHA	-0.355	pCi/L	U	U		0.247	2.3	2.79
HAA020C	2/11/2015	NONVOLATILE BETA	-0.328	pCi/L	U	U		2.17	4.08	8.42
HAA020C	2/11/2015	TRITIUM	0.653	pCi/mL	J	J	21	0.293	0.437	1.02
HAA020C	2/11/2015	TECHNETIUM-99	0.842	pCi/L	U	U		1.33	2.2	4.86
HAA020C	10/12/2015	NITRATE-NITRITE AS NITROGEN	0.78	mg/L					0.085	0.25
HAA020C	10/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA020C	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA020C	10/12/2015	MANGANESE	5.25	ug/L	J	J	21		1	10
HAA020C	10/12/2015	SODIUM	3120	ug/L					20	200
HAA020C	10/12/2015	TRITIUM	0.848	pCi/mL	J	J	21	0.298	0.421	1.02
HAA020C	10/12/2015	GROSS ALPHA	1.71	pCi/L	U	U		1.66	2.6	5.92
HAA020C	10/12/2015	NONVOLATILE BETA	-0.0733	pCi/L	U	U		1.63	2.97	6.23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA020C	10/12/2015	TECHNETIUM-99	0.476	pCi/L	U	U		4.34	7.45	16.1
HAA020D	2/11/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.0094	0.1
HAA020D	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA020D	2/11/2015	CHROMIUM	17.9	ug/L	U	U	21, V		10	100
HAA020D	2/11/2015	MANGANESE	9.42	ug/L	J	J	21		1	10
HAA020D	2/11/2015	SODIUM	3960	ug/L					20	200
HAA020D	2/11/2015	GROSS ALPHA	0.035	pCi/L	U	U		0.829	2.31	3.97
HAA020D	2/11/2015	NONVOLATILE BETA	1.94	pCi/L	U	U		2.65	4.14	9.44
HAA020D	2/11/2015	TRITIUM	2.45	pCi/mL				0.403	0.479	1.28
HAA020D	2/11/2015	TECHNETIUM-99	-0.995	pCi/L	U	U		1.32	2.3	4.94
HAA020D	10/12/2015	NITRATE-NITRITE AS NITROGEN	1.27	mg/L					0.085	0.25
HAA020D	10/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA020D	10/12/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA020D	10/12/2015	MANGANESE	5.91	ug/L	J	J	21		1	10
HAA020D	10/12/2015	SODIUM	4400	ug/L					20	200
HAA020D	10/12/2015	TRITIUM	3.63	pCi/mL				0.441	0.432	1.32
HAA020D	10/12/2015	GROSS ALPHA	0.799	pCi/L	U	U		1.6	2.9	6.1
HAA020D	10/12/2015	NONVOLATILE BETA	1.03	pCi/L	U	U		1.73	2.98	6.44
HAA020D	10/12/2015	TECHNETIUM-99	1.38	pCi/L	U	U		4.83	8.24	17.9
HAA021C	2/12/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L			V		0.019	0.2
HAA021C	2/12/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA021C	2/12/2015	CHROMIUM	13.7	ug/L	U	U	21, V		10	100
HAA021C	2/12/2015	MANGANESE	19.7	ug/L					1	10
HAA021C	2/12/2015	SODIUM	2450	ug/L					20	200
HAA021C	2/12/2015	GROSS ALPHA	0.0353	pCi/L	U	U		0.818	2.28	3.92
HAA021C	2/12/2015	NONVOLATILE BETA	1.46	pCi/L	U	U		2.56	4.13	9.25
HAA021C	2/12/2015	TRITIUM	1.41	pCi/mL				0.353	0.475	1.18

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA021C	2/12/2015	TECHNETIUM-99	-0.0381	pCi/L	U	U		1.29	2.19	4.77
HAA021C	10/14/2015	NITRATE-NITRITE AS NITROGEN	1.12	mg/L					0.085	0.25
HAA021C	10/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA021C	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA021C	10/14/2015	MANGANESE	17.9	ug/L					1	10
HAA021C	10/14/2015	SODIUM	2770	ug/L					20	200
HAA021C	10/14/2015	TRITIUM	1.79	pCi/mL				0.37	0.461	1.2
HAA021C	10/14/2015	GROSS ALPHA	-0.24	pCi/L	U	U		1.43	2.95	5.81
HAA021C	10/14/2015	NONVOLATILE BETA	-0.764	pCi/L	U	U		1.37	2.68	5.42
HAA021C	10/14/2015	TECHNETIUM-99	5.49	pCi/L	U	U		4.83	8.06	17.7
HAA021D	2/11/2015	NITRATE-NITRITE AS NITROGEN	2.2	mg/L			V		0.019	0.2
HAA021D	2/11/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA021D	2/11/2015	CHROMIUM	15.4	ug/L	U	U	21, V		10	100
HAA021D	2/11/2015	MANGANESE	39.3	ug/L					1	10
HAA021D	2/11/2015	SODIUM	3560	ug/L					20	200
HAA021D	2/11/2015	GROSS ALPHA	0.815	pCi/L	U	U		1.37	2.26	5
HAA021D	2/11/2015	NONVOLATILE BETA	-0.41	pCi/L	U	U		2.25	4.24	8.75
HAA021D	2/11/2015	TRITIUM	3.5	pCi/mL				0.444	0.476	1.36
HAA021D	2/11/2015	TECHNETIUM-99	-0.79	pCi/L	U	U		1.29	2.24	4.82
HAA021D	10/14/2015	NITRATE-NITRITE AS NITROGEN	2.05	mg/L					0.085	0.25
HAA021D	10/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HAA021D	10/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HAA021D	10/14/2015	MANGANESE	22.2	ug/L					1	10
HAA021D	10/14/2015	SODIUM	3920	ug/L					20	200
HAA021D	10/14/2015	TRITIUM	3.75	pCi/mL				0.456	0.459	1.37
HAA021D	10/14/2015	GROSS ALPHA	0.29	pCi/L	U	U		1.42	2.87	5.71
HAA021D	10/14/2015	NONVOLATILE BETA	0.208	pCi/L	U	U		1.78	3.28	6.84

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HAA021D	10/14/2015	TECHNETIUM-99	3.69	pCi/L	U	U		4.67	7.86	17.2
HCB 2	4/27/2015	CADMIUM	0.207	ug/L	J	J	21		0.1	1
HCB 2	4/27/2015	LEAD	1.37	ug/L	J	J	21		0.5	5
HCB 2	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HCB 2	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HCB 2	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HCB 2	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HCB 2	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HCB 2	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HCB 2	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HCB 2	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HCB 2	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HCB 2	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HCB 2	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HCB 2	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HCB 2	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HCB 2	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HCB 2	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HCB 2	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HCB 2	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HCB 2	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HCB 2	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HCB 2	4/27/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
HCB 2	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HCB 2	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HCB 2	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HCB 2	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HCB 2	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HCB 2	4/27/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HCB 2	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HCB 2	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HCB 2	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HCB 2	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HCB 2	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HCB 2	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HCB 2	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HCB 2	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HCB 2	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HCB 2	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HCB 2	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HCB 2	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HCB 2	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HCB 2	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HCB 2	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HCB 2	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HCB 2	4/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HCB 2	4/27/2015	TOLUENE	1.7	ug/L		U	8		0.07	1
HCB 2	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HCB 2	4/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HCB 2	4/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HCB 2	4/27/2015	GROSS ALPHA	0.557	pCi/L	U	U		1.19	2.18	4.55
HCB 2	4/27/2015	NONVOLATILE BETA	5.47	pCi/L	J	J	21	3.21	4.19	10.6
HCB 2	4/27/2015	TRITIUM	3.18	pCi/mL				0.419	0.426	1.26
HGW 2D	4/22/2015	CADMIUM	0.154	ug/L	J	J	21		0.1	1
HGW 2D	4/22/2015	LEAD	5	ug/L	U	U			0.5	5
HGW 2D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 2D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HGW 2D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	21	ug/L					0.1	1
HGW 2D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HGW 2D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 2D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HGW 2D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HGW 2D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HGW 2D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HGW 2D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HGW 2D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HGW 2D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HGW 2D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 2D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HGW 2D	4/22/2015	ACETONE	5.3	ug/L		J	11, 18		0.34	2
HGW 2D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HGW 2D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 2D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HGW 2D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HGW 2D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HGW 2D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HGW 2D	4/22/2015	CARBON TETRACHLORIDE	2.5	ug/L					0.13	1
HGW 2D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HGW 2D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HGW 2D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 2D	4/22/2015	CHLOROFORM	0.81	ug/L	J	J	21		0.1	1
HGW 2D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 2D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HGW 2D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HGW 2D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HGW 2D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 2D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HGW 2D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HGW 2D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HGW 2D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HGW 2D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 2D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HGW 2D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HGW 2D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HGW 2D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HGW 2D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HGW 2D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HGW 2D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HGW 2D	4/22/2015	TOLUENE	1.2	ug/L		U	8		0.07	1
HGW 2D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HGW 2D	4/22/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
HGW 2D	4/22/2015	TRICHLOROFLUOROMETHANE	0.2	ug/L	J	J	21		0.11	1
HGW 2D	4/22/2015	GROSS ALPHA	2.1	pCi/L	J	J	21	1.93	2.07	5.93
HGW 2D	4/22/2015	NONVOLATILE BETA	2.88	pCi/L	U	U		2.89	4.39	10.2
HGW 2D	4/22/2015	TRITIUM	29.6	pCi/mL				0.977	0.528	2.48
HGW 3A	4/22/2015	CADMIUM	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	LEAD	0.868	ug/L	J	J	21		0.5	5
HGW 3A	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 3A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HGW 3A	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 3A	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 3A	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HGW 3A	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 3A	4/22/2015	1,2-DIBROMO-3-	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
HGW 3A	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HGW 3A	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HGW 3A	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 3A	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HGW 3A	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HGW 3A	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HGW 3A	4/22/2015	ACETONE	4.8	ug/L		J	11, 18		0.34	2
HGW 3A	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HGW 3A	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 3A	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HGW 3A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HGW 3A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HGW 3A	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HGW 3A	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HGW 3A	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HGW 3A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HGW 3A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 3A	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HGW 3A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 3A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HGW 3A	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HGW 3A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 3A	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HGW 3A	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 3A	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HGW 3A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HGW 3A	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HGW 3A	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HGW 3A	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HGW 3A	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HGW 3A	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HGW 3A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HGW 3A	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HGW 3A	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HGW 3A	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HGW 3A	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HGW 3A	4/22/2015	TOLUENE	0.86	ug/L	J	U	21, 8		0.07	1
HGW 3A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 3A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HGW 3A	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HGW 3A	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HGW 3A	4/22/2015	GROSS ALPHA	-0.247	pCi/L	U	U		0.264	2.11	2.64
HGW 3A	4/22/2015	NONVOLATILE BETA	0.912	pCi/L	U	U		2.37	4.07	8.81
HGW 3A	4/22/2015	TRITIUM	-0.113	pCi/mL	U	U		0.303	0.526	1.13
HGW 3D	4/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HGW 3D	4/27/2015	LEAD	17	ug/L					0.5	5
HGW 3D	4/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 3D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 3D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	100	ug/L					0.5	5
HGW 3D	4/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HGW 3D	4/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HGW 3D	4/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HGW 3D	4/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HGW 3D	4/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HGW 3D	4/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HGW 3D	4/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HGW 3D	4/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HGW 3D	4/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HGW 3D	4/27/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HGW 3D	4/27/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HGW 3D	4/27/2015	ACETONE	2	ug/L	U	U			0.34	2
HGW 3D	4/27/2015	BENZENE	1	ug/L	U	U			0.06	1
HGW 3D	4/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 3D	4/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HGW 3D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HGW 3D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HGW 3D	4/27/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HGW 3D	4/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HGW 3D	4/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HGW 3D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 3D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 3D	4/27/2015	CHLOROFORM	0.36	ug/L	J	U	21, 8		0.1	1
HGW 3D	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HGW 3D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HGW 3D	4/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HGW 3D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HGW 3D	4/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HGW 3D	4/27/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HGW 3D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HGW 3D	4/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HGW 3D	4/27/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HGW 3D	4/27/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HGW 3D	4/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HGW 3D	4/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HGW 3D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HGW 3D	4/27/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HGW 3D	4/27/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HGW 3D	4/27/2015	STYRENE	1	ug/L	U	U			0.07	1
HGW 3D	4/27/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
HGW 3D	4/27/2015	TOLUENE	1.4	ug/L		U	8		0.07	1
HGW 3D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HGW 3D	4/27/2015	TRICHLOROETHYLENE (TCE)	4.3	ug/L					0.25	1
HGW 3D	4/27/2015	TRICHLOROFLUOROMETHANE	0.19	ug/L	J	J	21		0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HGW 3D	4/27/2015	GROSS ALPHA	0.926	pCi/L	U	U		1.38	2.07	4.82
HGW 3D	4/27/2015	NONVOLATILE BETA	2.49	pCi/L	U	U		2.75	4.23	9.72
HGW 3D	4/27/2015	TRITIUM	22	pCi/mL				0.916	0.417	2.25
HHP 1D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HHP 1D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HHP 1D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HHP 1D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HHP 1D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HHP 1D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HHP 1D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HHP 1D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HHP 1D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HHP 1D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HHP 1D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HHP 1D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HHP 1D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HHP 1D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HHP 1D	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HHP 1D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HHP 1D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HHP 1D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HHP 1D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HHP 1D	4/22/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
HHP 1D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HHP 1D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HHP 1D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HHP 1D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HHP 1D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HHP 1D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HHP 1D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HHP 1D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HHP 1D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HHP 1D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HHP 1D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HHP 1D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HHP 1D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HHP 1D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HHP 1D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HHP 1D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HHP 1D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HHP 1D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HHP 1D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HHP 1D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HHP 1D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HHP 1D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HHP 1D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HHP 1D	4/22/2015	TOLUENE	1.9	ug/L		U	8		0.07	1
HHP 1D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HHP 1D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HHP 1D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HHP 1D	4/22/2015	GROSS ALPHA	1.79	pCi/L	U	U		1.86	2.19	5.91
HHP 1D	4/22/2015	NONVOLATILE BETA	6.11	pCi/L	J	J	21	3.37	4.35	11.1
HHP 1D	4/22/2015	TRITIUM	2.52	pCi/mL				0.411	0.528	1.35
HHP 2D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HHP 2D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HHP 2D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HHP 2D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HHP 2D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HHP 2D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HHP 2D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HHP 2D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HHP 2D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HHP 2D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HHP 2D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HHP 2D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HHP 2D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HHP 2D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HHP 2D	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HHP 2D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HHP 2D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HHP 2D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HHP 2D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HHP 2D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HHP 2D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HHP 2D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HHP 2D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HHP 2D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HHP 2D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HHP 2D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HHP 2D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HHP 2D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HHP 2D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HHP 2D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HHP 2D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HHP 2D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HHP 2D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HHP 2D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HHP 2D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HHP 2D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HHP 2D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HHP 2D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HHP 2D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HHP 2D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HHP 2D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HHP 2D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HHP 2D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HHP 2D	4/22/2015	TOLUENE	1.4	ug/L		U	8		0.07	1
HHP 2D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HHP 2D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HHP 2D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HHP 2D	4/22/2015	GROSS ALPHA	0.561	pCi/L	U	U		1.19	2.18	4.56
HHP 2D	4/22/2015	NONVOLATILE BETA	4.04	pCi/L	U	U		2.99	4.19	10.2
HHP 2D	4/22/2015	TRITIUM	3.46	pCi/mL				0.449	0.538	1.44
HIW 5MC1	7/17/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
HIW 5MC1	7/17/2015	ETHYLENE	0.0078	ug/L	J		21		0.003	0.1
HIW 5MC1	7/17/2015	ANTIMONY	10	ug/L	U				1	10
HIW 5MC1	7/17/2015	ARSENIC	50	ug/L	U				5	50
HIW 5MC1	7/17/2015	BARIUM	9.97	ug/L	J		21		2	20
HIW 5MC1	7/17/2015	BERYLLIUM	1	ug/L	U				0.1	1
HIW 5MC1	7/17/2015	CHROMIUM	100	ug/L	U				10	100
HIW 5MC1	7/17/2015	COBALT	0.86	ug/L	J		21		0.5	5
HIW 5MC1	7/17/2015	COPPER	1.69	ug/L	J		21		0.5	5
HIW 5MC1	7/17/2015	LEAD	1.04	ug/L	J		21		0.5	5
HIW 5MC1	7/17/2015	NICKEL	1.22	ug/L	J		21		0.5	5
HIW 5MC1	7/17/2015	SELENIUM	20	ug/L	U				2	20
HIW 5MC1	7/17/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC1	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
HIW 5MC1	7/17/2015	TIN	10	ug/L	U				1	10
HIW 5MC1	7/17/2015	VANADIUM	50	ug/L	U				5	50
HIW 5MC1	7/17/2015	ZINC	4.16	ug/L	J		21		4	40
HIW 5MC1	7/17/2015	MERCURY	0.26	ug/L					0.02	0.2
HIW 5MC1	7/17/2015	1,4-DIOXANE	43	ug/L					0.85	3
HIW 5MC1	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.708	pCi/L				0.125	0.104	0.354
HIW 5MC1	7/17/2015	RADIUM-226	0.539	pCi/L				0.096	0.066	0.2577
HIW 5MC1	7/17/2015	URANIUM-233/234	0	pCi/L	U		V	0	0.0619	0.0619
HIW 5MC1	7/17/2015	URANIUM-235	-0.00704	pCi/L	U		V	0.014	0.142	0.17
HIW 5MC1	7/17/2015	URANIUM-238	0.0456	pCi/L	U			0.065	0.0618	0.191
HIW 5MC1	7/17/2015	GROSS ALPHA	0.412	pCi/L	U			1.15	2.29	4.59
HIW 5MC1	7/17/2015	NONVOLATILE BETA	1.4	pCi/L	U			2.53	4.17	9.24
HIW 5MC1	7/17/2015	STRONTIUM-90	2.43	pCi/L	U			2.32	3.13	7.77
HIW 5MC1	7/17/2015	CARBON-14	-3.53	pCi/L	UJ			4.17	7.13	15.5
HIW 5MC1	7/17/2015	TECHNETIUM-99	0.322	pCi/L	U			2.51	4.21	9.22
HIW 5MC1	7/17/2015	TRITIUM	3120	pCi/mL				10.4	0.474	21.3
HIW 5MC1	7/17/2015	IODINE-129	-0.467	pCi/L	U			0.634	1.03	2.29
HIW 5MC1	7/24/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
HIW 5MC1	7/24/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
HIW 5MC1	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
HIW 5MC1	7/24/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
HIW 5MC1	7/24/2015	1,1-DICHLOROETHANE	2.2	ug/L	J		21		0.7	10
HIW 5MC1	7/24/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC1	7/24/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
HIW 5MC1	7/24/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
HIW 5MC1	7/24/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
HIW 5MC1	7/24/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
HIW 5MC1	7/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
HIW 5MC1	7/24/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
HIW 5MC1	7/24/2015	1,2-DICHLOROETHYLENE	91	ug/L					1.5	20
HIW 5MC1	7/24/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
HIW 5MC1	7/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
HIW 5MC1	7/24/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
HIW 5MC1	7/24/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
HIW 5MC1	7/24/2015	2-HEXANONE	50	ug/L	U				2.2	50
HIW 5MC1	7/24/2015	ACETONE	20	ug/L	U				3.4	20
HIW 5MC1	7/24/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
HIW 5MC1	7/24/2015	ACROLEIN	100	ug/L	U				28	100
HIW 5MC1	7/24/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
HIW 5MC1	7/24/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
HIW 5MC1	7/24/2015	BENZENE	10	ug/L	U				0.6	10
HIW 5MC1	7/24/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
HIW 5MC1	7/24/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
HIW 5MC1	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
HIW 5MC1	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC1	7/24/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
HIW 5MC1	7/24/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
HIW 5MC1	7/24/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
HIW 5MC1	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
HIW 5MC1	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
HIW 5MC1	7/24/2015	CHLOROFORM	6.9	ug/L	J		21		1	10
HIW 5MC1	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
HIW 5MC1	7/24/2015	CHLOROPRENE	10	ug/L	U				1	10
HIW 5MC1	7/24/2015	CIS-1,2-DICHLOROETHYLENE	91	ug/L					0.9	10
HIW 5MC1	7/24/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
HIW 5MC1	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
HIW 5MC1	7/24/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
HIW 5MC1	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
HIW 5MC1	7/24/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
HIW 5MC1	7/24/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
HIW 5MC1	7/24/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
HIW 5MC1	7/24/2015	ISOBUTANOL	800	ug/L	U				87	800
HIW 5MC1	7/24/2015	M,P-XYLENE	20	ug/L	U				1.4	20
HIW 5MC1	7/24/2015	METHACRYLONITRILE	100	ug/L	U				5	100
HIW 5MC1	7/24/2015	METHYL ACETATE	250	ug/L	U				3.7	250
HIW 5MC1	7/24/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC1	7/24/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
HIW 5MC1	7/24/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
HIW 5MC1	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
HIW 5MC1	7/24/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
HIW 5MC1	7/24/2015	NAPHTHALENE	10	ug/L	U				1.6	10
HIW 5MC1	7/24/2015	O-XYLENE	10	ug/L	U				0.6	10
HIW 5MC1	7/24/2015	PROPIONITRILE	100	ug/L	U				14	100
HIW 5MC1	7/24/2015	STYRENE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	TETRACHLOROETHYLENE (PCE)	3.6	ug/L	J		21		1.8	10
HIW 5MC1	7/24/2015	TOLUENE	10	ug/L	U				0.7	10
HIW 5MC1	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
HIW 5MC1	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
HIW 5MC1	7/24/2015	TRICHLOROETHYLENE (TCE)	61	ug/L					2.5	10
HIW 5MC1	7/24/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
HIW 5MC1	7/24/2015	VINYL ACETATE	20	ug/L	U				1.8	20
HIW 5MC1	7/24/2015	XYLENES	30	ug/L	U				2	30
HIW 5MC2	7/17/2015	ETHANE	0.0073	ug/L	J		21		0.002	0.1
HIW 5MC2	7/17/2015	ETHYLENE	0.09	ug/L	J		21		0.003	0.1
HIW 5MC2	7/17/2015	ANTIMONY	10	ug/L	U				1	10
HIW 5MC2	7/17/2015	ARSENIC	50	ug/L	U				5	50
HIW 5MC2	7/17/2015	BARIUM	4.62	ug/L	J		21		2	20
HIW 5MC2	7/17/2015	BERYLLIUM	0.155	ug/L	J		21		0.1	1
HIW 5MC2	7/17/2015	CHROMIUM	100	ug/L	U				10	100
HIW 5MC2	7/17/2015	COBALT	5	ug/L	U				0.5	5
HIW 5MC2	7/17/2015	COPPER	1.22	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC2	7/17/2015	LEAD	5	ug/L	U				0.5	5
HIW 5MC2	7/17/2015	NICKEL	1.32	ug/L	J		21		0.5	5
HIW 5MC2	7/17/2015	SELENIUM	20	ug/L	U				2	20
HIW 5MC2	7/17/2015	SILVER	5	ug/L	U				0.5	5
HIW 5MC2	7/17/2015	THALLIUM	1	ug/L	U				0.1	1
HIW 5MC2	7/17/2015	TIN	10	ug/L	U				1	10
HIW 5MC2	7/17/2015	VANADIUM	50	ug/L	U				5	50
HIW 5MC2	7/17/2015	ZINC	10.8	ug/L	J		21		4	40
HIW 5MC2	7/17/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HIW 5MC2	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HIW 5MC2	7/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0296	pCi/L	U			0.069	0.121	0.2598
HIW 5MC2	7/17/2015	RADIUM-226	0.0486	pCi/L	U			0.052	0.084	0.1884
HIW 5MC2	7/17/2015	URANIUM-233/234	0.0182	pCi/L	U			0.05	0.122	0.222
HIW 5MC2	7/17/2015	URANIUM-235	0.0299	pCi/L	U		V	0.06	0.0811	0.201
HIW 5MC2	7/17/2015	URANIUM-238	-0.00605	pCi/L	U		V	0.012	0.122	0.146
HIW 5MC2	7/17/2015	GROSS ALPHA	-0.364	pCi/L	U			0.347	2.29	2.98
HIW 5MC2	7/17/2015	NONVOLATILE BETA	0.899	pCi/L	U			2.38	4.06	8.81
HIW 5MC2	7/17/2015	STRONTIUM-90	0.652	pCi/L	U			2.4	3.13	7.94
HIW 5MC2	7/17/2015	CARBON-14	45	pCi/L	J			5.19	7.08	17.5
HIW 5MC2	7/17/2015	TECHNETIUM-99	0.786	pCi/L	U			2.53	4.23	9.29
HIW 5MC2	7/17/2015	TRITIUM	101	pCi/mL				1.9	0.475	4.27
HIW 5MC2	7/17/2015	IODINE-129	-0.0851	pCi/L	U			0.599	0.917	2.11
HIW 5MC2	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HIW 5MC2	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HIW 5MC2	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HIW 5MC2	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC2	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HIW 5MC2	7/24/2015	1,1-DICHLOROETHANE	0.21	ug/L	J		21		0.07	1
HIW 5MC2	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HIW 5MC2	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HIW 5MC2	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HIW 5MC2	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HIW 5MC2	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HIW 5MC2	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HIW 5MC2	7/24/2015	1,2-DICHLOROETHYLENE	2.3	ug/L					0.15	2
HIW 5MC2	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HIW 5MC2	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HIW 5MC2	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HIW 5MC2	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HIW 5MC2	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HIW 5MC2	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
HIW 5MC2	7/24/2015	ACETONE	2	ug/L	U				0.34	2
HIW 5MC2	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HIW 5MC2	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
HIW 5MC2	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HIW 5MC2	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HIW 5MC2	7/24/2015	BENZENE	1	ug/L	U				0.06	1
HIW 5MC2	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC2	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HIW 5MC2	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HIW 5MC2	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HIW 5MC2	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HIW 5MC2	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HIW 5MC2	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HIW 5MC2	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HIW 5MC2	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HIW 5MC2	7/24/2015	CHLOROFORM	0.66	ug/L	J		21		0.1	1
HIW 5MC2	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HIW 5MC2	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HIW 5MC2	7/24/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
HIW 5MC2	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HIW 5MC2	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HIW 5MC2	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HIW 5MC2	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HIW 5MC2	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HIW 5MC2	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HIW 5MC2	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HIW 5MC2	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HIW 5MC2	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HIW 5MC2	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HIW 5MC2	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HIW 5MC2	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HIW 5MC2	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HIW 5MC2	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HIW 5MC2	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HIW 5MC2	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HIW 5MC2	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HIW 5MC2	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HIW 5MC2	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HIW 5MC2	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
HIW 5MC2	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HIW 5MC2	7/24/2015	STYRENE	1	ug/L	U				0.07	1
HIW 5MC2	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HIW 5MC2	7/24/2015	TOLUENE	0.36	ug/L	J		21		0.07	1
HIW 5MC2	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HIW 5MC2	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HIW 5MC2	7/24/2015	TRICHLOROETHYLENE (TCE)	8.7	ug/L					0.25	1
HIW 5MC2	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HIW 5MC2	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HIW 5MC2	7/24/2015	XYLENES	3	ug/L	U				0.2	3
HMD 1D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 1D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HMD 1D	1/12/2015	TRITIUM	25.3	pCi/mL				0.952	0.398	2.3
HMD 1D	7/21/2015	ETHANE	0.0047	ug/L	J		21		0.002	0.1
HMD 1D	7/21/2015	ETHYLENE	0.0089	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 1D	7/21/2015	ANTIMONY	10	ug/L	U				1	10
HMD 1D	7/21/2015	ARSENIC	50	ug/L	U				5	50
HMD 1D	7/21/2015	BARIUM	5.09	ug/L	J		21		2	20
HMD 1D	7/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	CHROMIUM	100	ug/L	U				10	100
HMD 1D	7/21/2015	COBALT	5	ug/L	U				0.5	5
HMD 1D	7/21/2015	COPPER	3.66	ug/L	J		21		0.5	5
HMD 1D	7/21/2015	LEAD	5.85	ug/L					0.5	5
HMD 1D	7/21/2015	NICKEL	1.28	ug/L	J		21		0.5	5
HMD 1D	7/21/2015	SELENIUM	20	ug/L	U				2	20
HMD 1D	7/21/2015	SILVER	5	ug/L	U				0.5	5
HMD 1D	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	TIN	10	ug/L	U				1	10
HMD 1D	7/21/2015	VANADIUM	50	ug/L	U				5	50
HMD 1D	7/21/2015	ZINC	22.6	ug/L	J		21		4	40
HMD 1D	7/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HMD 1D	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HMD 1D	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.56	ug/L	J		21		0.1	1
HMD 1D	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HMD 1D	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HMD 1D	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HMD 1D	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 1D	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HMD 1D	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HMD 1D	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HMD 1D	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HMD 1D	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HMD 1D	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HMD 1D	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HMD 1D	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
HMD 1D	7/21/2015	ACETONE	2	ug/L	U				0.34	2
HMD 1D	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HMD 1D	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
HMD 1D	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HMD 1D	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HMD 1D	7/21/2015	BENZENE	1	ug/L	U				0.06	1
HMD 1D	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 1D	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HMD 1D	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HMD 1D	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HMD 1D	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HMD 1D	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HMD 1D	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 1D	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HMD 1D	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 1D	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 1D	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HMD 1D	7/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HMD 1D	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 1D	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HMD 1D	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HMD 1D	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HMD 1D	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HMD 1D	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HMD 1D	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HMD 1D	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HMD 1D	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HMD 1D	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HMD 1D	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HMD 1D	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HMD 1D	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HMD 1D	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HMD 1D	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 1D	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HMD 1D	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HMD 1D	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
HMD 1D	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HMD 1D	7/21/2015	STYRENE	1	ug/L	U				0.07	1
HMD 1D	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 1D	7/21/2015	TOLUENE	0.5	ug/L	J		21		0.07	1
HMD 1D	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 1D	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HMD 1D	7/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HMD 1D	7/21/2015	TRICHLOROFLUOROMETHANE	0.62	ug/L	J		21		0.11	1
HMD 1D	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HMD 1D	7/21/2015	XYLENES	3	ug/L	U				0.2	3
HMD 1D	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HMD 1D	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0756	pCi/L	U			0.086	0.141	0.3128
HMD 1D	7/21/2015	RADIUM-226	0.122	pCi/L	J		21	0.049	0.05	0.1475
HMD 1D	7/21/2015	URANIUM-233/234	0.129	pCi/L	J		21	0.112	0.113	0.338
HMD 1D	7/21/2015	URANIUM-235	0.0555	pCi/L	U			0.079	0.0753	0.233
HMD 1D	7/21/2015	URANIUM-238	0.0393	pCi/L	U		V	0.065	0.113	0.243
HMD 1D	7/21/2015	GROSS ALPHA	0.484	pCi/L	U			1.17	2.17	4.51
HMD 1D	7/21/2015	NONVOLATILE BETA	1.74	pCi/L	U			2.48	3.96	8.92
HMD 1D	7/21/2015	STRONTIUM-90	0.518	pCi/L	U			1.85	3.13	6.83
HMD 1D	7/21/2015	CARBON-14	5.37	pCi/L	U			4.22	6.85	15.3
HMD 1D	7/21/2015	TECHNETIUM-99	-1.24	pCi/L	U			2.54	4.35	9.43
HMD 1D	7/21/2015	TRITIUM	116	pCi/mL				2.08	0.458	4.61

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 1D	7/21/2015	IODINE-129	-0.117	pCi/L	U			0.574	0.978	2.13
HMD 2D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 2D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HMD 2D	1/6/2015	TRITIUM	1.33	pCi/mL				0.321	0.414	1.06
HMD 2D	7/17/2015	ETHANE	0.0039	ug/L	J		21		0.002	0.1
HMD 2D	7/17/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
HMD 2D	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HMD 2D	7/17/2015	TRITIUM	1.2	pCi/mL				0.342	0.47	1.15
HMD 2D	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HMD 2D	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HMD 2D	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HMD 2D	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HMD 2D	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HMD 2D	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HMD 2D	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HMD 2D	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HMD 2D	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 2D	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HMD 2D	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HMD 2D	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HMD 2D	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
HMD 2D	7/24/2015	ACETONE	2	ug/L	U				0.34	2
HMD 2D	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HMD 2D	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
HMD 2D	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HMD 2D	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HMD 2D	7/24/2015	BENZENE	1	ug/L	U				0.06	1
HMD 2D	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 2D	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HMD 2D	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HMD 2D	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HMD 2D	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HMD 2D	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HMD 2D	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HMD 2D	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HMD 2D	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 2D	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 2D	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HMD 2D	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 2D	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 2D	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HMD 2D	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HMD 2D	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HMD 2D	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HMD 2D	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HMD 2D	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HMD 2D	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HMD 2D	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HMD 2D	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HMD 2D	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HMD 2D	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HMD 2D	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HMD 2D	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HMD 2D	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HMD 2D	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HMD 2D	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HMD 2D	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
HMD 2D	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HMD 2D	7/24/2015	STYRENE	1	ug/L	U				0.07	1
HMD 2D	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 2D	7/24/2015	TOLUENE	0.2	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 2D	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 2D	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HMD 2D	7/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HMD 2D	7/24/2015	TRICHLOROFLUOROMETHANE	0.42	ug/L	J		21		0.11	1
HMD 2D	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HMD 2D	7/24/2015	XYLENES	3	ug/L	U				0.2	3
HMD 3D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 3D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1
HMD 3D	1/6/2015	TRITIUM	129	pCi/mL				2.12	0.431	4.67
HMD 4B	7/17/2015	ETHANE	0.0032	ug/L	J		21		0.002	0.1
HMD 4B	7/17/2015	ETHYLENE	0.0067	ug/L	J		21		0.003	0.1
HMD 4B	7/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HMD 4B	7/17/2015	TRITIUM	23.3	pCi/mL				0.959	0.472	2.39
HMD 4B	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HMD 4B	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HMD 4B	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HMD 4B	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HMD 4B	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	1,2-DIBROMO-3-	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
HMD 4B	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HMD 4B	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HMD 4B	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HMD 4B	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HMD 4B	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HMD 4B	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HMD 4B	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
HMD 4B	7/24/2015	ACETONE	2	ug/L	U				0.34	2
HMD 4B	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HMD 4B	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
HMD 4B	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HMD 4B	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HMD 4B	7/24/2015	BENZENE	1	ug/L	U				0.06	1
HMD 4B	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 4B	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HMD 4B	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HMD 4B	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HMD 4B	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HMD 4B	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HMD 4B	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HMD 4B	7/24/2015	CHLOROETHANE (ETHYL	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
HMD 4B	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 4B	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 4B	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HMD 4B	7/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HMD 4B	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 4B	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HMD 4B	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HMD 4B	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HMD 4B	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HMD 4B	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HMD 4B	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HMD 4B	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HMD 4B	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HMD 4B	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HMD 4B	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HMD 4B	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HMD 4B	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HMD 4B	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HMD 4B	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 4B	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HMD 4B	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HMD 4B	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
HMD 4B	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HMD 4B	7/24/2015	STYRENE	1	ug/L	U				0.07	1
HMD 4B	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 4B	7/24/2015	TOLUENE	0.21	ug/L	J		21		0.07	1
HMD 4B	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 4B	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HMD 4B	7/24/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.25	1
HMD 4B	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HMD 4B	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HMD 4B	7/24/2015	XYLENES	3	ug/L	U				0.2	3
HMD 4D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HMD 4D	1/6/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.25	1
HMD 4D	1/6/2015	TRITIUM	23.5	pCi/mL				0.936	0.414	2.29
HMD 4D	7/21/2015	ETHANE	0.0035	ug/L	J		21		0.002	0.1
HMD 4D	7/21/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
HMD 4D	7/21/2015	ANTIMONY	10	ug/L	U				1	10
HMD 4D	7/21/2015	ARSENIC	50	ug/L	U				5	50
HMD 4D	7/21/2015	BARIUM	20.7	ug/L					2	20
HMD 4D	7/21/2015	BERYLLIUM	0.184	ug/L	J		21		0.1	1
HMD 4D	7/21/2015	CHROMIUM	100	ug/L	U				10	100
HMD 4D	7/21/2015	COBALT	5	ug/L	U				0.5	5
HMD 4D	7/21/2015	COPPER	64.8	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 4D	7/21/2015	LEAD	24.7	ug/L					0.5	5
HMD 4D	7/21/2015	NICKEL	2.75	ug/L	J		21		0.5	5
HMD 4D	7/21/2015	SELENIUM	20	ug/L	U				2	20
HMD 4D	7/21/2015	SILVER	5	ug/L	U				0.5	5
HMD 4D	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
HMD 4D	7/21/2015	TIN	10	ug/L	U				1	10
HMD 4D	7/21/2015	VANADIUM	50	ug/L	U				5	50
HMD 4D	7/21/2015	ZINC	90.4	ug/L					4	40
HMD 4D	7/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HMD 4D	7/21/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HMD 4D	7/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HMD 4D	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HMD 4D	7/21/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HMD 4D	7/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HMD 4D	7/21/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HMD 4D	7/21/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HMD 4D	7/21/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HMD 4D	7/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HMD 4D	7/21/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HMD 4D	7/21/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HMD 4D	7/21/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 4D	7/21/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HMD 4D	7/21/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HMD 4D	7/21/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HMD 4D	7/21/2015	2-HEXANONE	5	ug/L	U				0.22	5
HMD 4D	7/21/2015	ACETONE	2	ug/L	U				0.34	2
HMD 4D	7/21/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HMD 4D	7/21/2015	ACROLEIN	10	ug/L	U				2.8	10
HMD 4D	7/21/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HMD 4D	7/21/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HMD 4D	7/21/2015	BENZENE	1	ug/L	U				0.06	1
HMD 4D	7/21/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 4D	7/21/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HMD 4D	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HMD 4D	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HMD 4D	7/21/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HMD 4D	7/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HMD 4D	7/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HMD 4D	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HMD 4D	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 4D	7/21/2015	CHLOROFORM	1	ug/L	U				0.1	1
HMD 4D	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HMD 4D	7/21/2015	CHLOROPRENE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 4D	7/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HMD 4D	7/21/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HMD 4D	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HMD 4D	7/21/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HMD 4D	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HMD 4D	7/21/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HMD 4D	7/21/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HMD 4D	7/21/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HMD 4D	7/21/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HMD 4D	7/21/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HMD 4D	7/21/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HMD 4D	7/21/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HMD 4D	7/21/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HMD 4D	7/21/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HMD 4D	7/21/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HMD 4D	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HMD 4D	7/21/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HMD 4D	7/21/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HMD 4D	7/21/2015	O-XYLENE	1	ug/L	U				0.06	1
HMD 4D	7/21/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HMD 4D	7/21/2015	STYRENE	1	ug/L	U				0.07	1
HMD 4D	7/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HMD 4D	7/21/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
HMD 4D	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HMD 4D	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HMD 4D	7/21/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HMD 4D	7/21/2015	TRICHLOROFLUOROMETHANE	0.36	ug/L	J		21		0.11	1
HMD 4D	7/21/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HMD 4D	7/21/2015	XYLENES	3	ug/L	U				0.2	3
HMD 4D	7/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HMD 4D	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.443	pCi/L				0.117	0.111	0.345
HMD 4D	7/21/2015	RADIUM-226	0.399	pCi/L				0.086	0.078	0.2499
HMD 4D	7/21/2015	URANIUM-233/234	0.0822	pCi/L	U			0.089	0.13	0.308
HMD 4D	7/21/2015	URANIUM-235	0	pCi/L	U			0	0.0647	0.0647
HMD 4D	7/21/2015	URANIUM-238	0.0482	pCi/L	U		V	0.069	0.116	0.253
HMD 4D	7/21/2015	GROSS ALPHA	0.859	pCi/L	U			1.38	2.13	4.89
HMD 4D	7/21/2015	NONVOLATILE BETA	-0.157	pCi/L	U			2.09	3.96	8.15
HMD 4D	7/21/2015	STRONTIUM-90	0.0634	pCi/L	U			1.72	3.12	6.56
HMD 4D	7/21/2015	CARBON-14	27.7	pCi/L				4.69	6.82	16.2
HMD 4D	7/21/2015	TECHNETIUM-99	-1.6	pCi/L	U			2.52	4.33	9.37
HMD 4D	7/21/2015	TRITIUM	24.3	pCi/mL				0.977	0.455	2.41
HMD 4D	7/21/2015	IODINE-129	-0.304	pCi/L	U			0.766	1.06	2.59
HPZ 1A	3/9/2015	NITRATE-NITRITE AS NITROGEN	5.8	mg/L					0.047	0.5
HPZ 1A	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 1A	3/9/2015	GROSS ALPHA	3.95	pCi/L	J		21	2.76	2.48	8
HPZ 1A	3/9/2015	NONVOLATILE BETA	9.68	pCi/L	J		21	3.72	4.06	11.5
HPZ 1A	3/9/2015	CARBON-14	-1.86	pCi/L	U			4.1	6.95	15.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 1A	3/9/2015	TECHNETIUM-99	6.18	pCi/L	J		21	2.63	4.12	9.38
HPZ 1A	3/9/2015	TRITIUM	1690	pCi/mL				8.82	0.562	18.2
HPZ 1A	3/9/2015	IODINE-129	14.6	pCi/L				2.66	1	6.33
HPZ 1A	6/15/2015	NITRATE-NITRITE AS NITROGEN	5.4	mg/L					0.094	1
HPZ 1A	6/15/2015	MERCURY	0.0563	ug/L	J		21		0.02	0.2
HPZ 1A	6/15/2015	GROSS ALPHA	0.149	pCi/L	U			0.884	2.24	4.01
HPZ 1A	6/15/2015	NONVOLATILE BETA	7.74	pCi/L	J		21	3.51	4.14	11.2
HPZ 1A	6/15/2015	CARBON-14	0.582	pCi/L	U			4.4	7.35	16.2
HPZ 1A	6/15/2015	TECHNETIUM-99	10.3	pCi/L				2.8	4.2	9.79
HPZ 1A	6/15/2015	TRITIUM	1610	pCi/mL				9.2	0.656	19.1
HPZ 1A	6/15/2015	IODINE-129	11.2	pCi/L				2.45	1.07	5.97
HPZ 1A	10/8/2015	NITRATE-NITRITE AS NITROGEN	4.1	mg/L					0.047	0.5
HPZ 1A	10/8/2015	ANTIMONY	10	ug/L	U		V		1	10
HPZ 1A	10/8/2015	ARSENIC	50	ug/L	U				5	50
HPZ 1A	10/8/2015	BARIUM	15.4	ug/L	J		21		2	20
HPZ 1A	10/8/2015	BERYLLIUM	0.165	ug/L	J		21		0.1	1
HPZ 1A	10/8/2015	CADMIUM	1	ug/L	U				0.1	1
HPZ 1A	10/8/2015	CHROMIUM	15.7	ug/L	J		21		10	100
HPZ 1A	10/8/2015	COBALT	5	ug/L	U				0.5	5
HPZ 1A	10/8/2015	COPPER	2.38	ug/L	J		21		0.5	5
HPZ 1A	10/8/2015	LEAD	5.75	ug/L					0.5	5
HPZ 1A	10/8/2015	NICKEL	2.29	ug/L	J		21		0.5	5
HPZ 1A	10/8/2015	SELENIUM	4.67	ug/L	J		21		2	20
HPZ 1A	10/8/2015	SILVER	5	ug/L	U				0.5	5
HPZ 1A	10/8/2015	THALLIUM	1	ug/L	U				0.1	1
HPZ 1A	10/8/2015	TIN	10	ug/L	U				1	10
HPZ 1A	10/8/2015	VANADIUM	60.3	ug/L					5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 1A	10/8/2015	ZINC	5.89	ug/L	J		21		4	40
HPZ 1A	10/8/2015	MERCURY	0.0474	ug/L	J		21		0.02	0.2
HPZ 1A	10/8/2015	BENZENE	1	ug/L	U				0.06	1
HPZ 1A	10/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HPZ 1A	10/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HPZ 1A	10/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HPZ 1A	10/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HPZ 1A	10/8/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HPZ 1A	10/8/2015	PHENOL	10	ug/L	U				2	10
HPZ 1A	10/8/2015	CYANIDE	10	ug/L	U				2.9	10
HPZ 1A	10/8/2015	RADIUM, TOTAL ALPHA-EMITTING	1.59	pCi/L	J		21	1.1	1.57	3.77
HPZ 1A	10/8/2015	RADIUM-226	0.681	pCi/L	J		21	0.286	0.371	0.943
HPZ 1A	10/8/2015	RADIUM-228	0.541	pCi/L	U			0.695	1.16	2.55
HPZ 1A	10/8/2015	AMERICIUM-241	0.101	pCi/L	J		21	0.102	0.0681	0.271
HPZ 1A	10/8/2015	CURIUM-242	0.0813	pCi/L	U		21, V	0.095	0.0671	0.256
HPZ 1A	10/8/2015	CURIUM-243/244	0.0248	pCi/L	U			0.05	0.0671	0.167
HPZ 1A	10/8/2015	CURIUM-245/246	0.333	pCi/L	J		21, V	0.191	0.0694	0.451
HPZ 1A	10/8/2015	PLUTONIUM-238	0.0383	pCi/L	U			0.063	0.11	0.236
HPZ 1A	10/8/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0593	0.0593
HPZ 1A	10/8/2015	THORIUM-228	0.0346	pCi/L	U		V	0.1	0.228	0.426
HPZ 1A	10/8/2015	THORIUM-230	0.249	pCi/L	U		21, V	0.155	0.0614	0.371
HPZ 1A	10/8/2015	THORIUM-232	0.0339	pCi/L	U		V	0.066	0.136	0.268
HPZ 1A	10/8/2015	URANIUM-233/234	0.344	pCi/L	J		21, V	0.174	0.0549	0.403
HPZ 1A	10/8/2015	URANIUM-235	0.025	pCi/L	U		V	0.05	0.0677	0.168
HPZ 1A	10/8/2015	URANIUM-238	0.339	pCi/L	J		21, V	0.173	0.102	0.448
HPZ 1A	10/8/2015	GROSS ALPHA	1.23	pCi/L	U			1.68	2.39	5.74

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 1A	10/8/2015	NONVOLATILE BETA	10.5	pCi/L	J		21	3.84	3.97	11.7
HPZ 1A	10/8/2015	STRONTIUM-90	1.06	pCi/L	U			2.02	3.11	7.14
HPZ 1A	10/8/2015	CARBON-14	-1.43	pCi/L	U			4.09	6.92	15.1
HPZ 1A	10/8/2015	NICKEL-63	5.3	pCi/L	J		21	2.96	4.88	10.8
HPZ 1A	10/8/2015	TECHNETIUM-99	14.1	pCi/L				3.64	5.48	12.8
HPZ 1A	10/8/2015	TRITIUM	1430	pCi/mL				9.7	0.801	20.2
HPZ 1A	10/8/2015	IODINE-129	12.9	pCi/L				2.62	1.05	6.29
HPZ 1A	12/8/2015	NITRATE-NITRITE AS NITROGEN	6.03	mg/L					0.17	0.5
HPZ 1A	12/8/2015	CADMIUM	0.118	ug/L	U		21, V		0.1	1
HPZ 1A	12/8/2015	COBALT	5	ug/L	U				0.5	5
HPZ 1A	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 1A	12/8/2015	VANADIUM	44.9	ug/L	J		21		5	50
HPZ 1A	12/8/2015	MERCURY	0.0896	ug/L	J		21		0.02	0.2
HPZ 1A	12/8/2015	GROSS ALPHA	2.47	pCi/L	J		21	2.21	2.42	6.83
HPZ 1A	12/8/2015	NONVOLATILE BETA	8.28	pCi/L	J		21	3.58	4.01	11.2
HPZ 1A	12/8/2015	CARBON-14	509	pCi/L				11.6	7.75	31
HPZ 1A	12/8/2015	TECHNETIUM-99	11.1	pCi/L				2.98	4.49	10.5
HPZ 1A	12/8/2015	TRITIUM	1430	pCi/mL				8.52	0.594	17.6
HPZ 1A	12/8/2015	IODINE-129	13.4	pCi/L				2.68	1.18	6.54
HPZ 3A	3/9/2015	NITRATE-NITRITE AS NITROGEN	5.9	mg/L					0.047	0.5
HPZ 3A	3/9/2015	MERCURY	0.0604	ug/L	J		21		0.02	0.2
HPZ 3A	3/9/2015	GROSS ALPHA	0.0548	pCi/L	U			0.837	2.21	3.88
HPZ 3A	3/9/2015	NONVOLATILE BETA	7.92	pCi/L	J		21	3.43	3.92	10.8
HPZ 3A	3/9/2015	CARBON-14	-2.4	pCi/L	U			4.12	7.01	15.3
HPZ 3A	3/9/2015	TECHNETIUM-99	18.5	pCi/L				3.01	4.19	10.2
HPZ 3A	3/9/2015	TRITIUM	198	pCi/mL				2.66	0.432	5.75
HPZ 3A	3/9/2015	IODINE-129	0.295	pCi/L	U			0.538	0.935	2.01

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3A	6/11/2015	NITRATE-NITRITE AS NITROGEN	5.2	mg/L					0.094	1
HPZ 3A	6/11/2015	MERCURY	0.0262	ug/L	J		21		0.02	0.2
HPZ 3A	6/11/2015	GROSS ALPHA	0.145	pCi/L	U			0.838	2.12	3.8
HPZ 3A	6/11/2015	NONVOLATILE BETA	5.32	pCi/L	J		21	3.16	4.12	10.4
HPZ 3A	6/11/2015	CARBON-14	7.8	pCi/L	J		21	4.33	6.95	15.6
HPZ 3A	6/11/2015	TECHNETIUM-99	11.5	pCi/L				2.79	4.14	9.73
HPZ 3A	6/11/2015	TRITIUM	197	pCi/mL				2.67	0.492	5.83
HPZ 3A	6/11/2015	IODINE-129	0.285	pCi/L	U			0.562	0.972	2.1
HPZ 3A	10/7/2015	NITRATE-NITRITE AS NITROGEN	5	mg/L					0.094	1
HPZ 3A	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HPZ 3A	10/7/2015	ARSENIC	50	ug/L	U				5	50
HPZ 3A	10/7/2015	BARIUM	14.1	ug/L	J		21		2	20
HPZ 3A	10/7/2015	BERYLLIUM	0.178	ug/L	J		21		0.1	1
HPZ 3A	10/7/2015	CADMIUM	1	ug/L	U				0.1	1
HPZ 3A	10/7/2015	CHROMIUM	100	ug/L	U				10	100
HPZ 3A	10/7/2015	COBALT	0.631	ug/L	J		21		0.5	5
HPZ 3A	10/7/2015	COPPER	5.98	ug/L					0.5	5
HPZ 3A	10/7/2015	LEAD	7	ug/L					0.5	5
HPZ 3A	10/7/2015	NICKEL	16.2	ug/L					0.5	5
HPZ 3A	10/7/2015	SELENIUM	3.06	ug/L	J		21		2	20
HPZ 3A	10/7/2015	SILVER	5	ug/L	U				0.5	5
HPZ 3A	10/7/2015	THALLIUM	1	ug/L	U				0.1	1
HPZ 3A	10/7/2015	TIN	3.37	ug/L	J		21		1	10
HPZ 3A	10/7/2015	VANADIUM	20.1	ug/L	J		21		5	50
HPZ 3A	10/7/2015	ZINC	12.1	ug/L	J		21		4	40
HPZ 3A	10/7/2015	MERCURY	0.159	ug/L	J		21		0.02	0.2
HPZ 3A	10/7/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3A	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HPZ 3A	10/7/2015	TETRACHLOROETHYLENE (PCE)	0.62	ug/L	J		21		0.18	1
HPZ 3A	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HPZ 3A	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HPZ 3A	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2	11
HPZ 3A	10/7/2015	PHENOL	11	ug/L	U				2.2	11
HPZ 3A	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HPZ 3A	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.593	pCi/L	J		21	0.332	0.431	1.095
HPZ 3A	10/7/2015	RADIUM-226	0.499	pCi/L				0.15	0.135	0.435
HPZ 3A	10/7/2015	RADIUM-228	0.544	pCi/L	U			0.824	1.38	3.028
HPZ 3A	10/7/2015	AMERICIUM-241	0.0452	pCi/L	U		V	0.064	0.0612	0.19
HPZ 3A	10/7/2015	CURIUM-242	0	pCi/L	U			0	0.0603	0.0603
HPZ 3A	10/7/2015	CURIUM-243/244	0.0167	pCi/L	U		V	0.046	0.112	0.204
HPZ 3A	10/7/2015	CURIUM-245/246	0.161	pCi/L	U		21, V	0.124	0.0624	0.31
HPZ 3A	10/7/2015	PLUTONIUM-238	-0.00511	pCi/L	U		V	0.01	0.103	0.123
HPZ 3A	10/7/2015	PLUTONIUM-239/240	0.0102	pCi/L	U		V	0.043	0.123	0.209
HPZ 3A	10/7/2015	THORIUM-228	-0.0345	pCi/L	U		V	0.127	0.366	0.62
HPZ 3A	10/7/2015	THORIUM-230	0.13	pCi/L	U		V	0.125	0.138	0.388
HPZ 3A	10/7/2015	THORIUM-232	0.0274	pCi/L	U			0.055	0.0742	0.184
HPZ 3A	10/7/2015	URANIUM-233/234	0.247	pCi/L	U		21, V	0.157	0.116	0.431
HPZ 3A	10/7/2015	URANIUM-235	0.0284	pCi/L	U		V	0.057	0.077	0.191
HPZ 3A	10/7/2015	URANIUM-238	0.0862	pCi/L	U		V	0.093	0.116	0.302
HPZ 3A	10/7/2015	GROSS ALPHA	0.0187	pCi/L	U			0.882	2.28	4.04
HPZ 3A	10/7/2015	NONVOLATILE BETA	4.86	pCi/L	J		21	3.06	3.93	10
HPZ 3A	10/7/2015	STRONTIUM-90	2.4	pCi/L	U			2.08	3.03	7.18
HPZ 3A	10/7/2015	CARBON-14	19.9	pCi/L				4.6	6.94	16.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3A	10/7/2015	NICKEL-63	1.78	pCi/L	U			2.79	4.65	10.2
HPZ 3A	10/7/2015	TECHNETIUM-99	10.5	pCi/L				2.9	4.4	10.2
HPZ 3A	10/7/2015	TRITIUM	196	pCi/mL				2.69	0.444	5.82
HPZ 3A	10/7/2015	IODINE-129	0.519	pCi/L	U			0.575	1.04	2.19
HPZ 3A	12/8/2015	NITRATE-NITRITE AS NITROGEN	5.43	mg/L					0.17	0.5
HPZ 3A	12/8/2015	CADMIUM	1	ug/L	U		V		0.1	1
HPZ 3A	12/8/2015	COBALT	5	ug/L	U				0.5	5
HPZ 3A	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 3A	12/8/2015	VANADIUM	50	ug/L	U				5	50
HPZ 3A	12/8/2015	MERCURY	0.0507	ug/L	J		21		0.02	0.2
HPZ 3A	12/8/2015	GROSS ALPHA	0.5	pCi/L	UJ			1.15	2.2	4.49
HPZ 3A	12/8/2015	NONVOLATILE BETA	5.32	pCi/L	J		21	3.23	4.22	10.7
HPZ 3A	12/8/2015	CARBON-14	73.8	pCi/L				5.84	7.24	18.9
HPZ 3A	12/8/2015	TECHNETIUM-99	9.39	pCi/L	J		21	2.78	4.23	9.8
HPZ 3A	12/8/2015	TRITIUM	196	pCi/mL				2.64	0.416	5.7
HPZ 3A	12/8/2015	IODINE-129	-0.254	pCi/L	U			0.572	0.965	2.11
HPZ 3B	3/9/2015	NITRATE-NITRITE AS NITROGEN	5	mg/L					0.047	0.5
HPZ 3B	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 3B	3/9/2015	GROSS ALPHA	0.441	pCi/L	U			1.14	2.22	4.5
HPZ 3B	3/9/2015	NONVOLATILE BETA	5.09	pCi/L	J		21	3.02	3.93	9.98
HPZ 3B	3/9/2015	CARBON-14	2.07	pCi/L	U			4.24	7.03	15.5
HPZ 3B	3/9/2015	TECHNETIUM-99	7.49	pCi/L	J		21	2.71	4.19	9.61
HPZ 3B	3/9/2015	TRITIUM	232	pCi/mL				2.89	0.434	6.21
HPZ 3B	3/9/2015	IODINE-129	-0.047	pCi/L	U			0.575	0.967	2.12
HPZ 3B	6/11/2015	NITRATE-NITRITE AS NITROGEN	5.2	mg/L					0.094	1
HPZ 3B	6/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 3B	6/11/2015	GROSS ALPHA	3.32	pCi/L	J		21	2.42	2.13	6.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3B	6/11/2015	NONVOLATILE BETA	8.14	pCi/L	J		21	3.44	3.8	10.7
HPZ 3B	6/11/2015	CARBON-14	0.306	pCi/L	U			4.16	6.96	15.3
HPZ 3B	6/11/2015	TECHNETIUM-99	9.55	pCi/L	J		21	2.8	4.25	9.86
HPZ 3B	6/11/2015	TRITIUM	237	pCi/mL				2.93	0.49	6.34
HPZ 3B	6/11/2015	IODINE-129	1.13	pCi/L	U			0.664	1.13	2.46
HPZ 3B	10/7/2015	NITRATE-NITRITE AS NITROGEN	2.8	mg/L					0.094	1
HPZ 3B	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HPZ 3B	10/7/2015	ARSENIC	50	ug/L	U				5	50
HPZ 3B	10/7/2015	BARIUM	44.4	ug/L					2	20
HPZ 3B	10/7/2015	BERYLLIUM	0.358	ug/L	J		21		0.1	1
HPZ 3B	10/7/2015	CADMIUM	1	ug/L	U				0.1	1
HPZ 3B	10/7/2015	CHROMIUM	16.2	ug/L	J		21		10	100
HPZ 3B	10/7/2015	COBALT	0.601	ug/L	J		21		0.5	5
HPZ 3B	10/7/2015	COPPER	5.55	ug/L					0.5	5
HPZ 3B	10/7/2015	LEAD	8.14	ug/L					0.5	5
HPZ 3B	10/7/2015	NICKEL	2.27	ug/L	J		21		0.5	5
HPZ 3B	10/7/2015	SELENIUM	3.8	ug/L	J		21		2	20
HPZ 3B	10/7/2015	SILVER	5	ug/L	U				0.5	5
HPZ 3B	10/7/2015	THALLIUM	1	ug/L	U				0.1	1
HPZ 3B	10/7/2015	TIN	1.95	ug/L	J		21		1	10
HPZ 3B	10/7/2015	VANADIUM	50	ug/L	U				5	50
HPZ 3B	10/7/2015	ZINC	6.5	ug/L	J		21		4	40
HPZ 3B	10/7/2015	MERCURY	0.127	ug/L	J		21		0.02	0.2
HPZ 3B	10/7/2015	BENZENE	1	ug/L	U				0.06	1
HPZ 3B	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HPZ 3B	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HPZ 3B	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3B	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HPZ 3B	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U				2.1	11
HPZ 3B	10/7/2015	PHENOL	11	ug/L	U				2.2	11
HPZ 3B	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HPZ 3B	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.922	pCi/L	J		21	0.435	0.527	1.397
HPZ 3B	10/7/2015	RADIUM-226	0.493	pCi/L	J		21	0.164	0.201	0.529
HPZ 3B	10/7/2015	RADIUM-228	1.31	pCi/L	U			1.01	1.59	3.61
HPZ 3B	10/7/2015	AMERICIUM-241	0.104	pCi/L	J		21, V	0.095	0.0566	0.246
HPZ 3B	10/7/2015	CURIUM-242	0	pCi/L	U			0	0.0558	0.0558
HPZ 3B	10/7/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0558	0.0558
HPZ 3B	10/7/2015	CURIUM-245/246	0.0639	pCi/L	U		21, V	0.074	0.0577	0.206
HPZ 3B	10/7/2015	PLUTONIUM-238	-0.00544	pCi/L	U		V	0.011	0.11	0.131
HPZ 3B	10/7/2015	PLUTONIUM-239/240	-0.0109	pCi/L	U		V	0.016	0.131	0.162
HPZ 3B	10/7/2015	THORIUM-228	0.0554	pCi/L	U		V	0.104	0.216	0.424
HPZ 3B	10/7/2015	THORIUM-230	0.165	pCi/L	U		21, V	0.133	0.123	0.388
HPZ 3B	10/7/2015	THORIUM-232	0	pCi/L	U			0	0.0662	0.0662
HPZ 3B	10/7/2015	URANIUM-233/234	0.201	pCi/L	U		21, V	0.141	0.115	0.398
HPZ 3B	10/7/2015	URANIUM-235	-0.0212	pCi/L	U		V	0.025	0.191	0.24
HPZ 3B	10/7/2015	URANIUM-238	0.349	pCi/L	J		21, V	0.191	0.154	0.535
HPZ 3B	10/7/2015	GROSS ALPHA	1.18	pCi/L	U			1.6	2.28	5.48
HPZ 3B	10/7/2015	NONVOLATILE BETA	4.8	pCi/L	J		21	3.06	3.95	10.1
HPZ 3B	10/7/2015	STRONTIUM-90	-0.0305	pCi/L	U			1.62	3.02	6.26
HPZ 3B	10/7/2015	CARBON-14	8.5	pCi/L	J		21	4.4	7.04	15.8
HPZ 3B	10/7/2015	NICKEL-63	3.85	pCi/L	U			2.87	4.71	10.5
HPZ 3B	10/7/2015	TECHNETIUM-99	7.59	pCi/L	J		21	2.84	4.43	10.1
HPZ 3B	10/7/2015	TRITIUM	246	pCi/mL				3.03	0.452	6.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 3B	10/7/2015	IODINE-129	0.895	pCi/L	U			1.07	0.969	3.12
HPZ 3B	12/8/2015	NITRATE-NITRITE AS NITROGEN	4.34	mg/L					0.17	0.5
HPZ 3B	12/8/2015	CADMIUM	1	ug/L	U		V		0.1	1
HPZ 3B	12/8/2015	COBALT	5	ug/L	U				0.5	5
HPZ 3B	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 3B	12/8/2015	VANADIUM	50	ug/L	U				5	50
HPZ 3B	12/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 3B	12/8/2015	GROSS ALPHA	0.0185	pCi/L	U			0.884	2.28	4.05
HPZ 3B	12/8/2015	NONVOLATILE BETA	5.8	pCi/L	J		21	3.2	3.93	10.3
HPZ 3B	12/8/2015	CARBON-14	24.3	pCi/L				4.88	7.26	17
HPZ 3B	12/8/2015	TECHNETIUM-99	9.29	pCi/L	J		21	2.78	4.23	9.79
HPZ 3B	12/8/2015	TRITIUM	214	pCi/mL				2.77	0.418	5.96
HPZ 3B	12/8/2015	IODINE-129	1.1	pCi/L	J		21	0.921	1.02	2.86
HPZ 4A	2/24/2015	NITRATE-NITRITE AS NITROGEN	6.5	mg/L					0.047	0.5
HPZ 4A	2/24/2015	SILVER	2	ug/L	U				0.82	2
HPZ 4A	2/24/2015	URANIUM-233/234	0.134	pCi/L	J		21	0.123	0.146	0.392
HPZ 4A	2/24/2015	URANIUM-235	-0.0151	pCi/L	U			0.022	0.181	0.224
HPZ 4A	2/24/2015	URANIUM-238	0.0487	pCi/L	U			0.069	0.066	0.205
HPZ 4A	2/24/2015	GROSS ALPHA	0.832	pCi/L	U			1.4	2.33	5.14
HPZ 4A	2/24/2015	NONVOLATILE BETA	1.97	pCi/L	U			2.71	4.25	9.67
HPZ 4A	2/24/2015	TRITIUM	224	pCi/mL				2.79	0.437	6.02
HPZ 4A	2/24/2015	ACTINIUM-228	14	pCi/L	U			20.5	40.3	81.4
HPZ 4A	2/24/2015	ANTIMONY-125	0.464	pCi/L	U			14.5	24.9	53.8
HPZ 4A	2/24/2015	BARIUM-133	-1.21	pCi/L	U			7.87	11.6	27.4
HPZ 4A	2/24/2015	BISMUTH-214	2.27	pCi/L	U			11.2	20.3	42.7
HPZ 4A	2/24/2015	CESIUM-134	-4.82	pCi/L	U			4.81	7.83	17.5
HPZ 4A	2/24/2015	CESIUM-137	0.621	pCi/L	U			5.16	9.37	19.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 4A	2/24/2015	COBALT-60	0.704	pCi/L	U			4.67	8.95	18.3
HPZ 4A	2/24/2015	EUROPIUM-152	-12.1	pCi/L	U			54.7	93.2	203
HPZ 4A	2/24/2015	EUROPIUM-154	0.176	pCi/L	U			9.92	17.4	37.3
HPZ 4A	2/24/2015	EUROPIUM-155	-15.4	pCi/L	U			14.5	22.3	51.3
HPZ 4A	2/24/2015	IODINE-129	0.989	pCi/L	J		21	0.889	0.92	2.7
HPZ 4A	2/24/2015	LEAD-212	-3.93	pCi/L	U			10.9	17.8	39.6
HPZ 4A	2/24/2015	LEAD-214	-6.88	pCi/L	U			12.3	20.3	44.9
HPZ 4A	2/24/2015	POTASSIUM-40	43.8	pCi/L	U			96.5	210	404
HPZ 4A	2/24/2015	PROMETHIUM-146	-5.54	pCi/L	U			6.23	9.76	22.2
HPZ 4A	2/24/2015	SODIUM-22	-0.374	pCi/L	U			4.23	7.97	16.4
HPZ 4A	2/24/2015	THALLIUM-208	-7.45	pCi/L	U			6.24	10.3	22.8
HPZ 4A	4/30/2015	NITRATE-NITRITE AS NITROGEN	6.2	mg/L					0.047	0.5
HPZ 4A	4/30/2015	SILVER	2	ug/L	U				0.82	2
HPZ 4A	4/30/2015	URANIUM-233/234	0.135	pCi/L	U			0.13	0.143	0.402
HPZ 4A	4/30/2015	URANIUM-235	-0.00876	pCi/L	U		V	0.018	0.176	0.212
HPZ 4A	4/30/2015	URANIUM-238	0.0567	pCi/L	U		V	0.081	0.0768	0.238
HPZ 4A	4/30/2015	TRITIUM	226	pCi/mL				2.79	0.484	6.06
HPZ 4A	4/30/2015	ACTINIUM-228	-3.91	pCi/L	U			20.6	38.1	79.4
HPZ 4A	4/30/2015	ANTIMONY-125	3.03	pCi/L	U			15.1	26.2	56.3
HPZ 4A	4/30/2015	BARIUM-133	-11.1	pCi/L	U			7.35	10.8	25.5
HPZ 4A	4/30/2015	BISMUTH-214	-9.57	pCi/L	U			12	20.6	44.5
HPZ 4A	4/30/2015	CESIUM-134	-0.569	pCi/L	U			4.74	8.42	17.9
HPZ 4A	4/30/2015	CESIUM-137	0.248	pCi/L	U			4.9	8.89	18.7
HPZ 4A	4/30/2015	COBALT-60	2.15	pCi/L	U			4.52	9.05	18.1
HPZ 4A	4/30/2015	EUROPIUM-152	28.5	pCi/L	U			56.7	100	213
HPZ 4A	4/30/2015	EUROPIUM-154	-6.83	pCi/L	U			10	17	37
HPZ 4A	4/30/2015	EUROPIUM-155	-13	pCi/L	U			15.1	23.6	53.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 4A	4/30/2015	IODINE-129	1.55	pCi/L	J		21	1.19	0.992	3.36
HPZ 4A	4/30/2015	LEAD-212	-9.21	pCi/L	U			10.6	17.3	38.5
HPZ 4A	4/30/2015	LEAD-214	-1.85	pCi/L	U			13.3	22.1	48.7
HPZ 4A	4/30/2015	POTASSIUM-40	106	pCi/L	J		21	91.4	82.8	266
HPZ 4A	4/30/2015	PROMETHIUM-146	1.44	pCi/L	U			7.12	12.3	26.5
HPZ 4A	4/30/2015	SODIUM-22	1.82	pCi/L	U			4.72	9.37	18.8
HPZ 4A	4/30/2015	THALLIUM-208	-1.83	pCi/L	U			5.51	9.76	20.8
HPZ 5A	2/24/2015	NITRATE-NITRITE AS NITROGEN	7	mg/L					0.047	0.5
HPZ 5A	2/24/2015	SILVER	2	ug/L	U				0.82	2
HPZ 5A	2/24/2015	URANIUM-233/234	0.0805	pCi/L	U			0.094	0.0727	0.261
HPZ 5A	2/24/2015	URANIUM-235	-0.00828	pCi/L	U			0.017	0.167	0.2
HPZ 5A	2/24/2015	URANIUM-238	0.0201	pCi/L	U			0.055	0.135	0.245
HPZ 5A	2/24/2015	GROSS ALPHA	2.04	pCi/L	U			1.98	2.35	6.32
HPZ 5A	2/24/2015	NONVOLATILE BETA	3.56	pCi/L	U			3.05	4.42	10.5
HPZ 5A	2/24/2015	TRITIUM	90.8	pCi/mL				1.79	0.437	4.02
HPZ 5A	2/24/2015	ACTINIUM-228	25.8	pCi/L	U			27.4	41.6	96.4
HPZ 5A	2/24/2015	ANTIMONY-125	9.76	pCi/L	U			14.1	25.4	53.6
HPZ 5A	2/24/2015	BARIUM-133	-3.09	pCi/L	U			7.27	12.1	26.6
HPZ 5A	2/24/2015	BISMUTH-214	-0.378	pCi/L	U			11.7	20.8	44.3
HPZ 5A	2/24/2015	CESIUM-134	-3.94	pCi/L	U			5.16	8.61	18.9
HPZ 5A	2/24/2015	CESIUM-137	-2.53	pCi/L	U			5.35	9.16	19.9
HPZ 5A	2/24/2015	COBALT-60	1.61	pCi/L	U			4.31	8.58	17.2
HPZ 5A	2/24/2015	EUROPIUM-152	-25.3	pCi/L	U			54.1	90.8	199
HPZ 5A	2/24/2015	EUROPIUM-154	-12.6	pCi/L	U			10.1	16.6	36.9
HPZ 5A	2/24/2015	EUROPIUM-155	4.75	pCi/L	U			14.3	24	52.6
HPZ 5A	2/24/2015	IODINE-129	0.872	pCi/L	U			0.608	1.06	2.28
HPZ 5A	2/24/2015	LEAD-212	3.59	pCi/L	U			11.2	18.8	41.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5A	2/24/2015	LEAD-214	-17.2	pCi/L	U			12.7	19.6	45.1
HPZ 5A	2/24/2015	POTASSIUM-40	80.7	pCi/L	U			99	70.5	269
HPZ 5A	2/24/2015	PROMETHIUM-146	-3.41	pCi/L	U			6.23	10.1	22.6
HPZ 5A	2/24/2015	SODIUM-22	-2.7	pCi/L	U			4.58	7.88	17
HPZ 5A	2/24/2015	THALLIUM-208	-5.7	pCi/L	U			5.76	9.76	21.3
HPZ 5A	3/9/2015	NITRATE-NITRITE AS NITROGEN	7.2	mg/L					0.094	1
HPZ 5A	3/9/2015	MERCURY	0.0359	ug/L	J		21		0.02	0.2
HPZ 5A	3/9/2015	GROSS ALPHA	0.0557	pCi/L	U			0.844	2.22	3.91
HPZ 5A	3/9/2015	NONVOLATILE BETA	6.05	pCi/L	J		21	3.17	3.92	10.3
HPZ 5A	3/9/2015	CARBON-14	0.242	pCi/L	U			4.18	6.99	15.3
HPZ 5A	3/9/2015	TECHNETIUM-99	5.46	pCi/L	J		21	2.65	4.2	9.51
HPZ 5A	3/9/2015	TRITIUM	98.1	pCi/mL				1.89	0.436	4.22
HPZ 5A	3/9/2015	IODINE-129	0.608	pCi/L	U			0.743	1.01	2.49
HPZ 5A	4/30/2015	NITRATE-NITRITE AS NITROGEN	7.7	mg/L					0.047	0.5
HPZ 5A	4/30/2015	SILVER	2	ug/L	U				0.82	2
HPZ 5A	4/30/2015	URANIUM-233/234	-0.0128	pCi/L	U			0.018	0.154	0.19
HPZ 5A	4/30/2015	URANIUM-235	0	pCi/L	U		V	0	0.0856	0.0856
HPZ 5A	4/30/2015	URANIUM-238	-0.00639	pCi/L	U		V	0.013	0.129	0.154
HPZ 5A	4/30/2015	TRITIUM	110	pCi/mL				1.96	0.484	4.4
HPZ 5A	4/30/2015	ACTINIUM-228	-11.3	pCi/L	U			19.2	34.4	72.8
HPZ 5A	4/30/2015	ANTIMONY-125	2.36	pCi/L	U			14.3	24.9	53.5
HPZ 5A	4/30/2015	BARIUM-133	-7.86	pCi/L	U			7.59	11.9	27.1
HPZ 5A	4/30/2015	BISMUTH-214	16.9	pCi/L	J		21	13.6	16	43.1
HPZ 5A	4/30/2015	CESIUM-134	-4.9	pCi/L	U			5.54	7.6	18.7
HPZ 5A	4/30/2015	CESIUM-137	1.14	pCi/L	U			5.16	9.47	19.8
HPZ 5A	4/30/2015	COBALT-60	4.37	pCi/L	U			4.79	9.93	19.5
HPZ 5A	4/30/2015	EUROPIUM-152	-48.5	pCi/L	U			55.9	91.3	203

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5A	4/30/2015	EUROPIUM-154	10.2	pCi/L	U			10.1	18.2	38.5
HPZ 5A	4/30/2015	EUROPIUM-155	9.58	pCi/L	U			15	25.3	55.2
HPZ 5A	4/30/2015	IODINE-129	1.48	pCi/L	J		21	0.998	0.92	2.92
HPZ 5A	4/30/2015	LEAD-212	-0.325	pCi/L	U			10.8	18.4	39.9
HPZ 5A	4/30/2015	LEAD-214	-1.58	pCi/L	U			13	21.6	47.5
HPZ 5A	4/30/2015	POTASSIUM-40	2.99	pCi/L	U			89.5	189	368
HPZ 5A	4/30/2015	PROMETHIUM-146	-1.13	pCi/L	U			7.11	12	26.2
HPZ 5A	4/30/2015	SODIUM-22	-0.58	pCi/L	U			5.05	8.08	18.2
HPZ 5A	4/30/2015	THALLIUM-208	2.51	pCi/L	U			6.26	11.5	24.1
HPZ 5A	6/11/2015	NITRATE-NITRITE AS NITROGEN	7.5	mg/L					0.094	1
HPZ 5A	6/11/2015	MERCURY	0.0794	ug/L	J		21		0.02	0.2
HPZ 5A	6/11/2015	GROSS ALPHA	1.33	pCi/L	U			1.61	2.12	5.33
HPZ 5A	6/11/2015	NONVOLATILE BETA	8.56	pCi/L	J		21	3.67	4.29	11.6
HPZ 5A	6/11/2015	CARBON-14	1.48	pCi/L	U			4.21	7	15.4
HPZ 5A	6/11/2015	TECHNETIUM-99	7.24	pCi/L	J		21	2.73	4.25	9.72
HPZ 5A	6/11/2015	TRITIUM	95.4	pCi/mL				1.87	0.493	4.24
HPZ 5A	6/11/2015	IODINE-129	1.16	pCi/L	U			1.35	0.958	3.65
HPZ 5A	10/7/2015	NITRATE-NITRITE AS NITROGEN	6	mg/L					0.047	0.5
HPZ 5A	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HPZ 5A	10/7/2015	ARSENIC	50	ug/L	U				5	50
HPZ 5A	10/7/2015	BARIUM	13.9	ug/L	J		21		2	20
HPZ 5A	10/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
HPZ 5A	10/7/2015	CADMIUM	0.102	ug/L	J		21		0.1	1
HPZ 5A	10/7/2015	CHROMIUM	100	ug/L	U				10	100
HPZ 5A	10/7/2015	COBALT	5	ug/L	U				0.5	5
HPZ 5A	10/7/2015	COPPER	0.837	ug/L	J		21		0.5	5
HPZ 5A	10/7/2015	LEAD	1.68	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5A	10/7/2015	NICKEL	0.784	ug/L	J		21		0.5	5
HPZ 5A	10/7/2015	SELENIUM	2.99	ug/L	J		21		2	20
HPZ 5A	10/7/2015	SILVER	5	ug/L	U				0.5	5
HPZ 5A	10/7/2015	THALLIUM	1	ug/L	U				0.1	1
HPZ 5A	10/7/2015	TIN	10	ug/L	U				1	10
HPZ 5A	10/7/2015	VANADIUM	50	ug/L	U				5	50
HPZ 5A	10/7/2015	ZINC	40	ug/L	U				4	40
HPZ 5A	10/7/2015	MERCURY	0.0508	ug/L	J		21		0.02	0.2
HPZ 5A	10/7/2015	BENZENE	1	ug/L	U				0.06	1
HPZ 5A	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HPZ 5A	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HPZ 5A	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HPZ 5A	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HPZ 5A	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HPZ 5A	10/7/2015	PHENOL	10	ug/L	U				2	10
HPZ 5A	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HPZ 5A	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	1.21	pCi/L				0.31	0.307	0.927
HPZ 5A	10/7/2015	RADIUM-226	0.319	pCi/L				0.079	0.075	0.2334
HPZ 5A	10/7/2015	RADIUM-228	-0.0385	pCi/L	U			0.654	1.2	2.508
HPZ 5A	10/7/2015	AMERICIUM-241	0.0242	pCi/L	U		V	0.049	0.0657	0.163
HPZ 5A	10/7/2015	CURIUM-242	0	pCi/L	U			0	0.0647	0.0647
HPZ 5A	10/7/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0647	0.0647
HPZ 5A	10/7/2015	CURIUM-245/246	0.247	pCi/L	U		21, V	0.16	0.067	0.388
HPZ 5A	10/7/2015	PLUTONIUM-238	-0.00506	pCi/L	U		V	0.01	0.102	0.122
HPZ 5A	10/7/2015	PLUTONIUM-239/240	-0.0101	pCi/L	U		V	0.014	0.121	0.15
HPZ 5A	10/7/2015	THORIUM-228	-0.102	pCi/L	U		V	0.072	0.307	0.45

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5A	10/7/2015	THORIUM-230	0.338	pCi/L	U		21, V	0.182	0.0611	0.426
HPZ 5A	10/7/2015	THORIUM-232	0.0169	pCi/L	U			0.047	0.113	0.206
HPZ 5A	10/7/2015	URANIUM-233/234	0.0569	pCi/L	U		V	0.081	0.136	0.298
HPZ 5A	10/7/2015	URANIUM-235	-0.014	pCi/L	U		V	0.02	0.168	0.208
HPZ 5A	10/7/2015	URANIUM-238	0.0795	pCi/L	U		V	0.093	0.136	0.322
HPZ 5A	10/7/2015	GROSS ALPHA	1.56	pCi/L	U			1.77	2.27	5.82
HPZ 5A	10/7/2015	NONVOLATILE BETA	6.65	pCi/L	J		21	3.34	3.96	10.6
HPZ 5A	10/7/2015	STRONTIUM-90	0.586	pCi/L	U			1.79	3.02	6.61
HPZ 5A	10/7/2015	CARBON-14	186	pCi/L				7.51	7.08	22.1
HPZ 5A	10/7/2015	NICKEL-63	0.251	pCi/L	U			2.73	4.61	10.1
HPZ 5A	10/7/2015	TECHNETIUM-99	4.41	pCi/L	U			2.76	4.43	9.94
HPZ 5A	10/7/2015	TRITIUM	55.5	pCi/mL				1.45	0.446	3.34
HPZ 5A	10/7/2015	IODINE-129	1.82	pCi/L	J		21	1.74	1.05	4.54
HPZ 5A	12/8/2015	NITRATE-NITRITE AS NITROGEN	6.15	mg/L					0.085	0.25
HPZ 5A	12/8/2015	CADMIUM	0.119	ug/L	U		21, V		0.1	1
HPZ 5A	12/8/2015	COBALT	5	ug/L	U				0.5	5
HPZ 5A	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 5A	12/8/2015	VANADIUM	50	ug/L	U				5	50
HPZ 5A	12/8/2015	MERCURY	0.0429	ug/L	J		21		0.02	0.2
HPZ 5A	12/8/2015	GROSS ALPHA	0.786	pCi/L	U			1.4	2.27	5.06
HPZ 5A	12/8/2015	NONVOLATILE BETA	4.58	pCi/L	J		21	3.02	3.94	9.99
HPZ 5A	12/8/2015	CARBON-14	84.8	pCi/L				5.9	7.03	18.8
HPZ 5A	12/8/2015	TECHNETIUM-99	5.89	pCi/L	J		21	2.68	4.23	9.59
HPZ 5A	12/8/2015	TRITIUM	72.6	pCi/mL				1.62	0.414	3.65
HPZ 5A	12/8/2015	IODINE-129	0.339	pCi/L	U			0.618	1.09	2.33
HPZ 5B	2/24/2015	NITRATE-NITRITE AS NITROGEN	0.92	mg/L					0.0047	0.05
HPZ 5B	2/24/2015	SILVER	2	ug/L	U				0.82	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5B	2/24/2015	URANIUM-233/234	0.529	pCi/L	J		21	0.281	0.192	0.754
HPZ 5B	2/24/2015	URANIUM-235	0.0297	pCi/L	U			0.082	0.199	0.363
HPZ 5B	2/24/2015	URANIUM-238	0.32	pCi/L	J		21	0.209	0.0867	0.506
HPZ 5B	2/24/2015	GROSS ALPHA	6.14	pCi/L	J		21	3.31	2.54	9.15
HPZ 5B	2/24/2015	NONVOLATILE BETA	50.7	pCi/L				7.48	4.9	19.9
HPZ 5B	2/24/2015	TRITIUM	15.5	pCi/mL				0.928	0.603	2.46
HPZ 5B	2/24/2015	ACTINIUM-228	32.9	pCi/L	U			32.8	38.8	105
HPZ 5B	2/24/2015	ANTIMONY-125	2.03	pCi/L	U			13.3	23.2	49.8
HPZ 5B	2/24/2015	BARIUM-133	-5.77	pCi/L	U			7.24	11.6	26.1
HPZ 5B	2/24/2015	BISMUTH-214	-3.31	pCi/L	U			11.7	20.4	43.8
HPZ 5B	2/24/2015	CESIUM-134	-3.42	pCi/L	U			4.99	8.39	18.4
HPZ 5B	2/24/2015	CESIUM-137	-1.8	pCi/L	U			5.07	8.8	18.9
HPZ 5B	2/24/2015	COBALT-60	-3.89	pCi/L	U			4.68	7.76	17.1
HPZ 5B	2/24/2015	EUROPIUM-152	-28.9	pCi/L	U			56.7	95	209
HPZ 5B	2/24/2015	EUROPIUM-154	7.13	pCi/L	U			9.96	17.8	37.7
HPZ 5B	2/24/2015	EUROPIUM-155	-3.59	pCi/L	U			14.4	23.5	52.3
HPZ 5B	2/24/2015	IODINE-129	18.5	pCi/L				3.35	1.23	7.94
HPZ 5B	2/24/2015	LEAD-212	-4.36	pCi/L	U			11.7	19.2	42.7
HPZ 5B	2/24/2015	LEAD-214	-1.94	pCi/L	U			12.4	21	45.7
HPZ 5B	2/24/2015	POTASSIUM-40	62.6	pCi/L	U			93.1	73.1	259
HPZ 5B	2/24/2015	PROMETHIUM-146	-4.05	pCi/L	U			6.57	10.6	23.8
HPZ 5B	2/24/2015	SODIUM-22	-1.25	pCi/L	U			4.69	8.52	17.9
HPZ 5B	2/24/2015	THALLIUM-208	5.58	pCi/L	U			6.34	12.1	24.8
HPZ 5B	3/9/2015	NITRATE-NITRITE AS NITROGEN	0.44	mg/L					0.0047	0.05
HPZ 5B	3/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 5B	3/9/2015	GROSS ALPHA	8.97	pCi/L	J		21	4.47	3.04	12
HPZ 5B	3/9/2015	NONVOLATILE BETA	45.5	pCi/L				7.01	4.26	18.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5B	3/9/2015	CARBON-14	-1.5	pCi/L	U			4.11	6.95	15.2
HPZ 5B	3/9/2015	TECHNETIUM-99	36.3	pCi/L				3.43	4.19	11.1
HPZ 5B	3/9/2015	TRITIUM	18.3	pCi/mL				1.02	0.616	2.66
HPZ 5B	3/9/2015	IODINE-129	20.7	pCi/L				3.42	1.12	7.96
HPZ 5B	4/30/2015	NITRATE-NITRITE AS NITROGEN	0.1	mg/L					0.0047	0.05
HPZ 5B	4/30/2015	SILVER	2	ug/L	U				0.82	2
HPZ 5B	4/30/2015	URANIUM-233/234	0.332	pCi/L	J		21	0.182	0.113	0.478
HPZ 5B	4/30/2015	URANIUM-235	-0.00693	pCi/L	U		V	0.014	0.14	0.167
HPZ 5B	4/30/2015	URANIUM-238	0.309	pCi/L	J		21, V	0.175	0.113	0.463
HPZ 5B	4/30/2015	TRITIUM	13.6	pCi/mL				0.895	0.676	2.47
HPZ 5B	4/30/2015	ACTINIUM-228	-0.438	pCi/L	U			21.4	39.9	82.8
HPZ 5B	4/30/2015	ANTIMONY-125	15.2	pCi/L	U			14.1	26.1	54.3
HPZ 5B	4/30/2015	BARIUM-133	-9	pCi/L	U			7.38	11.3	26.1
HPZ 5B	4/30/2015	BISMUTH-214	3.44	pCi/L	U			10.9	20.6	42.5
HPZ 5B	4/30/2015	CESIUM-134	-3.42	pCi/L	U			4.87	8.18	17.9
HPZ 5B	4/30/2015	CESIUM-137	3.11	pCi/L	U			5.11	9.69	19.9
HPZ 5B	4/30/2015	COBALT-60	-0.077	pCi/L	U			4.46	8.44	17.4
HPZ 5B	4/30/2015	EUROPIUM-152	-5.46	pCi/L	U			52.6	90.4	196
HPZ 5B	4/30/2015	EUROPIUM-154	-5.3	pCi/L	U			9.75	16.7	36.2
HPZ 5B	4/30/2015	EUROPIUM-155	-11.5	pCi/L	U			15	23.6	53.6
HPZ 5B	4/30/2015	IODINE-129	32	pCi/L				4.23	1.21	9.68
HPZ 5B	4/30/2015	LEAD-212	2.65	pCi/L	U			10.4	18	38.8
HPZ 5B	4/30/2015	LEAD-214	-5.92	pCi/L	U			12.6	20.5	45.6
HPZ 5B	4/30/2015	POTASSIUM-40	129	pCi/L	J		21	102	72.4	276
HPZ 5B	4/30/2015	PROMETHIUM-146	-5.54	pCi/L	U			6.2	9.69	22.1
HPZ 5B	4/30/2015	SODIUM-22	2.97	pCi/L	U			4.68	9.58	18.9
HPZ 5B	4/30/2015	THALLIUM-208	-1.13	pCi/L	U			6.14	10.9	23.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 5B	6/11/2015	NITRATE-NITRITE AS NITROGEN	2.5	mg/L					0.094	1
HPZ 5B	6/11/2015	MERCURY	0.711	ug/L					0.02	0.2
HPZ 5B	6/11/2015	GROSS ALPHA	5.37	pCi/L	J		21	3.06	2.3	8.43
HPZ 5B	6/11/2015	NONVOLATILE BETA	48.5	pCi/L				7.3	4.79	19.4
HPZ 5B	6/11/2015	CARBON-14	6.02	pCi/L	U			4.31	6.98	15.6
HPZ 5B	6/11/2015	TECHNETIUM-99	51.4	pCi/L				3.78	4.26	11.8
HPZ 5B	6/11/2015	TRITIUM	21.5	pCi/mL				1.17	0.75	3.08
HPZ 5B	6/11/2015	IODINE-129	22.4	pCi/L				4.08	1.15	9.3
HPZ 5B	12/8/2015	NITRATE-NITRITE AS NITROGEN	0.0785	mg/L					0.017	0.05
HPZ 5B	12/8/2015	CADMIUM	0.162	ug/L	U		21, V		0.1	1
HPZ 5B	12/8/2015	COBALT	1.21	ug/L	J		21		0.5	5
HPZ 5B	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 5B	12/8/2015	VANADIUM	16.5	ug/L	J		21		5	50
HPZ 5B	12/8/2015	MERCURY	0.654	ug/L					0.02	0.2
HPZ 5B	12/8/2015	GROSS ALPHA	4.35	pCi/L	J		21	2.77	2.35	7.88
HPZ 5B	12/8/2015	NONVOLATILE BETA	32.8	pCi/L				6	4.04	16
HPZ 5B	12/8/2015	CARBON-14	150	pCi/L				6.93	7.03	20.9
HPZ 5B	12/8/2015	TECHNETIUM-99	38.5	pCi/L				3.49	4.23	11.2
HPZ 5B	12/8/2015	TRITIUM	15	pCi/mL				0.937	0.595	2.47
HPZ 5B	12/8/2015	IODINE-129	27.6	pCi/L				4.66	1.25	10.6
HPZ 6AR	3/10/2015	NITRATE-NITRITE AS NITROGEN	6.2	mg/L					0.047	0.5
HPZ 6AR	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 6AR	3/10/2015	GROSS ALPHA	0.0591	pCi/L	U			0.909	2.4	4.22
HPZ 6AR	3/10/2015	NONVOLATILE BETA	9.4	pCi/L	J		21	3.64	3.95	11.2
HPZ 6AR	3/10/2015	CARBON-14	-1.65	pCi/L	U			4.01	6.8	14.8
HPZ 6AR	3/10/2015	TECHNETIUM-99	13	pCi/L				2.86	4.19	9.91
HPZ 6AR	3/10/2015	TRITIUM	365	pCi/mL				3.65	0.444	7.75

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 6AR	3/10/2015	IODINE-129	2.93	pCi/L	J		21	1.07	0.933	3.08
HPZ 6AR	6/15/2015	NITRATE-NITRITE AS NITROGEN	7.1	mg/L					0.094	1
HPZ 6AR	6/15/2015	MERCURY	0.0315	ug/L	J		21		0.02	0.2
HPZ 6AR	6/15/2015	GROSS ALPHA	0.15	pCi/L	U			0.901	2.29	4.09
HPZ 6AR	6/15/2015	NONVOLATILE BETA	8.95	pCi/L	J		21	3.68	4.15	11.5
HPZ 6AR	6/15/2015	CARBON-14	1.22	pCi/L	U			4.17	6.94	15.3
HPZ 6AR	6/15/2015	TECHNETIUM-99	15.6	pCi/L				2.92	4.18	10
HPZ 6AR	6/15/2015	TRITIUM	373	pCi/mL				3.67	0.45	7.8
HPZ 6AR	6/15/2015	IODINE-129	2.64	pCi/L	J		21	1.13	0.957	3.22
HPZ 6AR	10/7/2015	NITRATE-NITRITE AS NITROGEN	5.5	mg/L					0.047	0.5
HPZ 6AR	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HPZ 6AR	10/7/2015	ARSENIC	50	ug/L	U				5	50
HPZ 6AR	10/7/2015	BARIUM	29.4	ug/L					2	20
HPZ 6AR	10/7/2015	BERYLLIUM	1	ug/L	U				0.1	1
HPZ 6AR	10/7/2015	CADMIUM	1	ug/L	U				0.1	1
HPZ 6AR	10/7/2015	CHROMIUM	100	ug/L	U				10	100
HPZ 6AR	10/7/2015	COBALT	0.689	ug/L	J		21		0.5	5
HPZ 6AR	10/7/2015	COPPER	0.986	ug/L	J		21		0.5	5
HPZ 6AR	10/7/2015	LEAD	5	ug/L	U				0.5	5
HPZ 6AR	10/7/2015	NICKEL	1.02	ug/L	J		21		0.5	5
HPZ 6AR	10/7/2015	SELENIUM	2.96	ug/L	J		21		2	20
HPZ 6AR	10/7/2015	SILVER	5	ug/L	U				0.5	5
HPZ 6AR	10/7/2015	THALLIUM	1	ug/L	U				0.1	1
HPZ 6AR	10/7/2015	TIN	10	ug/L	U				1	10
HPZ 6AR	10/7/2015	VANADIUM	8.24	ug/L	J		21		5	50
HPZ 6AR	10/7/2015	ZINC	40	ug/L	U				4	40
HPZ 6AR	10/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 6AR	10/7/2015	BENZENE	1	ug/L	U				0.06	1
HPZ 6AR	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HPZ 6AR	10/7/2015	TETRACHLOROETHYLENE (PCE)	0.75	ug/L	J		21		0.18	1
HPZ 6AR	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HPZ 6AR	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HPZ 6AR	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HPZ 6AR	10/7/2015	PHENOL	10	ug/L	U				2	10
HPZ 6AR	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HPZ 6AR	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	0.28	pCi/L	U			0.193	0.288	0.674
HPZ 6AR	10/7/2015	RADIUM-226	0.119	pCi/L	J		21	0.054	0.065	0.173
HPZ 6AR	10/7/2015	RADIUM-228	1.58	pCi/L	J		21	0.963	1.48	3.406
HPZ 6AR	10/7/2015	AMERICIUM-241	0.0161	pCi/L	U		V	0.044	0.108	0.197
HPZ 6AR	10/7/2015	CURIUM-242	0	pCi/L	U			0	0.0575	0.0575
HPZ 6AR	10/7/2015	CURIUM-243/244	-0.00531	pCi/L	U		V	0.011	0.107	0.128
HPZ 6AR	10/7/2015	CURIUM-245/246	0.11	pCi/L	U		21, V	0.099	0.0595	0.258
HPZ 6AR	10/7/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0606	0.0606
HPZ 6AR	10/7/2015	PLUTONIUM-239/240	-0.00559	pCi/L	U		V	0.011	0.113	0.135
HPZ 6AR	10/7/2015	THORIUM-228	0.072	pCi/L	U		V	0.149	0.32	0.618
HPZ 6AR	10/7/2015	THORIUM-230	0.28	pCi/L	U		21, V	0.179	0.131	0.489
HPZ 6AR	10/7/2015	THORIUM-232	-0.0065	pCi/L	U			0.013	0.131	0.157
HPZ 6AR	10/7/2015	URANIUM-233/234	0.079	pCi/L	U		V	0.092	0.135	0.32
HPZ 6AR	10/7/2015	URANIUM-235	0	pCi/L	U		V	0	0.0754	0.0754
HPZ 6AR	10/7/2015	URANIUM-238	0.0676	pCi/L	U		21, V	0.079	0.061	0.218
HPZ 6AR	10/7/2015	GROSS ALPHA	0.0207	pCi/L	U			0.946	2.44	4.33
HPZ 6AR	10/7/2015	NONVOLATILE BETA	2.77	pCi/L	U			2.73	3.95	9.42
HPZ 6AR	10/7/2015	STRONTIUM-90	0.909	pCi/L	U			1.88	3.02	6.77

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HPZ 6AR	10/7/2015	CARBON-14	60.1	pCi/L				5.46	7.02	17.9
HPZ 6AR	10/7/2015	NICKEL-63	4.86	pCi/L	J		21	2.94	4.84	10.7
HPZ 6AR	10/7/2015	TECHNETIUM-99	11	pCi/L				2.93	4.42	10.3
HPZ 6AR	10/7/2015	TRITIUM	347	pCi/mL				3.58	0.448	7.61
HPZ 6AR	10/7/2015	IODINE-129	2.9	pCi/L	J		21	1.14	1.02	3.29
HPZ 6AR	12/8/2015	NITRATE-NITRITE AS NITROGEN	5.72	mg/L					0.17	0.5
HPZ 6AR	12/8/2015	CADMIUM	1	ug/L	U		V		0.1	1
HPZ 6AR	12/8/2015	COBALT	0.938	ug/L	J		21		0.5	5
HPZ 6AR	12/8/2015	TIN	10	ug/L	U				1	10
HPZ 6AR	12/8/2015	VANADIUM	50	ug/L	U				5	50
HPZ 6AR	12/8/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HPZ 6AR	12/8/2015	GROSS ALPHA	0.849	pCi/L	U			1.51	2.45	5.46
HPZ 6AR	12/8/2015	NONVOLATILE BETA	2.49	pCi/L	U			2.7	3.97	9.36
HPZ 6AR	12/8/2015	CARBON-14	31.1	pCi/L				4.97	7.17	17.1
HPZ 6AR	12/8/2015	TECHNETIUM-99	12.9	pCi/L				2.88	4.23	9.99
HPZ 6AR	12/8/2015	TRITIUM	338	pCi/mL				3.48	0.419	7.38
HPZ 6AR	12/8/2015	IODINE-129	2.58	pCi/L	J		21	1.14	0.945	3.22
HR3 15DU	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HR3 15DU	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HR3 15DU	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HR3 15DU	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HR3 15DU	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HR3 15DU	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HR3 15DU	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR3 15DU	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HR3 15DU	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HR3 15DU	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HR3 15DU	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HR3 15DU	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HR3 15DU	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HR3 15DU	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HR3 15DU	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HR3 15DU	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HR3 15DU	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR3 15DU	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HR3 15DU	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HR3 15DU	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HR3 15DU	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HR3 15DU	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HR3 15DU	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HR3 15DU	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HR3 15DU	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR3 15DU	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HR3 15DU	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR3 15DU	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HR3 15DU	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HR3 15DU	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR3 15DU	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR3 15DU	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HR3 15DU	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HR3 15DU	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HR3 15DU	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HR3 15DU	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HR3 15DU	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HR3 15DU	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HR3 15DU	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HR3 15DU	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HR3 15DU	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HR3 15DU	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HR3 15DU	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.42	ug/L	J	J	21		0.18	1
HR3 15DU	4/22/2015	TOLUENE	1.7	ug/L		U	8		0.07	1
HR3 15DU	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HR3 15DU	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HR3 15DU	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HR3 15DU	4/22/2015	GROSS ALPHA	0.551	pCi/L	U	U		1.16	2.13	4.45
HR3 15DU	4/22/2015	NONVOLATILE BETA	2.37	pCi/L	U	U		2.7	4.18	9.59
HR3 15DU	4/22/2015	TRITIUM	4.31	pCi/mL				0.467	0.524	1.46
HR3 16DU	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HR3 16DU	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HR3 16DU	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HR3 16DU	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR3 16DU	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HR3 16DU	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HR3 16DU	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HR3 16DU	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HR3 16DU	4/22/2015	1,2-DICHLOROBENZENE	0.42	ug/L	J	J	21		0.06	1
HR3 16DU	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HR3 16DU	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HR3 16DU	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HR3 16DU	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HR3 16DU	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HR3 16DU	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HR3 16DU	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HR3 16DU	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR3 16DU	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HR3 16DU	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HR3 16DU	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HR3 16DU	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HR3 16DU	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HR3 16DU	4/22/2015	CHLOROBENZENE	0.23	ug/L	J	J	21		0.15	1
HR3 16DU	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HR3 16DU	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR3 16DU	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR3 16DU	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR3 16DU	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HR3 16DU	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HR3 16DU	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HR3 16DU	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR3 16DU	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HR3 16DU	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HR3 16DU	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HR3 16DU	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HR3 16DU	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HR3 16DU	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HR3 16DU	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HR3 16DU	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HR3 16DU	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HR3 16DU	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HR3 16DU	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HR3 16DU	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HR3 16DU	4/22/2015	TOLUENE	1	ug/L		U	S, 8		0.07	1
HR3 16DU	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HR3 16DU	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HR3 16DU	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HR3 16DU	4/22/2015	GROSS ALPHA	12.9	pCi/L				4.91	2.42	12.2
HR3 16DU	4/22/2015	NONVOLATILE BETA	4.68	pCi/L	U	U		3.67	5.46	12.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR3 16DU	4/22/2015	TRITIUM	5.02	pCi/mL				0.49	0.433	1.41
HR8 11	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HR8 11	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HR8 11	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HR8 11	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HR8 11	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HR8 11	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HR8 11	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HR8 11	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR8 11	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HR8 11	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HR8 11	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HR8 11	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HR8 11	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HR8 11	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HR8 11	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HR8 11	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HR8 11	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HR8 11	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HR8 11	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HR8 11	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR8 11	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HR8 11	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HR8 11	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HR8 11	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HR8 11	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HR8 11	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HR8 11	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HR8 11	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR8 11	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HR8 11	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HR8 11	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HR8 11	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HR8 11	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HR8 11	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HR8 11	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HR8 11	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HR8 11	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HR8 11	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HR8 11	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HR8 11	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HR8 11	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HR8 11	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HR8 11	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HR8 11	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HR8 11	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HR8 11	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HR8 11	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HR8 11	4/22/2015	TOLUENE	0.62	ug/L	J	U	21, 8		0.07	1
HR8 11	4/22/2015	TRANS-1,2-	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
HR8 11	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HR8 11	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HR8 11	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HR8 11	4/22/2015	GROSS ALPHA	1.31	pCi/L	U	U		1.57	2.05	5.18
HR8 11	4/22/2015	NONVOLATILE BETA	1.67	pCi/L	U	U		2.63	4.28	9.53
HR8 11	4/22/2015	TRITIUM	3.18	pCi/mL				0.435	0.53	1.4
HSB 65B	1/26/2015	NITRATE-NITRITE AS NITROGEN	0.47	mg/L					0.017	0.05
HSB 65B	1/26/2015	ALUMINUM	342	ug/L	J				40	400
HSB 65B	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 65B	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 65B	1/26/2015	BARIUM	15.1	ug/L	J				2	20
HSB 65B	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 65B	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 65B	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 65B	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 65B	1/26/2015	COPPER	0.643	ug/L	J				0.5	5
HSB 65B	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 65B	1/26/2015	NICKEL	0.958	ug/L	J				0.5	5
HSB 65B	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 65B	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 65B	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 65B	1/26/2015	TIN	10	ug/L	U				1	10
HSB 65B	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 65B	1/26/2015	ZINC	40	ug/L	U				4	40
HSB 65B	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 65B	1/26/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 65B	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 65B	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 65B	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 65B	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 65B	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 65B	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 65B	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 65B	1/26/2015	AMERICIUM-241	-0.0124	pCi/L	U			0.018	0.148	0.184
HSB 65B	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0661	0.0661
HSB 65B	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0661	0.0661
HSB 65B	1/26/2015	CURIUM-245/246	0.126	pCi/L	U			0.115	0.0684	0.298
HSB 65B	1/26/2015	PLUTONIUM-238	-0.00602	pCi/L	U			0.012	0.121	0.145
HSB 65B	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0652	0.0652
HSB 65B	1/26/2015	THORIUM-228	0.0172	pCi/L	U			0.134	0.323	0.591
HSB 65B	1/26/2015	THORIUM-230	0.13	pCi/L	U			0.113	0.114	0.34
HSB 65B	1/26/2015	THORIUM-232	-0.00563	pCi/L	U			0.011	0.113	0.136
HSB 65B	1/26/2015	URANIUM-233/234	0.032	pCi/L	U			0.064	0.0867	0.215
HSB 65B	1/26/2015	URANIUM-235	0.0395	pCi/L	U			0.079	0.107	0.265
HSB 65B	1/26/2015	URANIUM-238	0.0559	pCi/L	U			0.092	0.161	0.345
HSB 65B	1/26/2015	GROSS ALPHA	0.0334	pCi/L	U			0.87	2.43	4.17
HSB 65B	1/26/2015	NONVOLATILE BETA	4.1	pCi/L	U			3.02	4.16	10.2
HSB 65B	1/26/2015	STRONTIUM-90	-0.335	pCi/L	U			1.67	3.1	6.44
HSB 65B	1/26/2015	CARBON-14	0.331	pCi/L	U			4.12	6.89	15.1
HSB 65B	1/26/2015	NICKEL-63	-0.752	pCi/L	U			3.15	5.55	11.9
HSB 65B	1/26/2015	TECHNETIUM-99	0.000009	pCi/L	U			2.61	4.4	9.62
HSB 65B	1/26/2015	TRITIUM	30.3	pCi/mL				1.07	0.43	2.57

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 65B	1/26/2015	CESIUM-137	-0.123	pCi/L	U			6.27	11.1	23.7
HSB 65B	1/26/2015	COBALT-60	2.31	pCi/L	U			5.23	10.5	20.9
HSB 65B	1/26/2015	IODINE-129	0.404	pCi/L	U			0.595	0.926	2.12
HSB 65B	1/26/2015	RADIUM-226	0.0971	pCi/L	U			0.276	0.523	1.08
HSB 65B	1/26/2015	RADIUM-228	0.00379	pCi/L	U			0.278	0.522	1.08
HSB 65B	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.351	pCi/L	U			0.965	1.9	3.83
HSB 65B	4/13/2015	NITRATE-NITRITE AS NITROGEN	0.197	mg/L					0.017	0.05
HSB 65B	4/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 65B	4/13/2015	GROSS ALPHA	-0.268	pCi/L	U			0.409	2.24	3.06
HSB 65B	4/13/2015	NONVOLATILE BETA	0.915	pCi/L	U			2.17	3.74	8.09
HSB 65B	4/13/2015	TRITIUM	6.6	pCi/mL				0.554	0.462	1.57
HSB 65B	7/27/2015	NITRATE-NITRITE AS NITROGEN	0.0518	mg/L					0.017	0.05
HSB 65B	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 65B	7/27/2015	GROSS ALPHA	-0.299	pCi/L	U			0.496	2.3	3.29
HSB 65B	7/27/2015	NONVOLATILE BETA	0.834	pCi/L	U			2.23	3.77	8.23
HSB 65B	7/27/2015	TRITIUM	0.0802	pCi/mL	U			0.253	0.431	0.938
HSB 65B	10/30/2015	NITRATE-NITRITE AS NITROGEN	0.101	mg/L					0.017	0.05
HSB 65B	10/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 65B	10/30/2015	GROSS ALPHA	-0.0918	pCi/L	UJ			0.468	1.36	2.29
HSB 65B	10/30/2015	NONVOLATILE BETA	1.8	pCi/L	UJ			1.93	2.8	6.67
HSB 65B	10/30/2015	TRITIUM	2.16	pCi/mL				0.393	0.487	1.27
HSB 65C	1/26/2015	NITRATE-NITRITE AS NITROGEN	2.94	mg/L					0.085	0.25
HSB 65C	1/26/2015	ALUMINUM	190	ug/L	J				40	400
HSB 65C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 65C	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 65C	1/26/2015	BARIUM	4.66	ug/L	J				2	20
HSB 65C	1/26/2015	BERYLLIUM	0.101	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 65C	1/26/2015	CADMIUM	0.185	ug/L	J				0.1	1
HSB 65C	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 65C	1/26/2015	COBALT	0.737	ug/L	J				0.5	5
HSB 65C	1/26/2015	COPPER	8.79	ug/L					0.5	5
HSB 65C	1/26/2015	LEAD	1.37	ug/L	J				0.5	5
HSB 65C	1/26/2015	NICKEL	0.73	ug/L	J				0.5	5
HSB 65C	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 65C	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 65C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 65C	1/26/2015	TIN	10	ug/L	U				1	10
HSB 65C	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 65C	1/26/2015	ZINC	8.11	ug/L	J				4	40
HSB 65C	1/26/2015	MERCURY	0.0488	ug/L	J		21		0.02	0.2
HSB 65C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 65C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 65C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 65C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 65C	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 65C	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 65C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 65C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 65C	1/26/2015	AMERICIUM-241	0.0239	pCi/L	U			0.048	0.0647	0.161
HSB 65C	1/26/2015	CURIUM-242	0.0252	pCi/L	U			0.051	0.0638	0.165
HSB 65C	1/26/2015	CURIUM-243/244	0.0236	pCi/L	U			0.047	0.0638	0.158
HSB 65C	1/26/2015	CURIUM-245/246	0.067	pCi/L	U			0.086	0.123	0.295
HSB 65C	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0758	0.0758

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 65C	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0758	0.0758
HSB 65C	1/26/2015	THORIUM-228	0.0054	pCi/L	U			0.127	0.314	0.569
HSB 65C	1/26/2015	THORIUM-230	0.0638	pCi/L	U			0.074	0.0577	0.207
HSB 65C	1/26/2015	THORIUM-232	0.0159	pCi/L	U			0.044	0.107	0.195
HSB 65C	1/26/2015	URANIUM-233/234	0.233	pCi/L	J		21	0.181	0.186	0.549
HSB 65C	1/26/2015	URANIUM-235	0.0287	pCi/L	U			0.079	0.193	0.351
HSB 65C	1/26/2015	URANIUM-238	0.155	pCi/L	U			0.141	0.084	0.366
HSB 65C	1/26/2015	GROSS ALPHA	1.22	pCi/L	U			1.6	2.31	5.52
HSB 65C	1/26/2015	NONVOLATILE BETA	3.76	pCi/L	U			3.03	4.3	10.4
HSB 65C	1/26/2015	STRONTIUM-90	1.19	pCi/L	U			1.93	3.11	6.96
HSB 65C	1/26/2015	CARBON-14	6.75	pCi/L	U			4.26	6.87	15.4
HSB 65C	1/26/2015	NICKEL-63	0.0268	pCi/L	U			3.11	5.34	11.6
HSB 65C	1/26/2015	TECHNETIUM-99	0.398	pCi/L	U			2.61	4.37	9.59
HSB 65C	1/26/2015	TRITIUM	8.6	pCi/mL				0.607	0.43	1.64
HSB 65C	1/26/2015	CESIUM-137	2.78	pCi/L	U			5.47	10.4	21.4
HSB 65C	1/26/2015	COBALT-60	-0.0921	pCi/L	U			5.62	10.4	21.7
HSB 65C	1/26/2015	IODINE-129	0.0611	pCi/L	U			0.574	0.975	2.12
HSB 65C	1/26/2015	RADIUM-226	1.64	pCi/L	J		21	0.566	0.602	1.73
HSB 65C	1/26/2015	RADIUM-228	0.984	pCi/L	U		21, V	0.394	0.523	1.31
HSB 65C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0411	pCi/L	U			0.762	1.7	3.22
HSB 65C	4/13/2015	NITRATE-NITRITE AS NITROGEN	2.73	mg/L					0.17	0.5
HSB 65C	4/13/2015	MERCURY	0.0217	ug/L	J		21		0.02	0.2
HSB 65C	4/13/2015	GROSS ALPHA	0.923	pCi/L	U			1.41	2.09	4.91
HSB 65C	4/13/2015	NONVOLATILE BETA	3.48	pCi/L	U			2.68	3.74	9.11
HSB 65C	4/13/2015	TRITIUM	7.07	pCi/mL				0.567	0.459	1.59
HSB 65C	7/27/2015	NITRATE-NITRITE AS NITROGEN	2.65	mg/L					0.17	0.5
HSB 65C	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 65C	7/27/2015	GROSS ALPHA	2.86	pCi/L	J		21	2.27	2.16	6.71
HSB 65C	7/27/2015	NONVOLATILE BETA	2.34	pCi/L	U			2.56	3.82	8.94
HSB 65C	7/27/2015	TRITIUM	11.2	pCi/mL				0.686	0.433	1.81
HSB 65C	10/30/2015	NITRATE-NITRITE AS NITROGEN	3.34	mg/L					0.085	0.25
HSB 65C	10/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 65C	10/30/2015	GROSS ALPHA	2.42	pCi/L	J		21	1.47	1.3	4.23
HSB 65C	10/30/2015	NONVOLATILE BETA	5.24	pCi/L	J		21	2.42	3.04	7.88
HSB 65C	10/30/2015	TRITIUM	8.64	pCi/mL				0.618	0.49	1.73
HSB 66DR	1/26/2015	NITRATE-NITRITE AS NITROGEN	1.77	mg/L					0.085	0.25
HSB 66DR	1/26/2015	ALUMINUM	400	ug/L	U				40	400
HSB 66DR	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 66DR	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 66DR	1/26/2015	BARIUM	2.31	ug/L	J				2	20
HSB 66DR	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 66DR	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 66DR	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 66DR	1/26/2015	COBALT	0.804	ug/L	J				0.5	5
HSB 66DR	1/26/2015	COPPER	5.72	ug/L					0.5	5
HSB 66DR	1/26/2015	LEAD	1.34	ug/L	J				0.5	5
HSB 66DR	1/26/2015	NICKEL	0.702	ug/L	J				0.5	5
HSB 66DR	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 66DR	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 66DR	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 66DR	1/26/2015	TIN	10	ug/L	U				1	10
HSB 66DR	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 66DR	1/26/2015	ZINC	7.63	ug/L	J				4	40
HSB 66DR	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 66DR	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 66DR	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 66DR	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 66DR	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 66DR	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 66DR	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 66DR	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 66DR	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 66DR	1/26/2015	AMERICIUM-241	-0.00578	pCi/L	U			0.012	0.116	0.139
HSB 66DR	1/26/2015	CURIUM-242	0.0488	pCi/L	U			0.069	0.0617	0.201
HSB 66DR	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0617	0.0617
HSB 66DR	1/26/2015	CURIUM-245/246	0.141	pCi/L	U			0.118	0.0638	0.299
HSB 66DR	1/26/2015	PLUTONIUM-238	0.0231	pCi/L	U			0.046	0.0625	0.155
HSB 66DR	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0625	0.0625
HSB 66DR	1/26/2015	THORIUM-228	0.088	pCi/L	U			0.15	0.305	0.605
HSB 66DR	1/26/2015	THORIUM-230	0.065	pCi/L	U			0.076	0.0588	0.21
HSB 66DR	1/26/2015	THORIUM-232	-0.00541	pCi/L	U			0.011	0.109	0.131
HSB 66DR	1/26/2015	URANIUM-233/234	0.0342	pCi/L	U			0.069	0.0926	0.23
HSB 66DR	1/26/2015	URANIUM-235	-0.0105	pCi/L	U			0.021	0.212	0.255
HSB 66DR	1/26/2015	URANIUM-238	0.0341	pCi/L	U			0.069	0.0924	0.229
HSB 66DR	1/26/2015	GROSS ALPHA	0.82	pCi/L	U			1.38	2.28	5.04
HSB 66DR	1/26/2015	NONVOLATILE BETA	0.0646	pCi/L	U			2.35	4.25	8.95
HSB 66DR	1/26/2015	STRONTIUM-90	-0.052	pCi/L	U			1.71	3.11	6.54
HSB 66DR	1/26/2015	CARBON-14	0.567	pCi/L	U			4.31	7.21	15.8
HSB 66DR	1/26/2015	NICKEL-63	1.19	pCi/L	U			2.9	4.79	10.6
HSB 66DR	1/26/2015	TECHNETIUM-99	-0.282	pCi/L	U			2.59	4.38	9.57

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 66DR	1/26/2015	TRITIUM	88.4	pCi/mL				1.8	0.432	4.03
HSB 66DR	1/26/2015	CESIUM-137	-2.26	pCi/L	U			7.07	12.1	26.2
HSB 66DR	1/26/2015	COBALT-60	4.76	pCi/L	U			6.4	12.8	25.6
HSB 66DR	1/26/2015	IODINE-129	-0.0762	pCi/L	U			0.567	0.952	2.09
HSB 66DR	1/26/2015	RADIUM-226	0.761	pCi/L	J		21	0.393	0.513	1.3
HSB 66DR	1/26/2015	RADIUM-228	0.0399	pCi/L	U			0.371	0.675	1.42
HSB 66DR	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.914	pCi/L	U			1.05	1.72	3.82
HSB 66DR	4/13/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L					0.085	0.25
HSB 66DR	4/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 66DR	4/13/2015	GROSS ALPHA	0.531	pCi/L	U			1.17	2.08	4.42
HSB 66DR	4/13/2015	NONVOLATILE BETA	1.34	pCi/L	U			2.26	3.73	8.26
HSB 66DR	4/13/2015	TRITIUM	85.3	pCi/mL				1.77	0.461	3.99
HSB 66DR	7/27/2015	NITRATE-NITRITE AS NITROGEN	1.97	mg/L					0.085	0.25
HSB 66DR	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 66DR	7/27/2015	GROSS ALPHA	1.29	pCi/L	U			1.63	2.14	5.41
HSB 66DR	7/27/2015	NONVOLATILE BETA	0.267	pCi/L	U			2.11	3.78	8.01
HSB 66DR	7/27/2015	TRITIUM	89.6	pCi/mL				1.82	0.43	4.07
HSB 66DR	10/30/2015	NITRATE-NITRITE AS NITROGEN	2.12	mg/L					0.085	0.25
HSB 66DR	10/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 66DR	10/30/2015	GROSS ALPHA	0.779	pCi/L	U			1.38	2.25	5.01
HSB 66DR	10/30/2015	NONVOLATILE BETA	0.603	pCi/L	U			2.32	3.94	8.58
HSB 66DR	10/30/2015	TRITIUM	92.4	pCi/mL				1.67	0.506	3.85
HSB 67	1/26/2015	NITRATE-NITRITE AS NITROGEN	3.48	mg/L					0.085	0.25
HSB 67	1/26/2015	ALUMINUM	405	ug/L					40	400
HSB 67	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 67	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 67	1/26/2015	BARIUM	11.5	ug/L	J				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 67	1/26/2015	BERYLLIUM	0.167	ug/L	J				0.1	1
HSB 67	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 67	1/26/2015	CHROMIUM	11.9	ug/L	J				10	100
HSB 67	1/26/2015	COBALT	4.28	ug/L	J				0.5	5
HSB 67	1/26/2015	COPPER	0.639	ug/L	J				0.5	5
HSB 67	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 67	1/26/2015	NICKEL	3.03	ug/L	J				0.5	5
HSB 67	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 67	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 67	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 67	1/26/2015	TIN	10	ug/L	U				1	10
HSB 67	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 67	1/26/2015	ZINC	40	ug/L	U				4	40
HSB 67	1/26/2015	MERCURY	0.857	ug/L					0.02	0.2
HSB 67	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 67	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 67	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 67	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 67	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 67	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 67	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 67	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 67	1/26/2015	AMERICIUM-241	-0.00656	pCi/L	U			0.013	0.132	0.159
HSB 67	1/26/2015	CURIUM-242	0.0554	pCi/L	U			0.079	0.0701	0.228
HSB 67	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0701	0.0701
HSB 67	1/26/2015	CURIUM-245/246	0.0535	pCi/L	U			0.076	0.0725	0.225

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 67	1/26/2015	PLUTONIUM-238	-0.0056	pCi/L	U			0.011	0.113	0.135
HSB 67	1/26/2015	PLUTONIUM-239/240	0.0448	pCi/L	U			0.064	0.0607	0.188
HSB 67	1/26/2015	THORIUM-228	0.0994	pCi/L	U			0.128	0.227	0.482
HSB 67	1/26/2015	THORIUM-230	0.0979	pCi/L	U			0.099	0.0663	0.265
HSB 67	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0662	0.0662
HSB 67	1/26/2015	URANIUM-233/234	0.515	pCi/L	J		21	0.269	0.201	0.738
HSB 67	1/26/2015	URANIUM-235	0.0368	pCi/L	U			0.074	0.0998	0.248
HSB 67	1/26/2015	URANIUM-238	0.208	pCi/L	J		21	0.161	0.0807	0.403
HSB 67	1/26/2015	GROSS ALPHA	9.68	pCi/L	J		21	4.01	2.53	10.6
HSB 67	1/26/2015	NONVOLATILE BETA	99.7	pCi/L				10.4	5.33	26.1
HSB 67	1/26/2015	STRONTIUM-90	38.6	pCi/L				6.38	3.1	15.9
HSB 67	1/26/2015	CARBON-14	10.7	pCi/L	J		21	4.46	7.05	16
HSB 67	1/26/2015	NICKEL-63	2.67	pCi/L	U			3.24	5.55	12
HSB 67	1/26/2015	TECHNETIUM-99	10.3	pCi/L				2.82	4.24	9.87
HSB 67	1/26/2015	TRITIUM	19	pCi/mL				0.87	0.456	2.2
HSB 67	1/26/2015	CESIUM-137	-4.75	pCi/L	U			6.26	10.2	22.7
HSB 67	1/26/2015	COBALT-60	1.36	pCi/L	U			6.15	11.7	24
HSB 67	1/26/2015	IODINE-129	0.713	pCi/L	U			0.701	1	2.41
HSB 67	1/26/2015	RADIUM-226	3.13	pCi/L				0.672	0.521	1.87
HSB 67	1/26/2015	RADIUM-228	2.07	pCi/L	J		V	0.469	0.493	1.43
HSB 67	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	4.42	pCi/L	J		21	1.73	1.49	4.95
HSB 67	4/14/2015	NITRATE-NITRITE AS NITROGEN	3.88	mg/L					0.17	0.5
HSB 67	4/14/2015	MERCURY	0.85	ug/L					0.02	0.2
HSB 67	4/14/2015	GROSS ALPHA	9.08	pCi/L	J		21	3.86	2.22	9.95
HSB 67	4/14/2015	NONVOLATILE BETA	103	pCi/L				10.6	3.93	25.1
HSB 67	4/14/2015	TRITIUM	17	pCi/mL				0.821	0.44	2.08
HSB 67	7/28/2015	NITRATE-NITRITE AS NITROGEN	3.54	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 67	7/28/2015	MERCURY	0.952	ug/L					0.02	0.2
HSB 67	7/28/2015	GROSS ALPHA	8.47	pCi/L				2.68	1.38	6.74
HSB 67	7/28/2015	NONVOLATILE BETA	93.7	pCi/L				7.42	2.66	17.5
HSB 67	7/28/2015	TRITIUM	19	pCi/mL				0.879	0.482	2.24
HSB 67	11/2/2015	NITRATE-NITRITE AS NITROGEN	4.08	mg/L					0.085	0.25
HSB 67	11/2/2015	MERCURY	0.688	ug/L					0.02	0.2
HSB 67	11/2/2015	GROSS ALPHA	6.82	pCi/L	J		21	3.34	2.28	8.95
HSB 67	11/2/2015	NONVOLATILE BETA	85.6	pCi/L				9.46	4.08	23
HSB 67	11/2/2015	TRITIUM	16.5	pCi/mL				0.812	0.491	2.12
HSB 68C	1/26/2015	NITRATE-NITRITE AS NITROGEN	8.46	mg/L					0.17	0.5
HSB 68C	1/26/2015	ALUMINUM	44.1	ug/L	J				40	400
HSB 68C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 68C	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 68C	1/26/2015	BARIUM	8.41	ug/L	J				2	20
HSB 68C	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 68C	1/26/2015	CADMIUM	1.05	ug/L					0.1	1
HSB 68C	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 68C	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 68C	1/26/2015	COPPER	2.36	ug/L	J				0.5	5
HSB 68C	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 68C	1/26/2015	NICKEL	1.02	ug/L	J				0.5	5
HSB 68C	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 68C	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 68C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 68C	1/26/2015	TIN	10	ug/L	U				1	10
HSB 68C	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 68C	1/26/2015	ZINC	11.3	ug/L	J				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 68C	1/26/2015	MERCURY	1.23	ug/L					0.02	0.2
HSB 68C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 68C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 68C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 68C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1.48	ug/L					0.3	1
HSB 68C	1/26/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J		21		0.3	1
HSB 68C	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 68C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 68C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 68C	1/26/2015	AMERICIUM-241	-0.00624	pCi/L	U			0.013	0.126	0.151
HSB 68C	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0666	0.0666
HSB 68C	1/26/2015	CURIUM-243/244	-0.00616	pCi/L	U			0.012	0.124	0.148
HSB 68C	1/26/2015	CURIUM-245/246	0.0763	pCi/L	U			0.089	0.069	0.247
HSB 68C	1/26/2015	PLUTONIUM-238	-0.00561	pCi/L	U			0.011	0.113	0.136
HSB 68C	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0608	0.0608
HSB 68C	1/26/2015	THORIUM-228	-0.0257	pCi/L	U			0.063	0.235	0.361
HSB 68C	1/26/2015	THORIUM-230	0.0443	pCi/L	U			0.073	0.128	0.274
HSB 68C	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.0685	0.0685
HSB 68C	1/26/2015	URANIUM-233/234	0.0316	pCi/L	U			0.063	0.0856	0.212
HSB 68C	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.106	0.106
HSB 68C	1/26/2015	URANIUM-238	0.0631	pCi/L	U			0.09	0.0855	0.265
HSB 68C	1/26/2015	GROSS ALPHA	0.0323	pCi/L	U			0.853	2.38	4.09
HSB 68C	1/26/2015	NONVOLATILE BETA	4.33	pCi/L	J		21	3.05	4.15	10.3
HSB 68C	1/26/2015	STRONTIUM-90	0.0989	pCi/L	U			1.67	3.11	6.46
HSB 68C	1/26/2015	CARBON-14	-3.57	pCi/L	U			4	6.86	14.9
HSB 68C	1/26/2015	NICKEL-63	1.9	pCi/L	U			2.92	4.79	10.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 68C	1/26/2015	TECHNETIUM-99	14	pCi/L				2.93	4.26	10.1
HSB 68C	1/26/2015	TRITIUM	433	pCi/mL				3.97	0.458	8.4
HSB 68C	1/26/2015	CESIUM-137	-1.78	pCi/L	U			6.17	10.7	23
HSB 68C	1/26/2015	COBALT-60	-4.49	pCi/L	U			5.86	9.54	21.3
HSB 68C	1/26/2015	IODINE-129	2.03	pCi/L	J		21	0.954	0.889	2.8
HSB 68C	1/26/2015	RADIUM-226	0.518	pCi/L	J		21	0.336	0.466	1.14
HSB 68C	1/26/2015	RADIUM-228	0.203	pCi/L	U			0.263	0.447	0.973
HSB 68C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.684	pCi/L	U			0.944	1.62	3.51
HSB 68C	4/13/2015	NITRATE-NITRITE AS NITROGEN	8.85	mg/L					0.425	1.25
HSB 68C	4/13/2015	MERCURY	0.987	ug/L					0.02	0.2
HSB 68C	4/13/2015	GROSS ALPHA	0.952	pCi/L	U			1.45	2.16	5.07
HSB 68C	4/13/2015	NONVOLATILE BETA	4.2	pCi/L	J		21	2.81	3.75	9.38
HSB 68C	4/13/2015	TRITIUM	423	pCi/mL				3.91	0.465	8.28
HSB 68C	7/27/2015	NITRATE-NITRITE AS NITROGEN	8.8	mg/L					0.17	0.5
HSB 68C	7/27/2015	MERCURY	1.33	ug/L					0.02	0.2
HSB 68C	7/27/2015	GROSS ALPHA	0.42	pCi/L	U			1.19	2.39	4.77
HSB 68C	7/27/2015	NONVOLATILE BETA	5.92	pCi/L	J		21	3.28	4.19	10.7
HSB 68C	7/27/2015	TRITIUM	419	pCi/mL				3.91	0.429	8.25
HSB 68C	10/30/2015	NITRATE-NITRITE AS NITROGEN	9.3	mg/L					0.425	1.25
HSB 68C	10/30/2015	MERCURY	1.1	ug/L					0.02	0.2
HSB 68C	10/30/2015	GROSS ALPHA	0.0187	pCi/L	U			0.894	2.31	4.1
HSB 68C	10/30/2015	NONVOLATILE BETA	5.81	pCi/L	J		21	3.2	3.93	10.3
HSB 68C	10/30/2015	TRITIUM	433	pCi/mL				3.9	0.49	8.29
HSB 68DR	1/29/2015	NITRATE-NITRITE AS NITROGEN	3.15	mg/L					0.085	0.25
HSB 68DR	1/29/2015	ALUMINUM	345	ug/L	J				40	400
HSB 68DR	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB 68DR	1/29/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 68DR	1/29/2015	BARIUM	20.4	ug/L					2	20
HSB 68DR	1/29/2015	BERYLLIUM	0.182	ug/L	J				0.1	1
HSB 68DR	1/29/2015	CADMIUM	0.169	ug/L	J				0.1	1
HSB 68DR	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB 68DR	1/29/2015	COBALT	2.4	ug/L	J				0.5	5
HSB 68DR	1/29/2015	COPPER	1.48	ug/L	J				0.5	5
HSB 68DR	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB 68DR	1/29/2015	NICKEL	3.92	ug/L	J				0.5	5
HSB 68DR	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB 68DR	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB 68DR	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 68DR	1/29/2015	TIN	10	ug/L	U				1	10
HSB 68DR	1/29/2015	VANADIUM	13.8	ug/L	J				5	50
HSB 68DR	1/29/2015	ZINC	14.2	ug/L	J				4	40
HSB 68DR	1/29/2015	MERCURY	0.897	ug/L					0.02	0.2
HSB 68DR	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB 68DR	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 68DR	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 68DR	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 68DR	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 68DR	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 68DR	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 68DR	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 68DR	1/29/2015	AMERICIUM-241	0.0158	pCi/L	U			0.044	0.106	0.193
HSB 68DR	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0562	0.0562
HSB 68DR	1/29/2015	CURIUM-243/244	-0.0052	pCi/L	U			0.01	0.104	0.125

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 68DR	1/29/2015	CURIUM-245/246	0.129	pCi/L	U			0.107	0.0581	0.272
HSB 68DR	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0501	0.0501
HSB 68DR	1/29/2015	PLUTONIUM-239/240	-0.00923	pCi/L	U			0.013	0.111	0.137
HSB 68DR	1/29/2015	THORIUM-228	0.121	pCi/L	J		21	0.121	0.178	0.42
HSB 68DR	1/29/2015	THORIUM-230	0.0532	pCi/L	U			0.076	0.128	0.279
HSB 68DR	1/29/2015	THORIUM-232	-0.00531	pCi/L	U			0.011	0.107	0.128
HSB 68DR	1/29/2015	URANIUM-233/234	0.644	pCi/L	J		21	0.276	0.126	0.678
HSB 68DR	1/29/2015	URANIUM-235	0.054	pCi/L	U			0.089	0.155	0.333
HSB 68DR	1/29/2015	URANIUM-238	0.2	pCi/L	J		21	0.145	0.0676	0.357
HSB 68DR	1/29/2015	GROSS ALPHA	10.9	pCi/L	J		21	4.28	2.66	11.2
HSB 68DR	1/29/2015	NONVOLATILE BETA	411	pCi/L				21.4	4	46.9
HSB 68DR	1/29/2015	STRONTIUM-90	196	pCi/L				23.3	3.1	49.7
HSB 68DR	1/29/2015	CARBON-14	2.1	pCi/L	UJ			4.21	6.97	15.4
HSB 68DR	1/29/2015	NICKEL-63	16.7	pCi/L				4.03	6.43	14.5
HSB 68DR	1/29/2015	TECHNETIUM-99	3.56	pCi/L	U			2.65	4.28	9.57
HSB 68DR	1/29/2015	TRITIUM	68.2	pCi/mL				1.58	0.386	3.55
HSB 68DR	1/29/2015	CESIUM-137	-2.15	pCi/L	U			5.7	9.83	21.2
HSB 68DR	1/29/2015	COBALT-60	-1.03	pCi/L	U			5.46	9.91	20.8
HSB 68DR	1/29/2015	IODINE-129	0.511	pCi/L	U			0.572	1.03	2.17
HSB 68DR	1/29/2015	RADIUM-226	1.78	pCi/L				0.507	0.449	1.46
HSB 68DR	1/29/2015	RADIUM-228	0.609	pCi/L	J		21	0.359	0.538	1.26
HSB 68DR	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	2.21	pCi/L	J		21	1.4	1.81	4.61
HSB 68DR	4/22/2015	NITRATE-NITRITE AS NITROGEN	2.93	mg/L					0.085	0.25
HSB 68DR	4/22/2015	MERCURY	1.03	ug/L					0.02	0.2
HSB 68DR	4/22/2015	GROSS ALPHA	5.75	pCi/L	J		21	3.25	3.03	9.53
HSB 68DR	4/22/2015	NONVOLATILE BETA	432	pCi/L				22.1	4.85	49.1
HSB 68DR	4/22/2015	TRITIUM	50.4	pCi/mL				1.36	0.432	3.15

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 68DR	7/28/2015	NITRATE-NITRITE AS NITROGEN	2.43	mg/L					0.085	0.25
HSB 68DR	7/28/2015	MERCURY	1.31	ug/L					0.02	0.2
HSB 68DR	7/28/2015	GROSS ALPHA	4.21	pCi/L	J		21	1.99	1.6	5.58
HSB 68DR	7/28/2015	NONVOLATILE BETA	382	pCi/L				15.8	2.59	34.2
HSB 68DR	7/28/2015	TRITIUM	24.5	pCi/mL				0.985	0.48	2.45
HSB 68DR	11/6/2015	NITRATE-NITRITE AS NITROGEN	2.06	mg/L					0.17	0.5
HSB 68DR	11/6/2015	MERCURY	0.76	ug/L					0.02	0.2
HSB 68DR	11/6/2015	GROSS ALPHA	3.74	pCi/L	J		21	2.72	3.07	8.51
HSB 68DR	11/6/2015	NONVOLATILE BETA	432	pCi/L				22.4	4.65	49.5
HSB 68DR	11/6/2015	TRITIUM	83.1	pCi/mL				1.76	0.47	3.98
HSB 69	2/4/2015	NITRATE-NITRITE AS NITROGEN	2.31	mg/L					0.085	0.25
HSB 69	2/4/2015	ALUMINUM	261	ug/L	J				40	400
HSB 69	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSB 69	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB 69	2/4/2015	BARIUM	10.9	ug/L	J				2	20
HSB 69	2/4/2015	BERYLLIUM	0.113	ug/L	J				0.1	1
HSB 69	2/4/2015	CADMIUM	0.128	ug/L	J				0.1	1
HSB 69	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB 69	2/4/2015	COBALT	1.31	ug/L	J				0.5	5
HSB 69	2/4/2015	COPPER	0.651	ug/L	J				0.5	5
HSB 69	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSB 69	2/4/2015	NICKEL	3.3	ug/L	J				0.5	5
HSB 69	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB 69	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB 69	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 69	2/4/2015	TIN	10	ug/L	U				1	10
HSB 69	2/4/2015	VANADIUM	14.8	ug/L	J				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 69	2/4/2015	ZINC	5.49	ug/L	J				4	40
HSB 69	2/4/2015	MERCURY	0.195	ug/L	J		21		0.02	0.2
HSB 69	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB 69	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 69	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 69	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 69	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 69	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 69	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 69	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 69	2/4/2015	AMERICIUM-241	0.0626	pCi/L	U			0.08	0.115	0.275
HSB 69	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0607	0.0607
HSB 69	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0607	0.0607
HSB 69	2/4/2015	CURIUM-245/246	0.162	pCi/L	U			0.125	0.0629	0.314
HSB 69	2/4/2015	PLUTONIUM-238	0.024	pCi/L	U			0.048	0.0651	0.162
HSB 69	2/4/2015	PLUTONIUM-239/240	0.042	pCi/L	U			0.069	0.121	0.26
HSB 69	2/4/2015	THORIUM-228	0.0261	pCi/L	U			0.079	0.186	0.343
HSB 69	2/4/2015	THORIUM-230	0.202	pCi/L	U			0.147	0.0686	0.363
HSB 69	2/4/2015	THORIUM-232	0.0505	pCi/L	U			0.072	0.0685	0.212
HSB 69	2/4/2015	URANIUM-233/234	0.339	pCi/L	J		21	0.184	0.0613	0.429
HSB 69	2/4/2015	URANIUM-235	-0.014	pCi/L	U			0.02	0.167	0.207
HSB 69	2/4/2015	URANIUM-238	0.0678	pCi/L	U			0.079	0.0612	0.219
HSB 69	2/4/2015	GROSS ALPHA	2.5	pCi/L	J		21	1.59	1.7	4.89
HSB 69	2/4/2015	NONVOLATILE BETA	186	pCi/L				10.1	3.03	23.3
HSB 69	2/4/2015	STRONTIUM-90	83.5	pCi/L				12	3.29	27.3
HSB 69	2/4/2015	CARBON-14	-3.38	pCi/L	U			4.12	7.04	15.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 69	2/4/2015	NICKEL-63	9.54	pCi/L	J		21	3.14	4.82	11.1
HSB 69	2/4/2015	TECHNETIUM-99	3.65	pCi/L	U			2.58	4.16	9.31
HSB 69	2/4/2015	TRITIUM	18.3	pCi/mL				0.875	0.557	2.31
HSB 69	2/4/2015	CESIUM-137	1.23	pCi/L	U			6.04	11	23.1
HSB 69	2/4/2015	COBALT-60	-2.15	pCi/L	U			4.95	8.65	18.5
HSB 69	2/4/2015	IODINE-129	2.59	pCi/L	J		21	1.14	0.913	3.19
HSB 69	2/4/2015	RADIUM-226	2.45	pCi/L				0.659	0.6	1.92
HSB 69	2/4/2015	RADIUM-228	1.15	pCi/L	J		21	0.372	0.473	1.22
HSB 69	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	2.26	pCi/L	J		21	1.62	1.96	5.2
HSB 69	4/14/2015	NITRATE-NITRITE AS NITROGEN	1.97	mg/L					0.085	0.25
HSB 69	4/14/2015	MERCURY	0.241	ug/L					0.02	0.2
HSB 69	4/14/2015	GROSS ALPHA	3.18	pCi/L	J		21	2.39	2.29	7.07
HSB 69	4/14/2015	NONVOLATILE BETA	161	pCi/L				13.2	3.8	30.3
HSB 69	4/14/2015	TRITIUM	11.8	pCi/mL				0.694	0.436	1.82
HSB 69	7/28/2015	NITRATE-NITRITE AS NITROGEN	2.04	mg/L					0.17	0.5
HSB 69	7/28/2015	MERCURY	0.193	ug/L	J		21		0.02	0.2
HSB 69	7/28/2015	GROSS ALPHA	4.33	pCi/L	J		21	1.99	1.46	5.44
HSB 69	7/28/2015	NONVOLATILE BETA	188	pCi/L				10.5	2.59	23.5
HSB 69	7/28/2015	TRITIUM	9.83	pCi/mL				0.661	0.482	1.8
HSB 69	11/6/2015	NITRATE-NITRITE AS NITROGEN	2.19	mg/L					0.17	0.5
HSB 69	11/6/2015	MERCURY	0.191	ug/L	J		21		0.02	0.2
HSB 69	11/6/2015	GROSS ALPHA	3.3	pCi/L	J		21	2.47	2.63	7.58
HSB 69	11/6/2015	NONVOLATILE BETA	202	pCi/L				15.1	4.6	34.7
HSB 69	11/6/2015	TRITIUM	12.4	pCi/mL				0.673	0.507	1.85
HSB 70	1/26/2015	NITRATE-NITRITE AS NITROGEN	0.466	mg/L					0.017	0.05
HSB 70	1/26/2015	ALUMINUM	400	ug/L	U				40	400
HSB 70	1/26/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 70	1/26/2015	BARIUM	56.5	ug/L					2	20
HSB 70	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 70	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 70	1/26/2015	CHROMIUM	11	ug/L	J				10	100
HSB 70	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 70	1/26/2015	COPPER	1020	ug/L					0.5	5
HSB 70	1/26/2015	LEAD	87.5	ug/L					0.5	5
HSB 70	1/26/2015	NICKEL	11.4	ug/L					0.5	5
HSB 70	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 70	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 70	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 70	1/26/2015	TIN	10	ug/L	U				1	10
HSB 70	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 70	1/26/2015	ZINC	128	ug/L					4	40
HSB 70	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 70	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 70	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 70	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 70	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 70	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 70	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 70	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 70	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 70	1/26/2015	AMERICIUM-241	-0.00581	pCi/L	U			0.012	0.117	0.14
HSB 70	1/26/2015	CURIUM-242	0	pCi/L	U			0	0.0621	0.0621

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0621	0.0621
HSB 70	1/26/2015	CURIUM-245/246	0.119	pCi/L	U			0.108	0.0642	0.279
HSB 70	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0582	0.0582
HSB 70	1/26/2015	PLUTONIUM-239/240	0.043	pCi/L	U			0.061	0.0582	0.181
HSB 70	1/26/2015	THORIUM-228	-0.0442	pCi/L	U			0.077	0.261	0.415
HSB 70	1/26/2015	THORIUM-230	0.0817	pCi/L	U			0.089	0.11	0.287
HSB 70	1/26/2015	THORIUM-232	0.0217	pCi/L	U			0.044	0.0589	0.146
HSB 70	1/26/2015	URANIUM-233/234	0.0799	pCi/L	U			0.114	0.192	0.419
HSB 70	1/26/2015	URANIUM-235	-0.00986	pCi/L	U			0.02	0.198	0.238
HSB 70	1/26/2015	URANIUM-238	0.0159	pCi/L	U			0.068	0.191	0.327
HSB 70	1/26/2015	GROSS ALPHA	1.59	pCi/L	U			1.77	2.3	5.83
HSB 70	1/26/2015	NONVOLATILE BETA	6.5	pCi/L	J		21	3.46	4.35	11.3
HSB 70	1/26/2015	STRONTIUM-90	2.32	pCi/L	U			2.04	3.11	7.19
HSB 70	1/26/2015	CARBON-14	83.6	pCi/L				5.87	7	18.7
HSB 70	1/26/2015	NICKEL-63	-2.08	pCi/L	U			2.85	4.92	10.6
HSB 70	1/26/2015	TECHNETIUM-99	5.13	pCi/L	J		21	2.67	4.24	9.57
HSB 70	1/26/2015	TRITIUM	5.07	pCi/mL				0.501	0.454	1.46
HSB 70	1/26/2015	CESIUM-137	-11.1	pCi/L	U			6.9	9.88	23.7
HSB 70	1/26/2015	COBALT-60	2.26	pCi/L	U			6.15	11.9	24.2
HSB 70	1/26/2015	IODINE-129	0.236	pCi/L	U			0.543	0.938	2.02
HSB 70	1/26/2015	RADIUM-226	0.781	pCi/L	J		21	0.394	0.489	1.28
HSB 70	1/26/2015	RADIUM-228	0.844	pCi/L	U		21, V	0.377	0.537	1.29
HSB 70	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.41	pCi/L	U			0.824	1.57	3.22
HSB 70	4/13/2015	NITRATE-NITRITE AS NITROGEN	0.124	mg/L					0.017	0.05
HSB 70	4/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 70	4/13/2015	GROSS ALPHA	1.73	pCi/L	U			1.82	2.13	5.77
HSB 70	4/13/2015	NONVOLATILE BETA	8.23	pCi/L	J		21	3.44	3.77	10.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70	4/13/2015	TRITIUM	4.51	pCi/mL				0.475	0.44	1.39
HSB 70	7/27/2015	NITRATE-NITRITE AS NITROGEN	0.327	mg/L					0.017	0.05
HSB 70	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 70	7/27/2015	GROSS ALPHA	0.406	pCi/L	U			1.16	2.31	4.63
HSB 70	7/27/2015	NONVOLATILE BETA	6.62	pCi/L	J		21	3.38	4.17	10.9
HSB 70	7/27/2015	TRITIUM	4.29	pCi/mL				0.466	0.43	1.36
HSB 70	10/30/2015	NITRATE-NITRITE AS NITROGEN	0.386	mg/L					0.017	0.05
HSB 70	10/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 70	10/30/2015	GROSS ALPHA	0.0172	pCi/L	U			0.868	2.24	3.98
HSB 70	10/30/2015	NONVOLATILE BETA	9.53	pCi/L	J		21	3.71	3.92	11.3
HSB 70	10/30/2015	TRITIUM	4.47	pCi/mL				0.466	0.514	1.45
HSB 70C	1/26/2015	NITRATE-NITRITE AS NITROGEN	32.3	mg/L					0.425	1.25
HSB 70C	1/26/2015	ALUMINUM	53.7	ug/L	J				40	400
HSB 70C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 70C	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 70C	1/26/2015	BARIUM	26.4	ug/L					2	20
HSB 70C	1/26/2015	BERYLLIUM	0.111	ug/L	J				0.1	1
HSB 70C	1/26/2015	CADMIUM	0.442	ug/L	J				0.1	1
HSB 70C	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 70C	1/26/2015	COBALT	0.733	ug/L	J				0.5	5
HSB 70C	1/26/2015	COPPER	1.47	ug/L	J				0.5	5
HSB 70C	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 70C	1/26/2015	NICKEL	4.61	ug/L	J				0.5	5
HSB 70C	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 70C	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 70C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 70C	1/26/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70C	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 70C	1/26/2015	ZINC	22.2	ug/L	J				4	40
HSB 70C	1/26/2015	MERCURY	0.0738	ug/L	J		21		0.02	0.2
HSB 70C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 70C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 70C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 70C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 70C	1/26/2015	TRICHLOROETHYLENE (TCE)	2.14	ug/L					0.3	1
HSB 70C	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 70C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 70C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 70C	1/26/2015	AMERICIUM-241	0.0234	pCi/L	U			0.047	0.0635	0.158
HSB 70C	1/26/2015	CURIUM-242	0.0247	pCi/L	U			0.05	0.0626	0.162
HSB 70C	1/26/2015	CURIUM-243/244	0.0231	pCi/L	U			0.046	0.0626	0.155
HSB 70C	1/26/2015	CURIUM-245/246	0.167	pCi/L	U			0.129	0.0648	0.323
HSB 70C	1/26/2015	PLUTONIUM-238	-0.00585	pCi/L	U			0.012	0.118	0.141
HSB 70C	1/26/2015	PLUTONIUM-239/240	0.0234	pCi/L	U			0.047	0.0634	0.157
HSB 70C	1/26/2015	THORIUM-228	0.0177	pCi/L	U			0.116	0.285	0.517
HSB 70C	1/26/2015	THORIUM-230	0.0232	pCi/L	U			0.047	0.0629	0.156
HSB 70C	1/26/2015	THORIUM-232	-0.00579	pCi/L	U			0.012	0.117	0.14
HSB 70C	1/26/2015	URANIUM-233/234	0.0898	pCi/L	U			0.105	0.0811	0.291
HSB 70C	1/26/2015	URANIUM-235	0.0277	pCi/L	U			0.076	0.186	0.339
HSB 70C	1/26/2015	URANIUM-238	-0.0149	pCi/L	U			0.021	0.179	0.222
HSB 70C	1/26/2015	GROSS ALPHA	0.794	pCi/L	U			1.53	2.73	5.79
HSB 70C	1/26/2015	NONVOLATILE BETA	71.3	pCi/L				8.6	4.27	21.5
HSB 70C	1/26/2015	STRONTIUM-90	0.117	pCi/L	U			1.73	3.11	6.57

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70C	1/26/2015	CARBON-14	144	pCi/L				6.87	7.04	20.8
HSB 70C	1/26/2015	NICKEL-63	2.09	pCi/L	U			3.03	4.89	11
HSB 70C	1/26/2015	TECHNETIUM-99	101	pCi/L				4.77	4.4	13.9
HSB 70C	1/26/2015	TRITIUM	1270	pCi/mL				6.77	0.433	14
HSB 70C	1/26/2015	CESIUM-137	-1.93	pCi/L	U			5.42	9.4	20.2
HSB 70C	1/26/2015	COBALT-60	2.36	pCi/L	U			4.43	8.96	17.8
HSB 70C	1/26/2015	IODINE-129	1.12	pCi/L	J		21	0.764	1.01	2.54
HSB 70C	1/26/2015	RADIUM-226	0.708	pCi/L	J		21	0.377	0.497	1.25
HSB 70C	1/26/2015	RADIUM-228	0.228	pCi/L	U			0.23	0.376	0.836
HSB 70C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.71	pCi/L	U			0.979	1.69	3.65
HSB 70C	4/13/2015	NITRATE-NITRITE AS NITROGEN	30.3	mg/L					0.85	2.5
HSB 70C	4/13/2015	MERCURY	0.0287	ug/L	J		21		0.02	0.2
HSB 70C	4/13/2015	GROSS ALPHA	0.106	pCi/L	U			0.972	2.43	4.38
HSB 70C	4/13/2015	NONVOLATILE BETA	74.6	pCi/L				8.73	3.76	21.2
HSB 70C	4/13/2015	TRITIUM	1270	pCi/mL				6.71	0.457	13.9
HSB 70C	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.288	mg/L					0.017	0.05
HSB 70C	8/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB 70C	8/5/2015	ARSENIC	50	ug/L	U				5	50
HSB 70C	8/5/2015	BARIUM	65.4	ug/L					2	20
HSB 70C	8/5/2015	BERYLLIUM	0.112	ug/L	J		21		0.1	1
HSB 70C	8/5/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 70C	8/5/2015	CHROMIUM	11.4	ug/L	J		21		10	100
HSB 70C	8/5/2015	COBALT	5	ug/L	U				0.5	5
HSB 70C	8/5/2015	COPPER	601	ug/L					0.5	5
HSB 70C	8/5/2015	LEAD	33.3	ug/L					0.5	5
HSB 70C	8/5/2015	NICKEL	5.95	ug/L					0.5	5
HSB 70C	8/5/2015	SELENIUM	20	ug/L	U		V		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70C	8/5/2015	SILVER	5	ug/L	U				0.5	5
HSB 70C	8/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 70C	8/5/2015	TIN	4.15	ug/L	J		21		1	10
HSB 70C	8/5/2015	VANADIUM	50	ug/L	U				5	50
HSB 70C	8/5/2015	ZINC	75.5	ug/L			V		4	40
HSB 70C	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 70C	8/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB 70C	8/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.89	ug/L	J		21		1	5
HSB 70C	8/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 70C	8/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 70C	8/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 70C	8/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 70C	8/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 70C	8/5/2015	AMERICIUM-241	0.0731	pCi/L	U		21, V	0.085	0.066	0.236
HSB 70C	8/5/2015	CURIUM-242	0.0525	pCi/L	U			0.075	0.065	0.214
HSB 70C	8/5/2015	CURIUM-243/244	-0.00601	pCi/L	U			0.012	0.121	0.145
HSB 70C	8/5/2015	CURIUM-245/246	0.124	pCi/L	U		21, V	0.113	0.0673	0.292
HSB 70C	8/5/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0613	0.0613
HSB 70C	8/5/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0613	0.0613
HSB 70C	8/5/2015	THORIUM-228	-0.0175	pCi/L	U			0.02	0.154	0.195
HSB 70C	8/5/2015	THORIUM-230	0.178	pCi/L	U		21, V	0.133	0.115	0.381
HSB 70C	8/5/2015	THORIUM-232	-0.0114	pCi/L	U		V	0.016	0.137	0.17
HSB 70C	8/5/2015	URANIUM-233/234	0.0752	pCi/L	U		V	0.095	0.156	0.347
HSB 70C	8/5/2015	URANIUM-235	0	pCi/L	U			0	0.0774	0.0774
HSB 70C	8/5/2015	URANIUM-238	0.0577	pCi/L	U		V	0.082	0.139	0.303
HSB 70C	8/5/2015	GROSS ALPHA	2.75	pCi/L	J		21	2.24	2.32	6.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 70C	8/5/2015	NONVOLATILE BETA	7.64	pCi/L	J		21	3.64	4.5	11.8
HSB 70C	8/5/2015	STRONTIUM-90	3.49	pCi/L	J		21	2.46	3.23	8.15
HSB 70C	8/5/2015	CARBON-14	94.4	pCi/L				6.09	7.11	19.3
HSB 70C	8/5/2015	NICKEL-63	1.62	pCi/L	U			2.88	4.84	10.6
HSB 70C	8/5/2015	TECHNETIUM-99	2.14	pCi/L	U			2.49	4.08	9.05
HSB 70C	8/5/2015	TRITIUM	4.42	pCi/mL				0.481	0.485	1.45
HSB 70C	8/5/2015	CESIUM-137	-3.16	pCi/L	U			6.61	9.62	22.9
HSB 70C	8/5/2015	COBALT-60	-0.28	pCi/L	U			5.55	10.2	21.3
HSB 70C	8/5/2015	IODINE-129	-0.164	pCi/L	U			0.808	1.13	2.75
HSB 70C	8/5/2015	RADIUM-226	0.67	pCi/L	J		21	0.297	0.361	0.955
HSB 70C	8/5/2015	RADIUM-228	0.618	pCi/L	J		21	0.373	0.557	1.3
HSB 70C	8/5/2015	RADIUM, TOTAL ALPHA-EMITTING	0.152	pCi/L	U			0.724	1.48	2.93
HSB 70C	11/2/2015	NITRATE-NITRITE AS NITROGEN	34.4	mg/L					0.85	2.5
HSB 70C	11/2/2015	MERCURY	0.0622	ug/L	J		21		0.02	0.2
HSB 70C	11/2/2015	GROSS ALPHA	2.53	pCi/L	J		21	2.28	2.52	7.08
HSB 70C	11/2/2015	NONVOLATILE BETA	70	pCi/L				8.44	4.02	20.9
HSB 70C	11/2/2015	TRITIUM	1320	pCi/mL				6.23	0.537	13
HSB 71	1/26/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 71	1/26/2015	ALUMINUM	518	ug/L					40	400
HSB 71	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 71	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 71	1/26/2015	BARIUM	4.6	ug/L	J				2	20
HSB 71	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 71	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 71	1/26/2015	CHROMIUM	15.5	ug/L	J				10	100
HSB 71	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 71	1/26/2015	COPPER	283	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 71	1/26/2015	LEAD	74.4	ug/L					0.5	5
HSB 71	1/26/2015	NICKEL	4.79	ug/L	J				0.5	5
HSB 71	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 71	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 71	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 71	1/26/2015	TIN	13.1	ug/L					1	10
HSB 71	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 71	1/26/2015	ZINC	15.7	ug/L	J				4	40
HSB 71	1/26/2015	MERCURY	0.0255	ug/L	J		21		0.02	0.2
HSB 71	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 71	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 71	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.05	ug/L	J		21		1	5
HSB 71	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 71	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 71	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 71	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 71	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 71	1/26/2015	AMERICIUM-241	0.0397	pCi/L	U			0.065	0.114	0.245
HSB 71	1/26/2015	CURIUM-242	0.0419	pCi/L	U			0.069	0.112	0.251
HSB 71	1/26/2015	CURIUM-243/244	-0.00559	pCi/L	U			0.011	0.112	0.135
HSB 71	1/26/2015	CURIUM-245/246	0.162	pCi/L	U			0.125	0.0626	0.312
HSB 71	1/26/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0594	0.0594
HSB 71	1/26/2015	PLUTONIUM-239/240	-0.00548	pCi/L	U			0.011	0.11	0.132
HSB 71	1/26/2015	THORIUM-228	0.118	pCi/L	U			0.141	0.249	0.531
HSB 71	1/26/2015	THORIUM-230	0.0464	pCi/L	U			0.066	0.0629	0.195
HSB 71	1/26/2015	THORIUM-232	0.0463	pCi/L	U			0.066	0.0628	0.195

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 71	1/26/2015	URANIUM-233/234	0.0311	pCi/L	U			0.063	0.0844	0.209
HSB 71	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.104	0.104
HSB 71	1/26/2015	URANIUM-238	0	pCi/L	U			0	0.0842	0.0842
HSB 71	1/26/2015	GROSS ALPHA	3.18	pCi/L	J		21	2.38	2.31	7.06
HSB 71	1/26/2015	NONVOLATILE BETA	2.75	pCi/L	U			2.99	4.56	10.6
HSB 71	1/26/2015	STRONTIUM-90	-0.616	pCi/L	U			1.53	3.1	6.17
HSB 71	1/26/2015	CARBON-14	-0.269	pCi/L	U			4.07	6.84	15
HSB 71	1/26/2015	NICKEL-63	1.04	pCi/L	U			3.07	5.07	11.2
HSB 71	1/26/2015	TECHNETIUM-99	0.877	pCi/L	U			2.58	4.31	9.47
HSB 71	1/26/2015	TRITIUM	5.86	pCi/mL				0.531	0.457	1.52
HSB 71	1/26/2015	CESIUM-137	-0.429	pCi/L	U			5.92	10.5	22.4
HSB 71	1/26/2015	COBALT-60	-2.89	pCi/L	U			5.95	10.2	22.1
HSB 71	1/26/2015	IODINE-129	0.047	pCi/L	U			0.564	0.958	2.09
HSB 71	1/26/2015	RADIUM-226	0.144	pCi/L	U			0.315	0.581	1.21
HSB 71	1/26/2015	RADIUM-228	0.56	pCi/L	U		21, V	0.322	0.473	1.12
HSB 71	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.534	pCi/L	U			0.889	1.61	3.39
HSB 71	4/13/2015	NITRATE-NITRITE AS NITROGEN	0.0191	mg/L	J		21		0.017	0.05
HSB 71	4/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 71	4/13/2015	GROSS ALPHA	0.924	pCi/L	U			1.41	2.09	4.9
HSB 71	4/13/2015	NONVOLATILE BETA	0.607	pCi/L	U			2.11	3.74	7.96
HSB 71	4/13/2015	TRITIUM	6.42	pCi/mL				0.551	0.466	1.57
HSB 71	7/27/2015	NITRATE-NITRITE AS NITROGEN	0.186	mg/L					0.017	0.05
HSB 71	7/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 71	7/27/2015	GROSS ALPHA	0.508	pCi/L	U			1.21	2.17	4.6
HSB 71	7/27/2015	NONVOLATILE BETA	3.66	pCi/L	U			2.77	3.77	9.31
HSB 71	7/27/2015	TRITIUM	6.58	pCi/mL				0.555	0.439	1.55
HSB 71	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.183	mg/L					0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 71	11/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 71	11/2/2015	GROSS ALPHA	1.55	pCi/L	U			1.76	2.26	5.78
HSB 71	11/2/2015	NONVOLATILE BETA	2.67	pCi/L	U			2.72	3.96	9.39
HSB 71	11/2/2015	TRITIUM	5.49	pCi/mL				0.517	0.547	1.58
HSB 71C	1/26/2015	NITRATE-NITRITE AS NITROGEN	8.48	mg/L					0.17	0.5
HSB 71C	1/26/2015	ALUMINUM	103	ug/L	J				40	400
HSB 71C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 71C	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 71C	1/26/2015	BARIUM	13.6	ug/L	J				2	20
HSB 71C	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 71C	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 71C	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 71C	1/26/2015	COBALT	0.939	ug/L	J				0.5	5
HSB 71C	1/26/2015	COPPER	2.14	ug/L	J				0.5	5
HSB 71C	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 71C	1/26/2015	NICKEL	0.675	ug/L	J				0.5	5
HSB 71C	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 71C	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 71C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 71C	1/26/2015	TIN	10	ug/L	U				1	10
HSB 71C	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 71C	1/26/2015	ZINC	5.13	ug/L	J				4	40
HSB 71C	1/26/2015	MERCURY	0.844	ug/L					0.02	0.2
HSB 71C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 71C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 71C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 71C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 71C	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 71C	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 71C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 71C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 71C	1/26/2015	AMERICIUM-241	0	pCi/L	U			0	0.0666	0.0666
HSB 71C	1/26/2015	CURIUM-242	0.013	pCi/L	U			0.055	0.145	0.256
HSB 71C	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0656	0.0656
HSB 71C	1/26/2015	CURIUM-245/246	0.0752	pCi/L	U			0.088	0.068	0.243
HSB 71C	1/26/2015	PLUTONIUM-238	0.0193	pCi/L	U			0.053	0.129	0.235
HSB 71C	1/26/2015	PLUTONIUM-239/240	0.0257	pCi/L	U			0.052	0.0696	0.173
HSB 71C	1/26/2015	THORIUM-228	-0.0124	pCi/L	U			0.112	0.306	0.531
HSB 71C	1/26/2015	THORIUM-230	0.0427	pCi/L	U			0.071	0.123	0.264
HSB 71C	1/26/2015	THORIUM-232	0	pCi/L	U			0	0.066	0.066
HSB 71C	1/26/2015	URANIUM-233/234	0.0315	pCi/L	U			0.063	0.0853	0.212
HSB 71C	1/26/2015	URANIUM-235	0.0194	pCi/L	U			0.083	0.233	0.398
HSB 71C	1/26/2015	URANIUM-238	0.0471	pCi/L	U			0.092	0.188	0.372
HSB 71C	1/26/2015	GROSS ALPHA	2.85	pCi/L	J		21	2.31	2.4	7.01
HSB 71C	1/26/2015	NONVOLATILE BETA	14.3	pCi/L				4.46	4.52	13.4
HSB 71C	1/26/2015	STRONTIUM-90	0.901	pCi/L	U			1.93	3.11	6.96
HSB 71C	1/26/2015	CARBON-14	111	pCi/L				6.4	7.12	19.9
HSB 71C	1/26/2015	NICKEL-63	-1.34	pCi/L	U			2.93	4.87	10.7
HSB 71C	1/26/2015	TECHNETIUM-99	27.4	pCi/L				3.32	4.37	11
HSB 71C	1/26/2015	TRITIUM	229	pCi/mL				2.88	0.432	6.19
HSB 71C	1/26/2015	CESIUM-137	-3.94	pCi/L	U			5.7	9.37	20.8
HSB 71C	1/26/2015	COBALT-60	-1.14	pCi/L	U			5.76	10.4	21.9
HSB 71C	1/26/2015	IODINE-129	4.24	pCi/L				1.23	1.03	3.48
HSB 71C	1/26/2015	RADIUM-226	1.76	pCi/L				0.525	0.433	1.48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 71C	1/26/2015	RADIUM-228	0.438	pCi/L	U			0.46	0.768	1.69
HSB 71C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	2.1	pCi/L	J		21	1.36	1.51	4.23
HSB 71C	4/21/2015	NITRATE-NITRITE AS NITROGEN	9.4	mg/L					0.17	0.5
HSB 71C	4/21/2015	MERCURY	0.93	ug/L					0.02	0.2
HSB 71C	4/21/2015	GROSS ALPHA	0.525	pCi/L	U			1.16	2.18	4.51
HSB 71C	4/21/2015	NONVOLATILE BETA	19.3	pCi/L				4.84	4.18	13.9
HSB 71C	4/21/2015	TRITIUM	253	pCi/mL				3	0.417	6.43
HSB 71C	7/27/2015	NITRATE-NITRITE AS NITROGEN	8.77	mg/L					0.17	0.5
HSB 71C	7/27/2015	MERCURY	1.17	ug/L					0.02	0.2
HSB 71C	7/27/2015	GROSS ALPHA	1.71	pCi/L	U			1.86	2.22	5.94
HSB 71C	7/27/2015	NONVOLATILE BETA	19.2	pCi/L				4.76	3.8	13.3
HSB 71C	7/27/2015	TRITIUM	234	pCi/mL				2.93	0.43	6.28
HSB 71C	11/2/2015	NITRATE-NITRITE AS NITROGEN	10.1	mg/L					0.17	0.5
HSB 71C	11/2/2015	MERCURY	0.984	ug/L					0.02	0.2
HSB 71C	11/2/2015	GROSS ALPHA	1.96	pCi/L	U			1.96	2.31	6.23
HSB 71C	11/2/2015	NONVOLATILE BETA	18.1	pCi/L				4.69	3.98	13.4
HSB 71C	11/2/2015	TRITIUM	217	pCi/mL				2.52	0.528	5.57
HSB 83A	1/26/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 83A	1/26/2015	ALUMINUM	400	ug/L	U				40	400
HSB 83A	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 83A	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 83A	1/26/2015	BARIUM	32.3	ug/L					2	20
HSB 83A	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 83A	1/26/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 83A	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 83A	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 83A	1/26/2015	COPPER	2.95	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83A	1/26/2015	LEAD	5	ug/L	U				0.5	5
HSB 83A	1/26/2015	NICKEL	0.838	ug/L	J				0.5	5
HSB 83A	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 83A	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 83A	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 83A	1/26/2015	TIN	10	ug/L	U				1	10
HSB 83A	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 83A	1/26/2015	ZINC	40	ug/L	U				4	40
HSB 83A	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83A	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 83A	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 83A	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 83A	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 83A	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 83A	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 83A	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 83A	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 83A	1/26/2015	AMERICIUM-241	0.024	pCi/L	U			0.048	0.0651	0.161
HSB 83A	1/26/2015	CURIUM-242	-0.00633	pCi/L	U			0.013	0.119	0.144
HSB 83A	1/26/2015	CURIUM-243/244	0	pCi/L	U			0	0.0641	0.0641
HSB 83A	1/26/2015	CURIUM-245/246	0.049	pCi/L	U			0.07	0.0663	0.206
HSB 83A	1/26/2015	PLUTONIUM-238	0.0296	pCi/L	U			0.06	0.0803	0.199
HSB 83A	1/26/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0803	0.0803
HSB 83A	1/26/2015	THORIUM-228	0.0773	pCi/L	U			0.151	0.317	0.619
HSB 83A	1/26/2015	THORIUM-230	0.131	pCi/L	U			0.109	0.059	0.277
HSB 83A	1/26/2015	THORIUM-232	0.0217	pCi/L	U			0.044	0.0589	0.146

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83A	1/26/2015	URANIUM-233/234	0.122	pCi/L	U			0.124	0.0825	0.329
HSB 83A	1/26/2015	URANIUM-235	0.00939	pCi/L	U			0.082	0.253	0.417
HSB 83A	1/26/2015	URANIUM-238	0.0304	pCi/L	U			0.061	0.0823	0.204
HSB 83A	1/26/2015	GROSS ALPHA	0.877	pCi/L	U			1.48	2.46	5.42
HSB 83A	1/26/2015	NONVOLATILE BETA	2.7	pCi/L	U			2.85	4.27	9.96
HSB 83A	1/26/2015	STRONTIUM-90	1.21	pCi/L	U			2.02	3.12	7.16
HSB 83A	1/26/2015	CARBON-14	-0.599	pCi/L	U			4.07	6.85	15
HSB 83A	1/26/2015	NICKEL-63	2.23	pCi/L	U			3.13	5.17	11.4
HSB 83A	1/26/2015	TECHNETIUM-99	-0.301	pCi/L	U			2.55	4.32	9.42
HSB 83A	1/26/2015	TRITIUM	0.127	pCi/mL	U			0.255	0.429	0.94
HSB 83A	1/26/2015	CESIUM-137	-0.479	pCi/L	U			6.39	11.3	24
HSB 83A	1/26/2015	COBALT-60	5.34	pCi/L	U			5.3	11.3	21.9
HSB 83A	1/26/2015	IODINE-129	1.56	pCi/L	J		21	1.06	0.568	2.68
HSB 83A	1/26/2015	RADIUM-226	0.232	pCi/L	U			0.312	0.536	1.16
HSB 83A	1/26/2015	RADIUM-228	0.582	pCi/L	U			0.396	0.627	1.42
HSB 83A	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.513	pCi/L	U			0.794	1.98	3.57
HSB 83A	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.0203	mg/L	J		21		0.017	0.05
HSB 83A	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83A	4/14/2015	GROSS ALPHA	1.83	pCi/L	U			1.93	2.25	6.1
HSB 83A	4/14/2015	NONVOLATILE BETA	3.45	pCi/L	U			2.7	3.79	9.19
HSB 83A	4/14/2015	TRITIUM	-0.0426	pCi/mL	U			0.248	0.437	0.933
HSB 83A	7/28/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 83A	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83A	7/28/2015	GROSS ALPHA	0.743	pCi/L	U			1.05	1.38	3.48
HSB 83A	7/28/2015	NONVOLATILE BETA	1.38	pCi/L	U			1.75	2.55	6.05
HSB 83A	7/28/2015	TRITIUM	-0.138	pCi/mL	U			0.267	0.479	1.01
HSB 83A	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.0173	mg/L	J		21		0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83A	11/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83A	11/2/2015	GROSS ALPHA	1.24	pCi/L	U			1.69	2.4	5.78
HSB 83A	11/2/2015	NONVOLATILE BETA	2.7	pCi/L	U			2.73	3.98	9.44
HSB 83A	11/2/2015	TRITIUM	-0.159	pCi/mL	U			0.308	0.539	1.16
HSB 83C	1/26/2015	NITRATE-NITRITE AS NITROGEN	0.0463	mg/L	J		21		0.017	0.05
HSB 83C	1/26/2015	ALUMINUM	400	ug/L	U				40	400
HSB 83C	1/26/2015	ANTIMONY	10	ug/L	U				1	10
HSB 83C	1/26/2015	ARSENIC	50	ug/L	U				5	50
HSB 83C	1/26/2015	BARIUM	6.36	ug/L	J				2	20
HSB 83C	1/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 83C	1/26/2015	CADMIUM	0.108	ug/L	J				0.1	1
HSB 83C	1/26/2015	CHROMIUM	100	ug/L	U				10	100
HSB 83C	1/26/2015	COBALT	5	ug/L	U				0.5	5
HSB 83C	1/26/2015	COPPER	81.2	ug/L					0.5	5
HSB 83C	1/26/2015	LEAD	0.783	ug/L	J				0.5	5
HSB 83C	1/26/2015	NICKEL	0.917	ug/L	J				0.5	5
HSB 83C	1/26/2015	SELENIUM	20	ug/L	U				2	20
HSB 83C	1/26/2015	SILVER	5	ug/L	U				0.5	5
HSB 83C	1/26/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 83C	1/26/2015	TIN	1.89	ug/L	J				1	10
HSB 83C	1/26/2015	VANADIUM	50	ug/L	U				5	50
HSB 83C	1/26/2015	ZINC	6.88	ug/L	J				4	40
HSB 83C	1/26/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83C	1/26/2015	BENZENE	1	ug/L	U				0.3	1
HSB 83C	1/26/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 83C	1/26/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 83C	1/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83C	1/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 83C	1/26/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 83C	1/26/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 83C	1/26/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 83C	1/26/2015	AMERICIUM-241	0	pCi/L	U			0	0.0698	0.0698
HSB 83C	1/26/2015	CURIUM-242	0.0272	pCi/L	U			0.055	0.0688	0.178
HSB 83C	1/26/2015	CURIUM-243/244	0.0254	pCi/L	U			0.051	0.0688	0.171
HSB 83C	1/26/2015	CURIUM-245/246	0.105	pCi/L	U			0.106	0.0712	0.284
HSB 83C	1/26/2015	PLUTONIUM-238	-0.0115	pCi/L	U			0.016	0.138	0.171
HSB 83C	1/26/2015	PLUTONIUM-239/240	0.046	pCi/L	U			0.066	0.0624	0.194
HSB 83C	1/26/2015	THORIUM-228	-0.0862	pCi/L	U			0.107	0.353	0.567
HSB 83C	1/26/2015	THORIUM-230	0.0729	pCi/L	U			0.085	0.0658	0.236
HSB 83C	1/26/2015	THORIUM-232	-0.00606	pCi/L	U			0.012	0.122	0.146
HSB 83C	1/26/2015	URANIUM-233/234	0.0623	pCi/L	U			0.089	0.0844	0.262
HSB 83C	1/26/2015	URANIUM-235	0	pCi/L	U			0	0.104	0.104
HSB 83C	1/26/2015	URANIUM-238	0.0155	pCi/L	U			0.066	0.187	0.319
HSB 83C	1/26/2015	GROSS ALPHA	0.431	pCi/L	U			1.14	2.3	4.58
HSB 83C	1/26/2015	NONVOLATILE BETA	0.409	pCi/L	U			2.39	4.19	8.97
HSB 83C	1/26/2015	STRONTIUM-90	0.101	pCi/L	U			1.71	3.11	6.54
HSB 83C	1/26/2015	CARBON-14	0.303	pCi/L	U			4.14	6.92	15.2
HSB 83C	1/26/2015	NICKEL-63	-1.55	pCi/L	U			2.91	5.05	10.9
HSB 83C	1/26/2015	TECHNETIUM-99	-1.06	pCi/L	U			2.57	4.39	9.53
HSB 83C	1/26/2015	TRITIUM	0.121	pCi/mL	U			0.257	0.433	0.946
HSB 83C	1/26/2015	CESIUM-137	-2.02	pCi/L	U			6.3	10.8	23.4
HSB 83C	1/26/2015	COBALT-60	-1.9	pCi/L	U			5.64	9.96	21.2
HSB 83C	1/26/2015	IODINE-129	0.0839	pCi/L	U			0.541	0.947	2.03
HSB 83C	1/26/2015	RADIUM-226	0.483	pCi/L	U			0.418	0.651	1.49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83C	1/26/2015	RADIUM-228	0.213	pCi/L	U			0.252	0.425	0.929
HSB 83C	1/26/2015	RADIUM, TOTAL ALPHA-EMITTING	0.335	pCi/L	U			0.888	1.69	3.47
HSB 83C	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.0885	mg/L					0.017	0.05
HSB 83C	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83C	4/14/2015	GROSS ALPHA	-0.254	pCi/L	U			0.386	2.11	2.89
HSB 83C	4/14/2015	NONVOLATILE BETA	2.11	pCi/L	U			2.41	3.72	8.54
HSB 83C	4/14/2015	TRITIUM	0.163	pCi/mL	U			0.253	0.421	0.927
HSB 83C	7/28/2015	NITRATE-NITRITE AS NITROGEN	0.0491	mg/L	J		21		0.017	0.05
HSB 83C	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83C	7/28/2015	GROSS ALPHA	0.308	pCi/L	U			0.823	1.3	2.95
HSB 83C	7/28/2015	NONVOLATILE BETA	1.63	pCi/L	U			1.77	2.53	6.07
HSB 83C	7/28/2015	TRITIUM	0.0402	pCi/mL	U			0.28	0.482	1.04
HSB 83C	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.0527	mg/L					0.017	0.05
HSB 83C	11/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 83C	11/2/2015	GROSS ALPHA	0.404	pCi/L	U			1.17	2.27	4.61
HSB 83C	11/2/2015	NONVOLATILE BETA	2.73	pCi/L	U			2.72	3.93	9.37
HSB 83C	11/2/2015	TRITIUM	0.00591	pCi/mL	U			0.316	0.539	1.17
HSB 83D	1/27/2015	NITRATE-NITRITE AS NITROGEN	1.72	mg/L					0.085	0.25
HSB 83D	1/27/2015	ALUMINUM	580	ug/L					40	400
HSB 83D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 83D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 83D	1/27/2015	BARIUM	17.9	ug/L	J				2	20
HSB 83D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 83D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 83D	1/27/2015	CHROMIUM	17.8	ug/L	J				10	100
HSB 83D	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB 83D	1/27/2015	COPPER	13.4	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83D	1/27/2015	LEAD	1.41	ug/L	J				0.5	5
HSB 83D	1/27/2015	NICKEL	1.54	ug/L	J				0.5	5
HSB 83D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB 83D	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB 83D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 83D	1/27/2015	TIN	10	ug/L	U				1	10
HSB 83D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 83D	1/27/2015	ZINC	22.2	ug/L	J				4	40
HSB 83D	1/27/2015	MERCURY	0.181	ug/L	J		21		0.02	0.2
HSB 83D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 83D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 83D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 83D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 83D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 83D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 83D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 83D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 83D	1/27/2015	AMERICIUM-241	0.0565	pCi/L	U			0.08	0.136	0.296
HSB 83D	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0603	0.0603
HSB 83D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0603	0.0603
HSB 83D	1/27/2015	CURIUM-245/246	0.23	pCi/L	U			0.15	0.0624	0.362
HSB 83D	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0629	0.0629
HSB 83D	1/27/2015	PLUTONIUM-239/240	-0.0058	pCi/L	U			0.012	0.117	0.14
HSB 83D	1/27/2015	THORIUM-228	-0.0834	pCi/L	U			0.116	0.364	0.597
HSB 83D	1/27/2015	THORIUM-230	0.0649	pCi/L	U			0.083	0.119	0.286
HSB 83D	1/27/2015	THORIUM-232	-0.00589	pCi/L	U			0.012	0.119	0.142

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83D	1/27/2015	URANIUM-233/234	0.0917	pCi/L	U			0.099	0.145	0.344
HSB 83D	1/27/2015	URANIUM-235	-0.00666	pCi/L	U			0.013	0.134	0.161
HSB 83D	1/27/2015	URANIUM-238	0.0215	pCi/L	U			0.043	0.0584	0.145
HSB 83D	1/27/2015	GROSS ALPHA	2.04	pCi/L	U			1.98	2.34	6.3
HSB 83D	1/27/2015	NONVOLATILE BETA	1.18	pCi/L	U			2.65	4.42	9.72
HSB 83D	1/27/2015	STRONTIUM-90	1.71	pCi/L	U			2.22	3.1	7.54
HSB 83D	1/27/2015	CARBON-14	29.2	pCi/L	J			4.74	6.84	16.3
HSB 83D	1/27/2015	NICKEL-63	3.21	pCi/L	U			2.75	4.46	9.97
HSB 83D	1/27/2015	TECHNETIUM-99	0.888	pCi/L	U			2.69	4.49	9.88
HSB 83D	1/27/2015	TRITIUM	18.2	pCi/mL				0.847	0.438	2.13
HSB 83D	1/27/2015	CESIUM-137	-1.95	pCi/L	U			4.65	8.07	17.4
HSB 83D	1/27/2015	COBALT-60	0.55	pCi/L	U			4.13	8.04	16.3
HSB 83D	1/27/2015	IODINE-129	0.811	pCi/L	U			1.11	1.03	3.25
HSB 83D	1/27/2015	RADIUM-226	0.914	pCi/L	J		21	0.447	0.568	1.46
HSB 83D	1/27/2015	RADIUM-228	0.735	pCi/L	J		21	0.368	0.522	1.26
HSB 83D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.365	pCi/L	U			0.608	1.53	2.75
HSB 83D	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.805	mg/L					0.085	0.25
HSB 83D	4/14/2015	MERCURY	0.0275	ug/L	J		21		0.02	0.2
HSB 83D	4/14/2015	GROSS ALPHA	0.542	pCi/L	U			1.19	2.13	4.51
HSB 83D	4/14/2015	NONVOLATILE BETA	2.3	pCi/L	U			2.46	3.74	8.66
HSB 83D	4/14/2015	TRITIUM	9.91	pCi/mL				0.645	0.437	1.73
HSB 83D	7/28/2015	NITRATE-NITRITE AS NITROGEN	2.46	mg/L					0.17	0.5
HSB 83D	7/28/2015	MERCURY	0.0546	ug/L	J		21		0.02	0.2
HSB 83D	7/28/2015	GROSS ALPHA	0.895	pCi/L	U			1.07	1.31	3.46
HSB 83D	7/28/2015	NONVOLATILE BETA	10.2	pCi/L				2.71	2.54	7.95
HSB 83D	7/28/2015	TRITIUM	18.3	pCi/mL				0.862	0.48	2.2
HSB 83D	11/2/2015	NITRATE-NITRITE AS NITROGEN	2.49	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 83D	11/2/2015	MERCURY	0.0276	ug/L	J		21		0.02	0.2
HSB 83D	11/2/2015	GROSS ALPHA	1.2	pCi/L	U			1.63	2.32	5.58
HSB 83D	11/2/2015	NONVOLATILE BETA	5.98	pCi/L	J		21	3.24	3.96	10.4
HSB 83D	11/2/2015	TRITIUM	21.3	pCi/mL				0.851	0.536	2.24
HSB 84A	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.0236	mg/L	J		21		0.017	0.05
HSB 84A	1/27/2015	ALUMINUM	400	ug/L	U				40	400
HSB 84A	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 84A	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 84A	1/27/2015	BARIUM	28	ug/L					2	20
HSB 84A	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 84A	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 84A	1/27/2015	CHROMIUM	13.1	ug/L	J				10	100
HSB 84A	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB 84A	1/27/2015	COPPER	0.584	ug/L	J				0.5	5
HSB 84A	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB 84A	1/27/2015	NICKEL	0.758	ug/L	J				0.5	5
HSB 84A	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB 84A	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB 84A	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 84A	1/27/2015	TIN	10	ug/L	U				1	10
HSB 84A	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 84A	1/27/2015	ZINC	40	ug/L	U				4	40
HSB 84A	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84A	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 84A	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 84A	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 84A	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84A	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 84A	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 84A	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 84A	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 84A	1/27/2015	AMERICIUM-241	0.0417	pCi/L	U			0.059	0.0565	0.175
HSB 84A	1/27/2015	CURIUM-242	0.0643	pCi/L	J		21	0.075	0.0556	0.206
HSB 84A	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0556	0.0556
HSB 84A	1/27/2015	CURIUM-245/246	0.17	pCi/L	U			0.123	0.0576	0.304
HSB 84A	1/27/2015	PLUTONIUM-238	-0.00503	pCi/L	U			0.01	0.101	0.121
HSB 84A	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0545	0.0545
HSB 84A	1/27/2015	THORIUM-228	0.0267	pCi/L	U			0.124	0.292	0.54
HSB 84A	1/27/2015	THORIUM-230	0.206	pCi/L	U			0.138	0.106	0.383
HSB 84A	1/27/2015	THORIUM-232	0.0158	pCi/L	U			0.044	0.106	0.193
HSB 84A	1/27/2015	URANIUM-233/234	0.0174	pCi/L	U			0.048	0.117	0.213
HSB 84A	1/27/2015	URANIUM-235	0	pCi/L	U			0	0.0777	0.0777
HSB 84A	1/27/2015	URANIUM-238	0.058	pCi/L	U			0.083	0.139	0.304
HSB 84A	1/27/2015	GROSS ALPHA	0.026	pCi/L	U			0.858	2.41	4.13
HSB 84A	1/27/2015	NONVOLATILE BETA	8.38	pCi/L	J		21	3.63	4.15	11.4
HSB 84A	1/27/2015	STRONTIUM-90	3.31	pCi/L	J		21	2.39	3.1	7.89
HSB 84A	1/27/2015	CARBON-14	95.6	pCi/L	J			5.97	6.8	18.7
HSB 84A	1/27/2015	NICKEL-63	3.28	pCi/L	U			2.71	4.31	9.72
HSB 84A	1/27/2015	TECHNETIUM-99	-2.19	pCi/L	U			2.59	4.47	9.65
HSB 84A	1/27/2015	TRITIUM	-0.0502	pCi/mL	U			0.248	0.437	0.932
HSB 84A	1/27/2015	CESIUM-137	1.33	pCi/L	U			4.68	8.72	18.1
HSB 84A	1/27/2015	COBALT-60	3.83	pCi/L	U			4.89	9.98	19.8
HSB 84A	1/27/2015	IODINE-129	1.19	pCi/L	U			1.34	0.946	3.62
HSB 84A	1/27/2015	RADIUM-226	0.33	pCi/L	U			0.329	0.533	1.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84A	1/27/2015	RADIUM-228	4.2	pCi/L				0.644	0.578	1.87
HSB 84A	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.303	pCi/L	U			0.508	0.935	1.95
HSB 84A	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 84A	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84A	4/14/2015	GROSS ALPHA	1.68	pCi/L	U			1.78	2.15	5.71
HSB 84A	4/14/2015	NONVOLATILE BETA	4.64	pCi/L	J		21	3.01	4.02	10.1
HSB 84A	4/14/2015	TRITIUM	0.189	pCi/mL	U			0.254	0.419	0.927
HSB 84A	7/28/2015	NITRATE-NITRITE AS NITROGEN	0.0215	mg/L	J		21		0.017	0.05
HSB 84A	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84A	7/28/2015	GROSS ALPHA	1.94	pCi/L	J		21	1.43	1.35	4.21
HSB 84A	7/28/2015	NONVOLATILE BETA	5.51	pCi/L	J		21	2.25	2.56	7.06
HSB 84A	7/28/2015	TRITIUM	-0.0587	pCi/mL	U			0.275	0.484	1.03
HSB 84A	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.0212	mg/L	J		21		0.017	0.05
HSB 84A	11/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84A	11/2/2015	GROSS ALPHA	0.415	pCi/L	U			1.21	2.35	4.76
HSB 84A	11/2/2015	NONVOLATILE BETA	7.44	pCi/L	J		21	3.44	3.95	10.8
HSB 84A	11/2/2015	TRITIUM	0.256	pCi/mL	U			0.325	0.535	1.19
HSB 84C	1/27/2015	NITRATE-NITRITE AS NITROGEN	8.38	mg/L					0.425	1.25
HSB 84C	1/27/2015	ALUMINUM	144	ug/L	J				40	400
HSB 84C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 84C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 84C	1/27/2015	BARIUM	15.9	ug/L	J				2	20
HSB 84C	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 84C	1/27/2015	CADMIUM	1.1	ug/L					0.1	1
HSB 84C	1/27/2015	CHROMIUM	13.1	ug/L	J				10	100
HSB 84C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB 84C	1/27/2015	COPPER	1.18	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB 84C	1/27/2015	NICKEL	3.58	ug/L	J				0.5	5
HSB 84C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB 84C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB 84C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 84C	1/27/2015	TIN	10	ug/L	U				1	10
HSB 84C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 84C	1/27/2015	ZINC	17.5	ug/L	J				4	40
HSB 84C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 84C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 84C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 84C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 84C	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 84C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 84C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 84C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 84C	1/27/2015	AMERICIUM-241	0	pCi/L	U			0	0.0591	0.0591
HSB 84C	1/27/2015	CURIUM-242	0.0172	pCi/L	U			0.047	0.108	0.203
HSB 84C	1/27/2015	CURIUM-243/244	-0.00538	pCi/L	U			0.011	0.108	0.13
HSB 84C	1/27/2015	CURIUM-245/246	0.089	pCi/L	U			0.09	0.0603	0.24
HSB 84C	1/27/2015	PLUTONIUM-238	-0.00615	pCi/L	U			0.012	0.124	0.149
HSB 84C	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0667	0.0667
HSB 84C	1/27/2015	THORIUM-228	0.0522	pCi/L	U			0.111	0.238	0.461
HSB 84C	1/27/2015	THORIUM-230	0.0687	pCi/L	U			0.08	0.0621	0.222
HSB 84C	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.062	0.062

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84C	1/27/2015	URANIUM-233/234	0.0212	pCi/L	U			0.058	0.142	0.259
HSB 84C	1/27/2015	URANIUM-235	0.0261	pCi/L	U			0.072	0.175	0.319
HSB 84C	1/27/2015	URANIUM-238	0.0141	pCi/L	U			0.06	0.169	0.289
HSB 84C	1/27/2015	GROSS ALPHA	0.471	pCi/L	U			1.2	2.3	4.7
HSB 84C	1/27/2015	NONVOLATILE BETA	10.6	pCi/L	J		21	3.76	3.77	11.3
HSB 84C	1/27/2015	STRONTIUM-90	1.22	pCi/L	U			1.94	3.1	6.98
HSB 84C	1/27/2015	CARBON-14	0.977	pCi/L	U			4.37	7.28	16
HSB 84C	1/27/2015	NICKEL-63	0.483	pCi/L	U			3.01	5.19	11.2
HSB 84C	1/27/2015	TECHNETIUM-99	40.3	pCi/L				3.53	4.22	11.3
HSB 84C	1/27/2015	TRITIUM	286	pCi/mL				3.23	0.458	6.91
HSB 84C	1/27/2015	CESIUM-137	-5	pCi/L	U			5.14	8.29	18.6
HSB 84C	1/27/2015	COBALT-60	0.428	pCi/L	U			4.32	8.31	16.9
HSB 84C	1/27/2015	IODINE-129	-0.0361	pCi/L	U			0.58	0.977	2.14
HSB 84C	1/27/2015	RADIUM-226	0.368	pCi/L	U			0.318	0.496	1.13
HSB 84C	1/27/2015	RADIUM-228	-0.0964	pCi/L	U			0.414	0.771	1.6
HSB 84C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.05	pCi/L	U			0.838	1.13	2.81
HSB 84C	4/14/2015	NITRATE-NITRITE AS NITROGEN	8.4	mg/L					0.85	2.5
HSB 84C	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84C	4/14/2015	GROSS ALPHA	0.106	pCi/L	U			0.832	2.15	3.81
HSB 84C	4/14/2015	NONVOLATILE BETA	24.9	pCi/L				5.3	3.98	14.6
HSB 84C	4/14/2015	TRITIUM	303	pCi/mL				3.29	0.423	7.01
HSB 84C	7/28/2015	NITRATE-NITRITE AS NITROGEN	10.2	mg/L					0.425	1.25
HSB 84C	7/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84C	7/28/2015	GROSS ALPHA	0.504	pCi/L	U			0.932	1.35	3.21
HSB 84C	7/28/2015	NONVOLATILE BETA	19.8	pCi/L				3.46	2.54	9.45
HSB 84C	7/28/2015	TRITIUM	350	pCi/mL				3.59	0.482	7.67
HSB 84C	11/3/2015	NITRATE-NITRITE AS NITROGEN	9.45	mg/L					0.85	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84C	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 84C	11/3/2015	GROSS ALPHA	1.18	pCi/L	U			1.61	2.29	5.51
HSB 84C	11/3/2015	NONVOLATILE BETA	10.7	pCi/L	J		21	3.86	3.96	11.7
HSB 84C	11/3/2015	TRITIUM	289	pCi/mL				2.95	0.542	6.44
HSB 84D	1/27/2015	NITRATE-NITRITE AS NITROGEN	3.72	mg/L					0.17	0.5
HSB 84D	1/27/2015	ALUMINUM	773	ug/L					40	400
HSB 84D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 84D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 84D	1/27/2015	BARIUM	11.1	ug/L	J				2	20
HSB 84D	1/27/2015	BERYLLIUM	0.181	ug/L	J				0.1	1
HSB 84D	1/27/2015	CADMIUM	0.137	ug/L	J				0.1	1
HSB 84D	1/27/2015	CHROMIUM	40.3	ug/L	J				10	100
HSB 84D	1/27/2015	COBALT	27.2	ug/L					0.5	5
HSB 84D	1/27/2015	COPPER	1.58	ug/L	J				0.5	5
HSB 84D	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB 84D	1/27/2015	NICKEL	5.69	ug/L					0.5	5
HSB 84D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB 84D	1/27/2015	SILVER	0.709	ug/L	J				0.5	5
HSB 84D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 84D	1/27/2015	TIN	10	ug/L	U				1	10
HSB 84D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 84D	1/27/2015	ZINC	19.3	ug/L	J				4	40
HSB 84D	1/27/2015	MERCURY	0.729	ug/L					0.02	0.2
HSB 84D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 84D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 84D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 84D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84D	1/27/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J		21		0.3	1
HSB 84D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 84D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 84D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 84D	1/27/2015	AMERICIUM-241	0.044	pCi/L	U			0.063	0.0596	0.185
HSB 84D	1/27/2015	CURIUM-242	0.0464	pCi/L	U			0.066	0.0587	0.191
HSB 84D	1/27/2015	CURIUM-243/244	-0.00543	pCi/L	U			0.011	0.109	0.131
HSB 84D	1/27/2015	CURIUM-245/246	0.0673	pCi/L	U			0.078	0.0608	0.218
HSB 84D	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.067	0.067
HSB 84D	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.067	0.067
HSB 84D	1/27/2015	THORIUM-228	-0.0166	pCi/L	U			0.101	0.28	0.483
HSB 84D	1/27/2015	THORIUM-230	0.0546	pCi/L	U			0.078	0.131	0.287
HSB 84D	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0591	0.0591
HSB 84D	1/27/2015	URANIUM-233/234	0.0715	pCi/L	U			0.083	0.0646	0.231
HSB 84D	1/27/2015	URANIUM-235	0.022	pCi/L	U			0.061	0.148	0.269
HSB 84D	1/27/2015	URANIUM-238	0.119	pCi/L	J		21	0.108	0.0645	0.28
HSB 84D	1/27/2015	GROSS ALPHA	1.5	pCi/L	U			1.8	2.52	6.12
HSB 84D	1/27/2015	NONVOLATILE BETA	81.6	pCi/L				9.2	4.34	22.7
HSB 84D	1/27/2015	STRONTIUM-90	30.7	pCi/L				5.6	3.11	14.3
HSB 84D	1/27/2015	CARBON-14	34.7	pCi/L	J			4.82	6.77	16.4
HSB 84D	1/27/2015	NICKEL-63	3.8	pCi/L	U			2.92	4.78	10.6
HSB 84D	1/27/2015	TECHNETIUM-99	0.533	pCi/L	U			2.66	4.45	9.77
HSB 84D	1/27/2015	TRITIUM	324	pCi/mL				3.43	0.44	7.29
HSB 84D	1/27/2015	CESIUM-137	-4.39	pCi/L	U			5.57	9.02	20.2
HSB 84D	1/27/2015	COBALT-60	1.44	pCi/L	U			5.9	11.3	23.1
HSB 84D	1/27/2015	IODINE-129	1.78	pCi/L	J		21	1.14	0.967	3.24
HSB 84D	1/27/2015	RADIUM-226	1.86	pCi/L				0.593	0.601	1.79

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84D	1/27/2015	RADIUM-228	0.458	pCi/L	U			0.481	0.803	1.77
HSB 84D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.126	pCi/L	U			0.862	1.84	3.56
HSB 84D	4/14/2015	NITRATE-NITRITE AS NITROGEN	2.93	mg/L					0.425	1.25
HSB 84D	4/14/2015	MERCURY	0.685	ug/L					0.02	0.2
HSB 84D	4/14/2015	GROSS ALPHA	2.47	pCi/L	J		21	2.13	2.19	6.44
HSB 84D	4/14/2015	NONVOLATILE BETA	61.3	pCi/L				8.01	3.78	19.8
HSB 84D	4/14/2015	TRITIUM	316	pCi/mL				3.41	0.449	7.26
HSB 84D	8/5/2015	NITRATE-NITRITE AS NITROGEN	4.08	mg/L					0.17	0.5
HSB 84D	8/5/2015	ALUMINUM	377	ug/L	J		21		40	400
HSB 84D	8/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB 84D	8/5/2015	ARSENIC	50	ug/L	U				5	50
HSB 84D	8/5/2015	BARIUM	8.17	ug/L	J		21		2	20
HSB 84D	8/5/2015	BERYLLIUM	0.231	ug/L	J		21		0.1	1
HSB 84D	8/5/2015	CADMIUM	0.139	ug/L	J		21		0.1	1
HSB 84D	8/5/2015	CHROMIUM	11.2	ug/L	J		21		10	100
HSB 84D	8/5/2015	COBALT	1.68	ug/L	J		21		0.5	5
HSB 84D	8/5/2015	COPPER	1.18	ug/L	J		21		0.5	5
HSB 84D	8/5/2015	LEAD	5	ug/L	U				0.5	5
HSB 84D	8/5/2015	NICKEL	2.01	ug/L	J		21		0.5	5
HSB 84D	8/5/2015	SELENIUM	20	ug/L	U		V		2	20
HSB 84D	8/5/2015	SILVER	5	ug/L	U				0.5	5
HSB 84D	8/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 84D	8/5/2015	TIN	10	ug/L	U				1	10
HSB 84D	8/5/2015	VANADIUM	50	ug/L	U				5	50
HSB 84D	8/5/2015	ZINC	5.95	ug/L	U		21, V		4	40
HSB 84D	8/5/2015	MERCURY	0.773	ug/L					0.02	0.2
HSB 84D	8/5/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84D	8/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.84	ug/L	J		21		1	5
HSB 84D	8/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 84D	8/5/2015	TRICHLOROETHYLENE (TCE)	1.38	ug/L					0.3	1
HSB 84D	8/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 84D	8/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 84D	8/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 84D	8/5/2015	AMERICIUM-241	0.0225	pCi/L	U		V	0.045	0.0609	0.151
HSB 84D	8/5/2015	CURIUM-242	0	pCi/L	U			0	0.0599	0.0599
HSB 84D	8/5/2015	CURIUM-243/244	0	pCi/L	U			0	0.0599	0.0599
HSB 84D	8/5/2015	CURIUM-245/246	0.0916	pCi/L	U		21, V	0.093	0.0621	0.247
HSB 84D	8/5/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0767	0.0767
HSB 84D	8/5/2015	PLUTONIUM-239/240	-0.00707	pCi/L	U		V	0.014	0.142	0.171
HSB 84D	8/5/2015	THORIUM-228	0.0172	pCi/L	U			0.087	0.218	0.392
HSB 84D	8/5/2015	THORIUM-230	0.271	pCi/L	J		21, V	0.162	0.0611	0.384
HSB 84D	8/5/2015	THORIUM-232	-0.00563	pCi/L	U		V	0.011	0.113	0.136
HSB 84D	8/5/2015	URANIUM-233/234	0.318	pCi/L	U		21, V	0.18	0.116	0.475
HSB 84D	8/5/2015	URANIUM-235	0.0285	pCi/L	U			0.057	0.0773	0.192
HSB 84D	8/5/2015	URANIUM-238	0.294	pCi/L	J		21, V	0.172	0.116	0.46
HSB 84D	8/5/2015	GROSS ALPHA	4	pCi/L	J		21	2.66	2.27	7.58
HSB 84D	8/5/2015	NONVOLATILE BETA	86.7	pCi/L				9.55	3.85	22.9
HSB 84D	8/5/2015	STRONTIUM-90	43	pCi/L				7.01	3.31	17.3
HSB 84D	8/5/2015	CARBON-14	677	pCi/L				12.9	7.57	33.4
HSB 84D	8/5/2015	NICKEL-63	6.47	pCi/L	J		21	2.98	4.78	10.7
HSB 84D	8/5/2015	TECHNETIUM-99	3.09	pCi/L	U			2.55	4.14	9.24
HSB 84D	8/5/2015	TRITIUM	504	pCi/mL				4.29	0.445	9.03
HSB 84D	8/5/2015	CESIUM-137	-2.04	pCi/L	U			6.54	11.3	24.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 84D	8/5/2015	COBALT-60	4.7	pCi/L	U			5.82	11.5	23.2
HSB 84D	8/5/2015	IODINE-129	2.44	pCi/L	J		21	1.37	1.1	3.83
HSB 84D	8/5/2015	RADIUM-226	1.4	pCi/L				0.378	0.321	1.08
HSB 84D	8/5/2015	RADIUM-228	0.591	pCi/L	U			0.437	0.696	1.57
HSB 84D	8/5/2015	RADIUM, TOTAL ALPHA-EMITTING	1.74	pCi/L	J		21	1.23	1.62	4.08
HSB 84D	11/2/2015	NITRATE-NITRITE AS NITROGEN	4.78	mg/L					0.17	0.5
HSB 84D	11/2/2015	MERCURY	0.651	ug/L					0.02	0.2
HSB 84D	11/2/2015	GROSS ALPHA	1.93	pCi/L	U			1.95	2.32	6.22
HSB 84D	11/2/2015	NONVOLATILE BETA	83.3	pCi/L				9.17	3.97	22.3
HSB 84D	11/2/2015	TRITIUM	467	pCi/mL				3.74	0.542	8.01
HSB 85A	1/13/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	UJ		Q		0.017	0.05
HSB 85A	1/13/2015	ANTIMONY	10	ug/L	U				1	10
HSB 85A	1/13/2015	ARSENIC	50	ug/L	U				5	50
HSB 85A	1/13/2015	BARIUM	28	ug/L					2	20
HSB 85A	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 85A	1/13/2015	CHROMIUM	100	ug/L	U				10	100
HSB 85A	1/13/2015	COBALT	5	ug/L	U				0.5	5
HSB 85A	1/13/2015	COPPER	2.79	ug/L	J				0.5	5
HSB 85A	1/13/2015	LEAD	5	ug/L	U				0.5	5
HSB 85A	1/13/2015	NICKEL	0.538	ug/L	J				0.5	5
HSB 85A	1/13/2015	SELENIUM	20	ug/L	U				2	20
HSB 85A	1/13/2015	SILVER	5	ug/L	U				0.5	5
HSB 85A	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 85A	1/13/2015	TIN	1.06	ug/L	J				1	10
HSB 85A	1/13/2015	VANADIUM	50	ug/L	U				5	50
HSB 85A	1/13/2015	ZINC	40	ug/L	U				4	40
HSB 85A	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85A	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85A	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85A	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB 85A	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB 85A	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB 85A	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
HSB 85A	1/13/2015	BENZENE	1	ug/L	U				0.06	1
HSB 85A	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB 85A	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB 85A	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB 85A	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB 85A	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
HSB 85A	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSB 85A	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB 85A	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB 85A	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB 85A	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
HSB 85A	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85A	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB 85A	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB 85A	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB 85A	1/13/2015	XYLENES	3	ug/L	U				0.2	3
HSB 85A	1/13/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
HSB 85A	1/13/2015	1,4-DIOXANE	9.8	ug/L	U				0.98	9.8
HSB 85A	1/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE	9.8	ug/L	U				1.8	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
HSB 85A	1/13/2015	PHENOL	9.8	ug/L	U				2	9.8
HSB 85A	1/13/2015	CYANIDE	10	ug/L	U				2.9	10
HSB 85A	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.451	pCi/L	J		21	0.231	0.313	0.775
HSB 85A	1/13/2015	RADIUM-226	0.23	pCi/L				0.071	0.074	0.2153
HSB 85A	1/13/2015	RADIUM-228	0.113	pCi/L	U			0.171	0.288	0.63
HSB 85A	1/13/2015	AMERICIUM-241	0.0632	pCi/L	U			0.074	0.0571	0.204
HSB 85A	1/13/2015	CURIUM-242	0	pCi/L	U			0	0.0563	0.0563
HSB 85A	1/13/2015	CURIUM-243/244	0	pCi/L	U			0	0.0563	0.0563
HSB 85A	1/13/2015	CURIUM-245/246	0.129	pCi/L	U			0.107	0.0582	0.273
HSB 85A	1/13/2015	PLUTONIUM-238	0.017	pCi/L	U			0.047	0.114	0.208
HSB 85A	1/13/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0614	0.0614
HSB 85A	1/13/2015	THORIUM-228	0.065	pCi/L	U			0.157	0.339	0.652
HSB 85A	1/13/2015	THORIUM-230	0.118	pCi/L	J		21	0.108	0.128	0.343
HSB 85A	1/13/2015	THORIUM-232	0.0427	pCi/L	U			0.061	0.0579	0.179
HSB 85A	1/13/2015	URANIUM-233/234	0.0488	pCi/L	U			0.069	0.0661	0.205
HSB 85A	1/13/2015	URANIUM-235	-0.00752	pCi/L	U			0.015	0.151	0.182
HSB 85A	1/13/2015	URANIUM-238	0	pCi/L	U			0	0.0659	0.0659
HSB 85A	1/13/2015	GROSS ALPHA	2.87	pCi/L	J		21	2.3	2.3	6.9
HSB 85A	1/13/2015	NONVOLATILE BETA	0.0281	pCi/L	U			2.14	4.01	8.28
HSB 85A	1/13/2015	STRONTIUM-90	-1.05	pCi/L	U			1.41	3.11	5.94
HSB 85A	1/13/2015	CARBON-14	1.3	pCi/L	U			4.13	6.88	15.2
HSB 85A	1/13/2015	NICKEL-63	3.41	pCi/L	U			3.03	5.04	11.1
HSB 85A	1/13/2015	TECHNETIUM-99	1.44	pCi/L	U			2.47	4.1	9.04
HSB 85A	1/13/2015	TRITIUM	-0.0744	pCi/mL	U			0.244	0.432	0.919
HSB 85A	1/13/2015	CESIUM-137	0.477	pCi/L	U			6.03	10.9	22.9
HSB 85A	1/13/2015	COBALT-60	1.31	pCi/L	U			5.55	10.7	21.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	1/13/2015	IODINE-129	0.938	pCi/L	U			0.977	0.933	2.89
HSB 85A	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 85A	4/14/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 85A	4/14/2015	LEAD	5	ug/L	U				0.5	5
HSB 85A	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 85A	4/14/2015	GROSS ALPHA	1	pCi/L	U			1.53	2.26	5.31
HSB 85A	4/14/2015	NONVOLATILE BETA	1.81	pCi/L	U			2.38	3.77	8.54
HSB 85A	4/14/2015	TRITIUM	-0.0373	pCi/mL	U			0.248	0.437	0.933
HSB 85A	7/14/2015	ETHANE	0.0036	ug/L	J		21		0.002	0.1
HSB 85A	7/14/2015	ETHYLENE	0.029	ug/L	J		21		0.003	0.1
HSB 85A	7/14/2015	NITRATE-NITRITE AS NITROGEN	0.032	mg/L	J	J	21		0.0047	0.05
HSB 85A	7/14/2015	SULFIDE	0.6	mg/L	J	J	21		0.45	1
HSB 85A	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
HSB 85A	7/14/2015	BARIUM	31.7	ug/L					2	20
HSB 85A	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB 85A	7/14/2015	COBALT	5	ug/L	U	U			0.5	5
HSB 85A	7/14/2015	COPPER	8.36	ug/L					0.5	5
HSB 85A	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
HSB 85A	7/14/2015	NICKEL	0.843	ug/L	J	J	21		0.5	5
HSB 85A	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
HSB 85A	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
HSB 85A	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	TIN	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	VANADIUM	50	ug/L	U	U			5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	ZINC	7.24	ug/L	U	U	21, V		4	40
HSB 85A	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
HSB 85A	7/14/2015	ALDRIN	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
HSB 85A	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
HSB 85A	7/14/2015	DDD	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	DDE	0.049	ug/L	U	U			0.014	0.049
HSB 85A	7/14/2015	DDT	0.049	ug/L	U	U			0.022	0.049
HSB 85A	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	DIELDRIN	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
HSB 85A	7/14/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
HSB 85A	7/14/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
HSB 85A	7/14/2015	LINDANE	0.049	ug/L	U	U			0.0098	0.049
HSB 85A	7/14/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
HSB 85A	7/14/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.098	0.49
HSB 85A	7/14/2015	TOXAPHENE	2	ug/L	U	U			0.26	2
HSB 85A	7/14/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
HSB 85A	7/14/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
HSB 85A	7/14/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
HSB 85A	7/14/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
HSB 85A	7/14/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
HSB 85A	7/14/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
HSB 85A	7/14/2015	2,4,5-T	1	ug/L	U	U			0.27	1
HSB 85A	7/14/2015	2,4,5-TP (SILVEX)	1	ug/L	U	U			0.19	1
HSB 85A	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	8.1	ug/L	U	U			4.3	8.1
HSB 85A	7/14/2015	DINOSEB	2	ug/L	U	U			0.74	2
HSB 85A	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
HSB 85A	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HSB 85A	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HSB 85A	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
HSB 85A	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HSB 85A	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HSB 85A	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HSB 85A	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
HSB 85A	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HSB 85A	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HSB 85A	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
HSB 85A	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
HSB 85A	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HSB 85A	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
HSB 85A	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
HSB 85A	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
HSB 85A	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
HSB 85A	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
HSB 85A	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
HSB 85A	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85A	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HSB 85A	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HSB 85A	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HSB 85A	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HSB 85A	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HSB 85A	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HSB 85A	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HSB 85A	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSB 85A	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HSB 85A	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSB 85A	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HSB 85A	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85A	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
HSB 85A	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HSB 85A	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HSB 85A	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85A	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HSB 85A	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
HSB 85A	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
HSB 85A	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HSB 85A	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
HSB 85A	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HSB 85A	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HSB 85A	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HSB 85A	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
HSB 85A	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HSB 85A	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HSB 85A	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
HSB 85A	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HSB 85A	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
HSB 85A	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1
HSB 85A	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85A	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
HSB 85A	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HSB 85A	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HSB 85A	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85A	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
HSB 85A	7/14/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
HSB 85A	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,3,5-TRINITROBENZENE	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,3-DINITROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,4-DINITROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,4-DIOXANE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	1,4-NAPHTHOQUINONE	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
HSB 85A	7/14/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
HSB 85A	7/14/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U	U	14		1	100
HSB 85A	7/14/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U	U			1	20
HSB 85A	7/14/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
HSB 85A	7/14/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
HSB 85A	7/14/2015	2-PICOLINE	20	ug/L	U	U			2	20
HSB 85A	7/14/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
HSB 85A	7/14/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U	U	14		2.6	50
HSB 85A	7/14/2015	3-METHYLCHOLANTHRENE	20	ug/L	U	U	14		1	20
HSB 85A	7/14/2015	4-AMINOBIPHENYL	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
HSB 85A	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
HSB 85A	7/14/2015	4-NITROQUINOLINE-1-OXIDE	100	ug/L	U	U	14		5	100
HSB 85A	7/14/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U	U			1	20
HSB 85A	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U	U	14		1	20
HSB 85A	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U	U			22	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ACETOPHENONE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ANILINE	10	ug/L	U	U			1.3	10
HSB 85A	7/14/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	ARAMITE	20	ug/L	U	U	14		5	20
HSB 85A	7/14/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB 85A	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
HSB 85A	7/14/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	CHLOROBENZILATE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	CHRYSENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	DIALLATE	20	ug/L	U	U			2	20
HSB 85A	7/14/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	DIMETHOATE	20	ug/L	U	U			1	20
HSB 85A	7/14/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
HSB 85A	7/14/2015	DISULFOTON	50	ug/L	U	U	14		1	50
HSB 85A	7/14/2015	ETHYL METHACRYLATE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	FAMPHUR	100	ug/L	U	U	14		1.7	100
HSB 85A	7/14/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	FLUORENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	HEXACHLOROPHENE	250	ug/L	U	U	14		10	250
HSB 85A	7/14/2015	HEXACHLOROPROPENE	100	ug/L	U	U			1	100
HSB 85A	7/14/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	ISODRIN	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	ISOPHORONE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	ISOSAFROLE	20	ug/L	U	U			5	20
HSB 85A	7/14/2015	KEPONE	100	ug/L	U	U			20	100
HSB 85A	7/14/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
HSB 85A	7/14/2015	METHAPYRILENE	50	ug/L	U	U	14		1.3	50
HSB 85A	7/14/2015	METHYL METHANESULFONATE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	METHYL PARATHION	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	M-NITROANILINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	NAPHTHALENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	NITROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			2	10
HSB 85A	7/14/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
HSB 85A	7/14/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U	U			1.1	50
HSB 85A	7/14/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	PARATHION	50	ug/L	U	U	14		1	50
HSB 85A	7/14/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
HSB 85A	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	PENTACHLOROBENZENE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	PENTACHLOROETHANE	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	PENTACHLORONITROBENZENE	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
HSB 85A	7/14/2015	PHENACETIN	20	ug/L	U	U			1	20
HSB 85A	7/14/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	PHENOL	10	ug/L	U	UJ	14		2	10
HSB 85A	7/14/2015	PHORATE	50	ug/L	U	U			2	50
HSB 85A	7/14/2015	P-NITROANILINE	10	ug/L	U	U			1	10
HSB 85A	7/14/2015	P-PHENYLENEDIAMINE	100	ug/L	U	U			1	100
HSB 85A	7/14/2015	PRONAMIDE	20	ug/L	U	U			1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	PYRENE	10	ug/L	U	U	14		1	10
HSB 85A	7/14/2015	PYRIDINE	20	ug/L	U	U			2	20
HSB 85A	7/14/2015	SAFROLE	20	ug/L	U	U			1	20
HSB 85A	7/14/2015	SULFOTEPP	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	THIONAZIN	50	ug/L	U	U			1	50
HSB 85A	7/14/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.002	0.01
HSB 85A	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.001	ng/L	NJ	NJ	1, 21		0.00081	0.052
HSB 85A	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00044	0.052
HSB 85A	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.052	ng/L	U	U			0.0011	0.052
HSB 85A	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.052	ng/L	U	U			0.00084	0.052
HSB 85A	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.01	ng/L	U	U			0.002	0.01
HSB 85A	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.01	ng/L	U	U			0.0014	0.01
HSB 85A	7/14/2015	CYANIDE	10	ug/L	U	U			2.9	10
HSB 85A	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.309	pCi/L				0.077	0.065	0.2178
HSB 85A	7/14/2015	RADIUM-226	0.228	pCi/L				0.06	0.044	0.1628
HSB 85A	7/14/2015	RADIUM-228	0.229	pCi/L	U	U		0.267	0.441	0.975
HSB 85A	7/14/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0638	0.0638
HSB 85A	7/14/2015	CURIUM-242	0.0493	pCi/L	U	U	V	0.07	0.0629	0.203
HSB 85A	7/14/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0629	0.0629
HSB 85A	7/14/2015	CURIUM-245/246	0.384	pCi/L	J	J	21, V	0.2	0.0651	0.465
HSB 85A	7/14/2015	NEPTUNIUM-237	0.0201	pCi/L	U	U	V	0.056	0.135	0.246
HSB 85A	7/14/2015	PLUTONIUM-238	0.0862	pCi/L	U	U		0.111	0.179	0.4
HSB 85A	7/14/2015	PLUTONIUM-239/240	-0.00663	pCi/L	U	U		0.013	0.134	0.16
HSB 85A	7/14/2015	THORIUM-228	0.0195	pCi/L	U	U		0.128	0.315	0.572

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85A	7/14/2015	THORIUM-230	0.154	pCi/L	U	U	V	0.141	0.189	0.47
HSB 85A	7/14/2015	THORIUM-232	0.0385	pCi/L	U	U		0.075	0.154	0.304
HSB 85A	7/14/2015	URANIUM-233/234	0.128	pCi/L	J	J	21	0.111	0.112	0.335
HSB 85A	7/14/2015	URANIUM-235	-0.00687	pCi/L	U	U		0.014	0.138	0.166
HSB 85A	7/14/2015	URANIUM-238	0.0556	pCi/L	U	U		0.079	0.133	0.291
HSB 85A	7/14/2015	GROSS ALPHA	1.38	pCi/L	U	U		1.74	2.29	5.78
HSB 85A	7/14/2015	NONVOLATILE BETA	0.745	pCi/L	U	U		2.23	3.81	8.27
HSB 85A	7/14/2015	STRONTIUM-90	2.6	pCi/L	U	U		2.56	3.29	8.42
HSB 85A	7/14/2015	CARBON-14	3.78	pCi/L	U	U		4.4	7.22	16
HSB 85A	7/14/2015	NICKEL-63	0.867	pCi/L	U	U		3.1	5.32	11.5
HSB 85A	7/14/2015	TECHNETIUM-99	-1.67	pCi/L	U	U		2.56	4.4	9.52
HSB 85A	7/14/2015	TRITIUM	0.582	pCi/mL	J	J	21	0.258	0.379	0.894
HSB 85A	7/14/2015	CESIUM-134	-1.63	pCi/L	U	U		6.48	9.64	22.6
HSB 85A	7/14/2015	CESIUM-137	-3.31	pCi/L	U	U		6.01	10.1	22.1
HSB 85A	7/14/2015	COBALT-60	1.24	pCi/L	U	U		6.55	12.3	25.4
HSB 85A	7/14/2015	EUROPIUM-152	-63.5	pCi/L	U	U		67	108	242
HSB 85A	7/14/2015	EUROPIUM-154	-7.61	pCi/L	U	U		11.3	19.3	42
HSB 85A	7/14/2015	EUROPIUM-155	-8.78	pCi/L	U	U		21.8	35.5	79.1
HSB 85A	7/14/2015	IODINE-129	0.31	pCi/L	U	U		0.57	0.986	2.13
HSB 85A	7/14/2015	SODIUM-22	1.61	pCi/L	U	U		6.08	11.7	23.9
HSB 85A	11/2/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB 85A	11/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 85A	11/2/2015	LEAD	5	ug/L	U				0.5	5
HSB 85A	11/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 85A	11/2/2015	GROSS ALPHA	0.427	pCi/L	U			1.24	2.4	4.88
HSB 85A	11/2/2015	NONVOLATILE BETA	1.57	pCi/L	U			2.52	3.96	9
HSB 85A	11/2/2015	TRITIUM	-0.129	pCi/mL	U			0.312	0.543	1.17

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	1/13/2015	NITRATE-NITRITE AS NITROGEN	0.255	mg/L	J		Q		0.017	0.05
HSB 85B	1/13/2015	ANTIMONY	10	ug/L	U				1	10
HSB 85B	1/13/2015	ARSENIC	50	ug/L	U				5	50
HSB 85B	1/13/2015	BARIUM	18.1	ug/L	J				2	20
HSB 85B	1/13/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 85B	1/13/2015	CHROMIUM	100	ug/L	U				10	100
HSB 85B	1/13/2015	COBALT	5	ug/L	U				0.5	5
HSB 85B	1/13/2015	COPPER	1.22	ug/L	J				0.5	5
HSB 85B	1/13/2015	LEAD	5	ug/L	U				0.5	5
HSB 85B	1/13/2015	NICKEL	0.798	ug/L	J				0.5	5
HSB 85B	1/13/2015	SELENIUM	20	ug/L	U				2	20
HSB 85B	1/13/2015	SILVER	5	ug/L	U				0.5	5
HSB 85B	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 85B	1/13/2015	TIN	10	ug/L	U				1	10
HSB 85B	1/13/2015	VANADIUM	50	ug/L	U				5	50
HSB 85B	1/13/2015	ZINC	40	ug/L	U				4	40
HSB 85B	1/13/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 85B	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85B	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85B	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85B	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB 85B	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB 85B	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB 85B	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
HSB 85B	1/13/2015	BENZENE	1	ug/L	U				0.06	1
HSB 85B	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB 85B	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB 85B	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB 85B	1/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
HSB 85B	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSB 85B	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB 85B	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB 85B	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB 85B	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
HSB 85B	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85B	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB 85B	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB 85B	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB 85B	1/13/2015	XYLENES	3	ug/L	U				0.2	3
HSB 85B	1/13/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
HSB 85B	1/13/2015	1,4-DIOXANE	9.7	ug/L	U				0.97	9.7
HSB 85B	1/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U				1.8	9.7
HSB 85B	1/13/2015	PHENOL	9.7	ug/L	U				1.9	9.7
HSB 85B	1/13/2015	CYANIDE	10	ug/L	U				2.9	10
HSB 85B	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	0.106	pCi/L	U			0.173	0.297	0.643
HSB 85B	1/13/2015	RADIUM-226	0.0488	pCi/L	U			0.054	0.089	0.1969
HSB 85B	1/13/2015	RADIUM-228	0.154	pCi/L	U			0.173	0.284	0.63
HSB 85B	1/13/2015	AMERICIUM-241	0	pCi/L	U			0	0.0613	0.0613
HSB 85B	1/13/2015	CURIUM-242	0	pCi/L	U			0	0.0604	0.0604
HSB 85B	1/13/2015	CURIUM-243/244	0	pCi/L	U			0	0.0604	0.0604
HSB 85B	1/13/2015	CURIUM-245/246	0.225	pCi/L	J		21	0.15	0.116	0.417

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	1/13/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0655	0.0655
HSB 85B	1/13/2015	PLUTONIUM-239/240	-0.00604	pCi/L	U			0.012	0.122	0.146
HSB 85B	1/13/2015	THORIUM-228	-0.0327	pCi/L	U			0.089	0.27	0.447
HSB 85B	1/13/2015	THORIUM-230	0	pCi/L	U			0	0.158	0.158
HSB 85B	1/13/2015	THORIUM-232	-0.00536	pCi/L	U			0.011	0.108	0.13
HSB 85B	1/13/2015	URANIUM-233/234	0.0221	pCi/L	U			0.044	0.0599	0.148
HSB 85B	1/13/2015	URANIUM-235	0.0477	pCi/L	U			0.079	0.137	0.295
HSB 85B	1/13/2015	URANIUM-238	0.0165	pCi/L	U			0.046	0.111	0.202
HSB 85B	1/13/2015	GROSS ALPHA	0.458	pCi/L	U			1.18	2.29	4.65
HSB 85B	1/13/2015	NONVOLATILE BETA	0.872	pCi/L	U			2.28	3.95	8.51
HSB 85B	1/13/2015	STRONTIUM-90	-0.598	pCi/L	U			1.49	3.1	6.08
HSB 85B	1/13/2015	CARBON-14	6.59	pCi/L	U			4.31	6.97	15.6
HSB 85B	1/13/2015	NICKEL-63	2.05	pCi/L	U			3	5.04	11
HSB 85B	1/13/2015	TECHNETIUM-99	0.373	pCi/L	U			2.49	4.18	9.15
HSB 85B	1/13/2015	TRITIUM	0.348	pCi/mL	U			0.273	0.434	0.979
HSB 85B	1/13/2015	CESIUM-137	0.724	pCi/L	U			5.64	10.3	21.6
HSB 85B	1/13/2015	COBALT-60	1.85	pCi/L	U			5.32	10.5	21.1
HSB 85B	1/13/2015	IODINE-129	0.246	pCi/L	U			0.581	1.02	2.19
HSB 85B	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.321	mg/L					0.017	0.05
HSB 85B	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 85B	4/14/2015	GROSS ALPHA	0.149	pCi/L	U			0.922	2.21	4.05
HSB 85B	4/14/2015	NONVOLATILE BETA	1.37	pCi/L	U			2.28	3.74	8.3
HSB 85B	4/14/2015	TRITIUM	0.444	pCi/mL	J		21	0.281	0.438	1
HSB 85B	7/14/2015	ETHANE	0.1	ug/L	U				0.002	0.1
HSB 85B	7/14/2015	ETHYLENE	0.0087	ug/L	J		21		0.003	0.1
HSB 85B	7/14/2015	NITRATE-NITRITE AS NITROGEN	0.3	mg/L					0.0047	0.05
HSB 85B	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB 85B	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
HSB 85B	7/14/2015	BARIUM	14.4	ug/L	J	J	21		2	20
HSB 85B	7/14/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	CADMIUM	0.182	ug/L	J	J	21		0.1	1
HSB 85B	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB 85B	7/14/2015	COBALT	0.784	ug/L	J	J	21		0.5	5
HSB 85B	7/14/2015	COPPER	5	ug/L	U	U			0.5	5
HSB 85B	7/14/2015	LEAD	5	ug/L	U	U			0.5	5
HSB 85B	7/14/2015	NICKEL	1.7	ug/L	J	J	21		0.5	5
HSB 85B	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
HSB 85B	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
HSB 85B	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	TIN	10	ug/L	U	U			1	10
HSB 85B	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
HSB 85B	7/14/2015	ZINC	5.92	ug/L	U	U	21, V		4	40
HSB 85B	7/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
HSB 85B	7/14/2015	ALDRIN	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
HSB 85B	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.013	0.048
HSB 85B	7/14/2015	DDD	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	DDE	0.048	ug/L	U	U			0.013	0.048
HSB 85B	7/14/2015	DDT	0.048	ug/L	U	U			0.022	0.048
HSB 85B	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	DIELDRIN	0.048	ug/L	U	U			0.0096	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
HSB 85B	7/14/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
HSB 85B	7/14/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
HSB 85B	7/14/2015	LINDANE	0.048	ug/L	U	U			0.0096	0.048
HSB 85B	7/14/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.013	0.48
HSB 85B	7/14/2015	TOTAL CHLORDANE	0.48	ug/L	U	U			0.096	0.48
HSB 85B	7/14/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
HSB 85B	7/14/2015	AROCLOR 1016	0.99	ug/L	U	U			0.34	0.99
HSB 85B	7/14/2015	AROCLOR 1221	0.99	ug/L	U	U			0.34	0.99
HSB 85B	7/14/2015	AROCLOR 1232	0.99	ug/L	U	U			0.34	0.99
HSB 85B	7/14/2015	AROCLOR 1242	0.99	ug/L	U	U			0.34	0.99
HSB 85B	7/14/2015	AROCLOR 1248	0.99	ug/L	U	U			0.34	0.99
HSB 85B	7/14/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
HSB 85B	7/14/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
HSB 85B	7/14/2015	2,4,5-T	0.97	ug/L	U	U			0.26	0.97
HSB 85B	7/14/2015	2,4,5-TP (SILVEX)	0.97	ug/L	U	U			0.18	0.97
HSB 85B	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.8	ug/L	U	U			4.1	7.8
HSB 85B	7/14/2015	DINOSEB	1.9	ug/L	U	U			0.71	1.9
HSB 85B	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
HSB 85B	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	1,1,2-TRICHLORO-1,2,2-	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TRIFLUOROETHANE								
HSB 85B	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HSB 85B	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HSB 85B	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
HSB 85B	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HSB 85B	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HSB 85B	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HSB 85B	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
HSB 85B	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HSB 85B	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HSB 85B	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
HSB 85B	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
HSB 85B	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HSB 85B	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
HSB 85B	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
HSB 85B	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
HSB 85B	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
HSB 85B	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
HSB 85B	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85B	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HSB 85B	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HSB 85B	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HSB 85B	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HSB 85B	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HSB 85B	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HSB 85B	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HSB 85B	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSB 85B	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSB 85B	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
HSB 85B	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HSB 85B	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85B	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
HSB 85B	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HSB 85B	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HSB 85B	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85B	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HSB 85B	7/14/2015	IODOMETHANE (METHYL	2	ug/L	U	U			0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
HSB 85B	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
HSB 85B	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HSB 85B	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
HSB 85B	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HSB 85B	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HSB 85B	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HSB 85B	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
HSB 85B	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HSB 85B	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HSB 85B	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
HSB 85B	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HSB 85B	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
HSB 85B	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HSB 85B	7/14/2015	TOLUENE	1	ug/L	U	U			0.07	1
HSB 85B	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85B	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
HSB 85B	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HSB 85B	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HSB 85B	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85B	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
HSB 85B	7/14/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
HSB 85B	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,2,4-TRICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,3,5-TRINITROBENZENE	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,3-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,4-DINITROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,4-DIOXANE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	1,4-NAPHTHOQUINONE	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	1-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
HSB 85B	7/14/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49
HSB 85B	7/14/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	2,6-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
HSB 85B	7/14/2015	2-ACETYLAMINOFLUORENE	97	ug/L	U	U	14		0.97	97
HSB 85B	7/14/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	2-NAPHTHYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
HSB 85B	7/14/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
HSB 85B	7/14/2015	2-PICOLINE	19	ug/L	U	U			1.9	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
HSB 85B	7/14/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U	U	14		2.5	49
HSB 85B	7/14/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U	14		0.97	19
HSB 85B	7/14/2015	4-AMINOBIPHENYL	49	ug/L	U	U			1	49
HSB 85B	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
HSB 85B	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
HSB 85B	7/14/2015	4-NITROQUINOLINE-1-OXIDE	97	ug/L	U	U	14		4.9	97
HSB 85B	7/14/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U	14		0.97	19
HSB 85B	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U	U			21	49
HSB 85B	7/14/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	ANILINE	9.7	ug/L	U	U			1.2	9.7
HSB 85B	7/14/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	ARAMITE	19	ug/L	U	U	14		4.9	19
HSB 85B	7/14/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	BENZYL ALCOHOL	9.7	ug/L	U	U			2.9	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
HSB 85B	7/14/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	CHLOROBENZILATE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	DIALLATE	19	ug/L	U	U			1.9	19
HSB 85B	7/14/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	DIMETHOATE	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
HSB 85B	7/14/2015	DISULFOTON	49	ug/L	U	U	14		0.97	49
HSB 85B	7/14/2015	ETHYL METHACRYLATE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	ETHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	FAMPHUR	97	ug/L	U	U	14		1.7	97
HSB 85B	7/14/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	HEXACHLOROPHENE	240	ug/L	U	U	14		9.7	240
HSB 85B	7/14/2015	HEXACHLOROPROPENE	97	ug/L	U	U			0.97	97
HSB 85B	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	ISODRIN	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	ISOSAFROLE	19	ug/L	U	U			4.9	19
HSB 85B	7/14/2015	KEPONE	97	ug/L	U	U			19	97
HSB 85B	7/14/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
HSB 85B	7/14/2015	METHAPYRILENE	49	ug/L	U	U	14		1.2	49
HSB 85B	7/14/2015	METHYL METHANESULFONATE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	METHYL PARATHION	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSODIETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSODIMETHYLAMINE	9.7	ug/L	U	U			1.9	9.7
HSB 85B	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
HSB 85B	7/14/2015	N-NITROSOMORPHOLINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSOPIPERIDINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	N-NITROSOPYRROLIDINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U	U			1.1	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	PARATHION	49	ug/L	U	U	14		0.97	49
HSB 85B	7/14/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
HSB 85B	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	PENTACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	PENTACHLOROETHANE	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	PENTACHLORONITROBENZENE	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
HSB 85B	7/14/2015	PHENACETIN	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	PHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
HSB 85B	7/14/2015	PHORATE	49	ug/L	U	U			1.9	49
HSB 85B	7/14/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
HSB 85B	7/14/2015	P-PHENYLENEDIAMINE	97	ug/L	U	U			0.97	97
HSB 85B	7/14/2015	PRONAMIDE	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
HSB 85B	7/14/2015	PYRIDINE	19	ug/L	U	U			1.9	19
HSB 85B	7/14/2015	SAFROLE	19	ug/L	U	U			0.97	19
HSB 85B	7/14/2015	SULFOTEPP	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	THIONAZIN	49	ug/L	U	U			0.97	49
HSB 85B	7/14/2015	2,3,7,8-TCDD	0.0097	ng/L	U	U			0.000063	0.0097
HSB 85B	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00065	ng/L	NJ	U	1, 21, V		0.00015	0.049
HSB 85B	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.049	ng/L	U	U			0.00012	0.049
HSB 85B	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.00036	ng/L	NJ	NJ	1, 21		0.000077	0.049
HSB 85B	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.0004	ng/L	NJ	U	1, 21, V		0.0001	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0001	ng/L	NJ	NJ	1, 21		0.000063	0.0097
HSB 85B	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.00045	ng/L	NJ	U	1, 21, V		0.000079	0.0097
HSB 85B	7/14/2015	CYANIDE	8.7	ug/L	J	U	21, V		2.9	10
HSB 85B	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0412	pCi/L	U	U		0.067	0.115	0.2498
HSB 85B	7/14/2015	RADIUM-226	0.106	pCi/L	J	J	21	0.058	0.081	0.1966
HSB 85B	7/14/2015	RADIUM-228	0.126	pCi/L	U	U		0.285	0.487	1.057
HSB 85B	7/14/2015	AMERICIUM-241	0.0125	pCi/L	U	U		0.053	0.15	0.257
HSB 85B	7/14/2015	CURIUM-242	0.0525	pCi/L	U	U	V	0.075	0.0669	0.216
HSB 85B	7/14/2015	CURIUM-243/244	0.0495	pCi/L	U	U	V	0.07	0.0669	0.208
HSB 85B	7/14/2015	CURIUM-245/246	0.256	pCi/L	J	U	21, V	0.166	0.0693	0.401
HSB 85B	7/14/2015	NEPTUNIUM-237	0.0255	pCi/L	U	U	V	0.051	0.0692	0.172
HSB 85B	7/14/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0685	0.0685
HSB 85B	7/14/2015	PLUTONIUM-239/240	0.0505	pCi/L	U	U		0.073	0.0685	0.213
HSB 85B	7/14/2015	THORIUM-228	-0.0121	pCi/L	U	U		0.017	0.143	0.177
HSB 85B	7/14/2015	THORIUM-230	0.0358	pCi/L	U	U	V	0.07	0.143	0.282
HSB 85B	7/14/2015	THORIUM-232	-0.0119	pCi/L	U	U		0.017	0.143	0.177
HSB 85B	7/14/2015	URANIUM-233/234	0.0163	pCi/L	U	U		0.045	0.109	0.199
HSB 85B	7/14/2015	URANIUM-235	0	pCi/L	U	U		0	0.0727	0.0727
HSB 85B	7/14/2015	URANIUM-238	0.0597	pCi/L	U	U		0.076	0.109	0.262
HSB 85B	7/14/2015	GROSS ALPHA	-0.294	pCi/L	U	U		0.485	2.25	3.22
HSB 85B	7/14/2015	NONVOLATILE BETA	2.99	pCi/L	U	U		2.65	3.76	9.07
HSB 85B	7/14/2015	STRONTIUM-90	-0.303	pCi/L	U	U		2.04	3.29	7.36
HSB 85B	7/14/2015	CARBON-14	0.825	pCi/L	U	U		4.27	7.13	15.7
HSB 85B	7/14/2015	NICKEL-63	0.743	pCi/L	U	U		3.13	5.41	11.7
HSB 85B	7/14/2015	TECHNETIUM-99	-1.92	pCi/L	U	U		2.54	4.38	9.46
HSB 85B	7/14/2015	TRITIUM	1.15	pCi/mL				0.294	0.382	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85B	7/14/2015	CESIUM-134	-3.71	pCi/L	U	U		6.42	9.07	21.9
HSB 85B	7/14/2015	CESIUM-137	0.0932	pCi/L	U	U		6.14	11	23.3
HSB 85B	7/14/2015	COBALT-60	1.37	pCi/L	U	U		5.55	10.7	21.8
HSB 85B	7/14/2015	EUROPIUM-152	-49.4	pCi/L	U	U		71.3	101	244
HSB 85B	7/14/2015	EUROPIUM-154	0.739	pCi/L	U	U		11.8	20.9	44.5
HSB 85B	7/14/2015	EUROPIUM-155	9.03	pCi/L	U	U		21.3	36.5	79.1
HSB 85B	7/14/2015	IODINE-129	-0.157	pCi/L	U	U		0.641	0.973	2.26
HSB 85B	7/14/2015	SODIUM-22	1.98	pCi/L	U	U		5.61	11	22.3
HSB 85B	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.433	mg/L					0.085	0.25
HSB 85B	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 85B	11/3/2015	GROSS ALPHA	1.75	pCi/L	J		21	1.34	1.35	4.03
HSB 85B	11/3/2015	NONVOLATILE BETA	0.7	pCi/L	U			1.68	2.6	5.97
HSB 85B	11/3/2015	TRITIUM	0.675	pCi/mL	J		21	0.348	0.543	1.24
HSB 85C	1/13/2015	NITRATE-NITRITE AS NITROGEN	3.66	mg/L	J		Q		0.17	0.5
HSB 85C	1/13/2015	ANTIMONY	10	ug/L	U				1	10
HSB 85C	1/13/2015	ARSENIC	50	ug/L	U				5	50
HSB 85C	1/13/2015	BARIUM	15.9	ug/L	J				2	20
HSB 85C	1/13/2015	BERYLLIUM	0.136	ug/L	J				0.1	1
HSB 85C	1/13/2015	CHROMIUM	100	ug/L	U				10	100
HSB 85C	1/13/2015	COBALT	0.537	ug/L	J				0.5	5
HSB 85C	1/13/2015	COPPER	1.35	ug/L	J				0.5	5
HSB 85C	1/13/2015	LEAD	1.23	ug/L	J				0.5	5
HSB 85C	1/13/2015	NICKEL	5	ug/L	U				0.5	5
HSB 85C	1/13/2015	SELENIUM	20	ug/L	U				2	20
HSB 85C	1/13/2015	SILVER	5	ug/L	U				0.5	5
HSB 85C	1/13/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 85C	1/13/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	1/13/2015	VANADIUM	50	ug/L	U				5	50
HSB 85C	1/13/2015	ZINC	40	ug/L	U				4	40
HSB 85C	1/13/2015	MERCURY	0.115	ug/L	J		21		0.02	0.2
HSB 85C	1/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85C	1/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB 85C	1/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85C	1/13/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB 85C	1/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB 85C	1/13/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB 85C	1/13/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
HSB 85C	1/13/2015	BENZENE	1	ug/L	U				0.06	1
HSB 85C	1/13/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB 85C	1/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB 85C	1/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB 85C	1/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB 85C	1/13/2015	CHLOROFORM	0.11	ug/L	J		21		0.1	1
HSB 85C	1/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSB 85C	1/13/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB 85C	1/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB 85C	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB 85C	1/13/2015	TOLUENE	1	ug/L	U				0.07	1
HSB 85C	1/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB 85C	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB 85C	1/13/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB 85C	1/13/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB 85C	1/13/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	1/13/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
HSB 85C	1/13/2015	1,4-DIOXANE	9.8	ug/L	U				0.98	9.8
HSB 85C	1/13/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U				1.8	9.8
HSB 85C	1/13/2015	PHENOL	9.8	ug/L	U				2	9.8
HSB 85C	1/13/2015	CYANIDE	10	ug/L	U				2.9	10
HSB 85C	1/13/2015	RADIUM, TOTAL ALPHA-EMITTING	4.35	pCi/L				0.316	0.122	0.754
HSB 85C	1/13/2015	RADIUM-226	2.57	pCi/L				0.199	0.074	0.4722
HSB 85C	1/13/2015	RADIUM-228	1.83	pCi/L				0.32	0.337	0.977
HSB 85C	1/13/2015	AMERICIUM-241	0.0365	pCi/L	U			0.06	0.105	0.225
HSB 85C	1/13/2015	CURIUM-242	-0.0109	pCi/L	U			0.016	0.123	0.154
HSB 85C	1/13/2015	CURIUM-243/244	-0.00514	pCi/L	U			0.01	0.103	0.124
HSB 85C	1/13/2015	CURIUM-245/246	0.0956	pCi/L	U			0.097	0.127	0.322
HSB 85C	1/13/2015	PLUTONIUM-238	0.0237	pCi/L	U			0.048	0.0641	0.159
HSB 85C	1/13/2015	PLUTONIUM-239/240	0.0118	pCi/L	U			0.05	0.142	0.242
HSB 85C	1/13/2015	THORIUM-228	-0.0745	pCi/L	U			0.12	0.367	0.606
HSB 85C	1/13/2015	THORIUM-230	0.141	pCi/L	J		21	0.123	0.123	0.369
HSB 85C	1/13/2015	THORIUM-232	0	pCi/L	U			0	0.0662	0.0662
HSB 85C	1/13/2015	URANIUM-233/234	0.0857	pCi/L	U			0.093	0.115	0.301
HSB 85C	1/13/2015	URANIUM-235	0	pCi/L	U			0	0.0764	0.0764
HSB 85C	1/13/2015	URANIUM-238	0.057	pCi/L	U			0.081	0.137	0.299
HSB 85C	1/13/2015	GROSS ALPHA	4.66	pCi/L	J		21	2.79	2.21	7.78
HSB 85C	1/13/2015	NONVOLATILE BETA	6.95	pCi/L	J		21	3.34	4.03	10.7
HSB 85C	1/13/2015	STRONTIUM-90	1.59	pCi/L	U			1.92	3.11	6.96
HSB 85C	1/13/2015	CARBON-14	32.5	pCi/L				4.86	6.92	16.6
HSB 85C	1/13/2015	NICKEL-63	1.83	pCi/L	U			2.96	4.96	10.9
HSB 85C	1/13/2015	TECHNETIUM-99	0.638	pCi/L	U			2.44	4.08	8.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	1/13/2015	TRITIUM	6.58	pCi/mL				0.532	0.43	1.49
HSB 85C	1/13/2015	CESIUM-137	-2.2	pCi/L	U			5.19	8.9	19.3
HSB 85C	1/13/2015	COBALT-60	-1.92	pCi/L	U			5.95	10.5	22.4
HSB 85C	1/13/2015	IODINE-129	0.906	pCi/L	U			0.846	0.915	2.61
HSB 85C	4/14/2015	NITRATE-NITRITE AS NITROGEN	4.02	mg/L					0.17	0.5
HSB 85C	4/14/2015	MERCURY	0.104	ug/L	J		21		0.02	0.2
HSB 85C	4/14/2015	GROSS ALPHA	7.56	pCi/L	J		21	3.52	2.09	9.14
HSB 85C	4/14/2015	NONVOLATILE BETA	8.62	pCi/L	J		21	3.54	3.9	11
HSB 85C	4/14/2015	TRITIUM	6.69	pCi/mL				0.549	0.437	1.53
HSB 85C	7/14/2015	ETHANE	0.0031	ug/L	J		21		0.002	0.1
HSB 85C	7/14/2015	ETHYLENE	0.0071	ug/L	J		21		0.003	0.1
HSB 85C	7/14/2015	NITRATE-NITRITE AS NITROGEN	3.7	mg/L					0.047	0.5
HSB 85C	7/14/2015	SULFIDE	1	mg/L	U	U			0.45	1
HSB 85C	7/14/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB 85C	7/14/2015	ARSENIC	50	ug/L	U	U			5	50
HSB 85C	7/14/2015	BARIUM	14	ug/L	J	J	21		2	20
HSB 85C	7/14/2015	BERYLLIUM	0.123	ug/L	J	J	21, 11, 18		0.1	1
HSB 85C	7/14/2015	CADMIUM	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB 85C	7/14/2015	COBALT	0.646	ug/L	J	J	21		0.5	5
HSB 85C	7/14/2015	COPPER	1.99	ug/L	J	J	21		0.5	5
HSB 85C	7/14/2015	LEAD	1.14	ug/L	J	J	21		0.5	5
HSB 85C	7/14/2015	NICKEL	5	ug/L	U	U			0.5	5
HSB 85C	7/14/2015	SELENIUM	20	ug/L	U	U			2	20
HSB 85C	7/14/2015	SILVER	5	ug/L	U	U			0.5	5
HSB 85C	7/14/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	TIN	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	VANADIUM	50	ug/L	U	U			5	50
HSB 85C	7/14/2015	ZINC	6.71	ug/L	U	U	21, V		4	40
HSB 85C	7/14/2015	MERCURY	0.0653	ug/L	J	J	21		0.02	0.2
HSB 85C	7/14/2015	ALDRIN	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
HSB 85C	7/14/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
HSB 85C	7/14/2015	DDD	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	DDE	0.049	ug/L	U	U			0.014	0.049
HSB 85C	7/14/2015	DDT	0.049	ug/L	U	U			0.022	0.049
HSB 85C	7/14/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	DIELDRIN	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.018	0.049
HSB 85C	7/14/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	ENDRIN	0.049	ug/L	U	U			0.017	0.049
HSB 85C	7/14/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
HSB 85C	7/14/2015	LINDANE	0.049	ug/L	U	U			0.0097	0.049
HSB 85C	7/14/2015	METHOXYCHLOR	0.019	ug/L	J	J	21		0.013	0.49
HSB 85C	7/14/2015	TOTAL CHLORDANE	0.49	ug/L	U	U			0.097	0.49
HSB 85C	7/14/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
HSB 85C	7/14/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
HSB 85C	7/14/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98
HSB 85C	7/14/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
HSB 85C	7/14/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
HSB 85C	7/14/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
HSB 85C	7/14/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
HSB 85C	7/14/2015	2,4,5-T	0.95	ug/L	U	U			0.26	0.95
HSB 85C	7/14/2015	2,4,5-TP (SILVEX)	0.95	ug/L	U	U			0.18	0.95
HSB 85C	7/14/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.6	ug/L	U	U			4	7.6
HSB 85C	7/14/2015	DINOSEB	1.9	ug/L	U	U			0.69	1.9
HSB 85C	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
HSB 85C	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85C	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HSB 85C	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HSB 85C	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HSB 85C	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
HSB 85C	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HSB 85C	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HSB 85C	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HSB 85C	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.15	2
HSB 85C	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
HSB 85C	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HSB 85C	7/14/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HSB 85C	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
HSB 85C	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U	U			0.17	2
HSB 85C	7/14/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HSB 85C	7/14/2015	ACETONE	2	ug/L	U	U			0.34	2
HSB 85C	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
HSB 85C	7/14/2015	ACROLEIN	10	ug/L	U	U			2.8	10
HSB 85C	7/14/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
HSB 85C	7/14/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
HSB 85C	7/14/2015	BENZENE	1	ug/L	U	U			0.06	1
HSB 85C	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85C	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HSB 85C	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HSB 85C	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HSB 85C	7/14/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HSB 85C	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HSB 85C	7/14/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HSB 85C	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HSB 85C	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSB 85C	7/14/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
HSB 85C	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HSB 85C	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HSB 85C	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HSB 85C	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSB 85C	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
HSB 85C	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HSB 85C	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HSB 85C	7/14/2015	ETHYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85C	7/14/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HSB 85C	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
HSB 85C	7/14/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
HSB 85C	7/14/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HSB 85C	7/14/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
HSB 85C	7/14/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HSB 85C	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HSB 85C	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HSB 85C	7/14/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
HSB 85C	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HSB 85C	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HSB 85C	7/14/2015	NAPHTHALENE	1	ug/L	U	U			0.16	1
HSB 85C	7/14/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HSB 85C	7/14/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
HSB 85C	7/14/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HSB 85C	7/14/2015	TOLUENE	0.15	ug/L	J	J	21		0.07	1
HSB 85C	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSB 85C	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2
HSB 85C	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HSB 85C	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HSB 85C	7/14/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
HSB 85C	7/14/2015	XYLENES	3	ug/L	U	U			0.2	3
HSB 85C	7/14/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
HSB 85C	7/14/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,3,5-TRINITROBENZENE	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,3-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,4-DINITROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,4-DIOXANE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	1,4-NAPHTHOQUINONE	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	1-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
HSB 85C	7/14/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
HSB 85C	7/14/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6
HSB 85C	7/14/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U	U			0.96	96
HSB 85C	7/14/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	2-NAPHTHYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
HSB 85C	7/14/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
HSB 85C	7/14/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
HSB 85C	7/14/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U			1.2	48
HSB 85C	7/14/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U	U			2.5	48
HSB 85C	7/14/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	4-AMINOBIPHENYL	48	ug/L	U	U			1	48
HSB 85C	7/14/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
HSB 85C	7/14/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
HSB 85C	7/14/2015	4-NITROQUINOLINE-1-OXIDE	96	ug/L	U	U			4.8	96
HSB 85C	7/14/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	U			0.96	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U	U			21	48
HSB 85C	7/14/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ANILINE	9.6	ug/L	U	U			1.2	9.6
HSB 85C	7/14/2015	ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ARAMITE	19	ug/L	U	U			4.8	19
HSB 85C	7/14/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BENZO[A]PYRENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BENZYL ALCOHOL	9.6	ug/L	U	U			2.9	9.6
HSB 85C	7/14/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U			1.8	9.6
HSB 85C	7/14/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	CHLOROBENZILATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	CHRYSENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DIALLATE	19	ug/L	U	U			1.9	19
HSB 85C	7/14/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DIMETHOATE	19	ug/L	U	U			0.96	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
HSB 85C	7/14/2015	DISULFOTON	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	ETHYL METHACRYLATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ETHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	FAMPHUR	96	ug/L	U	U			1.6	96
HSB 85C	7/14/2015	FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	HEXACHLOROPHENE	240	ug/L	U	U			9.6	240
HSB 85C	7/14/2015	HEXACHLOROPROPENE	96	ug/L	U	U			0.96	96
HSB 85C	7/14/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ISODRIN	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	ISOSAFROLE	19	ug/L	U	U			4.8	19
HSB 85C	7/14/2015	KEPONE	96	ug/L	U	U			19	96
HSB 85C	7/14/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
HSB 85C	7/14/2015	METHAPYRILENE	48	ug/L	U	U			1.2	48
HSB 85C	7/14/2015	METHYL METHANESULFONATE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	METHYL PARATHION	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U	U			1.9	9.6
HSB 85C	7/14/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6
HSB 85C	7/14/2015	N-NITROSOMORPHOLINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U	U			1.1	48
HSB 85C	7/14/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	PARATHION	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
HSB 85C	7/14/2015	P-DIMETHYLAMINOAZOBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	PENTACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	PENTACHLOROETHANE	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	PENTACHLORONITROBENZENE	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
HSB 85C	7/14/2015	PHENACETIN	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	PHENANTHRENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	PHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
HSB 85C	7/14/2015	PHORATE	48	ug/L	U	U			1.9	48
HSB 85C	7/14/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	P-PHENYLENEDIAMINE	96	ug/L	U	U			0.96	96
HSB 85C	7/14/2015	PRONAMIDE	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	PYRENE	9.6	ug/L	U	U			0.96	9.6
HSB 85C	7/14/2015	PYRIDINE	19	ug/L	U	U			1.9	19
HSB 85C	7/14/2015	SAFROLE	19	ug/L	U	U			0.96	19
HSB 85C	7/14/2015	SULFOTEPP	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	THIONAZIN	48	ug/L	U	U			0.96	48
HSB 85C	7/14/2015	2,3,7,8-TCDD	0.01	ng/L	U	U			0.000061	0.01
HSB 85C	7/14/2015	HEXACHLORODIBENZO-P-DIOXINS	0.00088	ng/L	NJ	NJ	1, 21, V		0.000077	0.05
HSB 85C	7/14/2015	HEXACHLORODIBENZO-P-FURANS	0.05	ng/L	U	U			0.000076	0.05
HSB 85C	7/14/2015	PENTACHLORODIBENZO-P-DIOXINS	0.000075	ng/L	NJ	NJ	1, 21		0.000036	0.05
HSB 85C	7/14/2015	PENTACHLORODIBENZO-P-FURANS	0.00022	ng/L	NJ	NJ	1, 21, V		0.000073	0.05
HSB 85C	7/14/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00026	ng/L	NJ	NJ	1, 21		0.000061	0.01
HSB 85C	7/14/2015	TETRACHLORODIBENZO-P-FURANS	0.00028	ng/L	J	U	1, 21, V		0.000043	0.01
HSB 85C	7/14/2015	CYANIDE	8.5	ug/L	J	U	21, V		2.9	10
HSB 85C	7/14/2015	RADIUM, TOTAL ALPHA-EMITTING	3.07	pCi/L				0.23	0.066	0.5255
HSB 85C	7/14/2015	RADIUM-226	2.84	pCi/L				0.213	0.095	0.5208
HSB 85C	7/14/2015	RADIUM-228	2.57	pCi/L				0.398	0.403	1.199
HSB 85C	7/14/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0646	0.0646
HSB 85C	7/14/2015	CURIUM-242	0.0249	pCi/L	U	U	V	0.05	0.0636	0.164
HSB 85C	7/14/2015	CURIUM-243/244	-0.00587	pCi/L	U	U	V	0.012	0.118	0.142
HSB 85C	7/14/2015	CURIUM-245/246	0.219	pCi/L	J	U	21, V	0.149	0.0658	0.364
HSB 85C	7/14/2015	NEPTUNIUM-237	0	pCi/L	U	U	V	0	0.0668	0.0668
HSB 85C	7/14/2015	PLUTONIUM-238	0.0366	pCi/L	U	U		0.072	0.146	0.29

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 85C	7/14/2015	PLUTONIUM-239/240	-0.0061	pCi/L	U	U		0.012	0.123	0.147
HSB 85C	7/14/2015	THORIUM-228	0.0669	pCi/L	U	U		0.142	0.306	0.59
HSB 85C	7/14/2015	THORIUM-230	0.0294	pCi/L	U	U	V	0.088	0.216	0.393
HSB 85C	7/14/2015	THORIUM-232	0.0513	pCi/L	U	U		0.085	0.148	0.317
HSB 85C	7/14/2015	URANIUM-233/234	0.045	pCi/L	U	U		0.064	0.061	0.189
HSB 85C	7/14/2015	URANIUM-235	0.0486	pCi/L	U	U		0.08	0.14	0.3
HSB 85C	7/14/2015	URANIUM-238	0.0169	pCi/L	U	U		0.046	0.113	0.206
HSB 85C	7/14/2015	GROSS ALPHA	4.44	pCi/L	J	J	21	2.77	2.16	7.7
HSB 85C	7/14/2015	NONVOLATILE BETA	5.6	pCi/L	J	J	21	3.12	3.86	10.1
HSB 85C	7/14/2015	STRONTIUM-90	0.332	pCi/L	U	U		2.2	3.32	7.73
HSB 85C	7/14/2015	CARBON-14	6.36	pCi/L	U	U		4.43	7.17	16
HSB 85C	7/14/2015	NICKEL-63	-1.08	pCi/L	U	U		3.13	5.61	11.9
HSB 85C	7/14/2015	TECHNETIUM-99	0.88	pCi/L	U	U		2.63	4.39	9.65
HSB 85C	7/14/2015	TRITIUM	6.4	pCi/mL				0.512	0.38	1.41
HSB 85C	7/14/2015	CESIUM-134	1.4	pCi/L	U	U		7.13	11.2	25.4
HSB 85C	7/14/2015	CESIUM-137	-10.6	pCi/L	U	U		7.41	11	25.9
HSB 85C	7/14/2015	COBALT-60	-0.294	pCi/L	U	U		6.6	12	25.2
HSB 85C	7/14/2015	EUROPIUM-152	41.4	pCi/L	U	U		86.2	133	306
HSB 85C	7/14/2015	EUROPIUM-154	6.42	pCi/L	U	U		13.6	24.2	51.3
HSB 85C	7/14/2015	EUROPIUM-155	14.7	pCi/L	U	U		27.5	46.4	101
HSB 85C	7/14/2015	IODINE-129	-0.129	pCi/L	U	U		0.569	0.951	2.09
HSB 85C	7/14/2015	SODIUM-22	2.12	pCi/L	U	U		7.27	13.7	28.2
HSB 85C	11/3/2015	NITRATE-NITRITE AS NITROGEN	3.95	mg/L					0.425	1.25
HSB 85C	11/3/2015	MERCURY	0.0574	ug/L	J		21		0.02	0.2
HSB 85C	11/3/2015	GROSS ALPHA	7.21	pCi/L	J		21	3.42	2.24	9.07
HSB 85C	11/3/2015	NONVOLATILE BETA	3.74	pCi/L	U			2.95	4.09	9.99
HSB 85C	11/3/2015	TRITIUM	6.71	pCi/mL				0.546	0.54	1.63

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86B	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.146	mg/L					0.017	0.05
HSB 86B	1/27/2015	ALUMINUM	600	ug/L					40	400
HSB 86B	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 86B	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 86B	1/27/2015	BARIUM	40.9	ug/L					2	20
HSB 86B	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB 86B	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB 86B	1/27/2015	CHROMIUM	100	ug/L	U				10	100
HSB 86B	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB 86B	1/27/2015	COPPER	0.896	ug/L	J				0.5	5
HSB 86B	1/27/2015	LEAD	0.518	ug/L	J				0.5	5
HSB 86B	1/27/2015	NICKEL	1.34	ug/L	J				0.5	5
HSB 86B	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB 86B	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB 86B	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 86B	1/27/2015	TIN	10	ug/L	U				1	10
HSB 86B	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 86B	1/27/2015	ZINC	40	ug/L	U				4	40
HSB 86B	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 86B	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 86B	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 86B	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 86B	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 86B	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB 86B	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 86B	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86B	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 86B	1/27/2015	AMERICIUM-241	0.0444	pCi/L	U			0.063	0.0602	0.187
HSB 86B	1/27/2015	CURIUM-242	0.0464	pCi/L	U			0.066	0.0593	0.191
HSB 86B	1/27/2015	CURIUM-243/244	0.0219	pCi/L	U			0.044	0.0593	0.147
HSB 86B	1/27/2015	CURIUM-245/246	0.0905	pCi/L	U			0.092	0.0613	0.245
HSB 86B	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0598	0.0598
HSB 86B	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0598	0.0598
HSB 86B	1/27/2015	THORIUM-228	0.0483	pCi/L	U			0.091	0.187	0.369
HSB 86B	1/27/2015	THORIUM-230	0.0212	pCi/L	U			0.043	0.0573	0.142
HSB 86B	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0572	0.0572
HSB 86B	1/27/2015	URANIUM-233/234	0.0454	pCi/L	J		21	0.065	0.0616	0.191
HSB 86B	1/27/2015	URANIUM-235	0.021	pCi/L	U			0.058	0.141	0.257
HSB 86B	1/27/2015	URANIUM-238	0.0907	pCi/L	U			0.092	0.0614	0.245
HSB 86B	1/27/2015	GROSS ALPHA	1.35	pCi/L	U			1.75	2.42	5.92
HSB 86B	1/27/2015	NONVOLATILE BETA	4.15	pCi/L	J		21	2.83	3.81	9.48
HSB 86B	1/27/2015	STRONTIUM-90	0.627	pCi/L	U			2.01	3.11	7.14
HSB 86B	1/27/2015	CARBON-14	21.2	pCi/L				4.81	7.27	16.9
HSB 86B	1/27/2015	NICKEL-63	1.34	pCi/L	U			2.9	4.92	10.7
HSB 86B	1/27/2015	TECHNETIUM-99	3.3	pCi/L	U			2.59	4.21	9.39
HSB 86B	1/27/2015	TRITIUM	2.99	pCi/mL				0.421	0.456	1.3
HSB 86B	1/27/2015	CESIUM-137	1.58	pCi/L	U			6.23	11.4	23.8
HSB 86B	1/27/2015	COBALT-60	-1.02	pCi/L	U			4.96	9.07	19
HSB 86B	1/27/2015	IODINE-129	0.219	pCi/L	U			0.55	0.948	2.05
HSB 86B	1/27/2015	RADIUM-226	0.352	pCi/L	U			0.326	0.517	1.17
HSB 86B	1/27/2015	RADIUM-228	0.138	pCi/L	U			0.373	0.664	1.41
HSB 86B	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.274	pCi/L	U			0.774	1.49	3.04
HSB 86B	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.234	mg/L					0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86B	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 86B	4/14/2015	GROSS ALPHA	1.01	pCi/L	U			1.55	2.29	5.38
HSB 86B	4/14/2015	NONVOLATILE BETA	1.09	pCi/L	U			2.23	3.78	8.24
HSB 86B	4/14/2015	TRITIUM	4.49	pCi/mL				0.473	0.438	1.38
HSB 86B	7/29/2015	NITRATE-NITRITE AS NITROGEN	0.108	mg/L					0.017	0.05
HSB 86B	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 86B	7/29/2015	GROSS ALPHA	2.53	pCi/L	J		21	2.24	2.46	6.94
HSB 86B	7/29/2015	NONVOLATILE BETA	1.12	pCi/L	U			2.63	4.46	9.73
HSB 86B	7/29/2015	TRITIUM	1.83	pCi/mL				0.368	0.456	1.19
HSB 86B	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.107	mg/L					0.017	0.05
HSB 86B	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB 86B	11/3/2015	GROSS ALPHA	0.432	pCi/L	U			1.25	2.44	4.94
HSB 86B	11/3/2015	NONVOLATILE BETA	4.16	pCi/L	J		21	2.97	3.96	9.9
HSB 86B	11/3/2015	TRITIUM	1.73	pCi/mL				0.389	0.54	1.32
HSB 86C	1/27/2015	NITRATE-NITRITE AS NITROGEN	12	mg/L					0.85	2.5
HSB 86C	1/27/2015	ALUMINUM	42	ug/L	J				40	400
HSB 86C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB 86C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB 86C	1/27/2015	BARIUM	10.5	ug/L	J				2	20
HSB 86C	1/27/2015	BERYLLIUM	0.14	ug/L	J				0.1	1
HSB 86C	1/27/2015	CADMIUM	0.181	ug/L	J				0.1	1
HSB 86C	1/27/2015	CHROMIUM	100	ug/L	U				10	100
HSB 86C	1/27/2015	COBALT	1.07	ug/L	J				0.5	5
HSB 86C	1/27/2015	COPPER	1.32	ug/L	J				0.5	5
HSB 86C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB 86C	1/27/2015	NICKEL	1.4	ug/L	J				0.5	5
HSB 86C	1/27/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB 86C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB 86C	1/27/2015	TIN	10	ug/L	U				1	10
HSB 86C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB 86C	1/27/2015	ZINC	31.7	ug/L	J				4	40
HSB 86C	1/27/2015	MERCURY	0.672	ug/L					0.02	0.2
HSB 86C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB 86C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB 86C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB 86C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB 86C	1/27/2015	TRICHLOROETHYLENE (TCE)	1.05	ug/L					0.3	1
HSB 86C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB 86C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB 86C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB 86C	1/27/2015	AMERICIUM-241	0.0495	pCi/L	U			0.07	0.067	0.208
HSB 86C	1/27/2015	CURIUM-242	0.103	pCi/L	U			0.105	0.066	0.275
HSB 86C	1/27/2015	CURIUM-243/244	0.0488	pCi/L	U			0.069	0.066	0.205
HSB 86C	1/27/2015	CURIUM-245/246	0.176	pCi/L	U			0.136	0.0683	0.341
HSB 86C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0621	0.0621
HSB 86C	1/27/2015	PLUTONIUM-239/240	0.0401	pCi/L	U			0.066	0.115	0.248
HSB 86C	1/27/2015	THORIUM-228	0.0635	pCi/L	U			0.1	0.193	0.393
HSB 86C	1/27/2015	THORIUM-230	0.0573	pCi/L	U			0.074	0.105	0.252
HSB 86C	1/27/2015	THORIUM-232	0.0208	pCi/L	U			0.042	0.0564	0.14
HSB 86C	1/27/2015	URANIUM-233/234	0.219	pCi/L	J		21	0.143	0.0594	0.345
HSB 86C	1/27/2015	URANIUM-235	0.0811	pCi/L	U			0.095	0.0732	0.262
HSB 86C	1/27/2015	URANIUM-238	0.109	pCi/L	U			0.099	0.0593	0.258

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86C	1/27/2015	GROSS ALPHA	1.73	pCi/L	U			1.91	2.39	6.2
HSB 86C	1/27/2015	NONVOLATILE BETA	18.3	pCi/L				4.66	3.81	13.1
HSB 86C	1/27/2015	STRONTIUM-90	0.956	pCi/L	U			2.04	3.11	7.2
HSB 86C	1/27/2015	CARBON-14	10.8	pCi/L	J		21	4.63	7.35	16.6
HSB 86C	1/27/2015	NICKEL-63	-0.503	pCi/L	U			2.75	4.58	10.1
HSB 86C	1/27/2015	TECHNETIUM-99	30.5	pCi/L				3.33	4.25	10.9
HSB 86C	1/27/2015	TRITIUM	759	pCi/mL				5.25	0.457	10.9
HSB 86C	1/27/2015	CESIUM-137	-2.77	pCi/L	U			5.74	9.72	21.2
HSB 86C	1/27/2015	COBALT-60	-1.67	pCi/L	U			5.52	9.83	20.9
HSB 86C	1/27/2015	IODINE-129	1.54	pCi/L	J		21	1.08	0.944	3.1
HSB 86C	1/27/2015	RADIUM-226	3.05	pCi/L				0.637	0.484	1.76
HSB 86C	1/27/2015	RADIUM-228	0.411	pCi/L	U			0.292	0.448	1.03
HSB 86C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.41	pCi/L	J		21	1.02	1.37	3.41
HSB 86C	4/14/2015	NITRATE-NITRITE AS NITROGEN	12.3	mg/L					0.85	2.5
HSB 86C	4/14/2015	MERCURY	0.555	ug/L					0.02	0.2
HSB 86C	4/14/2015	GROSS ALPHA	2.59	pCi/L	J		21	2.21	2.22	6.63
HSB 86C	4/14/2015	NONVOLATILE BETA	22.1	pCi/L				5.03	3.8	13.9
HSB 86C	4/14/2015	TRITIUM	772	pCi/mL				5.25	0.439	10.9
HSB 86C	7/29/2015	NITRATE-NITRITE AS NITROGEN	11.6	mg/L					0.425	1.25
HSB 86C	7/29/2015	MERCURY	0.61	ug/L					0.02	0.2
HSB 86C	7/29/2015	GROSS ALPHA	5.67	pCi/L	J		21	3.18	2.52	8.88
HSB 86C	7/29/2015	NONVOLATILE BETA	44.8	pCi/L				7.06	4.84	19
HSB 86C	7/29/2015	TRITIUM	767	pCi/mL				5.3	0.457	11
HSB 86C	11/3/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.85	2.5
HSB 86C	11/3/2015	MERCURY	0.488	ug/L					0.02	0.2
HSB 86C	11/3/2015	GROSS ALPHA	4.79	pCi/L	J		21	2.9	2.36	8.16
HSB 86C	11/3/2015	NONVOLATILE BETA	13.1	pCi/L				4.17	4.05	12.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB 86C	11/3/2015	TRITIUM	764	pCi/mL				4.76	0.54	10.1
HSB100C	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.198	mg/L					0.017	0.05
HSB100C	1/27/2015	ALUMINUM	127	ug/L	J				40	400
HSB100C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB100C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB100C	1/27/2015	BARIUM	5.83	ug/L	J				2	20
HSB100C	1/27/2015	BERYLLIUM	0.131	ug/L	J				0.1	1
HSB100C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB100C	1/27/2015	CHROMIUM	12.8	ug/L	J				10	100
HSB100C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB100C	1/27/2015	COPPER	1.08	ug/L	J				0.5	5
HSB100C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB100C	1/27/2015	NICKEL	0.843	ug/L	J				0.5	5
HSB100C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB100C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB100C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB100C	1/27/2015	TIN	10	ug/L	U				1	10
HSB100C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB100C	1/27/2015	ZINC	4.74	ug/L	J				4	40
HSB100C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB100C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB100C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB100C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB100C	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB100C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB100C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
HSB100C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB100C	1/27/2015	AMERICIUM-241	0.0397	pCi/L	U			0.066	0.114	0.245
HSB100C	1/27/2015	CURIUM-242	0.0654	pCi/L	U			0.084	0.113	0.28
HSB100C	1/27/2015	CURIUM-243/244	0.0392	pCi/L	U			0.065	0.113	0.242
HSB100C	1/27/2015	CURIUM-245/246	0.255	pCi/L	U			0.159	0.0628	0.38
HSB100C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0665	0.0665
HSB100C	1/27/2015	PLUTONIUM-239/240	0.0245	pCi/L	U			0.049	0.0665	0.165
HSB100C	1/27/2015	THORIUM-228	-0.0055	pCi/L	U			0.05	0.171	0.272
HSB100C	1/27/2015	THORIUM-230	0.108	pCi/L	U			0.099	0.0587	0.256
HSB100C	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.0586	0.0586
HSB100C	1/27/2015	URANIUM-233/234	0.0934	pCi/L	J		21	0.095	0.0633	0.253
HSB100C	1/27/2015	URANIUM-235	0.0216	pCi/L	U			0.06	0.145	0.264
HSB100C	1/27/2015	URANIUM-238	0.0699	pCi/L	U			0.082	0.0632	0.226
HSB100C	1/27/2015	GROSS ALPHA	0.465	pCi/L	U			1.17	2.25	4.59
HSB100C	1/27/2015	NONVOLATILE BETA	4.64	pCi/L	J		21	2.89	3.76	9.55
HSB100C	1/27/2015	STRONTIUM-90	1.28	pCi/L	U			2.05	3.11	7.22
HSB100C	1/27/2015	CARBON-14	71.9	pCi/L	J			5.69	7.02	18.4
HSB100C	1/27/2015	NICKEL-63	1.28	pCi/L	U			2.71	4.5	9.92
HSB100C	1/27/2015	TECHNETIUM-99	1.34	pCi/L	U			2.67	4.44	9.78
HSB100C	1/27/2015	TRITIUM	0.213	pCi/mL	U			0.276	0.455	1.01
HSB100C	1/27/2015	CESIUM-137	0.639	pCi/L	U			4.65	8.56	17.9
HSB100C	1/27/2015	COBALT-60	8.14	pCi/L	U			6.4	9.92	22.7
HSB100C	1/27/2015	IODINE-129	0.0404	pCi/L	U			0.63	1.02	2.28
HSB100C	1/27/2015	RADIUM-226	2.38	pCi/L				0.665	0.621	1.95
HSB100C	1/27/2015	RADIUM-228	0.38	pCi/L	U			0.341	0.553	1.24
HSB100C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.961	pCi/L	J		21	0.738	0.937	2.41

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100C	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.197	mg/L					0.017	0.05
HSB100C	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100C	4/14/2015	GROSS ALPHA	0.109	pCi/L	U			0.814	2.09	3.72
HSB100C	4/14/2015	NONVOLATILE BETA	2.38	pCi/L	U			2.62	3.98	9.21
HSB100C	4/14/2015	TRITIUM	0.449	pCi/mL	J		21	0.281	0.438	1
HSB100C	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.207	mg/L					0.017	0.05
HSB100C	8/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB100C	8/5/2015	ARSENIC	50	ug/L	U				5	50
HSB100C	8/5/2015	BARIUM	8.18	ug/L	J		21		2	20
HSB100C	8/5/2015	BERYLLIUM	0.148	ug/L	J		21		0.1	1
HSB100C	8/5/2015	CADMIUM	0.128	ug/L	J		21		0.1	1
HSB100C	8/5/2015	CHROMIUM	11.1	ug/L	J		21		10	100
HSB100C	8/5/2015	COBALT	5	ug/L	U				0.5	5
HSB100C	8/5/2015	COPPER	3.8	ug/L	J		21		0.5	5
HSB100C	8/5/2015	LEAD	1.49	ug/L	J		21		0.5	5
HSB100C	8/5/2015	NICKEL	0.824	ug/L	J		21		0.5	5
HSB100C	8/5/2015	SELENIUM	20	ug/L	U		V		2	20
HSB100C	8/5/2015	SILVER	5	ug/L	U				0.5	5
HSB100C	8/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB100C	8/5/2015	TIN	10	ug/L	U				1	10
HSB100C	8/5/2015	VANADIUM	50	ug/L	U				5	50
HSB100C	8/5/2015	ZINC	9.22	ug/L	U		21, V		4	40
HSB100C	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100C	8/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB100C	8/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.63	ug/L	J		21		1	5
HSB100C	8/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB100C	8/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100C	8/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB100C	8/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB100C	8/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB100C	8/5/2015	AMERICIUM-241	0.0476	pCi/L	U		V	0.068	0.0644	0.2
HSB100C	8/5/2015	CURIUM-242	0	pCi/L	U			0	0.0635	0.0635
HSB100C	8/5/2015	CURIUM-243/244	0	pCi/L	U			0	0.0635	0.0635
HSB100C	8/5/2015	CURIUM-245/246	0.145	pCi/L	U		21, V	0.121	0.0657	0.307
HSB100C	8/5/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0662	0.0662
HSB100C	8/5/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0662	0.0662
HSB100C	8/5/2015	THORIUM-228	-0.0348	pCi/L	U			0.059	0.229	0.348
HSB100C	8/5/2015	THORIUM-230	0.199	pCi/L	U		21, V	0.14	0.115	0.395
HSB100C	8/5/2015	THORIUM-232	0	pCi/L	U		V	0	0.0616	0.0616
HSB100C	8/5/2015	URANIUM-233/234	0.0602	pCi/L	U		V	0.077	0.11	0.265
HSB100C	8/5/2015	URANIUM-235	0	pCi/L	U			0	0.0732	0.0732
HSB100C	8/5/2015	URANIUM-238	-0.00547	pCi/L	U		V	0.011	0.11	0.132
HSB100C	8/5/2015	GROSS ALPHA	0.506	pCi/L	U			1.2	2.16	4.57
HSB100C	8/5/2015	NONVOLATILE BETA	1.26	pCi/L	U			2.32	3.77	8.4
HSB100C	8/5/2015	STRONTIUM-90	-0.387	pCi/L	U			1.93	3.26	7.12
HSB100C	8/5/2015	CARBON-14	3.74	pCi/L	U			4.41	7.24	16.1
HSB100C	8/5/2015	NICKEL-63	-1.07	pCi/L	U			2.85	4.97	10.7
HSB100C	8/5/2015	TECHNETIUM-99	2.44	pCi/L	U			2.51	4.11	9.13
HSB100C	8/5/2015	TRITIUM	0.519	pCi/mL	J		21	0.288	0.442	1.02
HSB100C	8/5/2015	CESIUM-137	-2.77	pCi/L	U			5.36	9.1	19.8
HSB100C	8/5/2015	COBALT-60	-2.07	pCi/L	U			4.75	8.42	17.9
HSB100C	8/5/2015	IODINE-129	-0.615	pCi/L	U			0.648	1.03	2.33
HSB100C	8/5/2015	RADIUM-226	0.245	pCi/L	U			0.267	0.441	0.975
HSB100C	8/5/2015	RADIUM-228	0.0968	pCi/L	U			0.32	0.582	1.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100C	8/5/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0129	pCi/L	U			0.711	1.54	2.96
HSB100C	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.201	mg/L					0.017	0.05
HSB100C	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100C	11/5/2015	GROSS ALPHA	0.889	pCi/L	U			0.982	1.3	3.26
HSB100C	11/5/2015	NONVOLATILE BETA	0.815	pCi/L	U			1.85	2.89	6.59
HSB100C	11/5/2015	TRITIUM	0.407	pCi/mL	U			0.333	0.537	1.2
HSB100D	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.119	mg/L					0.017	0.05
HSB100D	1/27/2015	ALUMINUM	400	ug/L	U				40	400
HSB100D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB100D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB100D	1/27/2015	BARIUM	21	ug/L					2	20
HSB100D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB100D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB100D	1/27/2015	CHROMIUM	14.4	ug/L	J				10	100
HSB100D	1/27/2015	COBALT	0.938	ug/L	J				0.5	5
HSB100D	1/27/2015	COPPER	1.14	ug/L	J				0.5	5
HSB100D	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB100D	1/27/2015	NICKEL	0.818	ug/L	J				0.5	5
HSB100D	1/27/2015	SELENIUM	3.06	ug/L	J				2	20
HSB100D	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB100D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB100D	1/27/2015	TIN	10	ug/L	U				1	10
HSB100D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB100D	1/27/2015	ZINC	7.95	ug/L	J				4	40
HSB100D	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB100D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB100D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB100D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB100D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB100D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB100D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB100D	1/27/2015	AMERICIUM-241	0.0867	pCi/L	U			0.094	0.116	0.305
HSB100D	1/27/2015	CURIUM-242	0.0244	pCi/L	U			0.049	0.0617	0.16
HSB100D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0617	0.0617
HSB100D	1/27/2015	CURIUM-245/246	0.189	pCi/L	U			0.136	0.0639	0.337
HSB100D	1/27/2015	PLUTONIUM-238	-0.00526	pCi/L	U			0.011	0.106	0.127
HSB100D	1/27/2015	PLUTONIUM-239/240	0.0316	pCi/L	U			0.062	0.126	0.249
HSB100D	1/27/2015	THORIUM-228	0.0884	pCi/L	U			0.161	0.332	0.654
HSB100D	1/27/2015	THORIUM-230	0.186	pCi/L	U			0.135	0.0629	0.333
HSB100D	1/27/2015	THORIUM-232	-0.00579	pCi/L	U			0.012	0.117	0.14
HSB100D	1/27/2015	URANIUM-233/234	0.0221	pCi/L	U			0.044	0.06	0.149
HSB100D	1/27/2015	URANIUM-235	-0.0137	pCi/L	U			0.019	0.164	0.203
HSB100D	1/27/2015	URANIUM-238	0.0608	pCi/L	U			0.078	0.111	0.267
HSB100D	1/27/2015	GROSS ALPHA	1.8	pCi/L	U			1.99	2.73	6.71
HSB100D	1/27/2015	NONVOLATILE BETA	157	pCi/L				12.6	4.38	29.6
HSB100D	1/27/2015	STRONTIUM-90	70.9	pCi/L				10	3.1	23.1
HSB100D	1/27/2015	CARBON-14	128	pCi/L	J			6.47	6.79	19.7
HSB100D	1/27/2015	NICKEL-63	-0.149	pCi/L	U			2.95	5.22	11.1
HSB100D	1/27/2015	TECHNETIUM-99	-1.25	pCi/L	U			2.61	4.45	9.67
HSB100D	1/27/2015	TRITIUM	6.11	pCi/mL				0.531	0.437	1.5
HSB100D	1/27/2015	CESIUM-137	4.69	pCi/L	U			4.86	9.53	19.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100D	1/27/2015	COBALT-60	0.647	pCi/L	U			4.78	9.14	18.7
HSB100D	1/27/2015	IODINE-129	0.37	pCi/L	U			0.602	1.04	2.24
HSB100D	1/27/2015	RADIUM-226	1.24	pCi/L	J		21	0.498	0.575	1.57
HSB100D	1/27/2015	RADIUM-228	0.723	pCi/L	J		21	0.445	0.693	1.58
HSB100D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.12	pCi/L	U			0.942	1.38	3.26
HSB100D	4/22/2015	NITRATE-NITRITE AS NITROGEN	0.0563	mg/L					0.017	0.05
HSB100D	4/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100D	4/22/2015	GROSS ALPHA	2.62	pCi/L	U			2.33	2.8	7.46
HSB100D	4/22/2015	NONVOLATILE BETA	249	pCi/L				15.8	4.46	36
HSB100D	4/22/2015	TRITIUM	7.24	pCi/mL				0.564	0.433	1.56
HSB100D	8/11/2015	NITRATE-NITRITE AS NITROGEN	3.79	mg/L					0.17	0.5
HSB100D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB100D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB100D	8/11/2015	BARIUM	27.4	ug/L					2	20
HSB100D	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB100D	8/11/2015	CADMIUM	0.129	ug/L	J		21		0.1	1
HSB100D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB100D	8/11/2015	COBALT	0.963	ug/L	J		21		0.5	5
HSB100D	8/11/2015	COPPER	1.12	ug/L	J		21		0.5	5
HSB100D	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB100D	8/11/2015	NICKEL	0.787	ug/L	J		21		0.5	5
HSB100D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB100D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB100D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB100D	8/11/2015	TIN	10	ug/L	U				1	10
HSB100D	8/11/2015	VANADIUM	16.5	ug/L	J		21		5	50
HSB100D	8/11/2015	ZINC	8.23	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100D	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB100D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB100D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB100D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB100D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB100D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB100D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB100D	8/11/2015	AMERICIUM-241	0.0218	pCi/L	U		V	0.044	0.0591	0.147
HSB100D	8/11/2015	CURIUM-242	0.166	pCi/L	J		21	0.128	0.0582	0.314
HSB100D	8/11/2015	CURIUM-243/244	0.0431	pCi/L	U			0.061	0.0582	0.181
HSB100D	8/11/2015	CURIUM-245/246	0.15	pCi/L	U		21, V	0.12	0.112	0.352
HSB100D	8/11/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0543	0.0543
HSB100D	8/11/2015	PLUTONIUM-239/240	-0.00501	pCi/L	U		V	0.01	0.101	0.121
HSB100D	8/11/2015	THORIUM-228	0.0113	pCi/L	U			0.048	0.133	0.229
HSB100D	8/11/2015	THORIUM-230	0.222	pCi/L	U		21, V	0.144	0.0602	0.349
HSB100D	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0601	0.0601
HSB100D	8/11/2015	URANIUM-233/234	0.0701	pCi/L	U		V	0.082	0.12	0.284
HSB100D	8/11/2015	URANIUM-235	0.0247	pCi/L	U			0.05	0.067	0.166
HSB100D	8/11/2015	URANIUM-238	0.04	pCi/L	U		V	0.057	0.0542	0.168
HSB100D	8/11/2015	GROSS ALPHA	0.857	pCi/L	U			1.08	1.39	3.55
HSB100D	8/11/2015	NONVOLATILE BETA	81.2	pCi/L				6.57	2.54	15.7
HSB100D	8/11/2015	STRONTIUM-90	32.4	pCi/L				5.62	3.25	14.5
HSB100D	8/11/2015	CARBON-14	-0.555	pCi/L	U			4.16	6.99	15.3
HSB100D	8/11/2015	NICKEL-63	-0.145	pCi/L	U			3.25	5.92	12.4
HSB100D	8/11/2015	TECHNETIUM-99	11.4	pCi/L				2.92	4.39	10.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB100D	8/11/2015	TRITIUM	4.87	pCi/mL				0.502	0.473	1.48
HSB100D	8/11/2015	CESIUM-137	4.95	pCi/L	U			5.33	10.2	20.9
HSB100D	8/11/2015	COBALT-60	-3.29	pCi/L	U			4.63	7.85	17.1
HSB100D	8/11/2015	IODINE-129	1.48	pCi/L	J		21	0.986	1.11	3.08
HSB100D	8/11/2015	RADIUM-226	0.765	pCi/L	J		21	0.3	0.343	0.943
HSB100D	8/11/2015	RADIUM-228	0.298	pCi/L	U			0.302	0.498	1.1
HSB100D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.182	pCi/L	U			0.264	0.432	0.96
HSB100D	11/12/2015	NITRATE-NITRITE AS NITROGEN	0.116	mg/L					0.017	0.05
HSB100D	11/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB100D	11/12/2015	GROSS ALPHA	1.33	pCi/L	U			1.27	1.52	4.05
HSB100D	11/12/2015	NONVOLATILE BETA	280	pCi/L				11.8	2.67	26.4
HSB100D	11/12/2015	TRITIUM	5.74	pCi/mL				0.515	0.453	1.48
HSB101C	1/27/2015	NITRATE-NITRITE AS NITROGEN	0.795	mg/L					0.085	0.25
HSB101C	1/27/2015	ALUMINUM	400	ug/L	U				40	400
HSB101C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB101C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB101C	1/27/2015	BARIUM	6.51	ug/L	J				2	20
HSB101C	1/27/2015	BERYLLIUM	0.412	ug/L	J				0.1	1
HSB101C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB101C	1/27/2015	CHROMIUM	11.4	ug/L	J				10	100
HSB101C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB101C	1/27/2015	COPPER	0.951	ug/L	J				0.5	5
HSB101C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB101C	1/27/2015	NICKEL	0.91	ug/L	J				0.5	5
HSB101C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB101C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB101C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101C	1/27/2015	TIN	10	ug/L	U				1	10
HSB101C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB101C	1/27/2015	ZINC	5.69	ug/L	J				4	40
HSB101C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB101C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB101C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB101C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB101C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB101C	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB101C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB101C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB101C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB101C	1/27/2015	AMERICIUM-241	-0.0058	pCi/L	U			0.012	0.117	0.14
HSB101C	1/27/2015	CURIUM-242	0.0182	pCi/L	U			0.05	0.115	0.215
HSB101C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0619	0.0619
HSB101C	1/27/2015	CURIUM-245/246	0.118	pCi/L	U			0.107	0.0641	0.279
HSB101C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0657	0.0657
HSB101C	1/27/2015	PLUTONIUM-239/240	0.0242	pCi/L	U			0.049	0.0657	0.163
HSB101C	1/27/2015	THORIUM-228	0.0923	pCi/L	U			0.105	0.17	0.379
HSB101C	1/27/2015	THORIUM-230	0.177	pCi/L	U			0.125	0.102	0.352
HSB101C	1/27/2015	THORIUM-232	0.0151	pCi/L	U			0.042	0.102	0.185
HSB101C	1/27/2015	URANIUM-233/234	0.181	pCi/L	J		21	0.132	0.0615	0.324
HSB101C	1/27/2015	URANIUM-235	0.0839	pCi/L	U			0.098	0.0758	0.272
HSB101C	1/27/2015	URANIUM-238	0.0396	pCi/L	U			0.065	0.114	0.245
HSB101C	1/27/2015	GROSS ALPHA	-0.324	pCi/L	U			0.364	2.26	2.98
HSB101C	1/27/2015	NONVOLATILE BETA	0.617	pCi/L	U			2.12	3.74	7.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101C	1/27/2015	STRONTIUM-90	2.86	pCi/L	U			2.39	3.11	7.88
HSB101C	1/27/2015	CARBON-14	-6.32	pCi/L	U			4.22	7.32	15.7
HSB101C	1/27/2015	NICKEL-63	13.8	pCi/L				3.2	4.77	11.2
HSB101C	1/27/2015	TECHNETIUM-99	4.5	pCi/L	J		21	2.63	4.21	9.47
HSB101C	1/27/2015	TRITIUM	4.93	pCi/mL				0.497	0.456	1.45
HSB101C	1/27/2015	CESIUM-137	-1.52	pCi/L	U			4.7	8.23	17.6
HSB101C	1/27/2015	COBALT-60	-2.14	pCi/L	U			3.87	6.78	14.5
HSB101C	1/27/2015	IODINE-129	-0.223	pCi/L	U			0.528	0.872	1.93
HSB101C	1/27/2015	RADIUM-226	0.302	pCi/L	U			0.362	0.61	1.33
HSB101C	1/27/2015	RADIUM-228	0.531	pCi/L	U			0.404	0.647	1.46
HSB101C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	U			1.09	1.78	3.96
HSB101C	4/14/2015	NITRATE-NITRITE AS NITROGEN	0.805	mg/L					0.017	0.05
HSB101C	4/14/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB101C	4/14/2015	GROSS ALPHA	0.11	pCi/L	U			0.816	2.09	3.72
HSB101C	4/14/2015	NONVOLATILE BETA	0.503	pCi/L	U			2.26	3.98	8.49
HSB101C	4/14/2015	TRITIUM	5.65	pCi/mL				0.51	0.423	1.44
HSB101C	8/6/2015	NITRATE-NITRITE AS NITROGEN	0.701	mg/L					0.017	0.05
HSB101C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB101C	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB101C	8/6/2015	BARIUM	12	ug/L	J		21		2	20
HSB101C	8/6/2015	BERYLLIUM	0.396	ug/L	J		21		0.1	1
HSB101C	8/6/2015	CADMIUM	0.14	ug/L	J		21		0.1	1
HSB101C	8/6/2015	CHROMIUM	11.6	ug/L	J		21		10	100
HSB101C	8/6/2015	COBALT	5	ug/L	U				0.5	5
HSB101C	8/6/2015	COPPER	0.857	ug/L	J		21		0.5	5
HSB101C	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB101C	8/6/2015	NICKEL	0.961	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101C	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB101C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB101C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB101C	8/6/2015	TIN	10	ug/L	U				1	10
HSB101C	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB101C	8/6/2015	ZINC	11.5	ug/L	J		21		4	40
HSB101C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB101C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB101C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.25	ug/L	U		21, V		1	5
HSB101C	8/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB101C	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB101C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB101C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB101C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB101C	8/6/2015	AMERICIUM-241	-0.00597	pCi/L	U		V	0.012	0.12	0.144
HSB101C	8/6/2015	CURIUM-242	0.0461	pCi/L	U			0.076	0.118	0.27
HSB101C	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0638	0.0638
HSB101C	8/6/2015	CURIUM-245/246	0.171	pCi/L	U		21, V	0.131	0.066	0.328
HSB101C	8/6/2015	PLUTONIUM-238	-0.00601	pCi/L	U			0.012	0.121	0.145
HSB101C	8/6/2015	PLUTONIUM-239/240	0.018	pCi/L	U		V	0.05	0.121	0.22
HSB101C	8/6/2015	THORIUM-228	0.0523	pCi/L	U		V	0.084	0.153	0.32
HSB101C	8/6/2015	THORIUM-230	0.25	pCi/L	U		21, V	0.155	0.0615	0.372
HSB101C	8/6/2015	THORIUM-232	0	pCi/L	U		V	0	0.0614	0.0614
HSB101C	8/6/2015	URANIUM-233/234	0.0314	pCi/L	U		V	0.061	0.125	0.248
HSB101C	8/6/2015	URANIUM-235	-0.00645	pCi/L	U			0.013	0.13	0.156
HSB101C	8/6/2015	URANIUM-238	-0.0104	pCi/L	U		V	0.015	0.125	0.155

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101C	8/6/2015	GROSS ALPHA	0.0918	pCi/L	U			0.853	2.12	3.82
HSB101C	8/6/2015	NONVOLATILE BETA	4.33	pCi/L	J		21	2.92	3.94	9.79
HSB101C	8/6/2015	STRONTIUM-90	-0.795	pCi/L	U			1.77	3.23	6.77
HSB101C	8/6/2015	CARBON-14	12	pCi/L	J		21	4.44	6.97	15.9
HSB101C	8/6/2015	NICKEL-63	-0.0463	pCi/L	U			2.83	4.84	10.5
HSB101C	8/6/2015	TECHNETIUM-99	-0.231	pCi/L	U			2.5	4.22	9.21
HSB101C	8/6/2015	TRITIUM	4.37	pCi/mL				0.486	0.499	1.47
HSB101C	8/6/2015	CESIUM-137	0.405	pCi/L	U			4.48	8.22	17.2
HSB101C	8/6/2015	COBALT-60	1.04	pCi/L	U			5.48	10.3	21.3
HSB101C	8/6/2015	IODINE-129	2.43	pCi/L	J		21	0.967	1.1	3.03
HSB101C	8/6/2015	RADIUM-226	0.522	pCi/L	J		21	0.296	0.402	0.994
HSB101C	8/6/2015	RADIUM-228	0.0422	pCi/L	U			0.483	0.888	1.85
HSB101C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.155	pCi/L	U			0.759	1.53	3.05
HSB101C	11/9/2015	NITRATE-NITRITE AS NITROGEN	0.61	mg/L					0.085	0.25
HSB101C	11/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB101C	11/9/2015	GROSS ALPHA	0.108	pCi/L	U			0.82	2.17	3.81
HSB101C	11/9/2015	NONVOLATILE BETA	1.62	pCi/L	U			2.6	4.17	9.36
HSB101C	11/9/2015	TRITIUM	3.87	pCi/mL				0.46	0.536	1.46
HSB101D	1/27/2015	NITRATE-NITRITE AS NITROGEN	9.05	mg/L					0.425	1.25
HSB101D	1/27/2015	ALUMINUM	44.2	ug/L	J				40	400
HSB101D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB101D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB101D	1/27/2015	BARIUM	7.74	ug/L	J				2	20
HSB101D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB101D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB101D	1/27/2015	CHROMIUM	100	ug/L	U				10	100
HSB101D	1/27/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	1/27/2015	COPPER	0.515	ug/L	J				0.5	5
HSB101D	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB101D	1/27/2015	NICKEL	5	ug/L	U				0.5	5
HSB101D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB101D	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB101D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB101D	1/27/2015	TIN	10	ug/L	U				1	10
HSB101D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB101D	1/27/2015	ZINC	40	ug/L	U				4	40
HSB101D	1/27/2015	MERCURY	1.58	ug/L					0.02	0.2
HSB101D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB101D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB101D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB101D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB101D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB101D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB101D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB101D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB101D	1/27/2015	AMERICIUM-241	0.0424	pCi/L	U			0.06	0.0574	0.178
HSB101D	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0565	0.0565
HSB101D	1/27/2015	CURIUM-243/244	-0.00522	pCi/L	U			0.011	0.105	0.126
HSB101D	1/27/2015	CURIUM-245/246	0.13	pCi/L	U			0.107	0.0585	0.273
HSB101D	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.191	0.191
HSB101D	1/27/2015	PLUTONIUM-239/240	-0.0705	pCi/L	U			0.072	0.519	0.663
HSB101D	1/27/2015	THORIUM-228	0.046	pCi/L	U			0.087	0.178	0.351
HSB101D	1/27/2015	THORIUM-230	0.121	pCi/L	U			0.101	0.0546	0.256

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	1/27/2015	THORIUM-232	0.0151	pCi/L	U			0.042	0.101	0.184
HSB101D	1/27/2015	URANIUM-233/234	0.249	pCi/L	J		21	0.158	0.116	0.433
HSB101D	1/27/2015	URANIUM-235	0	pCi/L	U			0	0.0773	0.0773
HSB101D	1/27/2015	URANIUM-238	0.0866	pCi/L	U			0.094	0.116	0.304
HSB101D	1/27/2015	GROSS ALPHA	1.28	pCi/L	U			1.74	2.53	6.01
HSB101D	1/27/2015	NONVOLATILE BETA	104	pCi/L				10.2	3.8	24.2
HSB101D	1/27/2015	STRONTIUM-90	56.2	pCi/L				8.77	3.12	20.7
HSB101D	1/27/2015	CARBON-14	69.9	pCi/L				6.06	7.77	19.9
HSB101D	1/27/2015	NICKEL-63	-2.12	pCi/L	U			2.93	5.18	11
HSB101D	1/27/2015	TECHNETIUM-99	14.5	pCi/L				2.93	4.24	10.1
HSB101D	1/27/2015	TRITIUM	51.5	pCi/mL				1.39	0.456	3.23
HSB101D	1/27/2015	CESIUM-137	-0.74	pCi/L	U			4.9	8.72	18.5
HSB101D	1/27/2015	COBALT-60	4.35	pCi/L	U			4.67	9.74	19.1
HSB101D	1/27/2015	IODINE-129	1.18	pCi/L	J		21	0.964	0.939	2.87
HSB101D	1/27/2015	RADIUM-226	0.28	pCi/L	U			0.336	0.565	1.24
HSB101D	1/27/2015	RADIUM-228	0.333	pCi/L	U			0.419	0.711	1.55
HSB101D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.706	pCi/L	U			0.752	1.13	2.63
HSB101D	4/14/2015	NITRATE-NITRITE AS NITROGEN	10.6	mg/L					0.85	2.5
HSB101D	4/14/2015	MERCURY	1.41	ug/L					0.02	0.2
HSB101D	4/14/2015	GROSS ALPHA	1.84	pCi/L	U			1.98	2.42	6.39
HSB101D	4/14/2015	NONVOLATILE BETA	79.5	pCi/L				9	3.8	21.8
HSB101D	4/14/2015	TRITIUM	72.2	pCi/mL				1.62	0.438	3.68
HSB101D	7/27/2015	NITRATE-NITRITE AS NITROGEN	11.7	mg/L					0.85	2.5
HSB101D	7/27/2015	ALUMINUM	86.6	ug/L	J	J	21		40	400
HSB101D	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB101D	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
HSB101D	7/27/2015	BARIUM	6.72	ug/L	J	J	21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
HSB101D	7/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HSB101D	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB101D	7/27/2015	COBALT	1.28	ug/L	J	J	21		0.5	5
HSB101D	7/27/2015	COPPER	0.554	ug/L	J	J	21		0.5	5
HSB101D	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
HSB101D	7/27/2015	NICKEL	0.592	ug/L	J	J	21		0.5	5
HSB101D	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
HSB101D	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
HSB101D	7/27/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB101D	7/27/2015	TIN	10	ug/L	U	U			1	10
HSB101D	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
HSB101D	7/27/2015	ZINC	40	ug/L	U	U	V		4	40
HSB101D	7/27/2015	MERCURY	1.38	ug/L					0.02	0.2
HSB101D	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB101D	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB101D	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB101D	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB101D	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB101D	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB101D	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB101D	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB101D	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB101D	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB101D	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
HSB101D	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB101D	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB101D	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB101D	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB101D	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB101D	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB101D	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB101D	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB101D	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB101D	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB101D	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,3,5-TRINITROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,3-DINITROBENZENE	9.8	ug/L	U	U			2.94	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,4-DIOXANE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1,4-NAPHTHOQUINONE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	1-NAPHTHYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,4-DINITROPHENOL	19.6	ug/L	U	UJ	14		4.9	19.6
HSB101D	7/27/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2-ACETYLAMINOFLUORENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2-CHLORONAPHTHALENE	0.98	ug/L	U	U			0.402	0.98
HSB101D	7/27/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2-METHYLNAPHTHALENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	2-NAPHTHYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2-NITROANILINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	2-PICOLINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	3,3-DICHLOROBENZIDINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	3,3'-DIMETHYLBENZIDINE	9.8	ug/L	U	U			3.24	9.8
HSB101D	7/27/2015	3-METHYLCHOLANTHRENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	4-AMINOBIPHENYL	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	4-BROMOPHENYL PHENYL	9.8	ug/L	U	U			2.94	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		ETHER								
HSB101D	7/27/2015	4-CHLOROANILINE	9.8	ug/L	U	U			3.24	9.8
HSB101D	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	4-NITROQUINOLINE-1-OXIDE	9.8	ug/L	U	U			3.73	9.8
HSB101D	7/27/2015	5-NITRO-O-TOLUIDINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	9.8	ug/L	U	U			5.29	9.8
HSB101D	7/27/2015	ACENAPHTHENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	ACENAPHTHYLENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	ACETOPHENONE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	ANILINE	9.8	ug/L	U	U			4.12	9.8
HSB101D	7/27/2015	ANTHRACENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	ARAMITE	9.8	ug/L	U	U			3.63	9.8
HSB101D	7/27/2015	BENZO(G,H,I)PERYLENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	BENZO[A]ANTHRACENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	BENZO[A]PYRENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	BENZO[B]FLUORANTHENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	BENZO[K]FLUORANTHENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	BENZYL ALCOHOL	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE	9.8	ug/L	U	U			2.94	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
HSB101D	7/27/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	CHLOROBENZILATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	CHRYSENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	DIALLATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DIBENZ[AH]ANTHRACENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	DIBENZOFURAN	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DIMETHOATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	DISULFOTON	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	ETHYL METHACRYLATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	ETHYL METHANESULFONATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	FAMPHUR	9.8	ug/L	U	U			4.9	9.8
HSB101D	7/27/2015	FLUORANTHENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	FLUORENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	HEXACHLOROPHENE	490	ug/L	U	U			164	490
HSB101D	7/27/2015	HEXACHLOROPROPENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	INDENO[1,2,3-CD]PYRENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	ISODRIN	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	ISOPHORONE	9.8	ug/L	U	U			3.43	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	ISOSAFROLE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	KEPONE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	M/P-CRESOL	9.8	ug/L	U	UJ	14		3.63	9.8
HSB101D	7/27/2015	METHAPYRILENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	METHYL METHANESULFONATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	METHYL PARATHION	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	M-NITROANILINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	NAPHTHALENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	NITROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSOMORPHOLINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	PARATHION	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U	U			2.94	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	PENTACHLOROBENZENE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	PENTACHLOROETHANE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	PENTACHLORONITROBENZENE	9.8	ug/L	U	U			3.33	9.8
HSB101D	7/27/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	PHENACETIN	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	PHENANTHRENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	PHENOL	9.8	ug/L	U	UJ	14		2.94	9.8
HSB101D	7/27/2015	PHORATE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	P-NITROANILINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	P-PHENYLENEDIAMINE	490	ug/L	U	U			98	490
HSB101D	7/27/2015	PRONAMIDE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	PYRENE	0.98	ug/L	U	U			0.294	0.98
HSB101D	7/27/2015	PYRIDINE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	SAFROLE	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	SULFOTEPP	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	THIONAZIN	9.8	ug/L	U	U			2.94	9.8
HSB101D	7/27/2015	2,3,7,8-TCDD	0.00975	ng/L	U	U			0.00326	0.00975
HSB101D	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0487	ng/L	U	U			0.0162	0.0487
HSB101D	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0487	ng/L	U	U			0.0162	0.0487
HSB101D	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0487	ng/L	U	U			0.0162	0.0487
HSB101D	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0487	ng/L	U	U			0.0162	0.0487
HSB101D	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00975	ng/L	U	U			0.00326	0.00975
HSB101D	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.00975	ng/L	U	U			0.00326	0.00975
HSB101D	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	7/27/2015	AMERICIUM-241	0.0865	pCi/L	U	U		0.094	0.116	0.304
HSB101D	7/27/2015	CURIUM-242	0.0975	pCi/L	J	J	21	0.099	0.0616	0.259
HSB101D	7/27/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0616	0.0616
HSB101D	7/27/2015	CURIUM-245/246	0.253	pCi/L	U	U	21, V	0.161	0.118	0.44
HSB101D	7/27/2015	PLUTONIUM-238	0.0122	pCi/L	U	U		0.034	0.0818	0.149
HSB101D	7/27/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.044	0.044
HSB101D	7/27/2015	THORIUM-228	0.0352	pCi/L	U	U		0.069	0.138	0.275
HSB101D	7/27/2015	THORIUM-230	0.116	pCi/L	U	U	21, V	0.105	0.0626	0.272
HSB101D	7/27/2015	THORIUM-232	0.0173	pCi/L	U	U		0.048	0.116	0.211
HSB101D	7/27/2015	URANIUM-233/234	0.126	pCi/L	U	U	21, V	0.104	0.0568	0.265
HSB101D	7/27/2015	URANIUM-235	0.0258	pCi/L	U	U	V	0.052	0.07	0.174
HSB101D	7/27/2015	URANIUM-238	0.0627	pCi/L	U	U	21, V	0.073	0.0566	0.202
HSB101D	7/27/2015	GROSS ALPHA	6.32	pCi/L	J	J	21	3.39	2.47	9.25
HSB101D	7/27/2015	NONVOLATILE BETA	135	pCi/L				11.6	3.93	27.2
HSB101D	7/27/2015	STRONTIUM-90	54.7	pCi/L				8.3	2.98	19.6
HSB101D	7/27/2015	NICKEL-63	2.52	pCi/L	U	U		3.11	5.35	11.6
HSB101D	7/27/2015	TECHNETIUM-99	26.2	pCi/L				3.23	4.25	10.7
HSB101D	7/27/2015	TRITIUM	22.3	pCi/mL				0.946	0.479	2.37
HSB101D	7/27/2015	CESIUM-134	1.46	pCi/L	U	U		5.3	8.53	19.1
HSB101D	7/27/2015	CESIUM-137	-2.24	pCi/L	U	U		5.1	8.76	19
HSB101D	7/27/2015	COBALT-60	0.102	pCi/L	U	U		4.38	8.33	17.1
HSB101D	7/27/2015	IODINE-129	1.68	pCi/L	J	J	21	1.58	1.01	4.18
HSB101D	7/27/2015	RADIUM-226	0.595	pCi/L	J	J	21	0.339	0.38	1.06
HSB101D	7/27/2015	RADIUM-228	0.192	pCi/L	U	U		0.222	0.372	0.816
HSB101D	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.153	pCi/L	U	U		0.326	0.928	1.58
HSB101D	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB101D	11/4/2015	NITRATE-NITRITE AS NITROGEN	11.4	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB101D	11/4/2015	MERCURY	1.31	ug/L					0.02	0.2
HSB101D	11/4/2015	GROSS ALPHA	3.67	pCi/L	J		21	1.88	1.5	5.26
HSB101D	11/4/2015	NONVOLATILE BETA	88.7	pCi/L				6.71	2.72	16.1
HSB101D	11/4/2015	TRITIUM	75.6	pCi/mL				1.53	0.538	3.59
HSB102C	1/27/2015	NITRATE-NITRITE AS NITROGEN	17.6	mg/L					0.425	1.25
HSB102C	1/27/2015	ALUMINUM	142	ug/L	J				40	400
HSB102C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB102C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB102C	1/27/2015	BARIUM	48.6	ug/L					2	20
HSB102C	1/27/2015	BERYLLIUM	0.538	ug/L	J				0.1	1
HSB102C	1/27/2015	CADMIUM	0.465	ug/L	J				0.1	1
HSB102C	1/27/2015	CHROMIUM	100	ug/L	U				10	100
HSB102C	1/27/2015	COBALT	5.4	ug/L					0.5	5
HSB102C	1/27/2015	COPPER	1.16	ug/L	J				0.5	5
HSB102C	1/27/2015	LEAD	0.756	ug/L	J				0.5	5
HSB102C	1/27/2015	NICKEL	4.62	ug/L	J				0.5	5
HSB102C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB102C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB102C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB102C	1/27/2015	TIN	10	ug/L	U				1	10
HSB102C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB102C	1/27/2015	ZINC	20.5	ug/L	J				4	40
HSB102C	1/27/2015	MERCURY	1.83	ug/L					0.02	0.2
HSB102C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB102C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB102C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB102C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	1/27/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J		21		0.3	1
HSB102C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB102C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB102C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB102C	1/27/2015	AMERICIUM-241	0.0223	pCi/L	U			0.045	0.0605	0.15
HSB102C	1/27/2015	CURIUM-242	-0.00584	pCi/L	U			0.012	0.111	0.134
HSB102C	1/27/2015	CURIUM-243/244	0.022	pCi/L	U			0.044	0.0596	0.148
HSB102C	1/27/2015	CURIUM-245/246	0.136	pCi/L	U			0.113	0.0616	0.289
HSB102C	1/27/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0628	0.0628
HSB102C	1/27/2015	PLUTONIUM-239/240	-0.0174	pCi/L	U			0.02	0.156	0.197
HSB102C	1/27/2015	THORIUM-228	0.0454	pCi/L	U			0.065	0.0605	0.19
HSB102C	1/27/2015	THORIUM-230	0.112	pCi/L	U			0.102	0.0606	0.264
HSB102C	1/27/2015	THORIUM-232	0.0223	pCi/L	U			0.045	0.0604	0.15
HSB102C	1/27/2015	URANIUM-233/234	0.0509	pCi/L	J		21	0.081	0.152	0.315
HSB102C	1/27/2015	URANIUM-235	0.0209	pCi/L	U			0.058	0.14	0.256
HSB102C	1/27/2015	URANIUM-238	0.0226	pCi/L	U			0.045	0.0612	0.152
HSB102C	1/27/2015	GROSS ALPHA	2.6	pCi/L	J		21	2.26	2.39	6.91
HSB102C	1/27/2015	NONVOLATILE BETA	5.76	pCi/L	J		21	3.1	3.83	10
HSB102C	1/27/2015	STRONTIUM-90	-0.0391	pCi/L	U			1.8	3.11	6.71
HSB102C	1/27/2015	CARBON-14	-3.9	pCi/L	U			5.87	9.99	21.7
HSB102C	1/27/2015	NICKEL-63	-0.464	pCi/L	U			2.84	4.86	10.5
HSB102C	1/27/2015	TECHNETIUM-99	9.49	pCi/L	J		21	2.77	4.21	9.75
HSB102C	1/27/2015	TRITIUM	160	pCi/mL				2.42	0.455	5.29
HSB102C	1/27/2015	CESIUM-137	1.5	pCi/L	U			5.02	9.46	19.5
HSB102C	1/27/2015	COBALT-60	-1.67	pCi/L	U			5.36	9.55	20.3
HSB102C	1/27/2015	IODINE-129	0.551	pCi/L	U			0.593	1.06	2.25
HSB102C	1/27/2015	RADIUM-226	2.06	pCi/L				0.571	0.529	1.67

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	1/27/2015	RADIUM-228	0.753	pCi/L	J		21	0.348	0.484	1.18
HSB102C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.4	pCi/L	J		21	1.03	1.38	3.44
HSB102C	4/14/2015	NITRATE-NITRITE AS NITROGEN	15.9	mg/L					0.85	2.5
HSB102C	4/14/2015	MERCURY	1.03	ug/L					0.02	0.2
HSB102C	4/14/2015	GROSS ALPHA	0.571	pCi/L	U			1.27	2.27	4.8
HSB102C	4/14/2015	NONVOLATILE BETA	8.1	pCi/L	J		21	3.42	3.76	10.6
HSB102C	4/14/2015	TRITIUM	161	pCi/mL				2.41	0.437	5.26
HSB102C	7/27/2015	NITRATE-NITRITE AS NITROGEN	17	mg/L					0.85	2.5
HSB102C	7/27/2015	ALUMINUM	53.6	ug/L	J	J	21		40	400
HSB102C	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB102C	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
HSB102C	7/27/2015	BARIUM	40.9	ug/L					2	20
HSB102C	7/27/2015	BERYLLIUM	0.448	ug/L	J	J	21		0.1	1
HSB102C	7/27/2015	CADMIUM	0.333	ug/L	J	J	21		0.1	1
HSB102C	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB102C	7/27/2015	COBALT	3.88	ug/L	J	J	21		0.5	5
HSB102C	7/27/2015	COPPER	0.772	ug/L	J	J	21		0.5	5
HSB102C	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
HSB102C	7/27/2015	NICKEL	3.65	ug/L	J	J	21		0.5	5
HSB102C	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
HSB102C	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
HSB102C	7/27/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB102C	7/27/2015	TIN	10	ug/L	U	U			1	10
HSB102C	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
HSB102C	7/27/2015	ZINC	13.9	ug/L	U	U	21, V		4	40
HSB102C	7/27/2015	MERCURY	1.62	ug/L					0.02	0.2
HSB102C	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB102C	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB102C	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102C	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB102C	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB102C	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB102C	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB102C	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB102C	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB102C	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB102C	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
HSB102C	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB102C	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB102C	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB102C	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB102C	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB102C	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB102C	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB102C	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	TRICHLOROETHYLENE (TCE)	0.38	ug/L	J	J	21		0.3	1
HSB102C	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB102C	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB102C	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB102C	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,2,4-TRICHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,2-DICHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,3,5-TRINITROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,3-DICHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,3-DINITROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,4-DICHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,4-DIOXANE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1,4-NAPHTHOQUINONE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	1-NAPHTHYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,4,5-TRICHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,4,6-TRICHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,4-DICHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,4-DIMETHYLPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,4-DINITROPHENOL	21.5	ug/L	U	UJ	14		5.38	21.5
HSB102C	7/27/2015	2,4-DINITROTOLUENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2,6-DICHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2,6-DINITROTOLUENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2-ACETYLAMINOFLUORENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2-CHLORONAPHTHALENE	1.08	ug/L	U	U			0.441	1.08
HSB102C	7/27/2015	2-CHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2-METHYLNAPHTHALENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	2-NAPHTHYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2-NITROANILINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2-NITROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	2-PICOLINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	3,3-DICHLOROBENZIDINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	3,3'-DIMETHYLBENZIDINE	10.8	ug/L	U	U			3.55	10.8
HSB102C	7/27/2015	3-METHYLCHOLANTHRENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	4-AMINOBIPHENYL	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	4-BROMOPHENYL PHENYL ETHER	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	4-CHLOROANILINE	10.8	ug/L	U	U			3.55	10.8
HSB102C	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	4-NITROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	4-NITROQUINOLINE-1-OXIDE	10.8	ug/L	U	U			4.09	10.8
HSB102C	7/27/2015	5-NITRO-O-TOLUIDINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	10.8	ug/L	U	U			5.81	10.8
HSB102C	7/27/2015	ACENAPHTHENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	ACENAPHTHYLENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	ACETOPHENONE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	ANILINE	10.8	ug/L	U	U			4.52	10.8
HSB102C	7/27/2015	ANTHRACENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	ARAMITE	10.8	ug/L	U	U			3.98	10.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	BENZO(G,H,I)PERYLENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	BENZO[A]ANTHRACENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	BENZO[A]PYRENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	BENZO[B]FLUORANTHENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	BENZO[K]FLUORANTHENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	BENZYL ALCOHOL	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	BIS(2-CHLOROETHYL)ETHER	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	BUTYL BENZYL PHTHALATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	CHLOROBENZILATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	CHRYSENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	DIALLATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DIBENZ[AH]ANTHRACENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	DIBENZOFURAN	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DIETHYL PHTHALATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DIMETHOATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DIMETHYL PHTHALATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DI-N-BUTYL PHTHALATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	DINITRO-O-CRESOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	DISULFOTON	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	ETHYL METHACRYLATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	ETHYL METHANESULFONATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	FAMPHUR	10.8	ug/L	U	U			5.38	10.8
HSB102C	7/27/2015	FLUORANTHENE	1.08	ug/L	U	U			0.323	1.08

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	FLUORENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	HEXACHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	HEXACHLOROBUTADIENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	HEXACHLOROCYCLOPENTADIENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	HEXACHLOROETHANE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	HEXACHLOROPHENE	538	ug/L	U	U			180	538
HSB102C	7/27/2015	HEXACHLOROPROPENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	INDENO[1,2,3-CD]PYRENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	ISODRIN	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	ISOPHORONE	10.8	ug/L	U	U			3.76	10.8
HSB102C	7/27/2015	ISOSAFROLE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	KEPONE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	M/P-CRESOL	10.8	ug/L	U	UJ	14		3.98	10.8
HSB102C	7/27/2015	METHAPYRILENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	METHYL METHANESULFONATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	METHYL PARATHION	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	M-NITROANILINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	NAPHTHALENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	N-DIOCTYL PHTHALATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	NITROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSODIETHYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSODIMETHYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSODI-N-BUTYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSODIPROPYLAMINE	10.8	ug/L	U	U			3.23	10.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	N-NITROSOMORPHOLINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSOPIPERIDINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	N-NITROSOPYRROLIDINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	O-CRESOL (2-METHYLPHENOL)	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	PARATHION	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	P-CHLORO-M-CRESOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	PENTACHLOROBENZENE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	PENTACHLOROETHANE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	PENTACHLORONITROBENZENE	10.8	ug/L	U	U			3.66	10.8
HSB102C	7/27/2015	PENTACHLOROPHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	PHENACETIN	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	PHENANTHRENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	PHENOL	10.8	ug/L	U	UJ	14		3.23	10.8
HSB102C	7/27/2015	PHORATE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	P-NITROANILINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	P-PHENYLENEDIAMINE	538	ug/L	U	U			108	538
HSB102C	7/27/2015	PRONAMIDE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	PYRENE	1.08	ug/L	U	U			0.323	1.08
HSB102C	7/27/2015	PYRIDINE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	SAFROLE	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	SULFOTEPP	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	THIONAZIN	10.8	ug/L	U	U			3.23	10.8
HSB102C	7/27/2015	2,3,7,8-TCDD	0.0113	ng/L	U	U			0.00378	0.0113

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0566	ng/L	U	U			0.0189	0.0566
HSB102C	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0566	ng/L	U	U			0.0189	0.0566
HSB102C	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0566	ng/L	U	U			0.0189	0.0566
HSB102C	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0566	ng/L	U	U			0.0189	0.0566
HSB102C	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0113	ng/L	U	U			0.00378	0.0113
HSB102C	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.0113	ng/L	U	U			0.00378	0.0113
HSB102C	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB102C	7/27/2015	AMERICIUM-241	0	pCi/L	U	U		0	0.0616	0.0616
HSB102C	7/27/2015	CURIUM-242	0.024	pCi/L	U	U		0.048	0.0607	0.157
HSB102C	7/27/2015	CURIUM-243/244	-0.0112	pCi/L	U	U	V	0.016	0.134	0.166
HSB102C	7/27/2015	CURIUM-245/246	0.186	pCi/L	U	U	21, V	0.134	0.0629	0.33
HSB102C	7/27/2015	PLUTONIUM-238	0.0174	pCi/L	U	U		0.048	0.117	0.213
HSB102C	7/27/2015	PLUTONIUM-239/240	0.0174	pCi/L	U	U		0.048	0.117	0.213
HSB102C	7/27/2015	THORIUM-228	-0.0108	pCi/L	U	U		0.051	0.178	0.279
HSB102C	7/27/2015	THORIUM-230	0.0797	pCi/L	U	U	V	0.087	0.107	0.28
HSB102C	7/27/2015	THORIUM-232	0.0212	pCi/L	U	U		0.043	0.0575	0.143
HSB102C	7/27/2015	URANIUM-233/234	0.0697	pCi/L	U	U	V	0.076	0.0936	0.245
HSB102C	7/27/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.0622	0.0622
HSB102C	7/27/2015	URANIUM-238	0.186	pCi/L	U	U	21, V, 14	0.12	0.0503	0.29
HSB102C	7/27/2015	GROSS ALPHA	1.79	pCi/L	U	U		1.94	2.31	6.19
HSB102C	7/27/2015	NONVOLATILE BETA	6.5	pCi/L	J	J	21	3.25	3.82	10.3
HSB102C	7/27/2015	STRONTIUM-90	0.521	pCi/L	U	U		1.69	2.98	6.37
HSB102C	7/27/2015	NICKEL-63	1.16	pCi/L	U	U		3.02	5.17	11.2
HSB102C	7/27/2015	TECHNETIUM-99	9.63	pCi/L	J	J	21	2.81	4.27	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102C	7/27/2015	TRITIUM	163	pCi/mL				2.46	0.48	5.4
HSB102C	7/27/2015	CESIUM-134	0.844	pCi/L	U	U		5.95	9.35	21.3
HSB102C	7/27/2015	CESIUM-137	2.27	pCi/L	U	U		5.6	10.3	21.5
HSB102C	7/27/2015	COBALT-60	-0.832	pCi/L	U	U		4.55	8.37	17.5
HSB102C	7/27/2015	IODINE-129	1.06	pCi/L	U	U		0.93	1.13	2.99
HSB102C	7/27/2015	RADIUM-226	1.43	pCi/L	J	J	21	0.499	0.462	1.46
HSB102C	7/27/2015	RADIUM-228	0.61	pCi/L	U	U		0.457	0.731	1.65
HSB102C	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.13	pCi/L	U	U		0.85	1.2	2.9
HSB102C	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB102C	11/5/2015	NITRATE-NITRITE AS NITROGEN	17.3	mg/L					0.85	2.5
HSB102C	11/5/2015	MERCURY	1.7	ug/L					0.02	0.2
HSB102C	11/5/2015	GROSS ALPHA	2.62	pCi/L	J		21	1.59	1.41	4.59
HSB102C	11/5/2015	NONVOLATILE BETA	7.69	pCi/L	J		21	2.65	3.05	8.36
HSB102C	11/5/2015	TRITIUM	149	pCi/mL				2.11	0.535	4.76
HSB102D	2/4/2015	NITRATE-NITRITE AS NITROGEN	5.2	mg/L					0.085	0.25
HSB102D	2/4/2015	ALUMINUM	836	ug/L					40	400
HSB102D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSB102D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB102D	2/4/2015	BARIUM	6.41	ug/L	J				2	20
HSB102D	2/4/2015	BERYLLIUM	0.135	ug/L	J				0.1	1
HSB102D	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSB102D	2/4/2015	CHROMIUM	10.1	ug/L	J				10	100
HSB102D	2/4/2015	COBALT	1.26	ug/L	J				0.5	5
HSB102D	2/4/2015	COPPER	1.94	ug/L	J				0.5	5
HSB102D	2/4/2015	LEAD	0.96	ug/L	J				0.5	5
HSB102D	2/4/2015	NICKEL	1.83	ug/L	J				0.5	5
HSB102D	2/4/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB102D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB102D	2/4/2015	TIN	10	ug/L	U				1	10
HSB102D	2/4/2015	VANADIUM	50	ug/L	U				5	50
HSB102D	2/4/2015	ZINC	8.37	ug/L	J				4	40
HSB102D	2/4/2015	MERCURY	2.96	ug/L					0.02	0.2
HSB102D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB102D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB102D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB102D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB102D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB102D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB102D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB102D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB102D	2/4/2015	AMERICIUM-241	0.0523	pCi/L	U			0.074	0.0708	0.22
HSB102D	2/4/2015	CURIUM-242	0.0289	pCi/L	U			0.058	0.0698	0.186
HSB102D	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0698	0.0698
HSB102D	2/4/2015	CURIUM-245/246	0.0799	pCi/L	U			0.093	0.0722	0.259
HSB102D	2/4/2015	PLUTONIUM-238	-0.00596	pCi/L	U			0.012	0.12	0.144
HSB102D	2/4/2015	PLUTONIUM-239/240	0.0238	pCi/L	U			0.048	0.0646	0.16
HSB102D	2/4/2015	THORIUM-228	0.0376	pCi/L	U			0.073	0.146	0.292
HSB102D	2/4/2015	THORIUM-230	0.0973	pCi/L	U			0.099	0.0659	0.263
HSB102D	2/4/2015	THORIUM-232	0.0182	pCi/L	U			0.05	0.122	0.223
HSB102D	2/4/2015	URANIUM-233/234	10.5	pCi/L				1.98	0.127	4.09
HSB102D	2/4/2015	URANIUM-235	0.529	pCi/L	J		21	0.273	0.0844	0.63
HSB102D	2/4/2015	URANIUM-238	10.2	pCi/L				1.89	0.0683	3.85

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	2/4/2015	GROSS ALPHA	18	pCi/L				5.42	2.79	13.6
HSB102D	2/4/2015	NONVOLATILE BETA	235	pCi/L				16.5	6.16	39.3
HSB102D	2/4/2015	STRONTIUM-90	106	pCi/L				13.3	3.22	29.8
HSB102D	2/4/2015	CARBON-14	78.7	pCi/L	J			5.73	6.92	18.4
HSB102D	2/4/2015	NICKEL-63	15.2	pCi/L				3.48	5.56	12.5
HSB102D	2/4/2015	TECHNETIUM-99	7.68	pCi/L	J		21	2.65	4.08	9.39
HSB102D	2/4/2015	TRITIUM	2.18	pCi/mL				0.429	0.559	1.42
HSB102D	2/4/2015	CESIUM-137	-3.47	pCi/L	U			5.32	8.79	19.4
HSB102D	2/4/2015	COBALT-60	0.218	pCi/L	U			5.36	10.1	20.8
HSB102D	2/4/2015	IODINE-129	1.58	pCi/L	J		21	0.969	0.98	2.92
HSB102D	2/4/2015	RADIUM-226	1.04	pCi/L	J		21	0.433	0.51	1.38
HSB102D	2/4/2015	RADIUM-228	1.32	pCi/L	J		21	0.459	0.642	1.56
HSB102D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	U			1.29	1.98	4.56
HSB102D	4/14/2015	NITRATE-NITRITE AS NITROGEN	5.7	mg/L					0.425	1.25
HSB102D	4/14/2015	MERCURY	2.7	ug/L					0.02	0.2
HSB102D	4/14/2015	GROSS ALPHA	22	pCi/L				5.85	2.19	13.9
HSB102D	4/14/2015	NONVOLATILE BETA	235	pCi/L				16.1	4.46	36.8
HSB102D	4/14/2015	TRITIUM	216	pCi/mL				2.78	0.422	5.99
HSB102D	7/28/2015	NITRATE-NITRITE AS NITROGEN	4.63	mg/L					0.17	0.5
HSB102D	7/28/2015	ALUMINUM	870	ug/L					40	400
HSB102D	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB102D	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
HSB102D	7/28/2015	BARIUM	6.16	ug/L	J	J	21		2	20
HSB102D	7/28/2015	BERYLLIUM	0.16	ug/L	J	J	21		0.1	1
HSB102D	7/28/2015	CADMIUM	0.124	ug/L	J	J	21		0.1	1
HSB102D	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB102D	7/28/2015	COBALT	1.52	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	COPPER	2.11	ug/L	J	J	21		0.5	5
HSB102D	7/28/2015	LEAD	1.06	ug/L	J	J	21		0.5	5
HSB102D	7/28/2015	NICKEL	1.97	ug/L	J	J	21		0.5	5
HSB102D	7/28/2015	SELENIUM	20	ug/L	U	U			2	20
HSB102D	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
HSB102D	7/28/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB102D	7/28/2015	TIN	10	ug/L	U	U			1	10
HSB102D	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
HSB102D	7/28/2015	ZINC	13.4	ug/L	J	J	21		4	40
HSB102D	7/28/2015	MERCURY	4.3	ug/L					0.02	0.2
HSB102D	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB102D	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB102D	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB102D	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB102D	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB102D	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB102D	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB102D	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB102D	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB102D	7/28/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB102D	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
HSB102D	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB102D	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB102D	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB102D	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB102D	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB102D	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB102D	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB102D	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB102D	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB102D	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB102D	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
HSB102D	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
HSB102D	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
HSB102D	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
HSB102D	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB102D	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
HSB102D	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB102D	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
HSB102D	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
HSB102D	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
HSB102D	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
HSB102D	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB102D	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
HSB102D	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
HSB102D	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
HSB102D	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DIALLATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
HSB102D	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
HSB102D	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10
HSB102D	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
HSB102D	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
HSB102D	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
HSB102D	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	KEPONE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
HSB102D	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
HSB102D	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	PARATHION	10	ug/L	U	U			3	10
HSB102D	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
HSB102D	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
HSB102D	7/28/2015	PHORATE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	P-NITROANILINE	14	ug/L					3	10
HSB102D	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
HSB102D	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
HSB102D	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
HSB102D	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
HSB102D	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10
HSB102D	7/28/2015	2,3,7,8-TCDD	0.0103	ng/L	U	U			0.00343	0.0103
HSB102D	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0514	ng/L	U	U			0.0171	0.0514
HSB102D	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0514	ng/L	U	U			0.0171	0.0514
HSB102D	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0514	ng/L	U	U			0.0171	0.0514
HSB102D	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0514	ng/L	U	U			0.0171	0.0514
HSB102D	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0103	ng/L	U	U			0.00343	0.0103
HSB102D	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.0103	ng/L	U	U			0.00343	0.0103
HSB102D	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB102D	7/28/2015	AMERICIUM-241	0.0332	pCi/L	U	U	V	0.065	0.133	0.262
HSB102D	7/28/2015	CURIUM-242	0.263	pCi/L	J	J	21, V	0.163	0.0591	0.385
HSB102D	7/28/2015	CURIUM-243/244	0.0164	pCi/L	U	U		0.045	0.11	0.2
HSB102D	7/28/2015	CURIUM-245/246	0.158	pCi/L	U	U	21, V	0.122	0.0612	0.304
HSB102D	7/28/2015	PLUTONIUM-238	0.0165	pCi/L	U	U	V	0.045	0.111	0.201

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB102D	7/28/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0595	0.0595
HSB102D	7/28/2015	THORIUM-228	0.0222	pCi/L	U	U		0.045	0.0592	0.148
HSB102D	7/28/2015	THORIUM-230	0.301	pCi/L	J	J	21, V	0.17	0.11	0.451
HSB102D	7/28/2015	THORIUM-232	0	pCi/L	U	U	V	0	0.0592	0.0592
HSB102D	7/28/2015	URANIUM-233/234	10.2	pCi/L				1.74	0.131	3.61
HSB102D	7/28/2015	URANIUM-235	0.539	pCi/L	J	J	21, V	0.255	0.073	0.584
HSB102D	7/28/2015	URANIUM-238	9.88	pCi/L				1.65	0.0591	3.36
HSB102D	7/28/2015	GROSS ALPHA	30.2	pCi/L				4.99	1.59	11.6
HSB102D	7/28/2015	NONVOLATILE BETA	372	pCi/L				16	2.98	35.1
HSB102D	7/28/2015	STRONTIUM-90	171	pCi/L				20.4	3.26	44.1
HSB102D	7/28/2015	NICKEL-63	17.4	pCi/L				3.32	5.14	11.8
HSB102D	7/28/2015	TECHNETIUM-99	7.33	pCi/L	J	J	21	2.69	4.18	9.57
HSB102D	7/28/2015	TRITIUM	216	pCi/mL				2.82	0.48	6.13
HSB102D	7/28/2015	CESIUM-134	2.82	pCi/L	U	U		5.31	8.76	19.4
HSB102D	7/28/2015	CESIUM-137	-1.85	pCi/L	U	U		4.9	8.5	18.3
HSB102D	7/28/2015	COBALT-60	-1.81	pCi/L	U	U		4.34	7.75	16.4
HSB102D	7/28/2015	IODINE-129	3.47	pCi/L				1.11	1.04	3.27
HSB102D	7/28/2015	RADIUM-226	1.17	pCi/L	J	J	21, S	0.386	0.401	1.17
HSB102D	7/28/2015	RADIUM-228	2.23	pCi/L				0.498	0.576	1.57
HSB102D	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.932	pCi/L	U	U		0.845	1.29	2.98
HSB102D	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB102D	11/6/2015	NITRATE-NITRITE AS NITROGEN	13.3	mg/L					0.85	2.5
HSB102D	11/6/2015	MERCURY	14.2	ug/L					0.02	0.2
HSB102D	11/6/2015	GROSS ALPHA	78.7	pCi/L				11.4	4.02	26.8
HSB102D	11/6/2015	NONVOLATILE BETA	1080	pCi/L				35.3	10.1	80.7
HSB102D	11/6/2015	TRITIUM	665	pCi/mL				4.43	0.538	9.41
HSB102D	12/16/2015	P-NITROANILINE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	1/27/2015	NITRATE-NITRITE AS NITROGEN	19.1	mg/L					0.85	2.5
HSB103C	1/27/2015	ALUMINUM	269	ug/L	J				40	400
HSB103C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB103C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB103C	1/27/2015	BARIUM	70.2	ug/L					2	20
HSB103C	1/27/2015	BERYLLIUM	0.401	ug/L	J				0.1	1
HSB103C	1/27/2015	CADMIUM	0.65	ug/L	J				0.1	1
HSB103C	1/27/2015	CHROMIUM	13.3	ug/L	J				10	100
HSB103C	1/27/2015	COBALT	15.2	ug/L					0.5	5
HSB103C	1/27/2015	COPPER	0.854	ug/L	J				0.5	5
HSB103C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB103C	1/27/2015	NICKEL	5.02	ug/L					0.5	5
HSB103C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB103C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB103C	1/27/2015	THALLIUM	0.105	ug/L	J				0.1	1
HSB103C	1/27/2015	TIN	10	ug/L	U				1	10
HSB103C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB103C	1/27/2015	ZINC	17.6	ug/L	J				4	40
HSB103C	1/27/2015	MERCURY	0.734	ug/L					0.02	0.2
HSB103C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB103C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB103C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB103C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1.43	ug/L					0.3	1
HSB103C	1/27/2015	TRICHLOROETHYLENE (TCE)	3.46	ug/L					0.3	1
HSB103C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB103C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB103C	1/27/2015	AMERICIUM-241	0.0665	pCi/L	U			0.078	0.0601	0.215
HSB103C	1/27/2015	CURIUM-242	0.0464	pCi/L	U			0.066	0.0592	0.191
HSB103C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0592	0.0592
HSB103C	1/27/2015	CURIUM-245/246	0.107	pCi/L	U			0.103	0.114	0.32
HSB103C	1/27/2015	PLUTONIUM-238	0.0876	pCi/L	J		21	0.102	0.0791	0.284
HSB103C	1/27/2015	PLUTONIUM-239/240	-0.0073	pCi/L	U			0.015	0.147	0.176
HSB103C	1/27/2015	THORIUM-228	0.0206	pCi/L	U			0.062	0.149	0.272
HSB103C	1/27/2015	THORIUM-230	0.116	pCi/L	U			0.101	0.102	0.305
HSB103C	1/27/2015	THORIUM-232	0.0151	pCi/L	U			0.042	0.102	0.185
HSB103C	1/27/2015	URANIUM-233/234	0.0854	pCi/L	J		21	0.093	0.115	0.3
HSB103C	1/27/2015	URANIUM-235	0.0211	pCi/L	U			0.058	0.142	0.258
HSB103C	1/27/2015	URANIUM-238	0.0455	pCi/L	U			0.065	0.0616	0.191
HSB103C	1/27/2015	GROSS ALPHA	6.78	pCi/L	J		21	3.48	2.4	9.36
HSB103C	1/27/2015	NONVOLATILE BETA	14.9	pCi/L				4.32	3.93	12.6
HSB103C	1/27/2015	STRONTIUM-90	1.62	pCi/L	U			2.12	3.11	7.35
HSB103C	1/27/2015	CARBON-14	324	pCi/L				9.21	7.27	25.7
HSB103C	1/27/2015	NICKEL-63	-1.06	pCi/L	U			2.75	4.62	10.1
HSB103C	1/27/2015	TECHNETIUM-99	16	pCi/L				2.98	4.26	10.2
HSB103C	1/27/2015	TRITIUM	170	pCi/mL				2.49	0.455	5.43
HSB103C	1/27/2015	CESIUM-137	0.788	pCi/L	U			5.07	9.26	19.4
HSB103C	1/27/2015	COBALT-60	-0.193	pCi/L	U			3.34	6.51	13.2
HSB103C	1/27/2015	IODINE-129	2.23	pCi/L	J		21	1.09	0.996	3.18
HSB103C	1/27/2015	RADIUM-226	2.72	pCi/L				0.701	0.62	2.02
HSB103C	1/27/2015	RADIUM-228	1.09	pCi/L	J		21	0.393	0.505	1.29
HSB103C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	2.57	pCi/L	J		21	1.26	1.49	4.01
HSB103C	4/14/2015	NITRATE-NITRITE AS NITROGEN	18.6	mg/L					1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	4/14/2015	MERCURY	0.82	ug/L					0.02	0.2
HSB103C	4/14/2015	GROSS ALPHA	2.25	pCi/L	U			2.1	2.26	6.46
HSB103C	4/14/2015	NONVOLATILE BETA	11.6	pCi/L				3.9	3.8	11.6
HSB103C	4/14/2015	TRITIUM	164	pCi/mL				2.43	0.437	5.29
HSB103C	7/28/2015	NITRATE-NITRITE AS NITROGEN	20.1	mg/L					0.85	2.5
HSB103C	7/28/2015	ALUMINUM	249	ug/L	J	J	21		40	400
HSB103C	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB103C	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
HSB103C	7/28/2015	BARIUM	67.1	ug/L					2	20
HSB103C	7/28/2015	BERYLLIUM	0.347	ug/L	J	J	21		0.1	1
HSB103C	7/28/2015	CADMIUM	0.583	ug/L	J	J	21		0.1	1
HSB103C	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB103C	7/28/2015	COBALT	14.4	ug/L					0.5	5
HSB103C	7/28/2015	COPPER	1.71	ug/L	J	J	21		0.5	5
HSB103C	7/28/2015	LEAD	5	ug/L	U	U			0.5	5
HSB103C	7/28/2015	NICKEL	5.27	ug/L					0.5	5
HSB103C	7/28/2015	SELENIUM	20	ug/L	U	U			2	20
HSB103C	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
HSB103C	7/28/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB103C	7/28/2015	TIN	10	ug/L	U	U			1	10
HSB103C	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
HSB103C	7/28/2015	ZINC	17.5	ug/L	J	J	21		4	40
HSB103C	7/28/2015	MERCURY	0.48	ug/L					0.02	0.2
HSB103C	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB103C	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB103C	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB103C	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB103C	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB103C	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB103C	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB103C	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB103C	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB103C	7/28/2015	2,4-DICHLOROPHENOXYACETIC	0.25	ug/L	U	U			0.0833	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		ACID (2,4-D)								
HSB103C	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
HSB103C	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB103C	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB103C	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB103C	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB103C	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB103C	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB103C	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB103C	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB103C	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	TETRACHLOROETHYLENE (PCE)	1.08	ug/L					0.3	1
HSB103C	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	TRICHLOROETHYLENE (TCE)	2.71	ug/L					0.3	1
HSB103C	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB103C	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB103C	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
HSB103C	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
HSB103C	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
HSB103C	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
HSB103C	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB103C	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
HSB103C	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB103C	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
HSB103C	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
HSB103C	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
HSB103C	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
HSB103C	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB103C	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
HSB103C	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
HSB103C	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
HSB103C	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	DIALLATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
HSB103C	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10
HSB103C	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
HSB103C	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
HSB103C	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
HSB103C	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	KEPONE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
HSB103C	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
HSB103C	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	PARATHION	10	ug/L	U	U			3	10
HSB103C	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
HSB103C	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10
HSB103C	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
HSB103C	7/28/2015	PHORATE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	P-NITROANILINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
HSB103C	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
HSB103C	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
HSB103C	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
HSB103C	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10
HSB103C	7/28/2015	2,3,7,8-TCDD	0.0099	ng/L	U	U			0.00331	0.0099
HSB103C	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0495	ng/L	U	U			0.0165	0.0495
HSB103C	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0495	ng/L	U	U			0.0165	0.0495

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0495	ng/L	U	U			0.0165	0.0495
HSB103C	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0495	ng/L	U	U			0.0165	0.0495
HSB103C	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0099	ng/L	U	U			0.00331	0.0099
HSB103C	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.0099	ng/L	U	U			0.00331	0.0099
HSB103C	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB103C	7/28/2015	AMERICIUM-241	0.118	pCi/L	U	U	V	0.113	0.125	0.351
HSB103C	7/28/2015	CURIUM-242	0.0201	pCi/L	U	U	V	0.055	0.123	0.234
HSB103C	7/28/2015	CURIUM-243/244	0.0368	pCi/L	U	U		0.072	0.147	0.29
HSB103C	7/28/2015	CURIUM-245/246	0.152	pCi/L	U	U	21, V	0.126	0.0686	0.321
HSB103C	7/28/2015	PLUTONIUM-238	0	pCi/L	U	U	V	0	0.07	0.07
HSB103C	7/28/2015	PLUTONIUM-239/240	0.0194	pCi/L	U	U		0.053	0.13	0.237
HSB103C	7/28/2015	THORIUM-228	0.0252	pCi/L	U	U		0.051	0.0673	0.169
HSB103C	7/28/2015	THORIUM-230	0.124	pCi/L	J	J	21, V	0.113	0.0674	0.293
HSB103C	7/28/2015	THORIUM-232	0.0248	pCi/L	U	U	V	0.05	0.0673	0.167
HSB103C	7/28/2015	URANIUM-233/234	0.149	pCi/L	J	J	21	0.115	0.0577	0.287
HSB103C	7/28/2015	URANIUM-235	0.0263	pCi/L	U	U	V	0.053	0.0712	0.177
HSB103C	7/28/2015	URANIUM-238	0.17	pCi/L	J	J	21	0.123	0.0576	0.303
HSB103C	7/28/2015	GROSS ALPHA	5.04	pCi/L	J	J	21	3.05	2.5	8.59
HSB103C	7/28/2015	NONVOLATILE BETA	12	pCi/L	J	J	21	4.26	4.76	13.3
HSB103C	7/28/2015	STRONTIUM-90	2.46	pCi/L	U	U		2.41	3.23	8.05
HSB103C	7/28/2015	NICKEL-63	0.297	pCi/L	U	U		2.9	5.11	10.9
HSB103C	7/28/2015	TECHNETIUM-99	11.2	pCi/L				2.8	4.18	9.79
HSB103C	7/28/2015	TRITIUM	163	pCi/mL				2.45	0.48	5.38
HSB103C	7/28/2015	CESIUM-134	-0.178	pCi/L	U	U		5.98	9.22	21.2
HSB103C	7/28/2015	CESIUM-137	1.71	pCi/L	U	U		5.55	10.2	21.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103C	7/28/2015	COBALT-60	4.48	pCi/L	U	U		5.12	10.4	20.6
HSB103C	7/28/2015	IODINE-129	1.86	pCi/L	J	J	21	1.02	1.05	3.1
HSB103C	7/28/2015	RADIUM-226	1.18	pCi/L				0.372	0.375	1.12
HSB103C	7/28/2015	RADIUM-228	1.19	pCi/L				0.354	0.382	1.09
HSB103C	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	2.07	pCi/L	J	J	21	0.84	0.8	2.48
HSB103C	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB103C	11/5/2015	NITRATE-NITRITE AS NITROGEN	19.4	mg/L					0.85	2.5
HSB103C	11/5/2015	MERCURY	0.288	ug/L					0.02	0.2
HSB103C	11/5/2015	GROSS ALPHA	7.22	pCi/L				2.53	1.42	6.48
HSB103C	11/5/2015	NONVOLATILE BETA	13.8	pCi/L				3.28	3.42	9.98
HSB103C	11/5/2015	TRITIUM	172	pCi/mL				2.28	0.539	5.09
HSB103D	1/27/2015	NITRATE-NITRITE AS NITROGEN	2.48	mg/L					0.085	0.25
HSB103D	1/27/2015	ALUMINUM	763	ug/L					40	400
HSB103D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB103D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB103D	1/27/2015	BARIUM	13.9	ug/L	J				2	20
HSB103D	1/27/2015	BERYLLIUM	0.112	ug/L	J				0.1	1
HSB103D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB103D	1/27/2015	CHROMIUM	10.4	ug/L	J				10	100
HSB103D	1/27/2015	COBALT	1.33	ug/L	J				0.5	5
HSB103D	1/27/2015	COPPER	0.846	ug/L	J				0.5	5
HSB103D	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB103D	1/27/2015	NICKEL	1	ug/L	J				0.5	5
HSB103D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB103D	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB103D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB103D	1/27/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB103D	1/27/2015	ZINC	40	ug/L	U				4	40
HSB103D	1/27/2015	MERCURY	0.574	ug/L					0.02	0.2
HSB103D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB103D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB103D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB103D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB103D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB103D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB103D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB103D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB103D	1/27/2015	AMERICIUM-241	0.0356	pCi/L	U			0.069	0.142	0.281
HSB103D	1/27/2015	CURIUM-242	0.0496	pCi/L	U			0.071	0.0633	0.204
HSB103D	1/27/2015	CURIUM-243/244	0.0234	pCi/L	U			0.047	0.0633	0.157
HSB103D	1/27/2015	CURIUM-245/246	0.145	pCi/L	U			0.121	0.0655	0.307
HSB103D	1/27/2015	PLUTONIUM-238	0.024	pCi/L	U			0.048	0.0649	0.161
HSB103D	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0649	0.0649
HSB103D	1/27/2015	THORIUM-228	0.113	pCi/L	U			0.128	0.221	0.478
HSB103D	1/27/2015	THORIUM-230	0.17	pCi/L	U			0.123	0.0575	0.304
HSB103D	1/27/2015	THORIUM-232	0.0848	pCi/L	U			0.086	0.0574	0.229
HSB103D	1/27/2015	URANIUM-233/234	0.139	pCi/L	J		21	0.116	0.128	0.36
HSB103D	1/27/2015	URANIUM-235	0	pCi/L	U			0	0.0712	0.0712
HSB103D	1/27/2015	URANIUM-238	0.106	pCi/L	U			0.097	0.0576	0.251
HSB103D	1/27/2015	GROSS ALPHA	6.36	pCi/L	J		21	3.29	2.37	8.96
HSB103D	1/27/2015	NONVOLATILE BETA	100	pCi/L				10.2	3.9	24.2
HSB103D	1/27/2015	STRONTIUM-90	54.7	pCi/L				8.5	3.11	20.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103D	1/27/2015	CARBON-14	-0.182	pCi/L	U			4.3	7.22	15.8
HSB103D	1/27/2015	NICKEL-63	-0.0732	pCi/L	U			2.96	5.11	11
HSB103D	1/27/2015	TECHNETIUM-99	5.59	pCi/L	J		21	2.68	4.24	9.61
HSB103D	1/27/2015	TRITIUM	20.4	pCi/mL				0.898	0.457	2.25
HSB103D	1/27/2015	CESIUM-137	-0.887	pCi/L	U			5.62	9.92	21.2
HSB103D	1/27/2015	COBALT-60	-0.751	pCi/L	U			5.68	10.4	21.7
HSB103D	1/27/2015	IODINE-129	0.0509	pCi/L	U			0.589	1.02	2.2
HSB103D	1/27/2015	RADIUM-226	1.43	pCi/L	J		21	0.485	0.512	1.48
HSB103D	1/27/2015	RADIUM-228	0.556	pCi/L	J		21	0.318	0.473	1.11
HSB103D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.94	pCi/L	J		21	1.08	1.23	3.39
HSB103D	4/14/2015	NITRATE-NITRITE AS NITROGEN	2.85	mg/L					0.425	1.25
HSB103D	4/14/2015	MERCURY	0.421	ug/L					0.02	0.2
HSB103D	4/14/2015	GROSS ALPHA	3.54	pCi/L	J		21	2.44	2.12	7
HSB103D	4/14/2015	NONVOLATILE BETA	46.4	pCi/L				7	4.06	18.1
HSB103D	4/14/2015	TRITIUM	28	pCi/mL				1.03	0.428	2.5
HSB103D	8/5/2015	NITRATE-NITRITE AS NITROGEN	5.68	mg/L					0.425	1.25
HSB103D	8/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB103D	8/5/2015	ARSENIC	50	ug/L	U				5	50
HSB103D	8/5/2015	BARIUM	25.8	ug/L					2	20
HSB103D	8/5/2015	BERYLLIUM	0.176	ug/L	J		21		0.1	1
HSB103D	8/5/2015	CADMIUM	0.161	ug/L	J		21		0.1	1
HSB103D	8/5/2015	CHROMIUM	11.1	ug/L	J		21		10	100
HSB103D	8/5/2015	COBALT	1.36	ug/L	J		21		0.5	5
HSB103D	8/5/2015	COPPER	1.72	ug/L	J		21		0.5	5
HSB103D	8/5/2015	LEAD	5	ug/L	U				0.5	5
HSB103D	8/5/2015	NICKEL	1.69	ug/L	J		21		0.5	5
HSB103D	8/5/2015	SELENIUM	20	ug/L	U		V		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103D	8/5/2015	SILVER	5	ug/L	U				0.5	5
HSB103D	8/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB103D	8/5/2015	TIN	10	ug/L	U				1	10
HSB103D	8/5/2015	VANADIUM	50	ug/L	U				5	50
HSB103D	8/5/2015	ZINC	5.98	ug/L	U		21, V		4	40
HSB103D	8/5/2015	MERCURY	0.648	ug/L					0.02	0.2
HSB103D	8/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB103D	8/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.84	ug/L	J		21		1	5
HSB103D	8/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB103D	8/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB103D	8/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB103D	8/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB103D	8/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB103D	8/5/2015	AMERICIUM-241	0.0232	pCi/L	U		V	0.047	0.0628	0.156
HSB103D	8/5/2015	CURIUM-242	0.0687	pCi/L	U			0.088	0.115	0.291
HSB103D	8/5/2015	CURIUM-243/244	0	pCi/L	U			0	0.0619	0.0619
HSB103D	8/5/2015	CURIUM-245/246	0.142	pCi/L	U		21, V	0.118	0.064	0.299
HSB103D	8/5/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0596	0.0596
HSB103D	8/5/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0596	0.0596
HSB103D	8/5/2015	THORIUM-228	-0.0892	pCi/L	U			0.048	0.273	0.369
HSB103D	8/5/2015	THORIUM-230	0.292	pCi/L	J		21, V	0.175	0.14	0.49
HSB103D	8/5/2015	THORIUM-232	-0.00582	pCi/L	U		V	0.012	0.117	0.141
HSB103D	8/5/2015	URANIUM-233/234	0.185	pCi/L	U		21, V	0.139	0.151	0.428
HSB103D	8/5/2015	URANIUM-235	0	pCi/L	U			0	0.0749	0.0749
HSB103D	8/5/2015	URANIUM-238	0.0727	pCi/L	U		V	0.092	0.151	0.335
HSB103D	8/5/2015	GROSS ALPHA	7.12	pCi/L	J		21	3.57	2.95	10.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB103D	8/5/2015	NONVOLATILE BETA	284	pCi/L				17.2	5.02	39.4
HSB103D	8/5/2015	STRONTIUM-90	141	pCi/L				17.5	3.33	38.3
HSB103D	8/5/2015	CARBON-14	121	pCi/L				6.59	7.21	20.4
HSB103D	8/5/2015	NICKEL-63	5.73	pCi/L	J		21	3	4.93	10.9
HSB103D	8/5/2015	TECHNETIUM-99	10.6	pCi/L				2.73	4.08	9.54
HSB103D	8/5/2015	TRITIUM	2.24	pCi/mL				0.382	0.442	1.21
HSB103D	8/5/2015	CESIUM-137	0.172	pCi/L	U			5.88	10.5	22.2
HSB103D	8/5/2015	COBALT-60	3.02	pCi/L	U			4.64	9.43	18.7
HSB103D	8/5/2015	IODINE-129	0.74	pCi/L	U			0.698	1.22	2.62
HSB103D	8/5/2015	RADIUM-226	5.22	pCi/L				0.708	0.341	1.76
HSB103D	8/5/2015	RADIUM-228	1.45	pCi/L				0.438	0.494	1.37
HSB103D	8/5/2015	RADIUM, TOTAL ALPHA-EMITTING	5.69	pCi/L				1.75	1.39	4.89
HSB103D	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.59	mg/L					0.017	0.05
HSB103D	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB103D	11/5/2015	GROSS ALPHA	1.27	pCi/L	U			1.12	1.3	3.54
HSB103D	11/5/2015	NONVOLATILE BETA	4.38	pCi/L	J		21	2.28	2.93	7.49
HSB103D	11/5/2015	TRITIUM	4.98	pCi/mL				0.493	0.533	1.52
HSB104C	1/27/2015	NITRATE-NITRITE AS NITROGEN	9.4	mg/L					0.425	1.25
HSB104C	1/27/2015	ALUMINUM	723	ug/L					40	400
HSB104C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB104C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB104C	1/27/2015	BARIUM	73.9	ug/L					2	20
HSB104C	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB104C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB104C	1/27/2015	CHROMIUM	12.3	ug/L	J				10	100
HSB104C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB104C	1/27/2015	COPPER	0.607	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104C	1/27/2015	LEAD	0.579	ug/L	J				0.5	5
HSB104C	1/27/2015	NICKEL	0.882	ug/L	J				0.5	5
HSB104C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB104C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB104C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB104C	1/27/2015	TIN	10	ug/L	U				1	10
HSB104C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB104C	1/27/2015	ZINC	40	ug/L	U				4	40
HSB104C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB104C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB104C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB104C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB104C	1/27/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L					0.3	1
HSB104C	1/27/2015	TRICHLOROETHYLENE (TCE)	0.96	ug/L	J		21		0.3	1
HSB104C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB104C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB104C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB104C	1/27/2015	AMERICIUM-241	0.058	pCi/L	U			0.074	0.106	0.255
HSB104C	1/27/2015	CURIUM-242	0.0662	pCi/L	U			0.077	0.0563	0.211
HSB104C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0563	0.0563
HSB104C	1/27/2015	CURIUM-245/246	0.0645	pCi/L	U			0.075	0.0583	0.209
HSB104C	1/27/2015	PLUTONIUM-238	-0.00617	pCi/L	U			0.012	0.124	0.149
HSB104C	1/27/2015	PLUTONIUM-239/240	0.0247	pCi/L	U			0.05	0.0669	0.166
HSB104C	1/27/2015	THORIUM-228	-0.0104	pCi/L	U			0.015	0.122	0.152
HSB104C	1/27/2015	THORIUM-230	0.0561	pCi/L	U			0.072	0.103	0.247
HSB104C	1/27/2015	THORIUM-232	0.0407	pCi/L	U			0.058	0.0552	0.171

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104C	1/27/2015	URANIUM-233/234	0.0161	pCi/L	U			0.044	0.108	0.197
HSB104C	1/27/2015	URANIUM-235	0.0199	pCi/L	U			0.055	0.133	0.243
HSB104C	1/27/2015	URANIUM-238	0.0857	pCi/L	U			0.087	0.0581	0.231
HSB104C	1/27/2015	GROSS ALPHA	1.27	pCi/L	U			1.67	2.42	5.77
HSB104C	1/27/2015	NONVOLATILE BETA	3.78	pCi/L	U			3.04	4.32	10.4
HSB104C	1/27/2015	STRONTIUM-90	2.79	pCi/L	U			2.31	3.11	7.73
HSB104C	1/27/2015	CARBON-14	17	pCi/L	J			4.46	6.81	15.7
HSB104C	1/27/2015	NICKEL-63	0.622	pCi/L	U			2.72	4.6	10
HSB104C	1/27/2015	TECHNETIUM-99	3.5	pCi/L	U			2.71	4.4	9.83
HSB104C	1/27/2015	TRITIUM	89.1	pCi/mL				1.81	0.44	4.06
HSB104C	1/27/2015	CESIUM-137	-2.22	pCi/L	U			4.68	8.06	17.4
HSB104C	1/27/2015	COBALT-60	0.466	pCi/L	U			3.99	7.79	15.8
HSB104C	1/27/2015	IODINE-129	0.707	pCi/L	U			0.629	0.979	2.24
HSB104C	1/27/2015	RADIUM-226	0.938	pCi/L	J		21	0.364	0.31	1.04
HSB104C	1/27/2015	RADIUM-228	0.692	pCi/L	U			0.447	0.702	1.6
HSB104C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.79	pCi/L	U			0.695	0.973	2.36
HSB104C	4/15/2015	NITRATE-NITRITE AS NITROGEN	10.1	mg/L					0.17	0.5
HSB104C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB104C	4/15/2015	GROSS ALPHA	2.49	pCi/L	J		21	2.12	2.18	6.41
HSB104C	4/15/2015	NONVOLATILE BETA	9.06	pCi/L	J		21	3.65	4.05	11.3
HSB104C	4/15/2015	TRITIUM	94.5	pCi/mL				1.85	0.446	4.14
HSB104C	8/5/2015	NITRATE-NITRITE AS NITROGEN	9.48	mg/L					0.425	1.25
HSB104C	8/5/2015	ALUMINUM	393	ug/L	J		21		40	400
HSB104C	8/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB104C	8/5/2015	ARSENIC	50	ug/L	U				5	50
HSB104C	8/5/2015	BARIUM	68	ug/L					2	20
HSB104C	8/5/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104C	8/5/2015	CADMIUM	1	ug/L	U				0.1	1
HSB104C	8/5/2015	CHROMIUM	100	ug/L	U				10	100
HSB104C	8/5/2015	COBALT	5	ug/L	U				0.5	5
HSB104C	8/5/2015	COPPER	0.701	ug/L	J		21		0.5	5
HSB104C	8/5/2015	LEAD	5	ug/L	U				0.5	5
HSB104C	8/5/2015	NICKEL	0.991	ug/L	J		21		0.5	5
HSB104C	8/5/2015	SELENIUM	20	ug/L	U		V		2	20
HSB104C	8/5/2015	SILVER	5	ug/L	U				0.5	5
HSB104C	8/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB104C	8/5/2015	TIN	10	ug/L	U				1	10
HSB104C	8/5/2015	VANADIUM	50	ug/L	U				5	50
HSB104C	8/5/2015	ZINC	6.9	ug/L	U		21, V		4	40
HSB104C	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB104C	8/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB104C	8/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.74	ug/L	J		21		1	5
HSB104C	8/5/2015	TETRACHLOROETHYLENE (PCE)	2.09	ug/L					0.3	1
HSB104C	8/5/2015	TRICHLOROETHYLENE (TCE)	1.03	ug/L					0.3	1
HSB104C	8/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB104C	8/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB104C	8/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB104C	8/5/2015	AMERICIUM-241	0.0479	pCi/L	U		V	0.068	0.0649	0.201
HSB104C	8/5/2015	CURIUM-242	0.0258	pCi/L	U			0.052	0.0639	0.167
HSB104C	8/5/2015	CURIUM-243/244	-0.00591	pCi/L	U			0.012	0.119	0.142
HSB104C	8/5/2015	CURIUM-245/246	0.244	pCi/L	U		21, V	0.158	0.0662	0.383
HSB104C	8/5/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0617	0.0617
HSB104C	8/5/2015	PLUTONIUM-239/240	0.0228	pCi/L	U		V	0.046	0.0617	0.153

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104C	8/5/2015	THORIUM-228	-0.0268	pCi/L	U			0.089	0.282	0.46
HSB104C	8/5/2015	THORIUM-230	0.223	pCi/L	U		21, V	0.163	0.158	0.483
HSB104C	8/5/2015	THORIUM-232	-0.00655	pCi/L	U		V	0.013	0.132	0.158
HSB104C	8/5/2015	URANIUM-233/234	0.0562	pCi/L	U		V	0.08	0.135	0.295
HSB104C	8/5/2015	URANIUM-235	0	pCi/L	U			0	0.0751	0.0751
HSB104C	8/5/2015	URANIUM-238	0.0449	pCi/L	U		V	0.064	0.0608	0.188
HSB104C	8/5/2015	GROSS ALPHA	0.522	pCi/L	U			1.25	2.25	4.76
HSB104C	8/5/2015	NONVOLATILE BETA	8.47	pCi/L	J		21	3.51	3.78	10.8
HSB104C	8/5/2015	STRONTIUM-90	0.77	pCi/L	U			2.25	3.29	7.78
HSB104C	8/5/2015	CARBON-14	34.4	pCi/L				5.17	7.39	17.7
HSB104C	8/5/2015	NICKEL-63	0.121	pCi/L	U			2.94	5.05	10.9
HSB104C	8/5/2015	TECHNETIUM-99	10.5	pCi/L				2.75	4.12	9.62
HSB104C	8/5/2015	TRITIUM	98.3	pCi/mL				1.87	0.489	4.23
HSB104C	8/5/2015	CESIUM-137	-1.11	pCi/L	U			6	10.5	22.5
HSB104C	8/5/2015	COBALT-60	0.772	pCi/L	U			4.58	8.84	18
HSB104C	8/5/2015	IODINE-129	0.641	pCi/L	U			0.672	1.1	2.45
HSB104C	8/5/2015	RADIUM-226	0.917	pCi/L	J		21	0.336	0.37	1.04
HSB104C	8/5/2015	RADIUM-228	1.04	pCi/L	J		21	0.55	0.832	1.93
HSB104C	8/5/2015	RADIUM, TOTAL ALPHA-EMITTING	0.261	pCi/L	U			0.836	1.52	3.19
HSB104C	11/4/2015	NITRATE-NITRITE AS NITROGEN	11.3	mg/L					0.85	2.5
HSB104C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB104C	11/4/2015	GROSS ALPHA	1.99	pCi/L	J		21	1.44	1.43	4.3
HSB104C	11/4/2015	NONVOLATILE BETA	6.29	pCi/L	J		21	2.41	2.68	7.51
HSB104C	11/4/2015	TRITIUM	96	pCi/mL				1.71	0.539	3.97
HSB104D	2/4/2015	NITRATE-NITRITE AS NITROGEN	1.62	mg/L					0.085	0.25
HSB104D	2/4/2015	ALUMINUM	230	ug/L	J				40	400
HSB104D	2/4/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB104D	2/4/2015	BARIUM	9.23	ug/L	J				2	20
HSB104D	2/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB104D	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSB104D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB104D	2/4/2015	COBALT	7.28	ug/L					0.5	5
HSB104D	2/4/2015	COPPER	0.659	ug/L	J				0.5	5
HSB104D	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSB104D	2/4/2015	NICKEL	1.15	ug/L	J				0.5	5
HSB104D	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB104D	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB104D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB104D	2/4/2015	TIN	10	ug/L	U				1	10
HSB104D	2/4/2015	VANADIUM	15.5	ug/L	J				5	50
HSB104D	2/4/2015	ZINC	5.19	ug/L	J				4	40
HSB104D	2/4/2015	MERCURY	0.776	ug/L					0.02	0.2
HSB104D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB104D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB104D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB104D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB104D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB104D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB104D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB104D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB104D	2/4/2015	AMERICIUM-241	0	pCi/L	U			0	0.0587	0.0587
HSB104D	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0579	0.0579

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104D	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0579	0.0579
HSB104D	2/4/2015	CURIUM-245/246	0.133	pCi/L	U			0.11	0.0599	0.28
HSB104D	2/4/2015	PLUTONIUM-238	-0.00535	pCi/L	U			0.011	0.108	0.129
HSB104D	2/4/2015	PLUTONIUM-239/240	0.016	pCi/L	U			0.044	0.108	0.196
HSB104D	2/4/2015	THORIUM-228	-0.00551	pCi/L	U			0.011	0.107	0.129
HSB104D	2/4/2015	THORIUM-230	0.032	pCi/L	U			0.063	0.128	0.253
HSB104D	2/4/2015	THORIUM-232	-0.00533	pCi/L	U			0.011	0.107	0.129
HSB104D	2/4/2015	URANIUM-233/234	0.0789	pCi/L	U			0.086	0.106	0.278
HSB104D	2/4/2015	URANIUM-235	0.0779	pCi/L	U			0.091	0.0704	0.252
HSB104D	2/4/2015	URANIUM-238	0.0735	pCi/L	U			0.086	0.126	0.298
HSB104D	2/4/2015	GROSS ALPHA	1.08	pCi/L	U			1.15	1.57	3.86
HSB104D	2/4/2015	NONVOLATILE BETA	91.6	pCi/L				6.99	2.9	16.9
HSB104D	2/4/2015	STRONTIUM-90	43.4	pCi/L				7.3	3.23	17.8
HSB104D	2/4/2015	CARBON-14	5.93	pCi/L	U			4.36	7.08	15.8
HSB104D	2/4/2015	NICKEL-63	3.42	pCi/L	U			3	4.91	10.9
HSB104D	2/4/2015	TECHNETIUM-99	3.69	pCi/L	U			2.54	4.08	9.15
HSB104D	2/4/2015	TRITIUM	15.3	pCi/mL				0.81	0.556	2.18
HSB104D	2/4/2015	CESIUM-137	0.822	pCi/L	U			4.96	9.1	19
HSB104D	2/4/2015	COBALT-60	-1.68	pCi/L	U			4.31	7.73	16.4
HSB104D	2/4/2015	IODINE-129	7.54	pCi/L				1.66	1.1	4.41
HSB104D	2/4/2015	RADIUM-226	0.306	pCi/L	U			0.306	0.495	1.11
HSB104D	2/4/2015	RADIUM-228	0.717	pCi/L	J		21	0.298	0.398	0.994
HSB104D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	-1.28	pCi/L	U			0.964	2.01	3.94
HSB104D	4/14/2015	NITRATE-NITRITE AS NITROGEN	2.18	mg/L					0.17	0.5
HSB104D	4/14/2015	MERCURY	0.954	ug/L					0.02	0.2
HSB104D	4/14/2015	GROSS ALPHA	0.481	pCi/L	U			1.19	2.23	4.61
HSB104D	4/14/2015	NONVOLATILE BETA	91.1	pCi/L				9.68	3.74	23.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104D	4/14/2015	TRITIUM	23.3	pCi/mL				0.948	0.44	2.34
HSB104D	8/6/2015	NITRATE-NITRITE AS NITROGEN	2.36	mg/L					0.085	0.25
HSB104D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB104D	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB104D	8/6/2015	BARIUM	12.5	ug/L	J		21		2	20
HSB104D	8/6/2015	BERYLLIUM	0.142	ug/L	J		21		0.1	1
HSB104D	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
HSB104D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB104D	8/6/2015	COBALT	1.35	ug/L	J		21		0.5	5
HSB104D	8/6/2015	COPPER	0.749	ug/L	J		21		0.5	5
HSB104D	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB104D	8/6/2015	NICKEL	0.948	ug/L	J		21		0.5	5
HSB104D	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB104D	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB104D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB104D	8/6/2015	TIN	10	ug/L	U				1	10
HSB104D	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB104D	8/6/2015	ZINC	9.74	ug/L	J		21		4	40
HSB104D	8/6/2015	MERCURY	1.68	ug/L					0.02	0.2
HSB104D	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB104D	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.51	ug/L	J		21		1	5
HSB104D	8/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB104D	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB104D	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB104D	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB104D	8/6/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104D	8/6/2015	AMERICIUM-241	-0.00545	pCi/L	U		V	0.011	0.11	0.132
HSB104D	8/6/2015	CURIUM-242	0	pCi/L	U			0	0.0582	0.0582
HSB104D	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0582	0.0582
HSB104D	8/6/2015	CURIUM-245/246	0.2	pCi/L	U		21, V	0.136	0.0602	0.333
HSB104D	8/6/2015	PLUTONIUM-238	-0.00511	pCi/L	U			0.01	0.103	0.123
HSB104D	8/6/2015	PLUTONIUM-239/240	0.0204	pCi/L	U		V	0.041	0.0554	0.137
HSB104D	8/6/2015	THORIUM-228	-0.0216	pCi/L	U		V	0.053	0.195	0.302
HSB104D	8/6/2015	THORIUM-230	0.337	pCi/L	U		21, V	0.176	0.0571	0.409
HSB104D	8/6/2015	THORIUM-232	-0.0105	pCi/L	U		V	0.015	0.126	0.156
HSB104D	8/6/2015	URANIUM-233/234	0.159	pCi/L	U		21, V	0.123	0.127	0.374
HSB104D	8/6/2015	URANIUM-235	0.0786	pCi/L	J		21	0.092	0.071	0.254
HSB104D	8/6/2015	URANIUM-238	0.0635	pCi/L	U		21, V	0.074	0.0574	0.205
HSB104D	8/6/2015	GROSS ALPHA	0.81	pCi/L	U			1.38	2.2	4.95
HSB104D	8/6/2015	NONVOLATILE BETA	179	pCi/L				13.6	3.96	31.2
HSB104D	8/6/2015	STRONTIUM-90	81.8	pCi/L				11.2	3.28	25.8
HSB104D	8/6/2015	CARBON-14	1.21	pCi/L	U			4.18	6.96	15.3
HSB104D	8/6/2015	NICKEL-63	4.87	pCi/L	J		21	2.96	4.8	10.7
HSB104D	8/6/2015	TECHNETIUM-99	4.1	pCi/L	U			2.67	4.29	9.62
HSB104D	8/6/2015	TRITIUM	27.7	pCi/mL				1.02	0.498	2.54
HSB104D	8/6/2015	CESIUM-137	0.721	pCi/L	U			4.63	8.52	17.8
HSB104D	8/6/2015	COBALT-60	1.31	pCi/L	U			5.19	9.91	20.3
HSB104D	8/6/2015	IODINE-129	0.977	pCi/L	UJ		V	0.743	1.03	2.52
HSB104D	8/6/2015	RADIUM-226	0.63	pCi/L	J		21	0.279	0.324	0.882
HSB104D	8/6/2015	RADIUM-228	0.457	pCi/L	J		21	0.298	0.443	1.04
HSB104D	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0761	pCi/L	U			0.847	1.66	3.35
HSB104D	11/4/2015	NITRATE-NITRITE AS NITROGEN	0.188	mg/L					0.017	0.05
HSB104D	11/4/2015	MERCURY	0.046	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB104D	11/4/2015	GROSS ALPHA	0.59	pCi/L	U			0.953	1.38	3.29
HSB104D	11/4/2015	NONVOLATILE BETA	6.11	pCi/L	J		21	2.38	2.65	7.42
HSB104D	11/4/2015	TRITIUM	5.72	pCi/mL				0.522	0.544	1.59
HSB105C	1/27/2015	NITRATE-NITRITE AS NITROGEN	4.9	mg/L					0.17	0.5
HSB105C	1/27/2015	ALUMINUM	400	ug/L	U				40	400
HSB105C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB105C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB105C	1/27/2015	BARIUM	8.35	ug/L	J				2	20
HSB105C	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB105C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB105C	1/27/2015	CHROMIUM	14.9	ug/L	J				10	100
HSB105C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB105C	1/27/2015	COPPER	2.08	ug/L	J				0.5	5
HSB105C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB105C	1/27/2015	NICKEL	0.911	ug/L	J				0.5	5
HSB105C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB105C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB105C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB105C	1/27/2015	TIN	10	ug/L	U				1	10
HSB105C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB105C	1/27/2015	ZINC	12.1	ug/L	J				4	40
HSB105C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB105C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB105C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB105C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB105C	1/27/2015	TETRACHLOROETHYLENE (PCE)	0.81	ug/L	J		21		0.3	1
HSB105C	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB105C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB105C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB105C	1/27/2015	AMERICIUM-241	0.0212	pCi/L	U			0.043	0.0574	0.142
HSB105C	1/27/2015	CURIUM-242	0.111	pCi/L	U			0.101	0.0565	0.258
HSB105C	1/27/2015	CURIUM-243/244	0.0209	pCi/L	U			0.042	0.0565	0.14
HSB105C	1/27/2015	CURIUM-245/246	0.151	pCi/L	U			0.117	0.0585	0.292
HSB105C	1/27/2015	PLUTONIUM-238	-0.0121	pCi/L	U			0.017	0.145	0.179
HSB105C	1/27/2015	PLUTONIUM-239/240	-0.0121	pCi/L	U			0.017	0.145	0.179
HSB105C	1/27/2015	THORIUM-228	-0.0289	pCi/L	U			0.058	0.22	0.336
HSB105C	1/27/2015	THORIUM-230	0.0684	pCi/L	U			0.08	0.0618	0.221
HSB105C	1/27/2015	THORIUM-232	-0.0114	pCi/L	U			0.016	0.136	0.169
HSB105C	1/27/2015	URANIUM-233/234	0.0766	pCi/L	J		21	0.089	0.0692	0.248
HSB105C	1/27/2015	URANIUM-235	0.063	pCi/L	U			0.09	0.0854	0.265
HSB105C	1/27/2015	URANIUM-238	0.0446	pCi/L	U			0.074	0.128	0.275
HSB105C	1/27/2015	GROSS ALPHA	0.874	pCi/L	U			1.44	2.28	5.15
HSB105C	1/27/2015	NONVOLATILE BETA	2.71	pCi/L	U			2.56	3.77	8.89
HSB105C	1/27/2015	STRONTIUM-90	-0.767	pCi/L	U			1.79	3.12	6.69
HSB105C	1/27/2015	CARBON-14	-1.54	pCi/L	U			4.26	7.2	15.7
HSB105C	1/27/2015	NICKEL-63	1.39	pCi/L	U			2.95	5.03	10.9
HSB105C	1/27/2015	TECHNETIUM-99	10.1	pCi/L				2.82	4.25	9.89
HSB105C	1/27/2015	TRITIUM	45.4	pCi/mL				1.31	0.457	3.07
HSB105C	1/27/2015	CESIUM-137	-2.4	pCi/L	U			5.79	9.87	21.4
HSB105C	1/27/2015	COBALT-60	1.92	pCi/L	U			5.16	10.3	20.6
HSB105C	1/27/2015	IODINE-129	0.297	pCi/L	U			1.11	0.967	3.19
HSB105C	1/27/2015	RADIUM-226	1.47	pCi/L	J		21	0.584	0.639	1.81
HSB105C	1/27/2015	RADIUM-228	0.38	pCi/L	U			0.536	0.915	1.99

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0818	pCi/L	U			0.592	1.27	2.45
HSB105C	4/15/2015	NITRATE-NITRITE AS NITROGEN	4.98	mg/L					0.425	1.25
HSB105C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB105C	4/15/2015	GROSS ALPHA	0.112	pCi/L	U			0.832	2.13	3.8
HSB105C	4/15/2015	NONVOLATILE BETA	1.68	pCi/L	U			2.49	3.98	8.97
HSB105C	4/15/2015	TRITIUM	44.3	pCi/mL				1.28	0.446	3
HSB105C	8/6/2015	NITRATE-NITRITE AS NITROGEN	4.75	mg/L					0.17	0.5
HSB105C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB105C	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB105C	8/6/2015	BARIUM	8.25	ug/L	J		21		2	20
HSB105C	8/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB105C	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
HSB105C	8/6/2015	CHROMIUM	10.9	ug/L	J		21		10	100
HSB105C	8/6/2015	COBALT	5	ug/L	U				0.5	5
HSB105C	8/6/2015	COPPER	2.49	ug/L	J		21		0.5	5
HSB105C	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB105C	8/6/2015	NICKEL	0.96	ug/L	J		21		0.5	5
HSB105C	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB105C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB105C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB105C	8/6/2015	TIN	10	ug/L	U				1	10
HSB105C	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB105C	8/6/2015	ZINC	15.1	ug/L	J		21		4	40
HSB105C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB105C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB105C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.83	ug/L	J		21		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105C	8/6/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J		21		0.3	1
HSB105C	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB105C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB105C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB105C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB105C	8/6/2015	AMERICIUM-241	0.025	pCi/L	U		V	0.059	0.135	0.253
HSB105C	8/6/2015	CURIUM-242	0.022	pCi/L	U			0.044	0.0534	0.142
HSB105C	8/6/2015	CURIUM-243/244	-0.00494	pCi/L	U			0.01	0.0991	0.119
HSB105C	8/6/2015	CURIUM-245/246	0.102	pCi/L	U		21, V	0.092	0.0552	0.24
HSB105C	8/6/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0651	0.0651
HSB105C	8/6/2015	PLUTONIUM-239/240	0.048	pCi/L	U		V	0.068	0.0651	0.202
HSB105C	8/6/2015	THORIUM-228	0.0693	pCi/L	U		V	0.109	0.209	0.426
HSB105C	8/6/2015	THORIUM-230	0.113	pCi/L	U		21, V	0.102	0.0611	0.265
HSB105C	8/6/2015	THORIUM-232	-0.0112	pCi/L	U		V	0.016	0.135	0.167
HSB105C	8/6/2015	URANIUM-233/234	0.0879	pCi/L	U		V	0.095	0.118	0.309
HSB105C	8/6/2015	URANIUM-235	0	pCi/L	U			0	0.0784	0.0784
HSB105C	8/6/2015	URANIUM-238	0.0819	pCi/L	U		V	0.096	0.14	0.332
HSB105C	8/6/2015	GROSS ALPHA	0.478	pCi/L	U			1.16	2.14	4.46
HSB105C	8/6/2015	NONVOLATILE BETA	2.91	pCi/L	U			2.69	3.96	9.34
HSB105C	8/6/2015	STRONTIUM-90	0.226	pCi/L	U			1.98	3.35	7.31
HSB105C	8/6/2015	CARBON-14	1.73	pCi/L	U			4.22	7.01	15.4
HSB105C	8/6/2015	NICKEL-63	-1.6	pCi/L	U			2.77	4.77	10.3
HSB105C	8/6/2015	TECHNETIUM-99	3.54	pCi/L	U			2.65	4.29	9.58
HSB105C	8/6/2015	TRITIUM	46.8	pCi/mL				1.32	0.511	3.16
HSB105C	8/6/2015	CESIUM-137	1.74	pCi/L	U			5.32	9.79	20.4
HSB105C	8/6/2015	COBALT-60	-1.05	pCi/L	U			5.03	9.15	19.2
HSB105C	8/6/2015	IODINE-129	0.453	pCi/L	U			0.564	1.14	2.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105C	8/6/2015	RADIUM-226	0.653	pCi/L	J		21	0.337	0.44	1.11
HSB105C	8/6/2015	RADIUM-228	-0.227	pCi/L	U			0.253	0.546	1.05
HSB105C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.245	pCi/L	U			0.738	1.64	3.12
HSB105C	11/4/2015	NITRATE-NITRITE AS NITROGEN	5.12	mg/L					0.17	0.5
HSB105C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB105C	11/4/2015	GROSS ALPHA	0.403	pCi/L	U			0.88	1.39	3.15
HSB105C	11/4/2015	NONVOLATILE BETA	1.68	pCi/L	U			1.9	2.65	6.44
HSB105C	11/4/2015	TRITIUM	45.7	pCi/mL				1.22	0.554	2.99
HSB105D	2/4/2015	NITRATE-NITRITE AS NITROGEN	4.25	mg/L					0.17	0.5
HSB105D	2/4/2015	ALUMINUM	810	ug/L					40	400
HSB105D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSB105D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB105D	2/4/2015	BARIUM	9.65	ug/L	J				2	20
HSB105D	2/4/2015	BERYLLIUM	0.15	ug/L	J				0.1	1
HSB105D	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSB105D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB105D	2/4/2015	COBALT	2.25	ug/L	J				0.5	5
HSB105D	2/4/2015	COPPER	1.3	ug/L	J				0.5	5
HSB105D	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSB105D	2/4/2015	NICKEL	1.68	ug/L	J				0.5	5
HSB105D	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB105D	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB105D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB105D	2/4/2015	TIN	10	ug/L	U				1	10
HSB105D	2/4/2015	VANADIUM	15.4	ug/L	J				5	50
HSB105D	2/4/2015	ZINC	8.19	ug/L	J				4	40
HSB105D	2/4/2015	MERCURY	1.64	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB105D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB105D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB105D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB105D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB105D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB105D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB105D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB105D	2/4/2015	AMERICIUM-241	0.125	pCi/L	U			0.109	0.11	0.328
HSB105D	2/4/2015	CURIUM-242	0.0742	pCi/L	J		21	0.086	0.0581	0.231
HSB105D	2/4/2015	CURIUM-243/244	0.0215	pCi/L	U			0.043	0.0581	0.145
HSB105D	2/4/2015	CURIUM-245/246	0.15	pCi/L	U			0.12	0.112	0.352
HSB105D	2/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0593	0.0593
HSB105D	2/4/2015	PLUTONIUM-239/240	0.0164	pCi/L	U			0.045	0.11	0.2
HSB105D	2/4/2015	THORIUM-228	0.0367	pCi/L	U			0.077	0.16	0.314
HSB105D	2/4/2015	THORIUM-230	0.117	pCi/L	U			0.102	0.102	0.306
HSB105D	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.055	0.055
HSB105D	2/4/2015	URANIUM-233/234	1.46	pCi/L				0.422	0.0582	0.901
HSB105D	2/4/2015	URANIUM-235	0.0265	pCi/L	U			0.053	0.0718	0.178
HSB105D	2/4/2015	URANIUM-238	0.943	pCi/L				0.318	0.0581	0.694
HSB105D	2/4/2015	GROSS ALPHA	4.91	pCi/L	J		21	2.1	1.66	5.85
HSB105D	2/4/2015	NONVOLATILE BETA	154	pCi/L				9.23	3.25	21.7
HSB105D	2/4/2015	STRONTIUM-90	65.5	pCi/L				9.56	3.32	22.4
HSB105D	2/4/2015	CARBON-14	4.89	pCi/L	UJ			4.21	6.86	15.3
HSB105D	2/4/2015	NICKEL-63	4.69	pCi/L	U			3.09	5.1	11.3
HSB105D	2/4/2015	TECHNETIUM-99	4.58	pCi/L	J		21	2.58	4.11	9.27

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	2/4/2015	TRITIUM	62.9	pCi/mL				1.54	0.557	3.64
HSB105D	2/4/2015	CESIUM-137	3.86	pCi/L	U			4.92	9.51	19.4
HSB105D	2/4/2015	COBALT-60	-0.341	pCi/L	U			3.84	7.31	15
HSB105D	2/4/2015	IODINE-129	1.66	pCi/L	J		21	0.932	0.967	2.83
HSB105D	2/4/2015	RADIUM-226	1.06	pCi/L	J		21	0.52	0.662	1.7
HSB105D	2/4/2015	RADIUM-228	0.732	pCi/L	J		21	0.435	0.679	1.55
HSB105D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	U			1.26	2.1	4.62
HSB105D	4/14/2015	NITRATE-NITRITE AS NITROGEN	4.43	mg/L					0.425	1.25
HSB105D	4/14/2015	MERCURY	1.29	ug/L					0.02	0.2
HSB105D	4/14/2015	GROSS ALPHA	7.53	pCi/L	J		21	3.56	2.33	9.45
HSB105D	4/14/2015	NONVOLATILE BETA	181	pCi/L				13.8	3.9	31.6
HSB105D	4/14/2015	TRITIUM	58.9	pCi/mL				1.47	0.439	3.38
HSB105D	7/28/2015	NITRATE-NITRITE AS NITROGEN	4.15	mg/L					0.085	0.25
HSB105D	7/28/2015	ALUMINUM	699	ug/L					40	400
HSB105D	7/28/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB105D	7/28/2015	ARSENIC	50	ug/L	U	U			5	50
HSB105D	7/28/2015	BARIUM	10.3	ug/L	J	J	21		2	20
HSB105D	7/28/2015	BERYLLIUM	0.194	ug/L	J	J	21		0.1	1
HSB105D	7/28/2015	CADMIUM	1	ug/L	U	U			0.1	1
HSB105D	7/28/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB105D	7/28/2015	COBALT	1.79	ug/L	J	J	21		0.5	5
HSB105D	7/28/2015	COPPER	1.03	ug/L	J	J	21		0.5	5
HSB105D	7/28/2015	LEAD	5	ug/L	U	U			0.5	5
HSB105D	7/28/2015	NICKEL	1.44	ug/L	J	J	21		0.5	5
HSB105D	7/28/2015	SELENIUM	20	ug/L	U	U			2	20
HSB105D	7/28/2015	SILVER	5	ug/L	U	U			0.5	5
HSB105D	7/28/2015	THALLIUM	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	TIN	10	ug/L	U	U			1	10
HSB105D	7/28/2015	VANADIUM	50	ug/L	U	U			5	50
HSB105D	7/28/2015	ZINC	5.99	ug/L	J	J	21		4	40
HSB105D	7/28/2015	MERCURY	1.42	ug/L					0.02	0.2
HSB105D	7/28/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB105D	7/28/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB105D	7/28/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB105D	7/28/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB105D	7/28/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB105D	7/28/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB105D	7/28/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB105D	7/28/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB105D	7/28/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB105D	7/28/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB105D	7/28/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
HSB105D	7/28/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB105D	7/28/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB105D	7/28/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB105D	7/28/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB105D	7/28/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CHLOROMETHANE (METHYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
HSB105D	7/28/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB105D	7/28/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB105D	7/28/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB105D	7/28/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB105D	7/28/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB105D	7/28/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
HSB105D	7/28/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2-NITROANILINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	2-PICOLINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
HSB105D	7/28/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
HSB105D	7/28/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB105D	7/28/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
HSB105D	7/28/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB105D	7/28/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
HSB105D	7/28/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	ACETOPHENONE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	ANILINE	10	ug/L	U	U			4.2	10
HSB105D	7/28/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	ARAMITE	10	ug/L	U	U			3.7	10
HSB105D	7/28/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB105D	7/28/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
HSB105D	7/28/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
HSB105D	7/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
HSB105D	7/28/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	CHRYSENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DIALLATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
HSB105D	7/28/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	DIMETHOATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	DISULFOTON	10	ug/L	U	U			3	10
HSB105D	7/28/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	FAMPHUR	10	ug/L	U	U			5	10
HSB105D	7/28/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	FLUORENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
HSB105D	7/28/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	ISODRIN	10	ug/L	U	U			3	10
HSB105D	7/28/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
HSB105D	7/28/2015	ISOSAFROLE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	KEPONE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
HSB105D	7/28/2015	METHAPYRILENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	METHYL PARATHION	10	ug/L	U	U			3	10
HSB105D	7/28/2015	M-NITROANILINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	NITROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	PARATHION	10	ug/L	U	U			3	10
HSB105D	7/28/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
HSB105D	7/28/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	PHENACETIN	10	ug/L	U	U			3	10
HSB105D	7/28/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	PHENOL	10	ug/L	U	UJ	14		3	10
HSB105D	7/28/2015	PHORATE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	P-NITROANILINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
HSB105D	7/28/2015	PRONAMIDE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	PYRENE	1	ug/L	U	U			0.3	1
HSB105D	7/28/2015	PYRIDINE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	SAFROLE	10	ug/L	U	U			3	10
HSB105D	7/28/2015	SULFOTEPP	10	ug/L	U	U			3	10
HSB105D	7/28/2015	THIONAZIN	10	ug/L	U	U			3	10
HSB105D	7/28/2015	2,3,7,8-TCDD	0.00955	ng/L	U	U			0.00319	0.00955
HSB105D	7/28/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0477	ng/L	U	U			0.0159	0.0477
HSB105D	7/28/2015	HEXACHLORODIBENZO-P-FURANS	0.0477	ng/L	U	U			0.0159	0.0477
HSB105D	7/28/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0477	ng/L	U	U			0.0159	0.0477
HSB105D	7/28/2015	PENTACHLORODIBENZO-P-FURANS	0.0477	ng/L	U	U			0.0159	0.0477
HSB105D	7/28/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00955	ng/L	U	U			0.00319	0.00955
HSB105D	7/28/2015	TETRACHLORODIBENZO-P-FURANS	0.00955	ng/L	U	U			0.00319	0.00955
HSB105D	7/28/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB105D	7/28/2015	AMERICIUM-241	0.0659	pCi/L	U	U		0.084	0.121	0.289
HSB105D	7/28/2015	CURIUM-242	0.0126	pCi/L	U	U		0.054	0.142	0.249
HSB105D	7/28/2015	CURIUM-243/244	-0.00591	pCi/L	U	U	V	0.012	0.119	0.143
HSB105D	7/28/2015	CURIUM-245/246	0.244	pCi/L	U	U	21, V	0.158	0.0662	0.383
HSB105D	7/28/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0525	0.0525
HSB105D	7/28/2015	PLUTONIUM-239/240	0.0242	pCi/L	U	U		0.057	0.13	0.245
HSB105D	7/28/2015	THORIUM-228	0.0356	pCi/L	U	U		0.069	0.14	0.279
HSB105D	7/28/2015	THORIUM-230	0.0936	pCi/L	U	U	21, V	0.095	0.0634	0.253
HSB105D	7/28/2015	THORIUM-232	0	pCi/L	U	U		0	0.0633	0.0633
HSB105D	7/28/2015	URANIUM-233/234	1.39	pCi/L			V	0.402	0.059	0.863
HSB105D	7/28/2015	URANIUM-235	0.134	pCi/L	J	J	21, V	0.122	0.0727	0.317

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB105D	7/28/2015	URANIUM-238	0.912	pCi/L		J	V	0.309	0.0588	0.676
HSB105D	7/28/2015	GROSS ALPHA	6.74	pCi/L	J	J	21	3.44	2.79	9.66
HSB105D	7/28/2015	NONVOLATILE BETA	217	pCi/L				15.3	4.99	35.5
HSB105D	7/28/2015	STRONTIUM-90	92.7	pCi/L				12.1	2.98	27.2
HSB105D	7/28/2015	NICKEL-63	7.54	pCi/L	J	J	21	2.96	4.61	10.5
HSB105D	7/28/2015	TECHNETIUM-99	8.95	pCi/L	J	J	21	2.8	4.29	9.89
HSB105D	7/28/2015	TRITIUM	32.6	pCi/mL				1.13	0.482	2.74
HSB105D	7/28/2015	CESIUM-134	-4.09	pCi/L	U	U		5.91	8.4	20.2
HSB105D	7/28/2015	CESIUM-137	-0.817	pCi/L	U	U		6.53	9.96	23
HSB105D	7/28/2015	COBALT-60	-3.64	pCi/L	U	U		5.04	8.51	18.6
HSB105D	7/28/2015	IODINE-129	2.02	pCi/L	J	J	21	1.54	0.731	3.81
HSB105D	7/28/2015	RADIUM-226	2.15	pCi/L				0.462	0.329	1.25
HSB105D	7/28/2015	RADIUM-228	1.03	pCi/L	J	J	21	0.362	0.436	1.16
HSB105D	7/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.707	pCi/L	U	U		0.769	1.27	2.81
HSB105D	7/28/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB105D	11/6/2015	NITRATE-NITRITE AS NITROGEN	3.88	mg/L					0.425	1.25
HSB105D	11/6/2015	MERCURY	1.92	ug/L					0.02	0.2
HSB105D	11/6/2015	GROSS ALPHA	5.24	pCi/L	J		21	3.04	2.68	8.76
HSB105D	11/6/2015	NONVOLATILE BETA	219	pCi/L				15.5	4.84	35.7
HSB105D	11/6/2015	TRITIUM	53.6	pCi/mL				1.29	0.536	3.12
HSB106C	1/28/2015	NITRATE-NITRITE AS NITROGEN	8.15	mg/L					0.17	0.5
HSB106C	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB106C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB106C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB106C	1/28/2015	BARIUM	14.5	ug/L	J				2	20
HSB106C	1/28/2015	BERYLLIUM	0.302	ug/L	J				0.1	1
HSB106C	1/28/2015	CADMIUM	0.14	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106C	1/28/2015	CHROMIUM	12	ug/L	U				10	100
HSB106C	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB106C	1/28/2015	COPPER	11.5	ug/L					0.5	5
HSB106C	1/28/2015	LEAD	3.52	ug/L	J				0.5	5
HSB106C	1/28/2015	NICKEL	1.49	ug/L	J				0.5	5
HSB106C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB106C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB106C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB106C	1/28/2015	TIN	10	ug/L	U				1	10
HSB106C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB106C	1/28/2015	ZINC	16.8	ug/L	J				4	40
HSB106C	1/28/2015	MERCURY	0.15	ug/L	J		21		0.02	0.2
HSB106C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB106C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB106C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB106C	1/28/2015	TETRACHLOROETHYLENE (PCE)	1.95	ug/L					0.3	1
HSB106C	1/28/2015	TRICHLOROETHYLENE (TCE)	0.35	ug/L	J		21		0.3	1
HSB106C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB106C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	3.17	ug/L	J		21		3	10
HSB106C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB106C	1/28/2015	AMERICIUM-241	0.024	pCi/L	U			0.048	0.0651	0.161
HSB106C	1/28/2015	CURIUM-242	0.437	pCi/L	J		21	0.229	0.0641	0.523
HSB106C	1/28/2015	CURIUM-243/244	-0.00593	pCi/L	U			0.012	0.119	0.143
HSB106C	1/28/2015	CURIUM-245/246	0.171	pCi/L	U			0.132	0.0663	0.331
HSB106C	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.068	0.068
HSB106C	1/28/2015	PLUTONIUM-239/240	0.0439	pCi/L	J		21	0.073	0.127	0.272

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106C	1/28/2015	THORIUM-228	0	pCi/L	U			0	0.0577	0.0577
HSB106C	1/28/2015	THORIUM-230	0.107	pCi/L	U			0.097	0.0578	0.252
HSB106C	1/28/2015	THORIUM-232	0.0213	pCi/L	U			0.043	0.0577	0.143
HSB106C	1/28/2015	URANIUM-233/234	0.0198	pCi/L	U			0.055	0.133	0.243
HSB106C	1/28/2015	URANIUM-235	-0.00818	pCi/L	U			0.016	0.165	0.197
HSB106C	1/28/2015	URANIUM-238	-0.00662	pCi/L	U			0.013	0.133	0.16
HSB106C	1/28/2015	GROSS ALPHA	1.22	pCi/L	U			1.59	2.23	5.4
HSB106C	1/28/2015	NONVOLATILE BETA	1.76	pCi/L	U			2.46	3.95	8.88
HSB106C	1/28/2015	STRONTIUM-90	-0.982	pCi/L	U			1.22	2.96	5.4
HSB106C	1/28/2015	CARBON-14	2.14	pCi/L	U			4.16	6.9	15.2
HSB106C	1/28/2015	NICKEL-63	0.543	pCi/L	U			2.97	5.19	11.1
HSB106C	1/28/2015	TECHNETIUM-99	0.346	pCi/L	U			2.59	4.35	9.53
HSB106C	1/28/2015	TRITIUM	246	pCi/mL				2.98	0.446	6.4
HSB106C	1/28/2015	CESIUM-137	0.431	pCi/L	U			4.57	8.38	17.5
HSB106C	1/28/2015	COBALT-60	-0.817	pCi/L	U			4.76	8.75	18.3
HSB106C	1/28/2015	IODINE-129	1.01	pCi/L	U			0.744	1.02	2.5
HSB106C	1/28/2015	RADIUM-226	0.571	pCi/L	J		21	0.324	0.439	1.09
HSB106C	1/28/2015	RADIUM-228	0.392	pCi/L	U			0.334	0.539	1.21
HSB106C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0875	pCi/L	U			0.777	1.8	3.35
HSB106C	4/15/2015	NITRATE-NITRITE AS NITROGEN	7.15	mg/L					0.425	1.25
HSB106C	4/15/2015	MERCURY	0.149	ug/L	J		21		0.02	0.2
HSB106C	4/15/2015	GROSS ALPHA	0.887	pCi/L	U			1.38	2.13	4.88
HSB106C	4/15/2015	NONVOLATILE BETA	1.87	pCi/L	U			2.54	4	9.07
HSB106C	4/15/2015	TRITIUM	250	pCi/mL				2.99	0.445	6.42
HSB106C	8/6/2015	NITRATE-NITRITE AS NITROGEN	7.25	mg/L					0.085	0.25
HSB106C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB106C	8/6/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106C	8/6/2015	BARIUM	15	ug/L	J		21		2	20
HSB106C	8/6/2015	BERYLLIUM	0.811	ug/L	J		21		0.1	1
HSB106C	8/6/2015	CADMIUM	0.535	ug/L	J		21		0.1	1
HSB106C	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB106C	8/6/2015	COBALT	1.55	ug/L	J		21		0.5	5
HSB106C	8/6/2015	COPPER	2.37	ug/L	J		21		0.5	5
HSB106C	8/6/2015	LEAD	7.65	ug/L					0.5	5
HSB106C	8/6/2015	NICKEL	10.1	ug/L					0.5	5
HSB106C	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB106C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB106C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB106C	8/6/2015	TIN	10	ug/L	U				1	10
HSB106C	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB106C	8/6/2015	ZINC	66.5	ug/L					4	40
HSB106C	8/6/2015	MERCURY	0.772	ug/L					0.02	0.2
HSB106C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB106C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.18	ug/L	U		21, V		1	5
HSB106C	8/6/2015	TETRACHLOROETHYLENE (PCE)	2.15	ug/L					0.3	1
HSB106C	8/6/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.3	1
HSB106C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB106C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	UJ				3	10
HSB106C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB106C	8/6/2015	AMERICIUM-241	0.0932	pCi/L	U		21, V	0.094	0.0631	0.251
HSB106C	8/6/2015	CURIUM-242	0.0257	pCi/L	U			0.052	0.0622	0.165
HSB106C	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0622	0.0622
HSB106C	8/6/2015	CURIUM-245/246	0.142	pCi/L	U		21, V	0.118	0.0643	0.301

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106C	8/6/2015	PLUTONIUM-238	-0.00572	pCi/L	U			0.012	0.115	0.138
HSB106C	8/6/2015	PLUTONIUM-239/240	0.0229	pCi/L	U		V	0.046	0.062	0.154
HSB106C	8/6/2015	THORIUM-228	0.00528	pCi/L	U		V	0.046	0.139	0.231
HSB106C	8/6/2015	THORIUM-230	0.0567	pCi/L	U		V	0.073	0.104	0.249
HSB106C	8/6/2015	THORIUM-232	-0.0103	pCi/L	U		V	0.015	0.123	0.153
HSB106C	8/6/2015	URANIUM-233/234	0.21	pCi/L	U		21, V	0.144	0.133	0.421
HSB106C	8/6/2015	URANIUM-235	0	pCi/L	U			0	0.074	0.074
HSB106C	8/6/2015	URANIUM-238	0.11	pCi/L	J		21, V	0.1	0.0598	0.26
HSB106C	8/6/2015	GROSS ALPHA	0.481	pCi/L	U			1.17	2.16	4.49
HSB106C	8/6/2015	NONVOLATILE BETA	4.79	pCi/L	J		21	3	3.96	9.96
HSB106C	8/6/2015	STRONTIUM-90	2.93	pCi/L	U			2.35	3.29	7.99
HSB106C	8/6/2015	CARBON-14	1.12	pCi/L	U			4.2	7	15.4
HSB106C	8/6/2015	NICKEL-63	-1.97	pCi/L	U			2.7	4.57	9.97
HSB106C	8/6/2015	TECHNETIUM-99	3.27	pCi/L	U			2.63	4.27	9.54
HSB106C	8/6/2015	TRITIUM	265	pCi/mL				3.05	0.5	6.61
HSB106C	8/6/2015	CESIUM-137	-2.36	pCi/L	U			5.31	9.12	19.7
HSB106C	8/6/2015	COBALT-60	-1.63	pCi/L	U			4.95	8.87	18.8
HSB106C	8/6/2015	IODINE-129	0.987	pCi/L	UJ		V	0.851	1.03	2.73
HSB106C	8/6/2015	RADIUM-226	0.537	pCi/L	J		21	0.277	0.362	0.916
HSB106C	8/6/2015	RADIUM-228	0.428	pCi/L	U			0.414	0.68	1.51
HSB106C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.63	pCi/L	U			0.528	1.52	2.58
HSB106C	11/4/2015	NITRATE-NITRITE AS NITROGEN	7.85	mg/L					0.85	2.5
HSB106C	11/4/2015	MERCURY	0.122	ug/L	J		21		0.02	0.2
HSB106C	11/4/2015	GROSS ALPHA	0.214	pCi/L	U			0.802	1.41	3.01
HSB106C	11/4/2015	NONVOLATILE BETA	2.28	pCi/L	U			1.97	2.65	6.59
HSB106C	11/4/2015	TRITIUM	256	pCi/mL				2.71	0.519	5.94
HSB106D	1/28/2015	NITRATE-NITRITE AS NITROGEN	4.02	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106D	1/28/2015	ALUMINUM	283	ug/L	J				40	400
HSB106D	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB106D	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB106D	1/28/2015	BARIUM	13.5	ug/L	J				2	20
HSB106D	1/28/2015	BERYLLIUM	0.168	ug/L	J				0.1	1
HSB106D	1/28/2015	CADMIUM	0.11	ug/L	J				0.1	1
HSB106D	1/28/2015	CHROMIUM	11.1	ug/L	U				10	100
HSB106D	1/28/2015	COBALT	2.06	ug/L	J				0.5	5
HSB106D	1/28/2015	COPPER	0.517	ug/L	J				0.5	5
HSB106D	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB106D	1/28/2015	NICKEL	5	ug/L	U				0.5	5
HSB106D	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB106D	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB106D	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB106D	1/28/2015	TIN	10	ug/L	U				1	10
HSB106D	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB106D	1/28/2015	ZINC	40	ug/L	U				4	40
HSB106D	1/28/2015	MERCURY	0.103	ug/L	J		21		0.02	0.2
HSB106D	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB106D	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB106D	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB106D	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB106D	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB106D	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB106D	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB106D	1/28/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106D	1/28/2015	AMERICIUM-241	0.0223	pCi/L	U			0.045	0.0605	0.15
HSB106D	1/28/2015	CURIUM-242	0.0253	pCi/L	U			0.051	0.0596	0.161
HSB106D	1/28/2015	CURIUM-243/244	0.0386	pCi/L	U			0.064	0.111	0.238
HSB106D	1/28/2015	CURIUM-245/246	0.25	pCi/L	J		21	0.156	0.0616	0.373
HSB106D	1/28/2015	PLUTONIUM-238	0.0204	pCi/L	U			0.056	0.137	0.25
HSB106D	1/28/2015	PLUTONIUM-239/240	0.0273	pCi/L	U			0.055	0.0739	0.183
HSB106D	1/28/2015	THORIUM-228	0.0512	pCi/L	U			0.073	0.12	0.265
HSB106D	1/28/2015	THORIUM-230	0.04	pCi/L	U			0.057	0.0541	0.168
HSB106D	1/28/2015	THORIUM-232	-0.00498	pCi/L	U			0.01	0.1	0.12
HSB106D	1/28/2015	URANIUM-233/234	0.139	pCi/L	U			0.133	0.178	0.445
HSB106D	1/28/2015	URANIUM-235	0.0244	pCi/L	U			0.067	0.164	0.299
HSB106D	1/28/2015	URANIUM-238	-0.0066	pCi/L	U			0.013	0.133	0.159
HSB106D	1/28/2015	GROSS ALPHA	3.5	pCi/L	J		21	2.45	2.23	7.13
HSB106D	1/28/2015	NONVOLATILE BETA	57.1	pCi/L				7.68	4	19.4
HSB106D	1/28/2015	STRONTIUM-90	20.5	pCi/L				4.27	2.97	11.5
HSB106D	1/28/2015	CARBON-14	9.85	pCi/L	J		21	4.36	6.92	15.7
HSB106D	1/28/2015	NICKEL-63	1.75	pCi/L	U			2.91	4.9	10.7
HSB106D	1/28/2015	TECHNETIUM-99	1.94	pCi/L	U			2.7	4.45	9.86
HSB106D	1/28/2015	TRITIUM	42.5	pCi/mL				1.26	0.444	2.96
HSB106D	1/28/2015	CESIUM-137	0.722	pCi/L	U			5.53	10	21.1
HSB106D	1/28/2015	COBALT-60	-0.0256	pCi/L	U			4.68	8.8	18.2
HSB106D	1/28/2015	IODINE-129	0.911	pCi/L	U			0.628	1.1	2.36
HSB106D	1/28/2015	RADIUM-226	3.94	pCi/L				0.723	0.454	1.9
HSB106D	1/28/2015	RADIUM-228	0.897	pCi/L	U		21, V	0.337	0.414	1.09
HSB106D	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.169	pCi/L	U			0.985	1.97	3.94
HSB106D	4/15/2015	NITRATE-NITRITE AS NITROGEN	3.46	mg/L					0.17	0.5
HSB106D	4/15/2015	MERCURY	0.16	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106D	4/15/2015	GROSS ALPHA	3.52	pCi/L	J		21	2.42	2.11	6.96
HSB106D	4/15/2015	NONVOLATILE BETA	48.5	pCi/L				7.16	4.06	18.4
HSB106D	4/15/2015	TRITIUM	39	pCi/mL				1.21	0.447	2.86
HSB106D	8/6/2015	NITRATE-NITRITE AS NITROGEN	4.09	mg/L					0.085	0.25
HSB106D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB106D	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB106D	8/6/2015	BARIUM	13.8	ug/L	J		21		2	20
HSB106D	8/6/2015	BERYLLIUM	0.149	ug/L	J		21		0.1	1
HSB106D	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
HSB106D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB106D	8/6/2015	COBALT	1.91	ug/L	J		21		0.5	5
HSB106D	8/6/2015	COPPER	0.599	ug/L	J		21		0.5	5
HSB106D	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB106D	8/6/2015	NICKEL	0.705	ug/L	J		21		0.5	5
HSB106D	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB106D	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB106D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB106D	8/6/2015	TIN	10	ug/L	U				1	10
HSB106D	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB106D	8/6/2015	ZINC	40	ug/L	U				4	40
HSB106D	8/6/2015	MERCURY	0.191	ug/L	J		21		0.02	0.2
HSB106D	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB106D	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.09	ug/L	U		21, V		1	5
HSB106D	8/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB106D	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB106D	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB106D	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
HSB106D	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB106D	8/6/2015	AMERICIUM-241	0.132	pCi/L	U		21, V	0.119	0.0713	0.31
HSB106D	8/6/2015	CURIUM-242	0	pCi/L	U			0	0.0702	0.0702
HSB106D	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0702	0.0702
HSB106D	8/6/2015	CURIUM-245/246	0.208	pCi/L	U		21, V	0.155	0.135	0.446
HSB106D	8/6/2015	PLUTONIUM-238	-0.0128	pCi/L	U		V	0.018	0.154	0.191
HSB106D	8/6/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0696	0.0696
HSB106D	8/6/2015	THORIUM-228	-0.0558	pCi/L	U			0.041	0.254	0.335
HSB106D	8/6/2015	THORIUM-230	0.0754	pCi/L	U		V	0.097	0.138	0.332
HSB106D	8/6/2015	THORIUM-232	0	pCi/L	U		V	0	0.0742	0.0742
HSB106D	8/6/2015	URANIUM-233/234	0.104	pCi/L	U		V	0.099	0.11	0.309
HSB106D	8/6/2015	URANIUM-235	-0.0135	pCi/L	U			0.019	0.162	0.2
HSB106D	8/6/2015	URANIUM-238	0.0436	pCi/L	U		V	0.062	0.0591	0.183
HSB106D	8/6/2015	GROSS ALPHA	1.11	pCi/L	U			1.62	2.49	5.73
HSB106D	8/6/2015	NONVOLATILE BETA	64.4	pCi/L				8.22	4.28	20.7
HSB106D	8/6/2015	STRONTIUM-90	35	pCi/L				6.24	3.35	15.8
HSB106D	8/6/2015	CARBON-14	0.244	pCi/L	U			4.2	7.03	15.4
HSB106D	8/6/2015	NICKEL-63	1.33	pCi/L	U			2.88	4.87	10.6
HSB106D	8/6/2015	TECHNETIUM-99	3.27	pCi/L	U			2.63	4.27	9.54
HSB106D	8/6/2015	TRITIUM	43.1	pCi/mL				1.26	0.5	3.02
HSB106D	8/6/2015	CESIUM-137	0.691	pCi/L	U			4.94	9.02	18.9
HSB106D	8/6/2015	COBALT-60	1.42	pCi/L	U			3.4	7.12	13.9
HSB106D	8/6/2015	IODINE-129	1.64	pCi/L	J		21	0.932	1.13	2.99
HSB106D	8/6/2015	RADIUM-226	0.766	pCi/L	J		21	0.301	0.344	0.946
HSB106D	8/6/2015	RADIUM-228	0.233	pCi/L	U			0.322	0.552	1.2
HSB106D	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L	U			0.965	1.49	3.42

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB106D	11/4/2015	NITRATE-NITRITE AS NITROGEN	3.91	mg/L					0.17	0.5
HSB106D	11/4/2015	MERCURY	0.133	ug/L	J		21		0.02	0.2
HSB106D	11/4/2015	GROSS ALPHA	1.36	pCi/L	U			1.24	1.41	3.89
HSB106D	11/4/2015	NONVOLATILE BETA	38.2	pCi/L				4.58	2.67	11.8
HSB106D	11/4/2015	TRITIUM	41.7	pCi/mL				1.22	0.398	2.84
HSB107C	1/28/2015	NITRATE-NITRITE AS NITROGEN	14.1	mg/L					0.34	1
HSB107C	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB107C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB107C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB107C	1/28/2015	BARIUM	27.1	ug/L					2	20
HSB107C	1/28/2015	BERYLLIUM	1.18	ug/L					0.1	1
HSB107C	1/28/2015	CADMIUM	0.677	ug/L	J				0.1	1
HSB107C	1/28/2015	CHROMIUM	10.5	ug/L	U				10	100
HSB107C	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB107C	1/28/2015	COPPER	1.12	ug/L	J				0.5	5
HSB107C	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB107C	1/28/2015	NICKEL	4.71	ug/L	J				0.5	5
HSB107C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB107C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB107C	1/28/2015	THALLIUM	0.11	ug/L	J				0.1	1
HSB107C	1/28/2015	TIN	10	ug/L	U				1	10
HSB107C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB107C	1/28/2015	ZINC	60.2	ug/L					4	40
HSB107C	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB107C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB107C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB107C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107C	1/28/2015	TETRACHLOROETHYLENE (PCE)	7.03	ug/L					0.3	1
HSB107C	1/28/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J		21		0.3	1
HSB107C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB107C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB107C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB107C	1/28/2015	AMERICIUM-241	0.0343	pCi/L	U			0.069	0.0929	0.23
HSB107C	1/28/2015	CURIUM-242	-0.00923	pCi/L	U			0.085	0.267	0.436
HSB107C	1/28/2015	CURIUM-243/244	0.0338	pCi/L	U			0.068	0.0915	0.227
HSB107C	1/28/2015	CURIUM-245/246	0.105	pCi/L	U			0.122	0.0947	0.339
HSB107C	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0656	0.0656
HSB107C	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0656	0.0656
HSB107C	1/28/2015	THORIUM-228	0.0695	pCi/L	U			0.081	0.0611	0.223
HSB107C	1/28/2015	THORIUM-230	0.113	pCi/L	U			0.103	0.0612	0.267
HSB107C	1/28/2015	THORIUM-232	0.0902	pCi/L	J		21	0.091	0.0611	0.244
HSB107C	1/28/2015	URANIUM-233/234	0.0208	pCi/L	U			0.057	0.14	0.254
HSB107C	1/28/2015	URANIUM-235	-0.00858	pCi/L	U			0.017	0.172	0.207
HSB107C	1/28/2015	URANIUM-238	0.0554	pCi/L	U			0.079	0.0751	0.233
HSB107C	1/28/2015	GROSS ALPHA	0.453	pCi/L	U			1.18	2.29	4.64
HSB107C	1/28/2015	NONVOLATILE BETA	9.8	pCi/L	J		21	3.69	3.94	11.3
HSB107C	1/28/2015	STRONTIUM-90	2.07	pCi/L	U			1.91	2.96	6.79
HSB107C	1/28/2015	CARBON-14	15.6	pCi/L	J		21	4.49	6.93	15.9
HSB107C	1/28/2015	NICKEL-63	-0.518	pCi/L	U			2.81	4.73	10.3
HSB107C	1/28/2015	TECHNETIUM-99	18.3	pCi/L				3.13	4.44	10.7
HSB107C	1/28/2015	TRITIUM	308	pCi/mL				3.32	0.443	7.07
HSB107C	1/28/2015	CESIUM-137	0.864	pCi/L	U			4.91	8.01	17.8
HSB107C	1/28/2015	COBALT-60	0.624	pCi/L	U			4.46	8.59	17.5
HSB107C	1/28/2015	IODINE-129	-0.169	pCi/L	U			0.547	0.91	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107C	1/28/2015	RADIUM-226	0.35	pCi/L	U			0.284	0.435	1
HSB107C	1/28/2015	RADIUM-228	1.02	pCi/L	U		21, V	0.369	0.472	1.21
HSB107C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.601	pCi/L	U			1.05	1.9	4
HSB107C	4/15/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.425	1.25
HSB107C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB107C	4/15/2015	GROSS ALPHA	0.112	pCi/L	U			0.845	2.17	3.86
HSB107C	4/15/2015	NONVOLATILE BETA	9.9	pCi/L	J		21	3.74	3.99	11.5
HSB107C	4/15/2015	TRITIUM	296	pCi/mL				3.25	0.447	6.95
HSB107C	8/6/2015	NITRATE-NITRITE AS NITROGEN	13.8	mg/L					0.425	1.25
HSB107C	8/6/2015	ALUMINUM	47.5	ug/L	U		21, V		40	400
HSB107C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB107C	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB107C	8/6/2015	BARIUM	25.1	ug/L					2	20
HSB107C	8/6/2015	BERYLLIUM	1.18	ug/L					0.1	1
HSB107C	8/6/2015	CADMIUM	0.69	ug/L	J		21		0.1	1
HSB107C	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB107C	8/6/2015	COBALT	5	ug/L	U				0.5	5
HSB107C	8/6/2015	COPPER	1.43	ug/L	J		21		0.5	5
HSB107C	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB107C	8/6/2015	MANGANESE	21.6	ug/L					1	10
HSB107C	8/6/2015	NICKEL	4.36	ug/L	J		21		0.5	5
HSB107C	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB107C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB107C	8/6/2015	SODIUM	4210	ug/L					20	200
HSB107C	8/6/2015	THALLIUM	0.115	ug/L	J		21		0.1	1
HSB107C	8/6/2015	TIN	10	ug/L	U				1	10
HSB107C	8/6/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107C	8/6/2015	ZINC	62.4	ug/L					4	40
HSB107C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB107C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB107C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.2	ug/L	U		21, V		1	5
HSB107C	8/6/2015	TETRACHLOROETHYLENE (PCE)	5.68	ug/L					0.3	1
HSB107C	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB107C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB107C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB107C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB107C	8/6/2015	AMERICIUM-241	0.0167	pCi/L	U		V	0.046	0.112	0.204
HSB107C	8/6/2015	CURIUM-242	0.0716	pCi/L	J		21	0.083	0.0594	0.226
HSB107C	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0594	0.0594
HSB107C	8/6/2015	CURIUM-245/246	0.113	pCi/L	U		21, V	0.103	0.0615	0.267
HSB107C	8/6/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0647	0.0647
HSB107C	8/6/2015	PLUTONIUM-239/240	-0.00597	pCi/L	U		V	0.012	0.12	0.144
HSB107C	8/6/2015	THORIUM-228	0.0582	pCi/L	U			0.083	0.137	0.303
HSB107C	8/6/2015	THORIUM-230	0.04	pCi/L	U		V	0.066	0.115	0.247
HSB107C	8/6/2015	THORIUM-232	0	pCi/L	U		V	0	0.0619	0.0619
HSB107C	8/6/2015	URANIUM-233/234	0.12	pCi/L	U		21, V	0.108	0.0648	0.282
HSB107C	8/6/2015	URANIUM-235	-0.00738	pCi/L	U			0.015	0.149	0.178
HSB107C	8/6/2015	URANIUM-238	0.0478	pCi/L	U		V	0.068	0.0647	0.2
HSB107C	8/6/2015	GROSS ALPHA	0.00641	pCi/L	U			0.884	2.41	4.18
HSB107C	8/6/2015	NONVOLATILE BETA	12.9	pCi/L				4.16	4.13	12.4
HSB107C	8/6/2015	STRONTIUM-90	1.65	pCi/L	U			2.26	3.32	7.85
HSB107C	8/6/2015	CARBON-14	8.04	pCi/L	J		21	4.41	7.07	15.9
HSB107C	8/6/2015	NICKEL-63	-0.117	pCi/L	U			2.85	4.89	10.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107C	8/6/2015	TECHNETIUM-99	17.3	pCi/L				3.04	4.3	10.4
HSB107C	8/6/2015	TRITIUM	321	pCi/mL				3.37	0.504	7.25
HSB107C	8/6/2015	CESIUM-137	-2.02	pCi/L	U			5	8.61	18.6
HSB107C	8/6/2015	COBALT-60	-3.77	pCi/L	U			5.28	8.93	19.5
HSB107C	8/6/2015	IODINE-129	1.01	pCi/L	U			0.985	1.15	3.11
HSB107C	8/6/2015	RADIUM-226	0.372	pCi/L	U			0.28	0.412	0.972
HSB107C	8/6/2015	RADIUM-228	0.0714	pCi/L	U			0.467	0.844	1.78
HSB107C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.16	pCi/L	U			0.519	1.3	2.34
HSB107C	11/4/2015	NITRATE-NITRITE AS NITROGEN	14.3	mg/L					0.85	2.5
HSB107C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB107C	11/4/2015	GROSS ALPHA	0.605	pCi/L	U			0.979	1.42	3.38
HSB107C	11/4/2015	NONVOLATILE BETA	9.3	pCi/L				2.68	2.66	8.02
HSB107C	11/4/2015	TRITIUM	294	pCi/mL				3.19	0.397	6.78
HSB107D	2/4/2015	NITRATE-NITRITE AS NITROGEN	6.03	mg/L					0.17	0.5
HSB107D	2/4/2015	ALUMINUM	186	ug/L	J				40	400
HSB107D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSB107D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB107D	2/4/2015	BARIUM	14	ug/L	J				2	20
HSB107D	2/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB107D	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSB107D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB107D	2/4/2015	COBALT	7.93	ug/L					0.5	5
HSB107D	2/4/2015	COPPER	0.566	ug/L	J				0.5	5
HSB107D	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSB107D	2/4/2015	NICKEL	1.07	ug/L	J				0.5	5
HSB107D	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB107D	2/4/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB107D	2/4/2015	TIN	10	ug/L	U				1	10
HSB107D	2/4/2015	VANADIUM	8.86	ug/L	J				5	50
HSB107D	2/4/2015	ZINC	40	ug/L	U				4	40
HSB107D	2/4/2015	MERCURY	3.97	ug/L					0.02	0.2
HSB107D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB107D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB107D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB107D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB107D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB107D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB107D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB107D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB107D	2/4/2015	AMERICIUM-241	0.0411	pCi/L	U			0.058	0.0557	0.172
HSB107D	2/4/2015	CURIUM-242	0.0175	pCi/L	U			0.048	0.102	0.198
HSB107D	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0548	0.0548
HSB107D	2/4/2015	CURIUM-245/246	0.293	pCi/L	J		21	0.162	0.0568	0.382
HSB107D	2/4/2015	PLUTONIUM-238	0.0761	pCi/L	U			0.089	0.0687	0.246
HSB107D	2/4/2015	PLUTONIUM-239/240	0.0443	pCi/L	U			0.073	0.128	0.274
HSB107D	2/4/2015	THORIUM-228	0.0698	pCi/L	J		21	0.09	0.124	0.303
HSB107D	2/4/2015	THORIUM-230	0.24	pCi/L	U			0.161	0.124	0.446
HSB107D	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0665	0.0665
HSB107D	2/4/2015	URANIUM-233/234	0.247	pCi/L	J		21	0.154	0.0609	0.369
HSB107D	2/4/2015	URANIUM-235	0.0555	pCi/L	U			0.079	0.0752	0.233
HSB107D	2/4/2015	URANIUM-238	0.0842	pCi/L	U			0.091	0.113	0.296
HSB107D	2/4/2015	GROSS ALPHA	2.8	pCi/L	J		21	1.66	1.66	4.99

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	2/4/2015	NONVOLATILE BETA	143	pCi/L				8.66	3.06	20.4
HSB107D	2/4/2015	STRONTIUM-90	58.6	pCi/L				9.04	3.23	21.3
HSB107D	2/4/2015	CARBON-14	-3.91	pCi/L	U			4.13	7.08	15.3
HSB107D	2/4/2015	NICKEL-63	1.38	pCi/L	U			3.03	5.11	11.2
HSB107D	2/4/2015	TECHNETIUM-99	7.14	pCi/L	J		21	2.69	4.17	9.54
HSB107D	2/4/2015	TRITIUM	27.2	pCi/mL				1.04	0.558	2.64
HSB107D	2/4/2015	CESIUM-137	-3.5	pCi/L	U			6.16	10.3	22.6
HSB107D	2/4/2015	COBALT-60	4.08	pCi/L	U			6.03	12.1	24.2
HSB107D	2/4/2015	IODINE-129	3.97	pCi/L				1.35	1.06	3.77
HSB107D	2/4/2015	RADIUM-226	0.933	pCi/L	J		21	0.456	0.58	1.49
HSB107D	2/4/2015	RADIUM-228	0.585	pCi/L	J		21	0.349	0.534	1.23
HSB107D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.905	pCi/L	U			1.17	1.95	4.29
HSB107D	4/16/2015	NITRATE-NITRITE AS NITROGEN	6.69	mg/L					0.17	0.5
HSB107D	4/16/2015	MERCURY	4	ug/L					0.02	0.2
HSB107D	4/16/2015	GROSS ALPHA	1.9	pCi/L	U			1.95	2.48	6.38
HSB107D	4/16/2015	NONVOLATILE BETA	143	pCi/L				12.2	4.36	28.7
HSB107D	4/16/2015	TRITIUM	22.5	pCi/mL				0.934	0.464	2.33
HSB107D	7/27/2015	NITRATE-NITRITE AS NITROGEN	5.53	mg/L					0.17	0.5
HSB107D	7/27/2015	ALUMINUM	40.1	ug/L	J	J	21		40	400
HSB107D	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB107D	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
HSB107D	7/27/2015	BARIUM	11.7	ug/L	J	J	21		2	20
HSB107D	7/27/2015	BERYLLIUM	1	ug/L	U	U			0.1	1
HSB107D	7/27/2015	CADMIUM	1	ug/L	U	U			0.1	1
HSB107D	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB107D	7/27/2015	COBALT	1.29	ug/L	J	J	21		0.5	5
HSB107D	7/27/2015	COPPER	5	ug/L	U	U			0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
HSB107D	7/27/2015	NICKEL	0.827	ug/L	J	J	21		0.5	5
HSB107D	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
HSB107D	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
HSB107D	7/27/2015	THALLIUM	1	ug/L	U	U			0.1	1
HSB107D	7/27/2015	TIN	10	ug/L	U	U			1	10
HSB107D	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
HSB107D	7/27/2015	ZINC	6.71	ug/L	U	U	21, V		4	40
HSB107D	7/27/2015	MERCURY	3.03	ug/L					0.02	0.2
HSB107D	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB107D	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB107D	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB107D	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB107D	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB107D	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB107D	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB107D	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB107D	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB107D	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB107D	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
HSB107D	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB107D	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB107D	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB107D	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB107D	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB107D	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB107D	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB107D	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB107D	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB107D	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB107D	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB107D	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,2,4-TRICHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,2-DICHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,3,5-TRINITROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,3-DICHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,3-DINITROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,4-DICHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,4-DIOXANE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1,4-NAPHTHOQUINONE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	1-NAPHTHYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	2,4,5-TRICHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2,4,6-TRICHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2,4-DICHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2,4-DIMETHYLPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2,4-DINITROPHENOL	19	ug/L	U	UJ	14		4.76	19
HSB107D	7/27/2015	2,4-DINITROTOLUENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2,6-DICHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2,6-DINITROTOLUENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2-ACETYLAMINOFLUORENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2-CHLORONAPHTHALENE	0.952	ug/L	U	U			0.39	0.952
HSB107D	7/27/2015	2-CHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2-METHYLNAPHTHALENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	2-NAPHTHYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2-NITROANILINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2-NITROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	2-PICOLINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	3,3-DICHLOROBENZIDINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	3,3'-DIMETHYLBENZIDINE	9.52	ug/L	U	U			3.14	9.52
HSB107D	7/27/2015	3-METHYLCHOLANTHRENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	4-AMINOBIPHENYL	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	4-BROMOPHENYL PHENYL ETHER	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	4-CHLOROANILINE	9.52	ug/L	U	U			3.14	9.52
HSB107D	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	4-NITROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	4-NITROQUINOLINE-1-OXIDE	9.52	ug/L	U	U			3.62	9.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	5-NITRO-O-TOLUIDINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	9.52	ug/L	U	U			5.14	9.52
HSB107D	7/27/2015	ACENAPHTHENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	ACENAPHTHYLENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	ACETOPHENONE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	ANILINE	9.52	ug/L	U	U			4	9.52
HSB107D	7/27/2015	ANTHRACENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	ARAMITE	9.52	ug/L	U	U			3.52	9.52
HSB107D	7/27/2015	BENZO(G,H,I)PERYLENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	BENZO[A]ANTHRACENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	BENZO[A]PYRENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	BENZO[B]FLUORANTHENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	BENZO[K]FLUORANTHENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	BENZYL ALCOHOL	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	BIS(2-CHLOROETHYL)ETHER	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	BUTYL BENZYL PHTHALATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	CHLOROBENZILATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	CHRYSENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	DIALLATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DIBENZ[AH]ANTHRACENE	0.952	ug/L	U	U			0.286	0.952

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	DIBENZOFURAN	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DIETHYL PHTHALATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DIMETHOATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DIMETHYL PHTHALATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DI-N-BUTYL PHTHALATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	DINITRO-O-CRESOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	DISULFOTON	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	ETHYL METHACRYLATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	ETHYL METHANESULFONATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	FAMPHUR	9.52	ug/L	U	U			4.76	9.52
HSB107D	7/27/2015	FLUORANTHENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	FLUORENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	HEXACHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	HEXACHLOROBUTADIENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	HEXACHLOROCYCLOPENTADIENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	HEXACHLOROETHANE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	HEXACHLOROPHENE	476	ug/L	U	U			159	476
HSB107D	7/27/2015	HEXACHLOROPROPENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	INDENO[1,2,3-CD]PYRENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	ISODRIN	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	ISOPHORONE	9.52	ug/L	U	U			3.33	9.52
HSB107D	7/27/2015	ISOSAFROLE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	KEPONE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	M/P-CRESOL	9.52	ug/L	U	UJ	14		3.52	9.52
HSB107D	7/27/2015	METHAPYRILENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	METHYL METHANESULFONATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	METHYL PARATHION	9.52	ug/L	U	U			2.86	9.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	M-NITROANILINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	NAPHTHALENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	N-DIOCTYL PHTHALATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	NITROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSODIETHYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSODIMETHYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSODI-N-BUTYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSODIPROPYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSOMORPHOLINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSOPIPERIDINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	N-NITROSOPYRROLIDINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	O-CRESOL (2-METHYLPHENOL)	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	PARATHION	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	P-CHLORO-M-CRESOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	PENTACHLOROBENZENE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	PENTACHLOROETHANE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	PENTACHLORONITROBENZENE	9.52	ug/L	U	U			3.24	9.52
HSB107D	7/27/2015	PENTACHLOROPHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	PHENACETIN	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	PHENANTHRENE	0.952	ug/L	U	U			0.286	0.952

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	PHENOL	9.52	ug/L	U	UJ	14		2.86	9.52
HSB107D	7/27/2015	PHORATE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	P-NITROANILINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	P-PHENYLENEDIAMINE	476	ug/L	U	U			95.2	476
HSB107D	7/27/2015	PRONAMIDE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	PYRENE	0.952	ug/L	U	U			0.286	0.952
HSB107D	7/27/2015	PYRIDINE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	SAFROLE	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	SULFOTEPP	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	THIONAZIN	9.52	ug/L	U	U			2.86	9.52
HSB107D	7/27/2015	2,3,7,8-TCDD	0.00982	ng/L	U	U			0.00328	0.00982
HSB107D	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0491	ng/L	U	U			0.0164	0.0491
HSB107D	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0491	ng/L	U	U			0.0164	0.0491
HSB107D	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0491	ng/L	U	U			0.0164	0.0491
HSB107D	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0491	ng/L	U	U			0.0164	0.0491
HSB107D	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00982	ng/L	U	U			0.00328	0.00982
HSB107D	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.00982	ng/L	U	U			0.00328	0.00982
HSB107D	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB107D	7/27/2015	AMERICIUM-241	0.0641	pCi/L	U	U		0.082	0.117	0.281
HSB107D	7/27/2015	CURIUM-242	0.123	pCi/L	J	J	21	0.111	0.0622	0.285
HSB107D	7/27/2015	CURIUM-243/244	-0.0115	pCi/L	U	U	V	0.016	0.138	0.17
HSB107D	7/27/2015	CURIUM-245/246	0.238	pCi/L	U	U	21, V	0.154	0.0644	0.372
HSB107D	7/27/2015	PLUTONIUM-238	0	pCi/L	U	U		0	0.0568	0.0568
HSB107D	7/27/2015	PLUTONIUM-239/240	0	pCi/L	U	U		0	0.0568	0.0568

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB107D	7/27/2015	THORIUM-228	-0.0061	pCi/L	U	U		0.012	0.121	0.145
HSB107D	7/27/2015	THORIUM-230	0.0901	pCi/L	U	U	V	0.098	0.121	0.317
HSB107D	7/27/2015	THORIUM-232	0	pCi/L	U	U		0	0.065	0.065
HSB107D	7/27/2015	URANIUM-233/234	0.164	pCi/L	U	U	21, V	0.118	0.0555	0.292
HSB107D	7/27/2015	URANIUM-235	0.0252	pCi/L	U	U	V	0.051	0.0684	0.17
HSB107D	7/27/2015	URANIUM-238	0.0817	pCi/L	U	U	21, V	0.083	0.0554	0.22
HSB107D	7/27/2015	GROSS ALPHA	1.63	pCi/L	U	U		1.84	2.33	6.01
HSB107D	7/27/2015	NONVOLATILE BETA	122	pCi/L				11.2	3.8	26.1
HSB107D	7/27/2015	STRONTIUM-90	59.3	pCi/L				8.77	2.98	20.5
HSB107D	7/27/2015	NICKEL-63	4.65	pCi/L	U	U		3.11	5.14	11.4
HSB107D	7/27/2015	TECHNETIUM-99	6.5	pCi/L	J	J	21	2.71	4.24	9.65
HSB107D	7/27/2015	TRITIUM	60.1	pCi/mL				1.5	0.432	3.44
HSB107D	7/27/2015	CESIUM-134	5.83	pCi/L	U	U		7.23	11.8	26.2
HSB107D	7/27/2015	CESIUM-137	-9.38	pCi/L	U	U		6.29	9.55	22.1
HSB107D	7/27/2015	COBALT-60	-1.31	pCi/L	U	U		5.86	10.5	22.2
HSB107D	7/27/2015	IODINE-129	2.71	pCi/L	J	J	21	1.62	1.04	4.28
HSB107D	7/27/2015	RADIUM-226	1.94	pCi/L	J	J	21	0.65	0.681	1.98
HSB107D	7/27/2015	RADIUM-228	0.613	pCi/L	J	J	21	0.283	0.376	0.942
HSB107D	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.213	pCi/L	U	U		0.423	0.796	1.64
HSB107D	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB107D	11/4/2015	NITRATE-NITRITE AS NITROGEN	6.44	mg/L					0.17	0.5
HSB107D	11/4/2015	MERCURY	1.52	ug/L					0.02	0.2
HSB107D	11/4/2015	GROSS ALPHA	4.22	pCi/L	J		21	1.93	1.44	5.31
HSB107D	11/4/2015	NONVOLATILE BETA	149	pCi/L				8.81	2.72	20.3
HSB107D	11/4/2015	TRITIUM	17	pCi/mL				0.797	0.397	1.99
HSB108C	1/28/2015	NITRATE-NITRITE AS NITROGEN	2.75	mg/L					0.085	0.25
HSB108C	1/28/2015	ALUMINUM	130	ug/L	J				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB108C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB108C	1/28/2015	BARIUM	6.66	ug/L	J				2	20
HSB108C	1/28/2015	BERYLLIUM	0.114	ug/L	J				0.1	1
HSB108C	1/28/2015	CADMIUM	0.148	ug/L	J				0.1	1
HSB108C	1/28/2015	CHROMIUM	13.8	ug/L	U				10	100
HSB108C	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB108C	1/28/2015	COPPER	1.34	ug/L	J				0.5	5
HSB108C	1/28/2015	LEAD	0.514	ug/L	J				0.5	5
HSB108C	1/28/2015	NICKEL	2.71	ug/L	J				0.5	5
HSB108C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB108C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB108C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB108C	1/28/2015	TIN	10	ug/L	U				1	10
HSB108C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB108C	1/28/2015	ZINC	6.9	ug/L	J				4	40
HSB108C	1/28/2015	MERCURY	0.0802	ug/L	J		21		0.02	0.2
HSB108C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB108C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB108C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB108C	1/28/2015	TETRACHLOROETHYLENE (PCE)	0.53	ug/L	J		21		0.3	1
HSB108C	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB108C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB108C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB108C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB108C	1/28/2015	AMERICIUM-241	0	pCi/L	U			0	0.0643	0.0643

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108C	1/28/2015	CURIUM-242	0.0208	pCi/L	U			0.057	0.118	0.232
HSB108C	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.0633	0.0633
HSB108C	1/28/2015	CURIUM-245/246	0.0968	pCi/L	U			0.098	0.0656	0.261
HSB108C	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0649	0.0649
HSB108C	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0649	0.0649
HSB108C	1/28/2015	THORIUM-228	-0.0111	pCi/L	U			0.016	0.129	0.161
HSB108C	1/28/2015	THORIUM-230	0.0863	pCi/L	U			0.087	0.0585	0.233
HSB108C	1/28/2015	THORIUM-232	0.0431	pCi/L	U			0.061	0.0584	0.181
HSB108C	1/28/2015	URANIUM-233/234	0.042	pCi/L	U			0.082	0.168	0.332
HSB108C	1/28/2015	URANIUM-235	-0.0173	pCi/L	U			0.025	0.208	0.257
HSB108C	1/28/2015	URANIUM-238	-0.00701	pCi/L	U			0.014	0.141	0.169
HSB108C	1/28/2015	GROSS ALPHA	0.442	pCi/L	U			1.14	2.21	4.5
HSB108C	1/28/2015	NONVOLATILE BETA	2.04	pCi/L	U			2.51	3.93	8.94
HSB108C	1/28/2015	STRONTIUM-90	-0.481	pCi/L	U			1.41	2.97	5.78
HSB108C	1/28/2015	CARBON-14	11.3	pCi/L	J		21	4.45	7.01	15.9
HSB108C	1/28/2015	NICKEL-63	0.375	pCi/L	U			3	5.15	11.2
HSB108C	1/28/2015	TECHNETIUM-99	3.02	pCi/L	U			2.7	4.4	9.81
HSB108C	1/28/2015	TRITIUM	83.2	pCi/mL				1.74	0.443	3.92
HSB108C	1/28/2015	CESIUM-137	-0.993	pCi/L	U			4.52	8.03	17.1
HSB108C	1/28/2015	COBALT-60	-1.94	pCi/L	U			3.9	6.91	14.7
HSB108C	1/28/2015	IODINE-129	0.119	pCi/L	U			0.586	1	2.17
HSB108C	1/28/2015	RADIUM-226	0.423	pCi/L	U			0.339	0.508	1.19
HSB108C	1/28/2015	RADIUM-228	0.672	pCi/L	U		21, V	0.344	0.492	1.18
HSB108C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0807	pCi/L	U			0.932	1.91	3.77
HSB108C	4/16/2015	NITRATE-NITRITE AS NITROGEN	2.49	mg/L					0.085	0.25
HSB108C	4/16/2015	MERCURY	0.0373	ug/L	J		21		0.02	0.2
HSB108C	4/16/2015	GROSS ALPHA	0.942	pCi/L	U			1.4	2.1	4.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108C	4/16/2015	NONVOLATILE BETA	2.02	pCi/L	U			2.67	4.23	9.56
HSB108C	4/16/2015	TRITIUM	84.1	pCi/mL				1.76	0.468	3.99
HSB108C	8/6/2015	NITRATE-NITRITE AS NITROGEN	2.57	mg/L					0.085	0.25
HSB108C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB108C	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB108C	8/6/2015	BARIUM	10.7	ug/L	J		21		2	20
HSB108C	8/6/2015	BERYLLIUM	0.119	ug/L	J		21		0.1	1
HSB108C	8/6/2015	CADMIUM	0.14	ug/L	J		21		0.1	1
HSB108C	8/6/2015	CHROMIUM	12.1	ug/L	J		21		10	100
HSB108C	8/6/2015	COBALT	5	ug/L	U				0.5	5
HSB108C	8/6/2015	COPPER	1.9	ug/L	J		21		0.5	5
HSB108C	8/6/2015	LEAD	1.57	ug/L	J		21		0.5	5
HSB108C	8/6/2015	NICKEL	1.43	ug/L	J		21		0.5	5
HSB108C	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB108C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB108C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB108C	8/6/2015	TIN	10	ug/L	U				1	10
HSB108C	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB108C	8/6/2015	ZINC	11.5	ug/L	J		21		4	40
HSB108C	8/6/2015	MERCURY	0.282	ug/L					0.02	0.2
HSB108C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB108C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.22	ug/L	U		21, V		1	5
HSB108C	8/6/2015	TETRACHLOROETHYLENE (PCE)	0.33	ug/L	U		21, V		0.3	1
HSB108C	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB108C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB108C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB108C	8/6/2015	AMERICIUM-241	0.0456	pCi/L	U		V	0.065	0.0617	0.191
HSB108C	8/6/2015	CURIUM-242	0.0251	pCi/L	U			0.05	0.0608	0.161
HSB108C	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0608	0.0608
HSB108C	8/6/2015	CURIUM-245/246	0.0929	pCi/L	U		21, V	0.094	0.0629	0.251
HSB108C	8/6/2015	PLUTONIUM-238	-0.0172	pCi/L	U			0.02	0.155	0.195
HSB108C	8/6/2015	PLUTONIUM-239/240	0.0287	pCi/L	U		V	0.068	0.155	0.291
HSB108C	8/6/2015	THORIUM-228	-0.00547	pCi/L	U		V	0.07	0.206	0.346
HSB108C	8/6/2015	THORIUM-230	-0.0107	pCi/L	U		V	0.015	0.128	0.158
HSB108C	8/6/2015	THORIUM-232	-0.00533	pCi/L	U		V	0.011	0.107	0.129
HSB108C	8/6/2015	URANIUM-233/234	0.0703	pCi/L	U		V	0.082	0.12	0.285
HSB108C	8/6/2015	URANIUM-235	-0.0186	pCi/L	U			0.022	0.167	0.21
HSB108C	8/6/2015	URANIUM-238	0.11	pCi/L	J		21, V	0.1	0.12	0.321
HSB108C	8/6/2015	GROSS ALPHA	0.877	pCi/L	U			1.41	2.18	5
HSB108C	8/6/2015	NONVOLATILE BETA	1.48	pCi/L	U			2.44	3.97	8.84
HSB108C	8/6/2015	STRONTIUM-90	-0.918	pCi/L	U			1.74	3.29	6.76
HSB108C	8/6/2015	CARBON-14	-2.22	pCi/L	U			4.13	7.02	15.3
HSB108C	8/6/2015	NICKEL-63	0.756	pCi/L	U			2.83	4.79	10.5
HSB108C	8/6/2015	TECHNETIUM-99	4.37	pCi/L	J		21	2.68	4.3	9.66
HSB108C	8/6/2015	TRITIUM	84.2	pCi/mL				1.73	0.497	3.96
HSB108C	8/6/2015	CESIUM-137	-0.137	pCi/L	U			4.86	8.76	18.5
HSB108C	8/6/2015	COBALT-60	0.342	pCi/L	U			5.31	9.91	20.5
HSB108C	8/6/2015	IODINE-129	0.253	pCi/L	UJ		V	0.591	1.04	2.22
HSB108C	8/6/2015	RADIUM-226	0.169	pCi/L	U			0.203	0.342	0.748
HSB108C	8/6/2015	RADIUM-228	0.239	pCi/L	U			0.473	0.825	1.77
HSB108C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.451	pCi/L	U			0.507	1.42	2.43
HSB108C	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.84	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108C	11/4/2015	MERCURY	0.175	ug/L	J		21		0.02	0.2
HSB108C	11/4/2015	GROSS ALPHA	0.399	pCi/L	U			0.871	1.38	3.12
HSB108C	11/4/2015	NONVOLATILE BETA	2.73	pCi/L	J		21	2.02	2.65	6.69
HSB108C	11/4/2015	TRITIUM	88.7	pCi/mL				1.76	0.397	3.92
HSB108D	2/4/2015	NITRATE-NITRITE AS NITROGEN	4.8	mg/L					0.17	0.5
HSB108D	2/4/2015	ALUMINUM	191	ug/L	J				40	400
HSB108D	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSB108D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB108D	2/4/2015	BARIUM	15.7	ug/L	J				2	20
HSB108D	2/4/2015	BERYLLIUM	0.1	ug/L	J				0.1	1
HSB108D	2/4/2015	CADMIUM	0.121	ug/L	J				0.1	1
HSB108D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB108D	2/4/2015	COBALT	2.39	ug/L	J				0.5	5
HSB108D	2/4/2015	COPPER	0.605	ug/L	J				0.5	5
HSB108D	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSB108D	2/4/2015	NICKEL	2.48	ug/L	J				0.5	5
HSB108D	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB108D	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB108D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB108D	2/4/2015	TIN	10	ug/L	U				1	10
HSB108D	2/4/2015	VANADIUM	15.8	ug/L	J				5	50
HSB108D	2/4/2015	ZINC	6.01	ug/L	J				4	40
HSB108D	2/4/2015	MERCURY	0.707	ug/L					0.02	0.2
HSB108D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB108D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB108D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB108D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108D	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB108D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB108D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB108D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB108D	2/4/2015	AMERICIUM-241	0	pCi/L	U			0	0.0662	0.0662
HSB108D	2/4/2015	CURIUM-242	0.0277	pCi/L	U			0.056	0.0652	0.176
HSB108D	2/4/2015	CURIUM-243/244	0.0241	pCi/L	U			0.048	0.0652	0.162
HSB108D	2/4/2015	CURIUM-245/246	0.124	pCi/L	U			0.113	0.0675	0.294
HSB108D	2/4/2015	PLUTONIUM-238	0.0447	pCi/L	U			0.064	0.0606	0.188
HSB108D	2/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0606	0.0606
HSB108D	2/4/2015	THORIUM-228	0.0771	pCi/L	U			0.098	0.155	0.35
HSB108D	2/4/2015	THORIUM-230	0.115	pCi/L	U			0.104	0.0623	0.271
HSB108D	2/4/2015	THORIUM-232	0	pCi/L	U			0	0.0622	0.0622
HSB108D	2/4/2015	URANIUM-233/234	0.295	pCi/L	J		21	0.173	0.116	0.463
HSB108D	2/4/2015	URANIUM-235	0.0285	pCi/L	U			0.057	0.0773	0.192
HSB108D	2/4/2015	URANIUM-238	0.115	pCi/L	J		21	0.105	0.0625	0.272
HSB108D	2/4/2015	GROSS ALPHA	5.95	pCi/L	J		21	2.35	1.89	6.59
HSB108D	2/4/2015	NONVOLATILE BETA	306	pCi/L				12.8	3.33	29
HSB108D	2/4/2015	STRONTIUM-90	136	pCi/L				16.8	3.28	36.9
HSB108D	2/4/2015	CARBON-14	45.8	pCi/L				5.18	7.05	17.4
HSB108D	2/4/2015	NICKEL-63	5.24	pCi/L	J		21	3.05	4.94	11
HSB108D	2/4/2015	TECHNETIUM-99	3.74	pCi/L	U			2.59	4.17	9.35
HSB108D	2/4/2015	TRITIUM	99.5	pCi/mL				1.93	0.56	4.41
HSB108D	2/4/2015	CESIUM-137	-2.1	pCi/L	U			4.7	8.11	17.5
HSB108D	2/4/2015	COBALT-60	-0.991	pCi/L	U			5.03	9.17	19.2
HSB108D	2/4/2015	IODINE-129	0.732	pCi/L	U			0.753	0.929	2.44
HSB108D	2/4/2015	RADIUM-226	0.644	pCi/L	J		21	0.379	0.52	1.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108D	2/4/2015	RADIUM-228	0.97	pCi/L	J		21	0.329	0.397	1.06
HSB108D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.536	pCi/L	U			1.3	2.09	4.69
HSB108D	4/15/2015	NITRATE-NITRITE AS NITROGEN	3.68	mg/L					0.17	0.5
HSB108D	4/15/2015	MERCURY	0.71	ug/L					0.02	0.2
HSB108D	4/15/2015	GROSS ALPHA	3.92	pCi/L	J		21	2.55	2.13	7.23
HSB108D	4/15/2015	NONVOLATILE BETA	61.8	pCi/L				8	4.07	20.1
HSB108D	4/15/2015	TRITIUM	65.2	pCi/mL				1.54	0.446	3.53
HSB108D	8/6/2015	NITRATE-NITRITE AS NITROGEN	3.95	mg/L					0.085	0.25
HSB108D	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB108D	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB108D	8/6/2015	BARIUM	14	ug/L	J		21		2	20
HSB108D	8/6/2015	BERYLLIUM	0.101	ug/L	J		21		0.1	1
HSB108D	8/6/2015	CADMIUM	0.12	ug/L	J		21		0.1	1
HSB108D	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB108D	8/6/2015	COBALT	1.26	ug/L	J		21		0.5	5
HSB108D	8/6/2015	COPPER	0.565	ug/L	J		21		0.5	5
HSB108D	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB108D	8/6/2015	NICKEL	1.02	ug/L	J		21		0.5	5
HSB108D	8/6/2015	SELENIUM	20	ug/L	U				2	20
HSB108D	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB108D	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB108D	8/6/2015	TIN	10	ug/L	U				1	10
HSB108D	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB108D	8/6/2015	ZINC	6.26	ug/L	J		21		4	40
HSB108D	8/6/2015	MERCURY	0.222	ug/L					0.02	0.2
HSB108D	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB108D	8/6/2015	DICHLOROMETHANE	1.22	ug/L	U		21, V		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
HSB108D	8/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB108D	8/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB108D	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB108D	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB108D	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB108D	8/6/2015	AMERICIUM-241	0.0225	pCi/L	U		V	0.045	0.061	0.151
HSB108D	8/6/2015	CURIUM-242	0.0248	pCi/L	U			0.05	0.06	0.159
HSB108D	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.06	0.06
HSB108D	8/6/2015	CURIUM-245/246	0.0631	pCi/L	U		V	0.081	0.115	0.277
HSB108D	8/6/2015	PLUTONIUM-238	0.0395	pCi/L	U			0.056	0.0535	0.166
HSB108D	8/6/2015	PLUTONIUM-239/240	-0.00494	pCi/L	U		V	0.01	0.0994	0.119
HSB108D	8/6/2015	THORIUM-228	0.0341	pCi/L	U		V	0.066	0.133	0.266
HSB108D	8/6/2015	THORIUM-230	0.26	pCi/L	U		21, V	0.159	0.112	0.429
HSB108D	8/6/2015	THORIUM-232	0	pCi/L	U		V	0	0.06	0.06
HSB108D	8/6/2015	URANIUM-233/234	0.538	pCi/L	J		21, V	0.238	0.137	0.614
HSB108D	8/6/2015	URANIUM-235	0	pCi/L	U			0	0.0766	0.0766
HSB108D	8/6/2015	URANIUM-238	0.0857	pCi/L	U		V	0.093	0.115	0.301
HSB108D	8/6/2015	GROSS ALPHA	5.81	pCi/L	J		21	3.08	2.15	8.31
HSB108D	8/6/2015	NONVOLATILE BETA	47.8	pCi/L				7.1	4.08	18.3
HSB108D	8/6/2015	STRONTIUM-90	19.2	pCi/L				4.51	3.29	12.3
HSB108D	8/6/2015	CARBON-14	5.08	pCi/L	U			4.27	6.96	15.5
HSB108D	8/6/2015	NICKEL-63	-0.324	pCi/L	U			2.72	4.52	9.96
HSB108D	8/6/2015	TECHNETIUM-99	2.07	pCi/L	U			2.61	4.3	9.53
HSB108D	8/6/2015	TRITIUM	32.1	pCi/mL				1.1	0.502	2.7
HSB108D	8/6/2015	CESIUM-137	-1.82	pCi/L	U			5.82	10.1	21.7
HSB108D	8/6/2015	COBALT-60	-0.0992	pCi/L	U			5.08	9.43	19.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB108D	8/6/2015	IODINE-129	0.879	pCi/L	UJ		V	0.866	1.06	2.79
HSB108D	8/6/2015	RADIUM-226	0.548	pCi/L	J		21	0.283	0.369	0.935
HSB108D	8/6/2015	RADIUM-228	0.825	pCi/L	J		21	0.351	0.462	1.16
HSB108D	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0299	pCi/L	U			0.829	1.64	3.3
HSB108D	11/9/2015	NITRATE-NITRITE AS NITROGEN	3.33	mg/L					0.425	1.25
HSB108D	11/9/2015	MERCURY	0.254	ug/L					0.02	0.2
HSB108D	11/9/2015	GROSS ALPHA	3.18	pCi/L	J		21	2.37	2.3	7.05
HSB108D	11/9/2015	NONVOLATILE BETA	49.5	pCi/L				7.36	4.58	19.3
HSB108D	11/9/2015	TRITIUM	64.7	pCi/mL				1.41	0.523	3.35
HSB109C	1/27/2015	NITRATE-NITRITE AS NITROGEN	3.76	mg/L					0.17	0.5
HSB109C	1/27/2015	ALUMINUM	142	ug/L	J				40	400
HSB109C	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB109C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB109C	1/27/2015	BARIUM	6.26	ug/L	J				2	20
HSB109C	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB109C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB109C	1/27/2015	CHROMIUM	17.8	ug/L	J				10	100
HSB109C	1/27/2015	COBALT	5	ug/L	U				0.5	5
HSB109C	1/27/2015	COPPER	0.727	ug/L	J				0.5	5
HSB109C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB109C	1/27/2015	NICKEL	3.79	ug/L	J				0.5	5
HSB109C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB109C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB109C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB109C	1/27/2015	TIN	10	ug/L	U				1	10
HSB109C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB109C	1/27/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB109C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB109C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB109C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB109C	1/27/2015	TETRACHLOROETHYLENE (PCE)	0.45	ug/L	J		21		0.3	1
HSB109C	1/27/2015	TRICHLOROETHYLENE (TCE)	1.32	ug/L					0.3	1
HSB109C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB109C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB109C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB109C	1/27/2015	AMERICIUM-241	0.0436	pCi/L	U			0.062	0.0591	0.183
HSB109C	1/27/2015	CURIUM-242	0.0112	pCi/L	U			0.048	0.129	0.224
HSB109C	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0582	0.0582
HSB109C	1/27/2015	CURIUM-245/246	0.106	pCi/L	U			0.101	0.112	0.315
HSB109C	1/27/2015	PLUTONIUM-238	0.0256	pCi/L	U			0.051	0.0692	0.172
HSB109C	1/27/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0692	0.0692
HSB109C	1/27/2015	THORIUM-228	0.0606	pCi/L	U			0.078	0.11	0.265
HSB109C	1/27/2015	THORIUM-230	0.131	pCi/L	U			0.109	0.0591	0.277
HSB109C	1/27/2015	THORIUM-232	0.0163	pCi/L	U			0.045	0.11	0.2
HSB109C	1/27/2015	URANIUM-233/234	0.0732	pCi/L	U			0.085	0.0661	0.237
HSB109C	1/27/2015	URANIUM-235	0	pCi/L	U			0	0.0816	0.0816
HSB109C	1/27/2015	URANIUM-238	0.0183	pCi/L	U			0.05	0.123	0.223
HSB109C	1/27/2015	GROSS ALPHA	0.836	pCi/L	U			1.4	2.32	5.12
HSB109C	1/27/2015	NONVOLATILE BETA	-0.885	pCi/L	U			2.15	4.25	8.56
HSB109C	1/27/2015	STRONTIUM-90	2.09	pCi/L	U			2.16	3.1	7.42
HSB109C	1/27/2015	CARBON-14	4.7	pCi/L	UJ			4.18	6.82	15.2
HSB109C	1/27/2015	NICKEL-63	3.12	pCi/L	U			2.64	4.1	9.38

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109C	1/27/2015	TECHNETIUM-99	-2.67	pCi/L	U			2.59	4.5	9.69
HSB109C	1/27/2015	TRITIUM	358	pCi/mL				3.52	0.42	7.46
HSB109C	1/27/2015	CESIUM-137	2.62	pCi/L	U			4.72	9	18.4
HSB109C	1/27/2015	COBALT-60	-3.11	pCi/L	U			3.96	6.61	14.5
HSB109C	1/27/2015	IODINE-129	0.389	pCi/L	U			0.614	1.06	2.28
HSB109C	1/27/2015	RADIUM-226	1.76	pCi/L				0.546	0.546	1.64
HSB109C	1/27/2015	RADIUM-228	0.284	pCi/L	U			0.328	0.552	1.21
HSB109C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.678	pCi/L	U			0.71	1.09	2.51
HSB109C	4/15/2015	NITRATE-NITRITE AS NITROGEN	3.8	mg/L					0.17	0.5
HSB109C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB109C	4/15/2015	GROSS ALPHA	-0.274	pCi/L	U			0.29	2.11	2.69
HSB109C	4/15/2015	NONVOLATILE BETA	0.292	pCi/L	U			2.21	3.97	8.39
HSB109C	4/15/2015	TRITIUM	369	pCi/mL				3.63	0.446	7.71
HSB109C	8/6/2015	NITRATE-NITRITE AS NITROGEN	3.85	mg/L					0.085	0.25
HSB109C	8/6/2015	ALUMINUM	400	ug/L	U		V		40	400
HSB109C	8/6/2015	ANTIMONY	10	ug/L	U				1	10
HSB109C	8/6/2015	ARSENIC	50	ug/L	U				5	50
HSB109C	8/6/2015	BARIUM	5.29	ug/L	J		21		2	20
HSB109C	8/6/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB109C	8/6/2015	CADMIUM	1	ug/L	U				0.1	1
HSB109C	8/6/2015	CHROMIUM	100	ug/L	U				10	100
HSB109C	8/6/2015	COBALT	5	ug/L	U				0.5	5
HSB109C	8/6/2015	COPPER	0.66	ug/L	J		21		0.5	5
HSB109C	8/6/2015	LEAD	5	ug/L	U				0.5	5
HSB109C	8/6/2015	MANGANESE	1.87	ug/L	J		21		1	10
HSB109C	8/6/2015	NICKEL	1.05	ug/L	J		21		0.5	5
HSB109C	8/6/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109C	8/6/2015	SILVER	5	ug/L	U				0.5	5
HSB109C	8/6/2015	SODIUM	4920	ug/L					20	200
HSB109C	8/6/2015	THALLIUM	1	ug/L	U				0.1	1
HSB109C	8/6/2015	TIN	10	ug/L	U				1	10
HSB109C	8/6/2015	VANADIUM	50	ug/L	U				5	50
HSB109C	8/6/2015	ZINC	5.01	ug/L	J		21		4	40
HSB109C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB109C	8/6/2015	BENZENE	1	ug/L	U				0.3	1
HSB109C	8/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.89	ug/L	J		21		1	5
HSB109C	8/6/2015	TETRACHLOROETHYLENE (PCE)	0.36	ug/L	J		21		0.3	1
HSB109C	8/6/2015	TRICHLOROETHYLENE (TCE)	1.28	ug/L					0.3	1
HSB109C	8/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB109C	8/6/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB109C	8/6/2015	CYANIDE	5	ug/L	U				1.67	5
HSB109C	8/6/2015	AMERICIUM-241	-0.00624	pCi/L	U		V	0.013	0.126	0.151
HSB109C	8/6/2015	CURIUM-242	-0.0067	pCi/L	U			0.013	0.124	0.151
HSB109C	8/6/2015	CURIUM-243/244	0	pCi/L	U			0	0.0667	0.0667
HSB109C	8/6/2015	CURIUM-245/246	0.153	pCi/L	U		21, V	0.127	0.069	0.322
HSB109C	8/6/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0667	0.0667
HSB109C	8/6/2015	PLUTONIUM-239/240	0.0246	pCi/L	U		V	0.049	0.0667	0.165
HSB109C	8/6/2015	THORIUM-228	-0.0153	pCi/L	U			0.018	0.135	0.171
HSB109C	8/6/2015	THORIUM-230	0.0954	pCi/L	U		V	0.092	0.101	0.284
HSB109C	8/6/2015	THORIUM-232	0.015	pCi/L	U		V	0.041	0.101	0.184
HSB109C	8/6/2015	URANIUM-233/234	0.064	pCi/L	U		V	0.089	0.157	0.334
HSB109C	8/6/2015	URANIUM-235	0	pCi/L	U			0	0.0714	0.0714
HSB109C	8/6/2015	URANIUM-238	0.122	pCi/L	J		21, V	0.106	0.107	0.32

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109C	8/6/2015	GROSS ALPHA	0.0212	pCi/L	U			0.859	2.32	4.03
HSB109C	8/6/2015	NONVOLATILE BETA	3.17	pCi/L	U			2.82	4.12	9.76
HSB109C	8/6/2015	STRONTIUM-90	0.283	pCi/L	U			1.96	3.26	7.17
HSB109C	8/6/2015	CARBON-14	11.7	pCi/L	J		21	4.44	6.99	15.9
HSB109C	8/6/2015	NICKEL-63	0.947	pCi/L	U			2.89	4.95	10.7
HSB109C	8/6/2015	TECHNETIUM-99	0.942	pCi/L	U			2.58	4.3	9.47
HSB109C	8/6/2015	TRITIUM	414	pCi/mL				3.82	0.502	8.14
HSB109C	8/6/2015	CESIUM-137	-0.152	pCi/L	U			5.19	9.27	19.6
HSB109C	8/6/2015	COBALT-60	-0.247	pCi/L	U			4.31	8.13	16.7
HSB109C	8/6/2015	IODINE-129	2.22	pCi/L	J		21	1.29	1.14	3.71
HSB109C	8/6/2015	RADIUM-226	0.405	pCi/L	J		21	0.257	0.364	0.878
HSB109C	8/6/2015	RADIUM-228	0.473	pCi/L	U			0.332	0.512	1.18
HSB109C	8/6/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0439	pCi/L	U			0.767	1.6	3.13
HSB109C	11/4/2015	NITRATE-NITRITE AS NITROGEN	4.15	mg/L					0.17	0.5
HSB109C	11/4/2015	MERCURY	0.327	ug/L					0.02	0.2
HSB109C	11/4/2015	GROSS ALPHA	0.21	pCi/L	U			0.783	1.38	2.94
HSB109C	11/4/2015	NONVOLATILE BETA	0.402	pCi/L	U			1.73	2.64	6.1
HSB109C	11/4/2015	TRITIUM	391	pCi/mL				3.67	0.396	7.73
HSB109D	1/27/2015	NITRATE-NITRITE AS NITROGEN	2.74	mg/L					0.085	0.25
HSB109D	1/27/2015	ALUMINUM	340	ug/L	J				40	400
HSB109D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB109D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB109D	1/27/2015	BARIUM	19.7	ug/L	J				2	20
HSB109D	1/27/2015	BERYLLIUM	0.138	ug/L	J				0.1	1
HSB109D	1/27/2015	CADMIUM	0.105	ug/L	J				0.1	1
HSB109D	1/27/2015	CHROMIUM	45.7	ug/L	J				10	100
HSB109D	1/27/2015	COBALT	6	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109D	1/27/2015	COPPER	4.47	ug/L	J				0.5	5
HSB109D	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB109D	1/27/2015	NICKEL	49.1	ug/L					0.5	5
HSB109D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB109D	1/27/2015	SILVER	0.918	ug/L	J				0.5	5
HSB109D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB109D	1/27/2015	TIN	10	ug/L	U				1	10
HSB109D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB109D	1/27/2015	ZINC	7.66	ug/L	J				4	40
HSB109D	1/27/2015	MERCURY	0.305	ug/L					0.02	0.2
HSB109D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB109D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB109D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB109D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB109D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB109D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB109D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB109D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB109D	1/27/2015	AMERICIUM-241	0.0437	pCi/L	U			0.062	0.0592	0.184
HSB109D	1/27/2015	CURIUM-242	0.0169	pCi/L	U			0.046	0.108	0.201
HSB109D	1/27/2015	CURIUM-243/244	0	pCi/L	U			0	0.0583	0.0583
HSB109D	1/27/2015	CURIUM-245/246	0.0891	pCi/L	U			0.09	0.0604	0.241
HSB109D	1/27/2015	PLUTONIUM-238	-0.00523	pCi/L	U			0.011	0.105	0.126
HSB109D	1/27/2015	PLUTONIUM-239/240	-0.00523	pCi/L	U			0.011	0.105	0.126
HSB109D	1/27/2015	THORIUM-228	-0.0739	pCi/L	U			0.131	0.386	0.648
HSB109D	1/27/2015	THORIUM-230	0.0915	pCi/L	U			0.1	0.123	0.322

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109D	1/27/2015	THORIUM-232	0	pCi/L	U			0	0.066	0.066
HSB109D	1/27/2015	URANIUM-233/234	0.11	pCi/L	U			0.105	0.116	0.327
HSB109D	1/27/2015	URANIUM-235	0.0214	pCi/L	U			0.059	0.143	0.261
HSB109D	1/27/2015	URANIUM-238	0.0691	pCi/L	J		21	0.081	0.0625	0.224
HSB109D	1/27/2015	GROSS ALPHA	1.86	pCi/L	U			1.97	2.61	6.56
HSB109D	1/27/2015	NONVOLATILE BETA	113	pCi/L				10.8	4.39	25.9
HSB109D	1/27/2015	STRONTIUM-90	71.8	pCi/L				10.3	3.11	23.7
HSB109D	1/27/2015	CARBON-14	12.6	pCi/L	J		21	4.36	6.81	15.5
HSB109D	1/27/2015	NICKEL-63	13.9	pCi/L				2.95	4.13	10
HSB109D	1/27/2015	TECHNETIUM-99	-2.44	pCi/L	U			2.53	4.38	9.45
HSB109D	1/27/2015	TRITIUM	57.8	pCi/mL				1.47	0.44	3.37
HSB109D	1/27/2015	CESIUM-137	5.91	pCi/L	U			5.23	10.2	20.7
HSB109D	1/27/2015	COBALT-60	1.39	pCi/L	U			4.28	8.5	17
HSB109D	1/27/2015	IODINE-129	0.719	pCi/L	U			0.857	0.966	2.68
HSB109D	1/27/2015	RADIUM-226	1.25	pCi/L	J		21	0.541	0.65	1.73
HSB109D	1/27/2015	RADIUM-228	0.143	pCi/L	U			0.456	0.806	1.72
HSB109D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	1.99	pCi/L	J		21	1.13	1.34	3.6
HSB109D	4/15/2015	NITRATE-NITRITE AS NITROGEN	2.6	mg/L					0.17	0.5
HSB109D	4/15/2015	MERCURY	0.262	ug/L					0.02	0.2
HSB109D	4/15/2015	GROSS ALPHA	2.72	pCi/L	J		21	2.16	2.14	6.47
HSB109D	4/15/2015	NONVOLATILE BETA	141	pCi/L				12.2	4.04	28.5
HSB109D	4/15/2015	TRITIUM	46.1	pCi/mL				1.31	0.447	3.06
HSB109D	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.45	mg/L					0.085	0.25
HSB109D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB109D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB109D	8/10/2015	BARIUM	15.3	ug/L	J		21		2	20
HSB109D	8/10/2015	BERYLLIUM	0.174	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109D	8/10/2015	CADMIUM	0.111	ug/L	J		21		0.1	1
HSB109D	8/10/2015	CHROMIUM	11.4	ug/L	J		21		10	100
HSB109D	8/10/2015	COBALT	2.64	ug/L	J		21		0.5	5
HSB109D	8/10/2015	COPPER	6.72	ug/L					0.5	5
HSB109D	8/10/2015	LEAD	3.27	ug/L	J		21		0.5	5
HSB109D	8/10/2015	NICKEL	7.98	ug/L					0.5	5
HSB109D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB109D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB109D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB109D	8/10/2015	TIN	10	ug/L	U				1	10
HSB109D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB109D	8/10/2015	ZINC	11.3	ug/L	J		21		4	40
HSB109D	8/10/2015	MERCURY	0.134	ug/L	J		21		0.02	0.2
HSB109D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB109D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB109D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB109D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB109D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB109D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB109D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB109D	8/10/2015	AMERICIUM-241	0.0623	pCi/L	U		21, V	0.072	0.0562	0.201
HSB109D	8/10/2015	CURIUM-242	-0.00562	pCi/L	U			0.011	0.103	0.125
HSB109D	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0554	0.0554
HSB109D	8/10/2015	CURIUM-245/246	0.101	pCi/L	U		V	0.096	0.107	0.299
HSB109D	8/10/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0592	0.0592
HSB109D	8/10/2015	PLUTONIUM-239/240	0.0218	pCi/L	U		V	0.044	0.0592	0.147

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB109D	8/10/2015	THORIUM-228	-0.0235	pCi/L	U		V	0.024	0.169	0.216
HSB109D	8/10/2015	THORIUM-230	0.201	pCi/L	U		21, V	0.142	0.116	0.399
HSB109D	8/10/2015	THORIUM-232	0.0229	pCi/L	U		V	0.046	0.0622	0.154
HSB109D	8/10/2015	URANIUM-233/234	0.681	pCi/L			V	0.268	0.134	0.67
HSB109D	8/10/2015	URANIUM-235	0.0275	pCi/L	U			0.055	0.0746	0.185
HSB109D	8/10/2015	URANIUM-238	0.078	pCi/L	U		V	0.091	0.134	0.316
HSB109D	8/10/2015	GROSS ALPHA	7.18	pCi/L	J		21	3.51	2.66	9.69
HSB109D	8/10/2015	NONVOLATILE BETA	161	pCi/L				13.3	5.04	31.6
HSB109D	8/10/2015	STRONTIUM-90	80.8	pCi/L				11.2	3.37	25.8
HSB109D	8/10/2015	CARBON-14	14.7	pCi/L	J		21	4.57	7.08	16.2
HSB109D	8/10/2015	NICKEL-63	21.8	pCi/L				3.85	6.19	13.9
HSB109D	8/10/2015	TECHNETIUM-99	2.85	pCi/L	U			2.65	4.31	9.6
HSB109D	8/10/2015	TRITIUM	49.7	pCi/mL				1.37	0.474	3.21
HSB109D	8/10/2015	CESIUM-137	2.13	pCi/L	U			5.55	10.2	21.3
HSB109D	8/10/2015	COBALT-60	2.83	pCi/L	U			5.14	10.1	20.4
HSB109D	8/10/2015	IODINE-129	1.09	pCi/L	U			0.964	1.13	3.05
HSB109D	8/10/2015	RADIUM-226	2.42	pCi/L				0.703	0.673	2.08
HSB109D	8/10/2015	RADIUM-228	0.39	pCi/L	U			0.363	0.598	1.32
HSB109D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	1.09	pCi/L	U			1.14	1.8	4.08
HSB109D	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.33	mg/L					0.17	0.5
HSB109D	11/4/2015	MERCURY	0.172	ug/L	J		21		0.02	0.2
HSB109D	11/4/2015	GROSS ALPHA	5.44	pCi/L	J		21	2.15	1.41	5.7
HSB109D	11/4/2015	NONVOLATILE BETA	160	pCi/L				10.3	2.73	23.3
HSB109D	11/4/2015	TRITIUM	23.6	pCi/mL				0.927	0.396	2.25
HSB110C	1/27/2015	NITRATE-NITRITE AS NITROGEN	2.29	mg/L					0.085	0.25
HSB110C	1/27/2015	ALUMINUM	47.4	ug/L	J				40	400
HSB110C	1/27/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110C	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB110C	1/27/2015	BARIUM	5.54	ug/L	J				2	20
HSB110C	1/27/2015	BERYLLIUM	0.146	ug/L	J				0.1	1
HSB110C	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB110C	1/27/2015	CHROMIUM	13.4	ug/L	J				10	100
HSB110C	1/27/2015	COBALT	0.655	ug/L	J				0.5	5
HSB110C	1/27/2015	COPPER	1.93	ug/L	J				0.5	5
HSB110C	1/27/2015	LEAD	5	ug/L	U				0.5	5
HSB110C	1/27/2015	NICKEL	1.19	ug/L	J				0.5	5
HSB110C	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB110C	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB110C	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB110C	1/27/2015	TIN	10	ug/L	U				1	10
HSB110C	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB110C	1/27/2015	ZINC	6.91	ug/L	J				4	40
HSB110C	1/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB110C	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB110C	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB110C	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB110C	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB110C	1/27/2015	TRICHLOROETHYLENE (TCE)	3.39	ug/L					0.3	1
HSB110C	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB110C	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB110C	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB110C	1/27/2015	AMERICIUM-241	0.0727	pCi/L	U			0.085	0.0657	0.235
HSB110C	1/27/2015	CURIUM-242	0	pCi/L	U			0	0.0647	0.0647

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110C	1/27/2015	CURIUM-243/244	-0.00598	pCi/L	U			0.012	0.12	0.144
HSB110C	1/27/2015	CURIUM-245/246	0.124	pCi/L	U			0.112	0.067	0.291
HSB110C	1/27/2015	PLUTONIUM-238	-0.00649	pCi/L	U			0.013	0.131	0.157
HSB110C	1/27/2015	PLUTONIUM-239/240	-0.0195	pCi/L	U			0.023	0.175	0.22
HSB110C	1/27/2015	THORIUM-228	0.145	pCi/L	J		21	0.121	0.131	0.373
HSB110C	1/27/2015	THORIUM-230	0.192	pCi/L	U			0.136	0.11	0.381
HSB110C	1/27/2015	THORIUM-232	0.0164	pCi/L	U			0.045	0.11	0.2
HSB110C	1/27/2015	URANIUM-233/234	0.0244	pCi/L	U			0.049	0.0662	0.164
HSB110C	1/27/2015	URANIUM-235	-0.00753	pCi/L	U			0.015	0.152	0.182
HSB110C	1/27/2015	URANIUM-238	0.0183	pCi/L	U			0.05	0.123	0.223
HSB110C	1/27/2015	GROSS ALPHA	0.0352	pCi/L	U			0.824	2.3	3.94
HSB110C	1/27/2015	NONVOLATILE BETA	1.7	pCi/L	U			2.61	4.14	9.35
HSB110C	1/27/2015	STRONTIUM-90	1.58	pCi/L	U			2.1	3.11	7.3
HSB110C	1/27/2015	CARBON-14	8.22	pCi/L	J		21	4.23	6.77	15.2
HSB110C	1/27/2015	NICKEL-63	0.594	pCi/L	U			2.66	4.39	9.72
HSB110C	1/27/2015	TECHNETIUM-99	-0.0467	pCi/L	U			2.67	4.49	9.82
HSB110C	1/27/2015	TRITIUM	324	pCi/mL				3.43	0.441	7.31
HSB110C	1/27/2015	CESIUM-137	-0.9	pCi/L	U			4.94	8.76	18.6
HSB110C	1/27/2015	COBALT-60	-2.62	pCi/L	U			4.8	8.35	17.9
HSB110C	1/27/2015	IODINE-129	-0.147	pCi/L	U			0.587	0.952	2.13
HSB110C	1/27/2015	RADIUM-226	0.793	pCi/L	J		21	0.412	0.519	1.34
HSB110C	1/27/2015	RADIUM-228	0.312	pCi/L	U			0.407	0.692	1.51
HSB110C	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.329	pCi/L	U			0.416	1.26	2.09
HSB110C	4/16/2015	NITRATE-NITRITE AS NITROGEN	2.16	mg/L					0.085	0.25
HSB110C	4/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB110C	4/16/2015	GROSS ALPHA	-0.241	pCi/L	U			0.256	2.05	2.56
HSB110C	4/16/2015	NONVOLATILE BETA	1.62	pCi/L	U			2.5	4.05	9.06

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110C	4/16/2015	TRITIUM	337	pCi/mL				3.47	0.462	7.4
HSB110C	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.22	mg/L					0.085	0.25
HSB110C	8/10/2015	ALUMINUM	331	ug/L	J		21		40	400
HSB110C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB110C	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB110C	8/10/2015	BARIUM	5.88	ug/L	J		21		2	20
HSB110C	8/10/2015	BERYLLIUM	0.205	ug/L	J		21		0.1	1
HSB110C	8/10/2015	CADMIUM	0.116	ug/L	J		21		0.1	1
HSB110C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB110C	8/10/2015	COBALT	0.505	ug/L	J		21		0.5	5
HSB110C	8/10/2015	COPPER	1.62	ug/L	J		21		0.5	5
HSB110C	8/10/2015	LEAD	0.521	ug/L	J		21		0.5	5
HSB110C	8/10/2015	NICKEL	1.27	ug/L	J		21		0.5	5
HSB110C	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB110C	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB110C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB110C	8/10/2015	TIN	10	ug/L	U				1	10
HSB110C	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB110C	8/10/2015	ZINC	7.98	ug/L	J		21		4	40
HSB110C	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB110C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB110C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB110C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB110C	8/10/2015	TRICHLOROETHYLENE (TCE)	3.28	ug/L					0.3	1
HSB110C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB110C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB110C	8/10/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0613	0.0613
HSB110C	8/10/2015	CURIUM-242	0.124	pCi/L	J		21	0.112	0.0604	0.284
HSB110C	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0604	0.0604
HSB110C	8/10/2015	CURIUM-245/246	0.0692	pCi/L	U		21, V	0.081	0.0625	0.224
HSB110C	8/10/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0807	0.0807
HSB110C	8/10/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0807	0.0807
HSB110C	8/10/2015	THORIUM-228	-0.053	pCi/L	U			0.038	0.24	0.317
HSB110C	8/10/2015	THORIUM-230	0.143	pCi/L	U		V	0.13	0.155	0.416
HSB110C	8/10/2015	THORIUM-232	0.0194	pCi/L	U			0.053	0.13	0.237
HSB110C	8/10/2015	URANIUM-233/234	0.114	pCi/L	J		21, V	0.104	0.124	0.332
HSB110C	8/10/2015	URANIUM-235	0.0512	pCi/L	U			0.073	0.0694	0.215
HSB110C	8/10/2015	URANIUM-238	0.0983	pCi/L	U		V	0.094	0.104	0.293
HSB110C	8/10/2015	GROSS ALPHA	0.412	pCi/L	U			1.15	2.29	4.6
HSB110C	8/10/2015	NONVOLATILE BETA	1.4	pCi/L	U			2.53	4.17	9.24
HSB110C	8/10/2015	STRONTIUM-90	1.22	pCi/L	U			2.05	3.26	7.36
HSB110C	8/10/2015	CARBON-14	8.72	pCi/L	J		21	4.53	7.26	16.3
HSB110C	8/10/2015	NICKEL-63	0.542	pCi/L	U			3.12	5.37	11.6
HSB110C	8/10/2015	TECHNETIUM-99	1.9	pCi/L	U			2.59	4.26	9.44
HSB110C	8/10/2015	TRITIUM	364	pCi/mL				3.63	0.471	7.73
HSB110C	8/10/2015	CESIUM-137	-5.04	pCi/L	U			5.63	9.13	20.4
HSB110C	8/10/2015	COBALT-60	1.34	pCi/L	U			4.02	8.07	16.1
HSB110C	8/10/2015	IODINE-129	0.645	pCi/L	U			0.614	1.1	2.33
HSB110C	8/10/2015	RADIUM-226	0.624	pCi/L	J		21	0.396	0.56	1.35
HSB110C	8/10/2015	RADIUM-228	0.631	pCi/L	J		21	0.364	0.554	1.28
HSB110C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.066	pCi/L	U			0.576	1.34	2.49
HSB110C	11/5/2015	NITRATE-NITRITE AS NITROGEN	2.27	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110C	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB110C	11/5/2015	GROSS ALPHA	0.883	pCi/L	U			0.974	1.29	3.23
HSB110C	11/5/2015	NONVOLATILE BETA	-0.134	pCi/L	U			1.72	2.89	6.33
HSB110C	11/5/2015	TRITIUM	381	pCi/mL				3.37	0.539	7.27
HSB110D	1/27/2015	NITRATE-NITRITE AS NITROGEN	2.52	mg/L					0.085	0.25
HSB110D	1/27/2015	ALUMINUM	400	ug/L	U				40	400
HSB110D	1/27/2015	ANTIMONY	10	ug/L	U				1	10
HSB110D	1/27/2015	ARSENIC	50	ug/L	U				5	50
HSB110D	1/27/2015	BARIUM	7.11	ug/L	J				2	20
HSB110D	1/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB110D	1/27/2015	CADMIUM	1	ug/L	U				0.1	1
HSB110D	1/27/2015	CHROMIUM	100	ug/L	U				10	100
HSB110D	1/27/2015	COBALT	0.797	ug/L	J				0.5	5
HSB110D	1/27/2015	COPPER	3.51	ug/L	J				0.5	5
HSB110D	1/27/2015	LEAD	0.741	ug/L	J				0.5	5
HSB110D	1/27/2015	NICKEL	0.78	ug/L	J				0.5	5
HSB110D	1/27/2015	SELENIUM	20	ug/L	U				2	20
HSB110D	1/27/2015	SILVER	5	ug/L	U				0.5	5
HSB110D	1/27/2015	THALLIUM	1	ug/L	U				0.1	1
HSB110D	1/27/2015	TIN	10	ug/L	U				1	10
HSB110D	1/27/2015	VANADIUM	50	ug/L	U				5	50
HSB110D	1/27/2015	ZINC	11.5	ug/L	J				4	40
HSB110D	1/27/2015	MERCURY	0.0771	ug/L	J		21		0.02	0.2
HSB110D	1/27/2015	BENZENE	1	ug/L	U				0.3	1
HSB110D	1/27/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB110D	1/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB110D	1/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110D	1/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB110D	1/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB110D	1/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB110D	1/27/2015	CYANIDE	5	ug/L	U				1.67	5
HSB110D	1/27/2015	AMERICIUM-241	0.0904	pCi/L	U			0.092	0.0612	0.244
HSB110D	1/27/2015	CURIUM-242	0.0236	pCi/L	U			0.047	0.0603	0.155
HSB110D	1/27/2015	CURIUM-243/244	0.0446	pCi/L	U			0.063	0.0603	0.187
HSB110D	1/27/2015	CURIUM-245/246	0.0461	pCi/L	U			0.066	0.0624	0.194
HSB110D	1/27/2015	PLUTONIUM-238	-0.00588	pCi/L	U			0.012	0.118	0.142
HSB110D	1/27/2015	PLUTONIUM-239/240	0.047	pCi/L	U			0.067	0.0637	0.198
HSB110D	1/27/2015	THORIUM-228	0.0971	pCi/L	U			0.093	0.101	0.288
HSB110D	1/27/2015	THORIUM-230	0.0805	pCi/L	U			0.082	0.0546	0.218
HSB110D	1/27/2015	THORIUM-232	0.0201	pCi/L	U			0.04	0.0545	0.135
HSB110D	1/27/2015	URANIUM-233/234	0.243	pCi/L	J		21	0.155	0.114	0.424
HSB110D	1/27/2015	URANIUM-235	-0.00696	pCi/L	U			0.014	0.14	0.168
HSB110D	1/27/2015	URANIUM-238	0.18	pCi/L	U			0.13	0.061	0.322
HSB110D	1/27/2015	GROSS ALPHA	1.29	pCi/L	U			1.68	2.35	5.71
HSB110D	1/27/2015	NONVOLATILE BETA	19.5	pCi/L				4.77	3.79	13.3
HSB110D	1/27/2015	STRONTIUM-90	8.25	pCi/L	J		21	3.17	3.11	9.46
HSB110D	1/27/2015	CARBON-14	9.62	pCi/L	J		21	4.68	7.47	16.8
HSB110D	1/27/2015	NICKEL-63	0.586	pCi/L	U			2.88	4.91	10.7
HSB110D	1/27/2015	TECHNETIUM-99	2.94	pCi/L	U			2.61	4.25	9.47
HSB110D	1/27/2015	TRITIUM	31.6	pCi/mL				1.1	0.454	2.65
HSB110D	1/27/2015	CESIUM-137	7.06	pCi/L	U			4.37	9.95	18.7
HSB110D	1/27/2015	COBALT-60	2.21	pCi/L	U			5.7	11.2	22.6
HSB110D	1/27/2015	IODINE-129	3.19	pCi/L	J		21	1.87	0.952	4.7
HSB110D	1/27/2015	RADIUM-226	1.46	pCi/L	J		21	0.544	0.605	1.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110D	1/27/2015	RADIUM-228	1.25	pCi/L	J		21	0.497	0.703	1.7
HSB110D	1/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.895	pCi/L	U			0.883	1.39	3.16
HSB110D	4/15/2015	NITRATE-NITRITE AS NITROGEN	2.66	mg/L					0.085	0.25
HSB110D	4/15/2015	MERCURY	0.0743	ug/L	J		21		0.02	0.2
HSB110D	4/15/2015	GROSS ALPHA	1.67	pCi/L	U			1.77	2.15	5.68
HSB110D	4/15/2015	NONVOLATILE BETA	19.2	pCi/L				4.77	4.02	13.6
HSB110D	4/15/2015	TRITIUM	71	pCi/mL				1.61	0.446	3.66
HSB110D	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.47	mg/L					0.085	0.25
HSB110D	8/10/2015	ALUMINUM	45.6	ug/L	J		21		40	400
HSB110D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB110D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB110D	8/10/2015	BARIUM	6.18	ug/L	J		21		2	20
HSB110D	8/10/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB110D	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB110D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB110D	8/10/2015	COBALT	0.766	ug/L	J		21		0.5	5
HSB110D	8/10/2015	COPPER	8.54	ug/L					0.5	5
HSB110D	8/10/2015	LEAD	2.02	ug/L	J		21		0.5	5
HSB110D	8/10/2015	NICKEL	0.794	ug/L	J		21		0.5	5
HSB110D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB110D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB110D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB110D	8/10/2015	TIN	10	ug/L	U				1	10
HSB110D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB110D	8/10/2015	ZINC	17.4	ug/L	J		21		4	40
HSB110D	8/10/2015	MERCURY	0.0701	ug/L	J		21		0.02	0.2
HSB110D	8/10/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB110D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB110D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB110D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB110D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB110D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB110D	8/10/2015	AMERICIUM-241	0.0414	pCi/L	U		V	0.059	0.0561	0.174
HSB110D	8/10/2015	CURIUM-242	-0.00565	pCi/L	U			0.011	0.103	0.125
HSB110D	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0552	0.0552
HSB110D	8/10/2015	CURIUM-245/246	0.169	pCi/L	U		21, V	0.122	0.0572	0.3
HSB110D	8/10/2015	PLUTONIUM-238	-0.0146	pCi/L	U		V	0.017	0.131	0.165
HSB110D	8/10/2015	PLUTONIUM-239/240	0.0584	pCi/L	U		21, V	0.068	0.0527	0.189
HSB110D	8/10/2015	THORIUM-228	-0.00534	pCi/L	U			0.011	0.105	0.127
HSB110D	8/10/2015	THORIUM-230	0.267	pCi/L	U		21, V	0.156	0.105	0.418
HSB110D	8/10/2015	THORIUM-232	0.0157	pCi/L	U			0.043	0.105	0.191
HSB110D	8/10/2015	URANIUM-233/234	0.158	pCi/L	J		21, V	0.118	0.102	0.338
HSB110D	8/10/2015	URANIUM-235	0.0251	pCi/L	U			0.05	0.068	0.169
HSB110D	8/10/2015	URANIUM-238	0.071	pCi/L	U		V	0.083	0.122	0.288
HSB110D	8/10/2015	GROSS ALPHA	1.22	pCi/L	U			1.66	2.44	5.76
HSB110D	8/10/2015	NONVOLATILE BETA	18.3	pCi/L				4.79	4.3	13.9
HSB110D	8/10/2015	STRONTIUM-90	8.1	pCi/L	J		21	3.18	3.35	9.71
HSB110D	8/10/2015	CARBON-14	169	pCi/L				7.52	7.55	22.6
HSB110D	8/10/2015	NICKEL-63	0.18	pCi/L	U			3.02	5.08	11.1
HSB110D	8/10/2015	TECHNETIUM-99	2.64	pCi/L	U			2.59	4.24	9.43
HSB110D	8/10/2015	TRITIUM	33.4	pCi/mL				1.14	0.476	2.75
HSB110D	8/10/2015	CESIUM-137	-0.483	pCi/L	U			5.31	9.43	20.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB110D	8/10/2015	COBALT-60	-0.0811	pCi/L	U			4.65	8.74	18
HSB110D	8/10/2015	IODINE-129	2.37	pCi/L	J		21	1.54	1.03	4.11
HSB110D	8/10/2015	RADIUM-226	0.681	pCi/L	J		21	0.401	0.55	1.35
HSB110D	8/10/2015	RADIUM-228	0.424	pCi/L	U			0.292	0.449	1.03
HSB110D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.494	pCi/L	U			0.807	1.38	2.99
HSB110D	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.83	mg/L					0.17	0.5
HSB110D	11/4/2015	MERCURY	0.138	ug/L	J		21		0.02	0.2
HSB110D	11/4/2015	GROSS ALPHA	1.75	pCi/L	J		21	1.35	1.4	4.09
HSB110D	11/4/2015	NONVOLATILE BETA	13.7	pCi/L				3.05	2.67	8.77
HSB110D	11/4/2015	TRITIUM	157	pCi/mL				2.32	0.392	5.04
HSB111C	2/5/2015	NITRATE-NITRITE AS NITROGEN	2.49	mg/L					0.085	0.25
HSB111C	2/5/2015	ALUMINUM	42.3	ug/L	J				40	400
HSB111C	2/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB111C	2/5/2015	ARSENIC	50	ug/L	U				5	50
HSB111C	2/5/2015	BARIUM	2.73	ug/L	J				2	20
HSB111C	2/5/2015	BERYLLIUM	0.121	ug/L	J				0.1	1
HSB111C	2/5/2015	CADMIUM	1	ug/L	U				0.1	1
HSB111C	2/5/2015	CHROMIUM	12.6	ug/L	J				10	100
HSB111C	2/5/2015	COBALT	5	ug/L	U				0.5	5
HSB111C	2/5/2015	COPPER	0.959	ug/L	J				0.5	5
HSB111C	2/5/2015	LEAD	5	ug/L	U				0.5	5
HSB111C	2/5/2015	NICKEL	1.09	ug/L	J				0.5	5
HSB111C	2/5/2015	SELENIUM	20	ug/L	U				2	20
HSB111C	2/5/2015	SILVER	5	ug/L	U				0.5	5
HSB111C	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111C	2/5/2015	TIN	10	ug/L	U				1	10
HSB111C	2/5/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111C	2/5/2015	ZINC	9.15	ug/L	J				4	40
HSB111C	2/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB111C	2/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB111C	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB111C	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111C	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111C	2/5/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J		21		0.3	1
HSB111C	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111C	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111C	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111C	2/5/2015	AMERICIUM-241	0	pCi/L	U			0	0.0608	0.0608
HSB111C	2/5/2015	CURIUM-242	0.0191	pCi/L	U			0.053	0.111	0.216
HSB111C	2/5/2015	CURIUM-243/244	0	pCi/L	U			0	0.0598	0.0598
HSB111C	2/5/2015	CURIUM-245/246	0.0914	pCi/L	U			0.093	0.062	0.247
HSB111C	2/5/2015	PLUTONIUM-238	0.018	pCi/L	U			0.05	0.121	0.22
HSB111C	2/5/2015	PLUTONIUM-239/240	0.0719	pCi/L	U			0.084	0.065	0.233
HSB111C	2/5/2015	THORIUM-228	0.0135	pCi/L	U			0.057	0.156	0.271
HSB111C	2/5/2015	THORIUM-230	0.131	pCi/L	U			0.119	0.0708	0.309
HSB111C	2/5/2015	THORIUM-232	0	pCi/L	U			0	0.0707	0.0707
HSB111C	2/5/2015	URANIUM-233/234	0.0642	pCi/L	U			0.075	0.058	0.208
HSB111C	2/5/2015	URANIUM-235	0.0793	pCi/L	J		21	0.093	0.0716	0.257
HSB111C	2/5/2015	URANIUM-238	0.016	pCi/L	U			0.044	0.108	0.196
HSB111C	2/5/2015	GROSS ALPHA	0.0292	pCi/L	U			0.822	2.3	3.95
HSB111C	2/5/2015	NONVOLATILE BETA	5.5	pCi/L	J		21	3.23	4.13	10.6
HSB111C	2/5/2015	STRONTIUM-90	2.57	pCi/L	U			2.61	3.24	8.47
HSB111C	2/5/2015	CARBON-14	2.31	pCi/L	U			4.27	7.07	15.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111C	2/5/2015	NICKEL-63	0.000009	pCi/L	U			2.88	4.84	10.6
HSB111C	2/5/2015	TECHNETIUM-99	4.81	pCi/L	J		21	2.65	4.22	9.51
HSB111C	2/5/2015	TRITIUM	94.4	pCi/mL				1.86	0.452	4.16
HSB111C	2/5/2015	CESIUM-137	1.66	pCi/L	U			4.83	9.02	18.7
HSB111C	2/5/2015	COBALT-60	1.05	pCi/L	U			4.54	8.83	17.9
HSB111C	2/5/2015	IODINE-129	0.184	pCi/L	U			0.584	1	2.17
HSB111C	2/5/2015	RADIUM-226	0.505	pCi/L	U			0.404	0.606	1.41
HSB111C	2/5/2015	RADIUM-228	0.518	pCi/L	J		21	0.307	0.451	1.07
HSB111C	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	0.79	pCi/L	U			1.04	1.76	3.84
HSB111C	4/16/2015	NITRATE-NITRITE AS NITROGEN	2.28	mg/L					0.17	0.5
HSB111C	4/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB111C	4/16/2015	GROSS ALPHA	-0.242	pCi/L	U			0.256	2.06	2.57
HSB111C	4/16/2015	NONVOLATILE BETA	2.33	pCi/L	U			2.64	4.05	9.33
HSB111C	4/16/2015	TRITIUM	101	pCi/mL				1.91	0.461	4.28
HSB111C	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.24	mg/L					0.085	0.25
HSB111C	8/10/2015	ALUMINUM	62.3	ug/L	J		21		40	400
HSB111C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB111C	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB111C	8/10/2015	BARIUM	2.73	ug/L	J		21		2	20
HSB111C	8/10/2015	BERYLLIUM	0.124	ug/L	J		21		0.1	1
HSB111C	8/10/2015	CADMIUM	0.109	ug/L	J		21		0.1	1
HSB111C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB111C	8/10/2015	COBALT	5	ug/L	U				0.5	5
HSB111C	8/10/2015	COPPER	1.95	ug/L	J		21		0.5	5
HSB111C	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB111C	8/10/2015	NICKEL	0.909	ug/L	J		21		0.5	5
HSB111C	8/10/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111C	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB111C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111C	8/10/2015	TIN	10	ug/L	U				1	10
HSB111C	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB111C	8/10/2015	ZINC	7.22	ug/L	J		21		4	40
HSB111C	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB111C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB111C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111C	8/10/2015	TRICHLOROETHYLENE (TCE)	0.45	ug/L	J		21		0.3	1
HSB111C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111C	8/10/2015	AMERICIUM-241	0.0365	pCi/L	U		V	0.06	0.105	0.225
HSB111C	8/10/2015	CURIUM-242	0.273	pCi/L	J		21	0.162	0.0556	0.38
HSB111C	8/10/2015	CURIUM-243/244	0.0154	pCi/L	U			0.043	0.103	0.188
HSB111C	8/10/2015	CURIUM-245/246	0.0425	pCi/L	U		V	0.06	0.0576	0.178
HSB111C	8/10/2015	PLUTONIUM-238	0.0195	pCi/L	U		V	0.039	0.0528	0.131
HSB111C	8/10/2015	PLUTONIUM-239/240	0.0195	pCi/L	U		V	0.039	0.0528	0.131
HSB111C	8/10/2015	THORIUM-228	-0.0191	pCi/L	U			0.101	0.291	0.493
HSB111C	8/10/2015	THORIUM-230	0.311	pCi/L	U		21, V	0.187	0.149	0.523
HSB111C	8/10/2015	THORIUM-232	0.0248	pCi/L	U			0.05	0.0673	0.167
HSB111C	8/10/2015	URANIUM-233/234	0.0115	pCi/L	U		V	0.049	0.138	0.236
HSB111C	8/10/2015	URANIUM-235	-0.0214	pCi/L	U			0.025	0.192	0.242
HSB111C	8/10/2015	URANIUM-238	0.0576	pCi/L	U		V	0.082	0.138	0.302
HSB111C	8/10/2015	GROSS ALPHA	0.801	pCi/L	U			1.39	2.29	5.08

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111C	8/10/2015	NONVOLATILE BETA	1.53	pCi/L	U			2.59	4.23	9.4
HSB111C	8/10/2015	STRONTIUM-90	-0.871	pCi/L	U			1.78	3.26	6.82
HSB111C	8/10/2015	CARBON-14	-0.155	pCi/L	U			4.34	7.28	16
HSB111C	8/10/2015	NICKEL-63	0.244	pCi/L	U			2.96	4.84	10.8
HSB111C	8/10/2015	TECHNETIUM-99	13	pCi/L				2.89	4.25	10
HSB111C	8/10/2015	TRITIUM	107	pCi/mL				1.98	0.471	4.43
HSB111C	8/10/2015	CESIUM-137	0.343	pCi/L	U			5.3	9.05	19.7
HSB111C	8/10/2015	COBALT-60	-1.08	pCi/L	U			5.08	9.25	19.4
HSB111C	8/10/2015	IODINE-129	0.521	pCi/L	U			0.59	1.05	2.23
HSB111C	8/10/2015	RADIUM-226	0.533	pCi/L	U			0.369	0.538	1.28
HSB111C	8/10/2015	RADIUM-228	-0.0895	pCi/L	U			0.313	0.62	1.25
HSB111C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.558	pCi/L	U			0.656	1.11	2.42
HSB111C	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.41	mg/L					0.17	0.5
HSB111C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB111C	11/4/2015	GROSS ALPHA	0.581	pCi/L	U			0.938	1.36	3.23
HSB111C	11/4/2015	NONVOLATILE BETA	3.65	pCi/L	J		21	2.13	2.65	6.9
HSB111C	11/4/2015	TRITIUM	99.5	pCi/mL				1.85	0.391	4.09
HSB111D	1/29/2015	NITRATE-NITRITE AS NITROGEN	6.39	mg/L					0.17	0.5
HSB111D	1/29/2015	ALUMINUM	417	ug/L					40	400
HSB111D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB111D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB111D	1/29/2015	BARIUM	10.6	ug/L	J				2	20
HSB111D	1/29/2015	BERYLLIUM	0.16	ug/L	J				0.1	1
HSB111D	1/29/2015	CADMIUM	0.132	ug/L	J				0.1	1
HSB111D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB111D	1/29/2015	COBALT	2.31	ug/L	J				0.5	5
HSB111D	1/29/2015	COPPER	0.775	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111D	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB111D	1/29/2015	NICKEL	1.58	ug/L	J				0.5	5
HSB111D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB111D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB111D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111D	1/29/2015	TIN	10	ug/L	U				1	10
HSB111D	1/29/2015	VANADIUM	14.3	ug/L	J				5	50
HSB111D	1/29/2015	ZINC	8.38	ug/L	J				4	40
HSB111D	1/29/2015	MERCURY	0.591	ug/L					0.02	0.2
HSB111D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB111D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB111D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111D	1/29/2015	TRICHLOROETHYLENE (TCE)	1.77	ug/L					0.3	1
HSB111D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111D	1/29/2015	AMERICIUM-241	-0.0053	pCi/L	U			0.011	0.107	0.128
HSB111D	1/29/2015	CURIUM-242	0.0698	pCi/L	J		21	0.081	0.0566	0.219
HSB111D	1/29/2015	CURIUM-243/244	0.0209	pCi/L	U			0.042	0.0566	0.141
HSB111D	1/29/2015	CURIUM-245/246	0.303	pCi/L	U			0.168	0.0586	0.395
HSB111D	1/29/2015	PLUTONIUM-238	0.0493	pCi/L	U			0.07	0.0668	0.207
HSB111D	1/29/2015	PLUTONIUM-239/240	-0.00616	pCi/L	U			0.012	0.124	0.149
HSB111D	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.0614	0.0614
HSB111D	1/29/2015	THORIUM-230	0.0907	pCi/L	J		21	0.092	0.0615	0.245
HSB111D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0614	0.0614

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111D	1/29/2015	URANIUM-233/234	0.0481	pCi/L	U			0.077	0.144	0.298
HSB111D	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.0715	0.0715
HSB111D	1/29/2015	URANIUM-238	0.0374	pCi/L	U			0.062	0.107	0.231
HSB111D	1/29/2015	GROSS ALPHA	2.4	pCi/L	J		21	2.1	2.25	6.45
HSB111D	1/29/2015	NONVOLATILE BETA	8.97	pCi/L	J		21	3.59	3.98	11.2
HSB111D	1/29/2015	STRONTIUM-90	2.2	pCi/L	U			2.03	3.11	7.18
HSB111D	1/29/2015	CARBON-14	91	pCi/L				6.07	7.13	19.3
HSB111D	1/29/2015	NICKEL-63	3.24	pCi/L	U			3.05	5.03	11.1
HSB111D	1/29/2015	TECHNETIUM-99	16.7	pCi/L				3.05	4.35	10.4
HSB111D	1/29/2015	TRITIUM	382	pCi/mL				3.7	0.385	7.79
HSB111D	1/29/2015	CESIUM-137	1.96	pCi/L	U			5.19	9.65	20
HSB111D	1/29/2015	COBALT-60	0.53	pCi/L	U			4.75	9.06	18.6
HSB111D	1/29/2015	IODINE-129	1.43	pCi/L	J		21	0.747	1.19	2.68
HSB111D	1/29/2015	RADIUM-226	1.37	pCi/L	J		21	0.546	0.598	1.69
HSB111D	1/29/2015	RADIUM-228	0.641	pCi/L	U			0.591	0.976	2.16
HSB111D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.154	pCi/L	U			0.796	1.64	3.23
HSB111D	4/16/2015	NITRATE-NITRITE AS NITROGEN	7.61	mg/L					0.17	0.5
HSB111D	4/16/2015	MERCURY	0.393	ug/L					0.02	0.2
HSB111D	4/16/2015	GROSS ALPHA	1.73	pCi/L	U			1.81	2.16	5.78
HSB111D	4/16/2015	NONVOLATILE BETA	14.2	pCi/L				4.36	4.34	13.1
HSB111D	4/16/2015	TRITIUM	460	pCi/mL				4.04	0.46	8.54
HSB111D	8/10/2015	NITRATE-NITRITE AS NITROGEN	6.25	mg/L					0.17	0.5
HSB111D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB111D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB111D	8/10/2015	BARIUM	11.2	ug/L	J		21		2	20
HSB111D	8/10/2015	BERYLLIUM	0.178	ug/L	J		21		0.1	1
HSB111D	8/10/2015	CADMIUM	0.119	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB111D	8/10/2015	COBALT	7.31	ug/L					0.5	5
HSB111D	8/10/2015	COPPER	0.866	ug/L	J		21		0.5	5
HSB111D	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB111D	8/10/2015	NICKEL	1.69	ug/L	J		21		0.5	5
HSB111D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB111D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB111D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111D	8/10/2015	TIN	10	ug/L	U				1	10
HSB111D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB111D	8/10/2015	ZINC	8.13	ug/L	J		21		4	40
HSB111D	8/10/2015	MERCURY	0.27	ug/L					0.02	0.2
HSB111D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB111D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111D	8/10/2015	TRICHLOROETHYLENE (TCE)	1.82	ug/L					0.3	1
HSB111D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111D	8/10/2015	AMERICIUM-241	0.0412	pCi/L	U		V	0.059	0.0558	0.173
HSB111D	8/10/2015	CURIUM-242	0.039	pCi/L	U			0.064	0.102	0.231
HSB111D	8/10/2015	CURIUM-243/244	0.0152	pCi/L	U			0.042	0.102	0.186
HSB111D	8/10/2015	CURIUM-245/246	0.126	pCi/L	U		21, V	0.104	0.0569	0.266
HSB111D	8/10/2015	PLUTONIUM-238	-0.00541	pCi/L	U			0.011	0.109	0.131
HSB111D	8/10/2015	PLUTONIUM-239/240	0.0216	pCi/L	U		V	0.043	0.0587	0.145
HSB111D	8/10/2015	THORIUM-228	0.00557	pCi/L	U		V	0.049	0.147	0.244

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111D	8/10/2015	THORIUM-230	0.175	pCi/L	U		21, V	0.126	0.0591	0.312
HSB111D	8/10/2015	THORIUM-232	0	pCi/L	U		V	0	0.059	0.059
HSB111D	8/10/2015	URANIUM-233/234	0.0423	pCi/L	U		V	0.06	0.0573	0.177
HSB111D	8/10/2015	URANIUM-235	0.0196	pCi/L	U			0.054	0.131	0.239
HSB111D	8/10/2015	URANIUM-238	0.0158	pCi/L	U		V	0.044	0.106	0.193
HSB111D	8/10/2015	GROSS ALPHA	0.816	pCi/L	U			1.44	2.39	5.26
HSB111D	8/10/2015	NONVOLATILE BETA	8.91	pCi/L	J		21	3.71	4.24	11.7
HSB111D	8/10/2015	STRONTIUM-90	0.484	pCi/L	U			1.85	3.23	6.92
HSB111D	8/10/2015	CARBON-14	6.95	pCi/L	J		21	4.26	6.86	15.4
HSB111D	8/10/2015	NICKEL-63	1.61	pCi/L	U			2.97	4.76	10.7
HSB111D	8/10/2015	TECHNETIUM-99	17.6	pCi/L				3	4.23	10.2
HSB111D	8/10/2015	TRITIUM	424	pCi/mL				3.92	0.474	8.32
HSB111D	8/10/2015	CESIUM-137	-4.54	pCi/L	U			5.59	9.23	20.4
HSB111D	8/10/2015	COBALT-60	1.67	pCi/L	U			4.88	9.48	19.2
HSB111D	8/10/2015	IODINE-129	1.34	pCi/L	J		21	1.24	1.1	3.58
HSB111D	8/10/2015	RADIUM-226	0.779	pCi/L	J		21	0.382	0.467	1.23
HSB111D	8/10/2015	RADIUM-228	0.14	pCi/L	U			0.278	0.492	1.05
HSB111D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0186	pCi/L	U			0.375	0.684	1.43
HSB111D	11/4/2015	NITRATE-NITRITE AS NITROGEN	6.99	mg/L					0.17	0.5
HSB111D	11/4/2015	MERCURY	0.372	ug/L					0.02	0.2
HSB111D	11/4/2015	GROSS ALPHA	1.18	pCi/L	U			1.18	1.41	3.78
HSB111D	11/4/2015	NONVOLATILE BETA	13.5	pCi/L				3.03	2.67	8.73
HSB111D	11/4/2015	TRITIUM	398	pCi/mL				3.68	0.392	7.76
HSB111E	1/29/2015	NITRATE-NITRITE AS NITROGEN	3.38	mg/L					0.085	0.25
HSB111E	1/29/2015	ALUMINUM	109	ug/L	J				40	400
HSB111E	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB111E	1/29/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111E	1/29/2015	BARIUM	2.18	ug/L	J				2	20
HSB111E	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB111E	1/29/2015	CADMIUM	0.11	ug/L	J				0.1	1
HSB111E	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB111E	1/29/2015	COBALT	10.8	ug/L					0.5	5
HSB111E	1/29/2015	COPPER	3.66	ug/L	J				0.5	5
HSB111E	1/29/2015	LEAD	0.5	ug/L	J				0.5	5
HSB111E	1/29/2015	NICKEL	4.14	ug/L	J				0.5	5
HSB111E	1/29/2015	SELENIUM	2.05	ug/L	J				2	20
HSB111E	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB111E	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111E	1/29/2015	TIN	10	ug/L	U				1	10
HSB111E	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB111E	1/29/2015	ZINC	9.41	ug/L	J				4	40
HSB111E	1/29/2015	MERCURY	0.157	ug/L	J		21		0.02	0.2
HSB111E	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB111E	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB111E	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111E	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111E	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB111E	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111E	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111E	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111E	1/29/2015	AMERICIUM-241	0	pCi/L	U			0	0.0591	0.0591
HSB111E	1/29/2015	CURIUM-242	-0.0177	pCi/L	U			0.021	0.145	0.186
HSB111E	1/29/2015	CURIUM-243/244	-0.00538	pCi/L	U			0.011	0.108	0.13

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111E	1/29/2015	CURIUM-245/246	0.128	pCi/L	U			0.111	0.112	0.335
HSB111E	1/29/2015	PLUTONIUM-238	0.0247	pCi/L	U			0.05	0.0669	0.166
HSB111E	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0669	0.0669
HSB111E	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.0544	0.0544
HSB111E	1/29/2015	THORIUM-230	0.0402	pCi/L	U			0.057	0.0545	0.169
HSB111E	1/29/2015	THORIUM-232	0.0201	pCi/L	U			0.04	0.0544	0.135
HSB111E	1/29/2015	URANIUM-233/234	0.205	pCi/L	U			0.145	0.118	0.407
HSB111E	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.0782	0.0782
HSB111E	1/29/2015	URANIUM-238	0.07	pCi/L	U			0.082	0.0632	0.226
HSB111E	1/29/2015	GROSS ALPHA	0.464	pCi/L	UJ			1.2	2.34	4.74
HSB111E	1/29/2015	NONVOLATILE BETA	10.1	pCi/L	J		21	3.73	3.95	11.4
HSB111E	1/29/2015	STRONTIUM-90	2.99	pCi/L	U			2.35	3.1	7.8
HSB111E	1/29/2015	CARBON-14	1.69	pCi/L	U			4.16	6.91	15.2
HSB111E	1/29/2015	NICKEL-63	2.86	pCi/L	U			2.97	4.78	10.7
HSB111E	1/29/2015	TECHNETIUM-99	2.1	pCi/L	U			2.69	4.43	9.81
HSB111E	1/29/2015	TRITIUM	95.9	pCi/mL				1.87	0.446	4.18
HSB111E	1/29/2015	CESIUM-137	1.39	pCi/L	U			4.91	9.26	19.1
HSB111E	1/29/2015	COBALT-60	-0.0513	pCi/L	U			5.94	11	22.9
HSB111E	1/29/2015	IODINE-129	2.9	pCi/L	J		21	1.1	1.06	3.26
HSB111E	1/29/2015	RADIUM-226	3.9	pCi/L				0.661	0.426	1.75
HSB111E	1/29/2015	RADIUM-228	0.505	pCi/L	U			0.47	0.775	1.72
HSB111E	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.7	pCi/L	U			0.89	1.45	3.23
HSB111E	4/23/2015	NITRATE-NITRITE AS NITROGEN	5.55	mg/L					0.085	0.25
HSB111E	4/23/2015	MERCURY	0.412	ug/L					0.02	0.2
HSB111E	4/23/2015	GROSS ALPHA	1.81	pCi/L	U			1.89	2.25	6.02
HSB111E	4/23/2015	NONVOLATILE BETA	12.1	pCi/L	J		21	4.13	4.35	12.6
HSB111E	4/23/2015	TRITIUM	107	pCi/mL				1.95	0.432	4.34

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111E	8/11/2015	NITRATE-NITRITE AS NITROGEN	4.69	mg/L					0.085	0.25
HSB111E	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB111E	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB111E	8/11/2015	BARIUM	20	ug/L	U				2	20
HSB111E	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB111E	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB111E	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB111E	8/11/2015	COBALT	2.78	ug/L	J		21		0.5	5
HSB111E	8/11/2015	COPPER	1.41	ug/L	J		21		0.5	5
HSB111E	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB111E	8/11/2015	NICKEL	1.65	ug/L	J		21		0.5	5
HSB111E	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB111E	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB111E	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB111E	8/11/2015	TIN	10	ug/L	U				1	10
HSB111E	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB111E	8/11/2015	ZINC	6.6	ug/L	J		21		4	40
HSB111E	8/11/2015	MERCURY	0.484	ug/L					0.02	0.2
HSB111E	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB111E	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB111E	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB111E	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB111E	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB111E	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB111E	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB111E	8/11/2015	AMERICIUM-241	0.044	pCi/L	U		V	0.063	0.0597	0.185

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111E	8/11/2015	CURIUM-242	0.0711	pCi/L	J		21	0.083	0.0588	0.224
HSB111E	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0588	0.0588
HSB111E	8/11/2015	CURIUM-245/246	0.292	pCi/L	U		21, V	0.167	0.0608	0.395
HSB111E	8/11/2015	PLUTONIUM-238	0.0256	pCi/L	U			0.051	0.0692	0.172
HSB111E	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0692	0.0692
HSB111E	8/11/2015	THORIUM-228	0	pCi/L	U			0	0.0599	0.0599
HSB111E	8/11/2015	THORIUM-230	0.288	pCi/L	U		21, V	0.166	0.06	0.391
HSB111E	8/11/2015	THORIUM-232	-0.00553	pCi/L	U			0.011	0.111	0.133
HSB111E	8/11/2015	URANIUM-233/234	0.122	pCi/L	J		21, V	0.111	0.133	0.356
HSB111E	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0742	0.0742
HSB111E	8/11/2015	URANIUM-238	0.0665	pCi/L	U		21, V	0.077	0.0601	0.215
HSB111E	8/11/2015	GROSS ALPHA	1.35	pCi/L	U			1.26	1.38	3.9
HSB111E	8/11/2015	NONVOLATILE BETA	11.9	pCi/L				2.85	2.56	8.26
HSB111E	8/11/2015	STRONTIUM-90	3.72	pCi/L	J		21	2.53	3.23	8.29
HSB111E	8/11/2015	CARBON-14	6.55	pCi/L	U			4.31	6.97	15.6
HSB111E	8/11/2015	NICKEL-63	-1.06	pCi/L	U			3.2	5.83	12.2
HSB111E	8/11/2015	TECHNETIUM-99	3.12	pCi/L	U			2.71	4.4	9.81
HSB111E	8/11/2015	TRITIUM	51.2	pCi/mL				1.41	0.461	3.28
HSB111E	8/11/2015	CESIUM-137	-3.98	pCi/L	U			4.86	7.96	17.7
HSB111E	8/11/2015	COBALT-60	-2.95	pCi/L	U			5.21	9.01	19.4
HSB111E	8/11/2015	IODINE-129	4.11	pCi/L				1.43	1.11	3.98
HSB111E	8/11/2015	RADIUM-226	0.774	pCi/L	J		21	0.303	0.339	0.945
HSB111E	8/11/2015	RADIUM-228	0.466	pCi/L	U			0.429	0.706	1.56
HSB111E	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0989	pCi/L	U			0.254	0.445	0.953
HSB111E	11/4/2015	NITRATE-NITRITE AS NITROGEN	5.55	mg/L					0.85	2.5
HSB111E	11/4/2015	MERCURY	0.384	ug/L					0.02	0.2
HSB111E	11/4/2015	GROSS ALPHA	1.62	pCi/L	J		21	1.34	1.45	4.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB111E	11/4/2015	NONVOLATILE BETA	9.38	pCi/L				2.7	2.68	8.08
HSB111E	11/4/2015	TRITIUM	57.5	pCi/mL				1.42	0.393	3.23
HSB112C	1/28/2015	NITRATE-NITRITE AS NITROGEN	1.42	mg/L					0.017	0.05
HSB112C	1/28/2015	ALUMINUM	68.9	ug/L	J				40	400
HSB112C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB112C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB112C	1/28/2015	BARIUM	5.38	ug/L	J				2	20
HSB112C	1/28/2015	BERYLLIUM	0.13	ug/L	J				0.1	1
HSB112C	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB112C	1/28/2015	CHROMIUM	17.1	ug/L	U				10	100
HSB112C	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB112C	1/28/2015	COPPER	0.928	ug/L	J				0.5	5
HSB112C	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB112C	1/28/2015	NICKEL	1.23	ug/L	J				0.5	5
HSB112C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB112C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB112C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112C	1/28/2015	TIN	10	ug/L	U				1	10
HSB112C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB112C	1/28/2015	ZINC	9.71	ug/L	J				4	40
HSB112C	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB112C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB112C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB112C	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112C	1/28/2015	TRICHLOROETHYLENE (TCE)	1.17	ug/L					0.3	1
HSB112C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112C	1/28/2015	AMERICIUM-241	0.018	pCi/L	U			0.049	0.121	0.219
HSB112C	1/28/2015	CURIUM-242	0	pCi/L	U			0	0.0639	0.0639
HSB112C	1/28/2015	CURIUM-243/244	-0.0059	pCi/L	U			0.012	0.119	0.142
HSB112C	1/28/2015	CURIUM-245/246	0.14	pCi/L	U			0.122	0.123	0.367
HSB112C	1/28/2015	PLUTONIUM-238	0.025	pCi/L	U			0.05	0.0677	0.168
HSB112C	1/28/2015	PLUTONIUM-239/240	-0.0125	pCi/L	U			0.018	0.15	0.185
HSB112C	1/28/2015	THORIUM-228	0.137	pCi/L	U			0.16	0.289	0.609
HSB112C	1/28/2015	THORIUM-230	0.118	pCi/L	U			0.107	0.0637	0.278
HSB112C	1/28/2015	THORIUM-232	0.0645	pCi/L	U			0.083	0.118	0.284
HSB112C	1/28/2015	URANIUM-233/234	0.0306	pCi/L	U			0.073	0.165	0.31
HSB112C	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0819	0.0819
HSB112C	1/28/2015	URANIUM-238	-0.00611	pCi/L	U			0.012	0.123	0.148
HSB112C	1/28/2015	GROSS ALPHA	1.58	pCi/L	U			1.74	2.19	5.66
HSB112C	1/28/2015	NONVOLATILE BETA	0.335	pCi/L	U			2.18	3.95	8.31
HSB112C	1/28/2015	STRONTIUM-90	0.571	pCi/L	U			1.83	3.11	6.78
HSB112C	1/28/2015	CARBON-14	12.4	pCi/L	J		21	4.41	6.91	15.7
HSB112C	1/28/2015	NICKEL-63	1.93	pCi/L	U			3.01	5.26	11.3
HSB112C	1/28/2015	TECHNETIUM-99	2.42	pCi/L	U			2.73	4.47	9.93
HSB112C	1/28/2015	TRITIUM	41.7	pCi/mL				1.25	0.438	2.94
HSB112C	1/28/2015	CESIUM-137	-3.15	pCi/L	U			6.34	10.7	23.4
HSB112C	1/28/2015	COBALT-60	5.35	pCi/L	U			5.93	12.2	24.1
HSB112C	1/28/2015	IODINE-129	0.814	pCi/L	U			0.98	0.885	2.85
HSB112C	1/28/2015	RADIUM-226	0.241	pCi/L	U			0.289	0.486	1.06
HSB112C	1/28/2015	RADIUM-228	0.837	pCi/L	U		21, V	0.355	0.473	1.18
HSB112C	1/28/2015	RADIUM, TOTAL ALPHA-	0.691	pCi/L	U			1.14	1.98	4.26

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
HSB112C	4/16/2015	NITRATE-NITRITE AS NITROGEN	1.31	mg/L					0.017	0.05
HSB112C	4/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112C	4/16/2015	GROSS ALPHA	0.537	pCi/L	U			1.13	2.07	4.34
HSB112C	4/16/2015	NONVOLATILE BETA	1.88	pCi/L	U			2.61	4.17	9.39
HSB112C	4/16/2015	TRITIUM	44.7	pCi/mL				1.29	0.465	3.05
HSB112C	8/10/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L					0.085	0.25
HSB112C	8/10/2015	ALUMINUM	56.5	ug/L	J		21		40	400
HSB112C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB112C	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB112C	8/10/2015	BARIUM	5.61	ug/L	J		21		2	20
HSB112C	8/10/2015	BERYLLIUM	0.128	ug/L	J		21		0.1	1
HSB112C	8/10/2015	CADMIUM	0.157	ug/L	J		21		0.1	1
HSB112C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB112C	8/10/2015	COBALT	5	ug/L	U				0.5	5
HSB112C	8/10/2015	COPPER	0.667	ug/L	J		21		0.5	5
HSB112C	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB112C	8/10/2015	NICKEL	1	ug/L	J		21		0.5	5
HSB112C	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB112C	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB112C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112C	8/10/2015	TIN	10	ug/L	U				1	10
HSB112C	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB112C	8/10/2015	ZINC	8.69	ug/L	J		21		4	40
HSB112C	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB112C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112C	8/10/2015	TRICHLOROETHYLENE (TCE)	1.03	ug/L					0.3	1
HSB112C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB112C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112C	8/10/2015	AMERICIUM-241	0.04	pCi/L	U		V	0.066	0.115	0.247
HSB112C	8/10/2015	CURIUM-242	0.093	pCi/L	U			0.101	0.113	0.315
HSB112C	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0611	0.0611
HSB112C	8/10/2015	CURIUM-245/246	0.117	pCi/L	U		21, V	0.106	0.0632	0.274
HSB112C	8/10/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0665	0.0665
HSB112C	8/10/2015	PLUTONIUM-239/240	0.0245	pCi/L	U		V	0.049	0.0665	0.165
HSB112C	8/10/2015	THORIUM-228	-0.00611	pCi/L	U		V	0.012	0.12	0.145
HSB112C	8/10/2015	THORIUM-230	0.407	pCi/L	U		21, V	0.207	0.0649	0.479
HSB112C	8/10/2015	THORIUM-232	0.0179	pCi/L	U		V	0.049	0.12	0.219
HSB112C	8/10/2015	URANIUM-233/234	0.0648	pCi/L	U		V	0.082	0.134	0.299
HSB112C	8/10/2015	URANIUM-235	0.0123	pCi/L	U			0.052	0.148	0.252
HSB112C	8/10/2015	URANIUM-238	0.0149	pCi/L	U		V	0.041	0.1	0.182
HSB112C	8/10/2015	GROSS ALPHA	1.19	pCi/L	U			1.6	2.3	5.5
HSB112C	8/10/2015	NONVOLATILE BETA	4.03	pCi/L	U			3.04	4.29	10.4
HSB112C	8/10/2015	STRONTIUM-90	1.82	pCi/L	U			2.28	3.26	7.81
HSB112C	8/10/2015	CARBON-14	0.562	pCi/L	U			4.38	7.32	16.1
HSB112C	8/10/2015	NICKEL-63	-2.55	pCi/L	U			3.01	5.31	11.3
HSB112C	8/10/2015	TECHNETIUM-99	3.56	pCi/L	U			2.64	4.26	9.54
HSB112C	8/10/2015	TRITIUM	55.1	pCi/mL				1.45	0.482	3.38
HSB112C	8/10/2015	CESIUM-137	-3.58	pCi/L	U			5.23	8.71	19.2
HSB112C	8/10/2015	COBALT-60	2.02	pCi/L	U			5.16	10	20.4
HSB112C	8/10/2015	IODINE-129	-0.541	pCi/L	U			0.62	1.02	2.26

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112C	8/10/2015	RADIUM-226	1.14	pCi/L	J		21	0.517	0.636	1.67
HSB112C	8/10/2015	RADIUM-228	1.8	pCi/L				0.45	0.474	1.37
HSB112C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0493	pCi/L	U			0.482	0.878	1.84
HSB112C	11/4/2015	NITRATE-NITRITE AS NITROGEN	1.31	mg/L					0.017	0.05
HSB112C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112C	11/4/2015	GROSS ALPHA	0.208	pCi/L	U			0.779	1.37	2.92
HSB112C	11/4/2015	NONVOLATILE BETA	1.22	pCi/L	U			1.83	2.64	6.31
HSB112C	11/4/2015	TRITIUM	48.4	pCi/mL				1.3	0.392	3
HSB112D	1/28/2015	NITRATE-NITRITE AS NITROGEN	4.49	mg/L					0.085	0.25
HSB112D	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB112D	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB112D	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB112D	1/28/2015	BARIUM	20	ug/L	U				2	20
HSB112D	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB112D	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB112D	1/28/2015	CHROMIUM	11.3	ug/L	U				10	100
HSB112D	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB112D	1/28/2015	COPPER	0.837	ug/L	J				0.5	5
HSB112D	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB112D	1/28/2015	NICKEL	5	ug/L	U				0.5	5
HSB112D	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB112D	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB112D	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112D	1/28/2015	TIN	10	ug/L	U				1	10
HSB112D	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB112D	1/28/2015	ZINC	40	ug/L	U				4	40
HSB112D	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112D	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB112D	1/28/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1
HSB112D	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB112D	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112D	1/28/2015	TRICHLOROETHYLENE (TCE)	4.58	ug/L					0.3	1
HSB112D	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB112D	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112D	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112D	1/28/2015	AMERICIUM-241	0.029	pCi/L	U			0.058	0.0785	0.195
HSB112D	1/28/2015	CURIUM-242	0.0781	pCi/L	U			0.111	0.171	0.393
HSB112D	1/28/2015	CURIUM-243/244	-0.00715	pCi/L	U			0.014	0.144	0.172
HSB112D	1/28/2015	CURIUM-245/246	0.148	pCi/L	U			0.134	0.08	0.349
HSB112D	1/28/2015	PLUTONIUM-238	0.0196	pCi/L	U			0.054	0.132	0.24
HSB112D	1/28/2015	PLUTONIUM-239/240	-0.00655	pCi/L	U			0.013	0.132	0.158
HSB112D	1/28/2015	THORIUM-228	0.0605	pCi/L	U			0.071	0.0532	0.194
HSB112D	1/28/2015	THORIUM-230	0.0786	pCi/L	U			0.08	0.0532	0.212
HSB112D	1/28/2015	THORIUM-232	0.0588	pCi/L	J		21	0.069	0.0531	0.19
HSB112D	1/28/2015	URANIUM-233/234	0.0427	pCi/L	U			0.07	0.123	0.264
HSB112D	1/28/2015	URANIUM-235	-0.0151	pCi/L	U			0.022	0.181	0.224
HSB112D	1/28/2015	URANIUM-238	0.0243	pCi/L	U			0.049	0.066	0.164
HSB112D	1/28/2015	GROSS ALPHA	0.443	pCi/L	U			1.15	2.22	4.52
HSB112D	1/28/2015	NONVOLATILE BETA	3.45	pCi/L	U			2.76	3.93	9.45
HSB112D	1/28/2015	STRONTIUM-90	1.07	pCi/L	U			1.61	2.96	6.18
HSB112D	1/28/2015	CARBON-14	0.63	pCi/L	U			4.24	7.09	15.6
HSB112D	1/28/2015	NICKEL-63	-0.299	pCi/L	U			2.84	4.83	10.5
HSB112D	1/28/2015	TECHNETIUM-99	5.37	pCi/L	J		21	2.79	4.44	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112D	1/28/2015	TRITIUM	1340	pCi/mL				6.96	0.449	14.4
HSB112D	1/28/2015	CESIUM-137	-1.79	pCi/L	U			5.33	9.27	19.9
HSB112D	1/28/2015	COBALT-60	2.86	pCi/L	U			5.01	9.97	20
HSB112D	1/28/2015	IODINE-129	0.83	pCi/L	U			0.693	1	2.39
HSB112D	1/28/2015	RADIUM-226	1.33	pCi/L	J		21	0.451	0.476	1.38
HSB112D	1/28/2015	RADIUM-228	0.209	pCi/L	U			0.306	0.527	1.14
HSB112D	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.721	pCi/L	U			0.701	1.98	3.38
HSB112D	4/16/2015	NITRATE-NITRITE AS NITROGEN	4.38	mg/L					0.085	0.25
HSB112D	4/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112D	4/16/2015	GROSS ALPHA	0.544	pCi/L	U			1.15	2.1	4.4
HSB112D	4/16/2015	NONVOLATILE BETA	2.6	pCi/L	U			2.74	4.18	9.66
HSB112D	4/16/2015	TRITIUM	1310	pCi/mL				6.8	0.461	14.1
HSB112D	8/10/2015	NITRATE-NITRITE AS NITROGEN	4.34	mg/L					0.17	0.5
HSB112D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB112D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB112D	8/10/2015	BARIUM	20	ug/L	U				2	20
HSB112D	8/10/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB112D	8/10/2015	CADMIUM	0.101	ug/L	J		21		0.1	1
HSB112D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB112D	8/10/2015	COBALT	5	ug/L	U				0.5	5
HSB112D	8/10/2015	COPPER	4.53	ug/L	J		21		0.5	5
HSB112D	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB112D	8/10/2015	NICKEL	5	ug/L	U				0.5	5
HSB112D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB112D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB112D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112D	8/10/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB112D	8/10/2015	ZINC	4.53	ug/L	J		21		4	40
HSB112D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB112D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB112D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112D	8/10/2015	TRICHLOROETHYLENE (TCE)	7.17	ug/L					0.3	1
HSB112D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB112D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112D	8/10/2015	AMERICIUM-241	0.0207	pCi/L	U		V	0.042	0.056	0.139
HSB112D	8/10/2015	CURIUM-242	0	pCi/L	U			0	0.0552	0.0552
HSB112D	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0552	0.0552
HSB112D	8/10/2015	CURIUM-245/246	0.126	pCi/L	U		21, V	0.105	0.0571	0.267
HSB112D	8/10/2015	PLUTONIUM-238	-0.00595	pCi/L	U			0.012	0.12	0.144
HSB112D	8/10/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0644	0.0644
HSB112D	8/10/2015	THORIUM-228	-0.0222	pCi/L	U		V	0.023	0.16	0.205
HSB112D	8/10/2015	THORIUM-230	0.0599	pCi/L	U		V	0.077	0.11	0.263
HSB112D	8/10/2015	THORIUM-232	-0.00543	pCi/L	U		V	0.011	0.109	0.131
HSB112D	8/10/2015	URANIUM-233/234	0.0155	pCi/L	U		V	0.043	0.104	0.19
HSB112D	8/10/2015	URANIUM-235	0	pCi/L	U			0	0.0693	0.0693
HSB112D	8/10/2015	URANIUM-238	0.0569	pCi/L	U		V	0.073	0.104	0.25
HSB112D	8/10/2015	GROSS ALPHA	0.0227	pCi/L	U			0.875	2.36	4.11
HSB112D	8/10/2015	NONVOLATILE BETA	2.46	pCi/L	U			2.7	4.13	9.53
HSB112D	8/10/2015	STRONTIUM-90	-0.21	pCi/L	U			1.9	3.26	7.07
HSB112D	8/10/2015	CARBON-14	15.5	pCi/L	J		21	4.47	6.89	15.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112D	8/10/2015	NICKEL-63	-0.865	pCi/L	U			3.49	6.86	13.8
HSB112D	8/10/2015	TECHNETIUM-99	7.8	pCi/L	J		21	2.75	4.24	9.74
HSB112D	8/10/2015	TRITIUM	1380	pCi/mL				7.08	0.473	14.6
HSB112D	8/10/2015	CESIUM-137	-1.44	pCi/L	U			5.49	9.58	20.6
HSB112D	8/10/2015	COBALT-60	-0.211	pCi/L	U			4.69	8.76	18.1
HSB112D	8/10/2015	IODINE-129	0.926	pCi/L	U			0.917	1.1	2.93
HSB112D	8/10/2015	RADIUM-226	1.02	pCi/L	J		21	0.444	0.533	1.42
HSB112D	8/10/2015	RADIUM-228	-0.0313	pCi/L	U			0.342	0.642	1.33
HSB112D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.758	pCi/L	U			0.595	1.16	2.35
HSB112D	11/4/2015	NITRATE-NITRITE AS NITROGEN	4.59	mg/L					0.17	0.5
HSB112D	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB112D	11/4/2015	GROSS ALPHA	1.2	pCi/L	U			1.64	2.33	5.61
HSB112D	11/4/2015	NONVOLATILE BETA	2.46	pCi/L	U			2.68	3.96	9.33
HSB112D	11/4/2015	TRITIUM	1260	pCi/mL				6.57	0.394	13.5
HSB112E	1/28/2015	NITRATE-NITRITE AS NITROGEN	4.87	mg/L					0.085	0.25
HSB112E	1/28/2015	ALUMINUM	123	ug/L	J				40	400
HSB112E	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB112E	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB112E	1/28/2015	BARIUM	4.76	ug/L	J				2	20
HSB112E	1/28/2015	BERYLLIUM	0.102	ug/L	J				0.1	1
HSB112E	1/28/2015	CADMIUM	0.149	ug/L	J				0.1	1
HSB112E	1/28/2015	CHROMIUM	14.3	ug/L	U				10	100
HSB112E	1/28/2015	COBALT	7.28	ug/L					0.5	5
HSB112E	1/28/2015	COPPER	2.73	ug/L	J				0.5	5
HSB112E	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB112E	1/28/2015	NICKEL	2.9	ug/L	J				0.5	5
HSB112E	1/28/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112E	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB112E	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112E	1/28/2015	TIN	10	ug/L	U				1	10
HSB112E	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB112E	1/28/2015	ZINC	8.19	ug/L	J				4	40
HSB112E	1/28/2015	MERCURY	0.369	ug/L					0.02	0.2
HSB112E	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB112E	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB112E	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB112E	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112E	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB112E	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB112E	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112E	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112E	1/28/2015	AMERICIUM-241	0.0832	pCi/L	U			0.097	0.0751	0.269
HSB112E	1/28/2015	CURIUM-242	-0.0374	pCi/L	U			0.1	0.303	0.504
HSB112E	1/28/2015	CURIUM-243/244	0.0274	pCi/L	U			0.055	0.074	0.184
HSB112E	1/28/2015	CURIUM-245/246	0.0848	pCi/L	U			0.099	0.0766	0.274
HSB112E	1/28/2015	PLUTONIUM-238	0.0128	pCi/L	U			0.055	0.155	0.264
HSB112E	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0698	0.0698
HSB112E	1/28/2015	THORIUM-228	0.0368	pCi/L	U			0.061	0.103	0.224
HSB112E	1/28/2015	THORIUM-230	0.082	pCi/L	U			0.083	0.0555	0.222
HSB112E	1/28/2015	THORIUM-232	-0.00511	pCi/L	U			0.01	0.103	0.124
HSB112E	1/28/2015	URANIUM-233/234	0.153	pCi/L	U			0.128	0.0692	0.324
HSB112E	1/28/2015	URANIUM-235	0.0315	pCi/L	U			0.063	0.0854	0.212
HSB112E	1/28/2015	URANIUM-238	0.051	pCi/L	U			0.073	0.0691	0.214

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112E	1/28/2015	GROSS ALPHA	0.428	pCi/L	U			1.14	2.24	4.53
HSB112E	1/28/2015	NONVOLATILE BETA	58.3	pCi/L				7.72	3.93	19.4
HSB112E	1/28/2015	STRONTIUM-90	23.9	pCi/L				4.75	2.96	12.5
HSB112E	1/28/2015	CARBON-14	2.24	pCi/L	U			4.16	6.89	15.2
HSB112E	1/28/2015	NICKEL-63	8.5	pCi/L	J		21	3.06	4.8	10.9
HSB112E	1/28/2015	TECHNETIUM-99	4.8	pCi/L	J		21	2.8	4.48	10.1
HSB112E	1/28/2015	TRITIUM	27.2	pCi/mL				1.02	0.447	2.49
HSB112E	1/28/2015	CESIUM-137	1.76	pCi/L	U			5.01	9.33	19.3
HSB112E	1/28/2015	COBALT-60	-1.85	pCi/L	U			4.6	8.2	17.4
HSB112E	1/28/2015	IODINE-129	2.78	pCi/L	J		21	1	1.02	3.02
HSB112E	1/28/2015	RADIUM-226	0.838	pCi/L	J		21	0.363	0.437	1.16
HSB112E	1/28/2015	RADIUM-228	1.19	pCi/L	U		21, V	0.382	0.454	1.22
HSB112E	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.87	pCi/L	U			1.37	1.93	4.67
HSB112E	4/16/2015	NITRATE-NITRITE AS NITROGEN	3.4	mg/L					0.17	0.5
HSB112E	4/16/2015	MERCURY	0.208	ug/L					0.02	0.2
HSB112E	4/16/2015	GROSS ALPHA	1.66	pCi/L	U			1.78	2.21	5.77
HSB112E	4/16/2015	NONVOLATILE BETA	43.4	pCi/L				6.88	4.33	18.1
HSB112E	4/16/2015	TRITIUM	18.4	pCi/mL				0.851	0.463	2.17
HSB112E	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.93	mg/L					0.085	0.25
HSB112E	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB112E	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB112E	8/10/2015	BARIUM	4.21	ug/L	J		21		2	20
HSB112E	8/10/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB112E	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB112E	8/10/2015	CHROMIUM	13.2	ug/L	J		21		10	100
HSB112E	8/10/2015	COBALT	30.5	ug/L					0.5	5
HSB112E	8/10/2015	COPPER	2.82	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112E	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB112E	8/10/2015	NICKEL	4.37	ug/L	J		21		0.5	5
HSB112E	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB112E	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB112E	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB112E	8/10/2015	TIN	10	ug/L	U				1	10
HSB112E	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB112E	8/10/2015	ZINC	9.34	ug/L	J		21		4	40
HSB112E	8/10/2015	MERCURY	0.0572	ug/L	J		21		0.02	0.2
HSB112E	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB112E	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.33	ug/L	J		21		1	5
HSB112E	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB112E	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB112E	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB112E	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB112E	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB112E	8/10/2015	AMERICIUM-241	0.0649	pCi/L	U		21, V	0.076	0.0586	0.21
HSB112E	8/10/2015	CURIUM-242	0.0645	pCi/L	U			0.083	0.107	0.272
HSB112E	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0578	0.0578
HSB112E	8/10/2015	CURIUM-245/246	0.177	pCi/L	U		21, V	0.127	0.0598	0.314
HSB112E	8/10/2015	PLUTONIUM-238	-0.011	pCi/L	U			0.016	0.132	0.163
HSB112E	8/10/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.0597	0.0597
HSB112E	8/10/2015	THORIUM-228	-0.0332	pCi/L	U		V	0.03	0.206	0.266
HSB112E	8/10/2015	THORIUM-230	0.351	pCi/L	U		21, V	0.203	0.156	0.563
HSB112E	8/10/2015	THORIUM-232	-0.0065	pCi/L	U		V	0.013	0.131	0.157
HSB112E	8/10/2015	URANIUM-233/234	0.0681	pCi/L	U		21, V	0.079	0.0616	0.22

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB112E	8/10/2015	URANIUM-235	0	pCi/L	U			0	0.0759	0.0759
HSB112E	8/10/2015	URANIUM-238	0.051	pCi/L	U		V	0.081	0.153	0.315
HSB112E	8/10/2015	GROSS ALPHA	0.345	pCi/L	U			1.17	2.44	4.77
HSB112E	8/10/2015	NONVOLATILE BETA	47.7	pCi/L				7.15	4.17	18.5
HSB112E	8/10/2015	STRONTIUM-90	21.2	pCi/L				4.64	3.23	12.5
HSB112E	8/10/2015	CARBON-14	22.9	pCi/L				4.65	6.91	16.2
HSB112E	8/10/2015	NICKEL-63	4.33	pCi/L	U			3.13	5.05	11.3
HSB112E	8/10/2015	TECHNETIUM-99	2.75	pCi/L	U			2.61	4.26	9.49
HSB112E	8/10/2015	TRITIUM	15.4	pCi/mL				0.798	0.477	2.07
HSB112E	8/10/2015	CESIUM-137	-0.788	pCi/L	U			5.4	9.55	20.4
HSB112E	8/10/2015	COBALT-60	-0.366	pCi/L	U			4.76	8.84	18.4
HSB112E	8/10/2015	IODINE-129	0.823	pCi/L	U			0.727	1.27	2.72
HSB112E	8/10/2015	RADIUM-226	1.16	pCi/L	J		21	0.438	0.464	1.34
HSB112E	8/10/2015	RADIUM-228	0.634	pCi/L	J		21	0.286	0.385	0.957
HSB112E	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.141	pCi/L	U			0.34	0.603	1.28
HSB112E	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.62	mg/L					0.17	0.5
HSB112E	11/4/2015	MERCURY	0.105	ug/L	J		21		0.02	0.2
HSB112E	11/4/2015	GROSS ALPHA	0.766	pCi/L	U			1.38	2.26	5.03
HSB112E	11/4/2015	NONVOLATILE BETA	48.1	pCi/L				7.15	3.94	18.2
HSB112E	11/4/2015	TRITIUM	14	pCi/mL				0.73	0.396	1.86
HSB113C	1/29/2015	NITRATE-NITRITE AS NITROGEN	2.64	mg/L					0.085	0.25
HSB113C	1/29/2015	ALUMINUM	400	ug/L	U				40	400
HSB113C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB113C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB113C	1/29/2015	BARIUM	6.09	ug/L	J				2	20
HSB113C	1/29/2015	BERYLLIUM	0.1	ug/L	J				0.1	1
HSB113C	1/29/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB113C	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB113C	1/29/2015	COPPER	0.713	ug/L	J				0.5	5
HSB113C	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB113C	1/29/2015	NICKEL	0.561	ug/L	J				0.5	5
HSB113C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB113C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB113C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB113C	1/29/2015	TIN	10	ug/L	U				1	10
HSB113C	1/29/2015	VANADIUM	15.1	ug/L	J				5	50
HSB113C	1/29/2015	ZINC	40	ug/L	U				4	40
HSB113C	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB113C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB113C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB113C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB113C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB113C	1/29/2015	TRICHLOROETHYLENE (TCE)	0.98	ug/L	J		21		0.3	1
HSB113C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB113C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB113C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB113C	1/29/2015	AMERICIUM-241	0.0451	pCi/L	U			0.064	0.0611	0.189
HSB113C	1/29/2015	CURIUM-242	0.0989	pCi/L	J		21	0.1	0.0602	0.26
HSB113C	1/29/2015	CURIUM-243/244	0.0223	pCi/L	U			0.045	0.0602	0.15
HSB113C	1/29/2015	CURIUM-245/246	0.092	pCi/L	U			0.093	0.0623	0.248
HSB113C	1/29/2015	PLUTONIUM-238	-0.00579	pCi/L	U			0.012	0.116	0.14
HSB113C	1/29/2015	PLUTONIUM-239/240	0.0173	pCi/L	U			0.048	0.116	0.212

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113C	1/29/2015	THORIUM-228	-0.0127	pCi/L	U			0.018	0.148	0.184
HSB113C	1/29/2015	THORIUM-230	-0.00618	pCi/L	U			0.012	0.124	0.149
HSB113C	1/29/2015	THORIUM-232	-0.00617	pCi/L	U			0.012	0.124	0.149
HSB113C	1/29/2015	URANIUM-233/234	0.0827	pCi/L	U			0.084	0.056	0.224
HSB113C	1/29/2015	URANIUM-235	0.0255	pCi/L	U			0.051	0.0691	0.172
HSB113C	1/29/2015	URANIUM-238	0.0155	pCi/L	U			0.043	0.104	0.189
HSB113C	1/29/2015	GROSS ALPHA	1.65	pCi/L	U			1.81	2.25	5.86
HSB113C	1/29/2015	NONVOLATILE BETA	2.19	pCi/L	U			2.47	3.79	8.72
HSB113C	1/29/2015	STRONTIUM-90	0.367	pCi/L	U			1.72	3.12	6.56
HSB113C	1/29/2015	CARBON-14	59.8	pCi/L				5.44	7.01	17.9
HSB113C	1/29/2015	NICKEL-63	0.959	pCi/L	U			3.02	5.31	11.4
HSB113C	1/29/2015	TECHNETIUM-99	4.08	pCi/L	U			2.69	4.33	9.71
HSB113C	1/29/2015	TRITIUM	83.3	pCi/mL				1.74	0.386	3.87
HSB113C	1/29/2015	CESIUM-137	-0.452	pCi/L	U			5.04	9.01	19.1
HSB113C	1/29/2015	COBALT-60	1.17	pCi/L	U			4.11	8.17	16.4
HSB113C	1/29/2015	IODINE-129	-0.272	pCi/L	U			0.672	0.962	2.31
HSB113C	1/29/2015	RADIUM-226	0.74	pCi/L	J		21	0.49	0.704	1.68
HSB113C	1/29/2015	RADIUM-228	0.157	pCi/L	U			0.451	0.804	1.71
HSB113C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0698	pCi/L	U			0.81	1.65	3.27
HSB113C	4/15/2015	NITRATE-NITRITE AS NITROGEN	2.69	mg/L					0.17	0.5
HSB113C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB113C	4/15/2015	GROSS ALPHA	0.871	pCi/L	U			1.35	2.09	4.79
HSB113C	4/15/2015	NONVOLATILE BETA	3.27	pCi/L	U			2.78	3.99	9.55
HSB113C	4/15/2015	TRITIUM	96.7	pCi/mL				1.88	0.449	4.2
HSB113C	8/10/2015	NITRATE-NITRITE AS NITROGEN	2.59	mg/L					0.085	0.25
HSB113C	8/10/2015	ALUMINUM	56.7	ug/L	J		21		40	400
HSB113C	8/10/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113C	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB113C	8/10/2015	BARIUM	7.19	ug/L	J		21		2	20
HSB113C	8/10/2015	BERYLLIUM	0.12	ug/L	J		21		0.1	1
HSB113C	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB113C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB113C	8/10/2015	COBALT	5	ug/L	U				0.5	5
HSB113C	8/10/2015	COPPER	2.61	ug/L	J		21		0.5	5
HSB113C	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB113C	8/10/2015	MANGANESE	7.85	ug/L	J		21		1	10
HSB113C	8/10/2015	NICKEL	0.719	ug/L	J		21		0.5	5
HSB113C	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB113C	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB113C	8/10/2015	SODIUM	4330	ug/L					20	200
HSB113C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB113C	8/10/2015	TIN	10	ug/L	U				1	10
HSB113C	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB113C	8/10/2015	ZINC	5.51	ug/L	J		21		4	40
HSB113C	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB113C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB113C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.36	ug/L	J		21		1	5
HSB113C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB113C	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L			S		0.3	1
HSB113C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB113C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB113C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB113C	8/10/2015	AMERICIUM-241	-0.00561	pCi/L	U		V	0.011	0.113	0.136

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113C	8/10/2015	CURIUM-242	0.073	pCi/L	J		21	0.085	0.0599	0.23
HSB113C	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0599	0.0599
HSB113C	8/10/2015	CURIUM-245/246	0.137	pCi/L	U		21, V	0.114	0.0621	0.29
HSB113C	8/10/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0688	0.0688
HSB113C	8/10/2015	PLUTONIUM-239/240	-0.00634	pCi/L	U		V	0.013	0.128	0.153
HSB113C	8/10/2015	THORIUM-228	0	pCi/L	U		V	0	0.171	0.171
HSB113C	8/10/2015	THORIUM-230	0.209	pCi/L	U		21, V	0.143	0.0629	0.349
HSB113C	8/10/2015	THORIUM-232	0	pCi/L	U		V	0	0.0628	0.0628
HSB113C	8/10/2015	URANIUM-233/234	0.149	pCi/L	U		21, V	0.115	0.0578	0.288
HSB113C	8/10/2015	URANIUM-235	0.0263	pCi/L	U			0.053	0.0714	0.177
HSB113C	8/10/2015	URANIUM-238	0.0426	pCi/L	U		V	0.061	0.0577	0.179
HSB113C	8/10/2015	GROSS ALPHA	0.802	pCi/L	U			1.4	2.31	5.1
HSB113C	8/10/2015	NONVOLATILE BETA	3.66	pCi/L	U			2.95	4.23	10.1
HSB113C	8/10/2015	STRONTIUM-90	0.668	pCi/L	U			1.95	3.29	7.19
HSB113C	8/10/2015	CARBON-14	5.39	pCi/L	U			4.39	7.14	15.9
HSB113C	8/10/2015	NICKEL-63	0.654	pCi/L	U			3.43	6.48	13.3
HSB113C	8/10/2015	TECHNETIUM-99	5.23	pCi/L	J		21	2.67	4.25	9.59
HSB113C	8/10/2015	TRITIUM	107	pCi/mL				1.98	0.472	4.43
HSB113C	8/10/2015	CESIUM-137	3.35	pCi/L	U			5.19	9.82	20.2
HSB113C	8/10/2015	COBALT-60	3.56	pCi/L	U			4.61	9.45	18.7
HSB113C	8/10/2015	IODINE-129	0.269	pCi/L	U			0.663	1.12	2.45
HSB113C	8/10/2015	RADIUM-226	0.477	pCi/L	U			0.442	0.701	1.59
HSB113C	8/10/2015	RADIUM-228	2.75	pCi/L				0.594	0.592	1.78
HSB113C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.607	pCi/L	U			0.623	1.04	2.29
HSB113C	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.99	mg/L					0.17	0.5
HSB113C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB113C	11/4/2015	GROSS ALPHA	0.0186	pCi/L	U			0.866	2.24	3.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113C	11/4/2015	NONVOLATILE BETA	4.15	pCi/L	J		21	2.95	3.92	9.81
HSB113C	11/4/2015	TRITIUM	99.6	pCi/mL				1.86	0.395	4.12
HSB113DR	1/29/2015	NITRATE-NITRITE AS NITROGEN	7.3	mg/L					0.425	1.25
HSB113DR	1/29/2015	ALUMINUM	76.3	ug/L	J				40	400
HSB113DR	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB113DR	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB113DR	1/29/2015	BARIUM	6.44	ug/L	J				2	20
HSB113DR	1/29/2015	BERYLLIUM	0.125	ug/L	J				0.1	1
HSB113DR	1/29/2015	CADMIUM	0.273	ug/L	J				0.1	1
HSB113DR	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB113DR	1/29/2015	COBALT	5.79	ug/L					0.5	5
HSB113DR	1/29/2015	COPPER	3.62	ug/L	J				0.5	5
HSB113DR	1/29/2015	LEAD	0.821	ug/L	J				0.5	5
HSB113DR	1/29/2015	NICKEL	5.21	ug/L					0.5	5
HSB113DR	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB113DR	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB113DR	1/29/2015	THALLIUM	0.146	ug/L	J				0.1	1
HSB113DR	1/29/2015	TIN	10	ug/L	U				1	10
HSB113DR	1/29/2015	VANADIUM	15.5	ug/L	J				5	50
HSB113DR	1/29/2015	ZINC	10.7	ug/L	J				4	40
HSB113DR	1/29/2015	MERCURY	0.45	ug/L					0.02	0.2
HSB113DR	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB113DR	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB113DR	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB113DR	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB113DR	1/29/2015	TRICHLOROETHYLENE (TCE)	2.77	ug/L					0.3	1
HSB113DR	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB113DR	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB113DR	1/29/2015	AMERICIUM-241	0.0882	pCi/L	U			0.089	0.0597	0.238
HSB113DR	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0588	0.0588
HSB113DR	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0588	0.0588
HSB113DR	1/29/2015	CURIUM-245/246	0.292	pCi/L	J		21	0.168	0.0609	0.398
HSB113DR	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0631	0.0631
HSB113DR	1/29/2015	PLUTONIUM-239/240	0.0233	pCi/L	U			0.047	0.0631	0.157
HSB113DR	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.298	0.298
HSB113DR	1/29/2015	THORIUM-230	0.112	pCi/L	U			0.114	0.149	0.377
HSB113DR	1/29/2015	THORIUM-232	-0.00621	pCi/L	U			0.013	0.125	0.15
HSB113DR	1/29/2015	URANIUM-233/234	0.157	pCi/L	U			0.121	0.0608	0.303
HSB113DR	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.075	0.075
HSB113DR	1/29/2015	URANIUM-238	0.112	pCi/L	J		21	0.102	0.0606	0.264
HSB113DR	1/29/2015	GROSS ALPHA	4.94	pCi/L	J		21	2.97	2.4	8.35
HSB113DR	1/29/2015	NONVOLATILE BETA	68.8	pCi/L				8.41	3.88	20.7
HSB113DR	1/29/2015	STRONTIUM-90	29.5	pCi/L				6.01	3.11	15.1
HSB113DR	1/29/2015	CARBON-14	27.5	pCi/L	J			4.82	7.06	16.7
HSB113DR	1/29/2015	NICKEL-63	11.3	pCi/L	J		21	4.1	6.75	14.9
HSB113DR	1/29/2015	TECHNETIUM-99	13.8	pCi/L				2.96	4.33	10.2
HSB113DR	1/29/2015	TRITIUM	1210	pCi/mL				6.62	0.389	13.6
HSB113DR	1/29/2015	CESIUM-137	-1.62	pCi/L	U			5.98	10.4	22.4
HSB113DR	1/29/2015	COBALT-60	-0.27	pCi/L	U			5.56	10.2	21.3
HSB113DR	1/29/2015	IODINE-129	4.6	pCi/L				1.51	0.966	3.98
HSB113DR	1/29/2015	RADIUM-226	0.83	pCi/L	J		21	0.488	0.671	1.65
HSB113DR	1/29/2015	RADIUM-228	0.0836	pCi/L	U			0.552	0.984	2.09
HSB113DR	1/29/2015	RADIUM, TOTAL ALPHA-	1.85	pCi/L	J		21	1.29	1.8	4.38

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
HSB113DR	4/15/2015	NITRATE-NITRITE AS NITROGEN	7.18	mg/L					0.425	1.25
HSB113DR	4/15/2015	MERCURY	0.525	ug/L					0.02	0.2
HSB113DR	4/15/2015	GROSS ALPHA	0.878	pCi/L	U			1.38	2.17	4.94
HSB113DR	4/15/2015	NONVOLATILE BETA	60.3	pCi/L				7.85	4	19.7
HSB113DR	4/15/2015	TRITIUM	1650	pCi/mL				7.66	0.445	15.8
HSB113DR	7/29/2015	NITRATE-NITRITE AS NITROGEN	7.35	mg/L					0.085	0.25
HSB113DR	7/29/2015	ALUMINUM	84.4	ug/L	J	J	21		40	400
HSB113DR	7/29/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB113DR	7/29/2015	ARSENIC	50	ug/L	U	U			5	50
HSB113DR	7/29/2015	BARIUM	7.28	ug/L	J	J	21		2	20
HSB113DR	7/29/2015	BERYLLIUM	0.158	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	CADMIUM	0.243	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	CHROMIUM	10.3	ug/L	J	J	21		10	100
HSB113DR	7/29/2015	COBALT	6.48	ug/L					0.5	5
HSB113DR	7/29/2015	COPPER	4.05	ug/L	U	U	21, V		0.5	5
HSB113DR	7/29/2015	LEAD	0.821	ug/L	J	J	21		0.5	5
HSB113DR	7/29/2015	NICKEL	4.53	ug/L	J	J	21		0.5	5
HSB113DR	7/29/2015	SELENIUM	20	ug/L	U	U			2	20
HSB113DR	7/29/2015	SILVER	5	ug/L	U	U			0.5	5
HSB113DR	7/29/2015	THALLIUM	0.131	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	TIN	10	ug/L	U	U			1	10
HSB113DR	7/29/2015	VANADIUM	50	ug/L	U	U			5	50
HSB113DR	7/29/2015	ZINC	7.26	ug/L	J	J	21		4	40
HSB113DR	7/29/2015	MERCURY	0.527	ug/L					0.02	0.2
HSB113DR	7/29/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB113DR	7/29/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB113DR	7/29/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB113DR	7/29/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB113DR	7/29/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB113DR	7/29/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB113DR	7/29/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
HSB113DR	7/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB113DR	7/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB113DR	7/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROETHYLENE	2.37	ug/L					0.3	2
HSB113DR	7/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB113DR	7/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
HSB113DR	7/29/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB113DR	7/29/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CIS-1,2-DICHLOROETHYLENE	2.37	ug/L					0.3	1
HSB113DR	7/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB113DR	7/29/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB113DR	7/29/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB113DR	7/29/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	TRICHLOROETHYLENE (TCE)	3.14	ug/L					0.3	1
HSB113DR	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB113DR	7/29/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
HSB113DR	7/29/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
HSB113DR	7/29/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2-PICOLINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
HSB113DR	7/29/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
HSB113DR	7/29/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
HSB113DR	7/29/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
HSB113DR	7/29/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ACETOPHENONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ANILINE	10	ug/L	U	U			4.2	10
HSB113DR	7/29/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ARAMITE	10	ug/L	U	U			3.7	10
HSB113DR	7/29/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	CHRYSENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIALLATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIMETHOATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	DISULFOTON	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	FAMPHUR	10	ug/L	U	U			5	10
HSB113DR	7/29/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	FLUORENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
HSB113DR	7/29/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ISODRIN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
HSB113DR	7/29/2015	ISOSAFROLE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	KEPONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
HSB113DR	7/29/2015	METHAPYRILENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	METHYL PARATHION	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	M-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	NITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PARATHION	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
HSB113DR	7/29/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PHENACETIN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PHORATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
HSB113DR	7/29/2015	PRONAMIDE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PYRIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	SAFROLE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	SULFOTEPP	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	THIONAZIN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2,3,7,8-TCDD	0.00994	ng/L	U	U			0.00332	0.00994
HSB113DR	7/29/2015	HEXACHLORODIBENZO-P-	0.0497	ng/L	U	U			0.0166	0.0497

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIOXINS								
HSB113DR	7/29/2015	HEXACHLORODIBENZO-P-FURANS	0.0497	ng/L	U	U			0.0166	0.0497
HSB113DR	7/29/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0497	ng/L	U	U			0.0166	0.0497
HSB113DR	7/29/2015	PENTACHLORODIBENZO-P-FURANS	0.0497	ng/L	U	U			0.0166	0.0497
HSB113DR	7/29/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00994	ng/L	U	U			0.00332	0.00994
HSB113DR	7/29/2015	TETRACHLORODIBENZO-P-FURANS	0.00994	ng/L	U	U			0.00332	0.00994
HSB113DR	7/29/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB113DR	7/29/2015	AMERICIUM-241	0.113	pCi/L	U	U	21, V	0.102	0.0612	0.266
HSB113DR	7/29/2015	CURIUM-242	0.291	pCi/L	J	J	21, V	0.173	0.0602	0.406
HSB113DR	7/29/2015	CURIUM-243/244	0	pCi/L	U	U		0	0.0602	0.0602
HSB113DR	7/29/2015	CURIUM-245/246	0.109	pCi/L	U	U	V	0.105	0.116	0.325
HSB113DR	7/29/2015	PLUTONIUM-238	0.0354	pCi/L	U	U	V	0.069	0.141	0.279
HSB113DR	7/29/2015	PLUTONIUM-239/240	-0.0059	pCi/L	U	U		0.012	0.119	0.142
HSB113DR	7/29/2015	THORIUM-228	-0.00561	pCi/L	U	U		0.011	0.111	0.134
HSB113DR	7/29/2015	THORIUM-230	0.133	pCi/L	J	J	21, V	0.11	0.06	0.281
HSB113DR	7/29/2015	THORIUM-232	0	pCi/L	U	U	V	0	0.0599	0.0599
HSB113DR	7/29/2015	URANIUM-233/234	0.149	pCi/L	J	J	21	0.12	0.111	0.351
HSB113DR	7/29/2015	URANIUM-235	-0.00683	pCi/L	U	U	V	0.014	0.138	0.165
HSB113DR	7/29/2015	URANIUM-238	0.166	pCi/L	J	J	21	0.128	0.133	0.389
HSB113DR	7/29/2015	GROSS ALPHA	3.95	pCi/L	J	J	21	1.93	1.41	5.27
HSB113DR	7/29/2015	NONVOLATILE BETA	61	pCi/L				5.67	2.6	13.9
HSB113DR	7/29/2015	STRONTIUM-90	28.6	pCi/L				5.19	3.25	13.6
HSB113DR	7/29/2015	NICKEL-63	8.09	pCi/L	J	J	21	3.05	4.94	11
HSB113DR	7/29/2015	TECHNETIUM-99	15.1	pCi/L				2.86	4.08	9.8
HSB113DR	7/29/2015	TRITIUM	1410	pCi/mL				7.16	0.457	14.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	CESIUM-134	3.22	pCi/L	U	U		6.27	10.1	22.7
HSB113DR	7/29/2015	CESIUM-137	-4.67	pCi/L	U	U		6.73	11.2	24.7
HSB113DR	7/29/2015	COBALT-60	-0.242	pCi/L	U	U		5.22	9.65	20.1
HSB113DR	7/29/2015	IODINE-129	4.99	pCi/L				1.48	1.13	4.09
HSB113DR	7/29/2015	RADIUM-226	1.51	pCi/L		J	9	0.367	0.257	0.991
HSB113DR	7/29/2015	RADIUM-228	0	pCi/L	U	U		0.233	0.452	0.918
HSB113DR	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1	pCi/L	J	J	21	0.417	0.6	1.43
HSB113DR	7/29/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB113DR	7/29/2015	NITRATE-NITRITE AS NITROGEN	6.9	mg/L					0.17	0.5
HSB113DR	7/29/2015	ALUMINUM	84.7	ug/L	J	J	21		40	400
HSB113DR	7/29/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB113DR	7/29/2015	ARSENIC	50	ug/L	U	U			5	50
HSB113DR	7/29/2015	BARIUM	7.61	ug/L	J	J	21		2	20
HSB113DR	7/29/2015	BERYLLIUM	0.18	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	CADMIUM	0.262	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB113DR	7/29/2015	COBALT	4.89	ug/L	J	J	21		0.5	5
HSB113DR	7/29/2015	COPPER	3.49	ug/L	U	U	21, V		0.5	5
HSB113DR	7/29/2015	LEAD	0.709	ug/L	J	J	21		0.5	5
HSB113DR	7/29/2015	NICKEL	4.34	ug/L	J	J	21		0.5	5
HSB113DR	7/29/2015	SELENIUM	20	ug/L	U	U			2	20
HSB113DR	7/29/2015	SILVER	5	ug/L	U	U			0.5	5
HSB113DR	7/29/2015	THALLIUM	0.144	ug/L	J	J	21		0.1	1
HSB113DR	7/29/2015	TIN	10	ug/L	U	U			1	10
HSB113DR	7/29/2015	VANADIUM	50	ug/L	U	U			5	50
HSB113DR	7/29/2015	ZINC	8.48	ug/L	J	J	21		4	40
HSB113DR	7/29/2015	MERCURY	0.536	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB113DR	7/29/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB113DR	7/29/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB113DR	7/29/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB113DR	7/29/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB113DR	7/29/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB113DR	7/29/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB113DR	7/29/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB113DR	7/29/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB113DR	7/29/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB113DR	7/29/2015	DINOSEB	0.25	ug/L	UJ	UJ	2		0.0833	0.25
HSB113DR	7/29/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB113DR	7/29/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB113DR	7/29/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,2-DICHLOROETHYLENE	2.55	ug/L					0.3	2
HSB113DR	7/29/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB113DR	7/29/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
HSB113DR	7/29/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB113DR	7/29/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CIS-1,2-DICHLOROETHYLENE	2.55	ug/L					0.3	1
HSB113DR	7/29/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB113DR	7/29/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB113DR	7/29/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB113DR	7/29/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L					0.3	1
HSB113DR	7/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB113DR	7/29/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB113DR	7/29/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-DIOXANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
HSB113DR	7/29/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	2-PICOLINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
HSB113DR	7/29/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
HSB113DR	7/29/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
HSB113DR	7/29/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
HSB113DR	7/29/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ACETOPHENONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ANILINE	10	ug/L	U	U			4.2	10
HSB113DR	7/29/2015	ANTHRACENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	ARAMITE	10	ug/L	U	U			3.7	10
HSB113DR	7/29/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	CHRYSENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIALLATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIMETHOATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	DISULFOTON	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	FAMPHUR	10	ug/L	U	U			5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	FLUORENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
HSB113DR	7/29/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	ISODRIN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
HSB113DR	7/29/2015	ISOSAFROLE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	KEPONE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
HSB113DR	7/29/2015	METHAPYRILENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	METHYL PARATHION	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	M-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	NITROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PARATHION	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
HSB113DR	7/29/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PHENACETIN	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PHENOL	10	ug/L	U	UJ	14		3	10
HSB113DR	7/29/2015	PHORATE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-NITROANILINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
HSB113DR	7/29/2015	PRONAMIDE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	PYRENE	1	ug/L	U	U			0.3	1
HSB113DR	7/29/2015	PYRIDINE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	SAFROLE	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	SULFOTEPP	10	ug/L	U	U			3	10
HSB113DR	7/29/2015	THIONAZIN	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	2,3,7,8-TCDD	0.0104	ng/L	U	U			0.00346	0.0104
HSB113DR	7/29/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0518	ng/L	U	U			0.0173	0.0518
HSB113DR	7/29/2015	HEXACHLORODIBENZO-P-FURANS	0.0518	ng/L	U	U			0.0173	0.0518
HSB113DR	7/29/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0518	ng/L	U	U			0.0173	0.0518
HSB113DR	7/29/2015	PENTACHLORODIBENZO-P-FURANS	0.0518	ng/L	U	U			0.0173	0.0518
HSB113DR	7/29/2015	TETRACHLORODIBENZO-P-DIOXIN	0.0104	ng/L	U	U			0.00346	0.0104
HSB113DR	7/29/2015	TETRACHLORODIBENZO-P-FURANS	0.0104	ng/L	U	U			0.00346	0.0104
HSB113DR	7/29/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB113DR	7/29/2015	AMERICIUM-241	0.065	pCi/L	U	U	V	0.083	0.119	0.286
HSB113DR	7/29/2015	CURIUM-242	0.222	pCi/L	J	J	21, V	0.156	0.117	0.43
HSB113DR	7/29/2015	CURIUM-243/244	0	pCi/L	U	U		0	0.0631	0.0631
HSB113DR	7/29/2015	CURIUM-245/246	0.241	pCi/L	U	U	21, V	0.156	0.0653	0.378
HSB113DR	7/29/2015	PLUTONIUM-238	0	pCi/L	U	U	V	0	0.0708	0.0708
HSB113DR	7/29/2015	PLUTONIUM-239/240	0.0784	pCi/L	J	U	21	0.091	0.0708	0.254
HSB113DR	7/29/2015	THORIUM-228	0	pCi/L	U	U		0	0.0624	0.0624
HSB113DR	7/29/2015	THORIUM-230	0.156	pCi/L	J	J	21, V	0.125	0.116	0.366
HSB113DR	7/29/2015	THORIUM-232	0	pCi/L	U	U	V	0	0.0624	0.0624
HSB113DR	7/29/2015	URANIUM-233/234	0.212	pCi/L	J	J	21	0.141	0.109	0.392
HSB113DR	7/29/2015	URANIUM-235	0.0536	pCi/L	U	U	V	0.076	0.0726	0.225
HSB113DR	7/29/2015	URANIUM-238	0.282	pCi/L	J	J	21	0.161	0.0588	0.381
HSB113DR	7/29/2015	GROSS ALPHA	3.94	pCi/L	J	J	21	1.93	1.41	5.26
HSB113DR	7/29/2015	NONVOLATILE BETA	68.3	pCi/L				5.98	2.6	14.6
HSB113DR	7/29/2015	STRONTIUM-90	22.6	pCi/L				4.4	3.35	12.1
HSB113DR	7/29/2015	NICKEL-63	10.4	pCi/L	J	J	21	3.05	4.76	10.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB113DR	7/29/2015	TECHNETIUM-99	13.9	pCi/L				2.83	4.08	9.75
HSB113DR	7/29/2015	TRITIUM	1430	pCi/mL				7.26	0.46	15
HSB113DR	7/29/2015	CESIUM-134	2.27	pCi/L	U	U		6	9.63	21.6
HSB113DR	7/29/2015	CESIUM-137	-4.61	pCi/L	U	U		6.44	10.7	23.6
HSB113DR	7/29/2015	COBALT-60	3.41	pCi/L	U	U		5.55	10.9	22
HSB113DR	7/29/2015	IODINE-129	4.03	pCi/L	J	J	21	1.84	1.02	4.7
HSB113DR	7/29/2015	RADIUM-226	3.11	pCi/L		J	9	0.528	0.34	1.4
HSB113DR	7/29/2015	RADIUM-228	0.784	pCi/L	J	J	21	0.463	0.717	1.64
HSB113DR	7/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.48	pCi/L	U	U		1.26	1.84	4.36
HSB113DR	7/29/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB113DR	11/4/2015	NITRATE-NITRITE AS NITROGEN	7.35	mg/L					0.85	2.5
HSB113DR	11/4/2015	MERCURY	0.531	ug/L					0.02	0.2
HSB113DR	11/4/2015	GROSS ALPHA	3.12	pCi/L	J		21	2.38	2.34	7.11
HSB113DR	11/4/2015	NONVOLATILE BETA	81.2	pCi/L				9.05	4.01	22.1
HSB113DR	11/4/2015	TRITIUM	1210	pCi/mL				5.99	0.51	12.5
HSB114CR	2/3/2015	NITRATE-NITRITE AS NITROGEN	3.83	mg/L					0.085	0.25
HSB114CR	2/3/2015	ALUMINUM	61.8	ug/L	J				40	400
HSB114CR	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSB114CR	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSB114CR	2/3/2015	BARIUM	11	ug/L	J				2	20
HSB114CR	2/3/2015	BERYLLIUM	0.28	ug/L	J				0.1	1
HSB114CR	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSB114CR	2/3/2015	CHROMIUM	12.1	ug/L	J				10	100
HSB114CR	2/3/2015	COBALT	0.945	ug/L	J				0.5	5
HSB114CR	2/3/2015	COPPER	1.19	ug/L	J				0.5	5
HSB114CR	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSB114CR	2/3/2015	NICKEL	0.935	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114CR	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSB114CR	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSB114CR	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSB114CR	2/3/2015	TIN	10	ug/L	U				1	10
HSB114CR	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSB114CR	2/3/2015	ZINC	5.75	ug/L	J				4	40
HSB114CR	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB114CR	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSB114CR	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB114CR	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB114CR	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB114CR	2/3/2015	TRICHLOROETHYLENE (TCE)	1.12	ug/L					0.3	1
HSB114CR	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB114CR	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB114CR	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSB114CR	2/3/2015	AMERICIUM-241	0.111	pCi/L	U			0.101	0.0601	0.261
HSB114CR	2/3/2015	CURIUM-242	0.0246	pCi/L	U			0.049	0.0592	0.158
HSB114CR	2/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0592	0.0592
HSB114CR	2/3/2015	CURIUM-245/246	0.203	pCi/L	U			0.139	0.0612	0.34
HSB114CR	2/3/2015	PLUTONIUM-238	-0.00566	pCi/L	U			0.011	0.114	0.137
HSB114CR	2/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0613	0.0613
HSB114CR	2/3/2015	THORIUM-228	0	pCi/L	U			0	0.061	0.061
HSB114CR	2/3/2015	THORIUM-230	0.0903	pCi/L	U			0.092	0.0611	0.244
HSB114CR	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.061	0.061
HSB114CR	2/3/2015	URANIUM-233/234	0.0293	pCi/L	U			0.07	0.158	0.297
HSB114CR	2/3/2015	URANIUM-235	0	pCi/L	U			0	0.0785	0.0785

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114CR	2/3/2015	URANIUM-238	0.0176	pCi/L	U			0.048	0.118	0.215
HSB114CR	2/3/2015	GROSS ALPHA	2.01	pCi/L	U			1.95	2.3	6.19
HSB114CR	2/3/2015	NONVOLATILE BETA	-1.2	pCi/L	U			2.18	4.41	8.78
HSB114CR	2/3/2015	STRONTIUM-90	1.23	pCi/L	U			2.05	3.24	7.34
HSB114CR	2/3/2015	CARBON-14	141	pCi/L				6.61	6.62	19.8
HSB114CR	2/3/2015	NICKEL-63	-3.64	pCi/L	U			3.02	5.52	11.6
HSB114CR	2/3/2015	TECHNETIUM-99	3.34	pCi/L	U			2.53	4.1	9.16
HSB114CR	2/3/2015	TRITIUM	197	pCi/mL				2.59	0.398	5.58
HSB114CR	2/3/2015	CESIUM-137	0.573	pCi/L	U			5.96	10.8	22.7
HSB114CR	2/3/2015	COBALT-60	-1.35	pCi/L	U			4.91	8.88	18.7
HSB114CR	2/3/2015	IODINE-129	0.35	pCi/L	U			0.534	0.955	2.02
HSB114CR	2/3/2015	RADIUM-226	1.66	pCi/L				0.516	0.516	1.55
HSB114CR	2/3/2015	RADIUM-228	0.813	pCi/L	U		21, V	0.396	0.553	1.35
HSB114CR	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	1.5	pCi/L	U			1.31	1.94	4.56
HSB114CR	4/15/2015	NITRATE-NITRITE AS NITROGEN	3.58	mg/L					0.17	0.5
HSB114CR	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB114CR	4/15/2015	GROSS ALPHA	0.872	pCi/L	U			1.35	2.09	4.8
HSB114CR	4/15/2015	NONVOLATILE BETA	5.14	pCi/L	J		21	3.08	4	10.2
HSB114CR	4/15/2015	TRITIUM	197	pCi/mL				2.66	0.445	5.76
HSB114CR	8/10/2015	NITRATE-NITRITE AS NITROGEN	3.59	mg/L					0.085	0.25
HSB114CR	8/10/2015	ALUMINUM	76.3	ug/L	J		21		40	400
HSB114CR	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB114CR	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB114CR	8/10/2015	BARIUM	11.3	ug/L	J		21		2	20
HSB114CR	8/10/2015	BERYLLIUM	0.305	ug/L	J		21		0.1	1
HSB114CR	8/10/2015	CADMIUM	0.153	ug/L	J		21		0.1	1
HSB114CR	8/10/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114CR	8/10/2015	COBALT	1.4	ug/L	J		21		0.5	5
HSB114CR	8/10/2015	COPPER	1.48	ug/L	J		21		0.5	5
HSB114CR	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB114CR	8/10/2015	MANGANESE	13.8	ug/L					1	10
HSB114CR	8/10/2015	NICKEL	1.74	ug/L	J		21		0.5	5
HSB114CR	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB114CR	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB114CR	8/10/2015	SODIUM	3760	ug/L					20	200
HSB114CR	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB114CR	8/10/2015	TIN	10	ug/L	U				1	10
HSB114CR	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB114CR	8/10/2015	ZINC	9.99	ug/L	J		21		4	40
HSB114CR	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB114CR	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB114CR	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.4	ug/L	J		21		1	5
HSB114CR	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB114CR	8/10/2015	TRICHLOROETHYLENE (TCE)	1.53	ug/L					0.3	1
HSB114CR	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB114CR	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB114CR	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB114CR	8/10/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0681	0.0681
HSB114CR	8/10/2015	CURIUM-242	0.0272	pCi/L	U			0.055	0.0671	0.176
HSB114CR	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0671	0.0671
HSB114CR	8/10/2015	CURIUM-245/246	0.102	pCi/L	U		21, V	0.104	0.0694	0.277
HSB114CR	8/10/2015	PLUTONIUM-238	0	pCi/L	U			0	0.056	0.056
HSB114CR	8/10/2015	PLUTONIUM-239/240	0.0155	pCi/L	U		V	0.043	0.104	0.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114CR	8/10/2015	THORIUM-228	-0.0328	pCi/L	U		V	0.027	0.18	0.234
HSB114CR	8/10/2015	THORIUM-230	0	pCi/L	U		V	0	0.058	0.058
HSB114CR	8/10/2015	THORIUM-232	-0.00534	pCi/L	U		V	0.011	0.108	0.129
HSB114CR	8/10/2015	URANIUM-233/234	0.116	pCi/L	U		V	0.105	0.126	0.337
HSB114CR	8/10/2015	URANIUM-235	0	pCi/L	U			0	0.0702	0.0702
HSB114CR	8/10/2015	URANIUM-238	0.105	pCi/L	J		21, V	0.095	0.0568	0.247
HSB114CR	8/10/2015	GROSS ALPHA	0.803	pCi/L	U			1.39	2.29	5.08
HSB114CR	8/10/2015	NONVOLATILE BETA	1.29	pCi/L	U			2.54	4.23	9.31
HSB114CR	8/10/2015	STRONTIUM-90	0.976	pCi/L	U			1.99	3.29	7.27
HSB114CR	8/10/2015	CARBON-14	4.82	pCi/L	U			4.41	7.21	16
HSB114CR	8/10/2015	NICKEL-63	-2.19	pCi/L	U			3	5.22	11.2
HSB114CR	8/10/2015	TECHNETIUM-99	2.66	pCi/L	U			2.61	4.27	9.49
HSB114CR	8/10/2015	TRITIUM	225	pCi/mL				2.94	0.499	6.38
HSB114CR	8/10/2015	CESIUM-137	-1	pCi/L	U			5.82	10.2	21.8
HSB114CR	8/10/2015	COBALT-60	0.524	pCi/L	U			4.64	8.88	18.2
HSB114CR	8/10/2015	IODINE-129	0.628	pCi/L	U			0.727	1.1	2.55
HSB114CR	8/10/2015	RADIUM-226	1.01	pCi/L	J		21	0.524	0.683	1.73
HSB114CR	8/10/2015	RADIUM-228	-0.0582	pCi/L	U			0.498	0.917	1.91
HSB114CR	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	0.318	pCi/L	U			0.559	0.964	2.08
HSB114CR	11/4/2015	NITRATE-NITRITE AS NITROGEN	3.67	mg/L					0.17	0.5
HSB114CR	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB114CR	11/4/2015	GROSS ALPHA	1.16	pCi/L	U			1.58	2.24	5.4
HSB114CR	11/4/2015	NONVOLATILE BETA	0.347	pCi/L	U			2.27	3.95	8.5
HSB114CR	11/4/2015	TRITIUM	220	pCi/mL				2.57	0.508	5.64
HSB114D	2/4/2015	NITRATE-NITRITE AS NITROGEN	6.47	mg/L					0.17	0.5
HSB114D	2/4/2015	ALUMINUM	905	ug/L					40	400
HSB114D	2/4/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114D	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSB114D	2/4/2015	BARIUM	16.5	ug/L	J				2	20
HSB114D	2/4/2015	BERYLLIUM	0.187	ug/L	J				0.1	1
HSB114D	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSB114D	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSB114D	2/4/2015	COBALT	14.7	ug/L					0.5	5
HSB114D	2/4/2015	COPPER	10.7	ug/L					0.5	5
HSB114D	2/4/2015	LEAD	1.26	ug/L	J				0.5	5
HSB114D	2/4/2015	NICKEL	3.21	ug/L	J				0.5	5
HSB114D	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSB114D	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSB114D	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSB114D	2/4/2015	TIN	1.14	ug/L	J				1	10
HSB114D	2/4/2015	VANADIUM	50	ug/L	U				5	50
HSB114D	2/4/2015	ZINC	11.4	ug/L	J				4	40
HSB114D	2/4/2015	MERCURY	0.145	ug/L	J		21		0.02	0.2
HSB114D	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSB114D	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB114D	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB114D	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB114D	2/4/2015	TRICHLOROETHYLENE (TCE)	0.35	ug/L	J		21		0.3	1
HSB114D	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB114D	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB114D	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSB114D	2/4/2015	AMERICIUM-241	0.0582	pCi/L	U			0.075	0.107	0.256
HSB114D	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0565	0.0565

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114D	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0565	0.0565
HSB114D	2/4/2015	CURIUM-245/246	0.324	pCi/L	J		21	0.174	0.0585	0.407
HSB114D	2/4/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0682	0.0682
HSB114D	2/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0682	0.0682
HSB114D	2/4/2015	THORIUM-228	0.0183	pCi/L	U			0.05	0.119	0.219
HSB114D	2/4/2015	THORIUM-230	0.183	pCi/L	U			0.138	0.119	0.394
HSB114D	2/4/2015	THORIUM-232	-0.00589	pCi/L	U			0.012	0.119	0.142
HSB114D	2/4/2015	URANIUM-233/234	0.603	pCi/L	J		21	0.251	0.131	0.634
HSB114D	2/4/2015	URANIUM-235	0.0473	pCi/L	U			0.078	0.136	0.292
HSB114D	2/4/2015	URANIUM-238	0.405	pCi/L	J		21	0.201	0.131	0.533
HSB114D	2/4/2015	GROSS ALPHA	11	pCi/L				3.09	1.88	8.05
HSB114D	2/4/2015	NONVOLATILE BETA	297	pCi/L				12.6	3.72	29
HSB114D	2/4/2015	STRONTIUM-90	132	pCi/L				16.7	3.25	36.7
HSB114D	2/4/2015	CARBON-14	-3.01	pCi/L	U			4.15	7.07	15.4
HSB114D	2/4/2015	NICKEL-63	32.4	pCi/L				3.62	4.7	11.9
HSB114D	2/4/2015	TECHNETIUM-99	6.52	pCi/L	J		21	2.67	4.17	9.52
HSB114D	2/4/2015	TRITIUM	352	pCi/mL				3.58	0.558	7.72
HSB114D	2/4/2015	CESIUM-137	-2.98	pCi/L	U			6.36	10.7	23.5
HSB114D	2/4/2015	COBALT-60	-6.34	pCi/L	U			6.35	9.89	22.6
HSB114D	2/4/2015	IODINE-129	5.27	pCi/L				1.33	0.925	3.58
HSB114D	2/4/2015	RADIUM-226	5.42	pCi/L				0.844	0.506	2.19
HSB114D	2/4/2015	RADIUM-228	2.11	pCi/L				0.414	0.396	1.22
HSB114D	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	3.52	pCi/L	J		21	1.89	1.86	5.64
HSB114D	4/15/2015	NITRATE-NITRITE AS NITROGEN	5.7	mg/L					0.425	1.25
HSB114D	4/15/2015	MERCURY	0.207	ug/L					0.02	0.2
HSB114D	4/15/2015	GROSS ALPHA	12.1	pCi/L				4.42	2.24	11.1
HSB114D	4/15/2015	NONVOLATILE BETA	228	pCi/L				15	4.26	34.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114D	4/15/2015	TRITIUM	413	pCi/mL				3.84	0.446	8.12
HSB114D	8/10/2015	NITRATE-NITRITE AS NITROGEN	5.45	mg/L					0.17	0.5
HSB114D	8/10/2015	ALUMINUM	577	ug/L					40	400
HSB114D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB114D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB114D	8/10/2015	BARIUM	12.8	ug/L	J		21		2	20
HSB114D	8/10/2015	BERYLLIUM	0.148	ug/L	J		21		0.1	1
HSB114D	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB114D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB114D	8/10/2015	COBALT	22.3	ug/L					0.5	5
HSB114D	8/10/2015	COPPER	10.2	ug/L					0.5	5
HSB114D	8/10/2015	LEAD	0.812	ug/L	J		21		0.5	5
HSB114D	8/10/2015	NICKEL	3.53	ug/L	J		21		0.5	5
HSB114D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB114D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB114D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB114D	8/10/2015	TIN	10	ug/L	U				1	10
HSB114D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB114D	8/10/2015	ZINC	11	ug/L	J		21		4	40
HSB114D	8/10/2015	MERCURY	0.154	ug/L	J		21		0.02	0.2
HSB114D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB114D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.36	ug/L	J		21		1	5
HSB114D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB114D	8/10/2015	TRICHLOROETHYLENE (TCE)	0.65	ug/L	J		21		0.3	1
HSB114D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB114D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB114D	8/10/2015	AMERICIUM-241	0.0622	pCi/L	U		21, V	0.072	0.0562	0.201
HSB114D	8/10/2015	CURIUM-242	0.0453	pCi/L	U			0.064	0.0554	0.184
HSB114D	8/10/2015	CURIUM-243/244	0.0358	pCi/L	U			0.059	0.103	0.221
HSB114D	8/10/2015	CURIUM-245/246	0.169	pCi/L	U		21, V	0.122	0.0573	0.301
HSB114D	8/10/2015	PLUTONIUM-238	-0.00631	pCi/L	U		V	0.013	0.127	0.152
HSB114D	8/10/2015	PLUTONIUM-239/240	0.0505	pCi/L	U		V	0.072	0.0684	0.212
HSB114D	8/10/2015	THORIUM-228	0.0309	pCi/L	U			0.092	0.214	0.398
HSB114D	8/10/2015	THORIUM-230	0.363	pCi/L	U		21, V	0.196	0.0656	0.457
HSB114D	8/10/2015	THORIUM-232	-0.0121	pCi/L	U			0.017	0.145	0.179
HSB114D	8/10/2015	URANIUM-233/234	0.435	pCi/L	J		21, V	0.21	0.134	0.554
HSB114D	8/10/2015	URANIUM-235	0	pCi/L	U			0	0.0746	0.0746
HSB114D	8/10/2015	URANIUM-238	0.334	pCi/L	J		21, V	0.179	0.0604	0.418
HSB114D	8/10/2015	GROSS ALPHA	6.49	pCi/L	J		21	3.42	2.83	9.66
HSB114D	8/10/2015	NONVOLATILE BETA	211	pCi/L				14.7	4.95	34.3
HSB114D	8/10/2015	STRONTIUM-90	103	pCi/L				13.2	3.33	29.7
HSB114D	8/10/2015	CARBON-14	46.7	pCi/L				5.35	7.29	18
HSB114D	8/10/2015	NICKEL-63	26.3	pCi/L				3.47	4.19	11.1
HSB114D	8/10/2015	TECHNETIUM-99	4.06	pCi/L	U			2.75	4.43	9.92
HSB114D	8/10/2015	TRITIUM	548	pCi/mL				4.44	0.47	9.35
HSB114D	8/10/2015	CESIUM-137	-2.48	pCi/L	U			5.28	9.01	19.6
HSB114D	8/10/2015	COBALT-60	5.42	pCi/L	U			5.31	10.9	21.5
HSB114D	8/10/2015	IODINE-129	5.82	pCi/L				1.84	1.05	4.73
HSB114D	8/10/2015	RADIUM-226	2.02	pCi/L				0.601	0.584	1.79
HSB114D	8/10/2015	RADIUM-228	1.43	pCi/L				0.404	0.495	1.3
HSB114D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	1.81	pCi/L	J		21	0.748	1.06	2.56
HSB114D	11/6/2015	NITRATE-NITRITE AS NITROGEN	5.65	mg/L					0.425	1.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB114D	11/6/2015	MERCURY	0.307	ug/L					0.02	0.2
HSB114D	11/6/2015	GROSS ALPHA	3.32	pCi/L	J		21	2.54	2.79	7.86
HSB114D	11/6/2015	NONVOLATILE BETA	246	pCi/L				15.8	4.6	36.2
HSB114D	11/6/2015	TRITIUM	598	pCi/mL				4.2	0.507	8.91
HSB115CR	1/29/2015	NITRATE-NITRITE AS NITROGEN	6.26	mg/L					0.17	0.5
HSB115CR	1/29/2015	ALUMINUM	400	ug/L	U				40	400
HSB115CR	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB115CR	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB115CR	1/29/2015	BARIUM	7.98	ug/L	J				2	20
HSB115CR	1/29/2015	BERYLLIUM	0.12	ug/L	J				0.1	1
HSB115CR	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB115CR	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB115CR	1/29/2015	COBALT	0.773	ug/L	J				0.5	5
HSB115CR	1/29/2015	COPPER	2.45	ug/L	J				0.5	5
HSB115CR	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB115CR	1/29/2015	NICKEL	0.97	ug/L	J				0.5	5
HSB115CR	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB115CR	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB115CR	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB115CR	1/29/2015	TIN	10	ug/L	U				1	10
HSB115CR	1/29/2015	VANADIUM	15.8	ug/L	J				5	50
HSB115CR	1/29/2015	ZINC	5.98	ug/L	J				4	40
HSB115CR	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB115CR	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB115CR	1/29/2015	CHLOROFORM	0.58	ug/L	J		21		0.3	1
HSB115CR	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB115CR	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115CR	1/29/2015	TRICHLOROETHYLENE (TCE)	6.33	ug/L					0.3	1
HSB115CR	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB115CR	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB115CR	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB115CR	1/29/2015	AMERICIUM-241	0	pCi/L	U			0	0.0652	0.0652
HSB115CR	1/29/2015	CURIUM-242	-0.00669	pCi/L	U			0.013	0.119	0.146
HSB115CR	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0642	0.0642
HSB115CR	1/29/2015	CURIUM-245/246	0.166	pCi/L	U			0.133	0.124	0.389
HSB115CR	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0693	0.0693
HSB115CR	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0693	0.0693
HSB115CR	1/29/2015	THORIUM-228	-0.00599	pCi/L	U			0.012	0.117	0.141
HSB115CR	1/29/2015	THORIUM-230	0.0697	pCi/L	U			0.081	0.063	0.226
HSB115CR	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0629	0.0629
HSB115CR	1/29/2015	URANIUM-233/234	0.132	pCi/L	U			0.127	0.14	0.393
HSB115CR	1/29/2015	URANIUM-235	0.0599	pCi/L	U			0.099	0.172	0.37
HSB115CR	1/29/2015	URANIUM-238	0.0485	pCi/L	U			0.08	0.14	0.299
HSB115CR	1/29/2015	GROSS ALPHA	0.871	pCi/L	U			1.43	2.27	5.13
HSB115CR	1/29/2015	NONVOLATILE BETA	2.71	pCi/L	U			2.56	3.77	8.89
HSB115CR	1/29/2015	STRONTIUM-90	0.692	pCi/L	U			2.17	3.11	7.44
HSB115CR	1/29/2015	CARBON-14	68.2	pCi/L	J			5.57	7.01	18.2
HSB115CR	1/29/2015	NICKEL-63	2.06	pCi/L	U			3.82	6.79	14.4
HSB115CR	1/29/2015	TECHNETIUM-99	2.31	pCi/L	U			2.64	4.33	9.6
HSB115CR	1/29/2015	TRITIUM	368	pCi/mL				3.65	0.388	7.69
HSB115CR	1/29/2015	CESIUM-137	-1.3	pCi/L	U			5.93	8.98	20.8
HSB115CR	1/29/2015	COBALT-60	-3.36	pCi/L	U			4.36	7.3	16
HSB115CR	1/29/2015	IODINE-129	1.78	pCi/L	J		21	0.942	0.945	2.83
HSB115CR	1/29/2015	RADIUM-226	1.14	pCi/L	J		21	0.59	0.769	1.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115CR	1/29/2015	RADIUM-228	1.57	pCi/L	J		21	0.56	0.788	1.91
HSB115CR	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.448	pCi/L	U			0.94	1.75	3.63
HSB115CR	4/15/2015	NITRATE-NITRITE AS NITROGEN	5.78	mg/L					0.17	0.5
HSB115CR	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB115CR	4/15/2015	GROSS ALPHA	0.876	pCi/L	U			1.36	2.1	4.82
HSB115CR	4/15/2015	NONVOLATILE BETA	3.27	pCi/L	U			2.78	4	9.56
HSB115CR	4/15/2015	TRITIUM	383	pCi/mL				3.7	0.447	7.85
HSB115CR	8/10/2015	NITRATE-NITRITE AS NITROGEN	5.5	mg/L					0.17	0.5
HSB115CR	8/10/2015	ALUMINUM	59	ug/L	J		21		40	400
HSB115CR	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB115CR	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB115CR	8/10/2015	BARIUM	8.09	ug/L	J		21		2	20
HSB115CR	8/10/2015	BERYLLIUM	0.142	ug/L	J		21		0.1	1
HSB115CR	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB115CR	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB115CR	8/10/2015	COBALT	0.79	ug/L	J		21		0.5	5
HSB115CR	8/10/2015	COPPER	0.946	ug/L	J		21		0.5	5
HSB115CR	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB115CR	8/10/2015	NICKEL	1.33	ug/L	J		21		0.5	5
HSB115CR	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB115CR	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB115CR	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB115CR	8/10/2015	TIN	10	ug/L	U				1	10
HSB115CR	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB115CR	8/10/2015	ZINC	4.76	ug/L	J		21		4	40
HSB115CR	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB115CR	8/10/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115CR	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB115CR	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB115CR	8/10/2015	TRICHLOROETHYLENE (TCE)	5.39	ug/L					0.3	1
HSB115CR	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB115CR	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB115CR	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB115CR	8/10/2015	AMERICIUM-241	-0.0115	pCi/L	U		V	0.016	0.138	0.17
HSB115CR	8/10/2015	CURIUM-242	0.1	pCi/L	J		21	0.101	0.0613	0.264
HSB115CR	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0613	0.0613
HSB115CR	8/10/2015	CURIUM-245/246	0.0936	pCi/L	U		21, V	0.095	0.0634	0.253
HSB115CR	8/10/2015	PLUTONIUM-238	-0.0102	pCi/L	U		V	0.015	0.122	0.151
HSB115CR	8/10/2015	PLUTONIUM-239/240	0.0611	pCi/L	U		21, V	0.071	0.0552	0.198
HSB115CR	8/10/2015	THORIUM-228	-0.0465	pCi/L	U			0.034	0.211	0.278
HSB115CR	8/10/2015	THORIUM-230	0.0909	pCi/L	U		21, V	0.092	0.0616	0.246
HSB115CR	8/10/2015	THORIUM-232	-0.0113	pCi/L	U			0.016	0.136	0.168
HSB115CR	8/10/2015	URANIUM-233/234	0.0841	pCi/L	U		V	0.098	0.144	0.341
HSB115CR	8/10/2015	URANIUM-235	0.0222	pCi/L	U			0.061	0.149	0.272
HSB115CR	8/10/2015	URANIUM-238	0.0839	pCi/L	U		V	0.098	0.144	0.34
HSB115CR	8/10/2015	GROSS ALPHA	1.6	pCi/L	U			1.8	2.32	5.92
HSB115CR	8/10/2015	NONVOLATILE BETA	1.55	pCi/L	U			2.65	4.34	9.64
HSB115CR	8/10/2015	STRONTIUM-90	1.51	pCi/L	U			2.16	3.29	7.61
HSB115CR	8/10/2015	CARBON-14	6.89	pCi/L	U			4.51	7.28	16.3
HSB115CR	8/10/2015	NICKEL-63	-2.1	pCi/L	U			2.96	5.07	11
HSB115CR	8/10/2015	TECHNETIUM-99	2.47	pCi/L	U			2.6	4.25	9.44
HSB115CR	8/10/2015	TRITIUM	387	pCi/mL				3.76	0.475	7.99
HSB115CR	8/10/2015	CESIUM-137	-2.49	pCi/L	U			5.49	9.37	20.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115CR	8/10/2015	COBALT-60	2.88	pCi/L	U			5.1	10.1	20.3
HSB115CR	8/10/2015	IODINE-129	0.57	pCi/L	U			0.809	1.06	2.68
HSB115CR	8/10/2015	RADIUM-226	1.15	pCi/L	J		21	0.496	0.57	1.56
HSB115CR	8/10/2015	RADIUM-228	0.335	pCi/L	U			0.454	0.776	1.68
HSB115CR	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.852	pCi/L	U			0.887	1.68	3.45
HSB115CR	11/5/2015	NITRATE-NITRITE AS NITROGEN	5	mg/L					0.425	1.25
HSB115CR	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB115CR	11/5/2015	GROSS ALPHA	2.08	pCi/L	J		21	1.39	1.32	4.09
HSB115CR	11/5/2015	NONVOLATILE BETA	1.92	pCi/L	U			2.04	3	7.09
HSB115CR	11/5/2015	TRITIUM	397	pCi/mL				3.8	0.468	8.07
HSB115D	2/5/2015	NITRATE-NITRITE AS NITROGEN	16.2	mg/L					0.425	1.25
HSB115D	2/5/2015	ALUMINUM	666	ug/L					40	400
HSB115D	2/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB115D	2/5/2015	ARSENIC	50	ug/L	U				5	50
HSB115D	2/5/2015	BARIUM	16.9	ug/L	J				2	20
HSB115D	2/5/2015	BERYLLIUM	0.153	ug/L	J				0.1	1
HSB115D	2/5/2015	CADMIUM	0.145	ug/L	J				0.1	1
HSB115D	2/5/2015	CHROMIUM	12.8	ug/L	J				10	100
HSB115D	2/5/2015	COBALT	35.2	ug/L					0.5	5
HSB115D	2/5/2015	COPPER	46.6	ug/L					0.5	5
HSB115D	2/5/2015	LEAD	1.55	ug/L	J				0.5	5
HSB115D	2/5/2015	NICKEL	7.06	ug/L					0.5	5
HSB115D	2/5/2015	SELENIUM	20	ug/L	U				2	20
HSB115D	2/5/2015	SILVER	5	ug/L	U				0.5	5
HSB115D	2/5/2015	THALLIUM	0.239	ug/L	J				0.1	1
HSB115D	2/5/2015	TIN	10	ug/L	U				1	10
HSB115D	2/5/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115D	2/5/2015	ZINC	21.1	ug/L	J				4	40
HSB115D	2/5/2015	MERCURY	0.0416	ug/L	J		21		0.02	0.2
HSB115D	2/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB115D	2/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB115D	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB115D	2/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB115D	2/5/2015	TRICHLOROETHYLENE (TCE)	1.15	ug/L					0.3	1
HSB115D	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB115D	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB115D	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB115D	2/5/2015	AMERICIUM-241	0.0427	pCi/L	U			0.061	0.0578	0.179
HSB115D	2/5/2015	CURIUM-242	0	pCi/L	U			0	0.057	0.057
HSB115D	2/5/2015	CURIUM-243/244	0.0211	pCi/L	U			0.042	0.057	0.142
HSB115D	2/5/2015	CURIUM-245/246	0.147	pCi/L	U			0.118	0.11	0.345
HSB115D	2/5/2015	PLUTONIUM-238	0.0238	pCi/L	U			0.048	0.0644	0.16
HSB115D	2/5/2015	PLUTONIUM-239/240	-0.00594	pCi/L	U			0.012	0.12	0.144
HSB115D	2/5/2015	THORIUM-228	0.0903	pCi/L	J		21	0.092	0.0592	0.242
HSB115D	2/5/2015	THORIUM-230	0.126	pCi/L	U			0.11	0.11	0.33
HSB115D	2/5/2015	THORIUM-232	0.0218	pCi/L	U			0.044	0.0592	0.147
HSB115D	2/5/2015	URANIUM-233/234	0.574	pCi/L	J		21	0.25	0.117	0.616
HSB115D	2/5/2015	URANIUM-235	0.0572	pCi/L	U			0.082	0.0776	0.241
HSB115D	2/5/2015	URANIUM-238	0.342	pCi/L	J		21	0.187	0.117	0.491
HSB115D	2/5/2015	GROSS ALPHA	4.31	pCi/L	J		21	2.86	2.79	8.51
HSB115D	2/5/2015	NONVOLATILE BETA	160	pCi/L				12.7	4.69	30.1
HSB115D	2/5/2015	STRONTIUM-90	71.5	pCi/L				10.3	3.29	23.8
HSB115D	2/5/2015	CARBON-14	13.5	pCi/L	J		21	4.52	7.05	16.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115D	2/5/2015	NICKEL-63	16	pCi/L				3.28	4.82	11.4
HSB115D	2/5/2015	TECHNETIUM-99	16.5	pCi/L				2.96	4.19	10.1
HSB115D	2/5/2015	TRITIUM	416	pCi/mL				3.86	0.451	8.17
HSB115D	2/5/2015	CESIUM-137	0.74	pCi/L	U			4.95	9.07	19
HSB115D	2/5/2015	COBALT-60	1.51	pCi/L	U			4.29	8.54	17.1
HSB115D	2/5/2015	IODINE-129	33.3	pCi/L				5.37	1.35	12.1
HSB115D	2/5/2015	RADIUM-226	3.39	pCi/L	J		V	0.826	0.703	2.36
HSB115D	2/5/2015	RADIUM-228	1.93	pCi/L				0.481	0.552	1.51
HSB115D	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	3.13	pCi/L	U		21, V	1.78	1.79	5.35
HSB115D	4/15/2015	NITRATE-NITRITE AS NITROGEN	13.8	mg/L					0.425	1.25
HSB115D	4/15/2015	MERCURY	0.0409	ug/L	J		21		0.02	0.2
HSB115D	4/15/2015	GROSS ALPHA	3.66	pCi/L	J		21	2.53	2.24	7.3
HSB115D	4/15/2015	NONVOLATILE BETA	125	pCi/L				11.1	4.08	26.3
HSB115D	4/15/2015	TRITIUM	468	pCi/mL				4.1	0.448	8.64
HSB115D	8/10/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.425	1.25
HSB115D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB115D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB115D	8/10/2015	BARIUM	13	ug/L	J		21		2	20
HSB115D	8/10/2015	BERYLLIUM	0.11	ug/L	J		21		0.1	1
HSB115D	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB115D	8/10/2015	CHROMIUM	11.9	ug/L	J		21		10	100
HSB115D	8/10/2015	COBALT	26.7	ug/L					0.5	5
HSB115D	8/10/2015	COPPER	18.8	ug/L					0.5	5
HSB115D	8/10/2015	LEAD	1.19	ug/L	J		21		0.5	5
HSB115D	8/10/2015	NICKEL	5.23	ug/L					0.5	5
HSB115D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB115D	8/10/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115D	8/10/2015	THALLIUM	0.186	ug/L	J		21		0.1	1
HSB115D	8/10/2015	TIN	10	ug/L	U				1	10
HSB115D	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB115D	8/10/2015	ZINC	7.41	ug/L	J		21		4	40
HSB115D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB115D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB115D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB115D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB115D	8/10/2015	TRICHLOROETHYLENE (TCE)	1.35	ug/L					0.3	1
HSB115D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB115D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB115D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB115D	8/10/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.062	0.062
HSB115D	8/10/2015	CURIUM-242	0.0248	pCi/L	U			0.05	0.0611	0.16
HSB115D	8/10/2015	CURIUM-243/244	0.0226	pCi/L	U			0.045	0.0611	0.152
HSB115D	8/10/2015	CURIUM-245/246	0.187	pCi/L	U		21, V	0.135	0.0632	0.332
HSB115D	8/10/2015	PLUTONIUM-238	-0.017	pCi/L	U			0.02	0.153	0.192
HSB115D	8/10/2015	PLUTONIUM-239/240	-0.00566	pCi/L	U		V	0.011	0.114	0.137
HSB115D	8/10/2015	THORIUM-228	-0.00618	pCi/L	U		V	0.079	0.234	0.392
HSB115D	8/10/2015	THORIUM-230	0.315	pCi/L	U		21, V	0.181	0.0656	0.428
HSB115D	8/10/2015	THORIUM-232	0	pCi/L	U		V	0	0.0655	0.0655
HSB115D	8/10/2015	URANIUM-233/234	0.76	pCi/L			V	0.272	0.0557	0.601
HSB115D	8/10/2015	URANIUM-235	0.0253	pCi/L	U			0.051	0.0687	0.17
HSB115D	8/10/2015	URANIUM-238	0.287	pCi/L	J		21, V	0.158	0.0555	0.372
HSB115D	8/10/2015	GROSS ALPHA	8.04	pCi/L	J		21	3.77	2.68	10.2
HSB115D	8/10/2015	NONVOLATILE BETA	109	pCi/L				10.6	5.1	26.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB115D	8/10/2015	STRONTIUM-90	53.6	pCi/L				8.22	3.28	19.7
HSB115D	8/10/2015	CARBON-14	27.7	pCi/L				4.79	6.97	16.6
HSB115D	8/10/2015	NICKEL-63	20.7	pCi/L				3.86	6.32	14
HSB115D	8/10/2015	TECHNETIUM-99	19.1	pCi/L				3.05	4.26	10.4
HSB115D	8/10/2015	TRITIUM	434	pCi/mL				3.97	0.475	8.42
HSB115D	8/10/2015	CESIUM-137	0.777	pCi/L	U			5.22	9.49	19.9
HSB115D	8/10/2015	COBALT-60	5.88	pCi/L	U			4.81	10.2	19.8
HSB115D	8/10/2015	IODINE-129	23	pCi/L	J		V	3.81	1.15	8.76
HSB115D	8/10/2015	RADIUM-226	1.94	pCi/L				0.536	0.497	1.57
HSB115D	8/10/2015	RADIUM-228	1.49	pCi/L	J		21	0.521	0.722	1.76
HSB115D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	1.99	pCi/L	J		21	0.703	1	2.41
HSB115D	11/6/2015	NITRATE-NITRITE AS NITROGEN	12.6	mg/L					0.85	2.5
HSB115D	11/6/2015	MERCURY	0.0556	ug/L	J		21		0.02	0.2
HSB115D	11/6/2015	GROSS ALPHA	3.52	pCi/L	J		21	2.6	2.69	7.88
HSB115D	11/6/2015	NONVOLATILE BETA	172	pCi/L				13.1	4.62	30.9
HSB115D	11/6/2015	TRITIUM	345	pCi/mL				3.2	0.508	6.91
HSB116CR	1/29/2015	NITRATE-NITRITE AS NITROGEN	11.3	mg/L					0.17	0.5
HSB116CR	1/29/2015	ALUMINUM	77.2	ug/L	J				40	400
HSB116CR	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB116CR	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB116CR	1/29/2015	BARIUM	6.45	ug/L	J				2	20
HSB116CR	1/29/2015	BERYLLIUM	0.215	ug/L	J				0.1	1
HSB116CR	1/29/2015	CADMIUM	0.122	ug/L	J				0.1	1
HSB116CR	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB116CR	1/29/2015	COBALT	0.902	ug/L	J				0.5	5
HSB116CR	1/29/2015	COPPER	2.58	ug/L	J				0.5	5
HSB116CR	1/29/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116CR	1/29/2015	NICKEL	1.02	ug/L	J				0.5	5
HSB116CR	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB116CR	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB116CR	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB116CR	1/29/2015	TIN	10	ug/L	U				1	10
HSB116CR	1/29/2015	VANADIUM	6.88	ug/L	J				5	50
HSB116CR	1/29/2015	ZINC	7.61	ug/L	J				4	40
HSB116CR	1/29/2015	MERCURY	0.0236	ug/L	J		21		0.02	0.2
HSB116CR	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB116CR	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB116CR	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB116CR	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB116CR	1/29/2015	TRICHLOROETHYLENE (TCE)	2.49	ug/L					0.3	1
HSB116CR	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB116CR	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB116CR	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB116CR	1/29/2015	AMERICIUM-241	0.0243	pCi/L	U			0.049	0.0659	0.163
HSB116CR	1/29/2015	CURIUM-242	0.16	pCi/L	J		21	0.133	0.0649	0.331
HSB116CR	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0649	0.0649
HSB116CR	1/29/2015	CURIUM-245/246	0.248	pCi/L	U			0.162	0.0672	0.39
HSB116CR	1/29/2015	PLUTONIUM-238	-0.00654	pCi/L	U			0.013	0.132	0.158
HSB116CR	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0709	0.0709
HSB116CR	1/29/2015	THORIUM-228	0.0256	pCi/L	U			0.051	0.0676	0.17
HSB116CR	1/29/2015	THORIUM-230	0.025	pCi/L	U			0.05	0.0677	0.168
HSB116CR	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0676	0.0676
HSB116CR	1/29/2015	URANIUM-233/234	-0.00569	pCi/L	U			0.011	0.115	0.137

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116CR	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.0761	0.0761
HSB116CR	1/29/2015	URANIUM-238	0.0227	pCi/L	U			0.046	0.0615	0.153
HSB116CR	1/29/2015	GROSS ALPHA	1.64	pCi/L	UJ			1.8	2.28	5.88
HSB116CR	1/29/2015	NONVOLATILE BETA	10.9	pCi/L	J		21	3.84	3.97	11.6
HSB116CR	1/29/2015	STRONTIUM-90	1.33	pCi/L	U			1.89	3.1	6.89
HSB116CR	1/29/2015	CARBON-14	1.36	pCi/L	U			4.21	7.01	15.4
HSB116CR	1/29/2015	NICKEL-63	-0.903	pCi/L	U			3.01	5.26	11.3
HSB116CR	1/29/2015	TECHNETIUM-99	10.9	pCi/L				2.95	4.45	10.4
HSB116CR	1/29/2015	TRITIUM	674	pCi/mL				4.94	0.389	10.3
HSB116CR	1/29/2015	CESIUM-137	0.748	pCi/L	U			6.44	11.6	24.5
HSB116CR	1/29/2015	COBALT-60	-0.802	pCi/L	U			5.55	9.92	21
HSB116CR	1/29/2015	IODINE-129	1.29	pCi/L	J		21	1.12	0.915	3.16
HSB116CR	1/29/2015	RADIUM-226	0.767	pCi/L	J		21	0.348	0.427	1.12
HSB116CR	1/29/2015	RADIUM-228	0.951	pCi/L	J		21	0.36	0.45	1.17
HSB116CR	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.289	pCi/L	U			0.647	1.26	2.55
HSB116CR	4/20/2015	NITRATE-NITRITE AS NITROGEN	10.2	mg/L					0.17	0.5
HSB116CR	4/20/2015	MERCURY	0.0204	ug/L	J		21		0.02	0.2
HSB116CR	4/20/2015	GROSS ALPHA	0.954	pCi/L	U			1.46	2.17	5.09
HSB116CR	4/20/2015	NONVOLATILE BETA	5.17	pCi/L	J		21	2.97	3.76	9.7
HSB116CR	4/20/2015	TRITIUM	637	pCi/mL				4.62	0.407	9.65
HSB116CR	8/10/2015	NITRATE-NITRITE AS NITROGEN	10	mg/L					0.17	0.5
HSB116CR	8/10/2015	ALUMINUM	52.4	ug/L	J		21		40	400
HSB116CR	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB116CR	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB116CR	8/10/2015	BARIUM	6.27	ug/L	J		21		2	20
HSB116CR	8/10/2015	BERYLLIUM	0.234	ug/L	J		21		0.1	1
HSB116CR	8/10/2015	CADMIUM	0.113	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116CR	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB116CR	8/10/2015	COBALT	0.829	ug/L	J		21		0.5	5
HSB116CR	8/10/2015	COPPER	2.19	ug/L	J		21		0.5	5
HSB116CR	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB116CR	8/10/2015	NICKEL	1.56	ug/L	J		21		0.5	5
HSB116CR	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB116CR	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB116CR	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB116CR	8/10/2015	TIN	10	ug/L	U				1	10
HSB116CR	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB116CR	8/10/2015	ZINC	7.95	ug/L	J		21		4	40
HSB116CR	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB116CR	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB116CR	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.46	ug/L	J		21		1	5
HSB116CR	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB116CR	8/10/2015	TRICHLOROETHYLENE (TCE)	3.27	ug/L					0.3	1
HSB116CR	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB116CR	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB116CR	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB116CR	8/10/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0547	0.0547
HSB116CR	8/10/2015	CURIUM-242	0.0661	pCi/L	J		21	0.077	0.0539	0.208
HSB116CR	8/10/2015	CURIUM-243/244	0.0199	pCi/L	U			0.04	0.0539	0.134
HSB116CR	8/10/2015	CURIUM-245/246	0.123	pCi/L	U		21, V	0.102	0.0558	0.26
HSB116CR	8/10/2015	PLUTONIUM-238	-0.011	pCi/L	U		V	0.016	0.131	0.162
HSB116CR	8/10/2015	PLUTONIUM-239/240	0.0109	pCi/L	U		V	0.047	0.131	0.224
HSB116CR	8/10/2015	THORIUM-228	0.0543	pCi/L	U			0.087	0.159	0.332

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116CR	8/10/2015	THORIUM-230	0.213	pCi/L	U		21, V	0.146	0.064	0.355
HSB116CR	8/10/2015	THORIUM-232	0.0236	pCi/L	U			0.047	0.0639	0.159
HSB116CR	8/10/2015	URANIUM-233/234	0.0688	pCi/L	U		V	0.08	0.118	0.279
HSB116CR	8/10/2015	URANIUM-235	0.0242	pCi/L	U			0.049	0.0657	0.163
HSB116CR	8/10/2015	URANIUM-238	0.0588	pCi/L	U		21, V	0.068	0.0531	0.19
HSB116CR	8/10/2015	GROSS ALPHA	1.23	pCi/L	U			1.66	2.41	5.74
HSB116CR	8/10/2015	NONVOLATILE BETA	10.7	pCi/L	J		21	3.95	4.3	12.2
HSB116CR	8/10/2015	STRONTIUM-90	-0.711	pCi/L	U			1.82	3.26	6.91
HSB116CR	8/10/2015	CARBON-14	2.41	pCi/L	U			4.38	7.24	16
HSB116CR	8/10/2015	NICKEL-63	0.323	pCi/L	U			2.98	4.92	10.9
HSB116CR	8/10/2015	TECHNETIUM-99	15.5	pCi/L				2.94	4.23	10.1
HSB116CR	8/10/2015	TRITIUM	673	pCi/mL				4.93	0.471	10.3
HSB116CR	8/10/2015	CESIUM-137	-6.75	pCi/L	U			5.79	9.09	20.7
HSB116CR	8/10/2015	COBALT-60	-1.85	pCi/L	U			5.48	8.3	19.3
HSB116CR	8/10/2015	IODINE-129	1.23	pCi/L	J		21	0.928	1.01	2.87
HSB116CR	8/10/2015	RADIUM-226	1.15	pCi/L	J		21	0.532	0.661	1.73
HSB116CR	8/10/2015	RADIUM-228	0.526	pCi/L	U			0.38	0.597	1.36
HSB116CR	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.292	pCi/L	U			0.516	0.981	2.01
HSB116CR	11/4/2015	NITRATE-NITRITE AS NITROGEN	12	mg/L					0.85	2.5
HSB116CR	11/4/2015	MERCURY	0.0409	ug/L	J		21		0.02	0.2
HSB116CR	11/4/2015	GROSS ALPHA	0.8	pCi/L	U			1.42	2.32	5.16
HSB116CR	11/4/2015	NONVOLATILE BETA	9.28	pCi/L	J		21	3.69	3.95	11.3
HSB116CR	11/4/2015	TRITIUM	667	pCi/mL				4.45	0.508	9.4
HSB116D	2/9/2015	NITRATE-NITRITE AS NITROGEN	2.88	mg/L					0.085	0.25
HSB116D	2/9/2015	ALUMINUM	147	ug/L	J				40	400
HSB116D	2/9/2015	ANTIMONY	10	ug/L	U				1	10
HSB116D	2/9/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116D	2/9/2015	BARIUM	14.2	ug/L	J				2	20
HSB116D	2/9/2015	BERYLLIUM	0.214	ug/L	J				0.1	1
HSB116D	2/9/2015	CADMIUM	1	ug/L	U				0.1	1
HSB116D	2/9/2015	CHROMIUM	12.6	ug/L	J				10	100
HSB116D	2/9/2015	COBALT	3.66	ug/L	J				0.5	5
HSB116D	2/9/2015	COPPER	0.801	ug/L	J				0.5	5
HSB116D	2/9/2015	LEAD	0.547	ug/L	J				0.5	5
HSB116D	2/9/2015	NICKEL	2.37	ug/L	J				0.5	5
HSB116D	2/9/2015	SELENIUM	20	ug/L	U				2	20
HSB116D	2/9/2015	SILVER	5	ug/L	U				0.5	5
HSB116D	2/9/2015	THALLIUM	1	ug/L	U				0.1	1
HSB116D	2/9/2015	TIN	10	ug/L	U				1	10
HSB116D	2/9/2015	VANADIUM	50	ug/L	U				5	50
HSB116D	2/9/2015	ZINC	12.3	ug/L	J				4	40
HSB116D	2/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB116D	2/9/2015	BENZENE	1	ug/L	U				0.3	1
HSB116D	2/9/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB116D	2/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB116D	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB116D	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB116D	2/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB116D	2/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB116D	2/9/2015	CYANIDE	5	ug/L	U				1.67	5
HSB116D	2/9/2015	AMERICIUM-241	0.105	pCi/L	U			0.095	0.0567	0.246
HSB116D	2/9/2015	CURIUM-242	0.0641	pCi/L	U			0.082	0.104	0.268
HSB116D	2/9/2015	CURIUM-243/244	0.0362	pCi/L	U			0.06	0.104	0.223

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116D	2/9/2015	CURIUM-245/246	0.171	pCi/L	U			0.123	0.0578	0.305
HSB116D	2/9/2015	PLUTONIUM-238	0.0169	pCi/L	U			0.047	0.114	0.207
HSB116D	2/9/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0612	0.0612
HSB116D	2/9/2015	THORIUM-228	0.036	pCi/L	J		21	0.07	0.14	0.28
HSB116D	2/9/2015	THORIUM-230	0.227	pCi/L	U			0.153	0.117	0.423
HSB116D	2/9/2015	THORIUM-232	0	pCi/L	U			0	0.0631	0.0631
HSB116D	2/9/2015	URANIUM-233/234	0.0979	pCi/L	U			0.099	0.0663	0.265
HSB116D	2/9/2015	URANIUM-235	0.143	pCi/L	U			0.138	0.152	0.428
HSB116D	2/9/2015	URANIUM-238	0.116	pCi/L	U			0.111	0.123	0.346
HSB116D	2/9/2015	GROSS ALPHA	2.49	pCi/L	U			2.38	3.2	7.96
HSB116D	2/9/2015	NONVOLATILE BETA	452	pCi/L				22.2	4.47	48.9
HSB116D	2/9/2015	STRONTIUM-90	177	pCi/L				20.9	3.33	45.1
HSB116D	2/9/2015	CARBON-14	2.26	pCi/L	U			3.98	6.59	14.6
HSB116D	2/9/2015	NICKEL-63	13.3	pCi/L				3.29	5.07	11.6
HSB116D	2/9/2015	TECHNETIUM-99	1.88	pCi/L	U			2.47	4.07	9.01
HSB116D	2/9/2015	TRITIUM	6.87	pCi/mL				0.541	0.379	1.46
HSB116D	2/9/2015	CESIUM-137	3.68	pCi/L	U			6.01	11.4	23.4
HSB116D	2/9/2015	COBALT-60	-1.74	pCi/L	U			5.52	9.81	20.8
HSB116D	2/9/2015	IODINE-129	0.512	pCi/L	U			0.6	0.973	2.17
HSB116D	2/9/2015	RADIUM-226	0.87	pCi/L	J		21	0.414	0.521	1.35
HSB116D	2/9/2015	RADIUM-228	1.17	pCi/L	J		21	0.41	0.562	1.38
HSB116D	2/9/2015	RADIUM, TOTAL ALPHA-EMITTING	1.18	pCi/L	U			1.24	1.84	4.32
HSB116D	4/15/2015	NITRATE-NITRITE AS NITROGEN	2.71	mg/L					0.085	0.25
HSB116D	4/15/2015	MERCURY	0.059	ug/L	J		21		0.02	0.2
HSB116D	4/15/2015	GROSS ALPHA	0.805	pCi/L	U			1.34	2.19	4.88
HSB116D	4/15/2015	NONVOLATILE BETA	246	pCi/L				16.5	3.99	37.1
HSB116D	4/15/2015	TRITIUM	5.32	pCi/mL				0.506	0.448	1.46

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116D	8/11/2015	NITRATE-NITRITE AS NITROGEN	2.51	mg/L					0.085	0.25
HSB116D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB116D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB116D	8/11/2015	BARIUM	11	ug/L	J		21		2	20
HSB116D	8/11/2015	BERYLLIUM	0.217	ug/L	J		21		0.1	1
HSB116D	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB116D	8/11/2015	CHROMIUM	11.2	ug/L	J		21		10	100
HSB116D	8/11/2015	COBALT	1.75	ug/L	J		21		0.5	5
HSB116D	8/11/2015	COPPER	0.538	ug/L	J		21		0.5	5
HSB116D	8/11/2015	LEAD	0.511	ug/L	J		21		0.5	5
HSB116D	8/11/2015	NICKEL	3	ug/L	J		21		0.5	5
HSB116D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB116D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB116D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB116D	8/11/2015	TIN	10	ug/L	U				1	10
HSB116D	8/11/2015	VANADIUM	16.5	ug/L	J		21		5	50
HSB116D	8/11/2015	ZINC	5.47	ug/L	J		21		4	40
HSB116D	8/11/2015	MERCURY	0.0685	ug/L	J		21		0.02	0.2
HSB116D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB116D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB116D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB116D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB116D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB116D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB116D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB116D	8/11/2015	AMERICIUM-241	0.0219	pCi/L	U		V	0.044	0.0592	0.147

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116D	8/11/2015	CURIUM-242	0.0235	pCi/L	U			0.047	0.0584	0.153
HSB116D	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0584	0.0584
HSB116D	8/11/2015	CURIUM-245/246	0.29	pCi/L	U		21, V	0.166	0.0604	0.392
HSB116D	8/11/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0685	0.0685
HSB116D	8/11/2015	PLUTONIUM-239/240	0.0253	pCi/L	U			0.051	0.0685	0.17
HSB116D	8/11/2015	THORIUM-228	0.0172	pCi/L	U			0.047	0.113	0.208
HSB116D	8/11/2015	THORIUM-230	0.315	pCi/L	J		21, V	0.175	0.0609	0.411
HSB116D	8/11/2015	THORIUM-232	0.0224	pCi/L	U			0.045	0.0608	0.151
HSB116D	8/11/2015	URANIUM-233/234	0.196	pCi/L	J		21, V	0.134	0.124	0.392
HSB116D	8/11/2015	URANIUM-235	0.00635	pCi/L	U			0.055	0.171	0.282
HSB116D	8/11/2015	URANIUM-238	0.216	pCi/L	J		21, V	0.14	0.123	0.404
HSB116D	8/11/2015	GROSS ALPHA	1.49	pCi/L	U			1.33	1.55	4.2
HSB116D	8/11/2015	NONVOLATILE BETA	310	pCi/L				14.4	2.55	31.3
HSB116D	8/11/2015	STRONTIUM-90	175	pCi/L				20.9	3.23	45
HSB116D	8/11/2015	CARBON-14	5.35	pCi/L	U			4.23	6.87	15.3
HSB116D	8/11/2015	NICKEL-63	9.99	pCi/L	J		21	3.23	4.9	11.4
HSB116D	8/11/2015	TECHNETIUM-99	0.531	pCi/L	U			2.63	4.4	9.66
HSB116D	8/11/2015	TRITIUM	5.77	pCi/mL				0.521	0.455	1.5
HSB116D	8/11/2015	CESIUM-137	3.18	pCi/L	U			4.71	9.06	18.5
HSB116D	8/11/2015	COBALT-60	4.3	pCi/L	U			4.76	9.87	19.4
HSB116D	8/11/2015	IODINE-129	1.04	pCi/L	U			1.05	1.03	3.13
HSB116D	8/11/2015	RADIUM-226	1.56	pCi/L				0.404	0.359	1.17
HSB116D	8/11/2015	RADIUM-228	1.1	pCi/L	J		21	0.385	0.475	1.25
HSB116D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.644	pCi/L	J		21	0.274	0.39	0.938
HSB116D	11/6/2015	NITRATE-NITRITE AS NITROGEN	2.19	mg/L					0.17	0.5
HSB116D	11/6/2015	MERCURY	0.118	ug/L	J		21		0.02	0.2
HSB116D	11/6/2015	GROSS ALPHA	2.44	pCi/L	U			2.22	2.74	7.18

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB116D	11/6/2015	NONVOLATILE BETA	255	pCi/L				16.9	4.49	38.4
HSB116D	11/6/2015	TRITIUM	6.51	pCi/mL				0.527	0.506	1.56
HSB117C	1/29/2015	NITRATE-NITRITE AS NITROGEN	14.1	mg/L					0.425	1.25
HSB117C	1/29/2015	ALUMINUM	134	ug/L	J				40	400
HSB117C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB117C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB117C	1/29/2015	BARIUM	15.4	ug/L	J				2	20
HSB117C	1/29/2015	BERYLLIUM	0.181	ug/L	J				0.1	1
HSB117C	1/29/2015	CADMIUM	0.178	ug/L	J				0.1	1
HSB117C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB117C	1/29/2015	COBALT	1.29	ug/L	J				0.5	5
HSB117C	1/29/2015	COPPER	0.599	ug/L	J				0.5	5
HSB117C	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB117C	1/29/2015	NICKEL	0.871	ug/L	J				0.5	5
HSB117C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB117C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB117C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB117C	1/29/2015	TIN	10	ug/L	U				1	10
HSB117C	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB117C	1/29/2015	ZINC	40	ug/L	U				4	40
HSB117C	1/29/2015	MERCURY	0.921	ug/L					0.02	0.2
HSB117C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB117C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB117C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB117C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB117C	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB117C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB117C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB117C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB117C	1/29/2015	AMERICIUM-241	0.0418	pCi/L	U			0.059	0.0566	0.175
HSB117C	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0557	0.0557
HSB117C	1/29/2015	CURIUM-243/244	0.0206	pCi/L	U			0.041	0.0557	0.138
HSB117C	1/29/2015	CURIUM-245/246	0.192	pCi/L	U			0.131	0.0577	0.32
HSB117C	1/29/2015	PLUTONIUM-238	0.0163	pCi/L	U			0.045	0.11	0.2
HSB117C	1/29/2015	PLUTONIUM-239/240	-0.00544	pCi/L	U			0.011	0.11	0.131
HSB117C	1/29/2015	THORIUM-228	0.0357	pCi/L	U			0.088	0.194	0.37
HSB117C	1/29/2015	THORIUM-230	0.15	pCi/L	U			0.126	0.139	0.391
HSB117C	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0625	0.0625
HSB117C	1/29/2015	URANIUM-233/234	0.0234	pCi/L	U			0.047	0.0633	0.157
HSB117C	1/29/2015	URANIUM-235	0.0144	pCi/L	U			0.061	0.173	0.295
HSB117C	1/29/2015	URANIUM-238	0.105	pCi/L	U			0.107	0.14	0.353
HSB117C	1/29/2015	GROSS ALPHA	2.91	pCi/L	J		21	2.34	2.35	7.02
HSB117C	1/29/2015	NONVOLATILE BETA	25.7	pCi/L				5.36	3.83	14.6
HSB117C	1/29/2015	STRONTIUM-90	0.803	pCi/L	U			1.97	3.1	7.05
HSB117C	1/29/2015	CARBON-14	6.75	pCi/L	UJ			4.31	6.96	15.6
HSB117C	1/29/2015	NICKEL-63	2.61	pCi/L	U			3.3	5.75	12.3
HSB117C	1/29/2015	TECHNETIUM-99	39.7	pCi/L				3.57	4.31	11.5
HSB117C	1/29/2015	TRITIUM	388	pCi/mL				3.75	0.389	7.89
HSB117C	1/29/2015	CESIUM-137	1.58	pCi/L	U			5.1	9.44	19.6
HSB117C	1/29/2015	COBALT-60	2.32	pCi/L	U			5.12	10	20.3
HSB117C	1/29/2015	IODINE-129	6.82	pCi/L				1.82	1.02	4.66
HSB117C	1/29/2015	RADIUM-226	3.56	pCi/L				0.842	0.701	2.39
HSB117C	1/29/2015	RADIUM-228	0.899	pCi/L	J		21	0.376	0.506	1.26
HSB117C	1/29/2015	RADIUM, TOTAL ALPHA-	1.41	pCi/L	U			1.09	1.51	3.69

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
HSB117C	4/21/2015	NITRATE-NITRITE AS NITROGEN	12.5	mg/L					0.17	0.5
HSB117C	4/21/2015	MERCURY	1.06	ug/L					0.02	0.2
HSB117C	4/21/2015	GROSS ALPHA	2.13	pCi/L	U			1.99	2.21	6.19
HSB117C	4/21/2015	NONVOLATILE BETA	25.3	pCi/L				5.46	4.39	15.3
HSB117C	4/21/2015	TRITIUM	404	pCi/mL				3.8	0.419	8.01
HSB117C	8/11/2015	NITRATE-NITRITE AS NITROGEN	11.3	mg/L					0.17	0.5
HSB117C	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB117C	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB117C	8/11/2015	BARIUM	14.3	ug/L	J		21		2	20
HSB117C	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB117C	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB117C	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB117C	8/11/2015	COBALT	1.3	ug/L	J		21		0.5	5
HSB117C	8/11/2015	COPPER	0.672	ug/L	J		21		0.5	5
HSB117C	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB117C	8/11/2015	NICKEL	2.28	ug/L	J		21		0.5	5
HSB117C	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB117C	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB117C	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB117C	8/11/2015	TIN	10	ug/L	U				1	10
HSB117C	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB117C	8/11/2015	ZINC	4.08	ug/L	J		21		4	40
HSB117C	8/11/2015	MERCURY	0.752	ug/L					0.02	0.2
HSB117C	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB117C	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB117C	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB117C	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB117C	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB117C	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB117C	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB117C	8/11/2015	AMERICIUM-241	0.0541	pCi/L	U		V	0.077	0.13	0.284
HSB117C	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0578	0.0578
HSB117C	8/11/2015	CURIUM-243/244	0.016	pCi/L	U			0.044	0.107	0.196
HSB117C	8/11/2015	CURIUM-245/246	0.0607	pCi/L	U		V	0.078	0.111	0.267
HSB117C	8/11/2015	PLUTONIUM-238	-0.0203	pCi/L	U			0.024	0.182	0.229
HSB117C	8/11/2015	PLUTONIUM-239/240	0.027	pCi/L	U			0.054	0.0732	0.182
HSB117C	8/11/2015	THORIUM-228	0.0644	pCi/L	U			0.083	0.115	0.281
HSB117C	8/11/2015	THORIUM-230	0.298	pCi/L	U		21, V	0.172	0.0622	0.406
HSB117C	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0621	0.0621
HSB117C	8/11/2015	URANIUM-233/234	0.0416	pCi/L	U		V	0.059	0.0563	0.174
HSB117C	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0695	0.0695
HSB117C	8/11/2015	URANIUM-238	0.0415	pCi/L	U		V	0.059	0.0562	0.174
HSB117C	8/11/2015	GROSS ALPHA	4.38	pCi/L	J		21	2.01	1.37	5.38
HSB117C	8/11/2015	NONVOLATILE BETA	19.2	pCi/L				3.43	2.6	9.45
HSB117C	8/11/2015	STRONTIUM-90	-0.491	pCi/L	U			2.05	3.29	7.4
HSB117C	8/11/2015	CARBON-14	1.14	pCi/L	U			4.18	6.97	15.3
HSB117C	8/11/2015	NICKEL-63	-1.59	pCi/L	U			3.67	7.7	15
HSB117C	8/11/2015	TECHNETIUM-99	31.7	pCi/L				3.42	4.4	11.2
HSB117C	8/11/2015	TRITIUM	343	pCi/mL				3.55	0.474	7.58
HSB117C	8/11/2015	CESIUM-137	-2.53	pCi/L	U			5.19	8.89	19.3
HSB117C	8/11/2015	COBALT-60	4.37	pCi/L	U			4.94	10.1	20
HSB117C	8/11/2015	IODINE-129	5.79	pCi/L				1.8	1.12	4.73
HSB117C	8/11/2015	RADIUM-226	1.46	pCi/L				0.404	0.375	1.18

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB117C	8/11/2015	RADIUM-228	0.825	pCi/L	U			0.554	0.884	1.99
HSB117C	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.85	pCi/L	J		21	0.362	0.551	1.28
HSB117C	11/3/2015	NITRATE-NITRITE AS NITROGEN	13.8	mg/L					0.17	0.5
HSB117C	11/3/2015	MERCURY	0.804	ug/L					0.02	0.2
HSB117C	11/3/2015	GROSS ALPHA	1.19	pCi/L	U			1.63	2.33	5.58
HSB117C	11/3/2015	NONVOLATILE BETA	21.9	pCi/L				5.05	3.96	14.1
HSB117C	11/3/2015	TRITIUM	358	pCi/mL				3.5	0.393	7.4
HSB118A	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.118	mg/L					0.017	0.05
HSB118A	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB118A	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB118A	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB118A	2/2/2015	BARIUM	93.8	ug/L					2	20
HSB118A	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB118A	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB118A	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB118A	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB118A	2/2/2015	COPPER	0.808	ug/L	J				0.5	5
HSB118A	2/2/2015	LEAD	0.567	ug/L	J				0.5	5
HSB118A	2/2/2015	NICKEL	1.43	ug/L	J				0.5	5
HSB118A	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB118A	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB118A	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB118A	2/2/2015	TIN	10	ug/L	U				1	10
HSB118A	2/2/2015	VANADIUM	12.6	ug/L	J				5	50
HSB118A	2/2/2015	ZINC	40	ug/L	U				4	40
HSB118A	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB118A	2/2/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB118A	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB118A	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB118A	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB118A	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB118A	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB118A	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB118A	2/2/2015	CYANIDE	1.68	ug/L	U		21, V		1.67	5
HSB118A	2/2/2015	AMERICIUM-241	0.096	pCi/L	U			0.087	0.052	0.226
HSB118A	2/2/2015	CURIUM-242	0.021	pCi/L	U			0.042	0.0513	0.135
HSB118A	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0513	0.0513
HSB118A	2/2/2015	CURIUM-245/246	0.0979	pCi/L	U			0.089	0.0531	0.231
HSB118A	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0701	0.0701
HSB118A	2/2/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0701	0.0701
HSB118A	2/2/2015	THORIUM-228	0.0444	pCi/L	U			0.087	0.173	0.346
HSB118A	2/2/2015	THORIUM-230	0.173	pCi/L	U			0.144	0.0782	0.367
HSB118A	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.078	0.078
HSB118A	2/2/2015	URANIUM-233/234	0.0176	pCi/L	U			0.048	0.118	0.215
HSB118A	2/2/2015	URANIUM-235	0.0217	pCi/L	U			0.06	0.145	0.265
HSB118A	2/2/2015	URANIUM-238	0.0701	pCi/L	J		21	0.082	0.0633	0.227
HSB118A	2/2/2015	GROSS ALPHA	0.0578	pCi/L	U			0.873	2.3	4.05
HSB118A	2/2/2015	NONVOLATILE BETA	5.36	pCi/L	J		21	3.07	3.94	10.1
HSB118A	2/2/2015	STRONTIUM-90	0.12	pCi/L	U			1.78	3.11	6.66
HSB118A	2/2/2015	CARBON-14	49.4	pCi/L				5.19	6.89	17.3
HSB118A	2/2/2015	NICKEL-63	2.02	pCi/L	U			2.98	5.21	11.2
HSB118A	2/2/2015	TECHNETIUM-99	4	pCi/L	U			2.5	4	8.99
HSB118A	2/2/2015	TRITIUM	50.4	pCi/mL				1.37	0.46	3.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB118A	2/2/2015	CESIUM-137	1.13	pCi/L	U			5.42	9.89	20.7
HSB118A	2/2/2015	COBALT-60	1.15	pCi/L	U			4.65	9.04	18.3
HSB118A	2/2/2015	IODINE-129	-0.192	pCi/L	U			0.581	0.917	2.08
HSB118A	2/2/2015	RADIUM-226	0.815	pCi/L	J		21	0.361	0.439	1.16
HSB118A	2/2/2015	RADIUM-228	0.966	pCi/L	U		21, V	0.48	0.711	1.67
HSB118A	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.107	pCi/L	U			0.656	1.52	2.83
HSB118A	4/16/2015	NITRATE-NITRITE AS NITROGEN	0.11	mg/L					0.017	0.05
HSB118A	4/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB118A	4/16/2015	GROSS ALPHA	1.82	pCi/L	U			1.88	2.21	5.97
HSB118A	4/16/2015	NONVOLATILE BETA	3.49	pCi/L	U			2.98	4.36	10.3
HSB118A	4/16/2015	TRITIUM	48.6	pCi/mL				1.34	0.464	3.15
HSB118A	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.106	mg/L					0.017	0.05
HSB118A	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB118A	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB118A	8/11/2015	BARIUM	47.6	ug/L					2	20
HSB118A	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB118A	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB118A	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB118A	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB118A	8/11/2015	COPPER	5	ug/L	U				0.5	5
HSB118A	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB118A	8/11/2015	NICKEL	1.17	ug/L	J		21		0.5	5
HSB118A	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB118A	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB118A	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB118A	8/11/2015	TIN	10	ug/L	U				1	10
HSB118A	8/11/2015	VANADIUM	16.5	ug/L	J		21		5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB118A	8/11/2015	ZINC	40	ug/L	U				4	40
HSB118A	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB118A	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB118A	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB118A	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB118A	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB118A	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB118A	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB118A	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB118A	8/11/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.0581	0.0581
HSB118A	8/11/2015	CURIUM-242	0.0933	pCi/L	J		21	0.094	0.0573	0.246
HSB118A	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0573	0.0573
HSB118A	8/11/2015	CURIUM-245/246	0.0656	pCi/L	U		21, V	0.076	0.0593	0.212
HSB118A	8/11/2015	PLUTONIUM-238	-0.00536	pCi/L	U		V	0.011	0.108	0.13
HSB118A	8/11/2015	PLUTONIUM-239/240	0.0214	pCi/L	U		V	0.043	0.0581	0.144
HSB118A	8/11/2015	THORIUM-228	0	pCi/L	U			0	0.175	0.175
HSB118A	8/11/2015	THORIUM-230	0.0478	pCi/L	U		V	0.068	0.0647	0.201
HSB118A	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0646	0.0646
HSB118A	8/11/2015	URANIUM-233/234	0.0535	pCi/L	U		V	0.085	0.16	0.331
HSB118A	8/11/2015	URANIUM-235	-0.0147	pCi/L	U			0.021	0.176	0.218
HSB118A	8/11/2015	URANIUM-238	0.0891	pCi/L	U		V	0.097	0.12	0.313
HSB118A	8/11/2015	GROSS ALPHA	1.98	pCi/L	J		21	1.45	1.37	4.28
HSB118A	8/11/2015	NONVOLATILE BETA	2.15	pCi/L	U			1.86	2.57	6.29
HSB118A	8/11/2015	STRONTIUM-90	-0.918	pCi/L	U			1.39	3.23	6.02
HSB118A	8/11/2015	CARBON-14	-1.53	pCi/L	U			4.1	6.94	15.1
HSB118A	8/11/2015	NICKEL-63	-2.19	pCi/L	U			2.97	5.14	11.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB118A	8/11/2015	TECHNETIUM-99	-0.117	pCi/L	U			2.65	4.47	9.78
HSB118A	8/11/2015	TRITIUM	52.8	pCi/mL				1.41	0.469	3.29
HSB118A	8/11/2015	CESIUM-137	-4.29	pCi/L	U			5.03	8.26	18.3
HSB118A	8/11/2015	COBALT-60	2.77	pCi/L	U			4.28	8.78	17.3
HSB118A	8/11/2015	IODINE-129	-0.154	pCi/L	U			0.676	1.13	2.48
HSB118A	8/11/2015	RADIUM-226	1.26	pCi/L				0.362	0.344	1.07
HSB118A	8/11/2015	RADIUM-228	1.04	pCi/L	J		21	0.351	0.419	1.12
HSB118A	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.216	pCi/L	U			0.233	0.389	0.855
HSB118A	11/4/2015	NITRATE-NITRITE AS NITROGEN	0.123	mg/L					0.017	0.05
HSB118A	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB118A	11/4/2015	GROSS ALPHA	0.0209	pCi/L	U			0.921	2.38	4.22
HSB118A	11/4/2015	NONVOLATILE BETA	-0.0552	pCi/L	U			2.19	3.94	8.32
HSB118A	11/4/2015	TRITIUM	54.6	pCi/mL				1.39	0.396	3.17
HSB119A	1/29/2015	NITRATE-NITRITE AS NITROGEN	6.82	mg/L					0.17	0.5
HSB119A	1/29/2015	ALUMINUM	41.5	ug/L	J				40	400
HSB119A	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB119A	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB119A	1/29/2015	BARIUM	13.4	ug/L	J				2	20
HSB119A	1/29/2015	BERYLLIUM	0.263	ug/L	J				0.1	1
HSB119A	1/29/2015	CADMIUM	0.184	ug/L	J				0.1	1
HSB119A	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB119A	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB119A	1/29/2015	COPPER	1.57	ug/L	J				0.5	5
HSB119A	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB119A	1/29/2015	NICKEL	3.6	ug/L	J				0.5	5
HSB119A	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB119A	1/29/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	1/29/2015	THALLIUM	0.106	ug/L	J				0.1	1
HSB119A	1/29/2015	TIN	10	ug/L	U				1	10
HSB119A	1/29/2015	VANADIUM	13.6	ug/L	J				5	50
HSB119A	1/29/2015	ZINC	17.4	ug/L	J				4	40
HSB119A	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119A	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB119A	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB119A	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB119A	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB119A	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB119A	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB119A	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB119A	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB119A	1/29/2015	AMERICIUM-241	0.16	pCi/L	J		21	0.12	0.104	0.345
HSB119A	1/29/2015	CURIUM-242	0.0681	pCi/L	J		21	0.079	0.0553	0.214
HSB119A	1/29/2015	CURIUM-243/244	0.0562	pCi/L	U			0.072	0.103	0.247
HSB119A	1/29/2015	CURIUM-245/246	0.127	pCi/L	U			0.105	0.0572	0.268
HSB119A	1/29/2015	PLUTONIUM-238	0.0537	pCi/L	U			0.077	0.0727	0.226
HSB119A	1/29/2015	PLUTONIUM-239/240	0.0403	pCi/L	U			0.079	0.161	0.318
HSB119A	1/29/2015	THORIUM-228	0.0241	pCi/L	U			0.048	0.0637	0.161
HSB119A	1/29/2015	THORIUM-230	0.0706	pCi/L	U			0.082	0.0638	0.229
HSB119A	1/29/2015	THORIUM-232	0.0176	pCi/L	U			0.049	0.118	0.215
HSB119A	1/29/2015	URANIUM-233/234	0.0665	pCi/L	U			0.078	0.0601	0.215
HSB119A	1/29/2015	URANIUM-235	0.0478	pCi/L	U			0.079	0.138	0.296
HSB119A	1/29/2015	URANIUM-238	0.0608	pCi/L	U			0.078	0.111	0.267
HSB119A	1/29/2015	GROSS ALPHA	1.72	pCi/L	U			1.88	2.35	6.11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	1/29/2015	NONVOLATILE BETA	10.6	pCi/L	J		21	3.77	3.8	11.3
HSB119A	1/29/2015	STRONTIUM-90	-0.169	pCi/L	U			1.61	3.1	6.31
HSB119A	1/29/2015	CARBON-14	1.02	pCi/L	U			4.18	6.96	15.3
HSB119A	1/29/2015	NICKEL-63	1.98	pCi/L	U			3.21	5.65	12.1
HSB119A	1/29/2015	TECHNETIUM-99	11.5	pCi/L				2.85	4.24	9.94
HSB119A	1/29/2015	TRITIUM	280	pCi/mL				3.18	0.389	6.76
HSB119A	1/29/2015	CESIUM-137	3.05	pCi/L	U			5.21	9.83	20.2
HSB119A	1/29/2015	COBALT-60	1.91	pCi/L	U			4.46	8.91	17.8
HSB119A	1/29/2015	IODINE-129	0.3	pCi/L	U			0.551	0.979	2.08
HSB119A	1/29/2015	RADIUM-226	2.14	pCi/L				0.55	0.487	1.59
HSB119A	1/29/2015	RADIUM-228	0.823	pCi/L	U			0.548	0.872	1.97
HSB119A	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.653	pCi/L	U			0.801	1.29	2.89
HSB119A	4/15/2015	NITRATE-NITRITE AS NITROGEN	5.9	mg/L					0.425	1.25
HSB119A	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119A	4/15/2015	GROSS ALPHA	3.29	pCi/L	J		21	2.4	2.18	6.99
HSB119A	4/15/2015	NONVOLATILE BETA	13.5	pCi/L				4.19	4.07	12.4
HSB119A	4/15/2015	TRITIUM	289	pCi/mL				3.22	0.447	6.88
HSB119A	7/27/2015	NITRATE-NITRITE AS NITROGEN	6.86	mg/L					0.17	0.5
HSB119A	7/27/2015	ALUMINUM	400	ug/L	U	U			40	400
HSB119A	7/27/2015	ANTIMONY	10	ug/L	U	U			1	10
HSB119A	7/27/2015	ARSENIC	50	ug/L	U	U			5	50
HSB119A	7/27/2015	BARIUM	15.5	ug/L	J	J	21		2	20
HSB119A	7/27/2015	BERYLLIUM	0.235	ug/L	J	J	21		0.1	1
HSB119A	7/27/2015	CADMIUM	0.165	ug/L	J	J	21		0.1	1
HSB119A	7/27/2015	CHROMIUM	100	ug/L	U	U			10	100
HSB119A	7/27/2015	COBALT	5	ug/L	U	U			0.5	5
HSB119A	7/27/2015	COPPER	1.06	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	LEAD	5	ug/L	U	U			0.5	5
HSB119A	7/27/2015	NICKEL	2.89	ug/L	J	J	21		0.5	5
HSB119A	7/27/2015	SELENIUM	20	ug/L	U	U			2	20
HSB119A	7/27/2015	SILVER	5	ug/L	U	U			0.5	5
HSB119A	7/27/2015	THALLIUM	0.131	ug/L	J	J	21		0.1	1
HSB119A	7/27/2015	TIN	10	ug/L	U	U			1	10
HSB119A	7/27/2015	VANADIUM	50	ug/L	U	U			5	50
HSB119A	7/27/2015	ZINC	11.2	ug/L	U	U	21, V		4	40
HSB119A	7/27/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
HSB119A	7/27/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	DDD	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	DDE	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	DDT	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
HSB119A	7/27/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
HSB119A	7/27/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
HSB119A	7/27/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
HSB119A	7/27/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
HSB119A	7/27/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
HSB119A	7/27/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
HSB119A	7/27/2015	2,4,5-T	0.25	ug/L	U	U			0.0833	0.25
HSB119A	7/27/2015	2,4,5-TP (SILVEX)	0.25	ug/L	U	U			0.0833	0.25
HSB119A	7/27/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.25	ug/L	U	U			0.0833	0.25
HSB119A	7/27/2015	DINOSEB	0.25	ug/L	U	UJ	2, 11		0.0833	0.25
HSB119A	7/27/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
HSB119A	7/27/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
HSB119A	7/27/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.3	2
HSB119A	7/27/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
HSB119A	7/27/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ACETONE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
HSB119A	7/27/2015	ACROLEIN	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	BENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
HSB119A	7/27/2015	ETHYL ACETATE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	ISOBUTANOL	50	ug/L	U	U			15	50
HSB119A	7/27/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
HSB119A	7/27/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	O-XYLENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	STYRENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TOLUENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
HSB119A	7/27/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
HSB119A	7/27/2015	XYLENES	3	ug/L	U	U			0.3	3
HSB119A	7/27/2015	1,2,4,5-TETRACHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,2,4-TRICHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,2-DICHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,3,5-TRINITROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,3-DICHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,3-DINITROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,4-DICHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,4-DIOXANE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1,4-NAPHTHOQUINONE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	1-NAPHTHYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2,3,4,6-TETRACHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	2,4,5-TRICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2,4,6-TRICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2,4-DICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2,4-DIMETHYLPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2,4-DINITROPHENOL	19.4	ug/L	U	UJ	14		4.85	19.4
HSB119A	7/27/2015	2,4-DINITROTOLUENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2,6-DICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2,6-DINITROTOLUENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2-ACETYLAMINOFLUORENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2-CHLORONAPHTHALENE	0.971	ug/L	U	U			0.398	0.971
HSB119A	7/27/2015	2-CHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2-METHYLANILINE (O-TOLUIDINE)	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2-METHYLNAPHTHALENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	2-NAPHTHYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2-NITROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	2-PICOLINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	3,3-DICHLOROBENZIDINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	3,3'-DIMETHYLBENZIDINE	9.71	ug/L	U	U			3.2	9.71
HSB119A	7/27/2015	3-METHYLCHOLANTHRENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	4-AMINOBIPHENYL	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	4-BROMOPHENYL PHENYL ETHER	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	4-CHLOROANILINE	9.71	ug/L	U	U			3.2	9.71
HSB119A	7/27/2015	4-CHLOROPHENYL PHENYL ETHER	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	4-NITROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	4-NITROQUINOLINE-1-OXIDE	9.71	ug/L	U	U			3.69	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	5-NITRO-O-TOLUIDINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	A,A-DIMETHYLPHENETHYLAMINE	9.71	ug/L	U	U			5.24	9.71
HSB119A	7/27/2015	ACENAPHTHENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	ACENAPHTHYLENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	ACETOPHENONE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	ANILINE	9.71	ug/L	U	U			4.08	9.71
HSB119A	7/27/2015	ANTHRACENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	ARAMITE	9.71	ug/L	U	U			3.59	9.71
HSB119A	7/27/2015	BENZO(G,H,I)PERYLENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	BENZO[A]ANTHRACENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	BENZO[A]PYRENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	BENZO[B]FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	BENZO[K]FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	BENZYL ALCOHOL	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	BIS(2-CHLOROETHOXY)METHANE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	BIS(2-CHLOROETHYL)ETHER	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	BUTYL BENZYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	CHLOROBENZILATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	CHRYSENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	DIALLATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DIBENZ[AH]ANTHRACENE	0.971	ug/L	U	U			0.291	0.971

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	DIBENZOFURAN	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DIETHYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DIMETHOATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DIMETHYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DI-N-BUTYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	DINITRO-O-CRESOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	DISULFOTON	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	ETHYL METHACRYLATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	ETHYL METHANESULFONATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	FAMPHUR	9.71	ug/L	U	U			4.85	9.71
HSB119A	7/27/2015	FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	FLUORENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	HEXACHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	HEXACHLOROBUTADIENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	HEXACHLOROCYCLOPENTADIENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	HEXACHLOROETHANE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	HEXACHLOROPHENE	485	ug/L	U	U			162	485
HSB119A	7/27/2015	HEXACHLOROPROPENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	INDENO[1,2,3-CD]PYRENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	ISODRIN	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	ISOPHORONE	9.71	ug/L	U	U			3.4	9.71
HSB119A	7/27/2015	ISOSAFROLE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	KEPONE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	M/P-CRESOL	9.71	ug/L	U	UJ	14		3.59	9.71
HSB119A	7/27/2015	METHAPYRILENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	METHYL METHANESULFONATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	METHYL PARATHION	9.71	ug/L	U	U			2.91	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	M-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	NAPHTHALENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	N-DIOCTYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	NITROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSODIETHYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSODIMETHYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSODI-N-BUTYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSODIPROPYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSOMORPHOLINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSO-N-METHYLETHYLAMINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSOPIPERIDINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	N-NITROSOPYRROLIDINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	O-CRESOL (2-METHYLPHENOL)	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	PARATHION	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	P-CHLORO-M-CRESOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	P-DIMETHYLAMINOAZOBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	PENTACHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	PENTACHLOROETHANE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	PENTACHLORONITROBENZENE	9.71	ug/L	U	U			3.3	9.71
HSB119A	7/27/2015	PENTACHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	PHENACETIN	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	PHENANTHRENE	0.971	ug/L	U	U			0.291	0.971

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	PHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
HSB119A	7/27/2015	PHORATE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	P-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	P-PHENYLENEDIAMINE	485	ug/L	U	U			97.1	485
HSB119A	7/27/2015	PRONAMIDE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	PYRENE	0.971	ug/L	U	U			0.291	0.971
HSB119A	7/27/2015	PYRIDINE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	SAFROLE	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	SULFOTEPP	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	THIONAZIN	9.71	ug/L	U	U			2.91	9.71
HSB119A	7/27/2015	2,3,7,8-TCDD	0.00973	ng/L	U	U			0.00325	0.00973
HSB119A	7/27/2015	HEXACHLORODIBENZO-P-DIOXINS	0.0487	ng/L	U	U			0.0162	0.0487
HSB119A	7/27/2015	HEXACHLORODIBENZO-P-FURANS	0.0487	ng/L	U	U			0.0162	0.0487
HSB119A	7/27/2015	PENTACHLORODIBENZO-P-DIOXINS	0.0487	ng/L	U	U			0.0162	0.0487
HSB119A	7/27/2015	PENTACHLORODIBENZO-P-FURANS	0.0487	ng/L	U	U			0.0162	0.0487
HSB119A	7/27/2015	TETRACHLORODIBENZO-P-DIOXIN	0.00973	ng/L	U	U			0.00325	0.00973
HSB119A	7/27/2015	TETRACHLORODIBENZO-P-FURANS	0.00973	ng/L	U	U			0.00325	0.00973
HSB119A	7/27/2015	CYANIDE	5	ug/L	U	U			1.67	5
HSB119A	7/27/2015	AMERICIUM-241	0.0124	pCi/L	U	U		0.053	0.149	0.255
HSB119A	7/27/2015	CURIUM-242	0.0526	pCi/L	U	U		0.075	0.0664	0.216
HSB119A	7/27/2015	CURIUM-243/244	0	pCi/L	U	U	V	0	0.0664	0.0664
HSB119A	7/27/2015	CURIUM-245/246	0.127	pCi/L	U	U	21, V	0.115	0.0688	0.299
HSB119A	7/27/2015	PLUTONIUM-238	0.0474	pCi/L	U	U		0.067	0.0642	0.199
HSB119A	7/27/2015	PLUTONIUM-239/240	0.0237	pCi/L	U	U		0.048	0.0642	0.159

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119A	7/27/2015	THORIUM-228	-0.0247	pCi/L	U	U		0.025	0.179	0.228
HSB119A	7/27/2015	THORIUM-230	0.0729	pCi/L	U	U	21, V	0.085	0.0659	0.236
HSB119A	7/27/2015	THORIUM-232	0	pCi/L	U	U		0	0.0657	0.0657
HSB119A	7/27/2015	URANIUM-233/234	0.0574	pCi/L	U	U	21, V	0.067	0.0518	0.185
HSB119A	7/27/2015	URANIUM-235	0	pCi/L	U	U	V	0	0.0639	0.0639
HSB119A	7/27/2015	URANIUM-238	0	pCi/L	U	U	V	0	0.0517	0.0517
HSB119A	7/27/2015	GROSS ALPHA	0.943	pCi/L	U	U		1.52	2.29	5.33
HSB119A	7/27/2015	NONVOLATILE BETA	11.1	pCi/L	J	J	21	3.86	3.8	11.5
HSB119A	7/27/2015	STRONTIUM-90	-0.506	pCi/L	U	U		1.51	2.98	6
HSB119A	7/27/2015	NICKEL-63	0.195	pCi/L	U	U		3.04	5.32	11.4
HSB119A	7/27/2015	TECHNETIUM-99	20.1	pCi/L				3.09	4.26	10.4
HSB119A	7/27/2015	TRITIUM	333	pCi/mL				3.5	0.478	7.48
HSB119A	7/27/2015	CESIUM-134	4.17	pCi/L	U	U		5.69	9.49	20.9
HSB119A	7/27/2015	CESIUM-137	-2.8	pCi/L	U	U		5.71	9.73	21.2
HSB119A	7/27/2015	COBALT-60	2.36	pCi/L	U	U		4.75	9.45	19
HSB119A	7/27/2015	IODINE-129	0.181	pCi/L	U	U		0.771	1.12	2.66
HSB119A	7/27/2015	RADIUM-226	1.36	pCi/L	J	J	21	0.553	0.645	1.75
HSB119A	7/27/2015	RADIUM-228	0.152	pCi/L	U	U		0.4	0.706	1.51
HSB119A	7/27/2015	RADIUM, TOTAL ALPHA-EMITTING	0.326	pCi/L	U	U		0.581	1.05	2.21
HSB119A	7/27/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
HSB119A	11/9/2015	NITRATE-NITRITE AS NITROGEN	4.98	mg/L					0.425	1.25
HSB119A	11/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119A	11/9/2015	GROSS ALPHA	0.099	pCi/L	U			0.849	2.27	3.97
HSB119A	11/9/2015	NONVOLATILE BETA	9.97	pCi/L	J		21	3.84	4.18	11.9
HSB119A	11/9/2015	TRITIUM	279	pCi/mL				2.88	0.539	6.31
HSB119C	1/29/2015	NITRATE-NITRITE AS NITROGEN	2.7	mg/L					0.085	0.25
HSB119C	1/29/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB119C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB119C	1/29/2015	BARIUM	4.04	ug/L	J				2	20
HSB119C	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB119C	1/29/2015	CADMIUM	0.146	ug/L	J				0.1	1
HSB119C	1/29/2015	CHROMIUM	10.7	ug/L	U				10	100
HSB119C	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB119C	1/29/2015	COPPER	5.24	ug/L					0.5	5
HSB119C	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB119C	1/29/2015	NICKEL	0.554	ug/L	J				0.5	5
HSB119C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB119C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB119C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB119C	1/29/2015	TIN	10	ug/L	U				1	10
HSB119C	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB119C	1/29/2015	ZINC	40	ug/L	U				4	40
HSB119C	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB119C	1/29/2015	CHLOROFORM	0.42	ug/L	J		21		0.3	1
HSB119C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB119C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB119C	1/29/2015	TRICHLOROETHYLENE (TCE)	9.64	ug/L					0.3	1
HSB119C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB119C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB119C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB119C	1/29/2015	AMERICIUM-241	0.0287	pCi/L	U			0.058	0.0778	0.193

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	1/29/2015	CURIUM-242	0.154	pCi/L	U			0.171	0.263	0.604
HSB119C	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0767	0.0767
HSB119C	1/29/2015	CURIUM-245/246	0.0878	pCi/L	U			0.102	0.0793	0.284
HSB119C	1/29/2015	PLUTONIUM-238	-0.00591	pCi/L	U			0.012	0.119	0.143
HSB119C	1/29/2015	PLUTONIUM-239/240	-0.00591	pCi/L	U			0.012	0.119	0.143
HSB119C	1/29/2015	THORIUM-228	0.023	pCi/L	U			0.046	0.0606	0.153
HSB119C	1/29/2015	THORIUM-230	0.134	pCi/L	U			0.112	0.0607	0.285
HSB119C	1/29/2015	THORIUM-232	-0.00559	pCi/L	U			0.011	0.113	0.135
HSB119C	1/29/2015	URANIUM-233/234	0.0269	pCi/L	U			0.054	0.073	0.181
HSB119C	1/29/2015	URANIUM-235	-0.00831	pCi/L	U			0.017	0.167	0.201
HSB119C	1/29/2015	URANIUM-238	0.0269	pCi/L	U			0.054	0.0728	0.181
HSB119C	1/29/2015	GROSS ALPHA	-0.325	pCi/L	UJ			0.333	2.18	2.85
HSB119C	1/29/2015	NONVOLATILE BETA	3.49	pCi/L	U			2.75	3.91	9.41
HSB119C	1/29/2015	STRONTIUM-90	1.16	pCi/L	U			1.62	2.98	6.21
HSB119C	1/29/2015	CARBON-14	1.89	pCi/L	U			4.21	6.98	15.4
HSB119C	1/29/2015	NICKEL-63	1.19	pCi/L	U			3.01	5.07	11.1
HSB119C	1/29/2015	TECHNETIUM-99	0.474	pCi/L	U			2.66	4.46	9.77
HSB119C	1/29/2015	TRITIUM	111	pCi/mL				2	0.445	4.45
HSB119C	1/29/2015	CESIUM-137	-1.82	pCi/L	U			5.42	9.38	20.2
HSB119C	1/29/2015	COBALT-60	7.06	pCi/L	U			5.79	12.4	23.9
HSB119C	1/29/2015	IODINE-129	-0.568	pCi/L	U			0.641	0.87	2.15
HSB119C	1/29/2015	RADIUM-226	0.252	pCi/L	U			0.387	0.68	1.45
HSB119C	1/29/2015	RADIUM-228	0.203	pCi/L	U			0.353	0.614	1.32
HSB119C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.278	pCi/L	U			0.684	1.39	2.76
HSB119C	4/15/2015	NITRATE-NITRITE AS NITROGEN	2.38	mg/L					0.17	0.5
HSB119C	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119C	4/15/2015	GROSS ALPHA	0.864	pCi/L	U			1.34	2.07	4.75

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	4/15/2015	NONVOLATILE BETA	1.63	pCi/L	U			2.49	3.99	8.96
HSB119C	4/15/2015	TRITIUM	100	pCi/mL				1.91	0.447	4.26
HSB119C	7/8/2015	ETHANE	0.0055	ug/L	J		21		0.002	0.1
HSB119C	7/8/2015	ETHYLENE	0.0075	ug/L	J		21		0.003	0.1
HSB119C	7/8/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB119C	7/8/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB119C	7/8/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB119C	7/8/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB119C	7/8/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB119C	7/8/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB119C	7/8/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB119C	7/8/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB119C	7/8/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB119C	7/8/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB119C	7/8/2015	1,2-DICHLOROETHYLENE	0.73	ug/L	J		21		0.15	2
HSB119C	7/8/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB119C	7/8/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSB119C	7/8/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB119C	7/8/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	7/8/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB119C	7/8/2015	ACETONE	2	ug/L	U				0.34	2
HSB119C	7/8/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB119C	7/8/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB119C	7/8/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB119C	7/8/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB119C	7/8/2015	BENZENE	1	ug/L	U				0.06	1
HSB119C	7/8/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB119C	7/8/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB119C	7/8/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB119C	7/8/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB119C	7/8/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB119C	7/8/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB119C	7/8/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB119C	7/8/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB119C	7/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB119C	7/8/2015	CHLOROFORM	0.36	ug/L	J		21		0.1	1
HSB119C	7/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB119C	7/8/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB119C	7/8/2015	CIS-1,2-DICHLOROETHYLENE	0.73	ug/L	J		21		0.09	1
HSB119C	7/8/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB119C	7/8/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	7/8/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB119C	7/8/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB119C	7/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB119C	7/8/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB119C	7/8/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB119C	7/8/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB119C	7/8/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
HSB119C	7/8/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB119C	7/8/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB119C	7/8/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB119C	7/8/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB119C	7/8/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB119C	7/8/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB119C	7/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB119C	7/8/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB119C	7/8/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB119C	7/8/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB119C	7/8/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB119C	7/8/2015	STYRENE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB119C	7/8/2015	TOLUENE	1	ug/L	U				0.07	1
HSB119C	7/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB119C	7/8/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119C	7/8/2015	TRICHLOROETHYLENE (TCE)	7.3	ug/L					0.25	1
HSB119C	7/8/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB119C	7/8/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB119C	7/8/2015	XYLENES	3	ug/L	U				0.2	3
HSB119C	7/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSB119C	7/8/2015	TRITIUM	98.6	pCi/mL				1.9	0.469	4.27
HSB119C	7/29/2015	NITRATE-NITRITE AS NITROGEN	2.59	mg/L					0.085	0.25
HSB119C	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119C	7/29/2015	GROSS ALPHA	-0.365	pCi/L	U			0.347	2.29	2.98
HSB119C	7/29/2015	NONVOLATILE BETA	1.61	pCi/L	U			2.51	4.06	9.09
HSB119C	7/29/2015	TRITIUM	120	pCi/mL				2.1	0.455	4.66
HSB119C	11/4/2015	NITRATE-NITRITE AS NITROGEN	2.45	mg/L					0.17	0.5
HSB119C	11/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB119C	11/4/2015	GROSS ALPHA	0.0193	pCi/L	U			0.862	2.23	3.95
HSB119C	11/4/2015	NONVOLATILE BETA	0.88	pCi/L	U			2.37	3.92	8.65
HSB119C	11/4/2015	TRITIUM	119	pCi/mL				2.03	0.505	4.57
HSB119D	1/29/2015	NITRATE-NITRITE AS NITROGEN	4.09	mg/L					0.085	0.25
HSB119D	1/29/2015	ALUMINUM	737	ug/L					40	400
HSB119D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB119D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB119D	1/29/2015	BARIUM	4.03	ug/L	J				2	20
HSB119D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB119D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB119D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB119D	1/29/2015	COBALT	0.898	ug/L	J				0.5	5
HSB119D	1/29/2015	COPPER	6.34	ug/L					0.5	5
HSB119D	1/29/2015	LEAD	20.8	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119D	1/29/2015	NICKEL	1.1	ug/L	J				0.5	5
HSB119D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB119D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB119D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB119D	1/29/2015	TIN	10	ug/L	U				1	10
HSB119D	1/29/2015	VANADIUM	7.99	ug/L	J				5	50
HSB119D	1/29/2015	ZINC	16.7	ug/L	J				4	40
HSB119D	1/29/2015	MERCURY	0.0224	ug/L	J		21		0.02	0.2
HSB119D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB119D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB119D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB119D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB119D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB119D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB119D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB119D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB119D	1/29/2015	AMERICIUM-241	0.0217	pCi/L	U			0.043	0.0587	0.146
HSB119D	1/29/2015	CURIUM-242	0.0237	pCi/L	U			0.048	0.0578	0.153
HSB119D	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0578	0.0578
HSB119D	1/29/2015	CURIUM-245/246	0.155	pCi/L	U			0.119	0.0598	0.298
HSB119D	1/29/2015	PLUTONIUM-238	0.025	pCi/L	U			0.05	0.0677	0.168
HSB119D	1/29/2015	PLUTONIUM-239/240	0.05	pCi/L	U			0.071	0.0677	0.21
HSB119D	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.0576	0.0576
HSB119D	1/29/2015	THORIUM-230	0.106	pCi/L	J		21	0.097	0.0577	0.251
HSB119D	1/29/2015	THORIUM-232	-0.0106	pCi/L	U			0.015	0.127	0.158
HSB119D	1/29/2015	URANIUM-233/234	0.257	pCi/L	J		21	0.157	0.11	0.424

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119D	1/29/2015	URANIUM-235	0.0202	pCi/L	U			0.056	0.136	0.247
HSB119D	1/29/2015	URANIUM-238	0.0436	pCi/L	U			0.062	0.0591	0.183
HSB119D	1/29/2015	GROSS ALPHA	0.0503	pCi/L	UJ			0.86	2.28	4
HSB119D	1/29/2015	NONVOLATILE BETA	30.9	pCi/L				5.79	3.93	15.5
HSB119D	1/29/2015	STRONTIUM-90	16.2	pCi/L				3.84	3.12	10.8
HSB119D	1/29/2015	CARBON-14	14.9	pCi/L	J		21	4.52	7	16
HSB119D	1/29/2015	NICKEL-63	4.04	pCi/L	U			3.08	4.95	11.1
HSB119D	1/29/2015	TECHNETIUM-99	1.96	pCi/L	U			2.63	4.34	9.6
HSB119D	1/29/2015	TRITIUM	80.8	pCi/mL				1.72	0.386	3.82
HSB119D	1/29/2015	CESIUM-137	4.07	pCi/L	U			6.88	11.3	25.1
HSB119D	1/29/2015	COBALT-60	4.73	pCi/L	U			6.05	11.9	24
HSB119D	1/29/2015	IODINE-129	1.56	pCi/L	J		21	0.99	0.949	2.93
HSB119D	1/29/2015	RADIUM-226	1.98	pCi/L				0.57	0.543	1.68
HSB119D	1/29/2015	RADIUM-228	0.633	pCi/L	U			0.465	0.743	1.67
HSB119D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.251	pCi/L	U			0.918	1.66	3.5
HSB119D	4/15/2015	NITRATE-NITRITE AS NITROGEN	3.44	mg/L					0.17	0.5
HSB119D	4/15/2015	MERCURY	0.0538	ug/L	J		21		0.02	0.2
HSB119D	4/15/2015	GROSS ALPHA	2.4	pCi/L	J		21	2.05	2.12	6.22
HSB119D	4/15/2015	NONVOLATILE BETA	33.6	pCi/L				6.05	4.03	16.1
HSB119D	4/15/2015	TRITIUM	74.6	pCi/mL				1.65	0.448	3.75
HSB119D	7/29/2015	NITRATE-NITRITE AS NITROGEN	3.87	mg/L					0.085	0.25
HSB119D	7/29/2015	MERCURY	0.0555	ug/L	J		21		0.02	0.2
HSB119D	7/29/2015	GROSS ALPHA	1.16	pCi/L	U			1.63	2.42	5.67
HSB119D	7/29/2015	NONVOLATILE BETA	35.2	pCi/L				6.25	4.28	16.8
HSB119D	7/29/2015	TRITIUM	113	pCi/mL				2	0.478	4.49
HSB119D	11/4/2015	NITRATE-NITRITE AS NITROGEN	3.96	mg/L					0.17	0.5
HSB119D	11/4/2015	MERCURY	0.0603	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB119D	11/4/2015	GROSS ALPHA	1.17	pCi/L	U			1.6	2.29	5.49
HSB119D	11/4/2015	NONVOLATILE BETA	33.1	pCi/L				6.01	3.95	16
HSB119D	11/4/2015	TRITIUM	115	pCi/mL				2	0.507	4.51
HSB120A	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.0409	mg/L	J		21		0.017	0.05
HSB120A	1/29/2015	ALUMINUM	53.1	ug/L	J				40	400
HSB120A	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB120A	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB120A	1/29/2015	BARIUM	31.7	ug/L					2	20
HSB120A	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB120A	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB120A	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB120A	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB120A	1/29/2015	COPPER	0.869	ug/L	J				0.5	5
HSB120A	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB120A	1/29/2015	NICKEL	0.851	ug/L	J				0.5	5
HSB120A	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB120A	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB120A	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB120A	1/29/2015	TIN	10	ug/L	U				1	10
HSB120A	1/29/2015	VANADIUM	7.27	ug/L	J				5	50
HSB120A	1/29/2015	ZINC	40	ug/L	U				4	40
HSB120A	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120A	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB120A	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB120A	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.02	ug/L	J		21		1	5
HSB120A	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB120A	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120A	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB120A	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB120A	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB120A	1/29/2015	AMERICIUM-241	0	pCi/L	U			0	0.0581	0.0581
HSB120A	1/29/2015	CURIUM-242	-0.0231	pCi/L	U			0.057	0.196	0.31
HSB120A	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0573	0.0573
HSB120A	1/29/2015	CURIUM-245/246	0.0875	pCi/L	U			0.089	0.0593	0.236
HSB120A	1/29/2015	PLUTONIUM-238	0.0169	pCi/L	U			0.047	0.113	0.206
HSB120A	1/29/2015	PLUTONIUM-239/240	-0.00562	pCi/L	U			0.011	0.113	0.136
HSB120A	1/29/2015	THORIUM-228	-0.0065	pCi/L	U			0.013	0.128	0.154
HSB120A	1/29/2015	THORIUM-230	0.102	pCi/L	J		21	0.103	0.0688	0.275
HSB120A	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0686	0.0686
HSB120A	1/29/2015	URANIUM-233/234	0.204	pCi/L	U			0.149	0.144	0.441
HSB120A	1/29/2015	URANIUM-235	0.0296	pCi/L	U			0.059	0.0802	0.199
HSB120A	1/29/2015	URANIUM-238	0.0719	pCi/L	U			0.084	0.0649	0.232
HSB120A	1/29/2015	GROSS ALPHA	0.865	pCi/L	UJ			1.44	2.32	5.2
HSB120A	1/29/2015	NONVOLATILE BETA	2.5	pCi/L	U			2.6	3.96	9.17
HSB120A	1/29/2015	STRONTIUM-90	0.133	pCi/L	U			1.74	3.1	6.58
HSB120A	1/29/2015	CARBON-14	39	pCi/L				5.04	7.01	17.1
HSB120A	1/29/2015	NICKEL-63	1.24	pCi/L	U			2.92	4.78	10.6
HSB120A	1/29/2015	TECHNETIUM-99	-1.18	pCi/L	U			2.54	4.33	9.41
HSB120A	1/29/2015	TRITIUM	0.437	pCi/mL	U			0.285	0.445	1.01
HSB120A	1/29/2015	CESIUM-137	-0.585	pCi/L	U			6.3	11.1	23.7
HSB120A	1/29/2015	COBALT-60	-0.279	pCi/L	U			6.2	11.4	23.7
HSB120A	1/29/2015	IODINE-129	-0.532	pCi/L	U			0.582	0.928	2.09
HSB120A	1/29/2015	RADIUM-226	1.26	pCi/L	J		21	0.587	0.729	1.9
HSB120A	1/29/2015	RADIUM-228	0.527	pCi/L	U			0.42	0.669	1.51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120A	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.39	pCi/L	U			1.17	1.68	4.02
HSB120A	4/15/2015	NITRATE-NITRITE AS NITROGEN	0.0516	mg/L					0.017	0.05
HSB120A	4/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120A	4/15/2015	GROSS ALPHA	0.924	pCi/L	U			1.43	2.22	5.08
HSB120A	4/15/2015	NONVOLATILE BETA	2.81	pCi/L	U			2.71	4.02	9.45
HSB120A	4/15/2015	TRITIUM	0.493	pCi/mL	J		21	0.291	0.45	1.03
HSB120A	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.0534	mg/L					0.017	0.05
HSB120A	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB120A	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB120A	8/11/2015	BARIUM	26.5	ug/L					2	20
HSB120A	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB120A	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB120A	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB120A	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB120A	8/11/2015	COPPER	5	ug/L	U				0.5	5
HSB120A	8/11/2015	LEAD	0.793	ug/L	J		21		0.5	5
HSB120A	8/11/2015	NICKEL	0.556	ug/L	J		21		0.5	5
HSB120A	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB120A	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB120A	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB120A	8/11/2015	TIN	10	ug/L	U				1	10
HSB120A	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB120A	8/11/2015	ZINC	6.09	ug/L	J		21		4	40
HSB120A	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120A	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB120A	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120A	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB120A	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB120A	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB120A	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB120A	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB120A	8/11/2015	AMERICIUM-241	0.0166	pCi/L	U		V	0.046	0.112	0.203
HSB120A	8/11/2015	CURIUM-242	0.0716	pCi/L	J		21	0.083	0.0592	0.226
HSB120A	8/11/2015	CURIUM-243/244	-0.00547	pCi/L	U			0.011	0.11	0.132
HSB120A	8/11/2015	CURIUM-245/246	0.136	pCi/L	U		21, V	0.112	0.0612	0.286
HSB120A	8/11/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0667	0.0667
HSB120A	8/11/2015	PLUTONIUM-239/240	0.0492	pCi/L	U			0.07	0.0667	0.207
HSB120A	8/11/2015	THORIUM-228	-0.00591	pCi/L	U			0.012	0.116	0.14
HSB120A	8/11/2015	THORIUM-230	0.272	pCi/L	U		21, V	0.166	0.117	0.449
HSB120A	8/11/2015	THORIUM-232	0.0231	pCi/L	U			0.046	0.0627	0.155
HSB120A	8/11/2015	URANIUM-233/234	0.163	pCi/L	J		21, V	0.136	0.15	0.421
HSB120A	8/11/2015	URANIUM-235	-0.00771	pCi/L	U			0.016	0.155	0.186
HSB120A	8/11/2015	URANIUM-238	0.0936	pCi/L	U		V	0.102	0.126	0.329
HSB120A	8/11/2015	GROSS ALPHA	0.327	pCi/L	U			0.871	1.38	3.12
HSB120A	8/11/2015	NONVOLATILE BETA	1.76	pCi/L	U			1.8	2.54	6.14
HSB120A	8/11/2015	STRONTIUM-90	0.56	pCi/L	U			2.1	3.29	7.5
HSB120A	8/11/2015	CARBON-14	5.06	pCi/L	UJ			4.08	6.64	14.8
HSB120A	8/11/2015	NICKEL-63	-2.24	pCi/L	U			3.09	5.55	11.7
HSB120A	8/11/2015	TECHNETIUM-99	0.0232	pCi/L	U			2.63	4.42	9.67
HSB120A	8/11/2015	TRITIUM	1.05	pCi/mL	J		21	0.329	0.458	1.12
HSB120A	8/11/2015	CESIUM-137	0.246	pCi/L	U			4.78	8.67	18.2
HSB120A	8/11/2015	COBALT-60	-1.59	pCi/L	U			4.2	7.56	16
HSB120A	8/11/2015	IODINE-129	-0.193	pCi/L	U			0.643	1.07	2.36

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120A	8/11/2015	RADIUM-226	0.717	pCi/L	J		21	0.292	0.341	0.925
HSB120A	8/11/2015	RADIUM-228	1.21	pCi/L	J		21	0.441	0.563	1.45
HSB120A	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.22	pCi/L	U			0.205	0.335	0.745
HSB120A	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.0587	mg/L					0.017	0.05
HSB120A	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120A	11/3/2015	GROSS ALPHA	1.39	pCi/L	U			1.26	1.41	3.93
HSB120A	11/3/2015	NONVOLATILE BETA	3.13	pCi/L	J		21	2	2.61	6.61
HSB120A	11/3/2015	TRITIUM	6.28	pCi/mL				0.515	0.394	1.42
HSB120C	2/5/2015	NITRATE-NITRITE AS NITROGEN	6.46	mg/L					0.17	0.5
HSB120C	2/5/2015	ALUMINUM	83.3	ug/L	J				40	400
HSB120C	2/5/2015	ANTIMONY	10	ug/L	U				1	10
HSB120C	2/5/2015	ARSENIC	50	ug/L	U				5	50
HSB120C	2/5/2015	BARIUM	11.6	ug/L	J				2	20
HSB120C	2/5/2015	BERYLLIUM	0.169	ug/L	J				0.1	1
HSB120C	2/5/2015	CADMIUM	0.131	ug/L	J				0.1	1
HSB120C	2/5/2015	CHROMIUM	10.9	ug/L	J				10	100
HSB120C	2/5/2015	COBALT	1.49	ug/L	J				0.5	5
HSB120C	2/5/2015	COPPER	1.48	ug/L	J				0.5	5
HSB120C	2/5/2015	LEAD	5	ug/L	U				0.5	5
HSB120C	2/5/2015	NICKEL	1.45	ug/L	J				0.5	5
HSB120C	2/5/2015	SELENIUM	20	ug/L	U				2	20
HSB120C	2/5/2015	SILVER	5	ug/L	U				0.5	5
HSB120C	2/5/2015	THALLIUM	1	ug/L	U				0.1	1
HSB120C	2/5/2015	TIN	10	ug/L	U				1	10
HSB120C	2/5/2015	VANADIUM	50	ug/L	U				5	50
HSB120C	2/5/2015	ZINC	6.45	ug/L	J				4	40
HSB120C	2/5/2015	MERCURY	0.0252	ug/L	J		21		0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	2/5/2015	BENZENE	1	ug/L	U				0.3	1
HSB120C	2/5/2015	CHLOROFORM	5.16	ug/L					0.3	1
HSB120C	2/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB120C	2/5/2015	TETRACHLOROETHYLENE (PCE)	1.57	ug/L					0.3	1
HSB120C	2/5/2015	TRICHLOROETHYLENE (TCE)	86.5	ug/L					0.3	1
HSB120C	2/5/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB120C	2/5/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB120C	2/5/2015	CYANIDE	5	ug/L	U				1.67	5
HSB120C	2/5/2015	AMERICIUM-241	0.0356	pCi/L	U			0.059	0.103	0.22
HSB120C	2/5/2015	CURIUM-242	0.0692	pCi/L	J		21	0.081	0.0544	0.216
HSB120C	2/5/2015	CURIUM-243/244	0.0302	pCi/L	U			0.059	0.12	0.238
HSB120C	2/5/2015	CURIUM-245/246	0.208	pCi/L	U			0.135	0.0563	0.326
HSB120C	2/5/2015	PLUTONIUM-238	0.0238	pCi/L	U			0.048	0.0643	0.16
HSB120C	2/5/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.175	0.175
HSB120C	2/5/2015	THORIUM-228	0.0464	pCi/L	J		21	0.066	0.0608	0.193
HSB120C	2/5/2015	THORIUM-230	0.399	pCi/L	J		21	0.202	0.113	0.518
HSB120C	2/5/2015	THORIUM-232	0.0673	pCi/L	J		21	0.079	0.0608	0.218
HSB120C	2/5/2015	URANIUM-233/234	0.255	pCi/L	J		21	0.171	0.132	0.474
HSB120C	2/5/2015	URANIUM-235	0.113	pCi/L	U			0.133	0.194	0.459
HSB120C	2/5/2015	URANIUM-238	0.353	pCi/L	J		21	0.204	0.157	0.565
HSB120C	2/5/2015	GROSS ALPHA	0.0358	pCi/L	U			0.829	2.31	3.97
HSB120C	2/5/2015	NONVOLATILE BETA	1.47	pCi/L	U			2.56	4.14	9.26
HSB120C	2/5/2015	STRONTIUM-90	1.01	pCi/L	U			2.2	3.3	7.71
HSB120C	2/5/2015	CARBON-14	88.4	pCi/L				6	7.14	19.1
HSB120C	2/5/2015	NICKEL-63	-1.04	pCi/L	U			2.94	5.06	10.9
HSB120C	2/5/2015	TECHNETIUM-99	2.94	pCi/L	U			2.58	4.19	9.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	2/5/2015	TRITIUM	920	pCi/mL				5.73	0.451	11.9
HSB120C	2/5/2015	CESIUM-137	-0.348	pCi/L	U			4.47	8.08	17
HSB120C	2/5/2015	COBALT-60	0.541	pCi/L	U			4.66	8.91	18.2
HSB120C	2/5/2015	IODINE-129	0.599	pCi/L	U			0.672	0.929	2.27
HSB120C	2/5/2015	RADIUM-226	1.05	pCi/L	U		21, V	0.594	0.805	1.99
HSB120C	2/5/2015	RADIUM-228	0.438	pCi/L	J		21	0.278	0.411	0.967
HSB120C	2/5/2015	RADIUM, TOTAL ALPHA-EMITTING	1.47	pCi/L	U			1.17	1.49	3.83
HSB120C	4/23/2015	NITRATE-NITRITE AS NITROGEN	6.45	mg/L					0.085	0.25
HSB120C	4/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120C	4/23/2015	GROSS ALPHA	2.53	pCi/L	J		21	2.11	2.09	6.31
HSB120C	4/23/2015	NONVOLATILE BETA	0.167	pCi/L	U			2.44	4.45	9.32
HSB120C	4/23/2015	TRITIUM	968	pCi/mL				5.84	0.43	12.1
HSB120C	7/15/2015	ETHANE	0.016	ug/L	J		21		0.002	0.1
HSB120C	7/15/2015	ETHYLENE	0.0097	ug/L	J		21		0.003	0.1
HSB120C	7/15/2015	ANTIMONY	10	ug/L	U				1	10
HSB120C	7/15/2015	ARSENIC	50	ug/L	U				5	50
HSB120C	7/15/2015	BARIUM	10.1	ug/L	J		21		2	20
HSB120C	7/15/2015	BERYLLIUM	0.137	ug/L	J		21		0.1	1
HSB120C	7/15/2015	CHROMIUM	100	ug/L	U				10	100
HSB120C	7/15/2015	COBALT	1.08	ug/L	J		21		0.5	5
HSB120C	7/15/2015	COPPER	1.29	ug/L	J		21		0.5	5
HSB120C	7/15/2015	LEAD	5	ug/L	U				0.5	5
HSB120C	7/15/2015	NICKEL	1.23	ug/L	J		21		0.5	5
HSB120C	7/15/2015	SELENIUM	20	ug/L	U				2	20
HSB120C	7/15/2015	SILVER	5	ug/L	U				0.5	5
HSB120C	7/15/2015	THALLIUM	1	ug/L	U				0.1	1
HSB120C	7/15/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	7/15/2015	VANADIUM	50	ug/L	U				5	50
HSB120C	7/15/2015	ZINC	7.11	ug/L	U		21, V		4	40
HSB120C	7/15/2015	MERCURY	0.0236	ug/L	J		21		0.02	0.2
HSB120C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB120C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB120C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB120C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB120C	7/15/2015	1,1-DICHLOROETHANE	0.98	ug/L	J		21		0.07	1
HSB120C	7/15/2015	1,1-DICHLOROETHYLENE	0.77	ug/L	J		21		0.08	1
HSB120C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB120C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB120C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB120C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB120C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB120C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB120C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB120C	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB120C	7/15/2015	1,2-DICHLOROETHYLENE	20	ug/L					0.15	2
HSB120C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB120C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB120C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSB120C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB120C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB120C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	7/15/2015	ACETONE	2	ug/L	U				0.34	2
HSB120C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB120C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB120C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB120C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB120C	7/15/2015	BENZENE	1	ug/L	U				0.06	1
HSB120C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB120C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB120C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB120C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB120C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB120C	7/15/2015	CARBON TETRACHLORIDE	0.8	ug/L	J		21		0.13	1
HSB120C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB120C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB120C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB120C	7/15/2015	CHLOROFORM	4.1	ug/L					0.1	1
HSB120C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB120C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB120C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L					0.09	1
HSB120C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB120C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB120C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	7/15/2015	DICHLORODIFLUOROMETHANE	1.2	ug/L	J		21		0.08	2
HSB120C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB120C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB120C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB120C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB120C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HSB120C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB120C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB120C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB120C	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB120C	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB120C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB120C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB120C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB120C	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB120C	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB120C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB120C	7/15/2015	STYRENE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
HSB120C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
HSB120C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB120C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB120C	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSB120C	7/15/2015	TRICHLOROETHYLENE (TCE)	62	ug/L					1.3	5
HSB120C	7/15/2015	TRICHLOROFLUOROMETHANE	0.26	ug/L	J		21		0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB120C	7/15/2015	XYLENES	3	ug/L	U				0.2	3
HSB120C	7/15/2015	1,4-DIOXANE	14	ug/L					0.85	3
HSB120C	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.829	pCi/L				0.129	0.099	0.357
HSB120C	7/15/2015	RADIUM-226	0.743	pCi/L				0.107	0.073	0.2867
HSB120C	7/15/2015	URANIUM-233/234	0.137	pCi/L	U		V	0.119	0.12	0.357
HSB120C	7/15/2015	URANIUM-235	-0.00733	pCi/L	U		V	0.015	0.148	0.177
HSB120C	7/15/2015	URANIUM-238	0.0652	pCi/L	U			0.084	0.119	0.286
HSB120C	7/15/2015	GROSS ALPHA	-0.283	pCi/L	U			0.47	2.18	3.12
HSB120C	7/15/2015	NONVOLATILE BETA	0.111	pCi/L	U			2.06	3.75	7.87
HSB120C	7/15/2015	STRONTIUM-90	-0.298	pCi/L	U			1.48	3.26	6.23
HSB120C	7/15/2015	CARBON-14	35.2	pCi/L				5.04	7.16	17.2
HSB120C	7/15/2015	TECHNETIUM-99	0.23	pCi/L	U			2.52	4.24	9.28
HSB120C	7/15/2015	TRITIUM	986	pCi/mL				5.83	0.522	12.2
HSB120C	7/15/2015	IODINE-129	0.0711	pCi/L	U			0.557	0.949	2.06
HSB120C	8/10/2015	NITRATE-NITRITE AS NITROGEN	5.89	mg/L					0.17	0.5
HSB120C	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB120C	8/10/2015	GROSS ALPHA	1.6	pCi/L	U			1.8	2.33	5.93
HSB120C	8/10/2015	NONVOLATILE BETA	1.79	pCi/L	U			2.69	4.34	9.73
HSB120C	8/10/2015	TRITIUM	961	pCi/mL				5.92	0.471	12.3
HSB120C	11/12/2015	NITRATE-NITRITE AS NITROGEN	6.75	mg/L					0.17	0.5
HSB120C	11/12/2015	MERCURY	0.0291	ug/L	J		21		0.02	0.2
HSB120C	11/12/2015	GROSS ALPHA	1.36	pCi/L	U			1.22	1.38	3.83
HSB120C	11/12/2015	NONVOLATILE BETA	1.97	pCi/L	U			1.94	2.67	6.54
HSB120C	11/12/2015	TRITIUM	909	pCi/mL				5.58	0.451	11.6
HSB120D	1/29/2015	NITRATE-NITRITE AS NITROGEN	8.73	mg/L					0.17	0.5
HSB120D	1/29/2015	ALUMINUM	536	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB120D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB120D	1/29/2015	BARIUM	98.2	ug/L					2	20
HSB120D	1/29/2015	BERYLLIUM	0.315	ug/L	J				0.1	1
HSB120D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB120D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB120D	1/29/2015	COBALT	9.8	ug/L					0.5	5
HSB120D	1/29/2015	COPPER	0.839	ug/L	J				0.5	5
HSB120D	1/29/2015	LEAD	1.02	ug/L	J				0.5	5
HSB120D	1/29/2015	NICKEL	1.47	ug/L	J				0.5	5
HSB120D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB120D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB120D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB120D	1/29/2015	TIN	10	ug/L	U				1	10
HSB120D	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB120D	1/29/2015	ZINC	40	ug/L	U				4	40
HSB120D	1/29/2015	MERCURY	0.292	ug/L					0.02	0.2
HSB120D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB120D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB120D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB120D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB120D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB120D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB120D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB120D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB120D	1/29/2015	AMERICIUM-241	0.0218	pCi/L	U			0.044	0.0591	0.147

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120D	1/29/2015	CURIUM-242	0.0182	pCi/L	U			0.05	0.108	0.208
HSB120D	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0582	0.0582
HSB120D	1/29/2015	CURIUM-245/246	0.222	pCi/L	U			0.145	0.0603	0.35
HSB120D	1/29/2015	PLUTONIUM-238	0.0291	pCi/L	U			0.059	0.0789	0.196
HSB120D	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0789	0.0789
HSB120D	1/29/2015	THORIUM-228	0.0338	pCi/L	U			0.08	0.177	0.337
HSB120D	1/29/2015	THORIUM-230	0.151	pCi/L	U			0.132	0.132	0.396
HSB120D	1/29/2015	THORIUM-232	0.0262	pCi/L	U			0.053	0.0711	0.176
HSB120D	1/29/2015	URANIUM-233/234	0.236	pCi/L	J		21	0.19	0.176	0.556
HSB120D	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.117	0.117
HSB120D	1/29/2015	URANIUM-238	0.0785	pCi/L	U			0.125	0.235	0.485
HSB120D	1/29/2015	GROSS ALPHA	5.28	pCi/L	J		21	3.02	2.28	8.32
HSB120D	1/29/2015	NONVOLATILE BETA	6.31	pCi/L	J		21	3.2	3.88	10.3
HSB120D	1/29/2015	STRONTIUM-90	3.71	pCi/L	J		21	2.6	3.11	8.3
HSB120D	1/29/2015	CARBON-14	517	pCi/L	J			11	7.03	29
HSB120D	1/29/2015	NICKEL-63	2.48	pCi/L	U			3.58	6.19	13.4
HSB120D	1/29/2015	TECHNETIUM-99	1.07	pCi/L	U			2.57	4.28	9.43
HSB120D	1/29/2015	TRITIUM	47.2	pCi/mL				1.32	0.389	3.04
HSB120D	1/29/2015	CESIUM-137	0.772	pCi/L	U			5.28	9.6	20.2
HSB120D	1/29/2015	COBALT-60	-1.51	pCi/L	U			4.85	8.72	18.4
HSB120D	1/29/2015	IODINE-129	0.0451	pCi/L	U			0.549	0.957	2.05
HSB120D	1/29/2015	RADIUM-226	3.36	pCi/L				0.763	0.617	2.14
HSB120D	1/29/2015	RADIUM-228	2.29	pCi/L				0.523	0.539	1.59
HSB120D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	2.61	pCi/L	J		21	1.24	1.19	3.67
HSB120D	4/20/2015	NITRATE-NITRITE AS NITROGEN	8.98	mg/L					0.425	1.25
HSB120D	4/20/2015	MERCURY	0.287	ug/L					0.02	0.2
HSB120D	4/20/2015	GROSS ALPHA	11.4	pCi/L				4.35	2.15	10.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB120D	4/20/2015	NONVOLATILE BETA	7.01	pCi/L	J		21	3.34	3.99	10.7
HSB120D	4/20/2015	TRITIUM	37.7	pCi/mL				1.14	0.406	2.69
HSB120D	7/30/2015	NITRATE-NITRITE AS NITROGEN	8.9	mg/L					0.425	1.25
HSB120D	7/30/2015	MERCURY	0.288	ug/L					0.02	0.2
HSB120D	7/30/2015	GROSS ALPHA	7.17	pCi/L	J		21	3.48	2.34	9.31
HSB120D	7/30/2015	NONVOLATILE BETA	2.68	pCi/L	U			3.18	5.03	11.4
HSB120D	7/30/2015	TRITIUM	37.2	pCi/mL				1.15	0.413	2.72
HSB120D	11/3/2015	NITRATE-NITRITE AS NITROGEN	10.5	mg/L					0.85	2.5
HSB120D	11/3/2015	MERCURY	0.333	ug/L					0.02	0.2
HSB120D	11/3/2015	GROSS ALPHA	12.4	pCi/L				4.46	2.28	11.2
HSB120D	11/3/2015	NONVOLATILE BETA	6.5	pCi/L	J		21	3.41	4.21	11
HSB120D	11/3/2015	TRITIUM	30.8	pCi/mL				1.07	0.507	2.64
HSB121A	1/28/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB121A	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB121A	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB121A	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB121A	1/28/2015	BARIUM	36.3	ug/L					2	20
HSB121A	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB121A	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB121A	1/28/2015	CHROMIUM	100	ug/L	U				10	100
HSB121A	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB121A	1/28/2015	COPPER	1.08	ug/L	J				0.5	5
HSB121A	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB121A	1/28/2015	NICKEL	0.984	ug/L	J				0.5	5
HSB121A	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB121A	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB121A	1/28/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121A	1/28/2015	TIN	10	ug/L	U				1	10
HSB121A	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB121A	1/28/2015	ZINC	40	ug/L	U				4	40
HSB121A	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121A	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB121A	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB121A	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB121A	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB121A	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB121A	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB121A	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB121A	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB121A	1/28/2015	AMERICIUM-241	-0.00553	pCi/L	U			0.011	0.111	0.134
HSB121A	1/28/2015	CURIUM-242	0	pCi/L	U			0	0.059	0.059
HSB121A	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.059	0.059
HSB121A	1/28/2015	CURIUM-245/246	0.152	pCi/L	U			0.122	0.114	0.358
HSB121A	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0669	0.0669
HSB121A	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0669	0.0669
HSB121A	1/28/2015	THORIUM-228	0.0731	pCi/L	U			0.094	0.13	0.318
HSB121A	1/28/2015	THORIUM-230	0.104	pCi/L	U			0.105	0.0702	0.28
HSB121A	1/28/2015	THORIUM-232	0.0517	pCi/L	U			0.074	0.0701	0.217
HSB121A	1/28/2015	URANIUM-233/234	0.0267	pCi/L	U			0.054	0.0724	0.18
HSB121A	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0893	0.0893
HSB121A	1/28/2015	URANIUM-238	0.0533	pCi/L	U			0.076	0.0722	0.224
HSB121A	1/28/2015	GROSS ALPHA	1.31	pCi/L	U			1.7	2.38	5.78
HSB121A	1/28/2015	NONVOLATILE BETA	1.77	pCi/L	U			2.48	3.98	8.94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121A	1/28/2015	STRONTIUM-90	0.52	pCi/L	U			1.52	2.97	6.01
HSB121A	1/28/2015	CARBON-14	9.31	pCi/L	J		21	4.33	6.89	15.5
HSB121A	1/28/2015	NICKEL-63	-0.142	pCi/L	U			2.88	4.96	10.7
HSB121A	1/28/2015	TECHNETIUM-99	-1.91	pCi/L	U			2.62	4.51	9.76
HSB121A	1/28/2015	TRITIUM	-0.138	pCi/mL	U			0.248	0.448	0.943
HSB121A	1/28/2015	CESIUM-137	-2.77	pCi/L	U			4.86	8.25	18
HSB121A	1/28/2015	COBALT-60	-2.29	pCi/L	U			3.6	6.21	13.4
HSB121A	1/28/2015	IODINE-129	0.0165	pCi/L	U			0.567	0.96	2.09
HSB121A	1/28/2015	RADIUM-226	0.435	pCi/L	U			0.301	0.439	1.04
HSB121A	1/28/2015	RADIUM-228	0.629	pCi/L	U		21, V	0.332	0.479	1.14
HSB121A	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0349	pCi/L	U			0.938	1.9	3.78
HSB121A	4/20/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB121A	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121A	4/20/2015	GROSS ALPHA	0.588	pCi/L	U			1.3	2.31	4.91
HSB121A	4/20/2015	NONVOLATILE BETA	2.8	pCi/L	U			2.57	3.77	8.92
HSB121A	4/20/2015	TRITIUM	-0.005	pCi/mL	U			0.233	0.406	0.872
HSB121A	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB121A	8/11/2015	ALUMINUM	400	ug/L	U				40	400
HSB121A	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB121A	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB121A	8/11/2015	BARIUM	31.7	ug/L					2	20
HSB121A	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB121A	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB121A	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB121A	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB121A	8/11/2015	COPPER	5	ug/L	U				0.5	5
HSB121A	8/11/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121A	8/11/2015	NICKEL	5	ug/L	U				0.5	5
HSB121A	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB121A	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB121A	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB121A	8/11/2015	TIN	10	ug/L	U				1	10
HSB121A	8/11/2015	VANADIUM	5.44	ug/L	J		21		5	50
HSB121A	8/11/2015	ZINC	40	ug/L	U				4	40
HSB121A	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121A	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB121A	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB121A	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB121A	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB121A	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB121A	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB121A	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB121A	8/11/2015	AMERICIUM-241	0.0899	pCi/L	U		V	0.098	0.121	0.316
HSB121A	8/11/2015	CURIUM-242	0.104	pCi/L	J		21	0.105	0.064	0.275
HSB121A	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.064	0.064
HSB121A	8/11/2015	CURIUM-245/246	0.22	pCi/L	U		21, V	0.15	0.0662	0.366
HSB121A	8/11/2015	PLUTONIUM-238	-0.00526	pCi/L	U		V	0.011	0.106	0.127
HSB121A	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U		V	0	0.057	0.057
HSB121A	8/11/2015	THORIUM-228	0.0287	pCi/L	U			0.068	0.151	0.287
HSB121A	8/11/2015	THORIUM-230	0.292	pCi/L	U		21, V	0.168	0.0609	0.397
HSB121A	8/11/2015	THORIUM-232	0.0224	pCi/L	U			0.045	0.0608	0.151
HSB121A	8/11/2015	URANIUM-233/234	0.0636	pCi/L	U		21, V	0.074	0.0575	0.205
HSB121A	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0709	0.0709

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121A	8/11/2015	URANIUM-238	0.106	pCi/L	U		21, V	0.096	0.0573	0.249
HSB121A	8/11/2015	GROSS ALPHA	0.454	pCi/L	U			1.27	2.53	5.08
HSB121A	8/11/2015	NONVOLATILE BETA	2.61	pCi/L	U			2.77	4.21	9.75
HSB121A	8/11/2015	STRONTIUM-90	0.894	pCi/L	U			1.82	3.23	6.88
HSB121A	8/11/2015	CARBON-14	0.368	pCi/L	U			4.16	6.96	15.3
HSB121A	8/11/2015	NICKEL-63	-1.31	pCi/L	U			3.16	5.69	12
HSB121A	8/11/2015	TECHNETIUM-99	0.531	pCi/L	U			2.63	4.4	9.67
HSB121A	8/11/2015	TRITIUM	0.0911	pCi/mL	U			0.278	0.472	1.03
HSB121A	8/11/2015	CESIUM-137	1.76	pCi/L	U			5.22	9.64	20.1
HSB121A	8/11/2015	COBALT-60	2.72	pCi/L	U			4.17	8.6	16.9
HSB121A	8/11/2015	IODINE-129	0.859	pCi/L	U			0.909	1.14	2.95
HSB121A	8/11/2015	RADIUM-226	0.292	pCi/L	U			0.208	0.3	0.716
HSB121A	8/11/2015	RADIUM-228	0.283	pCi/L	U			0.388	0.663	1.44
HSB121A	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.134	pCi/L	U			0.265	0.457	0.987
HSB121A	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB121A	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121A	11/3/2015	GROSS ALPHA	0.767	pCi/L	U			1.04	1.43	3.5
HSB121A	11/3/2015	NONVOLATILE BETA	1.96	pCi/L	U			1.86	2.6	6.31
HSB121A	11/3/2015	TRITIUM	0.166	pCi/mL	U			0.239	0.396	0.873
HSB121C	1/28/2015	NITRATE-NITRITE AS NITROGEN	0.621	mg/L					0.017	0.05
HSB121C	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB121C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB121C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB121C	1/28/2015	BARIUM	4.95	ug/L	J				2	20
HSB121C	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB121C	1/28/2015	CADMIUM	0.122	ug/L	J				0.1	1
HSB121C	1/28/2015	CHROMIUM	16.5	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121C	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB121C	1/28/2015	COPPER	0.991	ug/L	J				0.5	5
HSB121C	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB121C	1/28/2015	NICKEL	5	ug/L	U				0.5	5
HSB121C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB121C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB121C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB121C	1/28/2015	TIN	10	ug/L	U				1	10
HSB121C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB121C	1/28/2015	ZINC	40	ug/L	U				4	40
HSB121C	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB121C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB121C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB121C	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB121C	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB121C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB121C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB121C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB121C	1/28/2015	AMERICIUM-241	0.0713	pCi/L	U			0.083	0.0644	0.231
HSB121C	1/28/2015	CURIUM-242	0.0187	pCi/L	U			0.052	0.118	0.221
HSB121C	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.0634	0.0634
HSB121C	1/28/2015	CURIUM-245/246	0.775	pCi/L				0.301	0.0657	0.667
HSB121C	1/28/2015	PLUTONIUM-238	0.0183	pCi/L	U			0.05	0.123	0.224
HSB121C	1/28/2015	PLUTONIUM-239/240	-0.0122	pCi/L	U			0.017	0.146	0.181
HSB121C	1/28/2015	THORIUM-228	-0.0184	pCi/L	U			0.022	0.16	0.203

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121C	1/28/2015	THORIUM-230	0.0951	pCi/L	U			0.096	0.0644	0.257
HSB121C	1/28/2015	THORIUM-232	-0.0119	pCi/L	U			0.017	0.142	0.176
HSB121C	1/28/2015	URANIUM-233/234	0.0111	pCi/L	U			0.047	0.134	0.228
HSB121C	1/28/2015	URANIUM-235	-0.0137	pCi/L	U			0.02	0.165	0.204
HSB121C	1/28/2015	URANIUM-238	0.0222	pCi/L	U			0.045	0.0602	0.149
HSB121C	1/28/2015	GROSS ALPHA	0.0568	pCi/L	U			0.835	2.19	3.86
HSB121C	1/28/2015	NONVOLATILE BETA	-0.747	pCi/L	U			1.91	3.92	7.73
HSB121C	1/28/2015	STRONTIUM-90	0.409	pCi/L	U			1.72	3.11	6.55
HSB121C	1/28/2015	CARBON-14	0.75	pCi/L	U			4.12	6.88	15.1
HSB121C	1/28/2015	NICKEL-63	-0.193	pCi/L	U			2.9	5.07	10.9
HSB121C	1/28/2015	TECHNETIUM-99	-0.855	pCi/L	U			2.56	4.36	9.48
HSB121C	1/28/2015	TRITIUM	15.7	pCi/mL				0.795	0.44	2.03
HSB121C	1/28/2015	CESIUM-137	-2.58	pCi/L	U			5.33	9.04	19.7
HSB121C	1/28/2015	COBALT-60	3.17	pCi/L	U			6.16	12.1	24.4
HSB121C	1/28/2015	IODINE-129	0.287	pCi/L	U			0.55	0.977	2.08
HSB121C	1/28/2015	RADIUM-226	0.804	pCi/L	J		21	0.403	0.519	1.33
HSB121C	1/28/2015	RADIUM-228	1.44	pCi/L	J		21, V	0.568	0.808	1.94
HSB121C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0151	pCi/L	U			0.815	1.85	3.48
HSB121C	4/23/2015	NITRATE-NITRITE AS NITROGEN	0.598	mg/L					0.017	0.05
HSB121C	4/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121C	4/23/2015	GROSS ALPHA	-0.242	pCi/L	U			0.259	2.08	2.59
HSB121C	4/23/2015	NONVOLATILE BETA	0.674	pCi/L	U			2.32	4.06	8.7
HSB121C	4/23/2015	TRITIUM	15.4	pCi/mL				0.783	0.437	2
HSB121C	7/29/2015	NITRATE-NITRITE AS NITROGEN	0.622	mg/L					0.017	0.05
HSB121C	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121C	7/29/2015	GROSS ALPHA	0.809	pCi/L	U			1.4	2.3	5.1
HSB121C	7/29/2015	NONVOLATILE BETA	-0.133	pCi/L	U			2.26	4.23	8.75

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121C	7/29/2015	TRITIUM	19.5	pCi/mL				0.883	0.455	2.22
HSB121C	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.763	mg/L					0.17	0.5
HSB121C	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB121C	11/3/2015	GROSS ALPHA	0.398	pCi/L	U			1.15	2.24	4.54
HSB121C	11/3/2015	NONVOLATILE BETA	1.09	pCi/L	U			2.41	3.93	8.76
HSB121C	11/3/2015	TRITIUM	20.7	pCi/mL				0.893	0.509	2.29
HSB121D	1/28/2015	NITRATE-NITRITE AS NITROGEN	8.86	mg/L					0.17	0.5
HSB121D	1/28/2015	ALUMINUM	75.8	ug/L	J				40	400
HSB121D	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB121D	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB121D	1/28/2015	BARIUM	8.81	ug/L	J				2	20
HSB121D	1/28/2015	BERYLLIUM	0.106	ug/L	J				0.1	1
HSB121D	1/28/2015	CADMIUM	0.209	ug/L	J				0.1	1
HSB121D	1/28/2015	CHROMIUM	12	ug/L	U				10	100
HSB121D	1/28/2015	COBALT	5.15	ug/L					0.5	5
HSB121D	1/28/2015	COPPER	1.06	ug/L	J				0.5	5
HSB121D	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB121D	1/28/2015	NICKEL	1.38	ug/L	J				0.5	5
HSB121D	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB121D	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB121D	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB121D	1/28/2015	TIN	10	ug/L	U				1	10
HSB121D	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB121D	1/28/2015	ZINC	40	ug/L	U				4	40
HSB121D	1/28/2015	MERCURY	0.058	ug/L	J		21		0.02	0.2
HSB121D	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB121D	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121D	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB121D	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB121D	1/28/2015	TRICHLOROETHYLENE (TCE)	0.96	ug/L	J		21		0.3	1
HSB121D	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB121D	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB121D	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB121D	1/28/2015	AMERICIUM-241	0.042	pCi/L	U			0.082	0.168	0.332
HSB121D	1/28/2015	CURIUM-242	-0.00755	pCi/L	U			0.069	0.218	0.357
HSB121D	1/28/2015	CURIUM-243/244	-0.0138	pCi/L	U			0.02	0.165	0.205
HSB121D	1/28/2015	CURIUM-245/246	0.171	pCi/L	U			0.143	0.0774	0.363
HSB121D	1/28/2015	PLUTONIUM-238	-0.0112	pCi/L	U			0.016	0.134	0.166
HSB121D	1/28/2015	PLUTONIUM-239/240	-0.0112	pCi/L	U			0.016	0.134	0.166
HSB121D	1/28/2015	THORIUM-228	0.076	pCi/L	U			0.089	0.0668	0.244
HSB121D	1/28/2015	THORIUM-230	0.0988	pCi/L	U			0.1	0.067	0.267
HSB121D	1/28/2015	THORIUM-232	0.0247	pCi/L	U			0.05	0.0668	0.166
HSB121D	1/28/2015	URANIUM-233/234	0.0948	pCi/L	U			0.096	0.0642	0.256
HSB121D	1/28/2015	URANIUM-235	0.0511	pCi/L	U			0.084	0.147	0.316
HSB121D	1/28/2015	URANIUM-238	0.0532	pCi/L	U			0.085	0.159	0.329
HSB121D	1/28/2015	GROSS ALPHA	0.834	pCi/L	U			1.39	2.23	5.01
HSB121D	1/28/2015	NONVOLATILE BETA	2.96	pCi/L	U			2.68	3.94	9.3
HSB121D	1/28/2015	STRONTIUM-90	0.709	pCi/L	U			1.67	2.97	6.3
HSB121D	1/28/2015	CARBON-14	-1.26	pCi/L	U			4.07	6.87	15
HSB121D	1/28/2015	NICKEL-63	-1.34	pCi/L	U			2.82	4.87	10.5
HSB121D	1/28/2015	TECHNETIUM-99	-0.992	pCi/L	U			2.55	4.35	9.45
HSB121D	1/28/2015	TRITIUM	613	pCi/mL				4.72	0.442	9.88
HSB121D	1/28/2015	CESIUM-137	0.0945	pCi/L	U			6.37	11.4	24.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB121D	1/28/2015	COBALT-60	0.912	pCi/L	U			5.48	10.5	21.5
HSB121D	1/28/2015	IODINE-129	2.4	pCi/L	J		21	1.07	0.934	3.07
HSB121D	1/28/2015	RADIUM-226	0.741	pCi/L	J		21	0.344	0.427	1.12
HSB121D	1/28/2015	RADIUM-228	0.516	pCi/L	U			0.343	0.527	1.21
HSB121D	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.15	pCi/L	U			1.22	1.97	4.41
HSB121D	4/20/2015	NITRATE-NITRITE AS NITROGEN	7.7	mg/L					0.17	0.5
HSB121D	4/20/2015	MERCURY	0.084	ug/L	J		21		0.02	0.2
HSB121D	4/20/2015	GROSS ALPHA	0.542	pCi/L	U			1.2	2.14	4.53
HSB121D	4/20/2015	NONVOLATILE BETA	3.74	pCi/L	J		21	2.73	3.74	9.2
HSB121D	4/20/2015	TRITIUM	513	pCi/mL				4.14	0.405	8.68
HSB121D	7/29/2015	NITRATE-NITRITE AS NITROGEN	7.91	mg/L					0.17	0.5
HSB121D	7/29/2015	MERCURY	0.0978	ug/L	J		21		0.02	0.2
HSB121D	7/29/2015	GROSS ALPHA	1.21	pCi/L	U			1.62	2.33	5.58
HSB121D	7/29/2015	NONVOLATILE BETA	0.474	pCi/L	U			2.42	4.29	9.13
HSB121D	7/29/2015	TRITIUM	540	pCi/mL				4.45	0.457	9.35
HSB121D	11/3/2015	NITRATE-NITRITE AS NITROGEN	8.66	mg/L					0.17	0.5
HSB121D	11/3/2015	MERCURY	0.0863	ug/L	J		21		0.02	0.2
HSB121D	11/3/2015	GROSS ALPHA	1.95	pCi/L	U			1.94	2.28	6.15
HSB121D	11/3/2015	NONVOLATILE BETA	1.71	pCi/L	U			2.55	3.97	9.08
HSB121D	11/3/2015	TRITIUM	575	pCi/mL				4.46	0.511	9.43
HSB122A	1/28/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB122A	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB122A	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB122A	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB122A	1/28/2015	BARIUM	24.4	ug/L					2	20
HSB122A	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB122A	1/28/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122A	1/28/2015	CHROMIUM	100	ug/L	U				10	100
HSB122A	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB122A	1/28/2015	COPPER	1.08	ug/L	J				0.5	5
HSB122A	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB122A	1/28/2015	NICKEL	0.955	ug/L	J				0.5	5
HSB122A	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB122A	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB122A	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB122A	1/28/2015	TIN	10	ug/L	U				1	10
HSB122A	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB122A	1/28/2015	ZINC	40	ug/L	U				4	40
HSB122A	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB122A	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB122A	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB122A	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB122A	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB122A	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB122A	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB122A	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB122A	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB122A	1/28/2015	AMERICIUM-241	0.0271	pCi/L	U			0.054	0.0734	0.182
HSB122A	1/28/2015	CURIUM-242	-0.0146	pCi/L	U			0.095	0.268	0.458
HSB122A	1/28/2015	CURIUM-243/244	0.0802	pCi/L	U			0.094	0.0723	0.259
HSB122A	1/28/2015	CURIUM-245/246	0.0552	pCi/L	U			0.079	0.0748	0.232
HSB122A	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0662	0.0662
HSB122A	1/28/2015	PLUTONIUM-239/240	0.0244	pCi/L	U			0.049	0.0662	0.164

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122A	1/28/2015	THORIUM-228	0.0129	pCi/L	U			0.055	0.151	0.26
HSB122A	1/28/2015	THORIUM-230	0.126	pCi/L	U			0.114	0.0681	0.297
HSB122A	1/28/2015	THORIUM-232	0.0502	pCi/L	U			0.072	0.068	0.211
HSB122A	1/28/2015	URANIUM-233/234	0.0738	pCi/L	U			0.086	0.0666	0.239
HSB122A	1/28/2015	URANIUM-235	-0.0076	pCi/L	U			0.015	0.153	0.183
HSB122A	1/28/2015	URANIUM-238	0.0491	pCi/L	U			0.07	0.0665	0.206
HSB122A	1/28/2015	GROSS ALPHA	0.883	pCi/L	U			1.47	2.36	5.3
HSB122A	1/28/2015	NONVOLATILE BETA	0.85	pCi/L	U			2.29	3.97	8.55
HSB122A	1/28/2015	STRONTIUM-90	0.122	pCi/L	U			1.48	2.96	5.92
HSB122A	1/28/2015	CARBON-14	4.61	pCi/L	U			4.23	6.9	15.4
HSB122A	1/28/2015	NICKEL-63	1.46	pCi/L	U			3.03	5.11	11.2
HSB122A	1/28/2015	TECHNETIUM-99	-1.19	pCi/L	U			2.57	4.4	9.55
HSB122A	1/28/2015	TRITIUM	-0.0805	pCi/mL	U			0.251	0.446	0.948
HSB122A	1/28/2015	CESIUM-137	0.262	pCi/L	U			5.11	9.26	19.5
HSB122A	1/28/2015	COBALT-60	-2.15	pCi/L	U			4.54	8.01	17.1
HSB122A	1/28/2015	IODINE-129	0.778	pCi/L	U			0.738	0.91	2.39
HSB122A	1/28/2015	RADIUM-226	0.874	pCi/L	J		21	0.342	0.248	0.932
HSB122A	1/28/2015	RADIUM-228	0.79	pCi/L	U		21, V	0.363	0.506	1.23
HSB122A	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.309	pCi/L	U			0.816	1.93	3.56
HSB122A	5/7/2015	NITRATE-NITRITE AS NITROGEN	0.0531	mg/L					0.017	0.05
HSB122A	5/7/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB122A	5/7/2015	GROSS ALPHA	0.575	pCi/L	U			1.27	2.26	4.79
HSB122A	5/7/2015	NONVOLATILE BETA	2.32	pCi/L	U			2.48	3.76	8.71
HSB122A	5/7/2015	TRITIUM	-0.091	pCi/mL	U			0.255	0.453	0.963
HSB122A	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB122A	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB122A	8/11/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122A	8/11/2015	BARIUM	24.5	ug/L					2	20
HSB122A	8/11/2015	BERYLLIUM	0.112	ug/L	J		21		0.1	1
HSB122A	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB122A	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB122A	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB122A	8/11/2015	COPPER	0.512	ug/L	J		21		0.5	5
HSB122A	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB122A	8/11/2015	NICKEL	0.523	ug/L	J		21		0.5	5
HSB122A	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB122A	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB122A	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB122A	8/11/2015	TIN	10	ug/L	U				1	10
HSB122A	8/11/2015	VANADIUM	24.1	ug/L	J		21		5	50
HSB122A	8/11/2015	ZINC	8.09	ug/L	J		21		4	40
HSB122A	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB122A	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB122A	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB122A	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB122A	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB122A	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB122A	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB122A	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB122A	8/11/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.067	0.067
HSB122A	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.066	0.066
HSB122A	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.066	0.066
HSB122A	8/11/2015	CURIUM-245/246	0.0252	pCi/L	U		V	0.051	0.0683	0.169

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122A	8/11/2015	PLUTONIUM-238	-0.007	pCi/L	U			0.014	0.141	0.169
HSB122A	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0758	0.0758
HSB122A	8/11/2015	THORIUM-228	0.0454	pCi/L	U			0.065	0.0601	0.189
HSB122A	8/11/2015	THORIUM-230	0.356	pCi/L	J		21, V	0.186	0.0602	0.432
HSB122A	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0601	0.0601
HSB122A	8/11/2015	URANIUM-233/234	0.0937	pCi/L	U		V	0.101	0.149	0.351
HSB122A	8/11/2015	URANIUM-235	0.0204	pCi/L	U			0.056	0.137	0.249
HSB122A	8/11/2015	URANIUM-238	0.088	pCi/L	U		21, V	0.089	0.0596	0.237
HSB122A	8/11/2015	GROSS ALPHA	1.38	pCi/L	U			1.29	1.4	3.98
HSB122A	8/11/2015	NONVOLATILE BETA	1.71	pCi/L	U			1.8	2.56	6.16
HSB122A	8/11/2015	STRONTIUM-90	0.864	pCi/L	U			2.25	3.38	7.89
HSB122A	8/11/2015	CARBON-14	2.04	pCi/L	UJ			4.02	6.66	14.7
HSB122A	8/11/2015	NICKEL-63	-1.11	pCi/L	U			3.04	5.27	11.4
HSB122A	8/11/2015	TECHNETIUM-99	-0.922	pCi/L	U			2.58	4.4	9.57
HSB122A	8/11/2015	TRITIUM	-0.0683	pCi/mL	U			0.256	0.454	0.966
HSB122A	8/11/2015	CESIUM-137	-5.92	pCi/L	U			5.13	8.03	18.3
HSB122A	8/11/2015	COBALT-60	-2.33	pCi/L	U			4.51	7.91	16.9
HSB122A	8/11/2015	IODINE-129	-0.0533	pCi/L	U			0.587	1.01	2.18
HSB122A	8/11/2015	RADIUM-226	0.283	pCi/L	U			0.229	0.351	0.809
HSB122A	8/11/2015	RADIUM-228	0.223	pCi/L	U			0.512	0.895	1.92
HSB122A	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0124	pCi/L	U			0.205	0.376	0.786
HSB122A	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB122A	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB122A	11/3/2015	GROSS ALPHA	1.38	pCi/L	U			1.25	1.39	3.88
HSB122A	11/3/2015	NONVOLATILE BETA	0.601	pCi/L	U			1.67	2.6	5.94
HSB122A	11/3/2015	TRITIUM	0.185	pCi/mL	U			0.24	0.395	0.874
HSB122D	1/28/2015	NITRATE-NITRITE AS NITROGEN	4.32	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122D	1/28/2015	ALUMINUM	68.6	ug/L	J				40	400
HSB122D	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB122D	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB122D	1/28/2015	BARIUM	8.57	ug/L	J				2	20
HSB122D	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB122D	1/28/2015	CADMIUM	0.139	ug/L	J				0.1	1
HSB122D	1/28/2015	CHROMIUM	14.8	ug/L	U				10	100
HSB122D	1/28/2015	COBALT	0.906	ug/L	J				0.5	5
HSB122D	1/28/2015	COPPER	3.32	ug/L	J				0.5	5
HSB122D	1/28/2015	LEAD	0.785	ug/L	J				0.5	5
HSB122D	1/28/2015	NICKEL	1.45	ug/L	J				0.5	5
HSB122D	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB122D	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB122D	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB122D	1/28/2015	TIN	10	ug/L	U				1	10
HSB122D	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB122D	1/28/2015	ZINC	4.54	ug/L	J				4	40
HSB122D	1/28/2015	MERCURY	0.0204	ug/L	J		21		0.02	0.2
HSB122D	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB122D	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB122D	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB122D	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB122D	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB122D	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB122D	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB122D	1/28/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122D	1/28/2015	AMERICIUM-241	0.0235	pCi/L	U			0.047	0.0638	0.158
HSB122D	1/28/2015	CURIUM-242	-0.00619	pCi/L	U			0.012	0.117	0.142
HSB122D	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.0628	0.0628
HSB122D	1/28/2015	CURIUM-245/246	0.096	pCi/L	U			0.097	0.0651	0.259
HSB122D	1/28/2015	PLUTONIUM-238	0.0217	pCi/L	U			0.044	0.0589	0.146
HSB122D	1/28/2015	PLUTONIUM-239/240	0.0109	pCi/L	U			0.046	0.13	0.223
HSB122D	1/28/2015	THORIUM-228	0.118	pCi/L	U			0.169	0.325	0.663
HSB122D	1/28/2015	THORIUM-230	0.123	pCi/L	U			0.119	0.131	0.368
HSB122D	1/28/2015	THORIUM-232	0	pCi/L	U			0	0.0701	0.0701
HSB122D	1/28/2015	URANIUM-233/234	0.128	pCi/L	J		21	0.106	0.0576	0.27
HSB122D	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0711	0.0711
HSB122D	1/28/2015	URANIUM-238	0.0425	pCi/L	U			0.06	0.0575	0.178
HSB122D	1/28/2015	GROSS ALPHA	1.6	pCi/L	U			1.76	2.22	5.74
HSB122D	1/28/2015	NONVOLATILE BETA	1.04	pCi/L	U			2.33	3.96	8.61
HSB122D	1/28/2015	STRONTIUM-90	0.13	pCi/L	U			1.92	3.11	6.94
HSB122D	1/28/2015	CARBON-14	1.59	pCi/L	U			4.15	6.9	15.2
HSB122D	1/28/2015	NICKEL-63	2.28	pCi/L	U			2.98	5.05	11
HSB122D	1/28/2015	TECHNETIUM-99	1.36	pCi/L	U			2.67	4.43	9.78
HSB122D	1/28/2015	TRITIUM	63.2	pCi/mL				1.53	0.438	3.49
HSB122D	1/28/2015	CESIUM-137	-3.35	pCi/L	U			6.17	10.3	22.7
HSB122D	1/28/2015	COBALT-60	-1.16	pCi/L	U			6.35	11.4	24.1
HSB122D	1/28/2015	IODINE-129	-0.017	pCi/L	U			0.558	0.968	2.08
HSB122D	1/28/2015	RADIUM-226	2.22	pCi/L				0.499	0.266	1.26
HSB122D	1/28/2015	RADIUM-228	0.405	pCi/L	U			0.355	0.578	1.29
HSB122D	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	0.68	pCi/L	U			1.08	1.91	4.07
HSB122D	4/20/2015	NITRATE-NITRITE AS NITROGEN	4.18	mg/L					0.085	0.25
HSB122D	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB122D	4/20/2015	GROSS ALPHA	3.29	pCi/L	J		21	2.39	2.1	6.89
HSB122D	4/20/2015	NONVOLATILE BETA	2.16	pCi/L	U			2.46	3.8	8.72
HSB122D	4/20/2015	TRITIUM	61.6	pCi/mL				1.47	0.416	3.35
HSB122D	7/29/2015	NITRATE-NITRITE AS NITROGEN	4.3	mg/L					0.085	0.25
HSB122D	7/29/2015	MERCURY	0.0224	ug/L	J		21		0.02	0.2
HSB122D	7/29/2015	GROSS ALPHA	3.08	pCi/L	J		21	1.7	1.32	4.72
HSB122D	7/29/2015	NONVOLATILE BETA	4	pCi/L	J		21	2.09	2.58	6.75
HSB122D	7/29/2015	TRITIUM	62	pCi/mL				1.52	0.455	3.5
HSB122D	11/3/2015	NITRATE-NITRITE AS NITROGEN	4.82	mg/L					0.085	0.25
HSB122D	11/3/2015	MERCURY	0.0201	ug/L	J		21		0.02	0.2
HSB122D	11/3/2015	GROSS ALPHA	1.92	pCi/L	U			1.91	2.25	6.07
HSB122D	11/3/2015	NONVOLATILE BETA	2.64	pCi/L	U			2.72	3.97	9.4
HSB122D	11/3/2015	TRITIUM	60.9	pCi/mL				1.48	0.51	3.46
HSB123A	1/28/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB123A	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB123A	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB123A	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB123A	1/28/2015	BARIUM	43.8	ug/L					2	20
HSB123A	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB123A	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB123A	1/28/2015	CHROMIUM	100	ug/L	U				10	100
HSB123A	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB123A	1/28/2015	COPPER	0.952	ug/L	J				0.5	5
HSB123A	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB123A	1/28/2015	NICKEL	0.79	ug/L	J				0.5	5
HSB123A	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB123A	1/28/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB123A	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB123A	1/28/2015	TIN	10	ug/L	U				1	10
HSB123A	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB123A	1/28/2015	ZINC	40	ug/L	U				4	40
HSB123A	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB123A	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB123A	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB123A	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB123A	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB123A	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB123A	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB123A	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB123A	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB123A	1/28/2015	AMERICIUM-241	-0.00738	pCi/L	U			0.015	0.149	0.178
HSB123A	1/28/2015	CURIUM-242	0.0478	pCi/L	U			0.117	0.245	0.479
HSB123A	1/28/2015	CURIUM-243/244	0.0583	pCi/L	U			0.083	0.0788	0.245
HSB123A	1/28/2015	CURIUM-245/246	0.211	pCi/L	U			0.163	0.0816	0.408
HSB123A	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0643	0.0643
HSB123A	1/28/2015	PLUTONIUM-239/240	-0.0119	pCi/L	U			0.017	0.142	0.176
HSB123A	1/28/2015	THORIUM-228	0.0676	pCi/L	U			0.079	0.0594	0.217
HSB123A	1/28/2015	THORIUM-230	0.0879	pCi/L	U			0.089	0.0595	0.238
HSB123A	1/28/2015	THORIUM-232	-0.011	pCi/L	U			0.016	0.132	0.163
HSB123A	1/28/2015	URANIUM-233/234	0.0196	pCi/L	U			0.054	0.132	0.24
HSB123A	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0873	0.0873
HSB123A	1/28/2015	URANIUM-238	0.0391	pCi/L	U			0.076	0.156	0.309
HSB123A	1/28/2015	GROSS ALPHA	0.88	pCi/L	U			1.46	2.35	5.28

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB123A	1/28/2015	NONVOLATILE BETA	0.85	pCi/L	U			2.29	3.97	8.55
HSB123A	1/28/2015	STRONTIUM-90	0.8	pCi/L	U			1.6	2.97	6.18
HSB123A	1/28/2015	CARBON-14	9.3	pCi/L	J		21	4.83	7.72	17.4
HSB123A	1/28/2015	NICKEL-63	-1.09	pCi/L	U			2.86	4.97	10.7
HSB123A	1/28/2015	TECHNETIUM-99	0.639	pCi/L	U			2.66	4.44	9.76
HSB123A	1/28/2015	TRITIUM	-0.0269	pCi/mL	U			0.256	0.448	0.959
HSB123A	1/28/2015	CESIUM-137	-2.74	pCi/L	U			5.13	8.75	19
HSB123A	1/28/2015	COBALT-60	2.13	pCi/L	U			4.9	9.65	19.4
HSB123A	1/28/2015	IODINE-129	-0.25	pCi/L	U			0.567	0.935	2.07
HSB123A	1/28/2015	RADIUM-226	0.323	pCi/L	U			0.352	0.581	1.29
HSB123A	1/28/2015	RADIUM-228	0.618	pCi/L	U			0.45	0.718	1.62
HSB123A	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0115	pCi/L	U			0.861	1.95	3.67
HSB123A	4/20/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB123A	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB123A	4/20/2015	GROSS ALPHA	-0.275	pCi/L	U			0.417	2.29	3.12
HSB123A	4/20/2015	NONVOLATILE BETA	3.81	pCi/L	J		21	2.75	3.75	9.24
HSB123A	4/20/2015	TRITIUM	0.112	pCi/mL	U			0.243	0.409	0.894
HSB123A	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB123A	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB123A	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB123A	8/11/2015	BARIUM	78.1	ug/L					2	20
HSB123A	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB123A	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB123A	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB123A	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB123A	8/11/2015	COPPER	5	ug/L	U				0.5	5
HSB123A	8/11/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB123A	8/11/2015	NICKEL	5	ug/L	U				0.5	5
HSB123A	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB123A	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB123A	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB123A	8/11/2015	TIN	10	ug/L	U				1	10
HSB123A	8/11/2015	VANADIUM	14.9	ug/L	J		21		5	50
HSB123A	8/11/2015	ZINC	40	ug/L	U				4	40
HSB123A	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB123A	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB123A	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB123A	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB123A	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB123A	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB123A	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB123A	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB123A	8/11/2015	AMERICIUM-241	0	pCi/L	U		V	0	0.06	0.06
HSB123A	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0591	0.0591
HSB123A	8/11/2015	CURIUM-243/244	-0.00547	pCi/L	U			0.011	0.11	0.132
HSB123A	8/11/2015	CURIUM-245/246	0.113	pCi/L	U		21, V	0.102	0.0612	0.266
HSB123A	8/11/2015	PLUTONIUM-238	-0.0132	pCi/L	U			0.019	0.158	0.196
HSB123A	8/11/2015	PLUTONIUM-239/240	0.0264	pCi/L	U			0.053	0.0715	0.177
HSB123A	8/11/2015	THORIUM-228	0.0246	pCi/L	U			0.049	0.0652	0.164
HSB123A	8/11/2015	THORIUM-230	0.283	pCi/L	U		21, V	0.173	0.121	0.467
HSB123A	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0652	0.0652
HSB123A	8/11/2015	URANIUM-233/234	0.0129	pCi/L	U		V	0.055	0.155	0.264
HSB123A	8/11/2015	URANIUM-235	-0.00796	pCi/L	U			0.016	0.16	0.192

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB123A	8/11/2015	URANIUM-238	0.0644	pCi/L	U		V	0.092	0.155	0.338
HSB123A	8/11/2015	GROSS ALPHA	1.59	pCi/L	J		21	1.35	1.39	4.1
HSB123A	8/11/2015	NONVOLATILE BETA	3.86	pCi/L	J		21	2.07	2.56	6.7
HSB123A	8/11/2015	STRONTIUM-90	0.126	pCi/L	U			2.03	3.26	7.32
HSB123A	8/11/2015	CARBON-14	2.7	pCi/L	UJ			4.03	6.65	14.7
HSB123A	8/11/2015	NICKEL-63	0.181	pCi/L	U			3.08	5.27	11.4
HSB123A	8/11/2015	TECHNETIUM-99	-1.56	pCi/L	U			2.59	4.44	9.63
HSB123A	8/11/2015	TRITIUM	-0.0282	pCi/mL	U			0.263	0.462	0.989
HSB123A	8/11/2015	CESIUM-137	-1.8	pCi/L	U			5.06	8.79	18.9
HSB123A	8/11/2015	COBALT-60	-2.41	pCi/L	U			4.46	7.8	16.7
HSB123A	8/11/2015	IODINE-129	0.118	pCi/L	U			0.698	1.03	2.43
HSB123A	8/11/2015	RADIUM-226	0.955	pCi/L	J		21	0.32	0.336	0.976
HSB123A	8/11/2015	RADIUM-228	1.69	pCi/L				0.457	0.473	1.39
HSB123A	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.392	pCi/L	U			0.305	0.494	1.1
HSB123A	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB123A	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB123A	11/3/2015	GROSS ALPHA	0.763	pCi/L	U			1.03	1.42	3.48
HSB123A	11/3/2015	NONVOLATILE BETA	1.72	pCi/L	U			1.82	2.6	6.24
HSB123A	11/3/2015	TRITIUM	0.0597	pCi/mL	U			0.23	0.393	0.852
HSB124AR	1/28/2015	NITRATE-NITRITE AS NITROGEN	0.0228	mg/L	J		21		0.017	0.05
HSB124AR	1/28/2015	ALUMINUM	400	ug/L	U				40	400
HSB124AR	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB124AR	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB124AR	1/28/2015	BARIUM	31.5	ug/L					2	20
HSB124AR	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB124AR	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB124AR	1/28/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB124AR	1/28/2015	COBALT	5	ug/L	U				0.5	5
HSB124AR	1/28/2015	COPPER	15.9	ug/L					0.5	5
HSB124AR	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB124AR	1/28/2015	NICKEL	1.31	ug/L	J				0.5	5
HSB124AR	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB124AR	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB124AR	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB124AR	1/28/2015	TIN	10	ug/L	U				1	10
HSB124AR	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB124AR	1/28/2015	ZINC	40	ug/L	U				4	40
HSB124AR	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB124AR	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB124AR	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB124AR	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB124AR	1/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB124AR	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB124AR	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB124AR	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB124AR	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB124AR	1/28/2015	AMERICIUM-241	0.0405	pCi/L	U			0.067	0.117	0.25
HSB124AR	1/28/2015	CURIUM-242	0.0312	pCi/L	U			0.074	0.154	0.302
HSB124AR	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.0618	0.0618
HSB124AR	1/28/2015	CURIUM-245/246	0.0945	pCi/L	U			0.096	0.064	0.255
HSB124AR	1/28/2015	PLUTONIUM-238	0.0243	pCi/L	U			0.049	0.0658	0.163
HSB124AR	1/28/2015	PLUTONIUM-239/240	0.0182	pCi/L	U			0.05	0.122	0.223
HSB124AR	1/28/2015	THORIUM-228	0.0671	pCi/L	U			0.086	0.12	0.292

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB124AR	1/28/2015	THORIUM-230	0.131	pCi/L	U			0.12	0.143	0.382
HSB124AR	1/28/2015	THORIUM-232	0.0238	pCi/L	U			0.048	0.0644	0.16
HSB124AR	1/28/2015	URANIUM-233/234	0.0867	pCi/L	U			0.11	0.18	0.4
HSB124AR	1/28/2015	URANIUM-235	0.0329	pCi/L	U			0.066	0.0892	0.221
HSB124AR	1/28/2015	URANIUM-238	0.02	pCi/L	U			0.055	0.134	0.244
HSB124AR	1/28/2015	GROSS ALPHA	1.7	pCi/L	U			1.87	2.35	6.09
HSB124AR	1/28/2015	NONVOLATILE BETA	2.45	pCi/L	U			2.61	3.99	9.2
HSB124AR	1/28/2015	STRONTIUM-90	1.8	pCi/L	U			1.76	2.96	6.49
HSB124AR	1/28/2015	CARBON-14	11.3	pCi/L	J		21	4.41	6.95	15.8
HSB124AR	1/28/2015	NICKEL-63	0.276	pCi/L	U			2.86	4.84	10.6
HSB124AR	1/28/2015	TECHNETIUM-99	-1.59	pCi/L	U			2.61	4.47	9.68
HSB124AR	1/28/2015	TRITIUM	-0.0321	pCi/mL	U			0.254	0.445	0.953
HSB124AR	1/28/2015	CESIUM-137	-0.586	pCi/L	U			4.97	8.87	18.8
HSB124AR	1/28/2015	COBALT-60	0.00821	pCi/L	U			4.25	8.11	16.6
HSB124AR	1/28/2015	IODINE-129	0.0783	pCi/L	U			0.683	0.98	2.34
HSB124AR	1/28/2015	RADIUM-226	0.525	pCi/L	J		21	0.333	0.471	1.14
HSB124AR	1/28/2015	RADIUM-228	0.43	pCi/L	U			0.329	0.521	1.18
HSB124AR	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0804	pCi/L	U			0.959	2	3.92
HSB124AR	4/20/2015	NITRATE-NITRITE AS NITROGEN	0.0178	mg/L	J		21		0.017	0.05
HSB124AR	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB124AR	4/20/2015	GROSS ALPHA	0.999	pCi/L	U			1.53	2.27	5.32
HSB124AR	4/20/2015	NONVOLATILE BETA	3.74	pCi/L	U			2.74	3.77	9.26
HSB124AR	4/20/2015	TRITIUM	0.0585	pCi/mL	U			0.238	0.407	0.884
HSB124AR	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.0282	mg/L	J		21		0.017	0.05
HSB124AR	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB124AR	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB124AR	8/11/2015	BARIUM	28.4	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB124AR	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB124AR	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB124AR	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB124AR	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB124AR	8/11/2015	COPPER	5	ug/L	U				0.5	5
HSB124AR	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB124AR	8/11/2015	NICKEL	0.563	ug/L	J		21		0.5	5
HSB124AR	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB124AR	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB124AR	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB124AR	8/11/2015	TIN	10	ug/L	U				1	10
HSB124AR	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB124AR	8/11/2015	ZINC	4.17	ug/L	J		21		4	40
HSB124AR	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB124AR	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB124AR	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB124AR	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB124AR	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB124AR	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB124AR	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB124AR	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB124AR	8/11/2015	AMERICIUM-241	0.0226	pCi/L	U		V	0.045	0.0613	0.152
HSB124AR	8/11/2015	CURIUM-242	0.0243	pCi/L	U			0.049	0.0604	0.158
HSB124AR	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0604	0.0604
HSB124AR	8/11/2015	CURIUM-245/246	0.254	pCi/L	U		21, V	0.157	0.0625	0.377
HSB124AR	8/11/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0634	0.0634

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB124AR	8/11/2015	PLUTONIUM-239/240	0.0234	pCi/L	U			0.047	0.0634	0.157
HSB124AR	8/11/2015	THORIUM-228	0	pCi/L	U			0	0.059	0.059
HSB124AR	8/11/2015	THORIUM-230	0.191	pCi/L	U		21, V	0.134	0.11	0.379
HSB124AR	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.059	0.059
HSB124AR	8/11/2015	URANIUM-233/234	0.0804	pCi/L	U		V	0.093	0.148	0.334
HSB124AR	8/11/2015	URANIUM-235	-0.0062	pCi/L	U			0.012	0.125	0.15
HSB124AR	8/11/2015	URANIUM-238	0.0602	pCi/L	U		21, V	0.07	0.0544	0.194
HSB124AR	8/11/2015	GROSS ALPHA	1.18	pCi/L	U			1.23	1.41	3.86
HSB124AR	8/11/2015	NONVOLATILE BETA	4.37	pCi/L	J		21	2.13	2.56	6.81
HSB124AR	8/11/2015	STRONTIUM-90	-0.582	pCi/L	U			1.98	3.26	7.22
HSB124AR	8/11/2015	CARBON-14	1.74	pCi/L	U			4.18	6.94	15.3
HSB124AR	8/11/2015	NICKEL-63	-1.86	pCi/L	U			3.02	5.27	11.3
HSB124AR	8/11/2015	TECHNETIUM-99	2.35	pCi/L	U			2.7	4.43	9.83
HSB124AR	8/11/2015	TRITIUM	-0.169	pCi/mL	U			0.26	0.471	0.991
HSB124AR	8/11/2015	CESIUM-137	3.85	pCi/L	U			5.25	9.98	20.5
HSB124AR	8/11/2015	COBALT-60	-0.979	pCi/L	U			4.62	8.46	17.7
HSB124AR	8/11/2015	IODINE-129	1.07	pCi/L	J		21	0.805	1.06	2.67
HSB124AR	8/11/2015	RADIUM-226	0.586	pCi/L	J		21	0.272	0.338	0.882
HSB124AR	8/11/2015	RADIUM-228	0.077	pCi/L	U			0.36	0.649	1.37
HSB124AR	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.3	pCi/L	U			0.281	0.552	1.11
HSB124AR	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.0174	mg/L	J		21		0.017	0.05
HSB124AR	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB124AR	11/5/2015	GROSS ALPHA	1.16	pCi/L	U			1.14	1.4	3.67
HSB124AR	11/5/2015	NONVOLATILE BETA	2.57	pCi/L	U			2.08	2.92	7.09
HSB124AR	11/5/2015	TRITIUM	-0.136	pCi/mL	U			0.261	0.469	0.99
HSB126C	1/28/2015	NITRATE-NITRITE AS NITROGEN	22.2	mg/L					0.85	2.5
HSB126C	1/28/2015	ALUMINUM	400	ug/L	U				40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126C	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB126C	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB126C	1/28/2015	BARIUM	50.6	ug/L					2	20
HSB126C	1/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB126C	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB126C	1/28/2015	CHROMIUM	13.4	ug/L	U				10	100
HSB126C	1/28/2015	COBALT	2.8	ug/L	J				0.5	5
HSB126C	1/28/2015	COPPER	2.69	ug/L	J				0.5	5
HSB126C	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB126C	1/28/2015	NICKEL	2.23	ug/L	J				0.5	5
HSB126C	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB126C	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB126C	1/28/2015	THALLIUM	1	ug/L	U				0.1	1
HSB126C	1/28/2015	TIN	10	ug/L	U				1	10
HSB126C	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB126C	1/28/2015	ZINC	40	ug/L	U				4	40
HSB126C	1/28/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB126C	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB126C	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB126C	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB126C	1/28/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L					0.3	1
HSB126C	1/28/2015	TRICHLOROETHYLENE (TCE)	0.6	ug/L	J		21		0.3	1
HSB126C	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB126C	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB126C	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB126C	1/28/2015	AMERICIUM-241	0.0283	pCi/L	U			0.057	0.0767	0.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126C	1/28/2015	CURIUM-242	-0.00762	pCi/L	U			0.015	0.14	0.171
HSB126C	1/28/2015	CURIUM-243/244	0.0279	pCi/L	U			0.056	0.0755	0.188
HSB126C	1/28/2015	CURIUM-245/246	0.0865	pCi/L	U			0.101	0.0782	0.28
HSB126C	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0628	0.0628
HSB126C	1/28/2015	PLUTONIUM-239/240	-0.00582	pCi/L	U			0.012	0.117	0.14
HSB126C	1/28/2015	THORIUM-228	0	pCi/L	U			0	0.0513	0.0513
HSB126C	1/28/2015	THORIUM-230	0.0758	pCi/L	U			0.077	0.0514	0.205
HSB126C	1/28/2015	THORIUM-232	0.0946	pCi/L	J		21	0.086	0.0513	0.223
HSB126C	1/28/2015	URANIUM-233/234	0.0555	pCi/L	U			0.079	0.0753	0.233
HSB126C	1/28/2015	URANIUM-235	0	pCi/L	U			0	0.0928	0.0928
HSB126C	1/28/2015	URANIUM-238	0.0762	pCi/L	U			0.098	0.14	0.335
HSB126C	1/28/2015	GROSS ALPHA	-0.362	pCi/L	U			0.369	2.43	3.17
HSB126C	1/28/2015	NONVOLATILE BETA	10.4	pCi/L	J		21	3.77	3.95	11.5
HSB126C	1/28/2015	STRONTIUM-90	0.714	pCi/L	U			1.68	2.97	6.32
HSB126C	1/28/2015	CARBON-14	2.14	pCi/L	U			4.18	6.92	15.3
HSB126C	1/28/2015	NICKEL-63	2.68	pCi/L	U			3.01	5.16	11.2
HSB126C	1/28/2015	TECHNETIUM-99	12.1	pCi/L				2.98	4.45	10.4
HSB126C	1/28/2015	TRITIUM	309	pCi/mL				3.35	0.441	7.15
HSB126C	1/28/2015	CESIUM-137	0.352	pCi/L	U			5.6	10.1	21.3
HSB126C	1/28/2015	COBALT-60	2.59	pCi/L	U			5.29	10.6	21.2
HSB126C	1/28/2015	IODINE-129	0.879	pCi/L	U			0.894	0.98	2.77
HSB126C	1/28/2015	RADIUM-226	0.605	pCi/L	J		21	0.295	0.338	0.928
HSB126C	1/28/2015	RADIUM-228	0.396	pCi/L	U			0.407	0.678	1.49
HSB126C	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.626	pCi/L	U			0.798	1.97	3.57
HSB126C	4/20/2015	NITRATE-NITRITE AS NITROGEN	23.8	mg/L					1.7	5
HSB126C	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB126C	4/20/2015	GROSS ALPHA	0.592	pCi/L	U			1.32	2.37	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126C	4/20/2015	NONVOLATILE BETA	11.3	pCi/L	J		21	3.85	3.78	11.5
HSB126C	4/20/2015	TRITIUM	328	pCi/mL				3.33	0.41	7.07
HSB126C	7/29/2015	NITRATE-NITRITE AS NITROGEN	23.4	mg/L					0.425	1.25
HSB126C	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB126C	7/29/2015	GROSS ALPHA	0.454	pCi/L	U			1.28	2.56	5.13
HSB126C	7/29/2015	NONVOLATILE BETA	4.77	pCi/L	J		21	3.12	4.21	10.5
HSB126C	7/29/2015	TRITIUM	322	pCi/mL				3.43	0.454	7.31
HSB126C	11/5/2015	NITRATE-NITRITE AS NITROGEN	18.4	mg/L					0.85	2.5
HSB126C	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB126C	11/5/2015	GROSS ALPHA	0.762	pCi/L	U			1	1.46	3.47
HSB126C	11/5/2015	NONVOLATILE BETA	7.48	pCi/L	J		21	2.58	2.89	8.05
HSB126C	11/5/2015	TRITIUM	311	pCi/mL				3.04	0.509	6.6
HSB126D	1/28/2015	NITRATE-NITRITE AS NITROGEN	13.2	mg/L					0.17	0.5
HSB126D	1/28/2015	ALUMINUM	460	ug/L					40	400
HSB126D	1/28/2015	ANTIMONY	10	ug/L	U				1	10
HSB126D	1/28/2015	ARSENIC	50	ug/L	U				5	50
HSB126D	1/28/2015	BARIUM	18	ug/L	J				2	20
HSB126D	1/28/2015	BERYLLIUM	0.12	ug/L	J				0.1	1
HSB126D	1/28/2015	CADMIUM	1	ug/L	U				0.1	1
HSB126D	1/28/2015	CHROMIUM	13.2	ug/L	U				10	100
HSB126D	1/28/2015	COBALT	1.07	ug/L	J				0.5	5
HSB126D	1/28/2015	COPPER	4.83	ug/L	J				0.5	5
HSB126D	1/28/2015	LEAD	5	ug/L	U				0.5	5
HSB126D	1/28/2015	NICKEL	1.32	ug/L	J				0.5	5
HSB126D	1/28/2015	SELENIUM	20	ug/L	U				2	20
HSB126D	1/28/2015	SILVER	5	ug/L	U				0.5	5
HSB126D	1/28/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126D	1/28/2015	TIN	10	ug/L	U				1	10
HSB126D	1/28/2015	VANADIUM	50	ug/L	U				5	50
HSB126D	1/28/2015	ZINC	4.09	ug/L	J				4	40
HSB126D	1/28/2015	MERCURY	2.17	ug/L					0.02	0.2
HSB126D	1/28/2015	BENZENE	1	ug/L	U				0.3	1
HSB126D	1/28/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB126D	1/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB126D	1/28/2015	TETRACHLOROETHYLENE (PCE)	0.5	ug/L	J		21		0.3	1
HSB126D	1/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB126D	1/28/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB126D	1/28/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB126D	1/28/2015	CYANIDE	5	ug/L	U				1.67	5
HSB126D	1/28/2015	AMERICIUM-241	0.0811	pCi/L	U			0.095	0.0732	0.262
HSB126D	1/28/2015	CURIUM-242	-0.051	pCi/L	U			0.039	0.236	0.315
HSB126D	1/28/2015	CURIUM-243/244	0	pCi/L	U			0	0.0721	0.0721
HSB126D	1/28/2015	CURIUM-245/246	0.0758	pCi/L	U			0.097	0.139	0.333
HSB126D	1/28/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0634	0.0634
HSB126D	1/28/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0634	0.0634
HSB126D	1/28/2015	THORIUM-228	0.0698	pCi/L	U			0.081	0.0614	0.224
HSB126D	1/28/2015	THORIUM-230	0.136	pCi/L	U			0.113	0.0615	0.288
HSB126D	1/28/2015	THORIUM-232	0.0226	pCi/L	U			0.045	0.0614	0.152
HSB126D	1/28/2015	URANIUM-233/234	0	pCi/L	U			0	0.0721	0.0721
HSB126D	1/28/2015	URANIUM-235	-0.0165	pCi/L	U			0.023	0.197	0.244
HSB126D	1/28/2015	URANIUM-238	0.0531	pCi/L	U			0.076	0.0719	0.223
HSB126D	1/28/2015	GROSS ALPHA	0.452	pCi/L	U			1.17	2.28	4.62
HSB126D	1/28/2015	NONVOLATILE BETA	7.92	pCi/L	J		21	3.44	3.94	10.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126D	1/28/2015	STRONTIUM-90	-0.172	pCi/L	U			1.53	2.96	6.01
HSB126D	1/28/2015	CARBON-14	2.8	pCi/L	U			4.19	6.92	15.3
HSB126D	1/28/2015	NICKEL-63	-0.382	pCi/L	U			2.89	5.02	10.8
HSB126D	1/28/2015	TECHNETIUM-99	8.54	pCi/L	J		21	2.92	4.51	10.4
HSB126D	1/28/2015	TRITIUM	286	pCi/mL				3.2	0.443	6.83
HSB126D	1/28/2015	CESIUM-137	-2.56	pCi/L	U			4.65	7.92	17.2
HSB126D	1/28/2015	COBALT-60	2.79	pCi/L	U			4.41	9.02	17.8
HSB126D	1/28/2015	IODINE-129	2.51	pCi/L	J		21	1.02	1.01	3.06
HSB126D	1/28/2015	RADIUM-226	0.69	pCi/L	J		21	0.406	0.557	1.37
HSB126D	1/28/2015	RADIUM-228	0.48	pCi/L	U		21, V	0.288	0.421	0.997
HSB126D	1/28/2015	RADIUM, TOTAL ALPHA-EMITTING	1.03	pCi/L	U			1.17	1.89	4.23
HSB126D	4/20/2015	NITRATE-NITRITE AS NITROGEN	11.3	mg/L					0.425	1.25
HSB126D	4/20/2015	MERCURY	2.11	ug/L					0.02	0.2
HSB126D	4/20/2015	GROSS ALPHA	2.98	pCi/L	J		21	2.32	2.17	6.81
HSB126D	4/20/2015	NONVOLATILE BETA	5.3	pCi/L	J		21	3.01	3.8	9.83
HSB126D	4/20/2015	TRITIUM	238	pCi/mL				2.82	0.405	6.05
HSB126D	8/11/2015	NITRATE-NITRITE AS NITROGEN	10.6	mg/L					0.17	0.5
HSB126D	8/11/2015	ALUMINUM	107	ug/L	J		21		40	400
HSB126D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB126D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB126D	8/11/2015	BARIUM	26.9	ug/L					2	20
HSB126D	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB126D	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB126D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB126D	8/11/2015	COBALT	0.653	ug/L	J		21		0.5	5
HSB126D	8/11/2015	COPPER	5.23	ug/L					0.5	5
HSB126D	8/11/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126D	8/11/2015	NICKEL	0.977	ug/L	J		21		0.5	5
HSB126D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB126D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB126D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB126D	8/11/2015	TIN	10	ug/L	U				1	10
HSB126D	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB126D	8/11/2015	ZINC	5.23	ug/L	J		21		4	40
HSB126D	8/11/2015	MERCURY	2.22	ug/L					0.02	0.2
HSB126D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB126D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB126D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB126D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB126D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB126D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB126D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB126D	8/11/2015	AMERICIUM-241	0.0671	pCi/L	U		21, V	0.078	0.0606	0.217
HSB126D	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0597	0.0597
HSB126D	8/11/2015	CURIUM-243/244	0.0221	pCi/L	U			0.044	0.0597	0.148
HSB126D	8/11/2015	CURIUM-245/246	0.16	pCi/L	U		21, V	0.123	0.0618	0.307
HSB126D	8/11/2015	PLUTONIUM-238	0.0272	pCi/L	U		V	0.065	0.147	0.276
HSB126D	8/11/2015	PLUTONIUM-239/240	0.0272	pCi/L	U		V	0.065	0.147	0.275
HSB126D	8/11/2015	THORIUM-228	0.13	pCi/L	U			0.118	0.138	0.375
HSB126D	8/11/2015	THORIUM-230	0.63	pCi/L	J		21, V	0.264	0.156	0.683
HSB126D	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0625	0.0625
HSB126D	8/11/2015	URANIUM-233/234	0.058	pCi/L	U		V	0.074	0.106	0.255
HSB126D	8/11/2015	URANIUM-235	-0.00651	pCi/L	U			0.013	0.131	0.157

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB126D	8/11/2015	URANIUM-238	0.0368	pCi/L	U		V	0.061	0.106	0.227
HSB126D	8/11/2015	GROSS ALPHA	2.03	pCi/L	U			2.01	2.4	6.42
HSB126D	8/11/2015	NONVOLATILE BETA	8.83	pCi/L	J		21	3.76	4.4	11.9
HSB126D	8/11/2015	STRONTIUM-90	1.93	pCi/L	U			2.02	3.29	7.33
HSB126D	8/11/2015	CARBON-14	22.8	pCi/L				4.7	6.99	16.4
HSB126D	8/11/2015	NICKEL-63	-0.776	pCi/L	U			3.06	5.26	11.4
HSB126D	8/11/2015	TECHNETIUM-99	10	pCi/L	J		21	2.92	4.45	10.3
HSB126D	8/11/2015	TRITIUM	235	pCi/mL				2.94	0.472	6.35
HSB126D	8/11/2015	CESIUM-137	0.504	pCi/L	U			4.72	8.63	18.1
HSB126D	8/11/2015	COBALT-60	-0.509	pCi/L	U			4.03	7.57	15.6
HSB126D	8/11/2015	IODINE-129	1.31	pCi/L	J		21	1.09	1.06	3.25
HSB126D	8/11/2015	RADIUM-226	0.414	pCi/L	J		21	0.235	0.319	0.789
HSB126D	8/11/2015	RADIUM-228	1.77	pCi/L	J		21	0.584	0.796	1.96
HSB126D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0528	pCi/L	U			0.203	0.38	0.786
HSB126D	11/3/2015	NITRATE-NITRITE AS NITROGEN	11.4	mg/L					0.85	2.5
HSB126D	11/3/2015	MERCURY	1.76	ug/L					0.02	0.2
HSB126D	11/3/2015	GROSS ALPHA	1.54	pCi/L	J		21	1.28	1.35	3.91
HSB126D	11/3/2015	NONVOLATILE BETA	4.67	pCi/L	J		21	2.18	2.6	6.95
HSB126D	11/3/2015	TRITIUM	228	pCi/mL				2.6	0.506	5.71
HSB127C	1/29/2015	NITRATE-NITRITE AS NITROGEN	8.87	mg/L					0.17	0.5
HSB127C	1/29/2015	ALUMINUM	400	ug/L	U				40	400
HSB127C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB127C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB127C	1/29/2015	BARIUM	16.2	ug/L	J				2	20
HSB127C	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB127C	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB127C	1/29/2015	CHROMIUM	11.3	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127C	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB127C	1/29/2015	COPPER	2.84	ug/L	J				0.5	5
HSB127C	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB127C	1/29/2015	NICKEL	1.24	ug/L	J				0.5	5
HSB127C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB127C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB127C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB127C	1/29/2015	TIN	10	ug/L	U				1	10
HSB127C	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB127C	1/29/2015	ZINC	40	ug/L	U				4	40
HSB127C	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB127C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB127C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB127C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB127C	1/29/2015	TETRACHLOROETHYLENE (PCE)	2.62	ug/L					0.3	1
HSB127C	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB127C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB127C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB127C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB127C	1/29/2015	AMERICIUM-241	0.0604	pCi/L	U			0.086	0.0818	0.254
HSB127C	1/29/2015	CURIUM-242	0.0243	pCi/L	U			0.099	0.235	0.433
HSB127C	1/29/2015	CURIUM-243/244	0.0894	pCi/L	U			0.104	0.0806	0.289
HSB127C	1/29/2015	CURIUM-245/246	0.154	pCi/L	U			0.14	0.0834	0.363
HSB127C	1/29/2015	PLUTONIUM-238	0.0181	pCi/L	U			0.05	0.122	0.222
HSB127C	1/29/2015	PLUTONIUM-239/240	0.006	pCi/L	U			0.053	0.163	0.268
HSB127C	1/29/2015	THORIUM-228	0.0117	pCi/L	U			0.05	0.137	0.236

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127C	1/29/2015	THORIUM-230	0.108	pCi/L	U			0.104	0.115	0.324
HSB127C	1/29/2015	THORIUM-232	-0.0057	pCi/L	U			0.011	0.115	0.138
HSB127C	1/29/2015	URANIUM-233/234	0.0713	pCi/L	U			0.092	0.131	0.314
HSB127C	1/29/2015	URANIUM-235	0.032	pCi/L	U			0.064	0.0867	0.215
HSB127C	1/29/2015	URANIUM-238	0.0518	pCi/L	U			0.074	0.0702	0.218
HSB127C	1/29/2015	GROSS ALPHA	0.869	pCi/L	UJ			1.45	2.33	5.22
HSB127C	1/29/2015	NONVOLATILE BETA	5.79	pCi/L	J		21	3.14	3.96	10.3
HSB127C	1/29/2015	STRONTIUM-90	0.635	pCi/L	U			1.49	2.97	5.95
HSB127C	1/29/2015	CARBON-14	4.45	pCi/L	U			4.28	6.99	15.5
HSB127C	1/29/2015	NICKEL-63	3.16	pCi/L	U			3.07	4.98	11.1
HSB127C	1/29/2015	TECHNETIUM-99	12.6	pCi/L				2.98	4.42	10.4
HSB127C	1/29/2015	TRITIUM	264	pCi/mL				3.09	0.45	6.64
HSB127C	1/29/2015	CESIUM-137	0.27	pCi/L	U			6.08	10.9	23.1
HSB127C	1/29/2015	COBALT-60	-4.49	pCi/L	U			5.56	8.97	20.1
HSB127C	1/29/2015	IODINE-129	0.895	pCi/L	U			0.639	0.993	2.27
HSB127C	1/29/2015	RADIUM-226	0.323	pCi/L	U			0.388	0.653	1.43
HSB127C	1/29/2015	RADIUM-228	3.63	pCi/L				0.7	0.769	2.17
HSB127C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.528	pCi/L	U			0.673	1.12	2.47
HSB127C	4/21/2015	NITRATE-NITRITE AS NITROGEN	7.7	mg/L					0.425	1.25
HSB127C	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB127C	4/21/2015	GROSS ALPHA	0.983	pCi/L	U			1.47	2.23	5.17
HSB127C	4/21/2015	NONVOLATILE BETA	7.29	pCi/L	J		21	3.49	4.25	11.2
HSB127C	4/21/2015	TRITIUM	261	pCi/mL				3.06	0.42	6.54
HSB127C	7/29/2015	NITRATE-NITRITE AS NITROGEN	8.24	mg/L					0.17	0.5
HSB127C	7/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB127C	7/29/2015	GROSS ALPHA	2.12	pCi/L	U			2.1	2.51	6.71
HSB127C	7/29/2015	NONVOLATILE BETA	8.88	pCi/L	J		21	3.77	4.41	12

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127C	7/29/2015	TRITIUM	258	pCi/mL				3.07	0.454	6.59
HSB127C	11/3/2015	NITRATE-NITRITE AS NITROGEN	7.3	mg/L					0.85	2.5
HSB127C	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB127C	11/3/2015	GROSS ALPHA	1.17	pCi/L	U			1.18	1.4	3.75
HSB127C	11/3/2015	NONVOLATILE BETA	4.95	pCi/L	J		21	2.21	2.6	7.02
HSB127C	11/3/2015	TRITIUM	268	pCi/mL				2.83	0.508	6.17
HSB127D	1/29/2015	NITRATE-NITRITE AS NITROGEN	6.82	mg/L					0.17	0.5
HSB127D	1/29/2015	ALUMINUM	72	ug/L	J				40	400
HSB127D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB127D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB127D	1/29/2015	BARIUM	12.7	ug/L	J				2	20
HSB127D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB127D	1/29/2015	CADMIUM	0.375	ug/L	J				0.1	1
HSB127D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB127D	1/29/2015	COBALT	3.27	ug/L	J				0.5	5
HSB127D	1/29/2015	COPPER	0.555	ug/L	J				0.5	5
HSB127D	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB127D	1/29/2015	NICKEL	4.03	ug/L	J				0.5	5
HSB127D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB127D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB127D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB127D	1/29/2015	TIN	10	ug/L	U				1	10
HSB127D	1/29/2015	VANADIUM	15.6	ug/L	J				5	50
HSB127D	1/29/2015	ZINC	6.02	ug/L	J				4	40
HSB127D	1/29/2015	MERCURY	4.68	ug/L					0.02	0.2
HSB127D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB127D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB127D	1/29/2015	TETRACHLOROETHYLENE (PCE)	0.34	ug/L	J		21		0.3	1
HSB127D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB127D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB127D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB127D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB127D	1/29/2015	AMERICIUM-241	0	pCi/L	U			0	0.0618	0.0618
HSB127D	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0608	0.0608
HSB127D	1/29/2015	CURIUM-243/244	0.0225	pCi/L	U			0.045	0.0608	0.151
HSB127D	1/29/2015	CURIUM-245/246	0.256	pCi/L	U			0.159	0.063	0.38
HSB127D	1/29/2015	PLUTONIUM-238	0.0202	pCi/L	U			0.041	0.0546	0.136
HSB127D	1/29/2015	PLUTONIUM-239/240	-0.00504	pCi/L	U			0.01	0.101	0.122
HSB127D	1/29/2015	THORIUM-228	0.0397	pCi/L	U			0.118	0.273	0.509
HSB127D	1/29/2015	THORIUM-230	0.146	pCi/L	U			0.141	0.155	0.437
HSB127D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0834	0.0834
HSB127D	1/29/2015	URANIUM-233/234	1.3	pCi/L				0.443	0.143	1.03
HSB127D	1/29/2015	URANIUM-235	-0.00875	pCi/L	U			0.018	0.176	0.211
HSB127D	1/29/2015	URANIUM-238	0.113	pCi/L	J		21	0.115	0.0767	0.306
HSB127D	1/29/2015	GROSS ALPHA	4.75	pCi/L	J		21	2.89	2.42	8.21
HSB127D	1/29/2015	NONVOLATILE BETA	143	pCi/L				12.1	3.86	28.1
HSB127D	1/29/2015	STRONTIUM-90	71.6	pCi/L				10.4	3.11	23.8
HSB127D	1/29/2015	CARBON-14	51.6	pCi/L	J			5.26	7	17.5
HSB127D	1/29/2015	NICKEL-63	11	pCi/L	J		21	3.75	6.04	13.5
HSB127D	1/29/2015	TECHNETIUM-99	7.53	pCi/L	J		21	2.78	4.31	9.87
HSB127D	1/29/2015	TRITIUM	171	pCi/mL				2.48	0.387	5.36
HSB127D	1/29/2015	CESIUM-137	-2.58	pCi/L	U			5.2	8.9	19.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127D	1/29/2015	COBALT-60	-0.823	pCi/L	U			5.22	9.55	20
HSB127D	1/29/2015	IODINE-129	3.03	pCi/L	J		21	1.71	0.937	4.35
HSB127D	1/29/2015	RADIUM-226	2	pCi/L	J		21	0.71	0.768	2.19
HSB127D	1/29/2015	RADIUM-228	0.64	pCi/L	U			0.51	0.829	1.85
HSB127D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.872	pCi/L	U			0.786	1.09	2.66
HSB127D	4/20/2015	NITRATE-NITRITE AS NITROGEN	5.15	mg/L					0.425	1.25
HSB127D	4/20/2015	MERCURY	2.9	ug/L					0.02	0.2
HSB127D	4/20/2015	GROSS ALPHA	3.63	pCi/L	J		21	2.54	2.29	7.37
HSB127D	4/20/2015	NONVOLATILE BETA	135	pCi/L				11.8	3.81	27.3
HSB127D	4/20/2015	TRITIUM	145	pCi/mL				2.21	0.405	4.82
HSB127D	8/11/2015	NITRATE-NITRITE AS NITROGEN	4.54	mg/L					0.085	0.25
HSB127D	8/11/2015	ALUMINUM	395	ug/L	J		21		40	400
HSB127D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB127D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB127D	8/11/2015	BARIUM	9.64	ug/L	J		21		2	20
HSB127D	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB127D	8/11/2015	CADMIUM	0.386	ug/L	J		21		0.1	1
HSB127D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB127D	8/11/2015	COBALT	4.28	ug/L	J		21		0.5	5
HSB127D	8/11/2015	COPPER	0.611	ug/L	J		21		0.5	5
HSB127D	8/11/2015	LEAD	5	ug/L	U				0.5	5
HSB127D	8/11/2015	NICKEL	3.06	ug/L	J		21		0.5	5
HSB127D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB127D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB127D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB127D	8/11/2015	TIN	10	ug/L	U				1	10
HSB127D	8/11/2015	VANADIUM	16.8	ug/L	J		21		5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127D	8/11/2015	ZINC	7.13	ug/L	J		21		4	40
HSB127D	8/11/2015	MERCURY	4.83	ug/L					0.02	0.2
HSB127D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB127D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB127D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB127D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB127D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB127D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB127D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB127D	8/11/2015	AMERICIUM-241	0.0492	pCi/L	U		V	0.07	0.0667	0.207
HSB127D	8/11/2015	CURIUM-242	0.106	pCi/L	J		21	0.107	0.0657	0.28
HSB127D	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0657	0.0657
HSB127D	8/11/2015	CURIUM-245/246	0.226	pCi/L	U		21, V	0.154	0.068	0.376
HSB127D	8/11/2015	PLUTONIUM-238	-0.00514	pCi/L	U			0.01	0.103	0.124
HSB127D	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0556	0.0556
HSB127D	8/11/2015	THORIUM-228	0	pCi/L	U			0	0.0563	0.0563
HSB127D	8/11/2015	THORIUM-230	0.27	pCi/L	U		21, V	0.155	0.0563	0.367
HSB127D	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0562	0.0562
HSB127D	8/11/2015	URANIUM-233/234	0.33	pCi/L	J		21, V	0.187	0.121	0.494
HSB127D	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0803	0.0803
HSB127D	8/11/2015	URANIUM-238	0.06	pCi/L	U		V	0.085	0.144	0.314
HSB127D	8/11/2015	GROSS ALPHA	2.64	pCi/L	J		21	1.61	1.4	4.63
HSB127D	8/11/2015	NONVOLATILE BETA	95.2	pCi/L				7.09	2.57	16.7
HSB127D	8/11/2015	STRONTIUM-90	57.3	pCi/L				8.72	3.22	20.7
HSB127D	8/11/2015	CARBON-14	1.6	pCi/L	U			4.2	6.98	15.4
HSB127D	8/11/2015	NICKEL-63	9.78	pCi/L	J		21	3.43	5.69	12.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB127D	8/11/2015	TECHNETIUM-99	2.42	pCi/L	U			2.69	4.4	9.78
HSB127D	8/11/2015	TRITIUM	98.2	pCi/mL				1.92	0.452	4.29
HSB127D	8/11/2015	CESIUM-137	-2.12	pCi/L	U			6.25	9.23	21.7
HSB127D	8/11/2015	COBALT-60	2.33	pCi/L	U			4.63	9.27	18.5
HSB127D	8/11/2015	IODINE-129	2.68	pCi/L	J		21	1.47	0.952	3.88
HSB127D	8/11/2015	RADIUM-226	0.76	pCi/L	J		21	0.337	0.409	1.08
HSB127D	8/11/2015	RADIUM-228	0.643	pCi/L	J		21	0.31	0.426	1.05
HSB127D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.533	pCi/L	U			0.351	0.559	1.26
HSB127D	11/3/2015	NITRATE-NITRITE AS NITROGEN	7.1	mg/L					0.85	2.5
HSB127D	11/3/2015	MERCURY	4.52	ug/L					0.02	0.2
HSB127D	11/3/2015	GROSS ALPHA	6.14	pCi/L	J		21	2.32	1.52	6.16
HSB127D	11/3/2015	NONVOLATILE BETA	244	pCi/L				11.6	2.67	25.8
HSB127D	11/3/2015	TRITIUM	208	pCi/mL				2.5	0.508	5.5
HSB129C	1/29/2015	NITRATE-NITRITE AS NITROGEN	50	mg/L					1.7	5
HSB129C	1/29/2015	ALUMINUM	355	ug/L	J				40	400
HSB129C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB129C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB129C	1/29/2015	BARIUM	132	ug/L					2	20
HSB129C	1/29/2015	BERYLLIUM	2.15	ug/L					0.1	1
HSB129C	1/29/2015	CADMIUM	1.5	ug/L					0.1	1
HSB129C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB129C	1/29/2015	COBALT	7.02	ug/L					0.5	5
HSB129C	1/29/2015	COPPER	10.1	ug/L					0.5	5
HSB129C	1/29/2015	LEAD	2.16	ug/L	J				0.5	5
HSB129C	1/29/2015	NICKEL	16.4	ug/L					0.5	5
HSB129C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB129C	1/29/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB129C	1/29/2015	THALLIUM	0.108	ug/L	J				0.1	1
HSB129C	1/29/2015	TIN	10	ug/L	U				1	10
HSB129C	1/29/2015	VANADIUM	9.9	ug/L	J				5	50
HSB129C	1/29/2015	ZINC	141	ug/L					4	40
HSB129C	1/29/2015	MERCURY	0.306	ug/L					0.02	0.2
HSB129C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB129C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB129C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.11	ug/L	J		21		1	5
HSB129C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB129C	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB129C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB129C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB129C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB129C	1/29/2015	AMERICIUM-241	0.0206	pCi/L	U			0.041	0.0558	0.138
HSB129C	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.055	0.055
HSB129C	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.055	0.055
HSB129C	1/29/2015	CURIUM-245/246	0.294	pCi/L	J		21	0.163	0.0569	0.384
HSB129C	1/29/2015	PLUTONIUM-238	-0.00672	pCi/L	U			0.014	0.135	0.162
HSB129C	1/29/2015	PLUTONIUM-239/240	-0.00672	pCi/L	U			0.014	0.135	0.162
HSB129C	1/29/2015	THORIUM-228	-0.0361	pCi/L	U			0.03	0.196	0.256
HSB129C	1/29/2015	THORIUM-230	0.205	pCi/L	U			0.145	0.118	0.407
HSB129C	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0632	0.0632
HSB129C	1/29/2015	URANIUM-233/234	0	pCi/L	U			0	0.0596	0.0596
HSB129C	1/29/2015	URANIUM-235	0.0543	pCi/L	U			0.077	0.0735	0.228
HSB129C	1/29/2015	URANIUM-238	0	pCi/L	U			0	0.0595	0.0595
HSB129C	1/29/2015	GROSS ALPHA	3.95	pCi/L	J		21	2.82	2.7	8.35

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB129C	1/29/2015	NONVOLATILE BETA	157	pCi/L				12.5	3.88	28.9
HSB129C	1/29/2015	STRONTIUM-90	-0.385	pCi/L	U			1.84	3.11	6.78
HSB129C	1/29/2015	CARBON-14	85.7	pCi/L	J			5.9	7.04	18.8
HSB129C	1/29/2015	NICKEL-63	21.9	pCi/L				4.01	5.94	14
HSB129C	1/29/2015	TECHNETIUM-99	114	pCi/L				4.89	4.24	14
HSB129C	1/29/2015	TRITIUM	1560	pCi/mL				7.47	0.384	15.3
HSB129C	1/29/2015	CESIUM-137	-1.58	pCi/L	U			5.55	9.68	20.8
HSB129C	1/29/2015	COBALT-60	-1.42	pCi/L	U			4.23	7.67	16.1
HSB129C	1/29/2015	IODINE-129	1.54	pCi/L	J		21	1.18	0.879	3.24
HSB129C	1/29/2015	RADIUM-226	1.42	pCi/L	J		21	0.556	0.62	1.73
HSB129C	1/29/2015	RADIUM-228	1.05	pCi/L	J		21	0.515	0.775	1.81
HSB129C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.06	pCi/L	U			0.911	1.28	3.1
HSB129C	4/20/2015	NITRATE-NITRITE AS NITROGEN	45.4	mg/L					1.7	5
HSB129C	4/20/2015	MERCURY	0.212	ug/L					0.02	0.2
HSB129C	4/20/2015	GROSS ALPHA	4.48	pCi/L	J		21	2.96	2.54	8.46
HSB129C	4/20/2015	NONVOLATILE BETA	136	pCi/L				11.7	3.87	27.2
HSB129C	4/20/2015	TRITIUM	1510	pCi/mL				7.13	0.409	14.7
HSB129C	7/29/2015	NITRATE-NITRITE AS NITROGEN	38.7	mg/L					0.85	2.5
HSB129C	7/29/2015	MERCURY	0.234	ug/L					0.02	0.2
HSB129C	7/29/2015	GROSS ALPHA	2.89	pCi/L	U			2.54	2.96	8.04
HSB129C	7/29/2015	NONVOLATILE BETA	142	pCi/L				12	4.5	28.4
HSB129C	7/29/2015	TRITIUM	1570	pCi/mL				7.56	0.457	15.6
HSB129C	11/3/2015	NITRATE-NITRITE AS NITROGEN	42.5	mg/L					1.7	5
HSB129C	11/3/2015	MERCURY	0.285	ug/L					0.02	0.2
HSB129C	11/3/2015	GROSS ALPHA	2.88	pCi/L	J		21	1.75	1.59	5.1
HSB129C	11/3/2015	NONVOLATILE BETA	148	pCi/L				8.65	2.64	19.9
HSB129C	11/3/2015	TRITIUM	1550	pCi/mL				6.77	0.507	14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB129D	1/29/2015	NITRATE-NITRITE AS NITROGEN	6.16	mg/L					0.17	0.5
HSB129D	1/29/2015	ALUMINUM	1680	ug/L					40	400
HSB129D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB129D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB129D	1/29/2015	BARIUM	6.3	ug/L	J				2	20
HSB129D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB129D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB129D	1/29/2015	CHROMIUM	10.3	ug/L	J				10	100
HSB129D	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB129D	1/29/2015	COPPER	9.91	ug/L					0.5	5
HSB129D	1/29/2015	LEAD	2.05	ug/L	J				0.5	5
HSB129D	1/29/2015	NICKEL	2.59	ug/L	J				0.5	5
HSB129D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB129D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB129D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB129D	1/29/2015	TIN	10	ug/L	U				1	10
HSB129D	1/29/2015	VANADIUM	9.45	ug/L	J				5	50
HSB129D	1/29/2015	ZINC	9.86	ug/L	J				4	40
HSB129D	1/29/2015	MERCURY	0.099	ug/L	J		21		0.02	0.2
HSB129D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB129D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB129D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB129D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB129D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB129D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB129D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB129D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB129D	1/29/2015	AMERICIUM-241	0.0156	pCi/L	U			0.043	0.105	0.19
HSB129D	1/29/2015	CURIUM-242	-0.0671	pCi/L	U			0.04	0.22	0.3
HSB129D	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0554	0.0554
HSB129D	1/29/2015	CURIUM-245/246	0.233	pCi/L	U			0.145	0.0574	0.347
HSB129D	1/29/2015	PLUTONIUM-238	-0.00639	pCi/L	U			0.013	0.129	0.154
HSB129D	1/29/2015	PLUTONIUM-239/240	0.00639	pCi/L	U			0.056	0.172	0.284
HSB129D	1/29/2015	THORIUM-228	0.0105	pCi/L	U			0.045	0.123	0.212
HSB129D	1/29/2015	THORIUM-230	0.0205	pCi/L	U			0.041	0.0557	0.138
HSB129D	1/29/2015	THORIUM-232	0.0154	pCi/L	U			0.042	0.103	0.188
HSB129D	1/29/2015	URANIUM-233/234	0.0902	pCi/L	U			0.091	0.0611	0.244
HSB129D	1/29/2015	URANIUM-235	0.0278	pCi/L	U			0.056	0.0754	0.187
HSB129D	1/29/2015	URANIUM-238	0.0225	pCi/L	U			0.045	0.061	0.151
HSB129D	1/29/2015	GROSS ALPHA	0.449	pCi/L	UJ			1.17	2.27	4.61
HSB129D	1/29/2015	NONVOLATILE BETA	13.6	pCi/L				4.14	3.94	12.2
HSB129D	1/29/2015	STRONTIUM-90	-0.422	pCi/L	U			1.66	3.13	6.45
HSB129D	1/29/2015	CARBON-14	19.4	pCi/L				4.6	6.97	16.2
HSB129D	1/29/2015	NICKEL-63	1.83	pCi/L	U			2.97	4.88	10.8
HSB129D	1/29/2015	TECHNETIUM-99	7.5	pCi/L	J		21	2.79	4.33	9.91
HSB129D	1/29/2015	TRITIUM	107	pCi/mL				1.98	0.387	4.34
HSB129D	1/29/2015	CESIUM-137	3.16	pCi/L	U			6.26	11.7	24.2
HSB129D	1/29/2015	COBALT-60	2.63	pCi/L	U			5.13	10.4	20.7
HSB129D	1/29/2015	IODINE-129	0.0327	pCi/L	U			0.589	0.998	2.18
HSB129D	1/29/2015	RADIUM-226	0.416	pCi/L	U			0.434	0.707	1.58
HSB129D	1/29/2015	RADIUM-228	0.865	pCi/L	U			0.562	0.884	2.01
HSB129D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.11	pCi/L	U			1.19	1.93	4.31
HSB129D	4/20/2015	NITRATE-NITRITE AS NITROGEN	5.77	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB129D	4/20/2015	MERCURY	0.022	ug/L	J		21		0.02	0.2
HSB129D	4/20/2015	GROSS ALPHA	0.936	pCi/L	U			1.44	2.15	5.02
HSB129D	4/20/2015	NONVOLATILE BETA	12.1	pCi/L				3.94	3.75	11.6
HSB129D	4/20/2015	TRITIUM	103	pCi/mL				1.87	0.408	4.15
HSB129D	7/29/2015	NITRATE-NITRITE AS NITROGEN	6.58	mg/L					0.17	0.5
HSB129D	7/29/2015	MERCURY	0.669	ug/L					0.02	0.2
HSB129D	7/29/2015	GROSS ALPHA	0.4	pCi/L	U			1.18	2.38	4.75
HSB129D	7/29/2015	NONVOLATILE BETA	15.9	pCi/L				4.5	4.18	13.2
HSB129D	7/29/2015	TRITIUM	132	pCi/mL				2.21	0.457	4.87
HSB129D	11/3/2015	NITRATE-NITRITE AS NITROGEN	6.75	mg/L					0.85	2.5
HSB129D	11/3/2015	MERCURY	0.136	ug/L	J		21		0.02	0.2
HSB129D	11/3/2015	GROSS ALPHA	0.909	pCi/L	U			1.05	1.34	3.43
HSB129D	11/3/2015	NONVOLATILE BETA	11.3	pCi/L				2.81	2.58	8.21
HSB129D	11/3/2015	TRITIUM	113	pCi/mL				1.85	0.508	4.21
HSB130C	2/3/2015	NITRATE-NITRITE AS NITROGEN	0.289	mg/L					0.017	0.05
HSB130C	2/3/2015	ALUMINUM	400	ug/L	U				40	400
HSB130C	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSB130C	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSB130C	2/3/2015	BARIUM	19.2	ug/L	J				2	20
HSB130C	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB130C	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSB130C	2/3/2015	CHROMIUM	100	ug/L	U				10	100
HSB130C	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSB130C	2/3/2015	COPPER	5	ug/L	U				0.5	5
HSB130C	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSB130C	2/3/2015	NICKEL	0.892	ug/L	J				0.5	5
HSB130C	2/3/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB130C	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSB130C	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSB130C	2/3/2015	TIN	10	ug/L	U				1	10
HSB130C	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSB130C	2/3/2015	ZINC	40	ug/L	U				4	40
HSB130C	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB130C	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSB130C	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB130C	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB130C	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB130C	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB130C	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB130C	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB130C	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSB130C	2/3/2015	AMERICIUM-241	0.0665	pCi/L	U			0.078	0.0601	0.215
HSB130C	2/3/2015	CURIUM-242	0	pCi/L	U			0	0.0592	0.0592
HSB130C	2/3/2015	CURIUM-243/244	-0.00548	pCi/L	U			0.011	0.11	0.132
HSB130C	2/3/2015	CURIUM-245/246	0.203	pCi/L	U			0.139	0.0612	0.34
HSB130C	2/3/2015	PLUTONIUM-238	0.0234	pCi/L	U			0.047	0.0633	0.157
HSB130C	2/3/2015	PLUTONIUM-239/240	0.0234	pCi/L	U			0.047	0.0633	0.157
HSB130C	2/3/2015	THORIUM-228	-0.00529	pCi/L	U			0.011	0.103	0.124
HSB130C	2/3/2015	THORIUM-230	0.0819	pCi/L	U			0.083	0.0555	0.221
HSB130C	2/3/2015	THORIUM-232	0.0153	pCi/L	U			0.042	0.103	0.187
HSB130C	2/3/2015	URANIUM-233/234	0.0696	pCi/L	U			0.081	0.0629	0.225
HSB130C	2/3/2015	URANIUM-235	0.0215	pCi/L	U			0.059	0.144	0.263
HSB130C	2/3/2015	URANIUM-238	0.0927	pCi/L	J		21	0.094	0.0628	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB130C	2/3/2015	GROSS ALPHA	1.26	pCi/L	U			1.65	2.38	5.68
HSB130C	2/3/2015	NONVOLATILE BETA	-0.752	pCi/L	U			2.22	4.32	8.75
HSB130C	2/3/2015	STRONTIUM-90	1.78	pCi/L	U			2.68	3.36	8.73
HSB130C	2/3/2015	CARBON-14	0.847	pCi/L	UJ			4.21	7.02	15.4
HSB130C	2/3/2015	NICKEL-63	-3.89	pCi/L	U			3.01	5.51	11.5
HSB130C	2/3/2015	TECHNETIUM-99	1.45	pCi/L	UJ			2.41	3.99	8.82
HSB130C	2/3/2015	TRITIUM	1.35	pCi/mL				0.311	0.396	1.02
HSB130C	2/3/2015	CESIUM-137	4.73	pCi/L	U			5.54	10.5	21.6
HSB130C	2/3/2015	COBALT-60	2.59	pCi/L	U			4.26	8.71	17.2
HSB130C	2/3/2015	IODINE-129	-0.182	pCi/L	U			0.548	0.91	2.01
HSB130C	2/3/2015	RADIUM-226	0.472	pCi/L	J		21	0.32	0.453	1.09
HSB130C	2/3/2015	RADIUM-228	0.244	pCi/L	U			0.325	0.557	1.21
HSB130C	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.662	pCi/L	U			1.09	1.95	4.13
HSB130D	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.277	mg/L					0.017	0.05
HSB130D	1/29/2015	ALUMINUM	419	ug/L					40	400
HSB130D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB130D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB130D	1/29/2015	BARIUM	16.2	ug/L	J				2	20
HSB130D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB130D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB130D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB130D	1/29/2015	COBALT	0.523	ug/L	J				0.5	5
HSB130D	1/29/2015	COPPER	5	ug/L	U				0.5	5
HSB130D	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB130D	1/29/2015	NICKEL	1.39	ug/L	J				0.5	5
HSB130D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB130D	1/29/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB130D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB130D	1/29/2015	TIN	10	ug/L	U				1	10
HSB130D	1/29/2015	VANADIUM	13.9	ug/L	J				5	50
HSB130D	1/29/2015	ZINC	4.87	ug/L	J				4	40
HSB130D	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB130D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB130D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB130D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.09	ug/L	J		21		1	5
HSB130D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB130D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB130D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB130D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB130D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB130D	1/29/2015	AMERICIUM-241	0.145	pCi/L	J		21	0.12	0.0653	0.306
HSB130D	1/29/2015	CURIUM-242	0.0793	pCi/L	J		21	0.092	0.0643	0.249
HSB130D	1/29/2015	CURIUM-243/244	0.0417	pCi/L	U			0.069	0.12	0.257
HSB130D	1/29/2015	CURIUM-245/246	0.147	pCi/L	U			0.123	0.0666	0.312
HSB130D	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0729	0.0729
HSB130D	1/29/2015	PLUTONIUM-239/240	0.0538	pCi/L	U			0.077	0.0729	0.226
HSB130D	1/29/2015	THORIUM-228	0	pCi/L	U			0	0.0707	0.0707
HSB130D	1/29/2015	THORIUM-230	0.105	pCi/L	J		21	0.106	0.0709	0.283
HSB130D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0707	0.0707
HSB130D	1/29/2015	URANIUM-233/234	-0.0101	pCi/L	U			0.014	0.121	0.15
HSB130D	1/29/2015	URANIUM-235	-0.00623	pCi/L	U			0.013	0.126	0.151
HSB130D	1/29/2015	URANIUM-238	0.00504	pCi/L	U			0.044	0.136	0.224
HSB130D	1/29/2015	GROSS ALPHA	0.435	pCi/L	UJ			1.12	2.18	4.43

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB130D	1/29/2015	NONVOLATILE BETA	1.1	pCi/L	U			2.32	3.93	8.57
HSB130D	1/29/2015	STRONTIUM-90	-0.341	pCi/L	U			1.63	3.11	6.36
HSB130D	1/29/2015	CARBON-14	33.8	pCi/L				4.98	7.09	17.1
HSB130D	1/29/2015	NICKEL-63	3.5	pCi/L	U			3.11	5.18	11.4
HSB130D	1/29/2015	TECHNETIUM-99	2.11	pCi/L	U			2.62	4.31	9.56
HSB130D	1/29/2015	TRITIUM	3.07	pCi/mL				0.399	0.387	1.18
HSB130D	1/29/2015	CESIUM-137	-0.262	pCi/L	U			4.84	8.7	18.4
HSB130D	1/29/2015	COBALT-60	5.29	pCi/L	U			4.92	10.3	20.1
HSB130D	1/29/2015	IODINE-129	-0.126	pCi/L	U			0.622	0.964	2.21
HSB130D	1/29/2015	RADIUM-226	0.694	pCi/L	J		21	0.339	0.432	1.11
HSB130D	1/29/2015	RADIUM-228	0.148	pCi/L	U			0.435	0.768	1.64
HSB130D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0761	pCi/L	U			0.635	1.36	2.63
HSB131C	2/3/2015	NITRATE-NITRITE AS NITROGEN	2.84	mg/L					0.085	0.25
HSB131C	2/3/2015	ALUMINUM	400	ug/L	U				40	400
HSB131C	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSB131C	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSB131C	2/3/2015	BARIUM	24.8	ug/L					2	20
HSB131C	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB131C	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSB131C	2/3/2015	CHROMIUM	10.6	ug/L	J				10	100
HSB131C	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSB131C	2/3/2015	COPPER	5	ug/L	U				0.5	5
HSB131C	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSB131C	2/3/2015	NICKEL	0.963	ug/L	J				0.5	5
HSB131C	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSB131C	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSB131C	2/3/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB131C	2/3/2015	TIN	10	ug/L	U				1	10
HSB131C	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSB131C	2/3/2015	ZINC	40	ug/L	U				4	40
HSB131C	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB131C	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSB131C	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB131C	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB131C	2/3/2015	TETRACHLOROETHYLENE (PCE)	0.46	ug/L	J		21		0.3	1
HSB131C	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB131C	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB131C	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB131C	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSB131C	2/3/2015	AMERICIUM-241	0.0548	pCi/L	U			0.078	0.0742	0.23
HSB131C	2/3/2015	CURIUM-242	0.122	pCi/L	J		21	0.123	0.0731	0.32
HSB131C	2/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0731	0.0731
HSB131C	2/3/2015	CURIUM-245/246	0.14	pCi/L	U			0.127	0.0757	0.33
HSB131C	2/3/2015	PLUTONIUM-238	0.0242	pCi/L	U			0.049	0.0656	0.163
HSB131C	2/3/2015	PLUTONIUM-239/240	-0.00605	pCi/L	U			0.012	0.122	0.146
HSB131C	2/3/2015	THORIUM-228	-0.00625	pCi/L	U			0.013	0.122	0.147
HSB131C	2/3/2015	THORIUM-230	0.109	pCi/L	U			0.111	0.145	0.368
HSB131C	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0655	0.0655
HSB131C	2/3/2015	URANIUM-233/234	0.0995	pCi/L	U			0.101	0.0674	0.269
HSB131C	2/3/2015	URANIUM-235	0.0307	pCi/L	U			0.062	0.0831	0.206
HSB131C	2/3/2015	URANIUM-238	0.0745	pCi/L	J		21	0.087	0.0673	0.241
HSB131C	2/3/2015	GROSS ALPHA	0.451	pCi/L	U			1.2	2.42	4.81
HSB131C	2/3/2015	NONVOLATILE BETA	1.61	pCi/L	U			2.63	4.21	9.46

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB131C	2/3/2015	STRONTIUM-90	0.812	pCi/L	U			1.92	3.27	7.1
HSB131C	2/3/2015	CARBON-14	77.8	pCi/L	J			5.74	6.98	18.4
HSB131C	2/3/2015	NICKEL-63	-2.63	pCi/L	U			2.93	5.12	11
HSB131C	2/3/2015	TECHNETIUM-99	3.79	pCi/L	UJ			2.47	3.97	8.92
HSB131C	2/3/2015	TRITIUM	42.7	pCi/mL				1.22	0.395	2.83
HSB131C	2/3/2015	CESIUM-137	0.387	pCi/L	U			4.92	8.94	18.8
HSB131C	2/3/2015	COBALT-60	1.37	pCi/L	U			4.76	9.23	18.7
HSB131C	2/3/2015	IODINE-129	0.57	pCi/L	U			0.697	0.976	2.37
HSB131C	2/3/2015	RADIUM-226	0.554	pCi/L	J		21	0.33	0.443	1.1
HSB131C	2/3/2015	RADIUM-228	-0.0546	pCi/L	U			0.296	0.578	1.17
HSB131C	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.231	pCi/L	U			0.853	1.81	3.52
HSB131D	2/3/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB131D	2/3/2015	ALUMINUM	312	ug/L	J				40	400
HSB131D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSB131D	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSB131D	2/3/2015	BARIUM	43.1	ug/L					2	20
HSB131D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB131D	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSB131D	2/3/2015	CHROMIUM	10.9	ug/L	J				10	100
HSB131D	2/3/2015	COBALT	0.695	ug/L	J				0.5	5
HSB131D	2/3/2015	COPPER	0.862	ug/L	J				0.5	5
HSB131D	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSB131D	2/3/2015	NICKEL	5	ug/L	U				0.5	5
HSB131D	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSB131D	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSB131D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSB131D	2/3/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB131D	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSB131D	2/3/2015	ZINC	40	ug/L	U				4	40
HSB131D	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB131D	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSB131D	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB131D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB131D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB131D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB131D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB131D	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB131D	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSB131D	2/3/2015	AMERICIUM-241	0.0467	pCi/L	U			0.074	0.14	0.289
HSB131D	2/3/2015	CURIUM-242	0.138	pCi/L	J		21	0.115	0.0554	0.285
HSB131D	2/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0554	0.0554
HSB131D	2/3/2015	CURIUM-245/246	0.1	pCi/L	U			0.096	0.106	0.299
HSB131D	2/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0584	0.0584
HSB131D	2/3/2015	PLUTONIUM-239/240	0.0323	pCi/L	U			0.063	0.129	0.256
HSB131D	2/3/2015	THORIUM-228	0.0165	pCi/L	U			0.067	0.168	0.302
HSB131D	2/3/2015	THORIUM-230	0.064	pCi/L	U			0.075	0.0578	0.207
HSB131D	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0577	0.0577
HSB131D	2/3/2015	URANIUM-233/234	0.124	pCi/L	U			0.108	0.109	0.325
HSB131D	2/3/2015	URANIUM-235	-0.00666	pCi/L	U			0.013	0.134	0.161
HSB131D	2/3/2015	URANIUM-238	0	pCi/L	U			0	0.0584	0.0584
HSB131D	2/3/2015	GROSS ALPHA	1.2	pCi/L	U			1.57	2.27	5.42
HSB131D	2/3/2015	NONVOLATILE BETA	1.38	pCi/L	U			2.63	4.3	9.56
HSB131D	2/3/2015	STRONTIUM-90	-1.03	pCi/L	U			1.73	3.27	6.73

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB131D	2/3/2015	CARBON-14	47.4	pCi/L	J			5.17	6.95	17.3
HSB131D	2/3/2015	NICKEL-63	-3.5	pCi/L	U			2.91	5.12	10.9
HSB131D	2/3/2015	TECHNETIUM-99	1.99	pCi/L	UJ			2.45	4.04	8.94
HSB131D	2/3/2015	TRITIUM	197	pCi/mL				2.58	0.396	5.56
HSB131D	2/3/2015	CESIUM-137	3.95	pCi/L	U			5.54	10.7	21.8
HSB131D	2/3/2015	COBALT-60	-5.17	pCi/L	U			6.9	11.3	25.1
HSB131D	2/3/2015	IODINE-129	8.69	pCi/L				2.2	0.966	5.36
HSB131D	2/3/2015	RADIUM-226	0.415	pCi/L	U			0.359	0.559	1.28
HSB131D	2/3/2015	RADIUM-228	0.323	pCi/L	U			0.33	0.543	1.2
HSB131D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0714	pCi/L	U			0.924	1.97	3.82
HSB132C	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.0633	mg/L					0.017	0.05
HSB132C	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB132C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB132C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB132C	2/2/2015	BARIUM	3.67	ug/L	J				2	20
HSB132C	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB132C	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB132C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB132C	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB132C	2/2/2015	COPPER	18.4	ug/L					0.5	5
HSB132C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB132C	2/2/2015	NICKEL	1.18	ug/L	J				0.5	5
HSB132C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB132C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB132C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB132C	2/2/2015	TIN	10	ug/L	U				1	10
HSB132C	2/2/2015	VANADIUM	13.3	ug/L	J				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB132C	2/2/2015	ZINC	40	ug/L	U				4	40
HSB132C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB132C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB132C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB132C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB132C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB132C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB132C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB132C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB132C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB132C	2/2/2015	AMERICIUM-241	0.0246	pCi/L	U			0.049	0.0668	0.166
HSB132C	2/2/2015	CURIUM-242	0.0274	pCi/L	U			0.055	0.0658	0.176
HSB132C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0658	0.0658
HSB132C	2/2/2015	CURIUM-245/246	0.1	pCi/L	U			0.102	0.0681	0.272
HSB132C	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0631	0.0631
HSB132C	2/2/2015	PLUTONIUM-239/240	-0.0116	pCi/L	U			0.017	0.14	0.173
HSB132C	2/2/2015	THORIUM-228	0.0224	pCi/L	U			0.131	0.305	0.567
HSB132C	2/2/2015	THORIUM-230	0.146	pCi/L	U			0.118	0.109	0.345
HSB132C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0587	0.0587
HSB132C	2/2/2015	URANIUM-233/234	0.034	pCi/L	U			0.066	0.136	0.268
HSB132C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0757	0.0757
HSB132C	2/2/2015	URANIUM-238	0.0226	pCi/L	U			0.068	0.166	0.302
HSB132C	2/2/2015	GROSS ALPHA	0.0563	pCi/L	U			0.833	2.19	3.86
HSB132C	2/2/2015	NONVOLATILE BETA	0.891	pCi/L	U			2.27	3.92	8.47
HSB132C	2/2/2015	STRONTIUM-90	-1.68	pCi/L	U			1.51	3.24	6.26
HSB132C	2/2/2015	CARBON-14	4.61	pCi/L	U			4.17	6.81	15.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB132C	2/2/2015	NICKEL-63	0.104	pCi/L	U			2.97	5.29	11.2
HSB132C	2/2/2015	TECHNETIUM-99	1.5	pCi/L	U			2.41	3.98	8.79
HSB132C	2/2/2015	TRITIUM	-0.0428	pCi/mL	U			0.261	0.458	0.981
HSB132C	2/2/2015	CESIUM-137	-2.08	pCi/L	U			5.2	8.99	19.4
HSB132C	2/2/2015	COBALT-60	5.14	pCi/L	U			4.81	10.1	19.7
HSB132C	2/2/2015	IODINE-129	-0.263	pCi/L	U			0.699	0.963	2.36
HSB132C	2/2/2015	RADIUM-226	0.572	pCi/L	J		21	0.349	0.487	1.19
HSB132C	2/2/2015	RADIUM-228	0.0895	pCi/L	U			0.37	0.667	1.41
HSB132C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.397	pCi/L	U			0.805	1.87	3.48
HSB132D	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.462	mg/L					0.017	0.05
HSB132D	1/29/2015	ALUMINUM	300	ug/L	J				40	400
HSB132D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB132D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB132D	1/29/2015	BARIUM	4.97	ug/L	J				2	20
HSB132D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB132D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB132D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB132D	1/29/2015	COBALT	0.818	ug/L	J				0.5	5
HSB132D	1/29/2015	COPPER	1.78	ug/L	J				0.5	5
HSB132D	1/29/2015	LEAD	1.57	ug/L	J				0.5	5
HSB132D	1/29/2015	NICKEL	0.76	ug/L	J				0.5	5
HSB132D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB132D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB132D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB132D	1/29/2015	TIN	10	ug/L	U				1	10
HSB132D	1/29/2015	VANADIUM	9.56	ug/L	J				5	50
HSB132D	1/29/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB132D	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB132D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB132D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB132D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB132D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB132D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB132D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB132D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB132D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB132D	1/29/2015	AMERICIUM-241	0.0234	pCi/L	U			0.047	0.0634	0.157
HSB132D	1/29/2015	CURIUM-242	-0.0315	pCi/L	U			0.029	0.182	0.24
HSB132D	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0625	0.0625
HSB132D	1/29/2015	CURIUM-245/246	0.143	pCi/L	U			0.119	0.0647	0.303
HSB132D	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0672	0.0672
HSB132D	1/29/2015	PLUTONIUM-239/240	-0.0186	pCi/L	U			0.022	0.167	0.211
HSB132D	1/29/2015	THORIUM-228	-0.00624	pCi/L	U			0.013	0.122	0.147
HSB132D	1/29/2015	THORIUM-230	0.0852	pCi/L	J		21	0.1	0.146	0.346
HSB132D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0659	0.0659
HSB132D	1/29/2015	URANIUM-233/234	0.045	pCi/L	U			0.064	0.061	0.189
HSB132D	1/29/2015	URANIUM-235	0.0208	pCi/L	U			0.057	0.14	0.254
HSB132D	1/29/2015	URANIUM-238	0.0674	pCi/L	U			0.079	0.0608	0.218
HSB132D	1/29/2015	GROSS ALPHA	1.18	pCi/L	UJ			1.54	2.16	5.24
HSB132D	1/29/2015	NONVOLATILE BETA	1.53	pCi/L	U			2.41	3.94	8.76
HSB132D	1/29/2015	STRONTIUM-90	0.741	pCi/L	U			1.86	3.11	6.82
HSB132D	1/29/2015	CARBON-14	8.46	pCi/L	J		21	4.51	7.23	16.3
HSB132D	1/29/2015	NICKEL-63	-0.276	pCi/L	U			2.89	4.83	10.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB132D	1/29/2015	TECHNETIUM-99	-1.06	pCi/L	U			2.6	4.43	9.62
HSB132D	1/29/2015	TRITIUM	3.48	pCi/mL				0.437	0.447	1.32
HSB132D	1/29/2015	CESIUM-137	-0.708	pCi/L	U			6.13	10.8	23.1
HSB132D	1/29/2015	COBALT-60	-5.41	pCi/L	U			5.41	8.34	19.2
HSB132D	1/29/2015	IODINE-129	0.644	pCi/L	U			1.05	0.904	3.01
HSB132D	1/29/2015	RADIUM-226	0.829	pCi/L	J		21	0.387	0.378	1.15
HSB132D	1/29/2015	RADIUM-228	0.413	pCi/L	U			0.409	0.675	1.49
HSB132D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.534	pCi/L	U			0.67	1.79	3.13
HSB134C	2/2/2015	NITRATE-NITRITE AS NITROGEN	1.05	mg/L					0.017	0.05
HSB134C	2/2/2015	ALUMINUM	47.5	ug/L	J				40	400
HSB134C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB134C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB134C	2/2/2015	BARIUM	5.95	ug/L	J				2	20
HSB134C	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB134C	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB134C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB134C	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB134C	2/2/2015	COPPER	2.52	ug/L	J				0.5	5
HSB134C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB134C	2/2/2015	NICKEL	0.734	ug/L	J				0.5	5
HSB134C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB134C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB134C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB134C	2/2/2015	TIN	10	ug/L	U				1	10
HSB134C	2/2/2015	VANADIUM	8.85	ug/L	J				5	50
HSB134C	2/2/2015	ZINC	5.59	ug/L	J				4	40
HSB134C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB134C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB134C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB134C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB134C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB134C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB134C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB134C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB134C	2/2/2015	AMERICIUM-241	0	pCi/L	U			0	0.0639	0.0639
HSB134C	2/2/2015	CURIUM-242	0.0515	pCi/L	U			0.073	0.063	0.21
HSB134C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.063	0.063
HSB134C	2/2/2015	CURIUM-245/246	0.216	pCi/L	U			0.148	0.0652	0.362
HSB134C	2/2/2015	PLUTONIUM-238	-0.00647	pCi/L	U			0.013	0.13	0.156
HSB134C	2/2/2015	PLUTONIUM-239/240	0.0259	pCi/L	U			0.052	0.0701	0.174
HSB134C	2/2/2015	THORIUM-228	-0.00627	pCi/L	U			0.013	0.123	0.148
HSB134C	2/2/2015	THORIUM-230	0.0733	pCi/L	U			0.086	0.0662	0.237
HSB134C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0661	0.0661
HSB134C	2/2/2015	URANIUM-233/234	-0.0284	pCi/L	U			0.029	0.209	0.267
HSB134C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0949	0.0949
HSB134C	2/2/2015	URANIUM-238	-0.0213	pCi/L	U			0.025	0.191	0.241
HSB134C	2/2/2015	GROSS ALPHA	0.437	pCi/L	U			1.13	2.19	4.44
HSB134C	2/2/2015	NONVOLATILE BETA	1.81	pCi/L	U			2.46	3.93	8.84
HSB134C	2/2/2015	STRONTIUM-90	0.14	pCi/L	U			1.84	3.1	6.79
HSB134C	2/2/2015	CARBON-14	-0.416	pCi/L	UJ			4.16	6.99	15.3
HSB134C	2/2/2015	NICKEL-63	1.77	pCi/L	U			2.86	4.83	10.5
HSB134C	2/2/2015	TECHNETIUM-99	2.71	pCi/L	U			2.43	3.95	8.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134C	2/2/2015	TRITIUM	7.14	pCi/mL				0.571	0.461	1.6
HSB134C	2/2/2015	CESIUM-137	-0.365	pCi/L	U			5.05	9.03	19.1
HSB134C	2/2/2015	COBALT-60	-0.31	pCi/L	U			4.69	8.74	18.1
HSB134C	2/2/2015	IODINE-129	-0.0155	pCi/L	U			0.544	0.944	2.03
HSB134C	2/2/2015	RADIUM-226	0.387	pCi/L	U			0.358	0.568	1.28
HSB134C	2/2/2015	RADIUM-228	0.116	pCi/L	U			0.376	0.673	1.43
HSB134C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	2.56	pCi/L	J		21	1.66	1.83	5.15
HSB134C	4/20/2015	NITRATE-NITRITE AS NITROGEN	1.17	mg/L					0.017	0.05
HSB134C	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB134C	4/20/2015	GROSS ALPHA	0.143	pCi/L	U			0.875	2.1	3.85
HSB134C	4/20/2015	NONVOLATILE BETA	-0.548	pCi/L	U			1.82	3.73	7.36
HSB134C	4/20/2015	TRITIUM	6.54	pCi/mL				0.522	0.407	1.45
HSB134C	8/4/2015	NITRATE-NITRITE AS NITROGEN	1.08	mg/L					0.085	0.25
HSB134C	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB134C	8/4/2015	GROSS ALPHA	0.505	pCi/L	U			1.21	2.16	4.57
HSB134C	8/4/2015	NONVOLATILE BETA	3.42	pCi/L	U			2.73	3.77	9.22
HSB134C	8/4/2015	TRITIUM	6.99	pCi/mL				0.562	0.44	1.56
HSB134C	11/3/2015	NITRATE-NITRITE AS NITROGEN	1.12	mg/L					0.017	0.05
HSB134C	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB134C	11/3/2015	GROSS ALPHA	0.7	pCi/L	U			0.947	1.3	3.19
HSB134C	11/3/2015	NONVOLATILE BETA	0.872	pCi/L	U			1.69	2.57	5.96
HSB134C	11/3/2015	TRITIUM	7.43	pCi/mL				0.552	0.504	1.61
HSB134D	2/9/2015	NITRATE-NITRITE AS NITROGEN	4.06	mg/L					0.085	0.25
HSB134D	2/9/2015	ALUMINUM	479	ug/L					40	400
HSB134D	2/9/2015	ANTIMONY	10	ug/L	U				1	10
HSB134D	2/9/2015	ARSENIC	50	ug/L	U				5	50
HSB134D	2/9/2015	BARIUM	12.7	ug/L	J				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134D	2/9/2015	BERYLLIUM	0.156	ug/L	J				0.1	1
HSB134D	2/9/2015	CADMIUM	0.148	ug/L	J				0.1	1
HSB134D	2/9/2015	CHROMIUM	15.4	ug/L	J				10	100
HSB134D	2/9/2015	COBALT	1.34	ug/L	J				0.5	5
HSB134D	2/9/2015	COPPER	0.684	ug/L	J				0.5	5
HSB134D	2/9/2015	LEAD	5	ug/L	U				0.5	5
HSB134D	2/9/2015	NICKEL	4.51	ug/L	J				0.5	5
HSB134D	2/9/2015	SELENIUM	20	ug/L	U				2	20
HSB134D	2/9/2015	SILVER	5	ug/L	U				0.5	5
HSB134D	2/9/2015	THALLIUM	1	ug/L	U				0.1	1
HSB134D	2/9/2015	TIN	10	ug/L	U				1	10
HSB134D	2/9/2015	VANADIUM	50	ug/L	U				5	50
HSB134D	2/9/2015	ZINC	40	ug/L	U				4	40
HSB134D	2/9/2015	MERCURY	0.266	ug/L					0.02	0.2
HSB134D	2/9/2015	BENZENE	1	ug/L	U				0.3	1
HSB134D	2/9/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB134D	2/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB134D	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB134D	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB134D	2/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB134D	2/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB134D	2/9/2015	CYANIDE	5	ug/L	U				1.67	5
HSB134D	2/9/2015	AMERICIUM-241	0.0112	pCi/L	U			0.048	0.135	0.23
HSB134D	2/9/2015	CURIUM-242	0.1	pCi/L	J		21	0.101	0.06	0.263
HSB134D	2/9/2015	CURIUM-243/244	-0.00556	pCi/L	U			0.011	0.112	0.134
HSB134D	2/9/2015	CURIUM-245/246	0.0918	pCi/L	U			0.093	0.0622	0.248

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134D	2/9/2015	PLUTONIUM-238	0.0288	pCi/L	U			0.058	0.078	0.194
HSB134D	2/9/2015	PLUTONIUM-239/240	-0.00719	pCi/L	U			0.014	0.145	0.174
HSB134D	2/9/2015	THORIUM-228	0.0776	pCi/L	J		21	0.099	0.156	0.354
HSB134D	2/9/2015	THORIUM-230	0.163	pCi/L	U			0.126	0.063	0.315
HSB134D	2/9/2015	THORIUM-232	0.0464	pCi/L	U			0.066	0.0629	0.195
HSB134D	2/9/2015	URANIUM-233/234	0.557	pCi/L				0.244	0.0628	0.55
HSB134D	2/9/2015	URANIUM-235	0.114	pCi/L	J		21	0.116	0.0775	0.31
HSB134D	2/9/2015	URANIUM-238	0.104	pCi/L	U			0.106	0.139	0.351
HSB134D	2/9/2015	GROSS ALPHA	5.77	pCi/L	J		21	3.22	2.93	9.36
HSB134D	2/9/2015	NONVOLATILE BETA	313	pCi/L				19.6	4.89	44.1
HSB134D	2/9/2015	STRONTIUM-90	135	pCi/L				16.9	3.28	37
HSB134D	2/9/2015	CARBON-14	4.33	pCi/L	U			4.03	6.59	14.7
HSB134D	2/9/2015	NICKEL-63	0.145	pCi/L	U			3.01	5.19	11.2
HSB134D	2/9/2015	TECHNETIUM-99	20.4	pCi/L				2.99	4.07	10.1
HSB134D	2/9/2015	TRITIUM	30.5	pCi/mL				1.1	0.399	2.59
HSB134D	2/9/2015	CESIUM-137	-6.37	pCi/L	U			6.19	9.68	22.1
HSB134D	2/9/2015	COBALT-60	2.11	pCi/L	U			4.47	9.27	18.2
HSB134D	2/9/2015	IODINE-129	2.01	pCi/L	J		21	1.02	0.886	2.92
HSB134D	2/9/2015	RADIUM-226	9.68	pCi/L				1.03	0.439	2.5
HSB134D	2/9/2015	RADIUM-228	1.19	pCi/L	J		21	0.415	0.557	1.39
HSB134D	2/9/2015	RADIUM, TOTAL ALPHA-EMITTING	1.36	pCi/L	U			1.31	1.95	4.57
HSB134D	4/23/2015	NITRATE-NITRITE AS NITROGEN	3.38	mg/L					0.085	0.25
HSB134D	4/23/2015	MERCURY	0.22	ug/L					0.02	0.2
HSB134D	4/23/2015	GROSS ALPHA	2.53	pCi/L	U			2.22	2.63	7.07
HSB134D	4/23/2015	NONVOLATILE BETA	224	pCi/L				15.8	4.45	36
HSB134D	4/23/2015	TRITIUM	21.8	pCi/mL				0.908	0.429	2.25
HSB134D	8/11/2015	NITRATE-NITRITE AS NITROGEN	2.96	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB134D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB134D	8/11/2015	BARIUM	14.3	ug/L	J		21		2	20
HSB134D	8/11/2015	BERYLLIUM	0.234	ug/L	J		21		0.1	1
HSB134D	8/11/2015	CADMIUM	0.177	ug/L	J		21		0.1	1
HSB134D	8/11/2015	CHROMIUM	10.2	ug/L	J		21		10	100
HSB134D	8/11/2015	COBALT	0.97	ug/L	J		21		0.5	5
HSB134D	8/11/2015	COPPER	0.684	ug/L	J		21		0.5	5
HSB134D	8/11/2015	LEAD	2.16	ug/L	J		21		0.5	5
HSB134D	8/11/2015	NICKEL	3.19	ug/L	J		21		0.5	5
HSB134D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB134D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB134D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB134D	8/11/2015	TIN	10	ug/L	U				1	10
HSB134D	8/11/2015	VANADIUM	16.3	ug/L	J		21		5	50
HSB134D	8/11/2015	ZINC	40	ug/L	U				4	40
HSB134D	8/11/2015	MERCURY	0.293	ug/L					0.02	0.2
HSB134D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB134D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB134D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB134D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB134D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB134D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB134D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB134D	8/11/2015	AMERICIUM-241	0.0324	pCi/L	U		V	0.063	0.13	0.256
HSB134D	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0577	0.0577

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134D	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0577	0.0577
HSB134D	8/11/2015	CURIUM-245/246	0.198	pCi/L	U		21, V	0.135	0.0598	0.33
HSB134D	8/11/2015	PLUTONIUM-238	-0.0121	pCi/L	U			0.017	0.146	0.18
HSB134D	8/11/2015	PLUTONIUM-239/240	-0.0121	pCi/L	U			0.017	0.146	0.18
HSB134D	8/11/2015	THORIUM-228	0	pCi/L	U			0	0.0543	0.0543
HSB134D	8/11/2015	THORIUM-230	0.201	pCi/L	U		21, V	0.13	0.0544	0.315
HSB134D	8/11/2015	THORIUM-232	0	pCi/L	U			0	0.0543	0.0543
HSB134D	8/11/2015	URANIUM-233/234	0.322	pCi/L	J		21, V	0.163	0.0513	0.377
HSB134D	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0633	0.0633
HSB134D	8/11/2015	URANIUM-238	0.203	pCi/L	J		21, V	0.129	0.0952	0.353
HSB134D	8/11/2015	GROSS ALPHA	3.45	pCi/L	J		21	2.61	2.93	8.16
HSB134D	8/11/2015	NONVOLATILE BETA	305	pCi/L				18.8	4.59	42.2
HSB134D	8/11/2015	STRONTIUM-90	129	pCi/L				16.1	3.3	35.5
HSB134D	8/11/2015	CARBON-14	4.01	pCi/L	U			4.27	7	15.5
HSB134D	8/11/2015	NICKEL-63	-2.57	pCi/L	U			2.94	5.08	11
HSB134D	8/11/2015	TECHNETIUM-99	4.92	pCi/L	J		21	2.76	4.41	9.92
HSB134D	8/11/2015	TRITIUM	20.8	pCi/mL				0.916	0.475	2.31
HSB134D	8/11/2015	CESIUM-137	-4.28	pCi/L	U			5.22	8.56	19
HSB134D	8/11/2015	COBALT-60	-0.979	pCi/L	U			3.58	6.65	13.8
HSB134D	8/11/2015	IODINE-129	0.787	pCi/L	U			0.918	1.02	2.86
HSB134D	8/11/2015	RADIUM-226	0.372	pCi/L	J		21	0.246	0.354	0.846
HSB134D	8/11/2015	RADIUM-228	1.19	pCi/L	J		21	0.418	0.542	1.38
HSB134D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.145	pCi/L	U			0.261	0.408	0.93
HSB134D	11/6/2015	NITRATE-NITRITE AS NITROGEN	2.1	mg/L					0.17	0.5
HSB134D	11/6/2015	MERCURY	0.322	ug/L					0.02	0.2
HSB134D	11/6/2015	GROSS ALPHA	0.629	pCi/L	U			1.36	2.54	5.26
HSB134D	11/6/2015	NONVOLATILE BETA	165	pCi/L				13.8	4.24	31.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB134D	11/6/2015	TRITIUM	25.6	pCi/mL				0.912	0.503	2.33
HSB135C	2/2/2015	NITRATE-NITRITE AS NITROGEN	3.44	mg/L					0.085	0.25
HSB135C	2/2/2015	ALUMINUM	2340	ug/L					40	400
HSB135C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB135C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB135C	2/2/2015	BARIUM	7.84	ug/L	J				2	20
HSB135C	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB135C	2/2/2015	CADMIUM	0.178	ug/L	J				0.1	1
HSB135C	2/2/2015	CHROMIUM	10.8	ug/L	J				10	100
HSB135C	2/2/2015	COBALT	0.834	ug/L	J				0.5	5
HSB135C	2/2/2015	COPPER	3.82	ug/L	J				0.5	5
HSB135C	2/2/2015	LEAD	0.996	ug/L	J				0.5	5
HSB135C	2/2/2015	NICKEL	1.38	ug/L	J				0.5	5
HSB135C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB135C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB135C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB135C	2/2/2015	TIN	10	ug/L	U				1	10
HSB135C	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB135C	2/2/2015	ZINC	21.2	ug/L	J				4	40
HSB135C	2/2/2015	MERCURY	0.507	ug/L					0.02	0.2
HSB135C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB135C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB135C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB135C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB135C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB135C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB135C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
HSB135C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB135C	2/2/2015	AMERICIUM-241	0.0481	pCi/L	U			0.079	0.138	0.297
HSB135C	2/2/2015	CURIUM-242	0.0916	pCi/L	U			0.107	0.0734	0.287
HSB135C	2/2/2015	CURIUM-243/244	0.0272	pCi/L	U			0.055	0.0734	0.182
HSB135C	2/2/2015	CURIUM-245/246	0.224	pCi/L	J		21	0.163	0.076	0.401
HSB135C	2/2/2015	PLUTONIUM-238	-0.0111	pCi/L	U			0.016	0.133	0.165
HSB135C	2/2/2015	PLUTONIUM-239/240	-0.00555	pCi/L	U			0.011	0.112	0.134
HSB135C	2/2/2015	THORIUM-228	0.0221	pCi/L	U			0.119	0.28	0.518
HSB135C	2/2/2015	THORIUM-230	0.0856	pCi/L	U			0.087	0.058	0.232
HSB135C	2/2/2015	THORIUM-232	0.0427	pCi/L	U			0.061	0.0579	0.18
HSB135C	2/2/2015	URANIUM-233/234	0	pCi/L	U			0	0.0594	0.0594
HSB135C	2/2/2015	URANIUM-235	0.027	pCi/L	U			0.054	0.0733	0.182
HSB135C	2/2/2015	URANIUM-238	0.0656	pCi/L	J		21	0.076	0.0593	0.212
HSB135C	2/2/2015	GROSS ALPHA	0.387	pCi/L	U			1.16	2.43	4.75
HSB135C	2/2/2015	NONVOLATILE BETA	33.5	pCi/L				6.11	4.19	16.4
HSB135C	2/2/2015	STRONTIUM-90	19.5	pCi/L				4.28	3.24	11.8
HSB135C	2/2/2015	CARBON-14	34.2	pCi/L				4.72	6.61	16.1
HSB135C	2/2/2015	NICKEL-63	2.3	pCi/L	U			3.04	5.24	11.3
HSB135C	2/2/2015	TECHNETIUM-99	0.967	pCi/L	U			2.44	4.07	8.96
HSB135C	2/2/2015	TRITIUM	246	pCi/mL				2.7	0.515	5.92
HSB135C	2/2/2015	CESIUM-137	0.738	pCi/L	U			4.48	8.3	17.3
HSB135C	2/2/2015	COBALT-60	-0.358	pCi/L	U			4.52	8.45	17.5
HSB135C	2/2/2015	IODINE-129	0.398	pCi/L	U			0.578	1.03	2.19
HSB135C	2/2/2015	RADIUM-226	1.15	pCi/L	J		21	0.421	0.464	1.31
HSB135C	2/2/2015	RADIUM-228	0.312	pCi/L	U			0.395	0.671	1.46
HSB135C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.197	pCi/L	U			0.931	1.92	3.78

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB135C	4/20/2015	NITRATE-NITRITE AS NITROGEN	0.456	mg/L					0.017	0.05
HSB135C	4/20/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB135C	4/20/2015	GROSS ALPHA	1.39	pCi/L	U			1.71	2.21	5.62
HSB135C	4/20/2015	NONVOLATILE BETA	1.55	pCi/L	U			2.33	3.77	8.43
HSB135C	4/20/2015	TRITIUM	3.84	pCi/mL				0.426	0.405	1.26
HSB135C	8/3/2015	NITRATE-NITRITE AS NITROGEN	0.498	mg/L					0.085	0.25
HSB135C	8/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB135C	8/3/2015	GROSS ALPHA	0.023	pCi/L	U			0.94	2.54	4.42
HSB135C	8/3/2015	NONVOLATILE BETA	3.43	pCi/L	U			2.88	4.15	9.92
HSB135C	8/3/2015	TRITIUM	7.9	pCi/mL				0.594	0.451	1.64
HSB135C	11/3/2015	NITRATE-NITRITE AS NITROGEN	0.444	mg/L					0.017	0.05
HSB135C	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB135C	11/3/2015	GROSS ALPHA	0.546	pCi/L	U			0.932	1.4	3.27
HSB135C	11/3/2015	NONVOLATILE BETA	-0.559	pCi/L	U			1.49	2.59	5.57
HSB135C	11/3/2015	TRITIUM	4.84	pCi/mL				0.483	0.519	1.49
HSB135D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.497	mg/L					0.017	0.05
HSB135D	2/2/2015	ALUMINUM	65.5	ug/L	J				40	400
HSB135D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB135D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB135D	2/2/2015	BARIUM	20.9	ug/L					2	20
HSB135D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB135D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB135D	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB135D	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB135D	2/2/2015	COPPER	0.828	ug/L	J				0.5	5
HSB135D	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB135D	2/2/2015	NICKEL	0.945	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB135D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB135D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB135D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB135D	2/2/2015	TIN	10	ug/L	U				1	10
HSB135D	2/2/2015	VANADIUM	7.61	ug/L	J				5	50
HSB135D	2/2/2015	ZINC	40	ug/L	U				4	40
HSB135D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB135D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB135D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB135D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB135D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB135D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB135D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB135D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB135D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB135D	2/2/2015	AMERICIUM-241	0.0503	pCi/L	U			0.072	0.0681	0.211
HSB135D	2/2/2015	CURIUM-242	0.0279	pCi/L	U			0.056	0.0671	0.179
HSB135D	2/2/2015	CURIUM-243/244	-0.0124	pCi/L	U			0.018	0.148	0.184
HSB135D	2/2/2015	CURIUM-245/246	0.179	pCi/L	U			0.139	0.0694	0.347
HSB135D	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0811	0.0811
HSB135D	2/2/2015	PLUTONIUM-239/240	-0.0224	pCi/L	U			0.026	0.202	0.254
HSB135D	2/2/2015	THORIUM-228	-0.031	pCi/L	U			0.028	0.19	0.246
HSB135D	2/2/2015	THORIUM-230	0.168	pCi/L	U			0.13	0.0651	0.326
HSB135D	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.065	0.065
HSB135D	2/2/2015	URANIUM-233/234	0.0697	pCi/L	U			0.082	0.119	0.282
HSB135D	2/2/2015	URANIUM-235	-0.0123	pCi/L	U			0.018	0.147	0.182

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB135D	2/2/2015	URANIUM-238	0.0397	pCi/L	U			0.057	0.0538	0.167
HSB135D	2/2/2015	GROSS ALPHA	0.466	pCi/L	U			1.2	2.33	4.74
HSB135D	2/2/2015	NONVOLATILE BETA	2.52	pCi/L	U			2.6	3.95	9.16
HSB135D	2/2/2015	STRONTIUM-90	0.467	pCi/L	U			1.95	3.3	7.2
HSB135D	2/2/2015	CARBON-14	7.71	pCi/L	J		21	4.24	6.8	15.3
HSB135D	2/2/2015	NICKEL-63	0.109	pCi/L	U			3.03	5.55	11.6
HSB135D	2/2/2015	TECHNETIUM-99	0.529	pCi/L	U			2.36	3.96	8.69
HSB135D	2/2/2015	TRITIUM	3.52	pCi/mL				0.443	0.459	1.34
HSB135D	2/2/2015	CESIUM-137	-0.106	pCi/L	U			4.97	8.95	18.9
HSB135D	2/2/2015	COBALT-60	-2.64	pCi/L	U			4.68	8.13	17.5
HSB135D	2/2/2015	IODINE-129	-0.013	pCi/L	U			0.538	0.911	1.99
HSB135D	2/2/2015	RADIUM-226	1.21	pCi/L	J		21	0.43	0.465	1.33
HSB135D	2/2/2015	RADIUM-228	0.374	pCi/L	U			0.425	0.714	1.56
HSB135D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.148	pCi/L	U			0.791	1.62	3.2
HSB135D	4/21/2015	NITRATE-NITRITE AS NITROGEN	0.159	mg/L					0.017	0.05
HSB135D	4/21/2015	MERCURY	0.0249	ug/L	J		21		0.02	0.2
HSB135D	4/21/2015	GROSS ALPHA	0.936	pCi/L	U			1.39	2.1	4.89
HSB135D	4/21/2015	NONVOLATILE BETA	4.16	pCi/L	U			3.02	4.23	10.3
HSB135D	4/21/2015	TRITIUM	8.24	pCi/mL				0.598	0.426	1.62
HSB135D	8/3/2015	NITRATE-NITRITE AS NITROGEN	3.2	mg/L					0.17	0.5
HSB135D	8/3/2015	MERCURY	0.167	ug/L	J		21		0.02	0.2
HSB135D	8/3/2015	GROSS ALPHA	0.304	pCi/L	U			1.18	2.52	4.87
HSB135D	8/3/2015	NONVOLATILE BETA	76	pCi/L				8.87	4.16	21.9
HSB135D	8/3/2015	TRITIUM	192	pCi/mL				2.72	0.437	5.87
HSB135D	11/3/2015	NITRATE-NITRITE AS NITROGEN	3.23	mg/L					0.17	0.5
HSB135D	11/3/2015	MERCURY	0.215	ug/L					0.02	0.2
HSB135D	11/3/2015	GROSS ALPHA	1.3	pCi/L	U			1.19	1.35	3.73

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB135D	11/3/2015	NONVOLATILE BETA	27.9	pCi/L				4	2.59	10.6
HSB135D	11/3/2015	TRITIUM	166	pCi/mL				2.24	0.511	4.99
HSB136C	1/29/2015	NITRATE-NITRITE AS NITROGEN	26.3	mg/L					0.85	2.5
HSB136C	1/29/2015	ALUMINUM	400	ug/L	U				40	400
HSB136C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB136C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB136C	1/29/2015	BARIUM	41.7	ug/L					2	20
HSB136C	1/29/2015	BERYLLIUM	0.482	ug/L	J				0.1	1
HSB136C	1/29/2015	CADMIUM	0.589	ug/L	J				0.1	1
HSB136C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB136C	1/29/2015	COBALT	1.75	ug/L	J				0.5	5
HSB136C	1/29/2015	COPPER	0.917	ug/L	J				0.5	5
HSB136C	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB136C	1/29/2015	NICKEL	3.54	ug/L	J				0.5	5
HSB136C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB136C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB136C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB136C	1/29/2015	TIN	10	ug/L	U				1	10
HSB136C	1/29/2015	VANADIUM	9.86	ug/L	J				5	50
HSB136C	1/29/2015	ZINC	22.3	ug/L	J				4	40
HSB136C	1/29/2015	MERCURY	0.134	ug/L	J		21		0.02	0.2
HSB136C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB136C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB136C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB136C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB136C	1/29/2015	TRICHLOROETHYLENE (TCE)	0.99	ug/L	J		21		0.3	1
HSB136C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB136C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB136C	1/29/2015	AMERICIUM-241	0.0447	pCi/L	U			0.064	0.0606	0.188
HSB136C	1/29/2015	CURIUM-242	-0.0602	pCi/L	U			0.039	0.221	0.3
HSB136C	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0597	0.0597
HSB136C	1/29/2015	CURIUM-245/246	0.137	pCi/L	U			0.114	0.0618	0.289
HSB136C	1/29/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0669	0.0669
HSB136C	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0669	0.0669
HSB136C	1/29/2015	THORIUM-228	0.0252	pCi/L	U			0.051	0.0666	0.168
HSB136C	1/29/2015	THORIUM-230	0.0492	pCi/L	U			0.07	0.0667	0.207
HSB136C	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0666	0.0666
HSB136C	1/29/2015	URANIUM-233/234	0.0635	pCi/L	U			0.074	0.0574	0.205
HSB136C	1/29/2015	URANIUM-235	0	pCi/L	U			0	0.0708	0.0708
HSB136C	1/29/2015	URANIUM-238	0.0423	pCi/L	U			0.06	0.0573	0.178
HSB136C	1/29/2015	GROSS ALPHA	2.55	pCi/L	J		21	2.23	2.42	6.89
HSB136C	1/29/2015	NONVOLATILE BETA	56.2	pCi/L				7.6	4.01	19.2
HSB136C	1/29/2015	STRONTIUM-90	0.867	pCi/L	U			1.82	3.11	6.75
HSB136C	1/29/2015	CARBON-14	38.3	pCi/L				5.01	6.95	17
HSB136C	1/29/2015	NICKEL-63	3.12	pCi/L	U			3.05	4.99	11.1
HSB136C	1/29/2015	TECHNETIUM-99	96	pCi/L				4.71	4.46	13.9
HSB136C	1/29/2015	TRITIUM	1140	pCi/mL				6.4	0.448	13.2
HSB136C	1/29/2015	CESIUM-137	-4.02	pCi/L	U			6.18	10.2	22.6
HSB136C	1/29/2015	COBALT-60	2.15	pCi/L	U			5.53	10.9	22
HSB136C	1/29/2015	IODINE-129	2.71	pCi/L	J		21	1.05	0.957	3.06
HSB136C	1/29/2015	RADIUM-226	1.64	pCi/L	J		21	0.603	0.664	1.87
HSB136C	1/29/2015	RADIUM-228	0.366	pCi/L	U			0.312	0.494	1.12
HSB136C	1/29/2015	RADIUM, TOTAL ALPHA-	0.945	pCi/L	U			1.06	1.65	3.77

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
HSB136C	4/20/2015	NITRATE-NITRITE AS NITROGEN	25	mg/L					0.425	1.25
HSB136C	4/20/2015	MERCURY	0.207	ug/L					0.02	0.2
HSB136C	4/20/2015	GROSS ALPHA	3.12	pCi/L	J		21	2.47	2.38	7.32
HSB136C	4/20/2015	NONVOLATILE BETA	63.2	pCi/L				8.08	3.83	20
HSB136C	4/20/2015	TRITIUM	1050	pCi/mL				5.94	0.407	12.3
HSB136C	8/10/2015	NITRATE-NITRITE AS NITROGEN	24.4	mg/L					0.85	2.5
HSB136C	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB136C	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB136C	8/10/2015	BARIUM	39.9	ug/L					2	20
HSB136C	8/10/2015	BERYLLIUM	0.479	ug/L	J		21		0.1	1
HSB136C	8/10/2015	CADMIUM	0.428	ug/L	J		21		0.1	1
HSB136C	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB136C	8/10/2015	COBALT	1.29	ug/L	J		21		0.5	5
HSB136C	8/10/2015	COPPER	1.62	ug/L	J		21		0.5	5
HSB136C	8/10/2015	LEAD	0.583	ug/L	J		21		0.5	5
HSB136C	8/10/2015	NICKEL	3	ug/L	J		21		0.5	5
HSB136C	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB136C	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB136C	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB136C	8/10/2015	TIN	10	ug/L	U				1	10
HSB136C	8/10/2015	VANADIUM	50	ug/L	U				5	50
HSB136C	8/10/2015	ZINC	27.5	ug/L	J		21		4	40
HSB136C	8/10/2015	MERCURY	0.131	ug/L	J		21		0.02	0.2
HSB136C	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB136C	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB136C	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136C	8/10/2015	TRICHLOROETHYLENE (TCE)	0.89	ug/L	J		21		0.3	1
HSB136C	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB136C	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB136C	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB136C	8/10/2015	AMERICIUM-241	0.0883	pCi/L	U		V	0.096	0.119	0.31
HSB136C	8/10/2015	CURIUM-242	0	pCi/L	U			0	0.0628	0.0628
HSB136C	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0628	0.0628
HSB136C	8/10/2015	CURIUM-245/246	0.144	pCi/L	U		21, V	0.119	0.0651	0.304
HSB136C	8/10/2015	PLUTONIUM-238	-0.0121	pCi/L	U			0.017	0.145	0.18
HSB136C	8/10/2015	PLUTONIUM-239/240	0.0242	pCi/L	U		V	0.049	0.0656	0.163
HSB136C	8/10/2015	THORIUM-228	0.0131	pCi/L	U		V	0.055	0.153	0.264
HSB136C	8/10/2015	THORIUM-230	0.109	pCi/L	U		V	0.118	0.172	0.408
HSB136C	8/10/2015	THORIUM-232	0.0255	pCi/L	U		V	0.051	0.0692	0.172
HSB136C	8/10/2015	URANIUM-233/234	0.118	pCi/L	U		21, V	0.107	0.064	0.278
HSB136C	8/10/2015	URANIUM-235	0.0218	pCi/L	U			0.06	0.147	0.267
HSB136C	8/10/2015	URANIUM-238	0.0471	pCi/L	U		V	0.067	0.0639	0.198
HSB136C	8/10/2015	GROSS ALPHA	1.66	pCi/L	U			1.95	2.64	6.54
HSB136C	8/10/2015	NONVOLATILE BETA	45.9	pCi/L				7.04	4.36	18.4
HSB136C	8/10/2015	STRONTIUM-90	0.297	pCi/L	U			2.05	3.26	7.36
HSB136C	8/10/2015	CARBON-14	26.9	pCi/L				4.76	6.95	16.5
HSB136C	8/10/2015	NICKEL-63	0.746	pCi/L	U			2.99	4.93	10.9
HSB136C	8/10/2015	TECHNETIUM-99	87.7	pCi/L				4.44	4.23	13.1
HSB136C	8/10/2015	TRITIUM	1100	pCi/mL				6.31	0.473	13.1
HSB136C	8/10/2015	CESIUM-137	-1.9	pCi/L	U			5.49	9.52	20.5
HSB136C	8/10/2015	COBALT-60	1.8	pCi/L	U			4.42	8.78	17.6
HSB136C	8/10/2015	IODINE-129	3.44	pCi/L				1.03	1.1	3.17
HSB136C	8/10/2015	RADIUM-226	1.66	pCi/L	J		21	0.557	0.583	1.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136C	8/10/2015	RADIUM-228	0.684	pCi/L	J		21	0.414	0.641	1.47
HSB136C	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.165	pCi/L	U			0.776	1.4	2.95
HSB136C	11/3/2015	NITRATE-NITRITE AS NITROGEN	25.1	mg/L					0.85	2.5
HSB136C	11/3/2015	MERCURY	0.177	ug/L	J		21		0.02	0.2
HSB136C	11/3/2015	GROSS ALPHA	3.05	pCi/L	J		21	1.74	1.45	4.93
HSB136C	11/3/2015	NONVOLATILE BETA	49.1	pCi/L				5.13	2.63	12.9
HSB136C	11/3/2015	TRITIUM	1040	pCi/mL				5.54	0.504	11.6
HSB136D	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.0452	mg/L	J		21		0.017	0.05
HSB136D	1/29/2015	ALUMINUM	1190	ug/L					40	400
HSB136D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB136D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB136D	1/29/2015	BARIUM	11.4	ug/L	J				2	20
HSB136D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB136D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB136D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB136D	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB136D	1/29/2015	COPPER	0.763	ug/L	J				0.5	5
HSB136D	1/29/2015	LEAD	0.512	ug/L	J				0.5	5
HSB136D	1/29/2015	NICKEL	1.46	ug/L	J				0.5	5
HSB136D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB136D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB136D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB136D	1/29/2015	TIN	10	ug/L	U				1	10
HSB136D	1/29/2015	VANADIUM	9.64	ug/L	J				5	50
HSB136D	1/29/2015	ZINC	10.2	ug/L	J				4	40
HSB136D	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB136D	1/29/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB136D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB136D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB136D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB136D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB136D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB136D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB136D	1/29/2015	AMERICIUM-241	0.0162	pCi/L	U			0.045	0.109	0.198
HSB136D	1/29/2015	CURIUM-242	0.0355	pCi/L	U			0.069	0.127	0.266
HSB136D	1/29/2015	CURIUM-243/244	0.0106	pCi/L	U			0.045	0.127	0.218
HSB136D	1/29/2015	CURIUM-245/246	0.0879	pCi/L	U			0.089	0.0596	0.237
HSB136D	1/29/2015	PLUTONIUM-238	0.0169	pCi/L	U			0.047	0.113	0.206
HSB136D	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.061	0.061
HSB136D	1/29/2015	THORIUM-228	0.0124	pCi/L	U			0.053	0.145	0.25
HSB136D	1/29/2015	THORIUM-230	0.0967	pCi/L	J		21	0.098	0.0655	0.262
HSB136D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0654	0.0654
HSB136D	1/29/2015	URANIUM-233/234	0.064	pCi/L	U			0.082	0.117	0.281
HSB136D	1/29/2015	URANIUM-235	-0.00717	pCi/L	U			0.014	0.144	0.173
HSB136D	1/29/2015	URANIUM-238	0.0464	pCi/L	U			0.066	0.0629	0.195
HSB136D	1/29/2015	GROSS ALPHA	-0.326	pCi/L	U			0.36	2.24	2.96
HSB136D	1/29/2015	NONVOLATILE BETA	8.75	pCi/L	J		21	3.51	3.74	10.8
HSB136D	1/29/2015	STRONTIUM-90	3.59	pCi/L	J		21	2.18	3.1	7.46
HSB136D	1/29/2015	CARBON-14	10.4	pCi/L	J		21	4.46	7.07	16
HSB136D	1/29/2015	NICKEL-63	0.36	pCi/L	U			2.85	4.92	10.6
HSB136D	1/29/2015	TECHNETIUM-99	1.63	pCi/L	U			2.59	4.28	9.46
HSB136D	1/29/2015	TRITIUM	4.33	pCi/mL				0.456	0.392	1.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136D	1/29/2015	CESIUM-137	-3.76	pCi/L	U			4.81	7.96	17.6
HSB136D	1/29/2015	COBALT-60	-3.65	pCi/L	U			4.2	6.9	15.3
HSB136D	1/29/2015	IODINE-129	0.326	pCi/L	U			0.589	1.03	2.2
HSB136D	1/29/2015	RADIUM-226	0.528	pCi/L	U			0.528	0.853	1.91
HSB136D	1/29/2015	RADIUM-228	0.349	pCi/L	U			0.403	0.677	1.48
HSB136D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	1.05	pCi/L	U			0.975	1.41	3.36
HSB136D	4/23/2015	NITRATE-NITRITE AS NITROGEN	0.779	mg/L					0.017	0.05
HSB136D	4/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB136D	4/23/2015	GROSS ALPHA	1.71	pCi/L	U			1.79	2.15	5.73
HSB136D	4/23/2015	NONVOLATILE BETA	15.6	pCi/L				4.51	4.34	13.4
HSB136D	4/23/2015	TRITIUM	12	pCi/mL				0.7	0.435	1.83
HSB136D	8/10/2015	NITRATE-NITRITE AS NITROGEN	5.3	mg/L					0.17	0.5
HSB136D	8/10/2015	ANTIMONY	10	ug/L	U				1	10
HSB136D	8/10/2015	ARSENIC	50	ug/L	U				5	50
HSB136D	8/10/2015	BARIUM	18.7	ug/L	J		21		2	20
HSB136D	8/10/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB136D	8/10/2015	CADMIUM	1	ug/L	U				0.1	1
HSB136D	8/10/2015	CHROMIUM	100	ug/L	U				10	100
HSB136D	8/10/2015	COBALT	5	ug/L	U				0.5	5
HSB136D	8/10/2015	COPPER	0.79	ug/L	J		21		0.5	5
HSB136D	8/10/2015	LEAD	5	ug/L	U				0.5	5
HSB136D	8/10/2015	NICKEL	0.888	ug/L	J		21		0.5	5
HSB136D	8/10/2015	SELENIUM	20	ug/L	U				2	20
HSB136D	8/10/2015	SILVER	5	ug/L	U				0.5	5
HSB136D	8/10/2015	THALLIUM	1	ug/L	U				0.1	1
HSB136D	8/10/2015	TIN	10	ug/L	U				1	10
HSB136D	8/10/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136D	8/10/2015	ZINC	17.2	ug/L	J		21		4	40
HSB136D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB136D	8/10/2015	BENZENE	1	ug/L	U				0.3	1
HSB136D	8/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB136D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB136D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB136D	8/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB136D	8/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB136D	8/10/2015	CYANIDE	5	ug/L	U				1.67	5
HSB136D	8/10/2015	AMERICIUM-241	0.0208	pCi/L	U		V	0.042	0.0565	0.14
HSB136D	8/10/2015	CURIUM-242	0	pCi/L	U			0	0.0556	0.0556
HSB136D	8/10/2015	CURIUM-243/244	0	pCi/L	U			0	0.0556	0.0556
HSB136D	8/10/2015	CURIUM-245/246	0.17	pCi/L	U		21, V	0.122	0.0576	0.303
HSB136D	8/10/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0546	0.0546
HSB136D	8/10/2015	PLUTONIUM-239/240	0.0202	pCi/L	U		V	0.04	0.0546	0.136
HSB136D	8/10/2015	THORIUM-228	-0.0113	pCi/L	U		V	0.016	0.133	0.165
HSB136D	8/10/2015	THORIUM-230	0.244	pCi/L	U		21, V	0.152	0.0602	0.364
HSB136D	8/10/2015	THORIUM-232	0.0222	pCi/L	U		V	0.045	0.0601	0.149
HSB136D	8/10/2015	URANIUM-233/234	0.0366	pCi/L	U		V	0.06	0.105	0.226
HSB136D	8/10/2015	URANIUM-235	-0.00644	pCi/L	U			0.013	0.13	0.156
HSB136D	8/10/2015	URANIUM-238	0.12	pCi/L	J		21, V	0.104	0.105	0.313
HSB136D	8/10/2015	GROSS ALPHA	1.2	pCi/L	U			1.63	2.39	5.65
HSB136D	8/10/2015	NONVOLATILE BETA	15.2	pCi/L				4.46	4.29	13.2
HSB136D	8/10/2015	STRONTIUM-90	2.81	pCi/L	U			2.3	3.26	7.85
HSB136D	8/10/2015	CARBON-14	1.53	pCi/L	U			4.17	6.94	15.3
HSB136D	8/10/2015	NICKEL-63	-0.371	pCi/L	U			2.95	4.9	10.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB136D	8/10/2015	TECHNETIUM-99	12.1	pCi/L				2.87	4.25	9.99
HSB136D	8/10/2015	TRITIUM	60.4	pCi/mL				1.51	0.477	3.5
HSB136D	8/10/2015	CESIUM-137	-6.08	pCi/L	U			5.38	8.52	19.3
HSB136D	8/10/2015	COBALT-60	-1.14	pCi/L	U			5.77	8.97	20.5
HSB136D	8/10/2015	IODINE-129	6.72	pCi/L				1.96	1.12	5.05
HSB136D	8/10/2015	RADIUM-226	0.133	pCi/L	U			0.225	0.408	0.858
HSB136D	8/10/2015	RADIUM-228	0.176	pCi/L	U			0.259	0.449	0.967
HSB136D	8/10/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.00188	pCi/L	U			0.495	0.905	1.9
HSB136D	11/3/2015	NITRATE-NITRITE AS NITROGEN	3.2	mg/L					0.17	0.5
HSB136D	11/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB136D	11/3/2015	GROSS ALPHA	1.3	pCi/L	U			1.18	1.33	3.7
HSB136D	11/3/2015	NONVOLATILE BETA	16	pCi/L				3.2	2.59	8.99
HSB136D	11/3/2015	TRITIUM	41.3	pCi/mL				1.15	0.513	2.81
HSB137CR	2/2/2015	NITRATE-NITRITE AS NITROGEN	21.8	mg/L					0.85	2.5
HSB137CR	2/2/2015	ALUMINUM	53.8	ug/L	J				40	400
HSB137CR	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB137CR	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB137CR	2/2/2015	BARIUM	10.3	ug/L	J				2	20
HSB137CR	2/2/2015	BERYLLIUM	0.185	ug/L	J				0.1	1
HSB137CR	2/2/2015	CADMIUM	0.172	ug/L	J				0.1	1
HSB137CR	2/2/2015	CHROMIUM	10.7	ug/L	J				10	100
HSB137CR	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB137CR	2/2/2015	COPPER	0.774	ug/L	J				0.5	5
HSB137CR	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB137CR	2/2/2015	NICKEL	1.46	ug/L	J				0.5	5
HSB137CR	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB137CR	2/2/2015	SILVER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137CR	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB137CR	2/2/2015	TIN	10	ug/L	U				1	10
HSB137CR	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB137CR	2/2/2015	ZINC	10.3	ug/L	J				4	40
HSB137CR	2/2/2015	MERCURY	0.278	ug/L					0.02	0.2
HSB137CR	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB137CR	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB137CR	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB137CR	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB137CR	2/2/2015	TRICHLOROETHYLENE (TCE)	0.96	ug/L	J		21		0.3	1
HSB137CR	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB137CR	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB137CR	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB137CR	2/2/2015	AMERICIUM-241	0.07	pCi/L	U			0.082	0.0632	0.226
HSB137CR	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0623	0.0623
HSB137CR	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0623	0.0623
HSB137CR	2/2/2015	CURIUM-245/246	0.167	pCi/L	U			0.129	0.0645	0.322
HSB137CR	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0662	0.0662
HSB137CR	2/2/2015	PLUTONIUM-239/240	0.0122	pCi/L	U			0.052	0.147	0.25
HSB137CR	2/2/2015	THORIUM-228	-0.0173	pCi/L	U			0.076	0.233	0.384
HSB137CR	2/2/2015	THORIUM-230	0.134	pCi/L	U			0.112	0.0606	0.284
HSB137CR	2/2/2015	THORIUM-232	0.0167	pCi/L	U			0.046	0.112	0.205
HSB137CR	2/2/2015	URANIUM-233/234	0.0825	pCi/L	U			0.097	0.141	0.335
HSB137CR	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0788	0.0788
HSB137CR	2/2/2015	URANIUM-238	0.0941	pCi/L	U			0.109	0.173	0.391
HSB137CR	2/2/2015	GROSS ALPHA	1.25	pCi/L	U			1.72	2.59	6.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137CR	2/2/2015	NONVOLATILE BETA	39.7	pCi/L				6.61	4.32	17.5
HSB137CR	2/2/2015	STRONTIUM-90	0.0716	pCi/L	U			1.8	3.27	6.88
HSB137CR	2/2/2015	CARBON-14	3.56	pCi/L	U			4.01	6.58	14.6
HSB137CR	2/2/2015	NICKEL-63	1.89	pCi/L	U			3.03	5.27	11.3
HSB137CR	2/2/2015	TECHNETIUM-99	23.7	pCi/L				3.08	4.08	10.2
HSB137CR	2/2/2015	TRITIUM	975	pCi/mL				5.36	0.517	11.2
HSB137CR	2/2/2015	CESIUM-137	-3.94	pCi/L	U			5.7	9.37	20.8
HSB137CR	2/2/2015	COBALT-60	3.17	pCi/L	U			5.72	11.4	22.9
HSB137CR	2/2/2015	IODINE-129	3.87	pCi/L				1.13	0.938	3.19
HSB137CR	2/2/2015	RADIUM-226	0.113	pCi/L	U			0.248	0.458	0.954
HSB137CR	2/2/2015	RADIUM-228	0.42	pCi/L	U			0.289	0.437	1.02
HSB137CR	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.897	pCi/L	U			0.872	1.28	3.02
HSB137CR	4/21/2015	NITRATE-NITRITE AS NITROGEN	19.6	mg/L					0.425	1.25
HSB137CR	4/21/2015	MERCURY	0.233	ug/L					0.02	0.2
HSB137CR	4/21/2015	GROSS ALPHA	1.78	pCi/L	U			1.9	2.35	6.15
HSB137CR	4/21/2015	NONVOLATILE BETA	40.3	pCi/L				6.64	4.35	17.6
HSB137CR	4/21/2015	TRITIUM	947	pCi/mL				5.81	0.42	12
HSB137CR	8/11/2015	NITRATE-NITRITE AS NITROGEN	19.2	mg/L					0.34	1
HSB137CR	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB137CR	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB137CR	8/11/2015	BARIUM	9.83	ug/L	J		21		2	20
HSB137CR	8/11/2015	BERYLLIUM	0.141	ug/L	J		21		0.1	1
HSB137CR	8/11/2015	CADMIUM	0.188	ug/L	J		21		0.1	1
HSB137CR	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB137CR	8/11/2015	COBALT	0.803	ug/L	J		21		0.5	5
HSB137CR	8/11/2015	COPPER	0.528	ug/L	J		21		0.5	5
HSB137CR	8/11/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137CR	8/11/2015	NICKEL	1.52	ug/L	J		21		0.5	5
HSB137CR	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB137CR	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB137CR	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB137CR	8/11/2015	TIN	10	ug/L	U				1	10
HSB137CR	8/11/2015	VANADIUM	18.6	ug/L	J		21		5	50
HSB137CR	8/11/2015	ZINC	9.57	ug/L	J		21		4	40
HSB137CR	8/11/2015	MERCURY	0.431	ug/L					0.02	0.2
HSB137CR	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB137CR	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB137CR	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB137CR	8/11/2015	TRICHLOROETHYLENE (TCE)	1.26	ug/L					0.3	1
HSB137CR	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB137CR	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB137CR	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB137CR	8/11/2015	AMERICIUM-241	-0.00585	pCi/L	U		V	0.012	0.118	0.141
HSB137CR	8/11/2015	CURIUM-242	0	pCi/L	U			0	0.0624	0.0624
HSB137CR	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0624	0.0624
HSB137CR	8/11/2015	CURIUM-245/246	0.215	pCi/L	U		21, V	0.146	0.0646	0.357
HSB137CR	8/11/2015	PLUTONIUM-238	-0.00577	pCi/L	U			0.012	0.116	0.139
HSB137CR	8/11/2015	PLUTONIUM-239/240	-0.00577	pCi/L	U			0.012	0.116	0.139
HSB137CR	8/11/2015	THORIUM-228	0.023	pCi/L	U			0.046	0.061	0.153
HSB137CR	8/11/2015	THORIUM-230	0.107	pCi/L	U		V	0.103	0.114	0.319
HSB137CR	8/11/2015	THORIUM-232	0.045	pCi/L	U			0.064	0.061	0.189
HSB137CR	8/11/2015	URANIUM-233/234	0.0764	pCi/L	U		V	0.089	0.131	0.309
HSB137CR	8/11/2015	URANIUM-235	0.0269	pCi/L	U			0.054	0.0729	0.181

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137CR	8/11/2015	URANIUM-238	0.0381	pCi/L	U		V	0.063	0.11	0.235
HSB137CR	8/11/2015	GROSS ALPHA	-0.112	pCi/L	U			0.65	1.42	2.72
HSB137CR	8/11/2015	NONVOLATILE BETA	33.4	pCi/L				4.31	2.54	11.1
HSB137CR	8/11/2015	STRONTIUM-90	0.0481	pCi/L	U			1.98	3.29	7.25
HSB137CR	8/11/2015	CARBON-14	7.85	pCi/L	J		21	4.34	6.96	15.6
HSB137CR	8/11/2015	NICKEL-63	0.277	pCi/L	U			3.18	5.63	12
HSB137CR	8/11/2015	TECHNETIUM-99	62.8	pCi/L				4.06	4.4	12.5
HSB137CR	8/11/2015	TRITIUM	947	pCi/mL				5.97	0.462	12.4
HSB137CR	8/11/2015	CESIUM-137	2.9	pCi/L	U			4.97	9.41	19.4
HSB137CR	8/11/2015	COBALT-60	0.831	pCi/L	U			4.49	8.7	17.7
HSB137CR	8/11/2015	IODINE-129	3.54	pCi/L	J		21	1.36	1.03	3.74
HSB137CR	8/11/2015	RADIUM-226	0.358	pCi/L	J		21	0.237	0.34	0.814
HSB137CR	8/11/2015	RADIUM-228	2.29	pCi/L				0.497	0.426	1.42
HSB137CR	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.0151	pCi/L	U			0.229	0.427	0.885
HSB137CR	11/5/2015	NITRATE-NITRITE AS NITROGEN	15.4	mg/L					0.85	2.5
HSB137CR	11/5/2015	MERCURY	0.277	ug/L					0.02	0.2
HSB137CR	11/5/2015	GROSS ALPHA	-0.38	pCi/L	U			0.24	2.46	2.94
HSB137CR	11/5/2015	NONVOLATILE BETA	47.2	pCi/L				7.09	4.13	18.3
HSB137CR	11/5/2015	TRITIUM	926	pCi/mL				5.79	0.468	12.1
HSB137D	2/2/2015	NITRATE-NITRITE AS NITROGEN	11.7	mg/L					0.425	1.25
HSB137D	2/2/2015	ALUMINUM	51.3	ug/L	J				40	400
HSB137D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB137D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB137D	2/2/2015	BARIUM	8.69	ug/L	J				2	20
HSB137D	2/2/2015	BERYLLIUM	0.125	ug/L	J				0.1	1
HSB137D	2/2/2015	CADMIUM	0.173	ug/L	J				0.1	1
HSB137D	2/2/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137D	2/2/2015	COBALT	0.951	ug/L	J				0.5	5
HSB137D	2/2/2015	COPPER	90.9	ug/L					0.5	5
HSB137D	2/2/2015	LEAD	7.91	ug/L					0.5	5
HSB137D	2/2/2015	NICKEL	1.19	ug/L	J				0.5	5
HSB137D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB137D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB137D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB137D	2/2/2015	TIN	10	ug/L	U				1	10
HSB137D	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB137D	2/2/2015	ZINC	110	ug/L					4	40
HSB137D	2/2/2015	MERCURY	0.468	ug/L					0.02	0.2
HSB137D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB137D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB137D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB137D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB137D	2/2/2015	TRICHLOROETHYLENE (TCE)	1.88	ug/L					0.3	1
HSB137D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB137D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB137D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB137D	2/2/2015	AMERICIUM-241	0.0533	pCi/L	U			0.076	0.0723	0.224
HSB137D	2/2/2015	CURIUM-242	0.0592	pCi/L	U			0.084	0.0712	0.24
HSB137D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0712	0.0712
HSB137D	2/2/2015	CURIUM-245/246	0.19	pCi/L	J		21	0.147	0.0737	0.368
HSB137D	2/2/2015	PLUTONIUM-238	-0.00542	pCi/L	U			0.011	0.109	0.131
HSB137D	2/2/2015	PLUTONIUM-239/240	0.0433	pCi/L	U			0.062	0.0587	0.182
HSB137D	2/2/2015	THORIUM-228	0.0357	pCi/L	U			0.127	0.289	0.544

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137D	2/2/2015	THORIUM-230	0.184	pCi/L	J		21	0.134	0.0624	0.33
HSB137D	2/2/2015	THORIUM-232	0.0172	pCi/L	U			0.048	0.116	0.211
HSB137D	2/2/2015	URANIUM-233/234	0.067	pCi/L	U			0.086	0.123	0.294
HSB137D	2/2/2015	URANIUM-235	-0.00751	pCi/L	U			0.015	0.151	0.181
HSB137D	2/2/2015	URANIUM-238	0.0243	pCi/L	U			0.049	0.0659	0.163
HSB137D	2/2/2015	GROSS ALPHA	2.86	pCi/L	J		21	2.32	2.45	7.09
HSB137D	2/2/2015	NONVOLATILE BETA	24.6	pCi/L				5.45	4.52	15.4
HSB137D	2/2/2015	STRONTIUM-90	1.57	pCi/L	U			1.98	3.3	7.26
HSB137D	2/2/2015	CARBON-14	80.7	pCi/L	J			5.69	6.76	18.1
HSB137D	2/2/2015	NICKEL-63	1.05	pCi/L	U			2.94	5.02	10.9
HSB137D	2/2/2015	TECHNETIUM-99	14.1	pCi/L				2.82	4.06	9.69
HSB137D	2/2/2015	TRITIUM	417	pCi/mL				3.87	0.46	8.21
HSB137D	2/2/2015	CESIUM-137	-5.79	pCi/L	U			5.07	7.98	18.1
HSB137D	2/2/2015	COBALT-60	0.314	pCi/L	U			4.62	8.8	18
HSB137D	2/2/2015	IODINE-129	1.45	pCi/L	J		21	1.21	0.958	3.37
HSB137D	2/2/2015	RADIUM-226	1.19	pCi/L	J		21	0.458	0.519	1.44
HSB137D	2/2/2015	RADIUM-228	0.543	pCi/L	U			0.447	0.725	1.62
HSB137D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.199	pCi/L	U			0.899	1.81	3.61
HSB137D	4/21/2015	NITRATE-NITRITE AS NITROGEN	6.13	mg/L					0.17	0.5
HSB137D	4/21/2015	MERCURY	0.3	ug/L					0.02	0.2
HSB137D	4/21/2015	GROSS ALPHA	2.52	pCi/L	J		21	2.12	2.14	6.39
HSB137D	4/21/2015	NONVOLATILE BETA	13.2	pCi/L				4.29	4.44	13
HSB137D	4/21/2015	TRITIUM	254	pCi/mL				3.02	0.42	6.46
HSB137D	7/30/2015	NITRATE-NITRITE AS NITROGEN	6.55	mg/L					0.085	0.25
HSB137D	7/30/2015	MERCURY	0.0405	ug/L	J		21		0.02	0.2
HSB137D	7/30/2015	GROSS ALPHA	4.01	pCi/L	J		21	2.69	2.43	7.82
HSB137D	7/30/2015	NONVOLATILE BETA	23.1	pCi/L				5.33	4.65	15.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB137D	7/30/2015	TRITIUM	269	pCi/mL				3.03	0.408	6.47
HSB137D	11/5/2015	NITRATE-NITRITE AS NITROGEN	10.2	mg/L					0.425	1.25
HSB137D	11/5/2015	MERCURY	0.224	ug/L					0.02	0.2
HSB137D	11/5/2015	GROSS ALPHA	1.08	pCi/L	U			1.1	1.41	3.6
HSB137D	11/5/2015	NONVOLATILE BETA	27.8	pCi/L				4.05	2.91	11
HSB137D	11/5/2015	TRITIUM	499	pCi/mL				3.84	0.506	8.18
HSB139A	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.0462	mg/L	J		21		0.017	0.05
HSB139A	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB139A	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB139A	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB139A	2/2/2015	BARIUM	19.2	ug/L	J				2	20
HSB139A	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB139A	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB139A	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB139A	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB139A	2/2/2015	COPPER	0.836	ug/L	J				0.5	5
HSB139A	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB139A	2/2/2015	NICKEL	1.04	ug/L	J				0.5	5
HSB139A	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB139A	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB139A	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB139A	2/2/2015	TIN	10	ug/L	U				1	10
HSB139A	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB139A	2/2/2015	ZINC	40	ug/L	U				4	40
HSB139A	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139A	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB139A	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139A	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB139A	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB139A	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB139A	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB139A	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB139A	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB139A	2/2/2015	AMERICIUM-241	0.0695	pCi/L	U			0.081	0.0628	0.225
HSB139A	2/2/2015	CURIUM-242	0.0515	pCi/L	U			0.073	0.0619	0.209
HSB139A	2/2/2015	CURIUM-243/244	0.0229	pCi/L	U			0.046	0.0619	0.154
HSB139A	2/2/2015	CURIUM-245/246	0.142	pCi/L	U			0.118	0.0641	0.3
HSB139A	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0589	0.0589
HSB139A	2/2/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0589	0.0589
HSB139A	2/2/2015	THORIUM-228	-0.0594	pCi/L	U			0.136	0.373	0.645
HSB139A	2/2/2015	THORIUM-230	0.126	pCi/L	U			0.116	0.138	0.369
HSB139A	2/2/2015	THORIUM-232	-0.00573	pCi/L	U			0.012	0.115	0.139
HSB139A	2/2/2015	URANIUM-233/234	0.114	pCi/L	U			0.11	0.146	0.365
HSB139A	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0726	0.0726
HSB139A	2/2/2015	URANIUM-238	0	pCi/L	U			0	0.0587	0.0587
HSB139A	2/2/2015	GROSS ALPHA	1.31	pCi/L	U			1.71	2.47	5.9
HSB139A	2/2/2015	NONVOLATILE BETA	0.445	pCi/L	U			2.47	4.33	9.27
HSB139A	2/2/2015	STRONTIUM-90	0.133	pCi/L	U			1.73	3.24	6.71
HSB139A	2/2/2015	CARBON-14	8.18	pCi/L	J		21	4.14	6.6	14.9
HSB139A	2/2/2015	NICKEL-63	-0.0744	pCi/L	U			2.96	5.2	11.1
HSB139A	2/2/2015	TECHNETIUM-99	-0.413	pCi/L	U			2.39	4.05	8.83
HSB139A	2/2/2015	TRITIUM	-0.0287	pCi/mL	U			0.264	0.462	0.99
HSB139A	2/2/2015	CESIUM-137	-0.075	pCi/L	U			4.86	8.77	18.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139A	2/2/2015	COBALT-60	3.69	pCi/L	U			4.35	9.13	17.8
HSB139A	2/2/2015	IODINE-129	0.105	pCi/L	U			0.535	0.939	2.01
HSB139A	2/2/2015	RADIUM-226	0.106	pCi/L	U			0.232	0.427	0.891
HSB139A	2/2/2015	RADIUM-228	0.55	pCi/L	U		21, V	0.316	0.455	1.09
HSB139A	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.15	pCi/L	U			0.792	1.7	3.28
HSB139A	4/21/2015	NITRATE-NITRITE AS NITROGEN	0.0563	mg/L					0.017	0.05
HSB139A	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139A	4/21/2015	GROSS ALPHA	0.159	pCi/L	U			0.901	2.27	4.08
HSB139A	4/21/2015	NONVOLATILE BETA	3.68	pCi/L	U			2.91	4.15	9.98
HSB139A	4/21/2015	TRITIUM	-0.08	pCi/mL	U			0.234	0.419	0.888
HSB139A	8/3/2015	NITRATE-NITRITE AS NITROGEN	0.131	mg/L					0.017	0.05
HSB139A	8/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139A	8/3/2015	GROSS ALPHA	1.29	pCi/L	U			1.73	2.49	5.95
HSB139A	8/3/2015	NONVOLATILE BETA	0.963	pCi/L	U			2.52	4.31	9.36
HSB139A	8/3/2015	TRITIUM	0.0273	pCi/mL	U			0.263	0.454	0.981
HSB139A	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.0388	mg/L	J		21		0.017	0.05
HSB139A	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139A	11/5/2015	GROSS ALPHA	-0.096	pCi/L	U			0.488	1.41	2.39
HSB139A	11/5/2015	NONVOLATILE BETA	2.05	pCi/L	U			1.97	2.81	6.75
HSB139A	11/5/2015	TRITIUM	-0.022	pCi/mL	U			0.295	0.506	1.1
HSB139C	2/2/2015	NITRATE-NITRITE AS NITROGEN	28.5	mg/L					0.85	2.5
HSB139C	2/2/2015	ALUMINUM	143	ug/L	J				40	400
HSB139C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB139C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB139C	2/2/2015	BARIUM	37.3	ug/L					2	20
HSB139C	2/2/2015	BERYLLIUM	0.556	ug/L	J				0.1	1
HSB139C	2/2/2015	CADMIUM	0.338	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB139C	2/2/2015	COBALT	3.35	ug/L	J				0.5	5
HSB139C	2/2/2015	COPPER	0.875	ug/L	J				0.5	5
HSB139C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB139C	2/2/2015	NICKEL	5.43	ug/L					0.5	5
HSB139C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB139C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB139C	2/2/2015	THALLIUM	0.109	ug/L	J				0.1	1
HSB139C	2/2/2015	TIN	10	ug/L	U				1	10
HSB139C	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB139C	2/2/2015	ZINC	23.8	ug/L	J				4	40
HSB139C	2/2/2015	MERCURY	2.72	ug/L					0.02	0.2
HSB139C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB139C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB139C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB139C	2/2/2015	TETRACHLOROETHYLENE (PCE)	4.06	ug/L					0.3	1
HSB139C	2/2/2015	TRICHLOROETHYLENE (TCE)	0.68	ug/L	J		21		0.3	1
HSB139C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB139C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB139C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB139C	2/2/2015	AMERICIUM-241	0.0811	pCi/L	U			0.095	0.0732	0.262
HSB139C	2/2/2015	CURIUM-242	0.0601	pCi/L	U			0.086	0.0721	0.243
HSB139C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0721	0.0721
HSB139C	2/2/2015	CURIUM-245/246	0.11	pCi/L	U			0.112	0.0747	0.298
HSB139C	2/2/2015	PLUTONIUM-238	0.0218	pCi/L	U			0.044	0.059	0.147
HSB139C	2/2/2015	PLUTONIUM-239/240	-0.00545	pCi/L	U			0.011	0.11	0.132

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139C	2/2/2015	THORIUM-228	0.164	pCi/L	U			0.173	0.297	0.642
HSB139C	2/2/2015	THORIUM-230	0.0227	pCi/L	U			0.046	0.0615	0.153
HSB139C	2/2/2015	THORIUM-232	-0.00566	pCi/L	U			0.011	0.114	0.137
HSB139C	2/2/2015	URANIUM-233/234	0.0599	pCi/L	U			0.085	0.144	0.314
HSB139C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0801	0.0801
HSB139C	2/2/2015	URANIUM-238	0.0657	pCi/L	U			0.084	0.12	0.289
HSB139C	2/2/2015	GROSS ALPHA	3.42	pCi/L	J		21	2.57	2.55	7.7
HSB139C	2/2/2015	NONVOLATILE BETA	21.5	pCi/L				5.19	4.58	15
HSB139C	2/2/2015	STRONTIUM-90	-0.753	pCi/L	U			1.51	3.27	6.3
HSB139C	2/2/2015	CARBON-14	4.62	pCi/L	U			4.06	6.62	14.7
HSB139C	2/2/2015	NICKEL-63	1.5	pCi/L	U			3.01	5.24	11.3
HSB139C	2/2/2015	TECHNETIUM-99	29	pCi/L				3.2	4.07	10.5
HSB139C	2/2/2015	TRITIUM	606	pCi/mL				4.23	0.517	8.98
HSB139C	2/2/2015	CESIUM-137	2.57	pCi/L	U			4.71	8.98	18.4
HSB139C	2/2/2015	COBALT-60	0.433	pCi/L	U			4.43	8.52	17.4
HSB139C	2/2/2015	IODINE-129	3.79	pCi/L				1.25	0.964	3.47
HSB139C	2/2/2015	RADIUM-226	0.16	pCi/L	U			0.246	0.432	0.924
HSB139C	2/2/2015	RADIUM-228	1.26	pCi/L	U		21, V	0.498	0.703	1.7
HSB139C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.948	pCi/L	U			0.776	2.16	3.71
HSB139C	4/21/2015	NITRATE-NITRITE AS NITROGEN	26.2	mg/L					0.85	2.5
HSB139C	4/21/2015	MERCURY	2.24	ug/L					0.02	0.2
HSB139C	4/21/2015	GROSS ALPHA	0.554	pCi/L	U			1.24	2.34	4.82
HSB139C	4/21/2015	NONVOLATILE BETA	23.2	pCi/L				5.23	4.2	14.7
HSB139C	4/21/2015	TRITIUM	578	pCi/mL				4.54	0.419	9.49
HSB139C	8/3/2015	NITRATE-NITRITE AS NITROGEN	26.1	mg/L					0.85	2.5
HSB139C	8/3/2015	MERCURY	2	ug/L					0.02	0.2
HSB139C	8/3/2015	GROSS ALPHA	2.15	pCi/L	U			2.15	2.59	6.88

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139C	8/3/2015	NONVOLATILE BETA	21.1	pCi/L				5.1	4.42	14.6
HSB139C	8/3/2015	TRITIUM	614	pCi/mL				4.82	0.432	10.1
HSB139C	11/5/2015	NITRATE-NITRITE AS NITROGEN	22.5	mg/L					0.85	2.5
HSB139C	11/5/2015	MERCURY	3.07	ug/L					0.02	0.2
HSB139C	11/5/2015	GROSS ALPHA	1.57	pCi/L	J		21	1.29	1.45	4.03
HSB139C	11/5/2015	NONVOLATILE BETA	16.8	pCi/L				3.35	2.96	9.67
HSB139C	11/5/2015	TRITIUM	580	pCi/mL				4.14	0.508	8.79
HSB139D	2/2/2015	NITRATE-NITRITE AS NITROGEN	1.16	mg/L					0.017	0.05
HSB139D	2/2/2015	ALUMINUM	1930	ug/L					40	400
HSB139D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB139D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB139D	2/2/2015	BARIUM	15	ug/L	J				2	20
HSB139D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB139D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB139D	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB139D	2/2/2015	COBALT	0.677	ug/L	J				0.5	5
HSB139D	2/2/2015	COPPER	1.37	ug/L	J				0.5	5
HSB139D	2/2/2015	LEAD	0.765	ug/L	J				0.5	5
HSB139D	2/2/2015	NICKEL	0.804	ug/L	J				0.5	5
HSB139D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB139D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB139D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB139D	2/2/2015	TIN	10	ug/L	U				1	10
HSB139D	2/2/2015	VANADIUM	15.3	ug/L	J				5	50
HSB139D	2/2/2015	ZINC	40	ug/L	U				4	40
HSB139D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139D	2/2/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB139D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB139D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB139D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB139D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB139D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB139D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB139D	2/2/2015	AMERICIUM-241	0.0156	pCi/L	U			0.043	0.105	0.191
HSB139D	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0556	0.0556
HSB139D	2/2/2015	CURIUM-243/244	0.0206	pCi/L	U			0.041	0.0556	0.138
HSB139D	2/2/2015	CURIUM-245/246	0.127	pCi/L	U			0.106	0.0575	0.269
HSB139D	2/2/2015	PLUTONIUM-238	0.0207	pCi/L	U			0.042	0.0562	0.139
HSB139D	2/2/2015	PLUTONIUM-239/240	0.0207	pCi/L	U			0.042	0.0562	0.139
HSB139D	2/2/2015	THORIUM-228	-0.0466	pCi/L	U			0.125	0.357	0.606
HSB139D	2/2/2015	THORIUM-230	0.0258	pCi/L	U			0.052	0.0699	0.173
HSB139D	2/2/2015	THORIUM-232	-0.0129	pCi/L	U			0.018	0.154	0.191
HSB139D	2/2/2015	URANIUM-233/234	0.0464	pCi/L	U			0.066	0.0628	0.195
HSB139D	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0775	0.0775
HSB139D	2/2/2015	URANIUM-238	0.0231	pCi/L	U			0.046	0.0627	0.156
HSB139D	2/2/2015	GROSS ALPHA	2.38	pCi/L	J		21	2.08	2.23	6.38
HSB139D	2/2/2015	NONVOLATILE BETA	7.09	pCi/L	J		21	3.34	3.98	10.7
HSB139D	2/2/2015	STRONTIUM-90	3.83	pCi/L	J		21	2.39	3.27	8.05
HSB139D	2/2/2015	CARBON-14	12.3	pCi/L	J		21	4.34	6.79	15.5
HSB139D	2/2/2015	NICKEL-63	-0.0265	pCi/L	U			2.98	5.42	11.4
HSB139D	2/2/2015	TECHNETIUM-99	3.9	pCi/L	U			2.46	3.95	8.87
HSB139D	2/2/2015	TRITIUM	6.73	pCi/mL				0.566	0.472	1.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB139D	2/2/2015	CESIUM-137	-0.897	pCi/L	U			4.94	8.76	18.6
HSB139D	2/2/2015	COBALT-60	0.0942	pCi/L	U			4.48	8.5	17.5
HSB139D	2/2/2015	IODINE-129	-0.127	pCi/L	U			0.586	1	2.18
HSB139D	2/2/2015	RADIUM-226	0.545	pCi/L	J		21	0.361	0.518	1.24
HSB139D	2/2/2015	RADIUM-228	0.205	pCi/L	U			0.309	0.535	1.15
HSB139D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.468	pCi/L	U			0.414	1.45	2.28
HSB139D	4/21/2015	NITRATE-NITRITE AS NITROGEN	0.151	mg/L					0.017	0.05
HSB139D	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB139D	4/21/2015	GROSS ALPHA	0.145	pCi/L	U			0.826	2.08	3.74
HSB139D	4/21/2015	NONVOLATILE BETA	3.65	pCi/L	U			2.89	4.12	9.9
HSB139D	4/21/2015	TRITIUM	3.6	pCi/mL				0.436	0.427	1.3
HSB139D	8/3/2015	NITRATE-NITRITE AS NITROGEN	2.44	mg/L					0.085	0.25
HSB139D	8/3/2015	MERCURY	0.0247	ug/L	J		21		0.02	0.2
HSB139D	8/3/2015	GROSS ALPHA	2.35	pCi/L	U			2.11	2.37	6.59
HSB139D	8/3/2015	NONVOLATILE BETA	23.2	pCi/L				5.29	4.44	15
HSB139D	8/3/2015	TRITIUM	7.01	pCi/mL				0.583	0.449	1.62
HSB139D	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.299	mg/L					0.017	0.05
HSB139D	11/5/2015	MERCURY	0.0272	ug/L	J		21		0.02	0.2
HSB139D	11/5/2015	GROSS ALPHA	0.495	pCi/L	U			0.816	1.31	2.95
HSB139D	11/5/2015	NONVOLATILE BETA	4.72	pCi/L	J		21	2.28	2.85	7.42
HSB139D	11/5/2015	TRITIUM	4.86	pCi/mL				0.491	0.524	1.51
HSB140C	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.616	mg/L					0.017	0.05
HSB140C	1/29/2015	ALUMINUM	400	ug/L	U				40	400
HSB140C	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB140C	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB140C	1/29/2015	BARIUM	5.54	ug/L	J				2	20
HSB140C	1/29/2015	BERYLLIUM	0.179	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB140C	1/29/2015	CADMIUM	1	ug/L	U				0.1	1
HSB140C	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB140C	1/29/2015	COBALT	0.731	ug/L	J				0.5	5
HSB140C	1/29/2015	COPPER	5.2	ug/L					0.5	5
HSB140C	1/29/2015	LEAD	5.9	ug/L					0.5	5
HSB140C	1/29/2015	NICKEL	0.849	ug/L	J				0.5	5
HSB140C	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB140C	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB140C	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB140C	1/29/2015	TIN	10	ug/L	U				1	10
HSB140C	1/29/2015	VANADIUM	50	ug/L	U				5	50
HSB140C	1/29/2015	ZINC	11.6	ug/L	J				4	40
HSB140C	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB140C	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB140C	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB140C	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB140C	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB140C	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB140C	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB140C	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB140C	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB140C	1/29/2015	AMERICIUM-241	0.038	pCi/L	U			0.063	0.109	0.235
HSB140C	1/29/2015	CURIUM-242	-0.0351	pCi/L	U			0.029	0.18	0.238
HSB140C	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.058	0.058
HSB140C	1/29/2015	CURIUM-245/246	0.266	pCi/L	J		21	0.159	0.06	0.377
HSB140C	1/29/2015	PLUTONIUM-238	-0.013	pCi/L	U			0.019	0.156	0.193

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB140C	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0703	0.0703
HSB140C	1/29/2015	THORIUM-228	-0.0125	pCi/L	U			0.018	0.146	0.182
HSB140C	1/29/2015	THORIUM-230	0.0734	pCi/L	U			0.086	0.0663	0.238
HSB140C	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0662	0.0662
HSB140C	1/29/2015	URANIUM-233/234	0.056	pCi/L	U			0.08	0.134	0.294
HSB140C	1/29/2015	URANIUM-235	-0.0138	pCi/L	U			0.02	0.166	0.205
HSB140C	1/29/2015	URANIUM-238	0.0168	pCi/L	U			0.046	0.113	0.205
HSB140C	1/29/2015	GROSS ALPHA	0.435	pCi/L	UJ			1.12	2.18	4.42
HSB140C	1/29/2015	NONVOLATILE BETA	2.04	pCi/L	U			2.5	3.93	8.93
HSB140C	1/29/2015	STRONTIUM-90	0.617	pCi/L	U			1.93	3.11	6.97
HSB140C	1/29/2015	CARBON-14	20.4	pCi/L				4.68	7.04	16.4
HSB140C	1/29/2015	NICKEL-63	1.92	pCi/L	U			3	4.99	11
HSB140C	1/29/2015	TECHNETIUM-99	0.0462	pCi/L	U			2.58	4.34	9.49
HSB140C	1/29/2015	TRITIUM	1.8	pCi/mL				0.36	0.446	1.17
HSB140C	1/29/2015	CESIUM-137	-2.34	pCi/L	U			5.54	9.46	20.5
HSB140C	1/29/2015	COBALT-60	-3.01	pCi/L	U			5.47	9.31	20.3
HSB140C	1/29/2015	IODINE-129	0.0433	pCi/L	U			0.573	0.972	2.12
HSB140C	1/29/2015	RADIUM-226	0.416	pCi/L	U			0.288	0.42	0.996
HSB140C	1/29/2015	RADIUM-228	0.222	pCi/L	U			0.399	0.694	1.49
HSB140C	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.387	pCi/L	U			0.721	1.8	3.24
HSB140D	1/29/2015	NITRATE-NITRITE AS NITROGEN	0.258	mg/L					0.017	0.05
HSB140D	1/29/2015	ALUMINUM	173	ug/L	J				40	400
HSB140D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB140D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB140D	1/29/2015	BARIUM	6.81	ug/L	J				2	20
HSB140D	1/29/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB140D	1/29/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB140D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB140D	1/29/2015	COBALT	5	ug/L	U				0.5	5
HSB140D	1/29/2015	COPPER	17	ug/L					0.5	5
HSB140D	1/29/2015	LEAD	2.25	ug/L	J				0.5	5
HSB140D	1/29/2015	NICKEL	1.11	ug/L	J				0.5	5
HSB140D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB140D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB140D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB140D	1/29/2015	TIN	10	ug/L	U				1	10
HSB140D	1/29/2015	VANADIUM	13.6	ug/L	J				5	50
HSB140D	1/29/2015	ZINC	5.08	ug/L	J				4	40
HSB140D	1/29/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB140D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB140D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB140D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.05	ug/L	J		21		1	5
HSB140D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB140D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB140D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB140D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB140D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB140D	1/29/2015	AMERICIUM-241	0.0435	pCi/L	U			0.062	0.059	0.183
HSB140D	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0581	0.0581
HSB140D	1/29/2015	CURIUM-243/244	0	pCi/L	U			0	0.0581	0.0581
HSB140D	1/29/2015	CURIUM-245/246	0.133	pCi/L	U			0.111	0.0601	0.281
HSB140D	1/29/2015	PLUTONIUM-238	0.0251	pCi/L	U			0.05	0.0679	0.168
HSB140D	1/29/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0679	0.0679

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB140D	1/29/2015	THORIUM-228	-0.0124	pCi/L	U			0.018	0.145	0.18
HSB140D	1/29/2015	THORIUM-230	0.0241	pCi/L	U			0.049	0.0654	0.162
HSB140D	1/29/2015	THORIUM-232	0.0241	pCi/L	U			0.048	0.0653	0.162
HSB140D	1/29/2015	URANIUM-233/234	0.139	pCi/L	U			0.116	0.128	0.361
HSB140D	1/29/2015	URANIUM-235	0.0264	pCi/L	U			0.053	0.0715	0.177
HSB140D	1/29/2015	URANIUM-238	0.0373	pCi/L	U			0.062	0.107	0.231
HSB140D	1/29/2015	GROSS ALPHA	-0.321	pCi/L	U			0.358	2.22	2.94
HSB140D	1/29/2015	NONVOLATILE BETA	2.77	pCi/L	U			2.55	3.74	8.85
HSB140D	1/29/2015	STRONTIUM-90	0.829	pCi/L	U			1.74	3.11	6.59
HSB140D	1/29/2015	CARBON-14	12.3	pCi/L	J		21	4.46	7	15.9
HSB140D	1/29/2015	NICKEL-63	2.24	pCi/L	U			4.6	8.06	17.3
HSB140D	1/29/2015	TECHNETIUM-99	-0.989	pCi/L	U			2.54	4.33	9.4
HSB140D	1/29/2015	TRITIUM	2.57	pCi/mL				0.375	0.386	1.14
HSB140D	1/29/2015	CESIUM-137	-1.95	pCi/L	U			5.47	9.47	20.4
HSB140D	1/29/2015	COBALT-60	0.442	pCi/L	U			4.83	9.18	18.8
HSB140D	1/29/2015	IODINE-129	-0.449	pCi/L	U			0.573	0.951	2.1
HSB140D	1/29/2015	RADIUM-226	0.617	pCi/L	J		21	0.285	0.316	0.886
HSB140D	1/29/2015	RADIUM-228	0.535	pCi/L	J		21	0.319	0.479	1.12
HSB140D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.498	pCi/L	U			0.882	1.62	3.38
HSB141CR	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.19	mg/L					0.017	0.05
HSB141CR	2/2/2015	ALUMINUM	64.9	ug/L	J				40	400
HSB141CR	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB141CR	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB141CR	2/2/2015	BARIUM	6.85	ug/L	J				2	20
HSB141CR	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB141CR	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB141CR	2/2/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB141CR	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB141CR	2/2/2015	COPPER	1.55	ug/L	J				0.5	5
HSB141CR	2/2/2015	LEAD	0.796	ug/L	J				0.5	5
HSB141CR	2/2/2015	NICKEL	0.792	ug/L	J				0.5	5
HSB141CR	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB141CR	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB141CR	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB141CR	2/2/2015	TIN	10	ug/L	U				1	10
HSB141CR	2/2/2015	VANADIUM	13.3	ug/L	J				5	50
HSB141CR	2/2/2015	ZINC	5.86	ug/L	J				4	40
HSB141CR	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB141CR	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB141CR	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB141CR	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB141CR	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB141CR	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB141CR	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB141CR	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB141CR	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB141CR	2/2/2015	AMERICIUM-241	-0.00592	pCi/L	U			0.012	0.119	0.143
HSB141CR	2/2/2015	CURIUM-242	0.0263	pCi/L	U			0.053	0.0633	0.169
HSB141CR	2/2/2015	CURIUM-243/244	-0.00585	pCi/L	U			0.012	0.118	0.141
HSB141CR	2/2/2015	CURIUM-245/246	0.0725	pCi/L	U			0.085	0.0655	0.234
HSB141CR	2/2/2015	PLUTONIUM-238	-0.00572	pCi/L	U			0.012	0.115	0.138
HSB141CR	2/2/2015	PLUTONIUM-239/240	0.0172	pCi/L	U			0.047	0.115	0.21
HSB141CR	2/2/2015	THORIUM-228	-0.0364	pCi/L	U			0.125	0.341	0.591

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB141CR	2/2/2015	THORIUM-230	0.147	pCi/L	U			0.128	0.158	0.414
HSB141CR	2/2/2015	THORIUM-232	-0.00585	pCi/L	U			0.012	0.118	0.141
HSB141CR	2/2/2015	URANIUM-233/234	0	pCi/L	U			0	0.0643	0.0643
HSB141CR	2/2/2015	URANIUM-235	0.022	pCi/L	U			0.061	0.147	0.268
HSB141CR	2/2/2015	URANIUM-238	0.0474	pCi/L	U			0.067	0.0642	0.199
HSB141CR	2/2/2015	GROSS ALPHA	-0.324	pCi/L	U			0.332	2.18	2.84
HSB141CR	2/2/2015	NONVOLATILE BETA	2.32	pCi/L	U			2.54	3.91	9
HSB141CR	2/2/2015	STRONTIUM-90	-0.445	pCi/L	U			1.65	3.24	6.55
HSB141CR	2/2/2015	CARBON-14	8.25	pCi/L	J		21	4.25	6.79	15.3
HSB141CR	2/2/2015	NICKEL-63	3.04	pCi/L	U			3.06	5.22	11.4
HSB141CR	2/2/2015	TECHNETIUM-99	2.43	pCi/L	U			2.5	4.09	9.09
HSB141CR	2/2/2015	TRITIUM	0.74	pCi/mL	J		21	0.311	0.461	1.08
HSB141CR	2/2/2015	CESIUM-137	1.32	pCi/L	U			5.12	9.44	19.7
HSB141CR	2/2/2015	COBALT-60	-1.62	pCi/L	U			4.31	7.75	16.4
HSB141CR	2/2/2015	IODINE-129	-0.553	pCi/L	U			0.692	0.979	2.36
HSB141CR	2/2/2015	RADIUM-226	0.985	pCi/L	J		21	0.457	0.568	1.48
HSB141CR	2/2/2015	RADIUM-228	0.0225	pCi/L	U			0.284	0.538	1.11
HSB141CR	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.09	pCi/L	U			0.901	1.2	3
HSB141D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.133	mg/L					0.017	0.05
HSB141D	2/2/2015	ALUMINUM	7710	ug/L					40	400
HSB141D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB141D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB141D	2/2/2015	BARIUM	27.2	ug/L					2	20
HSB141D	2/2/2015	BERYLLIUM	0.522	ug/L	J				0.1	1
HSB141D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB141D	2/2/2015	CHROMIUM	87.5	ug/L	J				10	100
HSB141D	2/2/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB141D	2/2/2015	COPPER	6.03	ug/L					0.5	5
HSB141D	2/2/2015	LEAD	5.83	ug/L					0.5	5
HSB141D	2/2/2015	NICKEL	4.68	ug/L	J				0.5	5
HSB141D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB141D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB141D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB141D	2/2/2015	TIN	10	ug/L	U				1	10
HSB141D	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB141D	2/2/2015	ZINC	11.4	ug/L	J				4	40
HSB141D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB141D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB141D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB141D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB141D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB141D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB141D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB141D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB141D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB141D	2/2/2015	AMERICIUM-241	0.0262	pCi/L	U			0.053	0.0709	0.176
HSB141D	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0698	0.0698
HSB141D	2/2/2015	CURIUM-243/244	-0.0129	pCi/L	U			0.018	0.155	0.191
HSB141D	2/2/2015	CURIUM-245/246	0.133	pCi/L	U			0.121	0.0723	0.315
HSB141D	2/2/2015	PLUTONIUM-238	0.0251	pCi/L	U			0.05	0.0679	0.169
HSB141D	2/2/2015	PLUTONIUM-239/240	-0.0188	pCi/L	U			0.022	0.169	0.213
HSB141D	2/2/2015	THORIUM-228	0.0685	pCi/L	J		21	0.08	0.0598	0.22
HSB141D	2/2/2015	THORIUM-230	0.0994	pCi/L	U			0.101	0.133	0.335

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB141D	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0598	0.0598
HSB141D	2/2/2015	URANIUM-233/234	0.331	pCi/L	J		21	0.179	0.128	0.485
HSB141D	2/2/2015	URANIUM-235	-0.0132	pCi/L	U			0.019	0.158	0.196
HSB141D	2/2/2015	URANIUM-238	0.533	pCi/L				0.227	0.0578	0.511
HSB141D	2/2/2015	GROSS ALPHA	4.28	pCi/L	J		21	2.83	2.48	8.14
HSB141D	2/2/2015	NONVOLATILE BETA	3.06	pCi/L	U			3.1	4.68	10.9
HSB141D	2/2/2015	STRONTIUM-90	-1.08	pCi/L	U			1.64	3.24	6.51
HSB141D	2/2/2015	CARBON-14	8.41	pCi/L	J		21	4.17	6.64	15
HSB141D	2/2/2015	NICKEL-63	1.18	pCi/L	U			2.92	4.95	10.8
HSB141D	2/2/2015	TECHNETIUM-99	0.67	pCi/L	U			2.44	4.08	8.96
HSB141D	2/2/2015	TRITIUM	3.36	pCi/mL				0.438	0.521	1.4
HSB141D	2/2/2015	CESIUM-137	3.12	pCi/L	U			5.86	11.1	22.8
HSB141D	2/2/2015	COBALT-60	2.86	pCi/L	U			5.67	11.3	22.6
HSB141D	2/2/2015	IODINE-129	1.37	pCi/L	J		21	0.683	0.924	2.29
HSB141D	2/2/2015	RADIUM-226	1.15	pCi/L	J		21	0.466	0.516	1.45
HSB141D	2/2/2015	RADIUM-228	0.651	pCi/L	U		21, V	0.411	0.633	1.46
HSB141D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.42	pCi/L	U			1.18	1.74	4.1
HSB142C	1/6/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
HSB142C	1/6/2015	TRICHLOROETHYLENE (TCE)	0.85	ug/L	J		21		0.25	1
HSB142C	7/9/2015	ETHANE	0.0039	ug/L	J		21		0.002	0.1
HSB142C	7/9/2015	ETHYLENE	0.01	ug/L	J		21		0.003	0.1
HSB142C	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB142C	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB142C	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB142C	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142C	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB142C	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB142C	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB142C	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB142C	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB142C	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB142C	7/9/2015	1,2-DICHLOROETHYLENE	2.8	ug/L					0.15	2
HSB142C	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB142C	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSB142C	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB142C	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB142C	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB142C	7/9/2015	ACETONE	2	ug/L	U				0.34	2
HSB142C	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB142C	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB142C	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB142C	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB142C	7/9/2015	BENZENE	1	ug/L	U				0.06	1
HSB142C	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB142C	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142C	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB142C	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB142C	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB142C	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB142C	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB142C	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB142C	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB142C	7/9/2015	CHLOROFORM	0.27	ug/L	J		21		0.1	1
HSB142C	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB142C	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB142C	7/9/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L					0.09	1
HSB142C	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB142C	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB142C	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB142C	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB142C	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB142C	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB142C	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB142C	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB142C	7/9/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HSB142C	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142C	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB142C	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB142C	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB142C	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB142C	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB142C	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB142C	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB142C	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB142C	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB142C	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB142C	7/9/2015	STYRENE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	TETRACHLOROETHYLENE (PCE)	0.54	ug/L	J		21		0.18	1
HSB142C	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
HSB142C	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB142C	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSB142C	7/9/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.25	1
HSB142C	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB142C	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB142C	7/9/2015	XYLENES	3	ug/L	U				0.2	3
HSB142C	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSB142C	7/9/2015	TRITIUM	222	pCi/mL				2.58	0.508	5.66
HSB142D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB142D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB142D	7/9/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
HSB142D	7/9/2015	ETHYLENE	0.0096	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142D	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB142D	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB142D	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB142D	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB142D	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB142D	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB142D	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB142D	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB142D	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB142D	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB142D	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HSB142D	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB142D	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSB142D	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB142D	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB142D	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB142D	7/9/2015	ACETONE	2	ug/L	U				0.34	2
HSB142D	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB142D	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142D	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB142D	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB142D	7/9/2015	BENZENE	1	ug/L	U				0.06	1
HSB142D	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB142D	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB142D	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB142D	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB142D	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB142D	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB142D	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB142D	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB142D	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB142D	7/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
HSB142D	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB142D	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB142D	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSB142D	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB142D	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB142D	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB142D	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB142D	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB142D	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142D	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB142D	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB142D	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
HSB142D	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB142D	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB142D	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB142D	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB142D	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB142D	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB142D	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB142D	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB142D	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB142D	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB142D	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB142D	7/9/2015	STYRENE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB142D	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
HSB142D	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB142D	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSB142D	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB142D	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB142D	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB142D	7/9/2015	XYLENES	3	ug/L	U				0.2	3
HSB142D	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB142D	7/9/2015	TRITIUM	594	pCi/mL				4.21	0.511	8.94
HSB143C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L					0.18	1
HSB143C	1/6/2015	TRICHLOROETHYLENE (TCE)	8.6	ug/L					0.25	1
HSB143C	7/15/2015	ETHANE	0.013	ug/L	J		21		0.002	0.1
HSB143C	7/15/2015	ETHYLENE	0.025	ug/L	J		21		0.003	0.1
HSB143C	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB143C	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB143C	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB143C	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.86	ug/L	J		21		0.1	1
HSB143C	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB143C	7/15/2015	1,1-DICHLOROETHANE	11	ug/L					0.07	1
HSB143C	7/15/2015	1,1-DICHLOROETHYLENE	0.76	ug/L	J		21		0.08	1
HSB143C	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB143C	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB143C	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB143C	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB143C	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB143C	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB143C	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB143C	7/15/2015	1,2-DICHLOROETHANE (EDC)	0.25	ug/L	J		21		0.1	1
HSB143C	7/15/2015	1,2-DICHLOROETHYLENE	160	ug/L					1.5	20
HSB143C	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB143C	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB143C	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB143C	7/15/2015	1,4-DICHLOROBENZENE	0.13	ug/L	J		21		0.12	1
HSB143C	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB143C	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB143C	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB143C	7/15/2015	ACETONE	2	ug/L	U				0.34	2
HSB143C	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB143C	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB143C	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB143C	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB143C	7/15/2015	BENZENE	0.31	ug/L	J		21		0.06	1
HSB143C	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB143C	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB143C	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB143C	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB143C	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB143C	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB143C	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB143C	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB143C	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	3.4	ug/L					0.08	2
HSB143C	7/15/2015	CHLOROFORM	0.49	ug/L	J		21		0.1	1
HSB143C	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB143C	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB143C	7/15/2015	CIS-1,2-DICHLOROETHYLENE	160	ug/L					0.9	10
HSB143C	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB143C	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB143C	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB143C	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB143C	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB143C	7/15/2015	DICHLORODIFLUOROMETHANE	3.5	ug/L					0.08	2
HSB143C	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB143C	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB143C	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB143C	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB143C	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HSB143C	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB143C	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB143C	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB143C	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB143C	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB143C	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB143C	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB143C	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB143C	7/15/2015	NAPHTHALENE	1.7	ug/L					0.16	1
HSB143C	7/15/2015	O-XYLENE	0.36	ug/L	J		21		0.06	1
HSB143C	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB143C	7/15/2015	STYRENE	1	ug/L	U				0.07	1
HSB143C	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.94	ug/L	J		21		0.18	1
HSB143C	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
HSB143C	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB143C	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB143C	7/15/2015	TRANS-1,4-DICHLORO-2-	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BUTENE								
HSB143C	7/15/2015	TRICHLOROETHYLENE (TCE)	6.8	ug/L					0.25	1
HSB143C	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB143C	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB143C	7/15/2015	XYLENES	0.36	ug/L	J		21		0.2	3
HSB143C	7/15/2015	1,4-DIOXANE	330	ug/L					4.3	15
HSB143C	7/15/2015	TRITIUM	2720	pCi/mL				9.72	0.527	20
HSB144A	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.117	mg/L					0.017	0.05
HSB144A	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB144A	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB144A	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB144A	2/2/2015	BARIUM	37	ug/L					2	20
HSB144A	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB144A	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB144A	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB144A	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB144A	2/2/2015	COPPER	0.737	ug/L	J				0.5	5
HSB144A	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB144A	2/2/2015	NICKEL	0.737	ug/L	J				0.5	5
HSB144A	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB144A	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB144A	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB144A	2/2/2015	TIN	10	ug/L	U				1	10
HSB144A	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB144A	2/2/2015	ZINC	40	ug/L	U				4	40
HSB144A	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB144A	2/2/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB144A	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB144A	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB144A	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB144A	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB144A	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB144A	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB144A	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB144A	2/2/2015	AMERICIUM-241	0.0302	pCi/L	U			0.072	0.163	0.306
HSB144A	2/2/2015	CURIUM-242	0.0805	pCi/L	U			0.094	0.0645	0.252
HSB144A	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0645	0.0645
HSB144A	2/2/2015	CURIUM-245/246	0.191	pCi/L	J		21	0.143	0.124	0.41
HSB144A	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0597	0.0597
HSB144A	2/2/2015	PLUTONIUM-239/240	0.011	pCi/L	U			0.047	0.132	0.226
HSB144A	2/2/2015	THORIUM-228	0.0332	pCi/L	U			0.129	0.3	0.559
HSB144A	2/2/2015	THORIUM-230	0.167	pCi/L	U			0.14	0.154	0.434
HSB144A	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0695	0.0695
HSB144A	2/2/2015	URANIUM-233/234	0.0219	pCi/L	U			0.044	0.0593	0.147
HSB144A	2/2/2015	URANIUM-235	-0.00675	pCi/L	U			0.014	0.136	0.163
HSB144A	2/2/2015	URANIUM-238	0	pCi/L	U			0	0.0592	0.0592
HSB144A	2/2/2015	GROSS ALPHA	1.67	pCi/L	U			1.84	2.39	6.08
HSB144A	2/2/2015	NONVOLATILE BETA	2.24	pCi/L	U			2.81	4.37	10
HSB144A	2/2/2015	STRONTIUM-90	-0.143	pCi/L	U			1.56	3.24	6.37
HSB144A	2/2/2015	CARBON-14	6.15	pCi/L	U			4.12	6.66	14.9
HSB144A	2/2/2015	NICKEL-63	0.101	pCi/L	U			3	5.31	11.3
HSB144A	2/2/2015	TECHNETIUM-99	0.928	pCi/L	U			2.46	4.1	9.02
HSB144A	2/2/2015	TRITIUM	1.84	pCi/mL				0.37	0.461	1.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB144A	2/2/2015	CESIUM-137	-0.373	pCi/L	U			4.99	8.95	18.9
HSB144A	2/2/2015	COBALT-60	-0.722	pCi/L	U			4.46	8.26	17.2
HSB144A	2/2/2015	IODINE-129	0.114	pCi/L	U			0.531	0.933	1.99
HSB144A	2/2/2015	RADIUM-226	0.405	pCi/L	U			0.375	0.594	1.34
HSB144A	2/2/2015	RADIUM-228	0.0906	pCi/L	U			0.291	0.535	1.12
HSB144A	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.455	pCi/L	U			0.652	1.94	3.24
HSB144A	4/21/2015	NITRATE-NITRITE AS NITROGEN	0.064	mg/L					0.017	0.05
HSB144A	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB144A	4/21/2015	GROSS ALPHA	2.21	pCi/L	J		21	2.04	2.19	6.26
HSB144A	4/21/2015	NONVOLATILE BETA	2.91	pCi/L	U			2.9	4.4	10.2
HSB144A	4/21/2015	TRITIUM	0.946	pCi/mL	J		21	0.302	0.419	1.02
HSB144A	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.035	mg/L	J		21		0.017	0.05
HSB144A	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB144A	8/5/2015	GROSS ALPHA	-0.38	pCi/L	U			0.36	2.38	3.1
HSB144A	8/5/2015	NONVOLATILE BETA	2.57	pCi/L	U			2.7	4.07	9.47
HSB144A	8/5/2015	TRITIUM	0.362	pCi/mL	U			0.302	0.484	1.09
HSB144A	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.08	mg/L					0.017	0.05
HSB144A	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB144A	11/5/2015	GROSS ALPHA	0.719	pCi/L	U			0.936	1.35	3.22
HSB144A	11/5/2015	NONVOLATILE BETA	1.83	pCi/L	U			1.97	2.88	6.82
HSB144A	11/5/2015	TRITIUM	1.47	pCi/mL				0.355	0.468	1.18
HSB145C	2/2/2015	NITRATE-NITRITE AS NITROGEN	34.5	mg/L					0.85	2.5
HSB145C	2/2/2015	ALUMINUM	108	ug/L	J				40	400
HSB145C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB145C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB145C	2/2/2015	BARIUM	86.5	ug/L					2	20
HSB145C	2/2/2015	BERYLLIUM	0.814	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB145C	2/2/2015	CADMIUM	0.263	ug/L	J				0.1	1
HSB145C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB145C	2/2/2015	COBALT	1.29	ug/L	J				0.5	5
HSB145C	2/2/2015	COPPER	0.714	ug/L	J				0.5	5
HSB145C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB145C	2/2/2015	NICKEL	4.34	ug/L	J				0.5	5
HSB145C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB145C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB145C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB145C	2/2/2015	TIN	10	ug/L	U				1	10
HSB145C	2/2/2015	VANADIUM	9.6	ug/L	J				5	50
HSB145C	2/2/2015	ZINC	29	ug/L	J				4	40
HSB145C	2/2/2015	MERCURY	1.37	ug/L					0.02	0.2
HSB145C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB145C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB145C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB145C	2/2/2015	TETRACHLOROETHYLENE (PCE)	7.57	ug/L					0.3	1
HSB145C	2/2/2015	TRICHLOROETHYLENE (TCE)	0.94	ug/L	J		21		0.3	1
HSB145C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB145C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB145C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB145C	2/2/2015	AMERICIUM-241	0.0438	pCi/L	U			0.062	0.0593	0.184
HSB145C	2/2/2015	CURIUM-242	0.0239	pCi/L	U			0.048	0.0584	0.154
HSB145C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0584	0.0584
HSB145C	2/2/2015	CURIUM-245/246	0.223	pCi/L	U			0.145	0.0605	0.351
HSB145C	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0583	0.0583

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB145C	2/2/2015	PLUTONIUM-239/240	0.0161	pCi/L	U			0.045	0.108	0.197
HSB145C	2/2/2015	THORIUM-228	0.157	pCi/L	J		21	0.144	0.167	0.455
HSB145C	2/2/2015	THORIUM-230	0.0766	pCi/L	U			0.098	0.14	0.337
HSB145C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0753	0.0753
HSB145C	2/2/2015	URANIUM-233/234	0.0673	pCi/L	U			0.086	0.123	0.296
HSB145C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0818	0.0818
HSB145C	2/2/2015	URANIUM-238	0.0244	pCi/L	U			0.049	0.0662	0.164
HSB145C	2/2/2015	GROSS ALPHA	0.896	pCi/L	U			1.5	2.42	5.43
HSB145C	2/2/2015	NONVOLATILE BETA	22.8	pCi/L				5.1	3.98	14.2
HSB145C	2/2/2015	STRONTIUM-90	0.601	pCi/L	U			1.98	3.12	7.08
HSB145C	2/2/2015	CARBON-14	2.1	pCi/L	UJ			4.2	6.96	15.4
HSB145C	2/2/2015	NICKEL-63	3.25	pCi/L	U			2.92	4.95	10.8
HSB145C	2/2/2015	TECHNETIUM-99	33.7	pCi/L				3.27	3.96	10.5
HSB145C	2/2/2015	TRITIUM	493	pCi/mL				4.23	0.466	8.93
HSB145C	2/2/2015	CESIUM-137	-0.794	pCi/L	U			5.21	9.23	19.6
HSB145C	2/2/2015	COBALT-60	3.61	pCi/L	U			4.73	9.65	19.1
HSB145C	2/2/2015	IODINE-129	2.86	pCi/L	J		21	1.32	0.963	3.59
HSB145C	2/2/2015	RADIUM-226	0.757	pCi/L	J		21	0.3	0.259	0.859
HSB145C	2/2/2015	RADIUM-228	1.35	pCi/L	J		S, V	0.417	0.512	1.35
HSB145C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.61	pCi/L	J		21	1.13	1.41	3.67
HSB145C	4/21/2015	NITRATE-NITRITE AS NITROGEN	30.8	mg/L					0.85	2.5
HSB145C	4/21/2015	MERCURY	1.79	ug/L					0.02	0.2
HSB145C	4/21/2015	GROSS ALPHA	5.2	pCi/L	J		21	3.21	2.53	8.95
HSB145C	4/21/2015	NONVOLATILE BETA	26	pCi/L				5.62	4.72	16
HSB145C	4/21/2015	TRITIUM	477	pCi/mL				4.12	0.419	8.67
HSB145C	8/5/2015	NITRATE-NITRITE AS NITROGEN	28.2	mg/L					0.85	2.5
HSB145C	8/5/2015	MERCURY	2.19	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB145C	8/5/2015	GROSS ALPHA	0.998	pCi/L	U			1.82	3.09	6.73
HSB145C	8/5/2015	NONVOLATILE BETA	29.8	pCi/L				5.87	4.32	16.1
HSB145C	8/5/2015	TRITIUM	470	pCi/mL				4.05	0.487	8.58
HSB145C	11/5/2015	NITRATE-NITRITE AS NITROGEN	23.6	mg/L					1.7	5
HSB145C	11/5/2015	MERCURY	1.29	ug/L					0.02	0.2
HSB145C	11/5/2015	GROSS ALPHA	1.51	pCi/L	U			1.37	1.63	4.36
HSB145C	11/5/2015	NONVOLATILE BETA	23.3	pCi/L				3.81	2.97	10.6
HSB145C	11/5/2015	TRITIUM	470	pCi/mL				4.14	0.469	8.74
HSB145D	1/29/2015	NITRATE-NITRITE AS NITROGEN	10	mg/L					0.17	0.5
HSB145D	1/29/2015	ALUMINUM	244	ug/L	J				40	400
HSB145D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSB145D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSB145D	1/29/2015	BARIUM	60.5	ug/L					2	20
HSB145D	1/29/2015	BERYLLIUM	0.514	ug/L	J				0.1	1
HSB145D	1/29/2015	CADMIUM	0.223	ug/L	J				0.1	1
HSB145D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSB145D	1/29/2015	COBALT	3.71	ug/L	J				0.5	5
HSB145D	1/29/2015	COPPER	0.987	ug/L	J				0.5	5
HSB145D	1/29/2015	LEAD	5	ug/L	U				0.5	5
HSB145D	1/29/2015	NICKEL	2.19	ug/L	J				0.5	5
HSB145D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSB145D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSB145D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSB145D	1/29/2015	TIN	10	ug/L	U				1	10
HSB145D	1/29/2015	VANADIUM	16.2	ug/L	J				5	50
HSB145D	1/29/2015	ZINC	7.4	ug/L	J				4	40
HSB145D	1/29/2015	MERCURY	3.19	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB145D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSB145D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB145D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB145D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB145D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB145D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB145D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB145D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSB145D	1/29/2015	AMERICIUM-241	0.0689	pCi/L	J		21	0.08	0.0622	0.223
HSB145D	1/29/2015	CURIUM-242	0	pCi/L	U			0	0.0613	0.0613
HSB145D	1/29/2015	CURIUM-243/244	0.0227	pCi/L	U			0.046	0.0613	0.152
HSB145D	1/29/2015	CURIUM-245/246	0.234	pCi/L	U			0.153	0.0634	0.368
HSB145D	1/29/2015	PLUTONIUM-238	0.0374	pCi/L	U			0.062	0.108	0.231
HSB145D	1/29/2015	PLUTONIUM-239/240	0.016	pCi/L	U			0.044	0.108	0.196
HSB145D	1/29/2015	THORIUM-228	0.0374	pCi/L	U			0.073	0.146	0.292
HSB145D	1/29/2015	THORIUM-230	0.122	pCi/L	J		21	0.111	0.0659	0.287
HSB145D	1/29/2015	THORIUM-232	0	pCi/L	U			0	0.0658	0.0658
HSB145D	1/29/2015	URANIUM-233/234	0.867	pCi/L				0.313	0.0618	0.688
HSB145D	1/29/2015	URANIUM-235	-0.00704	pCi/L	U			0.014	0.142	0.17
HSB145D	1/29/2015	URANIUM-238	0.0683	pCi/L	J		21	0.08	0.0617	0.221
HSB145D	1/29/2015	GROSS ALPHA	14.2	pCi/L				4.9	2.55	12.3
HSB145D	1/29/2015	NONVOLATILE BETA	222	pCi/L				14.9	4.08	34
HSB145D	1/29/2015	STRONTIUM-90	97.6	pCi/L				12.4	3.12	28
HSB145D	1/29/2015	CARBON-14	13.2	pCi/L	J		21	4.66	7.3	16.6
HSB145D	1/29/2015	NICKEL-63	8.04	pCi/L	J		21	4.03	7.01	15.1
HSB145D	1/29/2015	TECHNETIUM-99	13.1	pCi/L				2.9	4.26	10.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB145D	1/29/2015	TRITIUM	145	pCi/mL				2.29	0.387	4.97
HSB145D	1/29/2015	CESIUM-137	0.138	pCi/L	U			5.71	10.2	21.6
HSB145D	1/29/2015	COBALT-60	2.04	pCi/L	U			4.98	9.76	19.7
HSB145D	1/29/2015	IODINE-129	1.59	pCi/L	J		21	0.936	1.02	2.89
HSB145D	1/29/2015	RADIUM-226	4.87	pCi/L				0.775	0.474	2.02
HSB145D	1/29/2015	RADIUM-228	1.68	pCi/L				0.464	0.527	1.46
HSB145D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	2.37	pCi/L	J		21	1.64	2.34	5.62
HSB145D	4/27/2015	NITRATE-NITRITE AS NITROGEN	9.55	mg/L					0.17	0.5
HSB145D	4/27/2015	MERCURY	3.77	ug/L					0.02	0.2
HSB145D	4/27/2015	GROSS ALPHA	10.6	pCi/L	J		21	4.27	2.72	11.2
HSB145D	4/27/2015	NONVOLATILE BETA	229	pCi/L				15.3	5.38	36
HSB145D	4/27/2015	TRITIUM	148	pCi/mL				2.3	0.416	5.02
HSB145D	8/10/2015	NITRATE-NITRITE AS NITROGEN	9.45	mg/L					0.425	1.25
HSB145D	8/10/2015	MERCURY	3.63	ug/L					0.02	0.2
HSB145D	8/10/2015	GROSS ALPHA	12.6	pCi/L				4.66	2.89	12.2
HSB145D	8/10/2015	NONVOLATILE BETA	226	pCi/L				15.2	5.59	36
HSB145D	8/10/2015	TRITIUM	151	pCi/mL				2.36	0.471	5.19
HSB145D	11/12/2015	NITRATE-NITRITE AS NITROGEN	15.6	mg/L					0.425	1.25
HSB145D	11/12/2015	MERCURY	3.48	ug/L					0.02	0.2
HSB145D	11/12/2015	GROSS ALPHA	8.57	pCi/L				2.69	1.48	6.86
HSB145D	11/12/2015	NONVOLATILE BETA	217	pCi/L				10.5	2.79	23.8
HSB145D	11/12/2015	TRITIUM	139	pCi/mL				2.2	0.453	4.85
HSB146C	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.435	mg/L					0.017	0.05
HSB146C	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB146C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB146C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB146C	2/2/2015	BARIUM	32.2	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB146C	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB146C	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB146C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB146C	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB146C	2/2/2015	COPPER	0.685	ug/L	J				0.5	5
HSB146C	2/2/2015	LEAD	1.02	ug/L	J				0.5	5
HSB146C	2/2/2015	NICKEL	0.702	ug/L	J				0.5	5
HSB146C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB146C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB146C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB146C	2/2/2015	TIN	10	ug/L	U				1	10
HSB146C	2/2/2015	VANADIUM	14.4	ug/L	J				5	50
HSB146C	2/2/2015	ZINC	7.6	ug/L	J				4	40
HSB146C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB146C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB146C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB146C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB146C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB146C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB146C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB146C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB146C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB146C	2/2/2015	AMERICIUM-241	0.0214	pCi/L	U			0.043	0.058	0.144
HSB146C	2/2/2015	CURIUM-242	0.0416	pCi/L	U			0.069	0.106	0.243
HSB146C	2/2/2015	CURIUM-243/244	-0.00529	pCi/L	U			0.011	0.106	0.127
HSB146C	2/2/2015	CURIUM-245/246	0.262	pCi/L	J		21	0.157	0.0591	0.372

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB146C	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.062	0.062
HSB146C	2/2/2015	PLUTONIUM-239/240	-0.0114	pCi/L	U			0.016	0.137	0.17
HSB146C	2/2/2015	THORIUM-228	0.133	pCi/L	U			0.148	0.256	0.553
HSB146C	2/2/2015	THORIUM-230	0.102	pCi/L	U			0.098	0.108	0.303
HSB146C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0579	0.0579
HSB146C	2/2/2015	URANIUM-233/234	0.0154	pCi/L	U			0.042	0.103	0.188
HSB146C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0687	0.0687
HSB146C	2/2/2015	URANIUM-238	0.118	pCi/L	J		21	0.103	0.103	0.308
HSB146C	2/2/2015	GROSS ALPHA	1.22	pCi/L	U			1.58	2.22	5.38
HSB146C	2/2/2015	NONVOLATILE BETA	0.826	pCi/L	U			2.28	3.95	8.51
HSB146C	2/2/2015	STRONTIUM-90	-0.928	pCi/L	U			2.11	3.3	7.53
HSB146C	2/2/2015	CARBON-14	14.1	pCi/L	J		21	4.39	6.79	15.6
HSB146C	2/2/2015	NICKEL-63	-0.146	pCi/L	U			2.92	5.09	10.9
HSB146C	2/2/2015	TECHNETIUM-99	2.36	pCi/L	U			2.5	4.09	9.09
HSB146C	2/2/2015	TRITIUM	2.6	pCi/mL				0.406	0.464	1.28
HSB146C	2/2/2015	CESIUM-137	-0.272	pCi/L	U			5.06	9.07	19.2
HSB146C	2/2/2015	COBALT-60	-1.73	pCi/L	U			4.71	8.43	17.9
HSB146C	2/2/2015	IODINE-129	-0.0164	pCi/L	U			0.575	0.97	2.12
HSB146C	2/2/2015	RADIUM-226	0.455	pCi/L	J		21	0.289	0.409	0.987
HSB146C	2/2/2015	RADIUM-228	0.019	pCi/L	U			0.366	0.67	1.4
HSB146C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.783	pCi/L	U			1.13	1.97	4.23
HSB146D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.357	mg/L					0.017	0.05
HSB146D	2/2/2015	ALUMINUM	57.6	ug/L	J				40	400
HSB146D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB146D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB146D	2/2/2015	BARIUM	2.98	ug/L	J				2	20
HSB146D	2/2/2015	BERYLLIUM	0.103	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB146D	2/2/2015	CADMIUM	0.138	ug/L	J				0.1	1
HSB146D	2/2/2015	CHROMIUM	10.8	ug/L	J				10	100
HSB146D	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB146D	2/2/2015	COPPER	0.663	ug/L	J				0.5	5
HSB146D	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB146D	2/2/2015	NICKEL	1.07	ug/L	J				0.5	5
HSB146D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB146D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB146D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB146D	2/2/2015	TIN	10	ug/L	U				1	10
HSB146D	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB146D	2/2/2015	ZINC	40	ug/L	U				4	40
HSB146D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB146D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB146D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB146D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB146D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB146D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB146D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB146D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB146D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB146D	2/2/2015	AMERICIUM-241	0.0648	pCi/L	U			0.076	0.0585	0.21
HSB146D	2/2/2015	CURIUM-242	-0.006	pCi/L	U			0.012	0.107	0.131
HSB146D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0576	0.0576
HSB146D	2/2/2015	CURIUM-245/246	0.154	pCi/L	U			0.119	0.0597	0.298
HSB146D	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.066	0.066

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB146D	2/2/2015	PLUTONIUM-239/240	-0.0122	pCi/L	U			0.017	0.146	0.181
HSB146D	2/2/2015	THORIUM-228	0.1	pCi/L	U			0.169	0.338	0.676
HSB146D	2/2/2015	THORIUM-230	0.131	pCi/L	U			0.115	0.115	0.344
HSB146D	2/2/2015	THORIUM-232	0.0228	pCi/L	U			0.046	0.0618	0.153
HSB146D	2/2/2015	URANIUM-233/234	0.00557	pCi/L	U			0.049	0.15	0.247
HSB146D	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0745	0.0745
HSB146D	2/2/2015	URANIUM-238	0.106	pCi/L	U			0.101	0.112	0.315
HSB146D	2/2/2015	GROSS ALPHA	1.2	pCi/L	U			1.57	2.25	5.39
HSB146D	2/2/2015	NONVOLATILE BETA	-0.755	pCi/L	U			2.21	4.3	8.72
HSB146D	2/2/2015	STRONTIUM-90	-1.46	pCi/L	U			1.47	3.24	6.18
HSB146D	2/2/2015	CARBON-14	46.3	pCi/L				5	6.67	16.7
HSB146D	2/2/2015	NICKEL-63	-0.537	pCi/L	U			2.99	5.36	11.3
HSB146D	2/2/2015	TECHNETIUM-99	0.689	pCi/L	U			2.43	4.06	8.92
HSB146D	2/2/2015	TRITIUM	2.95	pCi/mL				0.418	0.458	1.3
HSB146D	2/2/2015	CESIUM-137	1.73	pCi/L	U			5.63	10.3	21.6
HSB146D	2/2/2015	COBALT-60	-0.043	pCi/L	U			5.24	9.75	20.2
HSB146D	2/2/2015	IODINE-129	-0.0494	pCi/L	U			0.547	0.946	2.04
HSB146D	2/2/2015	RADIUM-226	0.475	pCi/L	J		21	0.264	0.325	0.853
HSB146D	2/2/2015	RADIUM-228	0.59	pCi/L	U			0.438	0.704	1.58
HSB146D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.116	pCi/L	U			0.576	1.3	2.45
HSB148C	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.53	mg/L					0.017	0.05
HSB148C	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB148C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB148C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB148C	2/2/2015	BARIUM	31.9	ug/L					2	20
HSB148C	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB148C	2/2/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB148C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB148C	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB148C	2/2/2015	COPPER	5	ug/L	U				0.5	5
HSB148C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB148C	2/2/2015	NICKEL	5	ug/L	U				0.5	5
HSB148C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB148C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB148C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB148C	2/2/2015	TIN	10	ug/L	U				1	10
HSB148C	2/2/2015	VANADIUM	13.4	ug/L	J				5	50
HSB148C	2/2/2015	ZINC	40	ug/L	U				4	40
HSB148C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB148C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB148C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB148C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB148C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB148C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB148C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB148C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB148C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB148C	2/2/2015	AMERICIUM-241	0.0458	pCi/L	U			0.065	0.0621	0.192
HSB148C	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0611	0.0611
HSB148C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0611	0.0611
HSB148C	2/2/2015	CURIUM-245/246	0.117	pCi/L	U			0.106	0.0633	0.275
HSB148C	2/2/2015	PLUTONIUM-238	0.024	pCi/L	U			0.048	0.0649	0.161
HSB148C	2/2/2015	PLUTONIUM-239/240	0.0239	pCi/L	U			0.048	0.0649	0.161

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB148C	2/2/2015	THORIUM-228	-0.0132	pCi/L	U			0.062	0.216	0.34
HSB148C	2/2/2015	THORIUM-230	0.0514	pCi/L	U			0.073	0.0697	0.216
HSB148C	2/2/2015	THORIUM-232	-0.00642	pCi/L	U			0.013	0.129	0.155
HSB148C	2/2/2015	URANIUM-233/234	0.0643	pCi/L	U			0.083	0.118	0.283
HSB148C	2/2/2015	URANIUM-235	-0.00721	pCi/L	U			0.015	0.145	0.174
HSB148C	2/2/2015	URANIUM-238	0.0408	pCi/L	U			0.067	0.118	0.252
HSB148C	2/2/2015	GROSS ALPHA	-0.329	pCi/L	U			0.338	2.21	2.89
HSB148C	2/2/2015	NONVOLATILE BETA	1.15	pCi/L	U			2.32	3.91	8.56
HSB148C	2/2/2015	STRONTIUM-90	-0.211	pCi/L	U			1.72	3.11	6.55
HSB148C	2/2/2015	CARBON-14	20.7	pCi/L	J			4.62	6.97	16.2
HSB148C	2/2/2015	NICKEL-63	2.56	pCi/L	U			2.92	4.98	10.8
HSB148C	2/2/2015	TECHNETIUM-99	3.14	pCi/L	U			2.44	3.94	8.82
HSB148C	2/2/2015	TRITIUM	0.864	pCi/mL	J		21	0.32	0.464	1.1
HSB148C	2/2/2015	CESIUM-137	-0.266	pCi/L	U			5.01	8.98	19
HSB148C	2/2/2015	COBALT-60	1.77	pCi/L	U			5.23	9.04	19.5
HSB148C	2/2/2015	IODINE-129	-0.428	pCi/L	U			0.55	0.896	2
HSB148C	2/2/2015	RADIUM-226	0.514	pCi/L	J		21	0.34	0.489	1.17
HSB148C	2/2/2015	RADIUM-228	0.138	pCi/L	U			0.319	0.572	1.21
HSB148C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.982	pCi/L	U			1.14	1.84	4.12
HSB148D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.0593	mg/L					0.017	0.05
HSB148D	2/2/2015	ALUMINUM	102	ug/L	J				40	400
HSB148D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB148D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB148D	2/2/2015	BARIUM	4.63	ug/L	J				2	20
HSB148D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB148D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB148D	2/2/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB148D	2/2/2015	COBALT	5.25	ug/L					0.5	5
HSB148D	2/2/2015	COPPER	2.4	ug/L	J				0.5	5
HSB148D	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB148D	2/2/2015	NICKEL	0.59	ug/L	J				0.5	5
HSB148D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB148D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB148D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB148D	2/2/2015	TIN	10	ug/L	U				1	10
HSB148D	2/2/2015	VANADIUM	13.1	ug/L	J				5	50
HSB148D	2/2/2015	ZINC	40	ug/L	U				4	40
HSB148D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB148D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB148D	2/2/2015	CHLOROFORM	0.78	ug/L	J		21		0.3	1
HSB148D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB148D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB148D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB148D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB148D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB148D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB148D	2/2/2015	AMERICIUM-241	0.086	pCi/L	U			0.093	0.115	0.302
HSB148D	2/2/2015	CURIUM-242	-0.0125	pCi/L	U			0.018	0.135	0.171
HSB148D	2/2/2015	CURIUM-243/244	-0.0113	pCi/L	U			0.016	0.135	0.168
HSB148D	2/2/2015	CURIUM-245/246	0.117	pCi/L	U			0.106	0.0634	0.276
HSB148D	2/2/2015	PLUTONIUM-238	0.0184	pCi/L	U			0.051	0.124	0.225
HSB148D	2/2/2015	PLUTONIUM-239/240	-0.00613	pCi/L	U			0.012	0.124	0.148
HSB148D	2/2/2015	THORIUM-228	0.0262	pCi/L	U			0.079	0.187	0.345

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB148D	2/2/2015	THORIUM-230	0.128	pCi/L	U			0.116	0.0691	0.301
HSB148D	2/2/2015	THORIUM-232	0.0127	pCi/L	U			0.054	0.153	0.261
HSB148D	2/2/2015	URANIUM-233/234	0.0791	pCi/L	U			0.093	0.135	0.321
HSB148D	2/2/2015	URANIUM-235	0.0279	pCi/L	U			0.056	0.0755	0.187
HSB148D	2/2/2015	URANIUM-238	0.0733	pCi/L	U			0.093	0.152	0.338
HSB148D	2/2/2015	GROSS ALPHA	0.81	pCi/L	U			1.35	2.17	4.87
HSB148D	2/2/2015	NONVOLATILE BETA	3.18	pCi/L	U			2.71	3.93	9.36
HSB148D	2/2/2015	STRONTIUM-90	0.775	pCi/L	U			1.98	3.11	7.08
HSB148D	2/2/2015	CARBON-14	12.3	pCi/L	J		21	4.35	6.8	15.5
HSB148D	2/2/2015	NICKEL-63	0.98	pCi/L	U			2.89	5.01	10.8
HSB148D	2/2/2015	TECHNETIUM-99	4.65	pCi/L	J		21	2.52	4	9.04
HSB148D	2/2/2015	TRITIUM	1.82	pCi/mL				0.369	0.461	1.2
HSB148D	2/2/2015	CESIUM-137	-1.05	pCi/L	U			5.19	9.14	19.5
HSB148D	2/2/2015	COBALT-60	1.44	pCi/L	U			5.22	9.99	20.4
HSB148D	2/2/2015	IODINE-129	-0.135	pCi/L	U			0.544	0.933	2.02
HSB148D	2/2/2015	RADIUM-226	1.54	pCi/L	J		21	0.539	0.579	1.66
HSB148D	2/2/2015	RADIUM-228	0.401	pCi/L	U			0.38	0.624	1.38
HSB148D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0891	pCi/L	U			0.946	1.9	3.79
HSB150D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
HSB150D	2/2/2015	ALUMINUM	1320	ug/L					40	400
HSB150D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB150D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB150D	2/2/2015	BARIUM	10.9	ug/L	J				2	20
HSB150D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB150D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB150D	2/2/2015	CHROMIUM	12.2	ug/L	J				10	100
HSB150D	2/2/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB150D	2/2/2015	COPPER	1.68	ug/L	J				0.5	5
HSB150D	2/2/2015	LEAD	1.07	ug/L	J				0.5	5
HSB150D	2/2/2015	NICKEL	1.36	ug/L	J				0.5	5
HSB150D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB150D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB150D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB150D	2/2/2015	TIN	10	ug/L	U				1	10
HSB150D	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB150D	2/2/2015	ZINC	4.41	ug/L	J				4	40
HSB150D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB150D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB150D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB150D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB150D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB150D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB150D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB150D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB150D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB150D	2/2/2015	AMERICIUM-241	-0.00553	pCi/L	U			0.011	0.111	0.133
HSB150D	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.059	0.059
HSB150D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.059	0.059
HSB150D	2/2/2015	CURIUM-245/246	0.18	pCi/L	U			0.131	0.0611	0.322
HSB150D	2/2/2015	PLUTONIUM-238	0.024	pCi/L	U			0.048	0.0649	0.161
HSB150D	2/2/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0649	0.0649
HSB150D	2/2/2015	THORIUM-228	-0.0177	pCi/L	U			0.078	0.238	0.393
HSB150D	2/2/2015	THORIUM-230	0.143	pCi/L	U			0.125	0.154	0.404

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB150D	2/2/2015	THORIUM-232	0.0686	pCi/L	J		21	0.08	0.0619	0.222
HSB150D	2/2/2015	URANIUM-233/234	0.108	pCi/L	U			0.098	0.0586	0.255
HSB150D	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0723	0.0723
HSB150D	2/2/2015	URANIUM-238	0.0863	pCi/L	J		21	0.087	0.0585	0.233
HSB150D	2/2/2015	GROSS ALPHA	1.98	pCi/L	U			1.92	2.27	6.1
HSB150D	2/2/2015	NONVOLATILE BETA	0.218	pCi/L	U			2.47	4.41	9.35
HSB150D	2/2/2015	STRONTIUM-90	0.916	pCi/L	U			1.99	3.24	7.23
HSB150D	2/2/2015	CARBON-14	5.81	pCi/L	U			4.09	6.61	14.8
HSB150D	2/2/2015	NICKEL-63	-0.143	pCi/L	U			2.89	4.99	10.8
HSB150D	2/2/2015	TECHNETIUM-99	2.35	pCi/L	U			2.49	4.07	9.05
HSB150D	2/2/2015	TRITIUM	4.31	pCi/mL				0.468	0.519	1.45
HSB150D	2/2/2015	CESIUM-137	-3.55	pCi/L	U			4.95	8.25	18.2
HSB150D	2/2/2015	COBALT-60	-4.16	pCi/L	U			4.77	7.86	17.4
HSB150D	2/2/2015	IODINE-129	0.215	pCi/L	U			0.565	0.997	2.13
HSB150D	2/2/2015	RADIUM-226	0.245	pCi/L	U			0.266	0.439	0.971
HSB150D	2/2/2015	RADIUM-228	0.273	pCi/L	U			0.399	0.684	1.48
HSB150D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.935	pCi/L	U			1.05	1.7	3.8
HSB150D	4/21/2015	NITRATE-NITRITE AS NITROGEN	0.0188	mg/L	J		21		0.017	0.05
HSB150D	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB150D	4/21/2015	GROSS ALPHA	1.31	pCi/L	U			1.57	2.04	5.17
HSB150D	4/21/2015	NONVOLATILE BETA	-0.703	pCi/L	U			2.16	4.28	8.59
HSB150D	4/21/2015	TRITIUM	6.02	pCi/mL				0.523	0.422	1.47
HSB150D	8/11/2015	NITRATE-NITRITE AS NITROGEN	0.308	mg/L					0.017	0.05
HSB150D	8/11/2015	ANTIMONY	10	ug/L	U				1	10
HSB150D	8/11/2015	ARSENIC	50	ug/L	U				5	50
HSB150D	8/11/2015	BARIUM	11.1	ug/L	J		21		2	20
HSB150D	8/11/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB150D	8/11/2015	CADMIUM	1	ug/L	U				0.1	1
HSB150D	8/11/2015	CHROMIUM	100	ug/L	U				10	100
HSB150D	8/11/2015	COBALT	5	ug/L	U				0.5	5
HSB150D	8/11/2015	COPPER	1.57	ug/L	J		21		0.5	5
HSB150D	8/11/2015	LEAD	0.703	ug/L	J		21		0.5	5
HSB150D	8/11/2015	NICKEL	5	ug/L	U				0.5	5
HSB150D	8/11/2015	SELENIUM	20	ug/L	U				2	20
HSB150D	8/11/2015	SILVER	5	ug/L	U				0.5	5
HSB150D	8/11/2015	THALLIUM	1	ug/L	U				0.1	1
HSB150D	8/11/2015	TIN	10	ug/L	U				1	10
HSB150D	8/11/2015	VANADIUM	50	ug/L	U				5	50
HSB150D	8/11/2015	ZINC	40	ug/L	U				4	40
HSB150D	8/11/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB150D	8/11/2015	BENZENE	1	ug/L	U				0.3	1
HSB150D	8/11/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB150D	8/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB150D	8/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB150D	8/11/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB150D	8/11/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB150D	8/11/2015	CYANIDE	5	ug/L	U				1.67	5
HSB150D	8/11/2015	AMERICIUM-241	0.0234	pCi/L	U		V	0.047	0.0633	0.157
HSB150D	8/11/2015	CURIUM-242	0.0189	pCi/L	U			0.052	0.116	0.22
HSB150D	8/11/2015	CURIUM-243/244	0	pCi/L	U			0	0.0624	0.0624
HSB150D	8/11/2015	CURIUM-245/246	0.214	pCi/L	U		21, V	0.146	0.0646	0.357
HSB150D	8/11/2015	PLUTONIUM-238	0.0123	pCi/L	U			0.052	0.148	0.252
HSB150D	8/11/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0668	0.0668

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB150D	8/11/2015	THORIUM-228	0.0225	pCi/L	U			0.045	0.0596	0.15
HSB150D	8/11/2015	THORIUM-230	0.309	pCi/L	U		21, V	0.171	0.0598	0.403
HSB150D	8/11/2015	THORIUM-232	0.022	pCi/L	U			0.044	0.0596	0.148
HSB150D	8/11/2015	URANIUM-233/234	0.168	pCi/L	J		21, V	0.126	0.109	0.361
HSB150D	8/11/2015	URANIUM-235	0	pCi/L	U			0	0.0726	0.0726
HSB150D	8/11/2015	URANIUM-238	0.0758	pCi/L	U		V	0.089	0.13	0.307
HSB150D	8/11/2015	GROSS ALPHA	0.904	pCi/L	U			1.08	1.31	3.46
HSB150D	8/11/2015	NONVOLATILE BETA	1.48	pCi/L	U			1.76	2.54	6.05
HSB150D	8/11/2015	STRONTIUM-90	1.37	pCi/L	U			2.3	3.26	7.86
HSB150D	8/11/2015	CARBON-14	2.91	pCi/L	U			4.25	7.01	15.5
HSB150D	8/11/2015	NICKEL-63	-2.68	pCi/L	U			3.28	6.27	12.8
HSB150D	8/11/2015	TECHNETIUM-99	2.1	pCi/L	U			2.67	4.4	9.75
HSB150D	8/11/2015	TRITIUM	7.49	pCi/mL				0.59	0.473	1.65
HSB150D	8/11/2015	CESIUM-137	0.728	pCi/L	U			4.85	8.88	18.6
HSB150D	8/11/2015	COBALT-60	-1.86	pCi/L	U			3.43	6.05	12.9
HSB150D	8/11/2015	IODINE-129	-0.00092	pCi/L	U			0.654	1.1	2.41
HSB150D	8/11/2015	RADIUM-226	1.31	pCi/L				0.422	0.432	1.28
HSB150D	8/11/2015	RADIUM-228	0.4	pCi/L	U			0.356	0.576	1.29
HSB150D	8/11/2015	RADIUM, TOTAL ALPHA-EMITTING	0.516	pCi/L	J		21	0.214	0.295	0.723
HSB150D	11/5/2015	NITRATE-NITRITE AS NITROGEN	0.025	mg/L	J		21		0.017	0.05
HSB150D	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB150D	11/5/2015	GROSS ALPHA	1.09	pCi/L	U			1.06	1.31	3.43
HSB150D	11/5/2015	NONVOLATILE BETA	2.31	pCi/L	U			2.04	2.91	7
HSB150D	11/5/2015	TRITIUM	5.5	pCi/mL				0.523	0.47	1.52
HSB151C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB151C	1/6/2015	TRICHLOROETHYLENE (TCE)	0.37	ug/L	J		21		0.25	1
HSB151C	7/9/2015	ETHANE	0.01	ug/L	J		21		0.002	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151C	7/9/2015	ETHYLENE	0.0069	ug/L	J		21		0.003	0.1
HSB151C	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB151C	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB151C	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB151C	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB151C	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB151C	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB151C	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB151C	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB151C	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB151C	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB151C	7/9/2015	1,2-DICHLOROETHYLENE	1.9	ug/L	J		21		0.15	2
HSB151C	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB151C	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSB151C	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB151C	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB151C	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB151C	7/9/2015	ACETONE	2	ug/L	U				0.34	2
HSB151C	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151C	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB151C	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB151C	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB151C	7/9/2015	BENZENE	1	ug/L	U				0.06	1
HSB151C	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB151C	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB151C	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB151C	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB151C	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB151C	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB151C	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB151C	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB151C	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB151C	7/9/2015	CHLOROFORM	0.13	ug/L	J		21		0.1	1
HSB151C	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB151C	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB151C	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L					0.09	1
HSB151C	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSB151C	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB151C	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB151C	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB151C	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151C	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB151C	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB151C	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB151C	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
HSB151C	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB151C	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB151C	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB151C	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB151C	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB151C	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB151C	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB151C	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB151C	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB151C	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB151C	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB151C	7/9/2015	STYRENE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB151C	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
HSB151C	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB151C	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSB151C	7/9/2015	TRICHLOROETHYLENE (TCE)	0.35	ug/L	J		21		0.25	1
HSB151C	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB151C	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB151C	7/9/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151C	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSB151C	7/9/2015	TRITIUM	86.1	pCi/mL				1.62	0.508	3.75
HSB151DR	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB151DR	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB151DR	7/9/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1
HSB151DR	7/9/2015	ETHYLENE	0.014	ug/L	J		21		0.003	0.1
HSB151DR	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSB151DR	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSB151DR	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSB151DR	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSB151DR	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB151DR	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSB151DR	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSB151DR	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSB151DR	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSB151DR	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSB151DR	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSB151DR	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSB151DR	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSB151DR	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HSB151DR	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSB151DR	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSB151DR	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151DR	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSB151DR	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSB151DR	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSB151DR	7/9/2015	ACETONE	2	ug/L	U				0.34	2
HSB151DR	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSB151DR	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
HSB151DR	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSB151DR	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSB151DR	7/9/2015	BENZENE	1	ug/L	U				0.06	1
HSB151DR	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB151DR	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSB151DR	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSB151DR	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSB151DR	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSB151DR	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSB151DR	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSB151DR	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSB151DR	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSB151DR	7/9/2015	CHLOROFORM	0.11	ug/L	J		21		0.1	1
HSB151DR	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSB151DR	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSB151DR	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSB151DR	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151DR	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSB151DR	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSB151DR	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSB151DR	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSB151DR	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSB151DR	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSB151DR	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSB151DR	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
HSB151DR	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSB151DR	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSB151DR	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSB151DR	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSB151DR	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSB151DR	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSB151DR	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSB151DR	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSB151DR	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSB151DR	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
HSB151DR	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSB151DR	7/9/2015	STYRENE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSB151DR	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
HSB151DR	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSB151DR	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB151DR	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSB151DR	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSB151DR	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSB151DR	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSB151DR	7/9/2015	XYLENES	3	ug/L	U				0.2	3
HSB151DR	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSB151DR	7/9/2015	TRITIUM	28	pCi/mL				0.953	0.504	2.41
HSB152C	2/2/2015	NITRATE-NITRITE AS NITROGEN	10.3	mg/L					0.425	1.25
HSB152C	2/2/2015	ALUMINUM	128	ug/L	J				40	400
HSB152C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB152C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB152C	2/2/2015	BARIUM	29.9	ug/L					2	20
HSB152C	2/2/2015	BERYLLIUM	0.278	ug/L	J				0.1	1
HSB152C	2/2/2015	CADMIUM	0.101	ug/L	J				0.1	1
HSB152C	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB152C	2/2/2015	COBALT	2.02	ug/L	J				0.5	5
HSB152C	2/2/2015	COPPER	0.571	ug/L	J				0.5	5
HSB152C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB152C	2/2/2015	NICKEL	2.7	ug/L	J				0.5	5
HSB152C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB152C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB152C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB152C	2/2/2015	TIN	10	ug/L	U				1	10
HSB152C	2/2/2015	VANADIUM	13.3	ug/L	J				5	50
HSB152C	2/2/2015	ZINC	11.2	ug/L	J				4	40
HSB152C	2/2/2015	MERCURY	0.226	ug/L					0.02	0.2
HSB152C	2/2/2015	BENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB152C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB152C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB152C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB152C	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB152C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB152C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB152C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB152C	2/2/2015	AMERICIUM-241	0.0218	pCi/L	U			0.044	0.059	0.146
HSB152C	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0581	0.0581
HSB152C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0581	0.0581
HSB152C	2/2/2015	CURIUM-245/246	0.2	pCi/L	U			0.137	0.0602	0.333
HSB152C	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0675	0.0675
HSB152C	2/2/2015	PLUTONIUM-239/240	0.0498	pCi/L	U			0.071	0.0675	0.209
HSB152C	2/2/2015	THORIUM-228	0.0371	pCi/L	U			0.072	0.144	0.289
HSB152C	2/2/2015	THORIUM-230	0.0422	pCi/L	U			0.07	0.121	0.261
HSB152C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0652	0.0652
HSB152C	2/2/2015	URANIUM-233/234	0.215	pCi/L	J		21	0.156	0.073	0.386
HSB152C	2/2/2015	URANIUM-235	-0.00831	pCi/L	U			0.017	0.167	0.201
HSB152C	2/2/2015	URANIUM-238	0.0739	pCi/L	U			0.095	0.135	0.325
HSB152C	2/2/2015	GROSS ALPHA	1.62	pCi/L	U			1.79	2.26	5.84
HSB152C	2/2/2015	NONVOLATILE BETA	28	pCi/L				5.55	3.97	15.1
HSB152C	2/2/2015	STRONTIUM-90	0.135	pCi/L	U			1.78	3.1	6.65
HSB152C	2/2/2015	CARBON-14	6.44	pCi/L	U			4.21	6.79	15.2
HSB152C	2/2/2015	NICKEL-63	1.96	pCi/L	U			3.01	5.34	11.4
HSB152C	2/2/2015	TECHNETIUM-99	36.3	pCi/L				3.32	3.95	10.6
HSB152C	2/2/2015	TRITIUM	352	pCi/mL				3.56	0.461	7.59

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB152C	2/2/2015	CESIUM-137	4.22	pCi/L	U			4.89	9.47	19.2
HSB152C	2/2/2015	COBALT-60	-1.89	pCi/L	U			4.65	8.28	17.6
HSB152C	2/2/2015	IODINE-129	0.123	pCi/L	U			0.554	0.973	2.08
HSB152C	2/2/2015	RADIUM-226	0.548	pCi/L	J		21	0.322	0.443	1.09
HSB152C	2/2/2015	RADIUM-228	1.04	pCi/L	U		21, V	0.398	0.509	1.31
HSB152C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.165	pCi/L	U			0.781	1.66	3.22
HSB152C	4/21/2015	NITRATE-NITRITE AS NITROGEN	9.61	mg/L					0.17	0.5
HSB152C	4/21/2015	MERCURY	0.224	ug/L					0.02	0.2
HSB152C	4/21/2015	GROSS ALPHA	0.108	pCi/L	U			0.841	2.2	3.88
HSB152C	4/21/2015	NONVOLATILE BETA	28.9	pCi/L				5.7	4.12	15.5
HSB152C	4/21/2015	TRITIUM	340	pCi/mL				3.49	0.42	7.39
HSB152C	7/30/2015	NITRATE-NITRITE AS NITROGEN	9.13	mg/L					0.425	1.25
HSB152C	7/30/2015	MERCURY	0.168	ug/L	J		21		0.02	0.2
HSB152C	7/30/2015	GROSS ALPHA	0.781	pCi/L	U			1.43	2.42	5.27
HSB152C	7/30/2015	NONVOLATILE BETA	27	pCi/L				5.57	4.23	15.4
HSB152C	7/30/2015	TRITIUM	325	pCi/mL				3.38	0.421	7.18
HSB152C	11/5/2015	NITRATE-NITRITE AS NITROGEN	7.45	mg/L					0.85	2.5
HSB152C	11/5/2015	MERCURY	0.247	ug/L					0.02	0.2
HSB152C	11/5/2015	GROSS ALPHA	0.875	pCi/L	U			1.01	1.38	3.39
HSB152C	11/5/2015	NONVOLATILE BETA	23.4	pCi/L				3.78	2.89	10.4
HSB152C	11/5/2015	TRITIUM	332	pCi/mL				3.48	0.469	7.43
HSB152DR	2/2/2015	NITRATE-NITRITE AS NITROGEN	1.87	mg/L					0.085	0.25
HSB152DR	2/2/2015	ALUMINUM	171	ug/L	J				40	400
HSB152DR	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB152DR	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB152DR	2/2/2015	BARIUM	5.52	ug/L	J				2	20
HSB152DR	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB152DR	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB152DR	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB152DR	2/2/2015	COBALT	0.595	ug/L	J				0.5	5
HSB152DR	2/2/2015	COPPER	1.31	ug/L	J				0.5	5
HSB152DR	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB152DR	2/2/2015	NICKEL	1.08	ug/L	J				0.5	5
HSB152DR	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB152DR	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB152DR	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB152DR	2/2/2015	TIN	10	ug/L	U				1	10
HSB152DR	2/2/2015	VANADIUM	12.8	ug/L	J				5	50
HSB152DR	2/2/2015	ZINC	40	ug/L	U				4	40
HSB152DR	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB152DR	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB152DR	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB152DR	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB152DR	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB152DR	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB152DR	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB152DR	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB152DR	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB152DR	2/2/2015	AMERICIUM-241	0.0158	pCi/L	U			0.044	0.106	0.194
HSB152DR	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0564	0.0564
HSB152DR	2/2/2015	CURIUM-243/244	-0.00522	pCi/L	U			0.011	0.105	0.126
HSB152DR	2/2/2015	CURIUM-245/246	0.129	pCi/L	U			0.107	0.0584	0.273
HSB152DR	2/2/2015	PLUTONIUM-238	0.0229	pCi/L	U			0.046	0.0621	0.154

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB152DR	2/2/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0621	0.0621
HSB152DR	2/2/2015	THORIUM-228	0.0167	pCi/L	U			0.068	0.172	0.307
HSB152DR	2/2/2015	THORIUM-230	0.152	pCi/L	U			0.118	0.0589	0.294
HSB152DR	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0588	0.0588
HSB152DR	2/2/2015	URANIUM-233/234	0.0955	pCi/L	U			0.112	0.164	0.387
HSB152DR	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0912	0.0912
HSB152DR	2/2/2015	URANIUM-238	0.0272	pCi/L	U			0.055	0.0738	0.183
HSB152DR	2/2/2015	GROSS ALPHA	1.19	pCi/L	U			1.55	2.18	5.28
HSB152DR	2/2/2015	NONVOLATILE BETA	4.1	pCi/L	J		21	2.87	3.94	9.68
HSB152DR	2/2/2015	STRONTIUM-90	0.748	pCi/L	U			1.84	3.1	6.78
HSB152DR	2/2/2015	CARBON-14	2.21	pCi/L	U			4.1	6.79	15
HSB152DR	2/2/2015	NICKEL-63	1.88	pCi/L	U			2.96	5.11	11
HSB152DR	2/2/2015	TECHNETIUM-99	8.21	pCi/L	J		21	2.59	3.95	9.13
HSB152DR	2/2/2015	TRITIUM	43.3	pCi/mL				1.27	0.462	3.01
HSB152DR	2/2/2015	CESIUM-137	0.688	pCi/L	U			5.42	9.83	20.7
HSB152DR	2/2/2015	COBALT-60	9.5	pCi/L	U			5.61	10.8	22.1
HSB152DR	2/2/2015	IODINE-129	-0.159	pCi/L	U			0.528	0.904	1.96
HSB152DR	2/2/2015	RADIUM-226	0.887	pCi/L	J		21	0.402	0.494	1.3
HSB152DR	2/2/2015	RADIUM-228	0.608	pCi/L	U		21, V	0.39	0.596	1.38
HSB152DR	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.495	pCi/L	U			0.929	1.69	3.55
HSB152DR	4/21/2015	NITRATE-NITRITE AS NITROGEN	1.39	mg/L					0.017	0.05
HSB152DR	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB152DR	4/21/2015	GROSS ALPHA	1.3	pCi/L	U			1.56	2.05	5.18
HSB152DR	4/21/2015	NONVOLATILE BETA	3.56	pCi/L	U			2.95	4.28	10.2
HSB152DR	4/21/2015	TRITIUM	32.8	pCi/mL				1.11	0.419	2.63
HSB152DR	7/30/2015	NITRATE-NITRITE AS NITROGEN	1.57	mg/L					0.085	0.25
HSB152DR	7/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB152DR	7/30/2015	GROSS ALPHA	1.17	pCi/L	U			1.59	2.3	5.48
HSB152DR	7/30/2015	NONVOLATILE BETA	9.24	pCi/L	J		21	3.77	4.28	11.8
HSB152DR	7/30/2015	TRITIUM	39.8	pCi/mL				1.19	0.41	2.79
HSB152DR	11/5/2015	NITRATE-NITRITE AS NITROGEN	1.49	mg/L					0.085	0.25
HSB152DR	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB152DR	11/5/2015	GROSS ALPHA	1.28	pCi/L	U			1.58	2.15	5.3
HSB152DR	11/5/2015	NONVOLATILE BETA	1.54	pCi/L	U			2.66	4.33	9.65
HSB152DR	11/5/2015	TRITIUM	48.1	pCi/mL				1.35	0.47	3.17
HSB153C	2/2/2015	NITRATE-NITRITE AS NITROGEN	2.86	mg/L					0.085	0.25
HSB153C	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSB153C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB153C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB153C	2/2/2015	BARIUM	4.63	ug/L	J				2	20
HSB153C	2/2/2015	BERYLLIUM	0.115	ug/L	J				0.1	1
HSB153C	2/2/2015	CADMIUM	0.138	ug/L	J				0.1	1
HSB153C	2/2/2015	CHROMIUM	10.5	ug/L	J				10	100
HSB153C	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB153C	2/2/2015	COPPER	0.85	ug/L	J				0.5	5
HSB153C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB153C	2/2/2015	NICKEL	0.922	ug/L	J				0.5	5
HSB153C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB153C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB153C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB153C	2/2/2015	TIN	10	ug/L	U				1	10
HSB153C	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB153C	2/2/2015	ZINC	4.61	ug/L	J				4	40
HSB153C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB153C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB153C	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB153C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB153C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB153C	2/2/2015	TRICHLOROETHYLENE (TCE)	2.09	ug/L					0.3	1
HSB153C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB153C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB153C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB153C	2/2/2015	AMERICIUM-241	0	pCi/L	U			0	0.0797	0.0797
HSB153C	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0785	0.0785
HSB153C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0785	0.0785
HSB153C	2/2/2015	CURIUM-245/246	0.12	pCi/L	U			0.122	0.0813	0.325
HSB153C	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0627	0.0627
HSB153C	2/2/2015	PLUTONIUM-239/240	-0.00578	pCi/L	U			0.012	0.116	0.14
HSB153C	2/2/2015	THORIUM-228	-0.0341	pCi/L	U			0.126	0.353	0.605
HSB153C	2/2/2015	THORIUM-230	0.106	pCi/L	U			0.107	0.0716	0.286
HSB153C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0715	0.0715
HSB153C	2/2/2015	URANIUM-233/234	0.0709	pCi/L	U			0.098	0.174	0.37
HSB153C	2/2/2015	URANIUM-235	-0.00729	pCi/L	U			0.015	0.147	0.176
HSB153C	2/2/2015	URANIUM-238	0	pCi/L	U			0	0.064	0.064
HSB153C	2/2/2015	GROSS ALPHA	-0.323	pCi/L	U			0.332	2.18	2.84
HSB153C	2/2/2015	NONVOLATILE BETA	1.38	pCi/L	U			2.37	3.91	8.64
HSB153C	2/2/2015	STRONTIUM-90	0.593	pCi/L	U			1.9	3.24	7.04
HSB153C	2/2/2015	CARBON-14	3.84	pCi/L	U			4.14	6.79	15.1
HSB153C	2/2/2015	NICKEL-63	1.13	pCi/L	U			3.06	5.4	11.5
HSB153C	2/2/2015	TECHNETIUM-99	1.51	pCi/L	U			2.48	4.1	9.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB153C	2/2/2015	TRITIUM	133	pCi/mL				2.2	0.463	4.87
HSB153C	2/2/2015	CESIUM-137	-0.042	pCi/L	U			5.45	9.76	20.7
HSB153C	2/2/2015	COBALT-60	6.37	pCi/L	U			3.88	9.91	17.7
HSB153C	2/2/2015	IODINE-129	-0.1	pCi/L	U			0.675	0.95	2.3
HSB153C	2/2/2015	RADIUM-226	0.538	pCi/L	J		21	0.317	0.435	1.07
HSB153C	2/2/2015	RADIUM-228	0.495	pCi/L	U		21, V	0.319	0.481	1.12
HSB153C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	0.39	pCi/L	U			1.03	1.96	4.02
HSB153C	4/21/2015	NITRATE-NITRITE AS NITROGEN	2.77	mg/L					0.085	0.25
HSB153C	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB153C	4/21/2015	GROSS ALPHA	1.32	pCi/L	U			1.58	2.06	5.22
HSB153C	4/21/2015	NONVOLATILE BETA	1.91	pCi/L	U			2.67	4.28	9.62
HSB153C	4/21/2015	TRITIUM	142	pCi/mL				2.26	0.419	4.95
HSB153C	7/30/2015	NITRATE-NITRITE AS NITROGEN	2.65	mg/L					0.085	0.25
HSB153C	7/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB153C	7/30/2015	GROSS ALPHA	1.97	pCi/L	U			1.94	2.29	6.16
HSB153C	7/30/2015	NONVOLATILE BETA	0.0205	pCi/L	U			2.39	4.39	9.16
HSB153C	7/30/2015	TRITIUM	140	pCi/mL				2.19	0.41	4.8
HSB153C	11/5/2015	NITRATE-NITRITE AS NITROGEN	2.63	mg/L					0.17	0.5
HSB153C	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB153C	11/5/2015	GROSS ALPHA	1.28	pCi/L	U			1.58	2.15	5.31
HSB153C	11/5/2015	NONVOLATILE BETA	0.353	pCi/L	U			2.44	4.33	9.21
HSB153C	11/5/2015	TRITIUM	155	pCi/mL				2.38	0.468	5.24
HSB153D	2/2/2015	NITRATE-NITRITE AS NITROGEN	4.44	mg/L					0.085	0.25
HSB153D	2/2/2015	ALUMINUM	668	ug/L					40	400
HSB153D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB153D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB153D	2/2/2015	BARIUM	9.02	ug/L	J				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB153D	2/2/2015	BERYLLIUM	0.184	ug/L	J				0.1	1
HSB153D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB153D	2/2/2015	CHROMIUM	16	ug/L	J				10	100
HSB153D	2/2/2015	COBALT	5.48	ug/L					0.5	5
HSB153D	2/2/2015	COPPER	23.7	ug/L					0.5	5
HSB153D	2/2/2015	LEAD	3.32	ug/L	J				0.5	5
HSB153D	2/2/2015	NICKEL	5.29	ug/L					0.5	5
HSB153D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB153D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB153D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB153D	2/2/2015	TIN	10	ug/L	U				1	10
HSB153D	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB153D	2/2/2015	ZINC	24.2	ug/L	J				4	40
HSB153D	2/2/2015	MERCURY	0.0522	ug/L	J		21		0.02	0.2
HSB153D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB153D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB153D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB153D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB153D	2/2/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J		21		0.3	1
HSB153D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB153D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB153D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB153D	2/2/2015	AMERICIUM-241	0.045	pCi/L	U			0.074	0.129	0.278
HSB153D	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.0686	0.0686
HSB153D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0686	0.0686
HSB153D	2/2/2015	CURIUM-245/246	0.131	pCi/L	U			0.119	0.071	0.309

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB153D	2/2/2015	PLUTONIUM-238	0	pCi/L	U			0	0.073	0.073
HSB153D	2/2/2015	PLUTONIUM-239/240	-0.00673	pCi/L	U			0.014	0.136	0.163
HSB153D	2/2/2015	THORIUM-228	0.0759	pCi/L	U			0.132	0.263	0.527
HSB153D	2/2/2015	THORIUM-230	0.165	pCi/L	U			0.133	0.123	0.389
HSB153D	2/2/2015	THORIUM-232	-0.00611	pCi/L	U			0.012	0.123	0.148
HSB153D	2/2/2015	URANIUM-233/234	0.0911	pCi/L	U			0.107	0.156	0.37
HSB153D	2/2/2015	URANIUM-235	-0.00803	pCi/L	U			0.016	0.162	0.194
HSB153D	2/2/2015	URANIUM-238	0.0325	pCi/L	U			0.077	0.175	0.329
HSB153D	2/2/2015	GROSS ALPHA	1.61	pCi/L	U			1.78	2.3	5.86
HSB153D	2/2/2015	NONVOLATILE BETA	1.04	pCi/L	U			2.6	4.36	9.55
HSB153D	2/2/2015	STRONTIUM-90	0.626	pCi/L	U			1.99	3.3	7.27
HSB153D	2/2/2015	CARBON-14	1.93	pCi/L	U			3.97	6.59	14.5
HSB153D	2/2/2015	NICKEL-63	-0.404	pCi/L	U			2.99	5.29	11.3
HSB153D	2/2/2015	TECHNETIUM-99	0.457	pCi/L	U			2.41	4.04	8.85
HSB153D	2/2/2015	TRITIUM	439	pCi/mL				3.61	0.519	7.74
HSB153D	2/2/2015	CESIUM-137	4.59	pCi/L	U			5.23	10.1	20.5
HSB153D	2/2/2015	COBALT-60	2.99	pCi/L	U			4.44	9.12	18
HSB153D	2/2/2015	IODINE-129	-0.317	pCi/L	U			0.716	0.982	2.41
HSB153D	2/2/2015	RADIUM-226	2.72	pCi/L				0.556	0.415	1.53
HSB153D	2/2/2015	RADIUM-228	0.459	pCi/L	U			0.377	0.608	1.36
HSB153D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.16	pCi/L	U			1.25	2.01	4.51
HSB153D	4/21/2015	NITRATE-NITRITE AS NITROGEN	2.84	mg/L					0.085	0.25
HSB153D	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB153D	4/21/2015	GROSS ALPHA	2.51	pCi/L	J		21	2.1	2.08	6.27
HSB153D	4/21/2015	NONVOLATILE BETA	0.64	pCi/L	U			2.53	4.44	9.5
HSB153D	4/21/2015	TRITIUM	255	pCi/mL				3.02	0.419	6.46
HSB153D	7/30/2015	NITRATE-NITRITE AS NITROGEN	3	mg/L					0.17	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB153D	7/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB153D	7/30/2015	GROSS ALPHA	1.2	pCi/L	U			1.6	2.3	5.5
HSB153D	7/30/2015	NONVOLATILE BETA	-0.714	pCi/L	U			2.17	4.29	8.63
HSB153D	7/30/2015	TRITIUM	283	pCi/mL				3.12	0.411	6.65
HSB153D	11/5/2015	NITRATE-NITRITE AS NITROGEN	3.6	mg/L					0.425	1.25
HSB153D	11/5/2015	MERCURY	0.0248	ug/L	J		21		0.02	0.2
HSB153D	11/5/2015	GROSS ALPHA	1.68	pCi/L	U			1.77	2.17	5.71
HSB153D	11/5/2015	NONVOLATILE BETA	2.38	pCi/L	U			2.84	4.38	10.1
HSB153D	11/5/2015	TRITIUM	318	pCi/mL				3.4	0.467	7.26
HSB154C	2/2/2015	NITRATE-NITRITE AS NITROGEN	5.19	mg/L					0.17	0.5
HSB154C	2/2/2015	ALUMINUM	223	ug/L	J				40	400
HSB154C	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB154C	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSB154C	2/2/2015	BARIUM	22.9	ug/L					2	20
HSB154C	2/2/2015	BERYLLIUM	0.263	ug/L	J				0.1	1
HSB154C	2/2/2015	CADMIUM	0.102	ug/L	J				0.1	1
HSB154C	2/2/2015	CHROMIUM	10.4	ug/L	J				10	100
HSB154C	2/2/2015	COBALT	2.36	ug/L	J				0.5	5
HSB154C	2/2/2015	COPPER	1.31	ug/L	J				0.5	5
HSB154C	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB154C	2/2/2015	NICKEL	1.82	ug/L	J				0.5	5
HSB154C	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB154C	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB154C	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB154C	2/2/2015	TIN	10	ug/L	U				1	10
HSB154C	2/2/2015	VANADIUM	50	ug/L	U				5	50
HSB154C	2/2/2015	ZINC	4.69	ug/L	J				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB154C	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154C	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB154C	2/2/2015	CHLOROFORM	0.57	ug/L	J		21		0.3	1
HSB154C	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB154C	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB154C	2/2/2015	TRICHLOROETHYLENE (TCE)	10.3	ug/L					0.3	1
HSB154C	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB154C	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB154C	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB154C	2/2/2015	AMERICIUM-241	0	pCi/L	U			0	0.0627	0.0627
HSB154C	2/2/2015	CURIUM-242	0.0193	pCi/L	U			0.053	0.115	0.221
HSB154C	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0618	0.0618
HSB154C	2/2/2015	CURIUM-245/246	0.118	pCi/L	U			0.107	0.064	0.278
HSB154C	2/2/2015	PLUTONIUM-238	0.0229	pCi/L	U			0.046	0.0619	0.154
HSB154C	2/2/2015	PLUTONIUM-239/240	0.0229	pCi/L	U			0.046	0.0619	0.154
HSB154C	2/2/2015	THORIUM-228	-0.048	pCi/L	U			0.099	0.304	0.503
HSB154C	2/2/2015	THORIUM-230	0.151	pCi/L	U			0.127	0.139	0.392
HSB154C	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0628	0.0628
HSB154C	2/2/2015	URANIUM-233/234	0.211	pCi/L	U			0.144	0.0634	0.352
HSB154C	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0782	0.0782
HSB154C	2/2/2015	URANIUM-238	0.187	pCi/L	J		21	0.135	0.0633	0.334
HSB154C	2/2/2015	GROSS ALPHA	2.8	pCi/L	J		21	2.25	2.3	6.8
HSB154C	2/2/2015	NONVOLATILE BETA	0.00806	pCi/L	U			2.49	4.51	9.5
HSB154C	2/2/2015	STRONTIUM-90	2.24	pCi/L	U			2.11	3.33	7.55
HSB154C	2/2/2015	CARBON-14	3.12	pCi/L	U			4.01	6.6	14.6
HSB154C	2/2/2015	NICKEL-63	-0.546	pCi/L	U			3.02	5.45	11.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB154C	2/2/2015	TECHNETIUM-99	3.21	pCi/L	U			2.52	4.09	9.13
HSB154C	2/2/2015	TRITIUM	523	pCi/mL				3.92	0.514	8.36
HSB154C	2/2/2015	CESIUM-137	2.69	pCi/L	U			5.22	9.81	20.2
HSB154C	2/2/2015	COBALT-60	1.64	pCi/L	U			4.53	8.95	18
HSB154C	2/2/2015	IODINE-129	1.45	pCi/L	J		21	0.891	0.974	2.76
HSB154C	2/2/2015	RADIUM-226	1.25	pCi/L	J		21	0.425	0.448	1.3
HSB154C	2/2/2015	RADIUM-228	-0.0467	pCi/L	U			0.356	0.67	1.38
HSB154C	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	2.67	pCi/L	J		21	1.54	1.6	4.68
HSB154C	4/21/2015	NITRATE-NITRITE AS NITROGEN	5.77	mg/L					0.17	0.5
HSB154C	4/21/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154C	4/21/2015	GROSS ALPHA	3.29	pCi/L	J		21	2.38	2.09	6.84
HSB154C	4/21/2015	NONVOLATILE BETA	2.8	pCi/L	U			2.95	4.55	10.5
HSB154C	4/21/2015	TRITIUM	522	pCi/mL				4.32	0.42	9.06
HSB154C	7/30/2015	NITRATE-NITRITE AS NITROGEN	5.63	mg/L					0.425	1.25
HSB154C	7/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154C	7/30/2015	GROSS ALPHA	1.59	pCi/L	U			1.79	2.31	5.9
HSB154C	7/30/2015	NONVOLATILE BETA	1.79	pCi/L	U			2.69	4.34	9.72
HSB154C	7/30/2015	TRITIUM	501	pCi/mL				4.14	0.41	8.69
HSB154C	11/5/2015	NITRATE-NITRITE AS NITROGEN	5.53	mg/L					0.425	1.25
HSB154C	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154C	11/5/2015	GROSS ALPHA	1.69	pCi/L	U			1.78	2.18	5.75
HSB154C	11/5/2015	NONVOLATILE BETA	3.1	pCi/L	U			2.95	4.39	10.3
HSB154C	11/5/2015	TRITIUM	555	pCi/mL				4.39	0.512	9.29
HSB154D	2/2/2015	NITRATE-NITRITE AS NITROGEN	1.47	mg/L					0.085	0.25
HSB154D	2/2/2015	ALUMINUM	70.5	ug/L	J				40	400
HSB154D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSB154D	2/2/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB154D	2/2/2015	BARIUM	4.17	ug/L	J				2	20
HSB154D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSB154D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSB154D	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSB154D	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSB154D	2/2/2015	COPPER	1.8	ug/L	J				0.5	5
HSB154D	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSB154D	2/2/2015	NICKEL	5	ug/L	U				0.5	5
HSB154D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSB154D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSB154D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSB154D	2/2/2015	TIN	10	ug/L	U				1	10
HSB154D	2/2/2015	VANADIUM	13.1	ug/L	J				5	50
HSB154D	2/2/2015	ZINC	40	ug/L	U				4	40
HSB154D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSB154D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB154D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB154D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB154D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB154D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB154D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB154D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSB154D	2/2/2015	AMERICIUM-241	0.0466	pCi/L	U			0.066	0.0631	0.196
HSB154D	2/2/2015	CURIUM-242	0.0517	pCi/L	U			0.074	0.0622	0.209
HSB154D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0622	0.0622

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB154D	2/2/2015	CURIUM-245/246	0.095	pCi/L	U			0.096	0.0644	0.257
HSB154D	2/2/2015	PLUTONIUM-238	-0.00573	pCi/L	U			0.012	0.115	0.138
HSB154D	2/2/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0621	0.0621
HSB154D	2/2/2015	THORIUM-228	-0.0307	pCi/L	U			0.028	0.188	0.244
HSB154D	2/2/2015	THORIUM-230	0.0951	pCi/L	U			0.096	0.0645	0.257
HSB154D	2/2/2015	THORIUM-232	0	pCi/L	U			0	0.0643	0.0643
HSB154D	2/2/2015	URANIUM-233/234	0.0177	pCi/L	U			0.049	0.119	0.217
HSB154D	2/2/2015	URANIUM-235	0	pCi/L	U			0	0.0791	0.0791
HSB154D	2/2/2015	URANIUM-238	0.0236	pCi/L	U			0.047	0.064	0.159
HSB154D	2/2/2015	GROSS ALPHA	1.56	pCi/L	U			1.72	2.17	5.61
HSB154D	2/2/2015	NONVOLATILE BETA	5.01	pCi/L	J		21	3.02	3.95	9.99
HSB154D	2/2/2015	STRONTIUM-90	-0.234	pCi/L	U			1.82	3.27	6.91
HSB154D	2/2/2015	CARBON-14	18	pCi/L				4.49	6.81	15.8
HSB154D	2/2/2015	NICKEL-63	2.82	pCi/L	U			2.97	5.14	11.1
HSB154D	2/2/2015	TECHNETIUM-99	2.26	pCi/L	U			2.44	4	8.89
HSB154D	2/2/2015	TRITIUM	10.5	pCi/mL				0.671	0.463	1.81
HSB154D	2/2/2015	CESIUM-137	-0.904	pCi/L	U			4.77	8.47	18
HSB154D	2/2/2015	COBALT-60	0.253	pCi/L	U			4.91	9.26	19.1
HSB154D	2/2/2015	IODINE-129	0.408	pCi/L	U			0.648	0.967	2.26
HSB154D	2/2/2015	RADIUM-226	1.98	pCi/L				0.563	0.533	1.66
HSB154D	2/2/2015	RADIUM-228	0.779	pCi/L	U		21, V	0.403	0.583	1.39
HSB154D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.08	pCi/L	U			1.1	1.68	3.88
HSB154D	4/27/2015	NITRATE-NITRITE AS NITROGEN	1.47	mg/L					0.017	0.05
HSB154D	4/27/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154D	4/27/2015	GROSS ALPHA	0.149	pCi/L	U			0.813	2.04	3.67
HSB154D	4/27/2015	NONVOLATILE BETA	0.0922	pCi/L	U			2.23	4.11	8.57
HSB154D	4/27/2015	TRITIUM	10.5	pCi/mL				0.655	0.416	1.73

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB154D	7/30/2015	NITRATE-NITRITE AS NITROGEN	1.47	mg/L					0.085	0.25
HSB154D	7/30/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154D	7/30/2015	GROSS ALPHA	0.408	pCi/L	U			1.14	2.27	4.56
HSB154D	7/30/2015	NONVOLATILE BETA	1.87	pCi/L	U			2.62	4.17	9.41
HSB154D	7/30/2015	TRITIUM	9.36	pCi/mL				0.612	0.41	1.63
HSB154D	11/5/2015	NITRATE-NITRITE AS NITROGEN	1.37	mg/L					0.085	0.25
HSB154D	11/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSB154D	11/5/2015	GROSS ALPHA	0.497	pCi/L	U			1.12	2.13	4.36
HSB154D	11/5/2015	NONVOLATILE BETA	-0.383	pCi/L	U			2.23	4.22	8.67
HSB154D	11/5/2015	TRITIUM	10.1	pCi/mL				0.659	0.509	1.83
HSB155C	2/3/2015	NITRATE-NITRITE AS NITROGEN	19.9	mg/L					0.85	2.5
HSB155C	2/3/2015	ALUMINUM	113	ug/L	J				40	400
HSB155C	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSB155C	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSB155C	2/3/2015	BARIUM	17.3	ug/L	J				2	20
HSB155C	2/3/2015	BERYLLIUM	0.234	ug/L	J				0.1	1
HSB155C	2/3/2015	CADMIUM	0.167	ug/L	J				0.1	1
HSB155C	2/3/2015	CHROMIUM	10.4	ug/L	J				10	100
HSB155C	2/3/2015	COBALT	1.43	ug/L	J				0.5	5
HSB155C	2/3/2015	COPPER	0.773	ug/L	J				0.5	5
HSB155C	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSB155C	2/3/2015	NICKEL	2.45	ug/L	J				0.5	5
HSB155C	2/3/2015	SELENIUM	2.63	ug/L	J				2	20
HSB155C	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSB155C	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSB155C	2/3/2015	TIN	10	ug/L	U				1	10
HSB155C	2/3/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB155C	2/3/2015	ZINC	4.99	ug/L	J				4	40
HSB155C	2/3/2015	MERCURY	1.8	ug/L					0.02	0.2
HSB155C	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSB155C	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSB155C	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSB155C	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSB155C	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSB155C	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSB155C	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSB155C	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSB155C	2/3/2015	AMERICIUM-241	0.0519	pCi/L	U			0.074	0.0703	0.218
HSB155C	2/3/2015	CURIUM-242	0.0216	pCi/L	U			0.06	0.129	0.248
HSB155C	2/3/2015	CURIUM-243/244	0.0256	pCi/L	U			0.051	0.0693	0.172
HSB155C	2/3/2015	CURIUM-245/246	0.265	pCi/L	J		21	0.172	0.0717	0.417
HSB155C	2/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0689	0.0689
HSB155C	2/3/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0689	0.0689
HSB155C	2/3/2015	THORIUM-228	0.0239	pCi/L	U			0.09	0.215	0.394
HSB155C	2/3/2015	THORIUM-230	0.0464	pCi/L	U			0.066	0.0629	0.195
HSB155C	2/3/2015	THORIUM-232	0.0232	pCi/L	U			0.047	0.0627	0.156
HSB155C	2/3/2015	URANIUM-233/234	0.0144	pCi/L	U			0.061	0.173	0.296
HSB155C	2/3/2015	URANIUM-235	0	pCi/L	U			0	0.0966	0.0966
HSB155C	2/3/2015	URANIUM-238	0.0504	pCi/L	U			0.083	0.145	0.312
HSB155C	2/3/2015	GROSS ALPHA	3.33	pCi/L	J		21	2.53	2.56	7.63
HSB155C	2/3/2015	NONVOLATILE BETA	42.4	pCi/L				6.86	4.57	18.3
HSB155C	2/3/2015	STRONTIUM-90	-1.15	pCi/L	U			1.71	3.33	6.74
HSB155C	2/3/2015	CARBON-14	35.7	pCi/L	J			4.93	6.95	16.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSB155C	2/3/2015	NICKEL-63	-3.28	pCi/L	U			3.03	5.51	11.6
HSB155C	2/3/2015	TECHNETIUM-99	24.2	pCi/L				3.08	4.04	10.2
HSB155C	2/3/2015	TRITIUM	680	pCi/mL				4.78	0.396	9.96
HSB155C	2/3/2015	CESIUM-137	0.648	pCi/L	U			4.85	8.86	18.5
HSB155C	2/3/2015	COBALT-60	2.38	pCi/L	U			4.82	9.54	19.2
HSB155C	2/3/2015	IODINE-129	7.42	pCi/L				1.81	1.01	4.63
HSB155C	2/3/2015	RADIUM-226	2.05	pCi/L				0.61	0.592	1.81
HSB155C	2/3/2015	RADIUM-228	-0.1	pCi/L	U			0.515	0.948	1.98
HSB155C	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	3.72	pCi/L	J		21	1.85	1.86	5.56
HSB155C	4/27/2015	NITRATE-NITRITE AS NITROGEN	19.8	mg/L					0.85	2.5
HSB155C	4/27/2015	MERCURY	1.87	ug/L					0.02	0.2
HSB155C	4/27/2015	GROSS ALPHA	4.26	pCi/L	J		21	2.77	2.32	7.87
HSB155C	4/27/2015	NONVOLATILE BETA	37.7	pCi/L				6.52	4.65	17.7
HSB155C	4/27/2015	TRITIUM	758	pCi/mL				5.21	0.419	10.8
HSB155C	7/30/2015	NITRATE-NITRITE AS NITROGEN	18.5	mg/L					0.425	1.25
HSB155C	7/30/2015	MERCURY	1.48	ug/L					0.02	0.2
HSB155C	7/30/2015	GROSS ALPHA	3.69	pCi/L	J		21	2.65	2.56	7.87
HSB155C	7/30/2015	NONVOLATILE BETA	44	pCi/L				6.96	4.61	18.5
HSB155C	7/30/2015	TRITIUM	711	pCi/mL				4.91	0.408	10.2
HSB155C	11/9/2015	NITRATE-NITRITE AS NITROGEN	19.3	mg/L					0.85	2.5
HSB155C	11/9/2015	MERCURY	1.62	ug/L					0.02	0.2
HSB155C	11/9/2015	GROSS ALPHA	4.64	pCi/L	J		21	2.9	2.43	8.24
HSB155C	11/9/2015	NONVOLATILE BETA	46.1	pCi/L				7.14	4.74	19
HSB155C	11/9/2015	TRITIUM	758	pCi/mL				4.69	0.515	9.9
HSL 1D	2/2/2015	NITRATE-NITRITE AS NITROGEN	1.77	mg/L					0.085	0.25
HSL 1D	2/2/2015	ALUMINUM	71	ug/L	J				40	400
HSL 1D	2/2/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 1D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSL 1D	2/2/2015	BARIUM	9.91	ug/L	J				2	20
HSL 1D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 1D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 1D	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSL 1D	2/2/2015	COBALT	0.713	ug/L	J				0.5	5
HSL 1D	2/2/2015	COPPER	1.12	ug/L	J				0.5	5
HSL 1D	2/2/2015	LEAD	5	ug/L	U				0.5	5
HSL 1D	2/2/2015	NICKEL	5	ug/L	U				0.5	5
HSL 1D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSL 1D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSL 1D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 1D	2/2/2015	TIN	10	ug/L	U				1	10
HSL 1D	2/2/2015	VANADIUM	13	ug/L	J				5	50
HSL 1D	2/2/2015	ZINC	40	ug/L	U				4	40
HSL 1D	2/2/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 1D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSL 1D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 1D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 1D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 1D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 1D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 1D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 1D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 1D	2/2/2015	AMERICIUM-241	0.0533	pCi/L	U			0.076	0.0723	0.224
HSL 1D	2/2/2015	CURIUM-242	0.0889	pCi/L	U			0.104	0.0712	0.279

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 1D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.0712	0.0712
HSL 1D	2/2/2015	CURIUM-245/246	0.136	pCi/L	U			0.124	0.0737	0.321
HSL 1D	2/2/2015	PLUTONIUM-238	0.0168	pCi/L	U			0.046	0.113	0.206
HSL 1D	2/2/2015	PLUTONIUM-239/240	0.0168	pCi/L	U			0.046	0.113	0.206
HSL 1D	2/2/2015	THORIUM-228	0.0596	pCi/L	U			0.114	0.232	0.46
HSL 1D	2/2/2015	THORIUM-230	0.0787	pCi/L	U			0.086	0.106	0.277
HSL 1D	2/2/2015	THORIUM-232	0.0209	pCi/L	U			0.042	0.0568	0.141
HSL 1D	2/2/2015	URANIUM-233/234	0.0298	pCi/L	U			0.071	0.161	0.302
HSL 1D	2/2/2015	URANIUM-235	-0.0147	pCi/L	U			0.021	0.177	0.219
HSL 1D	2/2/2015	URANIUM-238	0.0655	pCi/L	U			0.084	0.12	0.288
HSL 1D	2/2/2015	GROSS ALPHA	1.98	pCi/L	U			1.92	2.21	6.04
HSL 1D	2/2/2015	NONVOLATILE BETA	7.57	pCi/L	J		21	3.4	3.97	10.8
HSL 1D	2/2/2015	STRONTIUM-90	0.227	pCi/L	U			1.88	3.27	7.03
HSL 1D	2/2/2015	CARBON-14	2.18	pCi/L	U			4.12	6.81	15
HSL 1D	2/2/2015	NICKEL-63	-0.834	pCi/L	U			2.89	5.16	10.9
HSL 1D	2/2/2015	TECHNETIUM-99	5.99	pCi/L	J		21	2.54	3.96	9.04
HSL 1D	2/2/2015	TRITIUM	7.51	pCi/mL				0.585	0.463	1.63
HSL 1D	2/2/2015	CESIUM-137	1.45	pCi/L	U			5.14	9.48	19.8
HSL 1D	2/2/2015	COBALT-60	-2.04	pCi/L	U			4.24	7.5	16
HSL 1D	2/2/2015	IODINE-129	-0.179	pCi/L	U			0.553	0.919	2.02
HSL 1D	2/2/2015	RADIUM-226	1.33	pCi/L	J		21	0.46	0.489	1.41
HSL 1D	2/2/2015	RADIUM-228	0.757	pCi/L	U		21, V	0.409	0.612	1.43
HSL 1D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	1.1	pCi/L	U			1.1	1.72	3.92
HSL 1D	4/23/2015	NITRATE-NITRITE AS NITROGEN	1.33	mg/L					0.017	0.05
HSL 1D	4/23/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 1D	4/23/2015	LEAD	1.74	ug/L	J		21		0.5	5
HSL 1D	4/23/2015	GROSS ALPHA	0.535	pCi/L	U			1.14	2.09	4.37

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 1D	4/23/2015	NONVOLATILE BETA	5.45	pCi/L	J		21	3.2	4.17	10.6
HSL 1D	4/23/2015	TRITIUM	6	pCi/mL				0.525	0.435	1.48
HSL 1D	8/5/2015	NITRATE-NITRITE AS NITROGEN	1.46	mg/L					0.085	0.25
HSL 1D	8/5/2015	MERCURY	0.0219	ug/L	J		21		0.02	0.2
HSL 1D	8/5/2015	GROSS ALPHA	1.58	pCi/L	U			1.78	2.31	5.87
HSL 1D	8/5/2015	NONVOLATILE BETA	4.4	pCi/L	J		21	3.12	4.34	10.6
HSL 1D	8/5/2015	TRITIUM	9.08	pCi/mL				0.618	0.475	1.71
HSL 1D	11/9/2015	NITRATE-NITRITE AS NITROGEN	1.43	mg/L					0.085	0.25
HSL 1D	11/9/2015	MERCURY	0.0315	ug/L	J		21		0.02	0.2
HSL 1D	11/9/2015	GROSS ALPHA	2.06	pCi/L	U			1.94	2.18	6.05
HSL 1D	11/9/2015	NONVOLATILE BETA	6.79	pCi/L	J		21	3.52	4.44	11.5
HSL 1D	11/9/2015	TRITIUM	8.2	pCi/mL				0.579	0.525	1.68
HSL 2D	2/2/2015	NITRATE-NITRITE AS NITROGEN	0.831	mg/L					0.017	0.05
HSL 2D	2/2/2015	ALUMINUM	400	ug/L	U				40	400
HSL 2D	2/2/2015	ANTIMONY	10	ug/L	U				1	10
HSL 2D	2/2/2015	ARSENIC	50	ug/L	U				5	50
HSL 2D	2/2/2015	BARIUM	5.13	ug/L	J				2	20
HSL 2D	2/2/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 2D	2/2/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 2D	2/2/2015	CHROMIUM	100	ug/L	U				10	100
HSL 2D	2/2/2015	COBALT	5	ug/L	U				0.5	5
HSL 2D	2/2/2015	COPPER	9.38	ug/L					0.5	5
HSL 2D	2/2/2015	LEAD	3.92	ug/L	J				0.5	5
HSL 2D	2/2/2015	NICKEL	1.01	ug/L	J				0.5	5
HSL 2D	2/2/2015	SELENIUM	20	ug/L	U				2	20
HSL 2D	2/2/2015	SILVER	5	ug/L	U				0.5	5
HSL 2D	2/2/2015	THALLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 2D	2/2/2015	TIN	10	ug/L	U				1	10
HSL 2D	2/2/2015	VANADIUM	8.34	ug/L	J				5	50
HSL 2D	2/2/2015	ZINC	6.07	ug/L	J				4	40
HSL 2D	2/2/2015	MERCURY	0.294	ug/L					0.02	0.2
HSL 2D	2/2/2015	BENZENE	1	ug/L	U				0.3	1
HSL 2D	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 2D	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 2D	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 2D	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 2D	2/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 2D	2/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 2D	2/2/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 2D	2/2/2015	AMERICIUM-241	0.0439	pCi/L	U			0.073	0.126	0.271
HSL 2D	2/2/2015	CURIUM-242	0	pCi/L	U			0	0.067	0.067
HSL 2D	2/2/2015	CURIUM-243/244	0	pCi/L	U			0	0.067	0.067
HSL 2D	2/2/2015	CURIUM-245/246	0.23	pCi/L	J		21	0.158	0.0694	0.385
HSL 2D	2/2/2015	PLUTONIUM-238	0.0239	pCi/L	U			0.048	0.0646	0.16
HSL 2D	2/2/2015	PLUTONIUM-239/240	0.0179	pCi/L	U			0.049	0.12	0.219
HSL 2D	2/2/2015	THORIUM-228	-0.129	pCi/L	U			0.126	0.401	0.652
HSL 2D	2/2/2015	THORIUM-230	0.107	pCi/L	U			0.109	0.143	0.362
HSL 2D	2/2/2015	THORIUM-232	-0.0119	pCi/L	U			0.017	0.143	0.177
HSL 2D	2/2/2015	URANIUM-233/234	0.0361	pCi/L	U			0.07	0.144	0.285
HSL 2D	2/2/2015	URANIUM-235	-0.00742	pCi/L	U			0.015	0.149	0.179
HSL 2D	2/2/2015	URANIUM-238	0.054	pCi/L	U			0.086	0.162	0.334
HSL 2D	2/2/2015	GROSS ALPHA	1.58	pCi/L	U			1.74	2.19	5.67
HSL 2D	2/2/2015	NONVOLATILE BETA	2.44	pCi/L	U			2.59	3.96	9.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 2D	2/2/2015	STRONTIUM-90	0.0693	pCi/L	U			1.75	3.27	6.77
HSL 2D	2/2/2015	CARBON-14	22.5	pCi/L				4.58	6.81	16
HSL 2D	2/2/2015	NICKEL-63	1.29	pCi/L	U			2.86	4.88	10.6
HSL 2D	2/2/2015	TECHNETIUM-99	2.72	pCi/L	U			2.44	3.97	8.85
HSL 2D	2/2/2015	TRITIUM	6.35	pCi/mL				0.546	0.461	1.55
HSL 2D	2/2/2015	CESIUM-137	-1.92	pCi/L	U			5.11	8.86	19.1
HSL 2D	2/2/2015	COBALT-60	2.75	pCi/L	U			4.5	9.16	18.2
HSL 2D	2/2/2015	IODINE-129	1.67	pCi/L	J		21	0.375	0.978	1.73
HSL 2D	2/2/2015	RADIUM-226	0.692	pCi/L	J		21	0.329	0.414	1.07
HSL 2D	2/2/2015	RADIUM-228	0.65	pCi/L	U		21, V	0.338	0.474	1.15
HSL 2D	2/2/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.135	pCi/L	U			0.748	1.66	3.16
HSL 2D	4/23/2015	NITRATE-NITRITE AS NITROGEN	0.783	mg/L					0.017	0.05
HSL 2D	4/23/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 2D	4/23/2015	LEAD	1.2	ug/L	J		21		0.5	5
HSL 2D	4/23/2015	GROSS ALPHA	-0.249	pCi/L	U			0.264	2.12	2.65
HSL 2D	4/23/2015	NONVOLATILE BETA	2.34	pCi/L	U			2.64	4.07	9.35
HSL 2D	4/23/2015	TRITIUM	6.26	pCi/mL				0.532	0.432	1.5
HSL 2D	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.828	mg/L					0.017	0.05
HSL 2D	8/5/2015	MERCURY	0.627	ug/L					0.02	0.2
HSL 2D	8/5/2015	GROSS ALPHA	0.418	pCi/L	U			1.17	2.32	4.66
HSL 2D	8/5/2015	NONVOLATILE BETA	1.4	pCi/L	U			2.53	4.18	9.25
HSL 2D	8/5/2015	TRITIUM	6.34	pCi/mL				0.546	0.485	1.58
HSL 2D	11/9/2015	NITRATE-NITRITE AS NITROGEN	0.82	mg/L					0.085	0.25
HSL 2D	11/9/2015	MERCURY	0.502	ug/L					0.02	0.2
HSL 2D	11/9/2015	GROSS ALPHA	0.901	pCi/L	U			1.39	2.17	4.95
HSL 2D	11/9/2015	NONVOLATILE BETA	0.699	pCi/L	U			2.48	4.28	9.24
HSL 2D	11/9/2015	TRITIUM	6.79	pCi/mL				0.546	0.537	1.63

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 3D	2/3/2015	NITRATE-NITRITE AS NITROGEN	0.488	mg/L					0.017	0.05
HSL 3D	2/3/2015	ALUMINUM	1520	ug/L					40	400
HSL 3D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSL 3D	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSL 3D	2/3/2015	BARIUM	17.2	ug/L	J				2	20
HSL 3D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 3D	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 3D	2/3/2015	CHROMIUM	12.4	ug/L	J				10	100
HSL 3D	2/3/2015	COBALT	0.556	ug/L	J				0.5	5
HSL 3D	2/3/2015	COPPER	8.4	ug/L					0.5	5
HSL 3D	2/3/2015	LEAD	1.55	ug/L	J				0.5	5
HSL 3D	2/3/2015	NICKEL	0.903	ug/L	J				0.5	5
HSL 3D	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSL 3D	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSL 3D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 3D	2/3/2015	TIN	10	ug/L	U				1	10
HSL 3D	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSL 3D	2/3/2015	ZINC	17.7	ug/L	J				4	40
HSL 3D	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 3D	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSL 3D	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 3D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 3D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 3D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 3D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 3D	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 3D	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 3D	2/3/2015	AMERICIUM-241	0.0385	pCi/L	U			0.064	0.111	0.238
HSL 3D	2/3/2015	CURIUM-242	0	pCi/L	U			0	0.0587	0.0587
HSL 3D	2/3/2015	CURIUM-243/244	-0.00543	pCi/L	U			0.011	0.109	0.131
HSL 3D	2/3/2015	CURIUM-245/246	0.135	pCi/L	U			0.112	0.0608	0.284
HSL 3D	2/3/2015	PLUTONIUM-238	-0.00555	pCi/L	U			0.011	0.112	0.134
HSL 3D	2/3/2015	PLUTONIUM-239/240	-0.00554	pCi/L	U			0.011	0.112	0.134
HSL 3D	2/3/2015	THORIUM-228	-0.0768	pCi/L	U			0.043	0.242	0.327
HSL 3D	2/3/2015	THORIUM-230	0.127	pCi/L	U			0.106	0.0575	0.269
HSL 3D	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0574	0.0574
HSL 3D	2/3/2015	URANIUM-233/234	0.0239	pCi/L	U			0.048	0.0647	0.161
HSL 3D	2/3/2015	URANIUM-235	-0.00736	pCi/L	U			0.015	0.148	0.178
HSL 3D	2/3/2015	URANIUM-238	0.0238	pCi/L	U			0.048	0.0646	0.16
HSL 3D	2/3/2015	GROSS ALPHA	0.42	pCi/L	U			1.12	2.27	4.52
HSL 3D	2/3/2015	NONVOLATILE BETA	3.49	pCi/L	U			2.94	4.19	10.1
HSL 3D	2/3/2015	STRONTIUM-90	1.67	pCi/L	U			2.02	3.27	7.31
HSL 3D	2/3/2015	CARBON-14	14.2	pCi/L	J		21	4.28	6.6	15.2
HSL 3D	2/3/2015	NICKEL-63	0.646	pCi/L	U			3.05	5.42	11.5
HSL 3D	2/3/2015	TECHNETIUM-99	2.56	pCi/L	UJ			2.46	4.02	8.95
HSL 3D	2/3/2015	TRITIUM	6.29	pCi/mL				0.524	0.411	1.46
HSL 3D	2/3/2015	CESIUM-137	2.03	pCi/L	U			6.05	11.2	23.3
HSL 3D	2/3/2015	COBALT-60	-0.254	pCi/L	U			5.45	10.1	21
HSL 3D	2/3/2015	IODINE-129	0.0415	pCi/L	U			0.521	0.888	1.93
HSL 3D	2/3/2015	RADIUM-226	0.634	pCi/L	J		21	0.352	0.457	1.16
HSL 3D	2/3/2015	RADIUM-228	0.0667	pCi/L	U			0.287	0.535	1.11
HSL 3D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.584	pCi/L	U			0.912	1.64	3.46
HSL 3D	4/22/2015	NITRATE-NITRITE AS NITROGEN	0.33	mg/L					0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 3D	4/22/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 3D	4/22/2015	LEAD	1.92	ug/L	J		21		0.5	5
HSL 3D	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HSL 3D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HSL 3D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HSL 3D	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HSL 3D	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HSL 3D	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HSL 3D	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HSL 3D	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HSL 3D	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HSL 3D	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HSL 3D	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HSL 3D	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HSL 3D	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HSL 3D	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HSL 3D	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HSL 3D	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HSL 3D	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSL 3D	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HSL 3D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
HSL 3D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 3D	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HSL 3D	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HSL 3D	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HSL 3D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HSL 3D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSL 3D	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HSL 3D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSL 3D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HSL 3D	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HSL 3D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HSL 3D	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSL 3D	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HSL 3D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HSL 3D	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HSL 3D	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HSL 3D	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HSL 3D	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HSL 3D	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HSL 3D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HSL 3D	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HSL 3D	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HSL 3D	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1
HSL 3D	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HSL 3D	4/22/2015	TOLUENE	0.15	ug/L	J	U	21, 8		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 3D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSL 3D	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HSL 3D	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HSL 3D	4/22/2015	GROSS ALPHA	1.73	pCi/L	U			1.79	2.1	5.68
HSL 3D	4/22/2015	GROSS ALPHA	1.72	pCi/L	U	U		1.78	2.09	5.65
HSL 3D	4/22/2015	NONVOLATILE BETA	3.47	pCi/L	U	U		2.96	4.34	10.3
HSL 3D	4/22/2015	NONVOLATILE BETA	3.71	pCi/L	U			3	4.34	10.3
HSL 3D	4/22/2015	TRITIUM	5.52	pCi/mL				0.519	0.45	1.49
HSL 3D	4/22/2015	TRITIUM	5.62	pCi/mL				0.526	0.555	1.61
HSL 3D	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.731	mg/L					0.017	0.05
HSL 3D	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 3D	8/5/2015	GROSS ALPHA	3.15	pCi/L	J		21	2.37	2.3	7.05
HSL 3D	8/5/2015	NONVOLATILE BETA	1.6	pCi/L	U			2.76	4.55	10.1
HSL 3D	8/5/2015	TRITIUM	4.97	pCi/mL				0.505	0.492	1.5
HSL 3D	11/10/2015	NITRATE-NITRITE AS NITROGEN	0.224	mg/L					0.017	0.05
HSL 3D	11/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 3D	11/10/2015	GROSS ALPHA	1.67	pCi/L	U			1.76	2.15	5.67
HSL 3D	11/10/2015	NONVOLATILE BETA	1.91	pCi/L	U			2.75	4.38	9.89
HSL 3D	11/10/2015	TRITIUM	11.3	pCi/mL				0.669	0.546	1.88
HSL 6D	1/29/2015	NITRATE-NITRITE AS NITROGEN	1.78	mg/L					0.085	0.25
HSL 6D	1/29/2015	ALUMINUM	1850	ug/L					40	400
HSL 6D	1/29/2015	ANTIMONY	10	ug/L	U				1	10
HSL 6D	1/29/2015	ARSENIC	50	ug/L	U				5	50
HSL 6D	1/29/2015	BARIUM	18.8	ug/L	J				2	20
HSL 6D	1/29/2015	BERYLLIUM	0.104	ug/L	J				0.1	1
HSL 6D	1/29/2015	CADMIUM	0.127	ug/L	J				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 6D	1/29/2015	CHROMIUM	100	ug/L	U				10	100
HSL 6D	1/29/2015	COBALT	0.855	ug/L	J				0.5	5
HSL 6D	1/29/2015	COPPER	2.26	ug/L	J				0.5	5
HSL 6D	1/29/2015	LEAD	1.85	ug/L	J				0.5	5
HSL 6D	1/29/2015	NICKEL	2.33	ug/L	J				0.5	5
HSL 6D	1/29/2015	SELENIUM	20	ug/L	U				2	20
HSL 6D	1/29/2015	SILVER	5	ug/L	U				0.5	5
HSL 6D	1/29/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 6D	1/29/2015	TIN	10	ug/L	U				1	10
HSL 6D	1/29/2015	VANADIUM	14	ug/L	J				5	50
HSL 6D	1/29/2015	ZINC	19	ug/L	J				4	40
HSL 6D	1/29/2015	MERCURY	0.599	ug/L					0.02	0.2
HSL 6D	1/29/2015	BENZENE	1	ug/L	U				0.3	1
HSL 6D	1/29/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 6D	1/29/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.07	ug/L	J		21		1	5
HSL 6D	1/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 6D	1/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 6D	1/29/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 6D	1/29/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 6D	1/29/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 6D	1/29/2015	AMERICIUM-241	0.866	pCi/L				0.295	0.0546	0.644
HSL 6D	1/29/2015	CURIUM-242	-0.0326	pCi/L	U			0.027	0.167	0.221
HSL 6D	1/29/2015	CURIUM-243/244	-0.00497	pCi/L	U			0.01	0.0998	0.12
HSL 6D	1/29/2015	CURIUM-245/246	0.154	pCi/L	U			0.119	0.123	0.362
HSL 6D	1/29/2015	PLUTONIUM-238	0.0247	pCi/L	U			0.05	0.0668	0.166
HSL 6D	1/29/2015	PLUTONIUM-239/240	0.0925	pCi/L	J		21	0.101	0.124	0.325

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 6D	1/29/2015	THORIUM-228	0.0732	pCi/L	U			0.094	0.131	0.319
HSL 6D	1/29/2015	THORIUM-230	0.156	pCi/L	J		21	0.13	0.0704	0.33
HSL 6D	1/29/2015	THORIUM-232	0.0194	pCi/L	U			0.054	0.131	0.238
HSL 6D	1/29/2015	URANIUM-233/234	1.07	pCi/L				0.356	0.115	0.828
HSL 6D	1/29/2015	URANIUM-235	0.113	pCi/L	J		21	0.114	0.0764	0.305
HSL 6D	1/29/2015	URANIUM-238	0.998	pCi/L				0.339	0.115	0.794
HSL 6D	1/29/2015	GROSS ALPHA	4.75	pCi/L	J		21	2.86	2.3	8.01
HSL 6D	1/29/2015	NONVOLATILE BETA	95.2	pCi/L				9.74	4.04	23.5
HSL 6D	1/29/2015	STRONTIUM-90	39.5	pCi/L				6.54	3.1	16.2
HSL 6D	1/29/2015	CARBON-14	2.31	pCi/L	U			4.19	6.94	15.3
HSL 6D	1/29/2015	NICKEL-63	2.16	pCi/L	U			2.99	4.93	10.9
HSL 6D	1/29/2015	TECHNETIUM-99	1.39	pCi/L	U			2.67	4.43	9.77
HSL 6D	1/29/2015	TRITIUM	9.94	pCi/mL				0.65	0.447	1.75
HSL 6D	1/29/2015	CESIUM-137	4.97	pCi/L	U			6.98	13.1	27
HSL 6D	1/29/2015	COBALT-60	0.861	pCi/L	U			4.78	9.37	18.9
HSL 6D	1/29/2015	IODINE-129	0.423	pCi/L	U			0.612	1	2.23
HSL 6D	1/29/2015	RADIUM-226	0.775	pCi/L	U			0.537	0.782	1.86
HSL 6D	1/29/2015	RADIUM-228	1.51	pCi/L	J		21	0.558	0.724	1.84
HSL 6D	1/29/2015	RADIUM, TOTAL ALPHA-EMITTING	0.933	pCi/L	U			0.88	1.29	3.05
HSL 6D	4/23/2015	NITRATE-NITRITE AS NITROGEN	1.46	mg/L					0.017	0.05
HSL 6D	4/23/2015	CADMIUM	0.183	ug/L	J		21		0.1	1
HSL 6D	4/23/2015	LEAD	1.64	ug/L	J		21		0.5	5
HSL 6D	4/23/2015	GROSS ALPHA	27.1	pCi/L				6.99	2.62	16.6
HSL 6D	4/23/2015	NONVOLATILE BETA	86	pCi/L				9.82	6.62	26.3
HSL 6D	4/23/2015	TRITIUM	12.9	pCi/mL				0.721	0.434	1.88
HSL 6D	8/10/2015	NITRATE-NITRITE AS NITROGEN	1.79	mg/L					0.085	0.25
HSL 6D	8/10/2015	MERCURY	1.44	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 6D	8/10/2015	GROSS ALPHA	8.92	pCi/L	J		21	4.02	2.87	10.9
HSL 6D	8/10/2015	NONVOLATILE BETA	173	pCi/L				13.2	5.18	31.6
HSL 6D	8/10/2015	TRITIUM	10.1	pCi/mL				0.667	0.473	1.81
HSL 6D	11/10/2015	NITRATE-NITRITE AS NITROGEN	1.57	mg/L					0.085	0.25
HSL 6D	11/10/2015	MERCURY	0.52	ug/L					0.02	0.2
HSL 6D	11/10/2015	GROSS ALPHA	18.5	pCi/L				5.66	2.56	13.9
HSL 6D	11/10/2015	NONVOLATILE BETA	86.9	pCi/L				9.75	6.09	25.6
HSL 6D	11/10/2015	TRITIUM	12	pCi/mL				0.671	0.528	1.87
HSL 7D	2/3/2015	NITRATE-NITRITE AS NITROGEN	1.23	mg/L					0.085	0.25
HSL 7D	2/3/2015	ALUMINUM	58.4	ug/L	J				40	400
HSL 7D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSL 7D	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSL 7D	2/3/2015	BARIUM	10.8	ug/L	J				2	20
HSL 7D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 7D	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 7D	2/3/2015	CHROMIUM	12.3	ug/L	J				10	100
HSL 7D	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSL 7D	2/3/2015	COPPER	0.64	ug/L	J				0.5	5
HSL 7D	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSL 7D	2/3/2015	NICKEL	0.897	ug/L	J				0.5	5
HSL 7D	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSL 7D	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSL 7D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 7D	2/3/2015	TIN	10	ug/L	U				1	10
HSL 7D	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSL 7D	2/3/2015	ZINC	40	ug/L	U				4	40
HSL 7D	2/3/2015	MERCURY	0.21	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 7D	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSL 7D	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 7D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 7D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 7D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 7D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 7D	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 7D	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 7D	2/3/2015	AMERICIUM-241	0.0543	pCi/L	U			0.077	0.0736	0.228
HSL 7D	2/3/2015	CURIUM-242	0.0527	pCi/L	U			0.087	0.135	0.309
HSL 7D	2/3/2015	CURIUM-243/244	-0.00671	pCi/L	U			0.014	0.135	0.162
HSL 7D	2/3/2015	CURIUM-245/246	0.221	pCi/L	U			0.161	0.075	0.396
HSL 7D	2/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0664	0.0664
HSL 7D	2/3/2015	PLUTONIUM-239/240	-0.0122	pCi/L	U			0.017	0.147	0.182
HSL 7D	2/3/2015	THORIUM-228	0	pCi/L	U			0	0.244	0.244
HSL 7D	2/3/2015	THORIUM-230	0.114	pCi/L	U			0.103	0.0617	0.269
HSL 7D	2/3/2015	THORIUM-232	-0.00568	pCi/L	U			0.011	0.114	0.137
HSL 7D	2/3/2015	URANIUM-233/234	0.107	pCi/L	U			0.103	0.113	0.319
HSL 7D	2/3/2015	URANIUM-235	0.0555	pCi/L	U			0.079	0.0753	0.234
HSL 7D	2/3/2015	URANIUM-238	0.0169	pCi/L	U			0.046	0.113	0.206
HSL 7D	2/3/2015	GROSS ALPHA	1.6	pCi/L	U			1.77	2.28	5.82
HSL 7D	2/3/2015	NONVOLATILE BETA	1.27	pCi/L	U			2.64	4.35	9.63
HSL 7D	2/3/2015	STRONTIUM-90	1.83	pCi/L	U			2.06	3.27	7.39
HSL 7D	2/3/2015	CARBON-14	40.5	pCi/L	J			5	6.9	16.9
HSL 7D	2/3/2015	NICKEL-63	0.813	pCi/L	U			2.92	5.01	10.9
HSL 7D	2/3/2015	TECHNETIUM-99	0.376	pCi/L	UJ			2.44	4.09	8.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 7D	2/3/2015	TRITIUM	8.85	pCi/mL				0.595	0.401	1.59
HSL 7D	2/3/2015	CESIUM-137	-1.64	pCi/L	U			5.7	9.9	21.3
HSL 7D	2/3/2015	COBALT-60	0.659	pCi/L	U			5.91	11.1	22.9
HSL 7D	2/3/2015	IODINE-129	0.592	pCi/L	U			0.639	0.97	2.25
HSL 7D	2/3/2015	RADIUM-226	1.03	pCi/L	J		21	0.456	0.53	1.44
HSL 7D	2/3/2015	RADIUM-228	1.25	pCi/L	U		21, V	0.456	0.605	1.52
HSL 7D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.471	pCi/L	U			0.747	1.96	3.45
HSL 7D	4/14/2015	NITRATE-NITRITE AS NITROGEN	1.18	mg/L					0.017	0.05
HSL 7D	4/14/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 7D	4/14/2015	LEAD	2.09	ug/L	J		21		0.5	5
HSL 7D	4/14/2015	GROSS ALPHA	1.62	pCi/L	U			1.71	2.07	5.5
HSL 7D	4/14/2015	NONVOLATILE BETA	1.58	pCi/L	U			2.49	4.01	8.98
HSL 7D	4/14/2015	TRITIUM	9.09	pCi/mL				0.618	0.423	1.66
HSL 7D	8/6/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.017	0.05
HSL 7D	8/6/2015	MERCURY	0.114	ug/L	J		21		0.02	0.2
HSL 7D	8/6/2015	GROSS ALPHA	0.854	pCi/L	U			1.37	2.12	4.87
HSL 7D	8/6/2015	NONVOLATILE BETA	1.95	pCi/L	U			2.52	3.96	9
HSL 7D	8/6/2015	TRITIUM	9.58	pCi/mL				0.644	0.497	1.79
HSL 7D	11/9/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.085	0.25
HSL 7D	11/9/2015	MERCURY	0.106	ug/L	J		21		0.02	0.2
HSL 7D	11/9/2015	GROSS ALPHA	0.108	pCi/L	U			0.812	2.15	3.77
HSL 7D	11/9/2015	NONVOLATILE BETA	1.38	pCi/L	U			2.55	4.16	9.26
HSL 7D	11/9/2015	TRITIUM	9.38	pCi/mL				0.61	0.535	1.76
HSL 8D	2/3/2015	NITRATE-NITRITE AS NITROGEN	13.6	mg/L					0.425	1.25
HSL 8D	2/3/2015	ALUMINUM	60.4	ug/L	J				40	400
HSL 8D	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSL 8D	2/3/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 8D	2/3/2015	BARIUM	17.8	ug/L	J				2	20
HSL 8D	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 8D	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 8D	2/3/2015	CHROMIUM	11.1	ug/L	J				10	100
HSL 8D	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSL 8D	2/3/2015	COPPER	4.87	ug/L	J				0.5	5
HSL 8D	2/3/2015	LEAD	1.31	ug/L	J				0.5	5
HSL 8D	2/3/2015	NICKEL	5	ug/L	U				0.5	5
HSL 8D	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSL 8D	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSL 8D	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 8D	2/3/2015	TIN	10	ug/L	U				1	10
HSL 8D	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSL 8D	2/3/2015	ZINC	4.79	ug/L	J				4	40
HSL 8D	2/3/2015	MERCURY	0.453	ug/L					0.02	0.2
HSL 8D	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSL 8D	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 8D	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 8D	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 8D	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 8D	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 8D	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 8D	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 8D	2/3/2015	AMERICIUM-241	0	pCi/L	U			0	0.0673	0.0673
HSL 8D	2/3/2015	CURIUM-242	-0.00689	pCi/L	U			0.014	0.123	0.151
HSL 8D	2/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0663	0.0663

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 8D	2/3/2015	CURIUM-245/246	0.177	pCi/L	U			0.137	0.0686	0.342
HSL 8D	2/3/2015	PLUTONIUM-238	0.0212	pCi/L	U			0.043	0.0574	0.143
HSL 8D	2/3/2015	PLUTONIUM-239/240	0.0318	pCi/L	U			0.062	0.127	0.251
HSL 8D	2/3/2015	THORIUM-228	-0.0417	pCi/L	U			0.032	0.204	0.269
HSL 8D	2/3/2015	THORIUM-230	0.0577	pCi/L	U			0.082	0.138	0.303
HSL 8D	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0624	0.0624
HSL 8D	2/3/2015	URANIUM-233/234	0.211	pCi/L	J		21	0.145	0.133	0.424
HSL 8D	2/3/2015	URANIUM-235	0.0274	pCi/L	U			0.055	0.0743	0.184
HSL 8D	2/3/2015	URANIUM-238	0.0222	pCi/L	U			0.045	0.0601	0.149
HSL 8D	2/3/2015	GROSS ALPHA	2.09	pCi/L	U			2.08	2.53	6.69
HSL 8D	2/3/2015	NONVOLATILE BETA	30.1	pCi/L				5.9	4.42	16.2
HSL 8D	2/3/2015	STRONTIUM-90	3.36	pCi/L	J		21	2.45	3.3	8.21
HSL 8D	2/3/2015	CARBON-14	5.13	pCi/L	UJ			4.25	6.91	15.4
HSL 8D	2/3/2015	NICKEL-63	-2.17	pCi/L	U			2.92	5.04	10.9
HSL 8D	2/3/2015	TECHNETIUM-99	44.7	pCi/L	J			3.53	4	11.1
HSL 8D	2/3/2015	TRITIUM	13.7	pCi/mL				0.716	0.398	1.83
HSL 8D	2/3/2015	CESIUM-137	-1.41	pCi/L	U			5.98	10.4	22.4
HSL 8D	2/3/2015	COBALT-60	-1.84	pCi/L	U			5.34	9.47	20.2
HSL 8D	2/3/2015	IODINE-129	7.07	pCi/L				1.66	1.09	4.4
HSL 8D	2/3/2015	RADIUM-226	1.12	pCi/L	J		21	0.434	0.491	1.36
HSL 8D	2/3/2015	RADIUM-228	1.88	pCi/L	J		V	0.515	0.542	1.57
HSL 8D	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	2.7	pCi/L	J		21	1.55	1.9	5
HSL 8D	4/14/2015	NITRATE-NITRITE AS NITROGEN	14	mg/L					0.425	1.25
HSL 8D	4/14/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 8D	4/14/2015	LEAD	1.36	ug/L	J		21		0.5	5
HSL 8D	4/14/2015	GROSS ALPHA	0.898	pCi/L	U			1.41	2.19	5
HSL 8D	4/14/2015	NONVOLATILE BETA	33.8	pCi/L				6.05	4.01	16.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 8D	4/14/2015	TRITIUM	14.9	pCi/mL				0.764	0.42	1.95
HSL 8D	8/6/2015	NITRATE-NITRITE AS NITROGEN	13.6	mg/L					0.17	0.5
HSL 8D	8/6/2015	MERCURY	0.43	ug/L					0.02	0.2
HSL 8D	8/6/2015	GROSS ALPHA	0.0869	pCi/L	U			0.889	2.22	4
HSL 8D	8/6/2015	NONVOLATILE BETA	37.7	pCi/L				6.33	3.96	16.6
HSL 8D	8/6/2015	TRITIUM	14.3	pCi/mL				0.763	0.499	2.03
HSL 8D	11/9/2015	NITRATE-NITRITE AS NITROGEN	12.7	mg/L					0.425	1.25
HSL 8D	11/9/2015	MERCURY	0.335	ug/L					0.02	0.2
HSL 8D	11/9/2015	GROSS ALPHA	3.29	pCi/L	J		21	2.44	2.33	7.2
HSL 8D	11/9/2015	NONVOLATILE BETA	37	pCi/L				6.46	4.59	17.5
HSL 8D	11/9/2015	TRITIUM	13.2	pCi/mL				0.698	0.538	1.93
HSL 9C	2/4/2015	NITRATE-NITRITE AS NITROGEN	0.405	mg/L					0.085	0.25
HSL 9C	2/4/2015	ALUMINUM	50	ug/L	J				40	400
HSL 9C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSL 9C	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSL 9C	2/4/2015	BARIUM	20	ug/L	U				2	20
HSL 9C	2/4/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL 9C	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 9C	2/4/2015	CHROMIUM	12.1	ug/L	J				10	100
HSL 9C	2/4/2015	COBALT	3.46	ug/L	J				0.5	5
HSL 9C	2/4/2015	COPPER	1.01	ug/L	J				0.5	5
HSL 9C	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSL 9C	2/4/2015	NICKEL	0.984	ug/L	J				0.5	5
HSL 9C	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSL 9C	2/4/2015	SILVER	0.501	ug/L	J				0.5	5
HSL 9C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 9C	2/4/2015	TIN	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 9C	2/4/2015	VANADIUM	50	ug/L	U				5	50
HSL 9C	2/4/2015	ZINC	4.54	ug/L	J				4	40
HSL 9C	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 9C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSL 9C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 9C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 9C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 9C	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 9C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 9C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 9C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 9C	2/4/2015	AMERICIUM-241	0.0492	pCi/L	U			0.07	0.0666	0.207
HSL 9C	2/4/2015	CURIUM-242	0.0272	pCi/L	U			0.055	0.0656	0.175
HSL 9C	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0656	0.0656
HSL 9C	2/4/2015	CURIUM-245/246	0.176	pCi/L	U			0.136	0.068	0.339
HSL 9C	2/4/2015	PLUTONIUM-238	0.0248	pCi/L	U			0.05	0.0671	0.167
HSL 9C	2/4/2015	PLUTONIUM-239/240	0.0248	pCi/L	U			0.05	0.0671	0.167
HSL 9C	2/4/2015	THORIUM-228	-0.0794	pCi/L	U			0.067	0.276	0.411
HSL 9C	2/4/2015	THORIUM-230	0.0989	pCi/L	U			0.101	0.132	0.334
HSL 9C	2/4/2015	THORIUM-232	-0.00549	pCi/L	U			0.011	0.11	0.133
HSL 9C	2/4/2015	URANIUM-233/234	0.00627	pCi/L	U			0.055	0.169	0.278
HSL 9C	2/4/2015	URANIUM-235	0	pCi/L	U			0	0.0838	0.0838
HSL 9C	2/4/2015	URANIUM-238	0.025	pCi/L	U			0.05	0.0678	0.168
HSL 9C	2/4/2015	GROSS ALPHA	0.0366	pCi/L	U			0.823	2.29	3.94
HSL 9C	2/4/2015	NONVOLATILE BETA	0.753	pCi/L	U			2.43	4.14	8.99
HSL 9C	2/4/2015	STRONTIUM-90	-0.32	pCi/L	U			1.79	3.24	6.82

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 9C	2/4/2015	CARBON-14	122	pCi/L	J			6.46	6.96	19.9
HSL 9C	2/4/2015	NICKEL-63	-1.88	pCi/L	U			2.92	5	10.8
HSL 9C	2/4/2015	TECHNETIUM-99	2.52	pCi/L	UJ			2.49	4.06	9.03
HSL 9C	2/4/2015	TRITIUM	0.882	pCi/mL	J		21	0.37	0.557	1.3
HSL 9C	2/4/2015	CESIUM-137	-0.298	pCi/L	U			5.78	10.3	21.9
HSL 9C	2/4/2015	COBALT-60	1.54	pCi/L	U			5.6	10.8	22
HSL 9C	2/4/2015	IODINE-129	0.0118	pCi/L	U			0.663	0.946	2.27
HSL 9C	2/4/2015	RADIUM-226	11.2	pCi/L				1.28	0.527	3.09
HSL 9C	2/4/2015	RADIUM-228	0.242	pCi/L	U			0.259	0.43	0.948
HSL 9C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.692	pCi/L	U			1.11	2.01	4.23
HSL 9C	4/23/2015	NITRATE-NITRITE AS NITROGEN	0.349	mg/L					0.017	0.05
HSL 9C	4/23/2015	CADMIUM	0.14	ug/L	J		21		0.1	1
HSL 9C	4/23/2015	LEAD	5	ug/L	U				0.5	5
HSL 9C	4/23/2015	GROSS ALPHA	0.15	pCi/L	U			0.825	2.07	3.72
HSL 9C	4/23/2015	NONVOLATILE BETA	0.33	pCi/L	U			2.28	4.12	8.68
HSL 9C	4/23/2015	TRITIUM	1.36	pCi/mL				0.33	0.43	1.09
HSL 9C	8/6/2015	NITRATE-NITRITE AS NITROGEN	0.379	mg/L					0.017	0.05
HSL 9C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 9C	8/6/2015	GROSS ALPHA	-0.285	pCi/L	U			0.384	2.1	2.86
HSL 9C	8/6/2015	NONVOLATILE BETA	1.55	pCi/L	U			2.43	3.93	8.78
HSL 9C	8/6/2015	TRITIUM	1.03	pCi/mL	J		21	0.348	0.503	1.2
HSL 9C	11/9/2015	NITRATE-NITRITE AS NITROGEN	0.278	mg/L					0.017	0.05
HSL 9C	11/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 9C	11/9/2015	GROSS ALPHA	0.11	pCi/L	U			0.81	2.14	3.76
HSL 9C	11/9/2015	NONVOLATILE BETA	-0.513	pCi/L	U			2.17	4.16	8.5
HSL 9C	11/9/2015	TRITIUM	0.895	pCi/mL	J		21	0.347	0.524	1.22
HSL 10C	2/4/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 10C	2/4/2015	ALUMINUM	400	ug/L	U				40	400
HSL 10C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSL 10C	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSL 10C	2/4/2015	BARIUM	4.84	ug/L	J				2	20
HSL 10C	2/4/2015	BERYLLIUM	0.142	ug/L	J				0.1	1
HSL 10C	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 10C	2/4/2015	CHROMIUM	11.2	ug/L	J				10	100
HSL 10C	2/4/2015	COBALT	5	ug/L	U				0.5	5
HSL 10C	2/4/2015	COPPER	5	ug/L	U				0.5	5
HSL 10C	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSL 10C	2/4/2015	NICKEL	0.762	ug/L	J				0.5	5
HSL 10C	2/4/2015	SELENIUM	20	ug/L	U				2	20
HSL 10C	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSL 10C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 10C	2/4/2015	TIN	10	ug/L	U				1	10
HSL 10C	2/4/2015	VANADIUM	50	ug/L	U				5	50
HSL 10C	2/4/2015	ZINC	40	ug/L	U				4	40
HSL 10C	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 10C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSL 10C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 10C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 10C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 10C	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 10C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 10C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 10C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 10C	2/4/2015	AMERICIUM-241	0.0609	pCi/L	U			0.087	0.0825	0.256
HSL 10C	2/4/2015	CURIUM-242	0	pCi/L	U			0	0.0813	0.0813
HSL 10C	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0813	0.0813
HSL 10C	2/4/2015	CURIUM-245/246	0.217	pCi/L	U			0.168	0.0841	0.421
HSL 10C	2/4/2015	PLUTONIUM-238	0.0171	pCi/L	U			0.047	0.115	0.209
HSL 10C	2/4/2015	PLUTONIUM-239/240	-0.00569	pCi/L	U			0.011	0.115	0.137
HSL 10C	2/4/2015	THORIUM-228	0.206	pCi/L	U			0.165	0.214	0.544
HSL 10C	2/4/2015	THORIUM-230	0.157	pCi/L	U			0.132	0.145	0.409
HSL 10C	2/4/2015	THORIUM-232	0.0241	pCi/L	U			0.049	0.0654	0.162
HSL 10C	2/4/2015	URANIUM-233/234	0.00552	pCi/L	U			0.048	0.149	0.245
HSL 10C	2/4/2015	URANIUM-235	0.0136	pCi/L	U			0.058	0.163	0.279
HSL 10C	2/4/2015	URANIUM-238	0.0165	pCi/L	U			0.046	0.111	0.202
HSL 10C	2/4/2015	GROSS ALPHA	-0.352	pCi/L	U			0.244	2.27	2.76
HSL 10C	2/4/2015	NONVOLATILE BETA	0.622	pCi/L	U			2.37	4.07	8.81
HSL 10C	2/4/2015	STRONTIUM-90	0.286	pCi/L	U			1.82	3.24	6.88
HSL 10C	2/4/2015	CARBON-14	4.21	pCi/L	UJ			4.36	7.13	15.8
HSL 10C	2/4/2015	NICKEL-63	-1.37	pCi/L	U			3.15	5.74	12
HSL 10C	2/4/2015	TECHNETIUM-99	2.58	pCi/L	UJ			2.48	4.05	9.01
HSL 10C	2/4/2015	TRITIUM	64.5	pCi/mL				1.55	0.553	3.66
HSL 10C	2/4/2015	CESIUM-137	-3.07	pCi/L	U			6.58	9.4	22.6
HSL 10C	2/4/2015	COBALT-60	2.46	pCi/L	U			6.19	12	24.4
HSL 10C	2/4/2015	IODINE-129	-0.381	pCi/L	U			0.679	0.92	2.28
HSL 10C	2/4/2015	RADIUM-226	0.329	pCi/L	U			0.329	0.532	1.19
HSL 10C	2/4/2015	RADIUM-228	0.773	pCi/L	J		21	0.303	0.386	0.992
HSL 10C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	0.283	pCi/L	U			1.03	2	4.06
HSL 10C	4/23/2015	NITRATE-NITRITE AS NITROGEN	1.42	mg/L					0.017	0.05
HSL 10C	4/23/2015	CADMIUM	0.296	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 10C	4/23/2015	LEAD	5	ug/L	U				0.5	5
HSL 10C	4/23/2015	GROSS ALPHA	0.543	pCi/L	U			1.14	2.07	4.35
HSL 10C	4/23/2015	NONVOLATILE BETA	0.223	pCi/L	U			2.29	4.17	8.75
HSL 10C	4/23/2015	TRITIUM	63.9	pCi/mL				1.52	0.431	3.47
HSL 10C	8/6/2015	NITRATE-NITRITE AS NITROGEN	1.47	mg/L					0.017	0.05
HSL 10C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 10C	8/6/2015	GROSS ALPHA	0.844	pCi/L	U			1.36	2.1	4.81
HSL 10C	8/6/2015	NONVOLATILE BETA	2.18	pCi/L	U			2.56	3.96	9.08
HSL 10C	8/6/2015	TRITIUM	63.2	pCi/mL				1.51	0.499	3.52
HSL 10C	11/9/2015	NITRATE-NITRITE AS NITROGEN	1.51	mg/L					0.085	0.25
HSL 10C	11/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 10C	11/9/2015	GROSS ALPHA	0.105	pCi/L	U			0.808	2.14	3.76
HSL 10C	11/9/2015	NONVOLATILE BETA	2.57	pCi/L	U			2.76	4.16	9.68
HSL 10C	11/9/2015	TRITIUM	61.6	pCi/mL				1.38	0.522	3.28
HSL 11C	2/4/2015	NITRATE-NITRITE AS NITROGEN	2.04	mg/L					0.085	0.25
HSL 11C	2/4/2015	ALUMINUM	96.4	ug/L	J				40	400
HSL 11C	2/4/2015	ANTIMONY	10	ug/L	U				1	10
HSL 11C	2/4/2015	ARSENIC	50	ug/L	U				5	50
HSL 11C	2/4/2015	BARIUM	7.91	ug/L	J				2	20
HSL 11C	2/4/2015	BERYLLIUM	0.162	ug/L	J				0.1	1
HSL 11C	2/4/2015	CADMIUM	1	ug/L	U				0.1	1
HSL 11C	2/4/2015	CHROMIUM	100	ug/L	U				10	100
HSL 11C	2/4/2015	COBALT	0.815	ug/L	J				0.5	5
HSL 11C	2/4/2015	COPPER	2.72	ug/L	J				0.5	5
HSL 11C	2/4/2015	LEAD	5	ug/L	U				0.5	5
HSL 11C	2/4/2015	NICKEL	1.82	ug/L	J				0.5	5
HSL 11C	2/4/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 11C	2/4/2015	SILVER	5	ug/L	U				0.5	5
HSL 11C	2/4/2015	THALLIUM	1	ug/L	U				0.1	1
HSL 11C	2/4/2015	TIN	10	ug/L	U				1	10
HSL 11C	2/4/2015	VANADIUM	14.7	ug/L	J				5	50
HSL 11C	2/4/2015	ZINC	5.74	ug/L	J				4	40
HSL 11C	2/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 11C	2/4/2015	BENZENE	1	ug/L	U				0.3	1
HSL 11C	2/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL 11C	2/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL 11C	2/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL 11C	2/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL 11C	2/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL 11C	2/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL 11C	2/4/2015	CYANIDE	5	ug/L	U				1.67	5
HSL 11C	2/4/2015	AMERICIUM-241	0	pCi/L	U			0	0.0607	0.0607
HSL 11C	2/4/2015	CURIUM-242	-0.00637	pCi/L	U			0.013	0.111	0.137
HSL 11C	2/4/2015	CURIUM-243/244	0	pCi/L	U			0	0.0597	0.0597
HSL 11C	2/4/2015	CURIUM-245/246	0.183	pCi/L	U			0.132	0.0619	0.326
HSL 11C	2/4/2015	PLUTONIUM-238	0.0545	pCi/L	U			0.078	0.0738	0.229
HSL 11C	2/4/2015	PLUTONIUM-239/240	0	pCi/L	U			0	0.0738	0.0738
HSL 11C	2/4/2015	THORIUM-228	-0.0136	pCi/L	U			0.019	0.158	0.197
HSL 11C	2/4/2015	THORIUM-230	0.257	pCi/L	U			0.173	0.133	0.479
HSL 11C	2/4/2015	THORIUM-232	-0.00658	pCi/L	U			0.013	0.132	0.159
HSL 11C	2/4/2015	URANIUM-233/234	0.0903	pCi/L	U			0.091	0.0612	0.244
HSL 11C	2/4/2015	URANIUM-235	0	pCi/L	U			0	0.0755	0.0755
HSL 11C	2/4/2015	URANIUM-238	0.0394	pCi/L	U			0.065	0.113	0.243

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 11C	2/4/2015	GROSS ALPHA	1.6	pCi/L	J		21	1.26	1.39	3.9
HSL 11C	2/4/2015	NONVOLATILE BETA	0.0878	pCi/L	U			1.8	2.95	6.55
HSL 11C	2/4/2015	STRONTIUM-90	0.658	pCi/L	U			2.35	3.33	8.04
HSL 11C	2/4/2015	CARBON-14	-1.29	pCi/L	U			4.17	7.05	15.4
HSL 11C	2/4/2015	NICKEL-63	-1	pCi/L	U			2.89	4.9	10.7
HSL 11C	2/4/2015	TECHNETIUM-99	0.607	pCi/L	U			2.51	4.2	9.21
HSL 11C	2/4/2015	TRITIUM	22.1	pCi/mL				0.943	0.551	2.44
HSL 11C	2/4/2015	CESIUM-137	2.28	pCi/L	U			6.39	11.8	24.5
HSL 11C	2/4/2015	COBALT-60	0.0616	pCi/L	U			5	9.48	19.5
HSL 11C	2/4/2015	IODINE-129	-0.411	pCi/L	U			0.562	0.936	2.06
HSL 11C	2/4/2015	RADIUM-226	0.838	pCi/L	J		21	0.433	0.564	1.43
HSL 11C	2/4/2015	RADIUM-228	0.178	pCi/L	U			0.238	0.407	0.883
HSL 11C	2/4/2015	RADIUM, TOTAL ALPHA-EMITTING	1.23	pCi/L	U			1.25	2.02	4.52
HSL 11C	4/23/2015	NITRATE-NITRITE AS NITROGEN	2.2	mg/L					0.085	0.25
HSL 11C	4/23/2015	CADMIUM	0.288	ug/L	J		21		0.1	1
HSL 11C	4/23/2015	LEAD	3.06	ug/L	J		21		0.5	5
HSL 11C	4/23/2015	GROSS ALPHA	-0.239	pCi/L	U			0.258	2.06	2.58
HSL 11C	4/23/2015	NONVOLATILE BETA	-0.987	pCi/L	U			1.95	4.06	7.96
HSL 11C	4/23/2015	TRITIUM	28.3	pCi/mL				1.04	0.436	2.51
HSL 11C	8/6/2015	NITRATE-NITRITE AS NITROGEN	2	mg/L					0.085	0.25
HSL 11C	8/6/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 11C	8/6/2015	GROSS ALPHA	0.469	pCi/L	U			1.13	2.1	4.37
HSL 11C	8/6/2015	NONVOLATILE BETA	1.97	pCi/L	U			2.52	3.95	8.98
HSL 11C	8/6/2015	TRITIUM	21	pCi/mL				0.903	0.499	2.3
HSL 11C	11/9/2015	NITRATE-NITRITE AS NITROGEN	2.2	mg/L					0.085	0.25
HSL 11C	11/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL 11C	11/9/2015	GROSS ALPHA	0.496	pCi/L	U			1.12	2.14	4.38

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL 11C	11/9/2015	NONVOLATILE BETA	1.04	pCi/L	U			2.51	4.22	9.24
HSL 11C	11/9/2015	TRITIUM	28.6	pCi/mL				0.968	0.536	2.47
HSL004DR	2/3/2015	NITRATE-NITRITE AS NITROGEN	1.27	mg/L					0.085	0.25
HSL004DR	2/3/2015	ALUMINUM	121	ug/L	J				40	400
HSL004DR	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSL004DR	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSL004DR	2/3/2015	BARIUM	11.2	ug/L	J				2	20
HSL004DR	2/3/2015	BERYLLIUM	0.101	ug/L	J				0.1	1
HSL004DR	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSL004DR	2/3/2015	CHROMIUM	100	ug/L	U				10	100
HSL004DR	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSL004DR	2/3/2015	COPPER	0.539	ug/L	J				0.5	5
HSL004DR	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSL004DR	2/3/2015	NICKEL	5	ug/L	U				0.5	5
HSL004DR	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSL004DR	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSL004DR	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSL004DR	2/3/2015	TIN	10	ug/L	U				1	10
HSL004DR	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSL004DR	2/3/2015	ZINC	40	ug/L	U				4	40
HSL004DR	2/3/2015	MERCURY	0.167	ug/L	J		21		0.02	0.2
HSL004DR	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSL004DR	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL004DR	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL004DR	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL004DR	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL004DR	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL004DR	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL004DR	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSL004DR	2/3/2015	AMERICIUM-241	0.0163	pCi/L	U			0.045	0.109	0.199
HSL004DR	2/3/2015	CURIUM-242	0	pCi/L	U			0	0.058	0.058
HSL004DR	2/3/2015	CURIUM-243/244	0.0214	pCi/L	U			0.043	0.058	0.144
HSL004DR	2/3/2015	CURIUM-245/246	0.31	pCi/L	J		21	0.172	0.06	0.405
HSL004DR	2/3/2015	PLUTONIUM-238	-0.0114	pCi/L	U			0.016	0.137	0.169
HSL004DR	2/3/2015	PLUTONIUM-239/240	-0.0057	pCi/L	U			0.011	0.115	0.138
HSL004DR	2/3/2015	THORIUM-228	0.0298	pCi/L	U			0.071	0.156	0.297
HSL004DR	2/3/2015	THORIUM-230	0.0636	pCi/L	U			0.082	0.116	0.28
HSL004DR	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0625	0.0625
HSL004DR	2/3/2015	URANIUM-233/234	0.0249	pCi/L	U			0.05	0.0674	0.167
HSL004DR	2/3/2015	URANIUM-235	0.023	pCi/L	U			0.063	0.154	0.281
HSL004DR	2/3/2015	URANIUM-238	0.0992	pCi/L	J		21	0.1	0.0672	0.268
HSL004DR	2/3/2015	GROSS ALPHA	4.74	pCi/L	J		21	2.84	2.3	7.98
HSL004DR	2/3/2015	NONVOLATILE BETA	3.51	pCi/L	U			3.2	4.76	11.2
HSL004DR	2/3/2015	STRONTIUM-90	0.62	pCi/L	U			1.99	3.24	7.21
HSL004DR	2/3/2015	CARBON-14	3.19	pCi/L	UJ			4.28	7.04	15.6
HSL004DR	2/3/2015	NICKEL-63	-1.79	pCi/L	U			3.05	5.43	11.5
HSL004DR	2/3/2015	TECHNETIUM-99	3.48	pCi/L	UJ			2.49	4.01	8.99
HSL004DR	2/3/2015	TRITIUM	5.66	pCi/mL				0.495	0.4	1.39
HSL004DR	2/3/2015	CESIUM-137	-2.71	pCi/L	U			6.31	10.7	23.3
HSL004DR	2/3/2015	COBALT-60	3.56	pCi/L	U			5.79	11.6	23.2
HSL004DR	2/3/2015	IODINE-129	0.352	pCi/L	U			0.572	0.993	2.14
HSL004DR	2/3/2015	RADIUM-226	0.731	pCi/L	J		21	0.367	0.473	1.21
HSL004DR	2/3/2015	RADIUM-228	1.01	pCi/L	U		21, V	0.42	0.559	1.4
HSL004DR	2/3/2015	RADIUM, TOTAL ALPHA-	0.916	pCi/L	U			1.06	1.68	3.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		EMITTING								
HSL004DR	4/22/2015	NITRATE-NITRITE AS NITROGEN	1.13	mg/L					0.017	0.05
HSL004DR	4/22/2015	CADMIUM	1	ug/L	U				0.1	1
HSL004DR	4/22/2015	LEAD	5	ug/L	U				0.5	5
HSL004DR	4/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
HSL004DR	4/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
HSL004DR	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
HSL004DR	4/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
HSL004DR	4/22/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
HSL004DR	4/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
HSL004DR	4/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
HSL004DR	4/22/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
HSL004DR	4/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
HSL004DR	4/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
HSL004DR	4/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
HSL004DR	4/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
HSL004DR	4/22/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
HSL004DR	4/22/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
HSL004DR	4/22/2015	ACETONE	2	ug/L	U	UJ	11		0.34	2
HSL004DR	4/22/2015	BENZENE	1	ug/L	U	U			0.06	1
HSL004DR	4/22/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSL004DR	4/22/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
HSL004DR	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL004DR	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
HSL004DR	4/22/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
HSL004DR	4/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
HSL004DR	4/22/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
HSL004DR	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
HSL004DR	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSL004DR	4/22/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
HSL004DR	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
HSL004DR	4/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
HSL004DR	4/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
HSL004DR	4/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
HSL004DR	4/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
HSL004DR	4/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
HSL004DR	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
HSL004DR	4/22/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
HSL004DR	4/22/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
HSL004DR	4/22/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
HSL004DR	4/22/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
HSL004DR	4/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
HSL004DR	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
HSL004DR	4/22/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
HSL004DR	4/22/2015	O-XYLENE	1	ug/L	U	U			0.06	1
HSL004DR	4/22/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL004DR	4/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
HSL004DR	4/22/2015	TOLUENE	0.15	ug/L	J	U	21, 8		0.07	1
HSL004DR	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
HSL004DR	4/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
HSL004DR	4/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
HSL004DR	4/22/2015	GROSS ALPHA	2.85	pCi/L	J	J	21	2.2	2.05	6.45
HSL004DR	4/22/2015	GROSS ALPHA	1.7	pCi/L	U			1.76	2.06	5.58
HSL004DR	4/22/2015	NONVOLATILE BETA	2.42	pCi/L	U	U		2.87	4.49	10.2
HSL004DR	4/22/2015	NONVOLATILE BETA	3.7	pCi/L	U			3	4.33	10.3
HSL004DR	4/22/2015	TRITIUM	6.03	pCi/mL				0.518	0.525	1.56
HSL004DR	4/22/2015	TRITIUM	6.23	pCi/mL				0.523	0.524	1.57
HSL004DR	8/11/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L					0.085	0.25
HSL004DR	8/11/2015	MERCURY	0.104	ug/L	J		21		0.02	0.2
HSL004DR	8/11/2015	GROSS ALPHA	2.07	pCi/L	J		21	1.44	1.3	4.18
HSL004DR	8/11/2015	NONVOLATILE BETA	2.98	pCi/L	J		21	1.96	2.56	6.47
HSL004DR	8/11/2015	TRITIUM	5.65	pCi/mL				0.528	0.456	1.51
HSL004DR	11/18/2015	NITRATE-NITRITE AS NITROGEN	0.66	mg/L					0.017	0.05
HSL004DR	11/18/2015	MERCURY	0.0563	ug/L	J		21		0.02	0.2
HSL004DR	11/18/2015	GROSS ALPHA	-0.361	pCi/L	U			0.425	1.38	2.23
HSL004DR	11/18/2015	NONVOLATILE BETA	1.84	pCi/L	U			1.91	2.63	6.45
HSL004DR	11/18/2015	TRITIUM	4.88	pCi/mL				0.475	0.404	1.35
HSL005DR	2/3/2015	NITRATE-NITRITE AS NITROGEN	3.88	mg/L					0.085	0.25
HSL005DR	2/3/2015	ALUMINUM	89.2	ug/L	J				40	400
HSL005DR	2/3/2015	ANTIMONY	10	ug/L	U				1	10
HSL005DR	2/3/2015	ARSENIC	50	ug/L	U				5	50
HSL005DR	2/3/2015	BARIUM	7.02	ug/L	J				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL005DR	2/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
HSL005DR	2/3/2015	CADMIUM	1	ug/L	U				0.1	1
HSL005DR	2/3/2015	CHROMIUM	11.1	ug/L	J				10	100
HSL005DR	2/3/2015	COBALT	5	ug/L	U				0.5	5
HSL005DR	2/3/2015	COPPER	0.51	ug/L	J				0.5	5
HSL005DR	2/3/2015	LEAD	5	ug/L	U				0.5	5
HSL005DR	2/3/2015	NICKEL	5	ug/L	U				0.5	5
HSL005DR	2/3/2015	SELENIUM	20	ug/L	U				2	20
HSL005DR	2/3/2015	SILVER	5	ug/L	U				0.5	5
HSL005DR	2/3/2015	THALLIUM	1	ug/L	U				0.1	1
HSL005DR	2/3/2015	TIN	10	ug/L	U				1	10
HSL005DR	2/3/2015	VANADIUM	50	ug/L	U				5	50
HSL005DR	2/3/2015	ZINC	40	ug/L	U				4	40
HSL005DR	2/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL005DR	2/3/2015	BENZENE	1	ug/L	U				0.3	1
HSL005DR	2/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
HSL005DR	2/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
HSL005DR	2/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
HSL005DR	2/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
HSL005DR	2/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
HSL005DR	2/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
HSL005DR	2/3/2015	CYANIDE	5	ug/L	U				1.67	5
HSL005DR	2/3/2015	AMERICIUM-241	0	pCi/L	U			0	0.0638	0.0638
HSL005DR	2/3/2015	CURIUM-242	0.0261	pCi/L	U			0.053	0.0628	0.168
HSL005DR	2/3/2015	CURIUM-243/244	0	pCi/L	U			0	0.0628	0.0628
HSL005DR	2/3/2015	CURIUM-245/246	0.24	pCi/L	J		21	0.156	0.065	0.378

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL005DR	2/3/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0637	0.0637
HSL005DR	2/3/2015	PLUTONIUM-239/240	-0.00588	pCi/L	U			0.012	0.118	0.142
HSL005DR	2/3/2015	THORIUM-228	0.0304	pCi/L	U			0.072	0.159	0.303
HSL005DR	2/3/2015	THORIUM-230	0.0707	pCi/L	U			0.083	0.0639	0.229
HSL005DR	2/3/2015	THORIUM-232	0	pCi/L	U			0	0.0638	0.0638
HSL005DR	2/3/2015	URANIUM-233/234	0.0223	pCi/L	U			0.067	0.164	0.299
HSL005DR	2/3/2015	URANIUM-235	-0.00689	pCi/L	U			0.014	0.139	0.166
HSL005DR	2/3/2015	URANIUM-238	0.0892	pCi/L	J		21	0.09	0.0604	0.241
HSL005DR	2/3/2015	GROSS ALPHA	1.21	pCi/L	U			1.59	2.31	5.5
HSL005DR	2/3/2015	NONVOLATILE BETA	6.37	pCi/L	J		21	3.42	4.3	11.1
HSL005DR	2/3/2015	STRONTIUM-90	0.594	pCi/L	U			1.9	3.24	7.05
HSL005DR	2/3/2015	CARBON-14	-1.08	pCi/L	UJ			4.22	7.13	15.6
HSL005DR	2/3/2015	NICKEL-63	-1.87	pCi/L	U			3.05	5.43	11.5
HSL005DR	2/3/2015	TECHNETIUM-99	6.02	pCi/L	J		21	2.55	3.98	9.07
HSL005DR	2/3/2015	TRITIUM	7.31	pCi/mL				0.546	0.398	1.49
HSL005DR	2/3/2015	CESIUM-137	2.89	pCi/L	U			6.31	11.7	24.3
HSL005DR	2/3/2015	COBALT-60	-0.793	pCi/L	U			5.36	9.81	20.5
HSL005DR	2/3/2015	IODINE-129	0.0177	pCi/L	U			0.556	0.942	2.05
HSL005DR	2/3/2015	RADIUM-226	0.65	pCi/L	J		21	0.369	0.5	1.24
HSL005DR	2/3/2015	RADIUM-228	0.339	pCi/L	U			0.345	0.571	1.26
HSL005DR	2/3/2015	RADIUM, TOTAL ALPHA-EMITTING	0.19	pCi/L	U			0.999	2	4
HSL005DR	4/23/2015	NITRATE-NITRITE AS NITROGEN	3.79	mg/L					0.085	0.25
HSL005DR	4/23/2015	CADMIUM	1	ug/L	U				0.1	1
HSL005DR	4/23/2015	LEAD	5	ug/L	U				0.5	5
HSL005DR	4/23/2015	GROSS ALPHA	2.11	pCi/L	J		21	1.94	2.08	5.96
HSL005DR	4/23/2015	NONVOLATILE BETA	2.41	pCi/L	U			2.81	4.39	10
HSL005DR	4/23/2015	TRITIUM	6.68	pCi/mL				0.548	0.436	1.53

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSL005DR	8/4/2015	NITRATE-NITRITE AS NITROGEN	3.84	mg/L					0.085	0.25
HSL005DR	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL005DR	8/4/2015	GROSS ALPHA	1.69	pCi/L	U			1.82	2.16	5.8
HSL005DR	8/4/2015	NONVOLATILE BETA	2.88	pCi/L	U			2.64	3.8	9.08
HSL005DR	8/4/2015	TRITIUM	6.98	pCi/mL				0.562	0.44	1.56
HSL005DR	11/18/2015	NITRATE-NITRITE AS NITROGEN	4.37	mg/L					0.17	0.5
HSL005DR	11/18/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSL005DR	11/18/2015	GROSS ALPHA	1.28	pCi/L	UJ			1.58	2.16	5.33
HSL005DR	11/18/2015	NONVOLATILE BETA	1.78	pCi/L	U			2.71	4.33	9.74
HSL005DR	11/18/2015	TRITIUM	6.99	pCi/mL				0.55	0.407	1.51
HSP 60A	3/10/2015	NITRATE-NITRITE AS NITROGEN	33	mg/L					0.38	4
HSP 60A	3/10/2015	MERCURY	0.748	ug/L					0.02	0.2
HSP 60A	3/10/2015	GROSS ALPHA	2.99	pCi/L	J		21	2.42	2.46	7.29
HSP 60A	3/10/2015	NONVOLATILE BETA	77.1	pCi/L				8.81	4.03	21.6
HSP 60A	3/10/2015	CARBON-14	6.27	pCi/L	U			4.35	7.05	15.8
HSP 60A	3/10/2015	TECHNETIUM-99	82.8	pCi/L				4.32	4.12	12.8
HSP 60A	3/10/2015	TRITIUM	1330	pCi/mL				6.92	0.44	14.3
HSP 60A	3/10/2015	IODINE-129	4.39	pCi/L				1.29	1.01	3.58
HSP 60A	6/15/2015	NITRATE-NITRITE AS NITROGEN	35	mg/L					0.19	2
HSP 60A	6/15/2015	MERCURY	0.94	ug/L					0.02	0.2
HSP 60A	6/15/2015	GROSS ALPHA	0.878	pCi/L	U			1.55	2.62	5.72
HSP 60A	6/15/2015	NONVOLATILE BETA	100	pCi/L				10.1	4.25	24.4
HSP 60A	6/15/2015	CARBON-14	6.83	pCi/L	U			4.32	6.96	15.6
HSP 60A	6/15/2015	TECHNETIUM-99	122	pCi/L				4.96	4.13	14.1
HSP 60A	6/15/2015	TRITIUM	1400	pCi/mL				7.09	0.448	14.6
HSP 60A	6/15/2015	IODINE-129	4.12	pCi/L				1.12	0.989	3.23
HSP 60A	10/7/2015	NITRATE-NITRITE AS NITROGEN	24	mg/L					0.19	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60A	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HSP 60A	10/7/2015	ARSENIC	50	ug/L	U				5	50
HSP 60A	10/7/2015	BARIUM	74.3	ug/L					2	20
HSP 60A	10/7/2015	BERYLLIUM	0.452	ug/L	J		21		0.1	1
HSP 60A	10/7/2015	CADMIUM	0.226	ug/L	J		21		0.1	1
HSP 60A	10/7/2015	CHROMIUM	100	ug/L	U				10	100
HSP 60A	10/7/2015	COBALT	2.42	ug/L	J		21		0.5	5
HSP 60A	10/7/2015	COPPER	0.925	ug/L	J		21		0.5	5
HSP 60A	10/7/2015	LEAD	0.871	ug/L	J		21		0.5	5
HSP 60A	10/7/2015	NICKEL	3.29	ug/L	J		21		0.5	5
HSP 60A	10/7/2015	SELENIUM	3.14	ug/L	J		21		2	20
HSP 60A	10/7/2015	SILVER	5	ug/L	U				0.5	5
HSP 60A	10/7/2015	THALLIUM	1	ug/L	U				0.1	1
HSP 60A	10/7/2015	TIN	10	ug/L	U				1	10
HSP 60A	10/7/2015	VANADIUM	12.9	ug/L	J		21		5	50
HSP 60A	10/7/2015	ZINC	15.3	ug/L	J		21		4	40
HSP 60A	10/7/2015	MERCURY	0.636	ug/L					0.02	0.2
HSP 60A	10/7/2015	BENZENE	1	ug/L	U				0.06	1
HSP 60A	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP 60A	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSP 60A	10/7/2015	TRICHLOROETHYLENE (TCE)	0.88	ug/L	J		21		0.25	1
HSP 60A	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP 60A	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HSP 60A	10/7/2015	PHENOL	10	ug/L	U				2.1	10
HSP 60A	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HSP 60A	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	2.73	pCi/L				0.414	0.27	1.098

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60A	10/7/2015	RADIUM-226	1.28	pCi/L				0.209	0.143	0.561
HSP 60A	10/7/2015	RADIUM-228	1.54	pCi/L	U			1.07	1.69	3.83
HSP 60A	10/7/2015	AMERICIUM-241	0.0396	pCi/L	U		V	0.065	0.114	0.244
HSP 60A	10/7/2015	CURIUM-242	0.047	pCi/L	U			0.067	0.0604	0.194
HSP 60A	10/7/2015	CURIUM-243/244	0	pCi/L	U		V	0	0.0604	0.0604
HSP 60A	10/7/2015	CURIUM-245/246	0.208	pCi/L	U		21, V	0.142	0.0625	0.346
HSP 60A	10/7/2015	PLUTONIUM-238	0	pCi/L	U		V	0	0.0576	0.0576
HSP 60A	10/7/2015	PLUTONIUM-239/240	-0.00531	pCi/L	U		V	0.011	0.107	0.128
HSP 60A	10/7/2015	THORIUM-228	-0.0334	pCi/L	U		V	0.09	0.294	0.473
HSP 60A	10/7/2015	THORIUM-230	0.352	pCi/L	U		21, V	0.208	0.179	0.594
HSP 60A	10/7/2015	THORIUM-232	0	pCi/L	U			0	0.0718	0.0718
HSP 60A	10/7/2015	URANIUM-233/234	0.14	pCi/L	U		21, V	0.122	0.123	0.367
HSP 60A	10/7/2015	URANIUM-235	0.0603	pCi/L	U		V	0.086	0.0817	0.253
HSP 60A	10/7/2015	URANIUM-238	0.0731	pCi/L	U		21, V	0.085	0.0661	0.236
HSP 60A	10/7/2015	GROSS ALPHA	3.29	pCi/L	J		21	2.51	2.45	7.46
HSP 60A	10/7/2015	NONVOLATILE BETA	51.4	pCi/L				7.32	4.03	18.7
HSP 60A	10/7/2015	STRONTIUM-90	-1.14	pCi/L	U			1.52	3.02	6.05
HSP 60A	10/7/2015	CARBON-14	43.6	pCi/L				5.16	7.04	17.4
HSP 60A	10/7/2015	NICKEL-63	4.8	pCi/L	J		21	2.88	4.66	10.4
HSP 60A	10/7/2015	TECHNETIUM-99	77.8	pCi/L				4.36	4.44	13.2
HSP 60A	10/7/2015	TRITIUM	930	pCi/mL				5.82	0.443	12.1
HSP 60A	10/7/2015	IODINE-129	4.13	pCi/L				1.3	1.02	3.62
HSP 60A	12/9/2015	NITRATE-NITRITE AS NITROGEN	18.8	mg/L					0.34	1
HSP 60A	12/9/2015	CADMIUM	1	ug/L	U		V		0.1	1
HSP 60A	12/9/2015	COBALT	1.63	ug/L	J		21		0.5	5
HSP 60A	12/9/2015	TIN	10	ug/L	U				1	10
HSP 60A	12/9/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60A	12/9/2015	MERCURY	0.285	ug/L					0.02	0.2
HSP 60A	12/9/2015	GROSS ALPHA	1.29	pCi/L	UJ			1.68	2.42	5.79
HSP 60A	12/9/2015	NONVOLATILE BETA	45	pCi/L				6.98	4.34	18.3
HSP 60A	12/9/2015	CARBON-14	8.02	pCi/L	J		21	4.36	7	15.7
HSP 60A	12/9/2015	TECHNETIUM-99	62.6	pCi/L				3.99	4.24	12.2
HSP 60A	12/9/2015	TRITIUM	775	pCi/mL				5.25	0.418	10.9
HSP 60A	12/9/2015	IODINE-129	3.88	pCi/L	J		21	1.58	1.09	4.25
HSP 60B	3/10/2015	NITRATE-NITRITE AS NITROGEN	12	mg/L					0.094	1
HSP 60B	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 60B	3/10/2015	GROSS ALPHA	0.0541	pCi/L	U			0.869	2.29	4.03
HSP 60B	3/10/2015	NONVOLATILE BETA	18.3	pCi/L				4.65	3.93	13.2
HSP 60B	3/10/2015	CARBON-14	3.44	pCi/L	U			4.24	6.98	15.5
HSP 60B	3/10/2015	TECHNETIUM-99	28.2	pCi/L				3.25	4.18	10.7
HSP 60B	3/10/2015	TRITIUM	450	pCi/mL				4.03	0.438	8.5
HSP 60B	3/10/2015	IODINE-129	2.09	pCi/L	J		21	1.42	0.959	3.79
HSP 60B	6/15/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
HSP 60B	6/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 60B	6/15/2015	GROSS ALPHA	0.529	pCi/L	U			1.19	2.24	4.62
HSP 60B	6/15/2015	NONVOLATILE BETA	23.3	pCi/L				5.23	4.18	14.6
HSP 60B	6/15/2015	CARBON-14	4	pCi/L	U			4.5	7.39	16.4
HSP 60B	6/15/2015	TECHNETIUM-99	34.2	pCi/L				3.35	4.13	10.8
HSP 60B	6/15/2015	TRITIUM	431	pCi/mL				3.96	0.453	8.38
HSP 60B	6/15/2015	IODINE-129	1.83	pCi/L	J		21	0.838	0.944	2.62
HSP 60B	10/7/2015	NITRATE-NITRITE AS NITROGEN	5.1	mg/L					0.094	1
HSP 60B	10/7/2015	ANTIMONY	10	ug/L	U		V		1	10
HSP 60B	10/7/2015	ARSENIC	50	ug/L	U				5	50
HSP 60B	10/7/2015	BARIUM	38.8	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60B	10/7/2015	BERYLLIUM	0.47	ug/L	J		21		0.1	1
HSP 60B	10/7/2015	CADMIUM	1	ug/L	U				0.1	1
HSP 60B	10/7/2015	CHROMIUM	20.7	ug/L	J		21		10	100
HSP 60B	10/7/2015	COBALT	0.596	ug/L	J		21		0.5	5
HSP 60B	10/7/2015	COPPER	3.54	ug/L	J		21		0.5	5
HSP 60B	10/7/2015	LEAD	12.7	ug/L					0.5	5
HSP 60B	10/7/2015	NICKEL	2.38	ug/L	J		21		0.5	5
HSP 60B	10/7/2015	SELENIUM	3.89	ug/L	J		21		2	20
HSP 60B	10/7/2015	SILVER	5	ug/L	U				0.5	5
HSP 60B	10/7/2015	THALLIUM	0.153	ug/L	J		21		0.1	1
HSP 60B	10/7/2015	TIN	2.48	ug/L	J		21		1	10
HSP 60B	10/7/2015	VANADIUM	42	ug/L	J		21		5	50
HSP 60B	10/7/2015	ZINC	5.76	ug/L	J		21		4	40
HSP 60B	10/7/2015	MERCURY	0.121	ug/L	J		21		0.02	0.2
HSP 60B	10/7/2015	BENZENE	1	ug/L	U				0.06	1
HSP 60B	10/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP 60B	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSP 60B	10/7/2015	TRICHLOROETHYLENE (TCE)	0.69	ug/L	J		21		0.25	1
HSP 60B	10/7/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP 60B	10/7/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HSP 60B	10/7/2015	PHENOL	10	ug/L	U				2	10
HSP 60B	10/7/2015	CYANIDE	10	ug/L	U				2.9	10
HSP 60B	10/7/2015	RADIUM, TOTAL ALPHA-EMITTING	4.56	pCi/L	J		21	1.6	1.8	5
HSP 60B	10/7/2015	RADIUM-226	1.46	pCi/L				0.384	0.424	1.192
HSP 60B	10/7/2015	RADIUM-228	1.07	pCi/L	U			0.982	1.59	3.554
HSP 60B	10/7/2015	AMERICIUM-241	0.0158	pCi/L	U		V	0.043	0.106	0.193

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60B	10/7/2015	CURIUM-242	0	pCi/L	U			0	0.0561	0.0561
HSP 60B	10/7/2015	CURIUM-243/244	0.0207	pCi/L	U		V	0.042	0.0561	0.139
HSP 60B	10/7/2015	CURIUM-245/246	0.236	pCi/L	U		21, V	0.146	0.0581	0.35
HSP 60B	10/7/2015	PLUTONIUM-238	-0.00722	pCi/L	U		V	0.015	0.145	0.174
HSP 60B	10/7/2015	PLUTONIUM-239/240	0.0289	pCi/L	U		V	0.058	0.0782	0.194
HSP 60B	10/7/2015	THORIUM-228	-0.0443	pCi/L	U		V	0.126	0.349	0.6
HSP 60B	10/7/2015	THORIUM-230	0.297	pCi/L	U		21, V	0.172	0.132	0.475
HSP 60B	10/7/2015	THORIUM-232	0	pCi/L	U			0	0.0596	0.0596
HSP 60B	10/7/2015	URANIUM-233/234	0.691	pCi/L	J		21, V	0.279	0.159	0.717
HSP 60B	10/7/2015	URANIUM-235	0.0291	pCi/L	U		V	0.058	0.0789	0.196
HSP 60B	10/7/2015	URANIUM-238	0.748	pCi/L			V	0.287	0.119	0.693
HSP 60B	10/7/2015	GROSS ALPHA	7.23	pCi/L	J		21	3.53	2.38	9.43
HSP 60B	10/7/2015	NONVOLATILE BETA	22.8	pCi/L				5.17	4.11	14.5
HSP 60B	10/7/2015	STRONTIUM-90	0.412	pCi/L	U			1.74	3.03	6.51
HSP 60B	10/7/2015	CARBON-14	13.9	pCi/L	J		21	4.45	6.92	15.8
HSP 60B	10/7/2015	NICKEL-63	5.77	pCi/L	J		21	2.97	4.88	10.8
HSP 60B	10/7/2015	TECHNETIUM-99	28.2	pCi/L				3.34	4.39	11.1
HSP 60B	10/7/2015	TRITIUM	317	pCi/mL				4.33	0.714	9.37
HSP 60B	10/7/2015	IODINE-129	2.02	pCi/L	J		21	1.23	1.06	3.52
HSP 60B	12/9/2015	NITRATE-NITRITE AS NITROGEN	9.85	mg/L					0.17	0.5
HSP 60B	12/9/2015	CADMIUM	1	ug/L	U		V		0.1	1
HSP 60B	12/9/2015	COBALT	5	ug/L	U				0.5	5
HSP 60B	12/9/2015	TIN	10	ug/L	U				1	10
HSP 60B	12/9/2015	VANADIUM	50	ug/L	U				5	50
HSP 60B	12/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 60B	12/9/2015	GROSS ALPHA	1.32	pCi/L	UJ			1.65	2.29	5.6
HSP 60B	12/9/2015	NONVOLATILE BETA	14.4	pCi/L				4.41	4.34	13.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 60B	12/9/2015	CARBON-14	65.8	pCi/L				5.73	7.36	18.8
HSP 60B	12/9/2015	TECHNETIUM-99	23.4	pCi/L				3.15	4.24	10.5
HSP 60B	12/9/2015	TRITIUM	414	pCi/mL				3.86	0.452	8.18
HSP 60B	12/9/2015	IODINE-129	3.3	pCi/L	J		21	1.26	0.866	3.39
HSP 76A	3/10/2015	NITRATE-NITRITE AS NITROGEN	9.9	mg/L					0.094	1
HSP 76A	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76A	3/10/2015	GROSS ALPHA	0.0577	pCi/L	U			0.896	2.36	4.15
HSP 76A	3/10/2015	NONVOLATILE BETA	11.5	pCi/L	J		21	3.9	3.95	11.8
HSP 76A	3/10/2015	CARBON-14	3.16	pCi/L	U			4.15	6.83	15.1
HSP 76A	3/10/2015	TECHNETIUM-99	18.2	pCi/L				3	4.18	10.2
HSP 76A	3/10/2015	TRITIUM	288	pCi/mL				3.23	0.439	6.9
HSP 76A	3/10/2015	IODINE-129	-0.161	pCi/L	U			0.59	0.912	2.09
HSP 76A	6/16/2015	NITRATE-NITRITE AS NITROGEN	10	mg/L					0.094	1
HSP 76A	6/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76A	6/16/2015	GROSS ALPHA	0.574	pCi/L	U			1.23	2.26	4.72
HSP 76A	6/16/2015	NONVOLATILE BETA	7.4	pCi/L	J		21	3.49	4.2	11.2
HSP 76A	6/16/2015	CARBON-14	0.461	pCi/L	U			4.18	6.99	15.3
HSP 76A	6/16/2015	TECHNETIUM-99	29.2	pCi/L				3.23	4.13	10.6
HSP 76A	6/16/2015	TRITIUM	317	pCi/mL				3.38	0.449	7.21
HSP 76A	6/16/2015	IODINE-129	0.495	pCi/L	U			0.562	0.95	2.07
HSP 76A	10/12/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
HSP 76A	10/12/2015	ANTIMONY	10	ug/L	U				1	10
HSP 76A	10/12/2015	ARSENIC	50	ug/L	U				5	50
HSP 76A	10/12/2015	BARIUM	119	ug/L					2	20
HSP 76A	10/12/2015	BERYLLIUM	2.74	ug/L					0.1	1
HSP 76A	10/12/2015	CADMIUM	0.48	ug/L	J		21		0.1	1
HSP 76A	10/12/2015	CHROMIUM	27.1	ug/L	J		21		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 76A	10/12/2015	COBALT	3.46	ug/L	J		21		0.5	5
HSP 76A	10/12/2015	COPPER	3.66	ug/L	J		21		0.5	5
HSP 76A	10/12/2015	LEAD	10.4	ug/L					0.5	5
HSP 76A	10/12/2015	NICKEL	15.9	ug/L					0.5	5
HSP 76A	10/12/2015	SELENIUM	20	ug/L	U				2	20
HSP 76A	10/12/2015	SILVER	5	ug/L	U				0.5	5
HSP 76A	10/12/2015	THALLIUM	0.272	ug/L	J		21		0.1	1
HSP 76A	10/12/2015	TIN	1.08	ug/L	J		21		1	10
HSP 76A	10/12/2015	VANADIUM	12.2	ug/L	J		21		5	50
HSP 76A	10/12/2015	ZINC	24.8	ug/L	J		21		4	40
HSP 76A	10/12/2015	MERCURY	0.0809	ug/L	J		21		0.02	0.2
HSP 76A	10/12/2015	BENZENE	1	ug/L	U				0.06	1
HSP 76A	10/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP 76A	10/12/2015	TETRACHLOROETHYLENE (PCE)	0.85	ug/L	J		21		0.18	1
HSP 76A	10/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSP 76A	10/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP 76A	10/12/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HSP 76A	10/12/2015	PHENOL	10	ug/L	U				2	10
HSP 76A	10/12/2015	CYANIDE	10	ug/L	U				2.9	10
HSP 76A	10/12/2015	RADIUM, TOTAL ALPHA-EMITTING	2.7	pCi/L	J		21	1.2	1.56	3.96
HSP 76A	10/12/2015	RADIUM-226	0.452	pCi/L	U			0.318	0.474	1.11
HSP 76A	10/12/2015	RADIUM-228	-0.145	pCi/L	U			1.18	2.09	4.45
HSP 76A	10/12/2015	AMERICIUM-241	0.0215	pCi/L	U			0.043	0.0583	0.144
HSP 76A	10/12/2015	CURIUM-242	0.0399	pCi/L	U		V	0.066	0.107	0.238
HSP 76A	10/12/2015	CURIUM-243/244	0.0371	pCi/L	U			0.061	0.107	0.229
HSP 76A	10/12/2015	CURIUM-245/246	0.0822	pCi/L	U		V	0.089	0.11	0.289

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 76A	10/12/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0603	0.0603
HSP 76A	10/12/2015	PLUTONIUM-239/240	-0.00556	pCi/L	U		V	0.011	0.112	0.134
HSP 76A	10/12/2015	THORIUM-228	0.0224	pCi/L	U		V	0.121	0.289	0.53
HSP 76A	10/12/2015	THORIUM-230	0.0551	pCi/L	U		V	0.078	0.132	0.289
HSP 76A	10/12/2015	THORIUM-232	0.0165	pCi/L	U		V	0.045	0.111	0.202
HSP 76A	10/12/2015	URANIUM-233/234	0.165	pCi/L	U		21, V	0.123	0.107	0.353
HSP 76A	10/12/2015	URANIUM-235	0	pCi/L	U		V	0	0.0711	0.0711
HSP 76A	10/12/2015	URANIUM-238	0.186	pCi/L	U		21, V	0.13	0.107	0.367
HSP 76A	10/12/2015	GROSS ALPHA	2.49	pCi/L	J		21	2.23	2.45	6.92
HSP 76A	10/12/2015	NONVOLATILE BETA	19.1	pCi/L				4.8	4.01	13.6
HSP 76A	10/12/2015	STRONTIUM-90	-1.43	pCi/L	U			1.56	3.12	6.24
HSP 76A	10/12/2015	CARBON-14	80.5	pCi/L				5.94	7.19	19.1
HSP 76A	10/12/2015	NICKEL-63	2.18	pCi/L	U			2.91	5	10.8
HSP 76A	10/12/2015	TECHNETIUM-99	26.2	pCi/L				3.11	4.02	10.2
HSP 76A	10/12/2015	TRITIUM	336	pCi/mL				3.54	0.436	7.51
HSP 76A	10/12/2015	IODINE-129	0.107	pCi/L	U			0.681	1.01	2.37
HSP 76A	12/9/2015	NITRATE-NITRITE AS NITROGEN	10.1	mg/L					0.17	0.5
HSP 76A	12/9/2015	CADMIUM	1	ug/L	U		V		0.1	1
HSP 76A	12/9/2015	COBALT	5	ug/L	U				0.5	5
HSP 76A	12/9/2015	TIN	10	ug/L	U				1	10
HSP 76A	12/9/2015	VANADIUM	50	ug/L	U				5	50
HSP 76A	12/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76A	12/9/2015	GROSS ALPHA	0.532	pCi/L	UJ			1.24	2.39	4.86
HSP 76A	12/9/2015	NONVOLATILE BETA	10.2	pCi/L	J		21	3.89	4.25	12
HSP 76A	12/9/2015	CARBON-14	12	pCi/L	J		21	4.7	7.42	16.8
HSP 76A	12/9/2015	TECHNETIUM-99	30.5	pCi/L				3.31	4.23	10.9
HSP 76A	12/9/2015	TRITIUM	297	pCi/mL				3.27	0.448	6.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 76A	12/9/2015	IODINE-129	1.25	pCi/L	J		21	1.1	1.01	3.2
HSP 76B	3/10/2015	NITRATE-NITRITE AS NITROGEN	12	mg/L					0.094	1
HSP 76B	3/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76B	3/10/2015	GROSS ALPHA	0.471	pCi/L	U			1.22	2.37	4.81
HSP 76B	3/10/2015	NONVOLATILE BETA	6.3	pCi/L	J		21	3.22	3.96	10.4
HSP 76B	3/10/2015	CARBON-14	13.7	pCi/L	J		21	4.41	6.86	15.7
HSP 76B	3/10/2015	TECHNETIUM-99	25	pCi/L				3.16	4.17	10.5
HSP 76B	3/10/2015	TRITIUM	376	pCi/mL				3.67	0.435	7.78
HSP 76B	3/10/2015	IODINE-129	0.771	pCi/L	U			0.718	0.936	2.37
HSP 76B	6/16/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
HSP 76B	6/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76B	6/16/2015	GROSS ALPHA	0.132	pCi/L	U			0.9	2.32	4.12
HSP 76B	6/16/2015	NONVOLATILE BETA	19.7	pCi/L				4.88	4.14	13.9
HSP 76B	6/16/2015	CARBON-14	-2.88	pCi/L	U			4.07	6.95	15.1
HSP 76B	6/16/2015	TECHNETIUM-99	29.4	pCi/L				3.24	4.13	10.6
HSP 76B	6/16/2015	TRITIUM	377	pCi/mL				3.69	0.448	7.82
HSP 76B	6/16/2015	IODINE-129	0.354	pCi/L	U			0.561	0.976	2.1
HSP 76B	10/12/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
HSP 76B	10/12/2015	ANTIMONY	10	ug/L	U				1	10
HSP 76B	10/12/2015	ARSENIC	50	ug/L	U				5	50
HSP 76B	10/12/2015	BARIUM	54.5	ug/L					2	20
HSP 76B	10/12/2015	BERYLLIUM	0.233	ug/L	J		21		0.1	1
HSP 76B	10/12/2015	CADMIUM	0.115	ug/L	J		21		0.1	1
HSP 76B	10/12/2015	CHROMIUM	100	ug/L	U				10	100
HSP 76B	10/12/2015	COBALT	5	ug/L	U				0.5	5
HSP 76B	10/12/2015	COPPER	0.82	ug/L	J		21		0.5	5
HSP 76B	10/12/2015	LEAD	0.808	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 76B	10/12/2015	NICKEL	4.91	ug/L	J		21		0.5	5
HSP 76B	10/12/2015	SELENIUM	20	ug/L	U				2	20
HSP 76B	10/12/2015	SILVER	5	ug/L	U				0.5	5
HSP 76B	10/12/2015	THALLIUM	1	ug/L	U				0.1	1
HSP 76B	10/12/2015	TIN	10	ug/L	U				1	10
HSP 76B	10/12/2015	VANADIUM	50	ug/L	U				5	50
HSP 76B	10/12/2015	ZINC	4.66	ug/L	J		21		4	40
HSP 76B	10/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76B	10/12/2015	BENZENE	1	ug/L	U				0.06	1
HSP 76B	10/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP 76B	10/12/2015	TETRACHLOROETHYLENE (PCE)	0.73	ug/L	J		21		0.18	1
HSP 76B	10/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSP 76B	10/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP 76B	10/12/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
HSP 76B	10/12/2015	PHENOL	10	ug/L	U				2	10
HSP 76B	10/12/2015	CYANIDE	10	ug/L	U				2.9	10
HSP 76B	10/12/2015	RADIUM, TOTAL ALPHA-EMITTING	-0.07	pCi/L	U			0.26	0.532	1.052
HSP 76B	10/12/2015	RADIUM-226	0.0695	pCi/L	U			0.161	0.285	0.607
HSP 76B	10/12/2015	RADIUM-228	-0.016	pCi/L	U			0.605	1.08	2.29
HSP 76B	10/12/2015	AMERICIUM-241	0.0161	pCi/L	U			0.044	0.108	0.196
HSP 76B	10/12/2015	CURIUM-242	0.0681	pCi/L	U		21, V	0.079	0.0571	0.216
HSP 76B	10/12/2015	CURIUM-243/244	0.0211	pCi/L	U			0.042	0.0571	0.142
HSP 76B	10/12/2015	CURIUM-245/246	0.175	pCi/L	U		21, V	0.126	0.0592	0.311
HSP 76B	10/12/2015	PLUTONIUM-238	0	pCi/L	U			0	0.0568	0.0568
HSP 76B	10/12/2015	PLUTONIUM-239/240	0.0157	pCi/L	U		V	0.043	0.105	0.192
HSP 76B	10/12/2015	THORIUM-228	0.0543	pCi/L	U		V	0.138	0.304	0.581

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP 76B	10/12/2015	THORIUM-230	0.107	pCi/L	U		V	0.109	0.142	0.36
HSP 76B	10/12/2015	THORIUM-232	0	pCi/L	U		V	0	0.0642	0.0642
HSP 76B	10/12/2015	URANIUM-233/234	0.189	pCi/L	U		21, V	0.129	0.0571	0.316
HSP 76B	10/12/2015	URANIUM-235	0.026	pCi/L	U		V	0.052	0.0704	0.175
HSP 76B	10/12/2015	URANIUM-238	0.121	pCi/L	U		21, V	0.105	0.106	0.315
HSP 76B	10/12/2015	GROSS ALPHA	0.0167	pCi/L	U			0.946	2.45	4.34
HSP 76B	10/12/2015	NONVOLATILE BETA	17.4	pCi/L				4.61	3.95	13.2
HSP 76B	10/12/2015	STRONTIUM-90	1.66	pCi/L	U			2.13	3.12	7.38
HSP 76B	10/12/2015	CARBON-14	-1.63	pCi/L	U			4.07	6.89	15
HSP 76B	10/12/2015	NICKEL-63	3.51	pCi/L	U			2.83	4.59	10.2
HSP 76B	10/12/2015	TECHNETIUM-99	33	pCi/L				3.28	4.02	10.6
HSP 76B	10/12/2015	TRITIUM	368	pCi/mL				3.68	0.429	7.78
HSP 76B	10/12/2015	IODINE-129	0.677	pCi/L	U			0.705	0.977	2.39
HSP 76B	12/9/2015	NITRATE-NITRITE AS NITROGEN	9.86	mg/L					0.17	0.5
HSP 76B	12/9/2015	CADMIUM	1	ug/L	U		V		0.1	1
HSP 76B	12/9/2015	COBALT	5	ug/L	U				0.5	5
HSP 76B	12/9/2015	TIN	10	ug/L	U				1	10
HSP 76B	12/9/2015	VANADIUM	50	ug/L	U				5	50
HSP 76B	12/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
HSP 76B	12/9/2015	GROSS ALPHA	0.53	pCi/L	UJ			1.24	2.4	4.88
HSP 76B	12/9/2015	NONVOLATILE BETA	12.8	pCi/L				4.2	4.25	12.7
HSP 76B	12/9/2015	CARBON-14	31.6	pCi/L				5.09	7.35	17.5
HSP 76B	12/9/2015	TECHNETIUM-99	30.7	pCi/L				3.32	4.23	10.9
HSP 76B	12/9/2015	TRITIUM	350	pCi/mL				3.52	0.414	7.45
HSP 76B	12/9/2015	IODINE-129	0.173	pCi/L	U			0.573	1.01	2.15
HSP-097A	3/3/2015	TRITIUM	803	pCi/mL				5.37	0.4	11.1
HSP-097A	5/28/2015	TRITIUM	803	pCi/mL				5.25	0.508	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097A	9/1/2015	ETHANE	0.0071	ug/L	J		21		0.002	0.1
HSP-097A	9/1/2015	ETHYLENE	0.022	ug/L	J		21		0.003	0.1
HSP-097A	9/1/2015	ANTIMONY	10	ug/L	U				1	10
HSP-097A	9/1/2015	ARSENIC	50	ug/L	U				5	50
HSP-097A	9/1/2015	BARIUM	44.8	ug/L					2	20
HSP-097A	9/1/2015	BERYLLIUM	0.294	ug/L	J		21		0.1	1
HSP-097A	9/1/2015	CHROMIUM	100	ug/L	U				10	100
HSP-097A	9/1/2015	COBALT	1.93	ug/L	J		21		0.5	5
HSP-097A	9/1/2015	COPPER	5	ug/L	U				0.5	5
HSP-097A	9/1/2015	LEAD	5	ug/L	U				0.5	5
HSP-097A	9/1/2015	NICKEL	2.15	ug/L	J		21		0.5	5
HSP-097A	9/1/2015	SELENIUM	20	ug/L	U				2	20
HSP-097A	9/1/2015	SILVER	5	ug/L	U				0.5	5
HSP-097A	9/1/2015	THALLIUM	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	TIN	10	ug/L	U				1	10
HSP-097A	9/1/2015	VANADIUM	50	ug/L	U				5	50
HSP-097A	9/1/2015	ZINC	12.5	ug/L	J		21		4	40
HSP-097A	9/1/2015	MERCURY	2.71	ug/L					0.02	0.2
HSP-097A	9/1/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSP-097A	9/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSP-097A	9/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097A	9/1/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSP-097A	9/1/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSP-097A	9/1/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSP-097A	9/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSP-097A	9/1/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HSP-097A	9/1/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSP-097A	9/1/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSP-097A	9/1/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSP-097A	9/1/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSP-097A	9/1/2015	ACETONE	2	ug/L	U				0.34	2
HSP-097A	9/1/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSP-097A	9/1/2015	ACROLEIN	10	ug/L	U				2.8	10
HSP-097A	9/1/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSP-097A	9/1/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
HSP-097A	9/1/2015	BENZENE	1	ug/L	U				0.06	1
HSP-097A	9/1/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSP-097A	9/1/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSP-097A	9/1/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSP-097A	9/1/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSP-097A	9/1/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097A	9/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSP-097A	9/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSP-097A	9/1/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSP-097A	9/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSP-097A	9/1/2015	CHLOROFORM	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSP-097A	9/1/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSP-097A	9/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSP-097A	9/1/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSP-097A	9/1/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSP-097A	9/1/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSP-097A	9/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP-097A	9/1/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSP-097A	9/1/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSP-097A	9/1/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
HSP-097A	9/1/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HSP-097A	9/1/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSP-097A	9/1/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSP-097A	9/1/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSP-097A	9/1/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSP-097A	9/1/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097A	9/1/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSP-097A	9/1/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSP-097A	9/1/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSP-097A	9/1/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSP-097A	9/1/2015	O-XYLENE	1	ug/L	U				0.06	1
HSP-097A	9/1/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSP-097A	9/1/2015	STYRENE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSP-097A	9/1/2015	TOLUENE	1	ug/L	U				0.07	1
HSP-097A	9/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSP-097A	9/1/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSP-097A	9/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSP-097A	9/1/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP-097A	9/1/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSP-097A	9/1/2015	XYLENES	3	ug/L	U				0.2	3
HSP-097A	9/1/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSP-097A	9/1/2015	RADIUM, TOTAL ALPHA-EMITTING	1.57	pCi/L				0.325	0.285	0.935
HSP-097A	9/1/2015	RADIUM-226	0.802	pCi/L				0.116	0.091	0.3226
HSP-097A	9/1/2015	URANIUM-233/234	0.057	pCi/L	U		V	0.073	0.104	0.25
HSP-097A	9/1/2015	URANIUM-235	0.0767	pCi/L	J		21	0.089	0.0693	0.248
HSP-097A	9/1/2015	URANIUM-238	0.0362	pCi/L	U		V	0.06	0.104	0.223
HSP-097A	9/1/2015	GROSS ALPHA	2.42	pCi/L	U			2.24	2.64	7.13
HSP-097A	9/1/2015	NONVOLATILE BETA	71.1	pCi/L				8.6	4.45	21.7
HSP-097A	9/1/2015	STRONTIUM-90	-0.768	pCi/L	U			1.67	2.99	6.32

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097A	9/1/2015	CARBON-14	0.151	pCi/L	U			4.16	6.97	15.3
HSP-097A	9/1/2015	TECHNETIUM-99	70.7	pCi/L				3.99	3.85	11.8
HSP-097A	9/1/2015	TRITIUM	727	pCi/mL				5.11	0.401	10.6
HSP-097A	9/1/2015	IODINE-129	1.84	pCi/L	J		21	1.12	1.19	3.43
HSP-097A	12/1/2015	TRITIUM	727	pCi/mL				5.07	0.456	10.6
HSP-097B	3/3/2015	TRITIUM	293	pCi/mL				3.26	0.475	7
HSP-097B	5/28/2015	TRITIUM	289	pCi/mL				3.16	0.51	6.84
HSP-097B	9/2/2015	ETHANE	0.0027	ug/L	J		21		0.002	0.1
HSP-097B	9/2/2015	ETHYLENE	0.0087	ug/L	J		21		0.003	0.1
HSP-097B	9/2/2015	ANTIMONY	10	ug/L	U				1	10
HSP-097B	9/2/2015	ARSENIC	50	ug/L	U				5	50
HSP-097B	9/2/2015	BARIUM	14.5	ug/L	J		21		2	20
HSP-097B	9/2/2015	BERYLLIUM	0.108	ug/L	J		21		0.1	1
HSP-097B	9/2/2015	CHROMIUM	100	ug/L	U				10	100
HSP-097B	9/2/2015	COBALT	0.604	ug/L	J		21		0.5	5
HSP-097B	9/2/2015	COPPER	5	ug/L	U				0.5	5
HSP-097B	9/2/2015	LEAD	5	ug/L	U				0.5	5
HSP-097B	9/2/2015	NICKEL	0.631	ug/L	J		21		0.5	5
HSP-097B	9/2/2015	SELENIUM	20	ug/L	U				2	20
HSP-097B	9/2/2015	SILVER	5	ug/L	U				0.5	5
HSP-097B	9/2/2015	THALLIUM	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	TIN	10	ug/L	U				1	10
HSP-097B	9/2/2015	VANADIUM	50	ug/L	U				5	50
HSP-097B	9/2/2015	ZINC	5.94	ug/L	J		21		4	40
HSP-097B	9/2/2015	MERCURY	1.51	ug/L					0.02	0.2
HSP-097B	9/2/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
HSP-097B	9/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097B	9/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
HSP-097B	9/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
HSP-097B	9/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
HSP-097B	9/2/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
HSP-097B	9/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
HSP-097B	9/2/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
HSP-097B	9/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
HSP-097B	9/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
HSP-097B	9/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
HSP-097B	9/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
HSP-097B	9/2/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
HSP-097B	9/2/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
HSP-097B	9/2/2015	2-HEXANONE	5	ug/L	U				0.22	5
HSP-097B	9/2/2015	ACETONE	2	ug/L	U				0.34	2
HSP-097B	9/2/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
HSP-097B	9/2/2015	ACROLEIN	10	ug/L	U				2.8	10
HSP-097B	9/2/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
HSP-097B	9/2/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097B	9/2/2015	BENZENE	1	ug/L	U				0.06	1
HSP-097B	9/2/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSP-097B	9/2/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
HSP-097B	9/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
HSP-097B	9/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
HSP-097B	9/2/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
HSP-097B	9/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
HSP-097B	9/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
HSP-097B	9/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
HSP-097B	9/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
HSP-097B	9/2/2015	CHLOROFORM	0.23	ug/L	J		21		0.1	1
HSP-097B	9/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
HSP-097B	9/2/2015	CHLOROPRENE	1	ug/L	U				0.1	1
HSP-097B	9/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
HSP-097B	9/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
HSP-097B	9/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
HSP-097B	9/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
HSP-097B	9/2/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
HSP-097B	9/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
HSP-097B	9/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
HSP-097B	9/2/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
HSP-097B	9/2/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
HSP-097B	9/2/2015	IODOMETHANE (METHYL	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
HSP-097B	9/2/2015	ISOBUTANOL	80	ug/L	U				8.7	80
HSP-097B	9/2/2015	M,P-XYLENE	2	ug/L	U				0.14	2
HSP-097B	9/2/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
HSP-097B	9/2/2015	METHYL ACETATE	25	ug/L	U				0.37	25
HSP-097B	9/2/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
HSP-097B	9/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
HSP-097B	9/2/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
HSP-097B	9/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
HSP-097B	9/2/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
HSP-097B	9/2/2015	NAPHTHALENE	1	ug/L	U				0.16	1
HSP-097B	9/2/2015	O-XYLENE	1	ug/L	U				0.06	1
HSP-097B	9/2/2015	PROPIONITRILE	10	ug/L	U				1.4	10
HSP-097B	9/2/2015	STYRENE	1	ug/L	U				0.07	1
HSP-097B	9/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
HSP-097B	9/2/2015	TOLUENE	1	ug/L			S		0.07	1
HSP-097B	9/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
HSP-097B	9/2/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
HSP-097B	9/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
HSP-097B	9/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
HSP-097B	9/2/2015	VINYL ACETATE	2	ug/L	U				0.18	2
HSP-097B	9/2/2015	XYLENES	3	ug/L	U				0.2	3
HSP-097B	9/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
HSP-097B	9/2/2015	RADIUM, TOTAL ALPHA-EMITTING	2.29	pCi/L				0.387	0.316	1.09

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HSP-097B	9/2/2015	RADIUM-226	0.894	pCi/L				0.123	0.09	0.3359
HSP-097B	9/2/2015	URANIUM-233/234	0.0911	pCi/L	U		V	0.099	0.144	0.341
HSP-097B	9/2/2015	URANIUM-235	0.0132	pCi/L	U			0.056	0.159	0.271
HSP-097B	9/2/2015	URANIUM-238	0.016	pCi/L	U		V	0.044	0.108	0.196
HSP-097B	9/2/2015	GROSS ALPHA	1.98	pCi/L	U			1.96	2.35	6.28
HSP-097B	9/2/2015	NONVOLATILE BETA	12.4	pCi/L	J		21	4.18	4.39	12.8
HSP-097B	9/2/2015	STRONTIUM-90	0.455	pCi/L	U			1.96	2.98	6.9
HSP-097B	9/2/2015	CARBON-14	-0.893	pCi/L	U			4.29	7.22	15.8
HSP-097B	9/2/2015	TECHNETIUM-99	23.6	pCi/L				2.98	3.87	9.82
HSP-097B	9/2/2015	TRITIUM	225	pCi/mL				2.87	0.407	6.14
HSP-097B	9/2/2015	IODINE-129	1.17	pCi/L	J		21	0.864	1.06	2.79
HSP-097B	12/1/2015	TRITIUM	272	pCi/mL				3.11	0.457	6.68
HV-706	3/2/2015	AROCLOR 1016	0.2	ug/L	U				0.0666	0.2
HV-706	3/2/2015	AROCLOR 1221	0.2	ug/L	U				0.0666	0.2
HV-706	3/2/2015	AROCLOR 1232	0.2	ug/L	U				0.0666	0.2
HV-706	3/2/2015	AROCLOR 1242	0.2	ug/L	U				0.0666	0.2
HV-706	3/2/2015	AROCLOR 1248	0.2	ug/L	U				0.0666	0.2
HV-706	3/2/2015	AROCLOR 1254	1.77	ug/L					0.0666	0.2
HV-706	3/2/2015	AROCLOR 1260	0.2	ug/L	U				0.0666	0.2
HV-706	6/1/2015	AROCLOR 1016	0.99	ug/L	U				0.35	0.99
HV-706	6/1/2015	AROCLOR 1221	0.99	ug/L	U				0.35	0.99
HV-706	6/1/2015	AROCLOR 1232	0.99	ug/L	U				0.35	0.99
HV-706	6/1/2015	AROCLOR 1242	0.99	ug/L	U				0.35	0.99
HV-706	6/1/2015	AROCLOR 1248	0.99	ug/L	U				0.35	0.99
HV-706	6/1/2015	AROCLOR 1254	0.98	ug/L	J		21		0.16	0.99
HV-706	6/1/2015	AROCLOR 1260	0.99	ug/L	U				0.16	0.99
HV-766	3/2/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
HV-766	3/2/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
HV-766	3/2/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
HV-766	3/2/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
HV-766	3/2/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
HV-766	3/2/2015	AROCLOR 1254	0.294	ug/L					0.0333	0.1
HV-766	3/2/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
HV-766	6/1/2015	AROCLOR 1016	0.98	ug/L	U				0.34	0.98
HV-766	6/1/2015	AROCLOR 1221	0.98	ug/L	U				0.34	0.98
HV-766	6/1/2015	AROCLOR 1232	0.98	ug/L	U				0.34	0.98
HV-766	6/1/2015	AROCLOR 1242	0.98	ug/L	U				0.34	0.98
HV-766	6/1/2015	AROCLOR 1248	0.98	ug/L	U				0.34	0.98
HV-766	6/1/2015	AROCLOR 1254	0.98	ug/L	U				0.16	0.98
HV-766	6/1/2015	AROCLOR 1260	0.98	ug/L	U				0.16	0.98
JBS005A	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
JBS005A	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
JBS005A	11/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
JBS005A	11/23/2015	TRITIUM	1.48	pCi/mL				0.345	0.437	1.13
JBS005B	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
JBS005B	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
JBS005B	11/23/2015	CHLOROFORM	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
JBS005B	11/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
JBS005B	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
JBS005B	11/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
JBS005B	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
JBS005B	11/23/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
JBS005B	11/23/2015	TRITIUM	0.63	pCi/mL	J	J	21	0.278	0.409	0.966
KAB 4	1/12/2015	TOTAL SUSPENDED SOLIDS	11	mg/L					4	4
KAB 4	1/12/2015	TOTAL PHOSPHATES (AS P)	32	ug/L	J		21, V		6	50
KAB 4	1/12/2015	ARSENIC	10	ug/L	U				1.8	10
KAB 4	1/12/2015	BARIUM	190	ug/L					2.1	50
KAB 4	1/12/2015	BERYLLIUM	5	ug/L	U				0.28	5
KAB 4	1/12/2015	CADMIUM	5	ug/L	U				0.34	5
KAB 4	1/12/2015	CHROMIUM	10	ug/L	U				3.4	10
KAB 4	1/12/2015	LEAD	47	ug/L					0.6	10
KAB 4	1/12/2015	SELENIUM	15	ug/L	U				2.1	15
KAB 4	1/12/2015	SILVER	10	ug/L	U				0.99	10
KAB 4	1/12/2015	MERCURY	0.2	ug/L	U				0.06	0.2
KAB 4	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
KAB 4	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
KAB 4	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
KAB 4	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
KAB 4	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
KAB 4	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
KAB 4	1/12/2015	CHLORIDE	6.7	mg/L					0.2	2
KAB 4	1/12/2015	SULFATE	17	mg/L					0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
KAB 4	1/12/2015	GROSS ALPHA	16.4	pCi/L				5.55	2.62	13.7
KAB 4	1/12/2015	NONVOLATILE BETA	19	pCi/L				4.86	4.37	14.1
KAB 4	1/12/2015	TRITIUM	2.1	pCi/mL				0.384	0.472	1.24
KRP 4	11/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 4	11/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 4	11/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 4	11/17/2015	TETRACHLOROETHYLENE (PCE)	0.86	ug/L	J		21		0.3	1
KRP 4	11/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 4	11/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 5	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 5	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 5	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 5	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.67	ug/L	U		21, V		0.3	1
KRP 5	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 5	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 6	11/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 6	11/10/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 6	11/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 6	11/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
KRP 6	11/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 6	11/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 7	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 7	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 7	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
KRP 7	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.57	ug/L	U		21, V		0.3	1
KRP 7	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 7	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 8	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 8	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 8	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 8	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.79	ug/L	J		21		0.3	1
KRP 8	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 8	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 9	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 9	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 9	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 9	11/18/2015	TETRACHLOROETHYLENE (PCE)	5.41	ug/L					0.3	1
KRP 9	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 9	11/18/2015	TRICHLOROETHYLENE (TCE)	5.45	ug/L					0.3	1
KRP 10D	11/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 10D	11/9/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
KRP 10D	11/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 10D	11/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
KRP 10D	11/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 10D	11/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KRP 11D	11/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 11D	11/9/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
KRP 11D	11/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 11D	11/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
KRP 11D	11/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
KRP 11D	11/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
KSB 5D	1/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
KSB 5D	1/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
KSB 5D	1/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
KSB 5D	1/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
KSB 5D	1/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
KSB 5D	1/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
KSB 5D	1/12/2015	GROSS ALPHA	1.58	pCi/L	U			1.73	2.19	5.66
KSB 5D	1/12/2015	NONVOLATILE BETA	3.38	pCi/L	U			2.75	3.95	9.46
KSB 5D	1/12/2015	TRITIUM	0.367	pCi/mL	U			0.298	0.477	1.07
LAC 8DL	12/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LAC 8DL	12/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LAC 8DL	12/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LAC 8DL	12/9/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.18	1
LAC 8DL	12/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LAC 8DL	12/9/2015	TRICHLOROETHYLENE (TCE)	3.6	ug/L					0.25	1
LAC 8DL	12/9/2015	TRITIUM	6.51	pCi/mL				0.544	0.445	1.53
LAW 2C	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LAW 2C	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LAW 2C	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LAW 2C	11/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LAW 2C	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LAW 2C	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LAW 2C	11/16/2015	TRITIUM	4.44	pCi/mL				0.484	0.498	1.47
LDB 1	3/9/2015	TRITIUM	0.793	pCi/mL	J		21	0.302	0.436	1.04
LDB 1	6/4/2015	TRITIUM	0.816	pCi/mL	J		21	0.295	0.424	1.01
LDB 1	9/10/2015	TRITIUM	0.875	pCi/mL	J		21	0.317	0.454	1.09
LDB 1	12/1/2015	TRITIUM	0.861	pCi/mL	J		21	0.318	0.46	1.1
LDB 2	3/9/2015	TRITIUM	0.343	pCi/mL	U			0.272	0.433	0.977
LDB 2	6/4/2015	TRITIUM	0.203	pCi/mL	U			0.258	0.424	0.94
LDB 2	9/10/2015	TRITIUM	0.274	pCi/mL	U			0.279	0.453	1.01
LDB 2	12/1/2015	TRITIUM	0.224	pCi/mL	U			0.282	0.463	1.03
LDB 3	3/9/2015	TRITIUM	0.84	pCi/mL	J		21	0.304	0.436	1.04
LDB 3	6/4/2015	TRITIUM	0.392	pCi/mL	U			0.27	0.425	0.966
LDB 3	9/10/2015	TRITIUM	0.245	pCi/mL	U			0.277	0.452	1.01
LDB 3	12/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LDB 3	12/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LDB 3	12/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LDB 3	12/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LDB 3	12/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LDB 3	12/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LDB 3	12/1/2015	TRITIUM	0.376	pCi/mL	U			0.287	0.456	1.03
LDB 4	3/9/2015	TRITIUM	0.73	pCi/mL	J		21	0.296	0.433	1.03
LDB 4	6/4/2015	TRITIUM	0.302	pCi/mL	U			0.262	0.421	0.946
LDB 4	9/10/2015	TRITIUM	0.61	pCi/mL	J		21	0.301	0.454	1.06
LDB 4	12/1/2015	TRITIUM	0.633	pCi/mL	J		21	0.306	0.462	1.07
LFP 2WP	8/17/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFP 4WP	8/17/2015	1,4-DIOXANE	66	ug/L					1.2	5
LFP 5WP	8/17/2015	1,4-DIOXANE	4.3	ug/L	J		21		1.2	5
LFP 11WP	8/17/2015	1,4-DIOXANE	41	ug/L					1.2	5
LFP 12WP	8/18/2015	1,4-DIOXANE	6.9	ug/L					1.2	5
LFP015WP	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 44D	3/16/2015	MERCURY	3.4	ug/L			V		0.06	0.2
LFW 6R	8/13/2015	1,1-DICHLOROETHYLENE	0.49	ug/L	J		21		0.08	1
LFW 6R	8/13/2015	BENZENE	0.31	ug/L	J		21		0.06	1
LFW 6R	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	0.75	ug/L	J		21		0.08	2
LFW 6R	8/13/2015	CIS-1,2-DICHLOROETHYLENE	12	ug/L					0.09	1
LFW 6R	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 6R	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 32	8/12/2015	TRICHLOROETHYLENE (TCE)	7.7	ug/L					0.25	1
LFW 62C	3/17/2015	1,4-DIOXANE	201	ug/L					15	50
LFW 6R	8/13/2015	TRITIUM	0.576	pCi/mL	J		21	0.293	0.407	0.993
LFW 48C	8/17/2015	MERCURY	3.2	ug/L			V		0.06	0.2
LFW 10A	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 10A	8/17/2015	BENZENE	3	ug/L					0.06	1
LFW 10A	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	17	ug/L					0.08	2
LFW 10A	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1.4	ug/L					0.09	1
LFW 10A	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 10A	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 32	3/16/2015	TRICHLOROETHYLENE (TCE)	5.5	ug/L					0.25	1
LFW 62C	3/17/2015	1,4-DIOXANE	190	ug/L					4.3	15
LFW 10A	8/17/2015	TRITIUM	2.93	pCi/mL				0.492	0.401	1.385

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	8/12/2015	MERCURY	2.44	ug/L					0.02	0.2
LFW 18	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 18	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 18	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 18	8/17/2015	CIS-1,2-DICHLOROETHYLENE	0.63	ug/L	J		21		0.09	1
LFW 18	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 18	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 61C	8/18/2015	TRICHLOROETHYLENE (TCE)	3.2	ug/L					0.25	1
LFW 62C	8/19/2015	1,4-DIOXANE	190	ug/L					1.2	5
LFW 18	8/17/2015	TRITIUM	1.24	pCi/mL				0.356	0.395	1.107
LFW 76	8/12/2015	MERCURY	2.17	ug/L					0.02	0.2
LFW 21	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 21	8/17/2015	BENZENE	2	ug/L					0.06	1
LFW 21	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	23	ug/L					0.08	2
LFW 21	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 21	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 21	8/17/2015	TETRACHLOROETHYLENE (PCE)	0.26	ug/L	J		21		0.18	1
LFW 61C	3/17/2015	TRICHLOROETHYLENE (TCE)	3.09	ug/L					0.3	1
LFW 36R	3/17/2015	1,4-DIOXANE	86	ug/L					0.85	3
LFW 21	8/17/2015	TRITIUM	0.711	pCi/mL	J		21	0.309	0.407	1.025
LFW 28	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 28	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 28	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 28	3/16/2015	BARIUM	8.2	ug/L					0.22	2
LFW 28	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 28	3/16/2015	CHROMIUM	1.9	ug/L	J		21, V		1	10
LFW 28	3/16/2015	COBALT	1	ug/L	J		21		0.22	2
LFW 28	3/16/2015	COPPER	19	ug/L					0.68	1
LFW 28	3/16/2015	LEAD	19	ug/L					0.17	3
LFW 28	3/16/2015	NICKEL	1.1	ug/L	J		21, V		0.8	5
LFW 28	3/16/2015	SELENIUM	1.9	ug/L	J		21		1.6	5
LFW 28	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 28	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 28	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 28	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 28	3/16/2015	ZINC	13	ug/L					9.3	10
LFW 74D	3/16/2015	MERCURY	1.7	ug/L			V		0.06	0.2
LFW 28	3/16/2015	ALDRIN	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.052	ug/L	U				0.014	0.052
LFW 28	3/16/2015	DDD	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	DDE	0.052	ug/L	U				0.015	0.052
LFW 28	3/16/2015	DDT	0.052	ug/L	U				0.024	0.052
LFW 28	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	DIELDRIN	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	ENDOSULFAN I	0.052	ug/L	U				0.02	0.052
LFW 28	3/16/2015	ENDOSULFAN II	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	ENDOSULFAN SULFATE	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	ENDRIN	0.052	ug/L	U				0.019	0.052
LFW 28	3/16/2015	ENDRIN ALDEHYDE	0.052	ug/L	U				0.01	0.052

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	HEPTACHLOR	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	HEPTACHLOR EPOXIDE	0.052	ug/L	U				0.018	0.052
LFW 28	3/16/2015	LINDANE	0.052	ug/L	U				0.01	0.052
LFW 28	3/16/2015	METHOXYCHLOR	0.52	ug/L	U				0.014	0.52
LFW 28	3/16/2015	TOTAL CHLORDANE	0.52	ug/L	U				0.1	0.52
LFW 28	3/16/2015	TOXAPHENE	2.1	ug/L	U				0.28	2.1
LFW 28	3/16/2015	AROCLOR 1016	1	ug/L	U				0.37	1
LFW 28	3/16/2015	AROCLOR 1221	1	ug/L	U				0.37	1
LFW 28	3/16/2015	AROCLOR 1232	1	ug/L	U				0.37	1
LFW 28	3/16/2015	AROCLOR 1242	1	ug/L	U				0.37	1
LFW 28	3/16/2015	AROCLOR 1248	1	ug/L	U				0.37	1
LFW 28	3/16/2015	AROCLOR 1254	1	ug/L	U				0.17	1
LFW 28	3/16/2015	AROCLOR 1260	1	ug/L	U				0.17	1
LFW 28	3/16/2015	DINOSEB	0.253	ug/L	U				0.0842	0.253
LFW 28	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 28	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 28	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 28	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 28	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 28	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 28	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 28	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 28	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 28	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 28	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 28	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 28	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 28	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 28	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 28	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 28	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 28	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 28	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 28	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 28	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 28	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 28	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 28	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 28	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 28	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 28	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 28	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 28	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 28	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 28	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 28	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 28	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 28	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 28	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 28	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 28	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 28	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 28	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 28	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 28	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 28	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 28	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 28	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 28	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 28	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 28	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 28	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 28	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 28	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 28	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 28	3/16/2015	TOLUENE	0.81	ug/L	J		21		0.07	1
LFW 28	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 28	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 28	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 62C	3/17/2015	TRICHLOROETHYLENE (TCE)	2.46	ug/L					0.3	1
LFW 28	3/16/2015	TRICHLOROFLUOROMETHANE	1.7	ug/L					0.11	1
LFW 28	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 28	3/16/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	1,3,5-TRINITROBENZENE	50	ug/L	U				1	50
LFW 28	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	1,4-NAPHTHOQUINONE	50	ug/L	U				1	50
LFW 28	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U				1	50
LFW 28	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2,4-DINITROPHENOL	50	ug/L	U				2	50
LFW 28	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 28	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.2	10
LFW 28	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U		14		1	100
LFW 28	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 28	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 28	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				1	20
LFW 28	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 28	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 28	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.5	10
LFW 28	3/16/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U		14		1.3	50
LFW 28	3/16/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U		14		2.6	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U		14		1	20
LFW 28	3/16/2015	4-AMINOBIPHENYL	50	ug/L	U				1.1	50
LFW 28	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 28	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2	10
LFW 28	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 28	3/16/2015	4-NITROPHENOL	10	ug/L	U				2	10
LFW 28	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				1	20
LFW 28	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U		14		1	20
LFW 28	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U				22	50
LFW 28	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 28	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 28	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 28	3/16/2015	ANTHRACENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZO[A]PYRENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3	10
LFW 28	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10
LFW 28	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 28	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 28	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U		14		1.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	CHLOROBENZILATE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	CHRYSENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 28	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 28	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 28	3/16/2015	DIMETHOATE	20	ug/L	U				1	20
LFW 28	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 28	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 28	3/16/2015	DISULFOTON	50	ug/L	U		14		1	50
LFW 28	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 28	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 28	3/16/2015	FAMPHUR	100	ug/L	U		14		1.7	100
LFW 28	3/16/2015	FLUORANTHENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	FLUORENE	10	ug/L	U				1	10
LFW 28	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 28	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U				1	10
LFW 28	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 28	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 28	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	ISODRIN	10	ug/L	U		14		1	10
LFW 28	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 28	3/16/2015	ISOSAFROLE	20	ug/L	U				5	20
LFW 28	3/16/2015	KEPONE	100	ug/L	U		14		20	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 28	3/16/2015	METHAPYRILENE	50	ug/L	U		14		1.3	50
LFW 28	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 28	3/16/2015	METHYL PARATHION	10	ug/L	U		14		1	10
LFW 28	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 28	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2	10
LFW 28	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.5	10
LFW 28	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10
LFW 28	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 28	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U				1.1	50
LFW 28	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 28	3/16/2015	PARATHION	50	ug/L	U		14		1	50
LFW 28	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 28	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 28	3/16/2015	PENTACHLORONITROBENZENE	50	ug/L	U				1	50
LFW 28	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	3/16/2015	PHENACETIN	20	ug/L	U				1	20
LFW 28	3/16/2015	PHENANTHRENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	PHENOL	10	ug/L	U				2	10
LFW 28	3/16/2015	PHORATE	50	ug/L	U				2	50
LFW 28	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 28	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 28	3/16/2015	PRONAMIDE	20	ug/L	U				1	20
LFW 28	3/16/2015	PYRENE	10	ug/L	U		14		1	10
LFW 28	3/16/2015	SAFROLE	20	ug/L	U				1	20
LFW 28	3/16/2015	THIONAZIN	50	ug/L	U				1	50
LFW 28	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0023	0.01
LFW 28	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 28	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 28	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 28	8/12/2015	BARIUM	5.49	ug/L	J		21		2	20
LFW 28	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 28	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 28	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 28	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 28	8/12/2015	COPPER	25.3	ug/L					0.5	5
LFW 28	8/12/2015	LEAD	2.18	ug/L	J		21		0.5	5
LFW 28	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 28	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 28	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 28	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 28	8/12/2015	TIN	10	ug/L	U				1	10
LFW 28	8/12/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	8/12/2015	ZINC	19.4	ug/L	J		21		4	40
LFW 32	3/16/2015	MERCURY	1.5	ug/L			V		0.06	0.2
LFW 28	8/12/2015	2,4,5-T	1	ug/L	U				0.27	1
LFW 28	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 28	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 28	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 28	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 28	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 28	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 28	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 28	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 28	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 28	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 28	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 28	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 28	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 28	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 28	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 28	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 28	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 28	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 28	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 28	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 28	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 28	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 28	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 28	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 28	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 28	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 28	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 28	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 28	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 28	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 28	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 28	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 28	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 28	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 28	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 28	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 28	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 28	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 28	8/12/2015	TOLUENE	0.27	ug/L	J		21		0.07	1
LFW 28	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 28	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 28	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 62C	8/19/2015	TRICHLOROETHYLENE (TCE)	2	ug/L					0.25	1
LFW 28	8/12/2015	TRICHLOROFLUOROMETHANE	1.8	ug/L					0.11	1
LFW 28	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 28	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 28	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 29	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.635	mg/L		J	11		0.017	0.05
LFW 29	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ALUMINUM	25.2	ug/L	J	J	21		15	50
LFW 29	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 29	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 29	3/17/2015	BARIUM	7	ug/L					0.6	2
LFW 29	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 29	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 29	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 29	3/17/2015	COBALT	0.247	ug/L	J	J	21		0.1	1
LFW 29	3/17/2015	COPPER	5.47	ug/L		J	9		0.35	1
LFW 29	3/17/2015	IRON	124	ug/L		J	9		33	100
LFW 29	3/17/2015	LEAD	1.35	ug/L	J	J	21		0.5	2
LFW 29	3/17/2015	MANGANESE	4.12	ug/L	J	J	21		1	5
LFW 29	3/17/2015	NICKEL	1.04	ug/L	J	J	21		0.5	2
LFW 29	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 29	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 29	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ZINC	3.79	ug/L	U	U	21, V		3.5	10
LFW 48C	3/17/2015	MERCURY	1.32	ug/L					0.067	0.2
LFW 29	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 29	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 29	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 29	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 29	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 29	3/17/2015	2,4,5-T	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 29	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
LFW 29	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 29	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 29	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 34	3/16/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 48C	3/17/2015	1,4-DIOXANE	79	ug/L					0.85	3
LFW 29	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 29	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 29	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 29	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 29	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 29	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 29	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 29	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 29	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 29	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 29	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 29	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 29	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 29	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 29	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 29	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 29	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 29	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 29	3/17/2015	GROSS ALPHA	3.63	pCi/L	J	J	21	1.93	2.37	6.23

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	TRITIUM	0.371	pCi/mL	U	U		0.346	0.572	1.26
LFW 29	3/17/2015	RADIUM-226	1.73	pCi/L				0.391	0.315	1.1
LFW 29	3/17/2015	RADIUM-228	4.22	pCi/L				0.702	0.719	2.12
LFW 29	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 29	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.552	mg/L		J	11		0.017	0.05
LFW 29	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ALUMINUM	55.7	ug/L					15	50
LFW 29	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 29	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 29	3/17/2015	BARIUM	6.98	ug/L					0.6	2
LFW 29	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 29	3/17/2015	CADMIUM	0.136	ug/L	J	J	21		0.11	1
LFW 29	3/17/2015	CHROMIUM	4.03	ug/L	J	J	21		2	10
LFW 29	3/17/2015	COBALT	0.314	ug/L	J	J	21		0.1	1
LFW 29	3/17/2015	COPPER	9.58	ug/L		J	9		0.35	1
LFW 29	3/17/2015	IRON	554	ug/L		J	9		33	100
LFW 29	3/17/2015	LEAD	2.42	ug/L					0.5	2
LFW 29	3/17/2015	MANGANESE	4.75	ug/L	J	J	21		1	5
LFW 29	3/17/2015	NICKEL	2.17	ug/L					0.5	2
LFW 29	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 29	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 29	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ZINC	6.25	ug/L	U	U	21, V		3.5	10
LFW 34	3/16/2015	MERCURY	0.86	ug/L			V		0.06	0.2
LFW 29	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 29	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 29	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 29	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 29	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 29	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 29	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 29	3/17/2015	2,4,5-T	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	U			0.00769	0.024
LFW 29	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 29	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 60C	8/17/2015	1,4-DIOXANE	75	ug/L					1.2	5
LFW 29	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ACETONE	3.11	ug/L	J	J	21		1.5	5
LFW 29	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 29	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 29	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 29	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	8/17/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1
LFW 29	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 29	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 48C	3/17/2015	1,4-DIOXANE	72.3	ug/L					15	50
LFW 29	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 29	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 29	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 29	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 29	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 29	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 29	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 29	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 29	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 29	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 29	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 29	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 29	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 29	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 29	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 29	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 29	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 29	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 29	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 29	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 29	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 29	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	GROSS ALPHA	4.31	pCi/L	J	J	21	2	2.35	6.35
LFW 29	3/17/2015	TRITIUM	0.571	pCi/mL	U	U		0.363	0.574	1.3
LFW 29	3/17/2015	RADIUM-226	2.5	pCi/L				0.488	0.352	1.33
LFW 29	3/17/2015	RADIUM-228	2.99	pCi/L				0.549	0.516	1.61
LFW 29	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 29	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.71	mg/L					0.0094	0.1
LFW 29	8/17/2015	ALUMINUM	110	ug/L					17	30
LFW 29	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 29	8/17/2015	BARIUM	8	ug/L					0.22	2
LFW 29	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 29	8/17/2015	CHROMIUM	1.5	ug/L	J		21		1	10
LFW 29	8/17/2015	COBALT	0.26	ug/L	J		21		0.22	2
LFW 29	8/17/2015	COPPER	7.7	ug/L					0.68	1
LFW 29	8/17/2015	IRON	80	ug/L					33	50
LFW 29	8/17/2015	LEAD	0.94	ug/L	J		21		0.17	3
LFW 29	8/17/2015	MANGANESE	4.1	ug/L					0.88	2
LFW 29	8/17/2015	NICKEL	1.1	ug/L	J		21		0.8	5
LFW 29	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 29	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 29	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 29	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 32	8/12/2015	MERCURY	0.733	ug/L					0.02	0.2
LFW 29	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 29	8/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 29	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 29	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 29	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 29	8/17/2015	ACETONE	2	ug/L	U				0.34	2
LFW 29	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 29	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 29	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 29	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 29	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 29	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 29	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 29	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 29	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 29	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 29	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 29	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 29	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 29	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 29	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 29	8/17/2015	TOLUENE	0.38	ug/L	J		21		0.07	1
LFW 29	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 62D	3/17/2015	TRICHLOROETHYLENE (TCE)	1.88	ug/L					0.3	1
LFW 29	8/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 29	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 62D	3/17/2015	1,4-DIOXANE	66	ug/L					0.85	3
LFW 29	8/17/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	8/17/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 29	8/17/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 29	8/17/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 29	8/17/2015	GROSS ALPHA	5.38	pCi/L				1.28	0.937	3.497
LFW 29	8/17/2015	RADIUM-226	2.98	pCi/L				0.245	0.119	0.609
LFW 29	8/17/2015	RADIUM-228	2.89	pCi/L				0.364	0.306	1.034
LFW 29	8/17/2015	FLUORIDE	100	ug/L	U				10	100
LFW 29	8/17/2015	TRITIUM	0.54	pCi/mL	J		21	0.286	0.401	0.973
LFW 30	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 30	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 30	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 30	3/16/2015	BARIUM	5.8	ug/L					0.22	2
LFW 30	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 30	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 30	3/16/2015	CHROMIUM	1.1	ug/L	J		21, V		1	10
LFW 30	3/16/2015	COBALT	0.23	ug/L	J		21		0.22	2
LFW 30	3/16/2015	COPPER	48	ug/L					0.68	1
LFW 30	3/16/2015	LEAD	17	ug/L					0.17	3
LFW 30	3/16/2015	NICKEL	0.8	ug/L	J		21, V		0.8	5
LFW 30	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 30	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 30	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 30	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 30	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 30	3/16/2015	ZINC	39	ug/L					9.3	10
LFW 6R	8/13/2015	MERCURY	0.73	ug/L					0.06	0.2
LFW 30	3/16/2015	ALDRIN	0.049	ug/L	U				0.0097	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.013	0.049
LFW 30	3/16/2015	DDD	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	DDE	0.049	ug/L	U				0.014	0.049
LFW 30	3/16/2015	DDT	0.049	ug/L	U				0.022	0.049
LFW 30	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	DIELDRIN	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	ENDOSULFAN I	0.049	ug/L	U				0.018	0.049
LFW 30	3/16/2015	ENDOSULFAN II	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	ENDOSULFAN SULFATE	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	ENDRIN	0.049	ug/L	U				0.017	0.049
LFW 30	3/16/2015	ENDRIN ALDEHYDE	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	HEPTACHLOR	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U				0.016	0.049
LFW 30	3/16/2015	LINDANE	0.049	ug/L	U				0.0097	0.049
LFW 30	3/16/2015	METHOXYCHLOR	0.49	ug/L	U				0.013	0.49
LFW 30	3/16/2015	TOTAL CHLORDANE	0.49	ug/L	U				0.097	0.49
LFW 30	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
LFW 30	3/16/2015	AROCLOR 1016	0.95	ug/L	U				0.33	0.95
LFW 30	3/16/2015	AROCLOR 1221	0.95	ug/L	U				0.33	0.95
LFW 30	3/16/2015	AROCLOR 1232	0.95	ug/L	U				0.33	0.95
LFW 30	3/16/2015	AROCLOR 1242	0.95	ug/L	U				0.33	0.95
LFW 30	3/16/2015	AROCLOR 1248	0.95	ug/L	U				0.33	0.95
LFW 30	3/16/2015	AROCLOR 1254	0.95	ug/L	U				0.16	0.95
LFW 30	3/16/2015	AROCLOR 1260	0.95	ug/L	U				0.16	0.95
LFW 30	3/16/2015	DINOSEB	0.238	ug/L	U				0.0794	0.238

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 30	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 30	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 30	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 30	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 30	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 30	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 30	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 30	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 30	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 30	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 30	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 30	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 30	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 30	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 30	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 30	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 30	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 30	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 30	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 30	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 30	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 30	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 30	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 30	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 30	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 30	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 30	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 30	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 30	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 30	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 30	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 30	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 30	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 30	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 30	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 30	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 30	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 30	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 30	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 30	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 30	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 30	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 30	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 30	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 30	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 30	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 30	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 30	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 30	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 30	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 30	3/16/2015	TOLUENE	0.7	ug/L	J		21		0.07	1
LFW 30	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 30	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 30	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 34	8/12/2015	TRICHLOROETHYLENE (TCE)	1.8	ug/L					0.25	1
LFW 30	3/16/2015	TRICHLOROFLUOROMETHANE	1.1	ug/L					0.11	1
LFW 30	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 30	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 30	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	1,2,4-TRICHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	1,3,5-TRINITROBENZENE	49	ug/L	U				0.98	49
LFW 30	3/16/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	1,3-DINITROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	1,4-NAPHTHOQUINONE	49	ug/L	U				0.98	49
LFW 30	3/16/2015	1-NAPHTHYLAMINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U				0.98	49
LFW 30	3/16/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,4-DINITROPHENOL	49	ug/L	U				2	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	2,4-DINITROTOLUENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,6-DICHLOROPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2,6-DINITROTOLUENE	9.8	ug/L	U				2.1	9.8
LFW 30	3/16/2015	2-ACETYLAMINOFLUORENE	98	ug/L	U		14		0.98	98
LFW 30	3/16/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2-CHLOROPHENOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				0.98	20
LFW 30	3/16/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2-NAPHTHYLAMINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	2-NITROANILINE	9.8	ug/L	U				1.1	9.8
LFW 30	3/16/2015	2-NITROPHENOL	9.8	ug/L	U				1.5	9.8
LFW 30	3/16/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U		14		1.3	49
LFW 30	3/16/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U		14		2.6	49
LFW 30	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U		14		0.98	20
LFW 30	3/16/2015	4-AMINOBIPHENYL	49	ug/L	U				1	49
LFW 30	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	4-CHLOROANILINE	9.8	ug/L	U				2	9.8
LFW 30	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	4-NITROPHENOL	9.8	ug/L	U				2	9.8
LFW 30	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				0.98	20
LFW 30	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U		14		0.98	20
LFW 30	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U				22	49
LFW 30	3/16/2015	ACENAPHTHENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	ACENAPHTHYLENE	9.8	ug/L	U				0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	ACETOPHENONE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	ANTHRACENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZO[A]PYRENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	BENZYL ALCOHOL	9.8	ug/L	U				2.9	9.8
LFW 30	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U		14		1.8	9.8
LFW 30	3/16/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	CHLOROBENZILATE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	CHRYSENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 30	3/16/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	DIBENZOFURAN	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	DIETHYL PHTHALATE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	DIMETHOATE	20	ug/L	U				0.98	20
LFW 30	3/16/2015	DIMETHYL PHTHALATE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	DINITRO-O-CRESOL	9.8	ug/L	U				1.2	9.8
LFW 30	3/16/2015	DISULFOTON	49	ug/L	U		14		0.98	49
LFW 30	3/16/2015	ETHYL METHACRYLATE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	ETHYL METHANESULFONATE	9.8	ug/L	U				0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	FAMPHUR	98	ug/L	U		14		1.7	98
LFW 30	3/16/2015	FLUORANTHENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	FLUORENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	HEXACHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	HEXACHLOROETHANE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	HEXACHLOROPROPENE	98	ug/L	U				0.98	98
LFW 30	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	ISODRIN	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	ISOPHORONE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	ISOSAFROLE	20	ug/L	U				4.9	20
LFW 30	3/16/2015	KEPONE	98	ug/L	U		14		20	98
LFW 30	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 30	3/16/2015	METHAPYRILENE	49	ug/L	U		14		1.2	49
LFW 30	3/16/2015	METHYL METHANESULFONATE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	METHYL PARATHION	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	M-NITROANILINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	NAPHTHALENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	NITROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-NITROSODIETHYLAMINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-NITROSODIMETHYLAMINE	9.8	ug/L	U				2	9.8
LFW 30	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U				0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	3/16/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U				1.5	9.8
LFW 30	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-NITROSOPIPERIDINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	N-NITROSOPYRROLIDINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U				1.1	49
LFW 30	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	PARATHION	49	ug/L	U		14		0.98	49
LFW 30	3/16/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	PENTACHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	PENTACHLORONITROBENZENE	49	ug/L	U				0.98	49
LFW 30	3/16/2015	PENTACHLOROPHENOL	9.8	ug/L	U				1.2	9.8
LFW 30	3/16/2015	PHENACETIN	20	ug/L	U				0.98	20
LFW 30	3/16/2015	PHENANTHRENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	PHENOL	9.8	ug/L	U				2	9.8
LFW 30	3/16/2015	PHORATE	49	ug/L	U				2	49
LFW 30	3/16/2015	P-NITROANILINE	9.8	ug/L	U				0.98	9.8
LFW 30	3/16/2015	P-PHENYLENEDIAMINE	98	ug/L	U				0.98	98
LFW 30	3/16/2015	PRONAMIDE	20	ug/L	U				0.98	20
LFW 30	3/16/2015	PYRENE	9.8	ug/L	U		14		0.98	9.8
LFW 30	3/16/2015	SAFROLE	20	ug/L	U				0.98	20
LFW 30	3/16/2015	THIONAZIN	49	ug/L	U				0.98	49
LFW 30	3/16/2015	2,3,7,8-TCDD	0.0097	ng/L	U				0.0028	0.0097
LFW 30	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 30	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 30	8/12/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	8/12/2015	BARIUM	5.38	ug/L	J		21		2	20
LFW 30	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 30	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 30	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 30	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 30	8/12/2015	COPPER	17.9	ug/L					0.5	5
LFW 30	8/12/2015	LEAD	7.51	ug/L					0.5	5
LFW 30	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 30	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 30	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 30	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 30	8/12/2015	TIN	10	ug/L	U				1	10
LFW 30	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 30	8/12/2015	ZINC	13.6	ug/L	J		21		4	40
LFW 76	3/16/2015	MERCURY	0.7	ug/L			V		0.06	0.2
LFW 30	8/12/2015	2,4,5-T	1	ug/L	U				0.28	1
LFW 30	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 30	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 30	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 30	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 30	8/12/2015	1,1-DICHLOROETHANE	0.47	ug/L	J		21		0.07	1
LFW 30	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 30	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 30	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 30	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 30	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 30	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 30	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 30	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 30	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 30	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 30	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 30	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 30	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 30	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 30	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 30	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 30	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 30	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 30	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 30	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 30	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 30	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 30	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 30	8/12/2015	CIS-1,2-DICHLOROETHYLENE	0.32	ug/L	J		21		0.09	1
LFW 30	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 30	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 30	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 30	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 30	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 30	8/12/2015	IODOMETHANE (METHYL	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
LFW 30	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 30	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 30	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 30	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 30	8/12/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
LFW 30	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 30	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 30	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 62D	8/17/2015	TRICHLOROETHYLENE (TCE)	1.6	ug/L					0.25	1
LFW 30	8/12/2015	TRICHLOROFLUOROMETHANE	3.1	ug/L					0.11	1
LFW 30	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 30	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 30	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 31	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 31	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 31	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 31	3/16/2015	BARIUM	3.6	ug/L					0.22	2
LFW 31	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 31	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 31	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 31	3/16/2015	COBALT	2	ug/L	U				0.22	2
LFW 31	3/16/2015	COPPER	29	ug/L					0.68	1
LFW 31	3/16/2015	LEAD	4.5	ug/L					0.17	3
LFW 31	3/16/2015	NICKEL	5	ug/L	U				0.8	5
LFW 31	3/16/2015	SELENIUM	5	ug/L	U				1.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 31	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 31	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 31	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 31	3/16/2015	ZINC	22	ug/L					9.3	10
LFW 62C	3/17/2015	MERCURY	0.665	ug/L					0.067	0.2
LFW 31	3/16/2015	ALDRIN	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.014	0.054
LFW 31	3/16/2015	DDD	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	DDE	0.054	ug/L	U				0.015	0.054
LFW 31	3/16/2015	DDT	0.054	ug/L	U				0.025	0.054
LFW 31	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	DIELDRIN	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	ENDOSULFAN I	0.054	ug/L	U				0.021	0.054
LFW 31	3/16/2015	ENDOSULFAN II	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	ENDOSULFAN SULFATE	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	ENDRIN	0.054	ug/L	U				0.02	0.054
LFW 31	3/16/2015	ENDRIN ALDEHYDE	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	HEPTACHLOR	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	HEPTACHLOR EPOXIDE	0.054	ug/L	U				0.018	0.054
LFW 31	3/16/2015	LINDANE	0.054	ug/L	U				0.011	0.054
LFW 31	3/16/2015	METHOXYCHLOR	0.54	ug/L	U				0.014	0.54
LFW 31	3/16/2015	TOTAL CHLORDANE	0.54	ug/L	U				0.11	0.54
LFW 31	3/16/2015	TOXAPHENE	2.2	ug/L	U				0.29	2.2
LFW 31	3/16/2015	AROCLOR 1016	1.1	ug/L	U				0.38	1.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	AROCLOR 1221	1.1	ug/L	U				0.38	1.1
LFW 31	3/16/2015	AROCLOR 1232	1.1	ug/L	U				0.38	1.1
LFW 31	3/16/2015	AROCLOR 1242	1.1	ug/L	U				0.38	1.1
LFW 31	3/16/2015	AROCLOR 1248	1.1	ug/L	U				0.38	1.1
LFW 31	3/16/2015	AROCLOR 1254	1.1	ug/L	U				0.18	1.1
LFW 31	3/16/2015	AROCLOR 1260	1.1	ug/L	U				0.18	1.1
LFW 31	3/16/2015	DINOSEB	0.234	ug/L	U				0.0779	0.234
LFW 31	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 31	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 31	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 31	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 31	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 31	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 31	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 31	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 31	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 31	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 31	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 31	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 31	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 31	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 31	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 31	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 31	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 31	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 31	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 31	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 31	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 31	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 31	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 31	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 31	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 31	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 31	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 31	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 31	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 31	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 31	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 31	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 31	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 31	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 31	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 31	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 31	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 31	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 31	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 31	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 31	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 31	3/16/2015	DICHLOROMETHANE	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
LFW 31	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 31	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 31	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 31	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 31	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 31	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 31	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 31	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 31	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 31	3/16/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J		21		0.18	1
LFW 31	3/16/2015	TOLUENE	0.7	ug/L	J		21		0.07	1
LFW 31	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 31	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 31	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 74D	8/12/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
LFW 31	3/16/2015	TRICHLOROFLUOROMETHANE	2	ug/L					0.11	1
LFW 31	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 31	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 31	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	1,3,5-TRINITROBENZENE	52	ug/L	U				1	52
LFW 31	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	1,4-NAPHTHOQUINONE	52	ug/L	U				1	52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U				1	52
LFW 31	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2,4-DINITROPHENOL	52	ug/L	U				2.1	52
LFW 31	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 31	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.2	10
LFW 31	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U		14		1	100
LFW 31	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 31	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 31	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	21	ug/L	U				1	21
LFW 31	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 31	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 31	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.6	10
LFW 31	3/16/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U		14		1.3	52
LFW 31	3/16/2015	3,3'-DIMETHYLBENZIDINE	52	ug/L	U		14		2.7	52
LFW 31	3/16/2015	3-METHYLCHOLANTHRENE	21	ug/L	U		14		1	21
LFW 31	3/16/2015	4-AMINOBIPHENYL	52	ug/L	U				1.1	52
LFW 31	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 31	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2.1	10
LFW 31	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 31	3/16/2015	4-NITROPHENOL	10	ug/L	U				2.1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	5-NITRO-O-TOLUIDINE	21	ug/L	U				1	21
LFW 31	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	21	ug/L	U		14		1	21
LFW 31	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	52	ug/L	U				23	52
LFW 31	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 31	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 31	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 31	3/16/2015	ANTHRACENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZO[A]PYRENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3.1	10
LFW 31	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10
LFW 31	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 31	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 31	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U		14		1.9	10
LFW 31	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	CHLOROBENZILATE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	CHRYSENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	DIALLATE	21	ug/L	U				2.1	21
LFW 31	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 31	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	DIMETHOATE	21	ug/L	U				1	21
LFW 31	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 31	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 31	3/16/2015	DISULFOTON	52	ug/L	U		14		1	52
LFW 31	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 31	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 31	3/16/2015	FAMPHUR	100	ug/L	U		14		1.8	100
LFW 31	3/16/2015	FLUORANTHENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	FLUORENE	10	ug/L	U				1	10
LFW 31	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 31	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U				1	10
LFW 31	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 31	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 31	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	ISODRIN	10	ug/L	U		14		1	10
LFW 31	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 31	3/16/2015	ISOSAFROLE	21	ug/L	U				5.2	21
LFW 31	3/16/2015	KEPONE	100	ug/L	U		14		21	100
LFW 31	3/16/2015	M/P-CRESOL	21	ug/L	U				2.1	21
LFW 31	3/16/2015	METHAPYRILENE	52	ug/L	U		14		1.3	52
LFW 31	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 31	3/16/2015	METHYL PARATHION	10	ug/L	U		14		1	10
LFW 31	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 31	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U		14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2.1	10
LFW 31	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.6	10
LFW 31	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10
LFW 31	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 31	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	52	ug/L	U				1.2	52
LFW 31	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 31	3/16/2015	PARATHION	52	ug/L	U		14		1	52
LFW 31	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 31	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 31	3/16/2015	PENTACHLORONITROBENZENE	52	ug/L	U				1	52
LFW 31	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10
LFW 31	3/16/2015	PHENACETIN	21	ug/L	U				1	21
LFW 31	3/16/2015	PHENANTHRENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	PHENOL	10	ug/L	U				2.1	10
LFW 31	3/16/2015	PHORATE	52	ug/L	U				2.1	52
LFW 31	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 31	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 31	3/16/2015	PRONAMIDE	21	ug/L	U				1	21

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	3/16/2015	PYRENE	10	ug/L	U		14		1	10
LFW 31	3/16/2015	SAFROLE	21	ug/L	U				1	21
LFW 31	3/16/2015	THIONAZIN	52	ug/L	U				1	52
LFW 31	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0031	0.01
LFW 31	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 31	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 31	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 31	8/12/2015	BARIUM	2.93	ug/L	J		21		2	20
LFW 31	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 31	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 31	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 31	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 31	8/12/2015	COPPER	51	ug/L					0.5	5
LFW 31	8/12/2015	LEAD	9.73	ug/L					0.5	5
LFW 31	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 31	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 31	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 31	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 31	8/12/2015	TIN	10	ug/L	U				1	10
LFW 31	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 31	8/12/2015	ZINC	24.2	ug/L	J		21		4	40
LFW 45D	8/17/2015	MERCURY	0.52	ug/L			V		0.06	0.2
LFW 31	8/12/2015	2,4,5-T	0.99	ug/L	U				0.27	0.99
LFW 31	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 31	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 31	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 31	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	8/12/2015	1,1-DICHLOROETHANE	0.27	ug/L	J		21		0.07	1
LFW 31	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 31	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 31	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 31	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 31	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 31	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 31	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 31	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 31	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 31	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 31	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 31	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 31	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 31	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 31	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 31	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 31	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 31	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 31	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 31	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 31	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 31	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 31	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 31	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 31	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 31	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 31	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 31	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 31	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 31	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 31	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 31	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 31	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 31	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 31	8/12/2015	TOLUENE	1	ug/L	U				0.07	1
LFW 31	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 31	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 31	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 74D	3/16/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.25	1
LFW 31	8/12/2015	TRICHLOROFLUOROMETHANE	7.5	ug/L					0.11	1
LFW 31	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 31	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 31	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 32	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 32	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 32	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 32	3/16/2015	BARIUM	13	ug/L					0.22	2
LFW 32	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 32	3/16/2015	CHROMIUM	1.8	ug/L	J		21, V		1	10
LFW 32	3/16/2015	COBALT	0.27	ug/L	J		21		0.22	2
LFW 32	3/16/2015	COPPER	3.5	ug/L					0.68	1
LFW 32	3/16/2015	LEAD	5.2	ug/L					0.17	3
LFW 32	3/16/2015	NICKEL	5	ug/L	U				0.8	5
LFW 32	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 32	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 32	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 32	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 32	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 32	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 62C	8/19/2015	MERCURY	0.49	ug/L			V		0.06	0.2
LFW 32	3/16/2015	ALDRIN	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.013	0.049
LFW 32	3/16/2015	DDD	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	DDE	0.049	ug/L	U				0.014	0.049
LFW 32	3/16/2015	DDT	0.049	ug/L	U				0.022	0.049
LFW 32	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	DIELDRIN	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	ENDOSULFAN I	0.049	ug/L	U				0.019	0.049
LFW 32	3/16/2015	ENDOSULFAN II	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	ENDOSULFAN SULFATE	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	ENDRIN	0.049	ug/L	U				0.018	0.049
LFW 32	3/16/2015	ENDRIN ALDEHYDE	0.049	ug/L	U				0.0097	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	HEPTACHLOR	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U				0.017	0.049
LFW 32	3/16/2015	LINDANE	0.049	ug/L	U				0.0097	0.049
LFW 32	3/16/2015	METHOXYCHLOR	0.49	ug/L	U				0.013	0.49
LFW 32	3/16/2015	TOTAL CHLORDANE	0.49	ug/L	U				0.097	0.49
LFW 32	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
LFW 32	3/16/2015	AROCLOR 1016	0.95	ug/L	U				0.33	0.95
LFW 32	3/16/2015	AROCLOR 1221	0.95	ug/L	U				0.33	0.95
LFW 32	3/16/2015	AROCLOR 1232	0.95	ug/L	U				0.33	0.95
LFW 32	3/16/2015	AROCLOR 1242	0.95	ug/L	U				0.33	0.95
LFW 32	3/16/2015	AROCLOR 1248	0.95	ug/L	U				0.33	0.95
LFW 32	3/16/2015	AROCLOR 1254	0.95	ug/L	U				0.16	0.95
LFW 32	3/16/2015	AROCLOR 1260	0.95	ug/L	U				0.16	0.95
LFW 32	3/16/2015	DINOSEB	0.245	ug/L	U				0.0817	0.245
LFW 32	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 32	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 32	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 32	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 32	3/16/2015	1,1,1-TRICHLOROETHANE	1.3	ug/L					0.07	1
LFW 32	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 32	3/16/2015	1,1,2-TRICHLOROETHANE	0.66	ug/L	J		21		0.15	1
LFW 32	3/16/2015	1,1-DICHLOROETHANE	25	ug/L					0.07	1
LFW 32	3/16/2015	1,1-DICHLOROETHYLENE	1.9	ug/L					0.08	1
LFW 32	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 32	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 32	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 32	3/16/2015	1,2-DICHLOROETHANE (EDC)	0.28	ug/L	J		21		0.1	1
LFW 32	3/16/2015	1,2-DICHLOROPROPANE	0.83	ug/L	J		21		0.1	1
LFW 32	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 32	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 32	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 32	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 32	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 32	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 32	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 32	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 32	3/16/2015	BENZENE	2.9	ug/L					0.06	1
LFW 32	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 32	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 32	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 32	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 32	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 32	3/16/2015	CHLOROBENZENE	0.18	ug/L	J		21		0.15	1
LFW 32	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2.7	ug/L					0.1	2
LFW 32	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	0.62	ug/L	J		21		0.08	2
LFW 32	3/16/2015	CHLOROFORM	0.26	ug/L	J		21		0.1	1
LFW 32	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 32	3/16/2015	CIS-1,2-DICHLOROETHYLENE	7.9	ug/L					0.09	1
LFW 32	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 32	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 32	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 32	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	34	ug/L					0.27	1
LFW 32	3/16/2015	ETHYLBENZENE	3.7	ug/L					0.09	1
LFW 32	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 32	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 32	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 32	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 32	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 32	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 32	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 32	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 32	3/16/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
LFW 32	3/16/2015	TOLUENE	3.1	ug/L					0.07	1
LFW 32	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 59C	3/17/2015	TRICHLOROETHYLENE (TCE)	1.06	ug/L					0.3	1
LFW 32	3/16/2015	TRICHLOROFLUOROMETHANE	32	ug/L					0.11	1
LFW 32	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 32	3/16/2015	XYLENES	64	ug/L					0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	1,2,4-TRICHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	1,3,5-TRINITROBENZENE	49	ug/L	U				0.99	49
LFW 32	3/16/2015	1,3-DICHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	1,3-DINITROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	1,4-DICHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	1,4-NAPHTHOQUINONE	49	ug/L	U				0.99	49
LFW 32	3/16/2015	1-NAPHTHYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U				0.99	49
LFW 32	3/16/2015	2,4,5-TRICHLOROPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,4,6-TRICHLOROPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,4-DICHLOROPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,4-DIMETHYLPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,4-DINITROPHENOL	49	ug/L	U				2	49
LFW 32	3/16/2015	2,4-DINITROTOLUENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,6-DICHLOROPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2,6-DINITROTOLUENE	9.9	ug/L	U				2.1	9.9
LFW 32	3/16/2015	2-ACETYLAMINOFLUORENE	99	ug/L	U		14		0.99	99
LFW 32	3/16/2015	2-CHLORONAPHTHALENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2-CHLOROPHENOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				0.99	20
LFW 32	3/16/2015	2-METHYLNAPHTHALENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2-NAPHTHYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	2-NITROANILINE	9.9	ug/L	U				1.1	9.9
LFW 32	3/16/2015	2-NITROPHENOL	9.9	ug/L	U				1.5	9.9
LFW 32	3/16/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U		14		1.3	49
LFW 32	3/16/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U		14		2.6	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U		14		0.99	20
LFW 32	3/16/2015	4-AMINOBIPHENYL	49	ug/L	U				1	49
LFW 32	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	4-CHLOROANILINE	9.9	ug/L	U				2	9.9
LFW 32	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	4-NITROPHENOL	9.9	ug/L	U				2	9.9
LFW 32	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				0.99	20
LFW 32	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U		14		0.99	20
LFW 32	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U				22	49
LFW 32	3/16/2015	ACENAPHTHENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	ACENAPHTHYLENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	ACETOPHENONE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	ANTHRACENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZO(G,H,I)PERYLENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZO[A]ANTHRACENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZO[A]PYRENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZO[B]FLUORANTHENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZO[K]FLUORANTHENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	BENZYL ALCOHOL	9.9	ug/L	U				3	9.9
LFW 32	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.9	ug/L	U		14		1.8	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	BUTYL BENZYL PHTHALATE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	CHLOROBENZILATE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	CHRYSENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 32	3/16/2015	DIBENZ[AH]ANTHRACENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	DIBENZOFURAN	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	DIETHYL PHTHALATE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	DIMETHOATE	20	ug/L	U				0.99	20
LFW 32	3/16/2015	DIMETHYL PHTHALATE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	DI-N-BUTYL PHTHALATE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	DINITRO-O-CRESOL	9.9	ug/L	U				1.2	9.9
LFW 32	3/16/2015	DISULFOTON	49	ug/L	U		14		0.99	49
LFW 32	3/16/2015	ETHYL METHACRYLATE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	ETHYL METHANESULFONATE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	FAMPHUR	99	ug/L	U		14		1.7	99
LFW 32	3/16/2015	FLUORANTHENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	FLUORENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	HEXACHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	HEXACHLOROBUTADIENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	HEXACHLOROETHANE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	HEXACHLOROPROPENE	99	ug/L	U				0.99	99
LFW 32	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	ISODRIN	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	ISOPHORONE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	ISOSAFROLE	20	ug/L	U				4.9	20
LFW 32	3/16/2015	KEPONE	99	ug/L	U		14		20	99

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 32	3/16/2015	METHAPYRILENE	49	ug/L	U		14		1.2	49
LFW 32	3/16/2015	METHYL METHANESULFONATE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	METHYL PARATHION	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	M-NITROANILINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	NAPHTHALENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-DIOCTYL PHTHALATE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	NITROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSODIETHYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSODIMETHYLAMINE	9.9	ug/L	U				2	9.9
LFW 32	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSODIPROPYLAMINE	9.9	ug/L	U				1.5	9.9
LFW 32	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSOPIPERIDINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	N-NITROSOPYRROLIDINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U				1.1	49
LFW 32	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	PARATHION	49	ug/L	U		14		0.99	49
LFW 32	3/16/2015	P-CHLORO-M-CRESOL	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	PENTACHLOROBENZENE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	PENTACHLORONITROBENZENE	49	ug/L	U				0.99	49
LFW 32	3/16/2015	PENTACHLOROPHENOL	9.9	ug/L	U				1.3	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	3/16/2015	PHENACETIN	20	ug/L	U				0.99	20
LFW 32	3/16/2015	PHENANTHRENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	PHENOL	9.9	ug/L	U				2	9.9
LFW 32	3/16/2015	PHORATE	49	ug/L	U				2	49
LFW 32	3/16/2015	P-NITROANILINE	9.9	ug/L	U				0.99	9.9
LFW 32	3/16/2015	P-PHENYLENEDIAMINE	99	ug/L	U				0.99	99
LFW 32	3/16/2015	PRONAMIDE	20	ug/L	U				0.99	20
LFW 32	3/16/2015	PYRENE	9.9	ug/L	U		14		0.99	9.9
LFW 32	3/16/2015	SAFROLE	20	ug/L	U				0.99	20
LFW 32	3/16/2015	THIONAZIN	49	ug/L	U				0.99	49
LFW 32	3/16/2015	2,3,7,8-TCDD	0.0098	ng/L	U				0.0026	0.0098
LFW 32	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 32	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 32	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 32	8/12/2015	BARIUM	10.9	ug/L	J		21		2	20
LFW 32	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 32	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 32	8/12/2015	CHROMIUM	10	ug/L	J		21		10	100
LFW 32	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 32	8/12/2015	COPPER	2.66	ug/L	J		21		0.5	5
LFW 32	8/12/2015	LEAD	1.97	ug/L	J		21		0.5	5
LFW 32	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 32	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 32	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 32	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 32	8/12/2015	TIN	10	ug/L	U				1	10
LFW 32	8/12/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	8/12/2015	ZINC	40	ug/L	U				4	40
LFW 74D	8/12/2015	MERCURY	0.488	ug/L					0.02	0.2
LFW 32	8/12/2015	2,4,5-T	0.97	ug/L	U				0.26	0.97
LFW 32	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 32	8/12/2015	1,1,1-TRICHLOROETHANE	1.6	ug/L					0.07	1
LFW 32	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 32	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 32	8/12/2015	1,1-DICHLOROETHANE	30	ug/L					0.07	1
LFW 32	8/12/2015	1,1-DICHLOROETHYLENE	1.7	ug/L					0.08	1
LFW 32	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 32	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 32	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 32	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 32	8/12/2015	1,2-DICHLOROETHANE (EDC)	0.37	ug/L	J		21		0.1	1
LFW 32	8/12/2015	1,2-DICHLOROPROPANE	1.3	ug/L					0.1	1
LFW 32	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 32	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 32	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 32	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 32	8/12/2015	BENZENE	4.1	ug/L					0.06	1
LFW 32	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 32	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 32	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 32	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 32	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	8/12/2015	CHLOROBENZENE	0.29	ug/L	J		21		0.15	1
LFW 32	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	3.5	ug/L					0.1	2
LFW 32	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	0.52	ug/L	J		21		0.08	2
LFW 32	8/12/2015	CHLOROFORM	0.22	ug/L	J		21		0.1	1
LFW 32	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 32	8/12/2015	CIS-1,2-DICHLOROETHYLENE	12	ug/L					0.09	1
LFW 32	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 32	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 32	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	49	ug/L					1.4	5
LFW 32	8/12/2015	ETHYLBENZENE	15	ug/L					0.09	1
LFW 32	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 32	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 32	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 32	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 32	8/12/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
LFW 32	8/12/2015	TOLUENE	6.1	ug/L					0.07	1
LFW 32	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 18	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 32	8/12/2015	TRICHLOROFLUOROMETHANE	35	ug/L					0.11	1
LFW 32	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32	8/12/2015	XYLENES	170	ug/L					1	15
LFW 32	8/12/2015	DIETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
LFW 32C	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 32C	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 32C	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 32C	3/16/2015	BARIUM	4.9	ug/L					0.22	2
LFW 32C	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 32C	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 32C	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 32C	3/16/2015	COBALT	0.52	ug/L	J		21		0.22	2
LFW 32C	3/16/2015	COPPER	1	ug/L			S		0.68	1
LFW 32C	3/16/2015	LEAD	0.17	ug/L	J		21		0.17	3
LFW 32C	3/16/2015	NICKEL	1.6	ug/L	J		21, V		0.8	5
LFW 32C	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 32C	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 32C	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 32C	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 32C	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 32C	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 62B	8/17/2015	MERCURY	0.45	ug/L			V		0.06	0.2
LFW 32C	3/16/2015	ALDRIN	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.053	ug/L	U				0.014	0.053
LFW 32C	3/16/2015	DDD	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	DDE	0.053	ug/L	U				0.015	0.053
LFW 32C	3/16/2015	DDT	0.053	ug/L	U				0.024	0.053
LFW 32C	3/16/2015	DELTA-BENZENE	0.053	ug/L	U				0.011	0.053

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HEXACHLORIDE								
LFW 32C	3/16/2015	DIELDRIN	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	ENDOSULFAN I	0.053	ug/L	U				0.02	0.053
LFW 32C	3/16/2015	ENDOSULFAN II	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	ENDOSULFAN SULFATE	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	ENDRIN	0.053	ug/L	U				0.019	0.053
LFW 32C	3/16/2015	ENDRIN ALDEHYDE	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	HEPTACHLOR	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	HEPTACHLOR EPOXIDE	0.053	ug/L	U				0.018	0.053
LFW 32C	3/16/2015	LINDANE	0.053	ug/L	U				0.011	0.053
LFW 32C	3/16/2015	METHOXYCHLOR	0.53	ug/L	U				0.014	0.53
LFW 32C	3/16/2015	TOTAL CHLORDANE	0.53	ug/L	U				0.11	0.53
LFW 32C	3/16/2015	TOXAPHENE	2.1	ug/L	U				0.28	2.1
LFW 32C	3/16/2015	AROCLOR 1016	1	ug/L	U				0.35	1
LFW 32C	3/16/2015	AROCLOR 1221	1	ug/L	U				0.35	1
LFW 32C	3/16/2015	AROCLOR 1232	1	ug/L	U				0.35	1
LFW 32C	3/16/2015	AROCLOR 1242	1	ug/L	U				0.35	1
LFW 32C	3/16/2015	AROCLOR 1248	1	ug/L	U				0.35	1
LFW 32C	3/16/2015	AROCLOR 1254	1	ug/L	U				0.17	1
LFW 32C	3/16/2015	AROCLOR 1260	1	ug/L	U				0.17	1
LFW 32C	3/16/2015	DINOSEB	0.255	ug/L	U				0.085	0.255
LFW 32C	3/16/2015	2,4,5-T	0.00909	ug/L	J		21		0.008	0.025
LFW 32C	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 32C	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 32C	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 32C	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 32C	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 32C	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 32C	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32C	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32C	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 32C	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 32C	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 32C	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 32C	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 32C	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 32C	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 32C	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 32C	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 32C	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 32C	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 32C	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 32C	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 32C	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 32C	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 32C	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32C	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 32C	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 32C	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 32C	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 32C	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 32C	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 32C	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 32C	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 32C	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 32C	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 32C	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 32C	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 32C	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32C	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 32C	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 32C	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 32C	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 32C	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 32C	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 32C	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 32C	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 32C	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 32C	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 32C	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 32C	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 32C	3/16/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J		21		0.18	1
LFW 32C	3/16/2015	TOLUENE	0.86	ug/L	J		21		0.07	1
LFW 32C	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32C	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 21	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 32C	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 32C	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 32C	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 32C	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	1,3,5-TRINITROBENZENE	51	ug/L	U				1	51
LFW 32C	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	1,4-NAPHTHOQUINONE	51	ug/L	U				1	51
LFW 32C	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U				1	51
LFW 32C	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,4-DINITROPHENOL	51	ug/L	U				2	51
LFW 32C	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.2	10
LFW 32C	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U		14		1	100
LFW 32C	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	2-METHYLANILINE (O-	20	ug/L	U				1	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		TOLUIDINE)								
LFW 32C	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 32C	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.5	10
LFW 32C	3/16/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U		14		1.3	51
LFW 32C	3/16/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U		14		2.7	51
LFW 32C	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U		14		1	20
LFW 32C	3/16/2015	4-AMINOBIPHENYL	51	ug/L	U				1.1	51
LFW 32C	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 32C	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2	10
LFW 32C	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 32C	3/16/2015	4-NITROPHENOL	10	ug/L	U				2	10
LFW 32C	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				1	20
LFW 32C	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U		14		1	20
LFW 32C	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U				22	51
LFW 32C	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 32C	3/16/2015	ANTHRACENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	BENZO[A]PYRENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U		14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3	10
LFW 32C	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10
LFW 32C	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 32C	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 32C	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U		14		1.9	10
LFW 32C	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	CHLOROBENZILATE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	CHRYSENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 32C	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 32C	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 32C	3/16/2015	DIMETHOATE	20	ug/L	U				1	20
LFW 32C	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 32C	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 32C	3/16/2015	DISULFOTON	51	ug/L	U		14		1	51
LFW 32C	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 32C	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 32C	3/16/2015	FAMPHUR	100	ug/L	U		14		1.7	100
LFW 32C	3/16/2015	FLUORANTHENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	FLUORENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	HEXACHLOROCYCLOPENTADIE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		NE								
LFW 32C	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 32C	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 32C	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	ISODRIN	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 32C	3/16/2015	ISOSAFROLE	20	ug/L	U				5.1	20
LFW 32C	3/16/2015	KEPONE	100	ug/L	U		14		20	100
LFW 32C	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 32C	3/16/2015	METHAPYRILENE	51	ug/L	U		14		1.3	51
LFW 32C	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 32C	3/16/2015	METHYL PARATHION	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2	10
LFW 32C	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.5	10
LFW 32C	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U				1.2	51

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 32C	3/16/2015	PARATHION	51	ug/L	U		14		1	51
LFW 32C	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 32C	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 32C	3/16/2015	PENTACHLORONITROBENZENE	51	ug/L	U				1	51
LFW 32C	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10
LFW 32C	3/16/2015	PHENACETIN	20	ug/L	U				1	20
LFW 32C	3/16/2015	PHENANTHRENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	PHENOL	10	ug/L	U				2	10
LFW 32C	3/16/2015	PHORATE	51	ug/L	U				2	51
LFW 32C	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 32C	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 32C	3/16/2015	PRONAMIDE	20	ug/L	U				1	20
LFW 32C	3/16/2015	PYRENE	10	ug/L	U		14		1	10
LFW 32C	3/16/2015	SAFROLE	20	ug/L	U				1	20
LFW 32C	3/16/2015	THIONAZIN	51	ug/L	U				1	51
LFW 32C	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0026	0.01
LFW 32C	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 32C	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 32C	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 32C	8/12/2015	BARIUM	4.26	ug/L	J		21		2	20
LFW 32C	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 32C	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 32C	8/12/2015	COPPER	1.3	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	8/12/2015	LEAD	0.58	ug/L	J		21		0.5	5
LFW 32C	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 32C	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 32C	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 32C	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	TIN	10	ug/L	U				1	10
LFW 32C	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 32C	8/12/2015	ZINC	4.76	ug/L	J		21		4	40
LFW 18	8/17/2015	MERCURY	0.36	ug/L			V		0.06	0.2
LFW 32C	8/12/2015	2,4,5-T	1	ug/L	U				0.28	1
LFW 32C	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 32C	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 32C	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 32C	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 32C	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32C	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 32C	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 32C	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 32C	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 32C	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 32C	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 32C	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 32C	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 32C	8/12/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32C	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 32C	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 32C	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 32C	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 32C	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 32C	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 32C	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 32C	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 32C	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 32C	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 32C	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 32C	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 32C	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 32C	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 32C	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 32C	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 32C	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 32C	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 32C	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 32C	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 32C	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 32C	8/12/2015	TOLUENE	0.29	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 32C	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32C	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 32C	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 28	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 32C	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 32C	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 32C	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 32C	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 34	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 34	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 34	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 34	3/16/2015	BARIUM	11	ug/L					0.22	2
LFW 34	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 34	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 34	3/16/2015	CHROMIUM	1.3	ug/L	J		21, V		1	10
LFW 34	3/16/2015	COBALT	0.32	ug/L	J		21		0.22	2
LFW 34	3/16/2015	COPPER	1	ug/L	U				0.68	1
LFW 34	3/16/2015	LEAD	3	ug/L	U				0.17	3
LFW 34	3/16/2015	NICKEL	5	ug/L	U				0.8	5
LFW 34	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 34	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 34	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 34	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 34	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 34	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 31	8/12/2015	MERCURY	0.292	ug/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	ALDRIN	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.012	0.047
LFW 34	3/16/2015	DDD	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	DDE	0.047	ug/L	U				0.013	0.047
LFW 34	3/16/2015	DDT	0.047	ug/L	U				0.022	0.047
LFW 34	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	DIELDRIN	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	ENDOSULFAN I	0.047	ug/L	U				0.018	0.047
LFW 34	3/16/2015	ENDOSULFAN II	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	ENDOSULFAN SULFATE	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	ENDRIN	0.047	ug/L	U				0.017	0.047
LFW 34	3/16/2015	ENDRIN ALDEHYDE	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	HEPTACHLOR	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U				0.016	0.047
LFW 34	3/16/2015	LINDANE	0.047	ug/L	U				0.0094	0.047
LFW 34	3/16/2015	METHOXYCHLOR	0.47	ug/L	U				0.012	0.47
LFW 34	3/16/2015	TOTAL CHLORDANE	0.47	ug/L	U				0.094	0.47
LFW 34	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.25	1.9
LFW 34	3/16/2015	AROCLOR 1016	0.94	ug/L	U				0.33	0.94
LFW 34	3/16/2015	AROCLOR 1221	0.94	ug/L	U				0.33	0.94
LFW 34	3/16/2015	AROCLOR 1232	0.94	ug/L	U				0.33	0.94
LFW 34	3/16/2015	AROCLOR 1242	0.94	ug/L	U				0.33	0.94
LFW 34	3/16/2015	AROCLOR 1248	0.94	ug/L	U				0.33	0.94
LFW 34	3/16/2015	AROCLOR 1254	0.94	ug/L	U				0.16	0.94
LFW 34	3/16/2015	AROCLOR 1260	0.94	ug/L	U				0.16	0.94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	DINOSEB	0.236	ug/L	U				0.0786	0.236
LFW 34	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 34	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 34	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 34	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 34	3/16/2015	1,1,1-TRICHLOROETHANE	0.45	ug/L	J		21		0.07	1
LFW 34	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 34	3/16/2015	1,1,2-TRICHLOROETHANE	0.31	ug/L	J		21		0.15	1
LFW 34	3/16/2015	1,1-DICHLOROETHANE	5.7	ug/L					0.07	1
LFW 34	3/16/2015	1,1-DICHLOROETHYLENE	1.6	ug/L					0.08	1
LFW 34	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 34	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 34	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 34	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 34	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 34	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 34	3/16/2015	1,2-DICHLOROPROPANE	0.36	ug/L	J		21		0.1	1
LFW 34	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 34	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 34	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 34	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 34	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 34	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 34	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 34	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 34	3/16/2015	BENZENE	2.2	ug/L					0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 34	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 34	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 34	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 34	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 34	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 34	3/16/2015	CHLOROBENZENE	0.27	ug/L	J		21		0.15	1
LFW 34	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	1.5	ug/L	J		21		0.1	2
LFW 34	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	1.2	ug/L	J		21		0.08	2
LFW 34	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 34	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 34	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 34	3/16/2015	CIS-1,2-DICHLOROETHYLENE	8.4	ug/L					0.09	1
LFW 34	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 34	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 34	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 34	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 34	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	7.2	ug/L					0.27	1
LFW 34	3/16/2015	ETHYLBENZENE	0.12	ug/L	J		21		0.09	1
LFW 34	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 34	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 34	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 34	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 34	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 34	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 34	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 34	3/16/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
LFW 34	3/16/2015	TOLUENE	1.5	ug/L					0.07	1
LFW 34	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 34	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 34	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 29	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 34	3/16/2015	TRICHLOROFLUOROMETHANE	14	ug/L					0.11	1
LFW 34	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 34	3/16/2015	XYLENES	18	ug/L					0.2	3
LFW 34	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	1,2,4-TRICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	1,3,5-TRINITROBENZENE	47	ug/L	U				0.94	47
LFW 34	3/16/2015	1,3-DICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	1,3-DINITROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	1,4-DICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	1,4-NAPHTHOQUINONE	47	ug/L	U				0.94	47
LFW 34	3/16/2015	1-NAPHTHYLAMINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U				0.94	47
LFW 34	3/16/2015	2,4,5-TRICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,4,6-TRICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,4-DICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,4-DIMETHYLPHENOL	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	2,4-DINITROPHENOL	47	ug/L	U				1.9	47
LFW 34	3/16/2015	2,4-DINITROTOLUENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,6-DICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2,6-DINITROTOLUENE	9.4	ug/L	U				2	9.4
LFW 34	3/16/2015	2-ACETYLAMINOFLUORENE	94	ug/L	U		14		0.94	94
LFW 34	3/16/2015	2-CHLORONAPHTHALENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2-CHLOROPHENOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.94	19
LFW 34	3/16/2015	2-METHYLNAPHTHALENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2-NAPHTHYLAMINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	2-NITROANILINE	9.4	ug/L	U				1	9.4
LFW 34	3/16/2015	2-NITROPHENOL	9.4	ug/L	U				1.4	9.4
LFW 34	3/16/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U		14		1.2	47
LFW 34	3/16/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U		14		2.5	47
LFW 34	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.94	19
LFW 34	3/16/2015	4-AMINOBIPHENYL	47	ug/L	U				0.99	47
LFW 34	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	4-CHLOROANILINE	9.4	ug/L	U				1.9	9.4
LFW 34	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	4-NITROPHENOL	9.4	ug/L	U				1.9	9.4
LFW 34	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.94	19
LFW 34	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.94	19
LFW 34	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U				21	47
LFW 34	3/16/2015	ACENAPHTHENE	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	ACENAPHTHYLENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	ACETOPHENONE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZO(G,H,I)PERYLENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZO[A]ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZO[A]PYRENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZO[B]FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZO[K]FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	BENZYL ALCOHOL	9.4	ug/L	U				2.8	9.4
LFW 34	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.4	ug/L	U		14		1.7	9.4
LFW 34	3/16/2015	BUTYL BENZYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	CHLOROBENZILATE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	CHRYSENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 34	3/16/2015	DIBENZ[AH]ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	DIBENZOFURAN	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	DIETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	DIMETHOATE	19	ug/L	U				0.94	19
LFW 34	3/16/2015	DIMETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	DI-N-BUTYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	DINITRO-O-CRESOL	9.4	ug/L	U				1.2	9.4
LFW 34	3/16/2015	DISULFOTON	47	ug/L	U		14		0.94	47
LFW 34	3/16/2015	ETHYL METHACRYLATE	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	3/16/2015	ETHYL METHANESULFONATE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	FAMPHUR	94	ug/L	U		14		1.6	94
LFW 34	3/16/2015	FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	FLUORENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	HEXACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	HEXACHLOROBUTADIENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	HEXACHLOROETHANE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	HEXACHLOROPROPENE	94	ug/L	U				0.94	94
LFW 34	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	ISODRIN	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	ISOPHORONE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	ISOSAFROLE	19	ug/L	U				4.7	19
LFW 34	3/16/2015	KEPONE	94	ug/L	U		14		19	94
LFW 34	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 34	3/16/2015	METHAPYRILENE	47	ug/L	U		14		1.2	47
LFW 34	3/16/2015	METHYL METHANESULFONATE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	METHYL PARATHION	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	M-NITROANILINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	NAPHTHALENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-DIOCTYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	NITROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-NITROSODIETHYLAMINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-NITROSODIMETHYLAMINE	9.4	ug/L	U				1.9	9.4
LFW 34	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-NITROSODIPHENYLAMINE+DIP	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HENYLAMINE								
LFW 34	3/16/2015	N-NITROSODIPROPYLAMINE	9.4	ug/L	U				1.4	9.4
LFW 34	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-NITROSOPIPERIDINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	N-NITROSOPYRROLIDINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U				1.1	47
LFW 34	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	PARATHION	47	ug/L	U		14		0.94	47
LFW 34	3/16/2015	P-CHLORO-M-CRESOL	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	PENTACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	PENTACHLORONITROBENZENE	47	ug/L	U				0.94	47
LFW 34	3/16/2015	PENTACHLOROPHENOL	9.4	ug/L	U				1.2	9.4
LFW 34	3/16/2015	PHENACETIN	19	ug/L	U				0.94	19
LFW 34	3/16/2015	PHENANTHRENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	PHENOL	9.4	ug/L	U				1.9	9.4
LFW 34	3/16/2015	PHORATE	47	ug/L	U				1.9	47
LFW 34	3/16/2015	P-NITROANILINE	9.4	ug/L	U				0.94	9.4
LFW 34	3/16/2015	P-PHENYLENEDIAMINE	94	ug/L	U				0.94	94
LFW 34	3/16/2015	PRONAMIDE	19	ug/L	U				0.94	19
LFW 34	3/16/2015	PYRENE	9.4	ug/L	U		14		0.94	9.4
LFW 34	3/16/2015	SAFROLE	19	ug/L	U				0.94	19
LFW 34	3/16/2015	THIONAZIN	47	ug/L	U				0.94	47
LFW 34	3/16/2015	2,3,7,8-TCDD	0.0094	ng/L	U				0.0026	0.0094
LFW 34	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 34	8/12/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 34	8/12/2015	BARIUM	7.51	ug/L	J		21		2	20
LFW 34	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 34	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 34	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 34	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 34	8/12/2015	COPPER	5	ug/L	U				0.5	5
LFW 34	8/12/2015	LEAD	5	ug/L	U				0.5	5
LFW 34	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 34	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 34	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 34	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 34	8/12/2015	TIN	10	ug/L	U				1	10
LFW 34	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 34	8/12/2015	ZINC	4.56	ug/L	J		21		4	40
LFW 28	3/16/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 34	8/12/2015	2,4,5-T	1	ug/L	U				0.28	1
LFW 34	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 34	8/12/2015	1,1,1-TRICHLOROETHANE	0.42	ug/L	J		21		0.07	1
LFW 34	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 34	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 34	8/12/2015	1,1-DICHLOROETHANE	5.8	ug/L					0.07	1
LFW 34	8/12/2015	1,1-DICHLOROETHYLENE	0.86	ug/L	J		21		0.08	1
LFW 34	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 34	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 34	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 34	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 34	8/12/2015	1,2-DICHLOROPROPANE	0.32	ug/L	J		21		0.1	1
LFW 34	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 34	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 34	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 34	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 34	8/12/2015	BENZENE	1.7	ug/L					0.06	1
LFW 34	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 34	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 34	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 34	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 34	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 34	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 34	8/12/2015	CHLOROBENZENE	0.21	ug/L	J		21		0.15	1
LFW 34	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	1.1	ug/L	J		21		0.1	2
LFW 34	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	0.47	ug/L	J		21		0.08	2
LFW 34	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 34	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 34	8/12/2015	CIS-1,2-DICHLOROETHYLENE	5.9	ug/L					0.09	1
LFW 34	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 34	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 34	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 34	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	7.2	ug/L					0.27	1
LFW 34	8/12/2015	ETHYLBENZENE	0.1	ug/L	J		21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 34	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 34	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 34	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 34	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 34	8/12/2015	TETRACHLOROETHYLENE (PCE)	0.97	ug/L	J		21		0.18	1
LFW 34	8/12/2015	TOLUENE	0.29	ug/L	J		21		0.07	1
LFW 34	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 34	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 34	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 29	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 34	8/12/2015	TRICHLOROFLUOROMETHANE	16	ug/L					0.11	1
LFW 34	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 34	8/12/2015	XYLENES	11	ug/L					0.2	3
LFW 34	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 35	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 35	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 35	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 35	3/16/2015	BARIUM	9.7	ug/L					0.22	2
LFW 35	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 35	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 35	3/16/2015	CHROMIUM	4.1	ug/L	J		21, V		1	10
LFW 35	3/16/2015	COBALT	0.29	ug/L	J		21		0.22	2
LFW 35	3/16/2015	COPPER	11	ug/L					0.68	1
LFW 35	3/16/2015	LEAD	1.4	ug/L	J		21		0.17	3
LFW 35	3/16/2015	NICKEL	1.2	ug/L	J		21, V		0.8	5
LFW 35	3/16/2015	SELENIUM	5	ug/L	U				1.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 35	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 35	3/16/2015	TIN	1.2	ug/L	J		21		1.1	2
LFW 35	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 35	3/16/2015	ZINC	15	ug/L					9.3	10
LFW 28	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 35	3/16/2015	ALDRIN	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.012	0.047
LFW 35	3/16/2015	DDD	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	DDE	0.047	ug/L	U				0.013	0.047
LFW 35	3/16/2015	DDT	0.047	ug/L	U				0.022	0.047
LFW 35	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	DIELDRIN	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	ENDOSULFAN I	0.047	ug/L	U				0.018	0.047
LFW 35	3/16/2015	ENDOSULFAN II	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	ENDOSULFAN SULFATE	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	ENDRIN	0.047	ug/L	U				0.017	0.047
LFW 35	3/16/2015	ENDRIN ALDEHYDE	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	HEPTACHLOR	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U				0.016	0.047
LFW 35	3/16/2015	LINDANE	0.047	ug/L	U				0.0094	0.047
LFW 35	3/16/2015	METHOXYCHLOR	0.47	ug/L	U				0.012	0.47
LFW 35	3/16/2015	TOTAL CHLORDANE	0.47	ug/L	U				0.094	0.47
LFW 35	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.25	1.9
LFW 35	3/16/2015	AROCLOR 1016	0.96	ug/L	U				0.34	0.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	AROCLOR 1221	0.96	ug/L	U				0.34	0.96
LFW 35	3/16/2015	AROCLOR 1232	0.96	ug/L	U				0.34	0.96
LFW 35	3/16/2015	AROCLOR 1242	0.96	ug/L	U				0.34	0.96
LFW 35	3/16/2015	AROCLOR 1248	0.96	ug/L	U				0.34	0.96
LFW 35	3/16/2015	AROCLOR 1254	0.96	ug/L	U				0.16	0.96
LFW 35	3/16/2015	AROCLOR 1260	0.96	ug/L	U				0.16	0.96
LFW 35	3/16/2015	DINOSEB	0.236	ug/L	U				0.0786	0.236
LFW 35	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 35	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 35	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 35	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 35	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 35	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 35	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 35	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 35	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 35	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 35	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 35	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 35	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 35	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 35	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 35	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 35	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 35	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 35	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 35	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 35	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 35	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 35	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 35	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 35	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 35	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 35	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 35	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 35	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 35	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 35	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 35	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 35	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 35	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 35	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 35	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 35	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 35	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 35	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 35	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 35	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 35	3/16/2015	DICHLOROMETHANE	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
LFW 35	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 35	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 35	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 35	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 35	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 35	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 35	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 35	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 35	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 35	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 35	3/16/2015	TOLUENE	1.3	ug/L					0.07	1
LFW 35	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 35	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 35	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 29	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 35	3/16/2015	TRICHLOROFLUOROMETHANE	1.1	ug/L					0.11	1
LFW 35	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 35	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 35	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	1,3,5-TRINITROBENZENE	47	ug/L	U				0.95	47
LFW 35	3/16/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	1,3-DINITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	1,4-NAPHTHOQUINONE	47	ug/L	U				0.95	47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	1-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U				0.95	47
LFW 35	3/16/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,4-DINITROPHENOL	47	ug/L	U				1.9	47
LFW 35	3/16/2015	2,4-DINITROTOLUENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2,6-DINITROTOLUENE	9.5	ug/L	U				2	9.5
LFW 35	3/16/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U		14		0.95	95
LFW 35	3/16/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2-CHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.95	19
LFW 35	3/16/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	2-NITROANILINE	9.5	ug/L	U				1	9.5
LFW 35	3/16/2015	2-NITROPHENOL	9.5	ug/L	U				1.4	9.5
LFW 35	3/16/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U		14		1.2	47
LFW 35	3/16/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U		14		2.5	47
LFW 35	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.95	19
LFW 35	3/16/2015	4-AMINOBIPHENYL	47	ug/L	U				0.99	47
LFW 35	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	4-CHLOROANILINE	9.5	ug/L	U				1.9	9.5
LFW 35	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	4-NITROPHENOL	9.5	ug/L	U				1.9	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.95	19
LFW 35	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.95	19
LFW 35	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U				21	47
LFW 35	3/16/2015	ACENAPHTHENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	ACENAPHTHYLENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	ACETOPHENONE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZO[A]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	BENZYL ALCOHOL	9.5	ug/L	U				2.8	9.5
LFW 35	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U		14		1.8	9.5
LFW 35	3/16/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	CHLOROBENZILATE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	CHRYSENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 35	3/16/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	DIBENZOFURAN	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	DIETHYL PHTHALATE	1.1	ug/L	J		21		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	DIMETHOATE	19	ug/L	U				0.95	19
LFW 35	3/16/2015	DIMETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	DINITRO-O-CRESOL	9.5	ug/L	U				1.2	9.5
LFW 35	3/16/2015	DISULFOTON	47	ug/L	U		14		0.95	47
LFW 35	3/16/2015	ETHYL METHACRYLATE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	ETHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	FAMPHUR	95	ug/L	U		14		1.6	95
LFW 35	3/16/2015	FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	FLUORENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	HEXACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	HEXACHLOROETHANE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	HEXACHLOROPROPENE	95	ug/L	U				0.95	95
LFW 35	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	ISODRIN	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	ISOPHORONE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	ISOSAFROLE	19	ug/L	U				4.7	19
LFW 35	3/16/2015	KEPONE	95	ug/L	U		14		19	95
LFW 35	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 35	3/16/2015	METHAPYRILENE	47	ug/L	U		14		1.2	47
LFW 35	3/16/2015	METHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	METHYL PARATHION	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	M-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	NAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	NITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U				1.9	9.5
LFW 35	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U				1.4	9.5
LFW 35	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U				1.1	47
LFW 35	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	PARATHION	47	ug/L	U		14		0.95	47
LFW 35	3/16/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	PENTACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	PENTACHLORONITROBENZENE	47	ug/L	U				0.95	47
LFW 35	3/16/2015	PENTACHLOROPHENOL	9.5	ug/L	U				1.2	9.5
LFW 35	3/16/2015	PHENACETIN	19	ug/L	U				0.95	19
LFW 35	3/16/2015	PHENANTHRENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 35	3/16/2015	PHORATE	47	ug/L	U				1.9	47
LFW 35	3/16/2015	P-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 35	3/16/2015	P-PHENYLENEDIAMINE	95	ug/L	U				0.95	95
LFW 35	3/16/2015	PRONAMIDE	19	ug/L	U				0.95	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	3/16/2015	PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 35	3/16/2015	SAFROLE	19	ug/L	U				0.95	19
LFW 35	3/16/2015	THIONAZIN	47	ug/L	U				0.95	47
LFW 35	3/16/2015	2,3,7,8-TCDD	0.0094	ng/L	U				0.0024	0.0094
LFW 35	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 35	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 35	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 35	8/12/2015	BARIUM	6.59	ug/L	J		21		2	20
LFW 35	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 35	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 35	8/12/2015	CHROMIUM	10.5	ug/L	J		21		10	100
LFW 35	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 35	8/12/2015	COPPER	5.52	ug/L					0.5	5
LFW 35	8/12/2015	LEAD	5	ug/L	U				0.5	5
LFW 35	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 35	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 35	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 35	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 35	8/12/2015	TIN	10	ug/L	U				1	10
LFW 35	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 35	8/12/2015	ZINC	5.22	ug/L	J		21		4	40
LFW 29	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 35	8/12/2015	2,4,5-T	1	ug/L	U				0.28	1
LFW 35	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 35	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 35	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 35	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 35	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 35	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 35	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 35	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 35	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 35	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 35	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 35	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 35	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 35	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 35	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 35	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 35	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 35	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 35	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 35	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 35	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 35	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 35	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 35	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 35	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 35	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 35	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 35	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 35	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 35	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 35	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 35	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 35	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 35	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 35	8/12/2015	METHYL ETHYL KETONE	1.2	ug/L	J		21		0.52	5
LFW 35	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 35	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 35	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 35	8/12/2015	TOLUENE	0.22	ug/L	J		21		0.07	1
LFW 35	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 35	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 35	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 30	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 35	8/12/2015	TRICHLOROFLUOROMETHANE	0.18	ug/L	J		21		0.11	1
LFW 35	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 35	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 35	8/12/2015	DIETHYL PHTHALATE	11	ug/L	U				1.1	11
LFW 36R	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
LFW 36R	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 36R	3/17/2015	ALUMINUM	50	ug/L	U	U			15	50
LFW 36R	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 36R	3/17/2015	ARSENIC	9.97	ug/L					1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	BARIUM	5.82	ug/L					0.6	2
LFW 36R	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 36R	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 36R	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 36R	3/17/2015	COBALT	0.546	ug/L	J	J	21		0.1	1
LFW 36R	3/17/2015	COPPER	1	ug/L	U	U			0.35	1
LFW 36R	3/17/2015	IRON	97600	ug/L					330	1000
LFW 36R	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 36R	3/17/2015	MANGANESE	24.2	ug/L					1	5
LFW 36R	3/17/2015	NICKEL	2	ug/L	U	U			0.5	2
LFW 36R	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 36R	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 36R	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 36R	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 29	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 36R	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 36R	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 36R	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 36R	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 36R	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 36R	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 36R	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 36R	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 36R	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 36R	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 36R	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,1-DICHLOROETHANE	3.08	ug/L					0.3	1
LFW 36R	3/17/2015	1,1-DICHLOROETHYLENE	1.68	ug/L					0.3	1
LFW 36R	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 36R	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	1,4-DIOXANE	60.8	ug/L					15	50
LFW 36R	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	ACETONE	5.74	ug/L					1.5	5
LFW 36R	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 36R	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	BENZENE	0.72	ug/L	J	J	21		0.3	1
LFW 36R	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CHLOROBENZENE	11.5	ug/L					0.3	1
LFW 36R	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	4.54	ug/L					0.3	1
LFW 36R	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	CIS-1,2-DICHLOROETHYLENE	3.27	ug/L					0.3	1
LFW 36R	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 36R	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 36R	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	TETRACHLOROETHYLENE (PCE)	0.31	ug/L	J	J	21		0.3	1
LFW 36R	3/17/2015	TOLUENE	0.5	ug/L	J	U	21, 8		0.3	1
LFW 36R	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 30	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 36R	3/17/2015	TRICHLOROFLUOROMETHANE	1.08	ug/L					0.3	1
LFW 36R	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 36R	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 36R	8/17/2015	1,4-DIOXANE	59	ug/L					1.2	5
LFW 36R	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1,4-DICHLOROBENZENE	18.4	ug/L					3	10
LFW 36R	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 36R	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 36R	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 36R	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 36R	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 36R	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 36R	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 36R	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 36R	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 36R	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 36R	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 36R	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 36R	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 36R	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 36R	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 36R	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 36R	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 36R	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 36R	3/17/2015	FLUORIDE	0.18	mg/L					0.033	0.1
LFW 36R	3/17/2015	GROSS ALPHA	2.35	pCi/L	U	U		1.88	2.98	6.74
LFW 36R	3/17/2015	TRITIUM	0.75	pCi/mL	J	J	21	0.406	0.652	1.46
LFW 36R	3/17/2015	RADIUM-226	1.97	pCi/L				0.456	0.374	1.29
LFW 36R	3/17/2015	RADIUM-228	7.8	pCi/L				0.958	0.802	2.72
LFW 36R	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 36R	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.0064	mg/L	J		21		0.0047	0.05
LFW 36R	8/17/2015	ALUMINUM	190	ug/L					87	150
LFW 36R	8/17/2015	ARSENIC	9.1	ug/L	J		21		5.9	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	8/17/2015	BARIUM	7.1	ug/L	J		21		1.1	10
LFW 36R	8/17/2015	CADMIUM	2.5	ug/L	U				0.5	2.5
LFW 36R	8/17/2015	CHROMIUM	50	ug/L	U				5	50
LFW 36R	8/17/2015	COBALT	10	ug/L	U				1.1	10
LFW 36R	8/17/2015	COPPER	5	ug/L	U				3.4	5
LFW 36R	8/17/2015	IRON	110000	ug/L					160	250
LFW 36R	8/17/2015	LEAD	15	ug/L	U				0.87	15
LFW 36R	8/17/2015	MANGANESE	16	ug/L					4.4	10
LFW 36R	8/17/2015	NICKEL	25	ug/L	U				4	25
LFW 36R	8/17/2015	SELENIUM	25	ug/L	U				8	25
LFW 36R	8/17/2015	SILVER	10	ug/L	U				4.1	10
LFW 36R	8/17/2015	VANADIUM	50	ug/L	U				12	50
LFW 36R	8/17/2015	ZINC	50	ug/L	U				47	50
LFW 32C	3/16/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 36R	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 36R	8/17/2015	1,1-DICHLOROETHANE	4	ug/L					0.07	1
LFW 36R	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 36R	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 36R	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 36R	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 36R	8/17/2015	ACETONE	2	ug/L					0.34	2
LFW 36R	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 36R	8/17/2015	BENZENE	0.98	ug/L	J		21		0.06	1
LFW 36R	8/17/2015	CHLOROBENZENE	15	ug/L					0.15	1
LFW 36R	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1.1	ug/L	J		21		0.1	2
LFW 36R	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	4.2	ug/L					0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 36R	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 36R	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 36R	8/17/2015	CIS-1,2-DICHLOROETHYLENE	3.9	ug/L					0.09	1
LFW 36R	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 36R	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 36R	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 36R	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 36R	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 36R	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 36R	8/17/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
LFW 36R	8/17/2015	TOLUENE	0.98	ug/L	J		21		0.07	1
LFW 36R	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 31	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 36R	8/17/2015	TRICHLOROFLUOROMETHANE	2	ug/L					0.11	1
LFW 36R	8/17/2015	XYLENES	0.38	ug/L	J		21		0.2	3
LFW 62D	8/17/2015	1,4-DIOXANE	53	ug/L					1.2	5
LFW 36R	8/17/2015	1,2-DICHLOROBENZENE	11	ug/L	U				1.1	11
LFW 36R	8/17/2015	1,3-DICHLOROBENZENE	11	ug/L	U				1.1	11
LFW 36R	8/17/2015	1,4-DICHLOROBENZENE	15	ug/L					1.1	11
LFW 36R	8/17/2015	PHENOL	11	ug/L	U				2.1	11
LFW 36R	8/17/2015	GROSS ALPHA	6.45	pCi/L				2.01	2.3	6.32
LFW 36R	8/17/2015	RADIUM-226	1.97	pCi/L				0.191	0.057	0.4393
LFW 36R	8/17/2015	RADIUM-228	7.1	pCi/L				0.537	0.388	1.462
LFW 36R	8/17/2015	FLUORIDE	170	ug/L					10	100
LFW 36R	8/17/2015	TRITIUM	0.567	pCi/mL	J		21	0.288	0.398	0.974
LFW 41R	3/17/2015	NITRATE-NITRITE AS NITROGEN	1.51	mg/L		J	11		0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 41R	3/17/2015	ALUMINUM	26.6	ug/L	J	J	21		15	50
LFW 41R	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 41R	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 41R	3/17/2015	BARIUM	7.42	ug/L					0.6	2
LFW 41R	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 41R	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 41R	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 41R	3/17/2015	COBALT	0.447	ug/L	J	J	21		0.1	1
LFW 41R	3/17/2015	COPPER	0.408	ug/L	J	J	21		0.35	1
LFW 41R	3/17/2015	IRON	100	ug/L	U	U			33	100
LFW 41R	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 41R	3/17/2015	MANGANESE	5	ug/L	U	U			1	5
LFW 41R	3/17/2015	NICKEL	0.819	ug/L	J	J	21		0.5	2
LFW 41R	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 41R	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 41R	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 41R	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 32C	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 41R	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	DELTA-BENZENE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HEXACHLORIDE								
LFW 41R	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 41R	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 41R	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 41R	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 41R	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 41R	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 41R	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 41R	3/17/2015	2,4,5-T	0.024	ug/L	U	UJ	14		0.00769	0.024
LFW 41R	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	UJ	14		0.00769	0.024
LFW 41R	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	UJ	14		0.00769	0.024
LFW 41R	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,1-DICHLOROETHANE	1.17	ug/L					0.3	1
LFW 41R	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 29	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 41R	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 41R	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 41R	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 41R	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	TETRACHLOROETHYLENE (PCE)	1.07	ug/L					0.3	1
LFW 41R	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 31	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 41R	3/17/2015	TRICHLOROFLUOROMETHANE	1.91	ug/L					0.3	1
LFW 41R	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 29	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 41R	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 41R	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 41R	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 41R	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 41R	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 41R	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 41R	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 41R	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 41R	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 41R	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 41R	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 41R	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 41R	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 41R	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 41R	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 41R	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 41R	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 41R	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 41R	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 41R	3/17/2015	GROSS ALPHA	4.07	pCi/L	J	J	21	2.15	2.83	7.13
LFW 41R	3/17/2015	TRITIUM	0.342	pCi/mL	U	U		0.342	0.569	1.25
LFW 41R	3/17/2015	RADIUM-226	2.4	pCi/L				0.486	0.36	1.33

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	3/17/2015	RADIUM-228	4.33	pCi/L				0.643	0.451	1.74
LFW 41R	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 41R	8/18/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.0094	0.1
LFW 41R	8/18/2015	ALUMINUM	43	ug/L					17	30
LFW 41R	8/18/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 41R	8/18/2015	BARIUM	6.6	ug/L					0.22	2
LFW 41R	8/18/2015	CADMIUM	0.16	ug/L	J		21		0.1	0.5
LFW 41R	8/18/2015	CHROMIUM	1.6	ug/L	J		21		1	10
LFW 41R	8/18/2015	COBALT	0.45	ug/L	J		21		0.22	2
LFW 41R	8/18/2015	COPPER	1.5	ug/L					0.68	1
LFW 41R	8/18/2015	IRON	50	ug/L	U				33	50
LFW 41R	8/18/2015	LEAD	0.23	ug/L	J		21		0.17	3
LFW 41R	8/18/2015	MANGANESE	1.5	ug/L	J		21		0.88	2
LFW 41R	8/18/2015	NICKEL	5	ug/L	U				0.8	5
LFW 41R	8/18/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 41R	8/18/2015	SILVER	2	ug/L	U				0.82	2
LFW 41R	8/18/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 41R	8/18/2015	ZINC	10	ug/L	U				9.3	10
LFW 35	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 41R	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 41R	8/18/2015	1,1-DICHLOROETHANE	0.53	ug/L	J		21		0.07	1
LFW 41R	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 41R	8/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 41R	8/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 41R	8/18/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 41R	8/18/2015	ACETONE	1.7	ug/L	J		21		0.34	2
LFW 41R	8/18/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	8/18/2015	BENZENE	1	ug/L	U				0.06	1
LFW 41R	8/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 41R	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 41R	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 41R	8/18/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 41R	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 41R	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 41R	8/18/2015	DICHLORODIFLUOROMETHANE	0.71	ug/L	J		21		0.08	2
LFW 41R	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 41R	8/18/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 41R	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 41R	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 41R	8/18/2015	STYRENE	1	ug/L	U				0.07	1
LFW 41R	8/18/2015	TETRACHLOROETHYLENE (PCE)	0.7	ug/L	J		21		0.18	1
LFW 41R	8/18/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
LFW 41R	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 32C	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 41R	8/18/2015	TRICHLOROFLUOROMETHANE	0.97	ug/L	J		21		0.11	1
LFW 41R	8/18/2015	XYLENES	3	ug/L	U				0.2	3
LFW 41R	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 41R	8/18/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 41R	8/18/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 41R	8/18/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 41R	8/18/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 41R	8/18/2015	GROSS ALPHA	4	pCi/L				1.21	1.19	3.61

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 41R	8/18/2015	RADIUM-226	1.86	pCi/L				0.191	0.082	0.4637
LFW 41R	8/18/2015	RADIUM-228	3	pCi/L				0.379	0.355	1.113
LFW 41R	8/18/2015	FLUORIDE	100	ug/L	U				10	100
LFW 41R	8/18/2015	TRITIUM	0.224	pCi/mL	U			0.242	0.389	0.873
LFW 43B	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 43B	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 43B	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 43B	3/16/2015	BARIUM	4.7	ug/L					0.22	2
LFW 43B	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 43B	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 43B	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 43B	3/16/2015	COBALT	0.93	ug/L	J		21		0.22	2
LFW 43B	3/16/2015	COPPER	0.93	ug/L	J		21		0.68	1
LFW 43B	3/16/2015	LEAD	0.38	ug/L	J		21		0.17	3
LFW 43B	3/16/2015	NICKEL	1	ug/L	J		21, V		0.8	5
LFW 43B	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 43B	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 43B	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 43B	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 43B	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 43B	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 36R	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 43B	3/16/2015	ALDRIN	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.012	0.047
LFW 43B	3/16/2015	DDD	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	DDE	0.047	ug/L	U				0.013	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	DDT	0.047	ug/L	U				0.022	0.047
LFW 43B	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	DIELDRIN	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	ENDOSULFAN I	0.047	ug/L	U				0.018	0.047
LFW 43B	3/16/2015	ENDOSULFAN II	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	ENDOSULFAN SULFATE	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	ENDRIN	0.047	ug/L	U				0.017	0.047
LFW 43B	3/16/2015	ENDRIN ALDEHYDE	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	HEPTACHLOR	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U				0.016	0.047
LFW 43B	3/16/2015	LINDANE	0.047	ug/L	U				0.0095	0.047
LFW 43B	3/16/2015	METHOXYCHLOR	0.47	ug/L	U				0.012	0.47
LFW 43B	3/16/2015	TOTAL CHLORDANE	0.47	ug/L	U				0.095	0.47
LFW 43B	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.25	1.9
LFW 43B	3/16/2015	AROCLOR 1016	0.94	ug/L	U				0.33	0.94
LFW 43B	3/16/2015	AROCLOR 1221	0.94	ug/L	U				0.33	0.94
LFW 43B	3/16/2015	AROCLOR 1232	0.94	ug/L	U				0.33	0.94
LFW 43B	3/16/2015	AROCLOR 1242	0.94	ug/L	U				0.33	0.94
LFW 43B	3/16/2015	AROCLOR 1248	0.94	ug/L	U				0.33	0.94
LFW 43B	3/16/2015	AROCLOR 1254	0.94	ug/L	U				0.16	0.94
LFW 43B	3/16/2015	AROCLOR 1260	0.94	ug/L	U				0.16	0.94
LFW 43B	3/16/2015	DINOSEB	0.236	ug/L	U				0.0786	0.236
LFW 43B	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 43B	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 43B	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 43B	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43B	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 43B	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 43B	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43B	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43B	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43B	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 43B	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 43B	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 43B	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 43B	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 43B	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 43B	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 43B	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 43B	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 43B	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 43B	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 43B	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 43B	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 43B	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 43B	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 43B	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43B	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 43B	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 43B	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 43B	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 43B	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 43B	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 43B	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43B	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 43B	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43B	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 43B	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 43B	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 43B	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43B	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 43B	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 43B	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 43B	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 43B	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 43B	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 43B	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 43B	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 43B	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 43B	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 43B	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 43B	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 43B	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
LFW 43B	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43B	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43B	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 35	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 43B	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 43B	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 43B	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 43B	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	1,3,5-TRINITROBENZENE	48	ug/L	U				0.95	48
LFW 43B	3/16/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	1,3-DINITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	1,4-NAPHTHOQUINONE	48	ug/L	U				0.95	48
LFW 43B	3/16/2015	1-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U				0.95	48
LFW 43B	3/16/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,4-DINITROPHENOL	48	ug/L	U				1.9	48
LFW 43B	3/16/2015	2,4-DINITROTOLUENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2,6-DINITROTOLUENE	9.5	ug/L	U				2.1	9.5
LFW 43B	3/16/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U		14		0.95	95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2-CHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	2-NITROANILINE	9.5	ug/L	U				1	9.5
LFW 43B	3/16/2015	2-NITROPHENOL	9.5	ug/L	U				1.4	9.5
LFW 43B	3/16/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U		14		1.2	48
LFW 43B	3/16/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U		14		2.5	48
LFW 43B	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.95	19
LFW 43B	3/16/2015	4-AMINOBIPHENYL	48	ug/L	U				1	48
LFW 43B	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	4-CHLOROANILINE	9.5	ug/L	U				1.9	9.5
LFW 43B	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	4-NITROPHENOL	9.5	ug/L	U				1.9	9.5
LFW 43B	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.95	19
LFW 43B	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U				21	48
LFW 43B	3/16/2015	ACENAPHTHENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	ACENAPHTHYLENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	ACETOPHENONE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	BENZO[A]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	BENZYL ALCOHOL	9.5	ug/L	U				2.9	9.5
LFW 43B	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U		14		1.8	9.5
LFW 43B	3/16/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	CHLOROBENZILATE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	CHRYSENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 43B	3/16/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	DIBENZOFURAN	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	DIMETHOATE	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	DIMETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	DINITRO-O-CRESOL	9.5	ug/L	U				1.2	9.5
LFW 43B	3/16/2015	DISULFOTON	48	ug/L	U		14		0.95	48
LFW 43B	3/16/2015	ETHYL METHACRYLATE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	ETHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	FAMPHUR	95	ug/L	U		14		1.6	95
LFW 43B	3/16/2015	FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	FLUORENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	HEXACHLOROBENZENE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	HEXACHLOROETHANE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	HEXACHLOROPROPENE	95	ug/L	U				0.95	95
LFW 43B	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	ISODRIN	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	ISOPHORONE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	ISOSAFROLE	19	ug/L	U				4.8	19
LFW 43B	3/16/2015	KEPONE	95	ug/L	U		14		19	95
LFW 43B	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 43B	3/16/2015	METHAPYRILENE	48	ug/L	U		14		1.2	48
LFW 43B	3/16/2015	METHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	METHYL PARATHION	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	M-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	NAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	NITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U				1.9	9.5
LFW 43B	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U				1.4	9.5
LFW 43B	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U				1.1	48
LFW 43B	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	PARATHION	48	ug/L	U		14		0.95	48
LFW 43B	3/16/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	PENTACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	PENTACHLORONITROBENZENE	48	ug/L	U				0.95	48
LFW 43B	3/16/2015	PENTACHLOROPHENOL	9.5	ug/L	U				1.2	9.5
LFW 43B	3/16/2015	PHENACETIN	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	PHENANTHRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 43B	3/16/2015	PHORATE	48	ug/L	U				1.9	48
LFW 43B	3/16/2015	P-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 43B	3/16/2015	P-PHENYLENEDIAMINE	95	ug/L	U				0.95	95
LFW 43B	3/16/2015	PRONAMIDE	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43B	3/16/2015	SAFROLE	19	ug/L	U				0.95	19
LFW 43B	3/16/2015	THIONAZIN	48	ug/L	U				0.95	48
LFW 43B	3/16/2015	2,3,7,8-TCDD	0.0095	ng/L	U				0.0032	0.0095
LFW 43B	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 43B	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 43B	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 43B	8/12/2015	BARIUM	4.56	ug/L	J		21		2	20
LFW 43B	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	8/12/2015	COBALT	0.651	ug/L	J		21		0.5	5
LFW 43B	8/12/2015	COPPER	1.2	ug/L	J		21		0.5	5
LFW 43B	8/12/2015	LEAD	0.691	ug/L	J		21		0.5	5
LFW 43B	8/12/2015	NICKEL	0.766	ug/L	J		21		0.5	5
LFW 43B	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 43B	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 43B	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	TIN	10	ug/L	U				1	10
LFW 43B	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 43B	8/12/2015	ZINC	4.52	ug/L	J		21		4	40
LFW 36R	8/17/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 43B	8/12/2015	2,4,5-T	0.94	ug/L	U				0.25	0.94
LFW 43B	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 43B	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43B	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 43B	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43B	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43B	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 43B	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 43B	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 43B	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 43B	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 43B	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 43B	8/12/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 43B	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 43B	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43B	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 43B	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 43B	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 43B	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 43B	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 43B	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 43B	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 43B	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43B	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 43B	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43B	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 43B	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 43B	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43B	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 43B	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 43B	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 43B	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 43B	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 43B	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 43B	8/12/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43B	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 43B	8/12/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
LFW 43B	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43B	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43B	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 35	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 43B	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 43B	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 43B	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 43B	8/12/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 43C	3/16/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L		J	11		0.085	0.25
LFW 43C	3/16/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 43C	3/16/2015	ALUMINUM	15.6	ug/L	J	J	21		15	50
LFW 43C	3/16/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 43C	3/16/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 43C	3/16/2015	BARIUM	5.48	ug/L					0.6	2
LFW 43C	3/16/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 43C	3/16/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 43C	3/16/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 43C	3/16/2015	COBALT	0.184	ug/L	J	J	21		0.1	1
LFW 43C	3/16/2015	COPPER	3.38	ug/L					0.35	1
LFW 43C	3/16/2015	IRON	100	ug/L	U	U			33	100
LFW 43C	3/16/2015	LEAD	1.65	ug/L	J	J	21		0.5	2
LFW 43C	3/16/2015	MANGANESE	1.78	ug/L	J	J	21		1	5
LFW 43C	3/16/2015	NICKEL	2	ug/L	U	U			0.5	2
LFW 43C	3/16/2015	SELENIUM	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 43C	3/16/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 43C	3/16/2015	TIN	5	ug/L	U	U			1	5
LFW 43C	3/16/2015	ZINC	4.99	ug/L	J	J	21		3.5	10
LFW 41R	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 43C	3/16/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 43C	3/16/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 43C	3/16/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 43C	3/16/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 43C	3/16/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 43C	3/16/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 43C	3/16/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
LFW 43C	3/16/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 43C	3/16/2015	2,4,5-T	0.025	ug/L	U	U			0.008	0.025
LFW 43C	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U	U			0.008	0.025
LFW 43C	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U	U			0.008	0.025
LFW 43C	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 43C	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 43C	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	ACETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 43C	3/16/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 43C	3/16/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 41R	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 43C	3/16/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 48D	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 43C	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 43C	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 43C	3/16/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 43C	3/16/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 43C	3/16/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 43C	3/16/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 43C	3/16/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 43C	3/16/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 43C	3/16/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 43C	3/16/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 43C	3/16/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	KEPONE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 43C	3/16/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	PARATHION	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	3/16/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 43C	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 43C	3/16/2015	PHORATE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 43C	3/16/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 43C	3/16/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 43C	3/16/2015	2,3,7,8-TCDD	0.00957	ng/L	U	U			0.0032	0.00957
LFW 43C	3/16/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 43C	3/16/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 43C	3/16/2015	GROSS ALPHA	3.95	pCi/L	J	J	21	2.24	2.91	7.39
LFW 43C	3/16/2015	TRITIUM	0.543	pCi/mL	U	U		0.36	0.573	1.29
LFW 43C	3/16/2015	RADIUM-226	2.5	pCi/L				0.547	0.43	1.52
LFW 43C	3/16/2015	RADIUM-228	1.71	pCi/L	J	J	21	0.602	0.841	2.05
LFW 43C	3/16/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 43C	8/12/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.0094	0.1
LFW 43C	8/12/2015	SULFIDE	2.7	mg/L					0.45	1
LFW 43C	8/12/2015	ALUMINUM	120	ug/L			V		17	30
LFW 43C	8/12/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 43C	8/12/2015	ARSENIC	10	ug/L	U				1.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	8/12/2015	BARIUM	7.1	ug/L					0.22	2
LFW 43C	8/12/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 43C	8/12/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 43C	8/12/2015	CHROMIUM	10	ug/L	U				1	10
LFW 43C	8/12/2015	COBALT	2	ug/L	U				0.22	2
LFW 43C	8/12/2015	COPPER	3.1	ug/L					0.68	1
LFW 43C	8/12/2015	IRON	50	ug/L	U				33	50
LFW 43C	8/12/2015	LEAD	1.4	ug/L	J		21		0.17	3
LFW 43C	8/12/2015	MANGANESE	2	ug/L					0.88	2
LFW 43C	8/12/2015	NICKEL	5	ug/L	U				0.8	5
LFW 43C	8/12/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 43C	8/12/2015	SILVER	2	ug/L	U				0.82	2
LFW 43C	8/12/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 43C	8/12/2015	TIN	2	ug/L	U				1.1	2
LFW 43C	8/12/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 43C	8/12/2015	ZINC	10	ug/L	U				9.3	10
LFW 41R	8/18/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 43C	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 43C	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43C	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 43C	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 43C	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43C	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43C	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 43C	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 43C	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 43C	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 43C	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 43C	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 43C	8/12/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 43C	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 43C	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 43C	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43C	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 43C	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 43C	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 43C	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 43C	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 43C	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 43C	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 43C	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43C	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 43C	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43C	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 43C	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 43C	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43C	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 43C	8/12/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 43C	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 43C	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 43C	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 43C	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 43C	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 43C	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 43C	8/12/2015	TOLUENE	0.28	ug/L	J		21		0.07	1
LFW 43C	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43C	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43C	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 41R	8/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 43C	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 43C	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 43C	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 59C	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 43C	8/12/2015	1,2-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 43C	8/12/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 43C	8/12/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 43C	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 43C	8/12/2015	PHENOL	10	ug/L	U				2	10
LFW 43C	8/12/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.00051	0.01
LFW 43C	8/12/2015	GROSS ALPHA	5.2	pCi/L				1.42	1.52	4.36
LFW 43C	8/12/2015	CYANIDE	3.7	ug/L	J		21		2.9	10
LFW 43C	8/12/2015	RADIUM-226	2.67	pCi/L				0.235	0.111	0.581
LFW 43C	8/12/2015	RADIUM-228	0.928	pCi/L				0.247	0.309	0.803
LFW 43C	8/12/2015	FLUORIDE	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43C	8/12/2015	TRITIUM	0.355	pCi/mL	U			0.262	0.398	0.922
LFW 43D	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 43D	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 43D	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 43D	3/16/2015	BARIUM	11	ug/L					0.22	2
LFW 43D	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 43D	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 43D	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 43D	3/16/2015	COBALT	2	ug/L	U				0.22	2
LFW 43D	3/16/2015	COPPER	27	ug/L					0.68	1
LFW 43D	3/16/2015	LEAD	1.9	ug/L	J		21		0.17	3
LFW 43D	3/16/2015	NICKEL	5	ug/L	U				0.8	5
LFW 43D	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 43D	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 43D	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 43D	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 43D	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 43D	3/16/2015	ZINC	18	ug/L					9.3	10
LFW 43B	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 43D	3/16/2015	ALDRIN	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.012	0.047
LFW 43D	3/16/2015	DDD	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	DDE	0.047	ug/L	U				0.013	0.047
LFW 43D	3/16/2015	DDT	0.047	ug/L	U				0.022	0.047
LFW 43D	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	DIELDRIN	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	ENDOSULFAN I	0.047	ug/L	U				0.018	0.047
LFW 43D	3/16/2015	ENDOSULFAN II	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	ENDOSULFAN SULFATE	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	ENDRIN	0.047	ug/L	U				0.017	0.047
LFW 43D	3/16/2015	ENDRIN ALDEHYDE	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	HEPTACHLOR	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U				0.016	0.047
LFW 43D	3/16/2015	LINDANE	0.047	ug/L	U				0.0094	0.047
LFW 43D	3/16/2015	METHOXYCHLOR	0.47	ug/L	U				0.012	0.47
LFW 43D	3/16/2015	TOTAL CHLORDANE	0.47	ug/L	U				0.094	0.47
LFW 43D	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.25	1.9
LFW 43D	3/16/2015	AROCLOR 1016	0.94	ug/L	U				0.33	0.94
LFW 43D	3/16/2015	AROCLOR 1221	0.94	ug/L	U				0.33	0.94
LFW 43D	3/16/2015	AROCLOR 1232	0.94	ug/L	U				0.33	0.94
LFW 43D	3/16/2015	AROCLOR 1242	0.94	ug/L	U				0.33	0.94
LFW 43D	3/16/2015	AROCLOR 1248	0.94	ug/L	U				0.33	0.94
LFW 43D	3/16/2015	AROCLOR 1254	0.94	ug/L	U				0.16	0.94
LFW 43D	3/16/2015	AROCLOR 1260	0.94	ug/L	U				0.16	0.94
LFW 43D	3/16/2015	DINOSEB	0.236	ug/L	U				0.0786	0.236
LFW 43D	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 43D	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 43D	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 43D	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 43D	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43D	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 43D	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43D	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43D	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43D	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 43D	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 43D	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 43D	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 43D	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 43D	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 43D	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 43D	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 43D	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 43D	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 43D	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 43D	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 43D	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 43D	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 43D	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 43D	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43D	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 43D	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 43D	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 43D	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 43D	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 43D	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 43D	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43D	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 43D	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43D	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 43D	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 43D	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 43D	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43D	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 43D	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 43D	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 43D	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 43D	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 43D	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 43D	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 43D	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 43D	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 43D	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 43D	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 43D	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 43D	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 43D	3/16/2015	TOLUENE	0.46	ug/L	J		21		0.07	1
LFW 43D	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43D	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 43B	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 43D	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 43D	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 43D	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 43D	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	1,3,5-TRINITROBENZENE	47	ug/L	U				0.95	47
LFW 43D	3/16/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	1,3-DINITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	1,4-NAPHTHOQUINONE	47	ug/L	U				0.95	47
LFW 43D	3/16/2015	1-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U				0.95	47
LFW 43D	3/16/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,4-DINITROPHENOL	47	ug/L	U				1.9	47
LFW 43D	3/16/2015	2,4-DINITROTOLUENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2,6-DINITROTOLUENE	9.5	ug/L	U				2	9.5
LFW 43D	3/16/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U		14		0.95	95
LFW 43D	3/16/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2-CHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.95	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	2-NITROANILINE	9.5	ug/L	U				1	9.5
LFW 43D	3/16/2015	2-NITROPHENOL	9.5	ug/L	U				1.4	9.5
LFW 43D	3/16/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U		14		1.2	47
LFW 43D	3/16/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U		14		2.5	47
LFW 43D	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.95	19
LFW 43D	3/16/2015	4-AMINOBIPHENYL	47	ug/L	U				0.99	47
LFW 43D	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	4-CHLOROANILINE	9.5	ug/L	U				1.9	9.5
LFW 43D	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	4-NITROPHENOL	9.5	ug/L	U				1.9	9.5
LFW 43D	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.95	19
LFW 43D	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.95	19
LFW 43D	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U				21	47
LFW 43D	3/16/2015	ACENAPHTHENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	ACENAPHTHYLENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	ACETOPHENONE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	BENZO[A]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	BENZYL ALCOHOL	9.5	ug/L	U				2.8	9.5
LFW 43D	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U		14		1.8	9.5
LFW 43D	3/16/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	CHLOROBENZILATE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	CHRYSENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 43D	3/16/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	DIBENZOFURAN	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	DIMETHOATE	19	ug/L	U				0.95	19
LFW 43D	3/16/2015	DIMETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	DINITRO-O-CRESOL	9.5	ug/L	U				1.2	9.5
LFW 43D	3/16/2015	DISULFOTON	47	ug/L	U		14		0.95	47
LFW 43D	3/16/2015	ETHYL METHACRYLATE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	ETHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	FAMPHUR	95	ug/L	U		14		1.6	95
LFW 43D	3/16/2015	FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	FLUORENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	HEXACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	HEXACHLOROETHANE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	HEXACHLOROPROPENE	95	ug/L	U				0.95	95
LFW 43D	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	ISODRIN	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	ISOPHORONE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	ISOSAFROLE	19	ug/L	U				4.7	19
LFW 43D	3/16/2015	KEPONE	95	ug/L	U		14		19	95
LFW 43D	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 43D	3/16/2015	METHAPYRILENE	47	ug/L	U		14		1.2	47
LFW 43D	3/16/2015	METHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	METHYL PARATHION	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	M-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	NAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	NITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U				1.9	9.5
LFW 43D	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U				1.4	9.5
LFW 43D	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U				1.1	47
LFW 43D	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	3/16/2015	PARATHION	47	ug/L	U		14		0.95	47
LFW 43D	3/16/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	PENTACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	PENTACHLORONITROBENZENE	47	ug/L	U				0.95	47
LFW 43D	3/16/2015	PENTACHLOROPHENOL	9.5	ug/L	U				1.2	9.5
LFW 43D	3/16/2015	PHENACETIN	19	ug/L	U				0.95	19
LFW 43D	3/16/2015	PHENANTHRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 43D	3/16/2015	PHORATE	47	ug/L	U				1.9	47
LFW 43D	3/16/2015	P-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 43D	3/16/2015	P-PHENYLENEDIAMINE	95	ug/L	U				0.95	95
LFW 43D	3/16/2015	PRONAMIDE	19	ug/L	U				0.95	19
LFW 43D	3/16/2015	PYRENE	9.5	ug/L	U		14		0.95	9.5
LFW 43D	3/16/2015	SAFROLE	19	ug/L	U				0.95	19
LFW 43D	3/16/2015	THIONAZIN	47	ug/L	U				0.95	47
LFW 43D	3/16/2015	2,3,7,8-TCDD	0.0095	ng/L	U				0.0031	0.0095
LFW 43D	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 43D	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 43D	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 43D	8/12/2015	BARIUM	11.4	ug/L	J		21		2	20
LFW 43D	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	CHROMIUM	10.7	ug/L	J		21		10	100
LFW 43D	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 43D	8/12/2015	COPPER	10.4	ug/L					0.5	5
LFW 43D	8/12/2015	LEAD	1.53	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	8/12/2015	NICKEL	1.14	ug/L	J		21		0.5	5
LFW 43D	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 43D	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 43D	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	TIN	10	ug/L	U				1	10
LFW 43D	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 43D	8/12/2015	ZINC	7.28	ug/L	J		21		4	40
LFW 43C	3/16/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 43D	8/12/2015	2,4,5-T	0.95	ug/L	U				0.26	0.95
LFW 43D	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 43D	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43D	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 43D	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 43D	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 43D	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 43D	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 43D	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 43D	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 43D	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 43D	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 43D	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 43D	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 43D	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 43D	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 43D	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 43D	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 43D	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 43D	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 43D	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 43D	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 43D	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43D	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 43D	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 43D	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 43D	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 43D	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 43D	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 43D	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 43D	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 43D	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 43D	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 43D	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 43D	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 43D	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 43D	8/12/2015	TOLUENE	0.36	ug/L	J		21		0.07	1
LFW 43D	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 43D	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 43D	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 43B	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 43D	8/12/2015	TRICHLOROFLUOROMETHANE	0.28	ug/L	J		21		0.11	1
LFW 43D	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 43D	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 43D	8/12/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 44D	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 44D	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 44D	3/16/2015	BARIUM	8.1	ug/L					0.22	2
LFW 44D	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 44D	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 44D	3/16/2015	CHROMIUM	1.2	ug/L	J		21, V		1	10
LFW 44D	3/16/2015	COBALT	0.55	ug/L	J		21		0.22	2
LFW 44D	3/16/2015	COPPER	1	ug/L	U				0.68	1
LFW 44D	3/16/2015	LEAD	3	ug/L	U				0.17	3
LFW 44D	3/16/2015	NICKEL	0.81	ug/L	J		21, V		0.8	5
LFW 44D	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 44D	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 44D	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 44D	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 44D	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 44D	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 43C	8/12/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 44D	3/16/2015	ALDRIN	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	ALPHA-BENZENE	0.048	ug/L	U				0.0096	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HEXACHLORIDE								
LFW 44D	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.012	0.048
LFW 44D	3/16/2015	DDD	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	DDE	0.048	ug/L	U				0.013	0.048
LFW 44D	3/16/2015	DDT	0.048	ug/L	U				0.022	0.048
LFW 44D	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	DIELDRIN	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	ENDOSULFAN I	0.048	ug/L	U				0.018	0.048
LFW 44D	3/16/2015	ENDOSULFAN II	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	ENDOSULFAN SULFATE	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	ENDRIN	0.048	ug/L	U				0.017	0.048
LFW 44D	3/16/2015	ENDRIN ALDEHYDE	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	HEPTACHLOR	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U				0.016	0.048
LFW 44D	3/16/2015	LINDANE	0.048	ug/L	U				0.0096	0.048
LFW 44D	3/16/2015	METHOXYCHLOR	0.48	ug/L	U				0.012	0.48
LFW 44D	3/16/2015	TOTAL CHLORDANE	0.48	ug/L	U				0.096	0.48
LFW 44D	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
LFW 44D	3/16/2015	AROCLOR 1016	0.96	ug/L	U				0.33	0.96
LFW 44D	3/16/2015	AROCLOR 1221	0.96	ug/L	U				0.33	0.96
LFW 44D	3/16/2015	AROCLOR 1232	0.96	ug/L	U				0.33	0.96
LFW 44D	3/16/2015	AROCLOR 1242	0.96	ug/L	U				0.33	0.96
LFW 44D	3/16/2015	AROCLOR 1248	0.96	ug/L	U				0.33	0.96
LFW 44D	3/16/2015	AROCLOR 1254	0.96	ug/L	U				0.16	0.96
LFW 44D	3/16/2015	AROCLOR 1260	0.96	ug/L	U				0.16	0.96
LFW 44D	3/16/2015	DINOSEB	0.24	ug/L	U				0.0801	0.24
LFW 44D	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 44D	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 44D	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 44D	3/16/2015	1,1,1-TRICHLOROETHANE	0.22	ug/L	J		21		0.07	1
LFW 44D	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 44D	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 44D	3/16/2015	1,1-DICHLOROETHANE	2.2	ug/L					0.07	1
LFW 44D	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L			S		0.08	1
LFW 44D	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 44D	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 44D	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 44D	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 44D	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 44D	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 44D	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 44D	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 44D	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 44D	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 44D	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 44D	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 44D	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 44D	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 44D	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 44D	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 44D	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 44D	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 44D	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 44D	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 44D	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 44D	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 44D	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 44D	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 44D	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 44D	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 44D	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 44D	3/16/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J		21		0.09	1
LFW 44D	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 44D	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 44D	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 44D	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 44D	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.8	ug/L					0.27	1
LFW 44D	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 44D	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 44D	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 44D	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 44D	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 44D	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 44D	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 44D	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 44D	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 44D	3/16/2015	TOLUENE	2.5	ug/L					0.07	1
LFW 44D	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 44D	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 44D	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 43C	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 44D	3/16/2015	TRICHLOROFLUOROMETHANE	24	ug/L					0.11	1
LFW 44D	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 44D	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 44D	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	1,3,5-TRINITROBENZENE	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	1,3-DINITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	1,4-NAPHTHOQUINONE	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	1-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,4-DINITROPHENOL	48	ug/L	U				1.9	48
LFW 44D	3/16/2015	2,4-DINITROTOLUENE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2,6-DINITROTOLUENE	9.5	ug/L	U				2.1	9.5
LFW 44D	3/16/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U				0.95	95
LFW 44D	3/16/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2-CHLOROPHENOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	2-NITROANILINE	9.5	ug/L	U				1	9.5
LFW 44D	3/16/2015	2-NITROPHENOL	9.5	ug/L	U				1.5	9.5
LFW 44D	3/16/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U				1.2	48
LFW 44D	3/16/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U				2.5	48
LFW 44D	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	4-AMINOBIPHENYL	48	ug/L	U				1	48
LFW 44D	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	4-CHLOROANILINE	9.5	ug/L	U				1.9	9.5
LFW 44D	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	4-NITROPHENOL	9.5	ug/L	U				1.9	9.5
LFW 44D	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U				21	48
LFW 44D	3/16/2015	ACENAPHTHENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ACENAPHTHYLENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ACETOPHENONE	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	ANTHRACENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZO[A]PYRENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BENZYL ALCOHOL	9.5	ug/L	U				2.9	9.5
LFW 44D	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U				1.8	9.5
LFW 44D	3/16/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	CHLOROBENZILATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	CHRYSENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 44D	3/16/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DIBENZOFURAN	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DIMETHOATE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	DIMETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	DINITRO-O-CRESOL	9.5	ug/L	U				1.2	9.5
LFW 44D	3/16/2015	DISULFOTON	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	ETHYL METHACRYLATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ETHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	FAMPHUR	95	ug/L	U				1.6	95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	FLUORANTHENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	FLUORENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	HEXACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	HEXACHLOROETHANE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	HEXACHLOROPROPENE	95	ug/L	U				0.95	95
LFW 44D	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ISODRIN	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ISOPHORONE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	ISOSAFROLE	19	ug/L	U				4.8	19
LFW 44D	3/16/2015	KEPONE	95	ug/L	U				19	95
LFW 44D	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 44D	3/16/2015	METHAPYRILENE	48	ug/L	U				1.2	48
LFW 44D	3/16/2015	METHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	METHYL PARATHION	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	M-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	NAPHTHALENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	NITROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U				1.9	9.5
LFW 44D	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U				1.4	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U				1.1	48
LFW 44D	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	PARATHION	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	PENTACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	PENTACHLORONITROBENZENE	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	PENTACHLOROPHENOL	9.5	ug/L	U				1.2	9.5
LFW 44D	3/16/2015	PHENACETIN	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	PHENANTHRENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 44D	3/16/2015	PHORATE	48	ug/L	U				1.9	48
LFW 44D	3/16/2015	P-NITROANILINE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	P-PHENYLENEDIAMINE	95	ug/L	U				0.95	95
LFW 44D	3/16/2015	PRONAMIDE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	PYRENE	9.5	ug/L	U				0.95	9.5
LFW 44D	3/16/2015	SAFROLE	19	ug/L	U				0.95	19
LFW 44D	3/16/2015	THIONAZIN	48	ug/L	U				0.95	48
LFW 44D	3/16/2015	2,3,7,8-TCDD	0.0096	ng/L	U				0.0031	0.0096
LFW 44D	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 44D	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 44D	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 44D	8/12/2015	BARIUM	7.42	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 44D	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 44D	8/12/2015	COPPER	0.675	ug/L	J		21		0.5	5
LFW 44D	8/12/2015	LEAD	5	ug/L	U				0.5	5
LFW 44D	8/12/2015	NICKEL	0.61	ug/L	J		21		0.5	5
LFW 44D	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 44D	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 44D	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	TIN	10	ug/L	U				1	10
LFW 44D	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 44D	8/12/2015	ZINC	40	ug/L	U				4	40
LFW 43D	3/16/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 44D	8/12/2015	2,4,5-T	0.96	ug/L	U				0.26	0.96
LFW 44D	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 44D	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 44D	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 44D	8/12/2015	1,1-DICHLOROETHANE	1.1	ug/L					0.07	1
LFW 44D	8/12/2015	1,1-DICHLOROETHYLENE	0.52	ug/L	J		21		0.08	1
LFW 44D	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 44D	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 44D	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 44D	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 44D	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 44D	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 44D	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 44D	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 44D	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 44D	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 44D	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 44D	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 44D	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 44D	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 44D	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 44D	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 44D	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 44D	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 44D	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 44D	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 44D	8/12/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J		21		0.09	1
LFW 44D	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 44D	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 44D	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 44D	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 44D	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 44D	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 44D	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 44D	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 44D	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 44D	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 44D	8/12/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
LFW 44D	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 44D	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 44D	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 43C	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 44D	8/12/2015	TRICHLOROFLUOROMETHANE	22	ug/L					0.11	1
LFW 44D	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 44D	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 44D	8/12/2015	DIETHYL PHTHALATE	9.8	ug/L	U				0.98	9.8
LFW 43D	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 45D	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 45D	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 45D	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 45D	8/17/2015	CIS-1,2-DICHLOROETHYLENE	0.65	ug/L	J		21		0.09	1
LFW 45D	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 45D	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 43D	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 59D	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 45D	8/17/2015	TRITIUM	0.508	pCi/mL	J		21	0.279	0.392	0.95
LFW 61C	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 48C	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.0391	mg/L	J	J	21, 11		0.017	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 48C	3/17/2015	ALUMINUM	50.7	ug/L					15	50
LFW 48C	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 48C	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 48C	3/17/2015	BARIUM	38.9	ug/L					0.6	2
LFW 48C	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 48C	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 48C	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 48C	3/17/2015	COBALT	0.344	ug/L	J	J	21		0.1	1
LFW 48C	3/17/2015	COPPER	0.837	ug/L	J	J	21		0.35	1
LFW 48C	3/17/2015	IRON	212	ug/L					33	100
LFW 48C	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 48C	3/17/2015	MANGANESE	3.58	ug/L	J	J	21		1	5
LFW 48C	3/17/2015	NICKEL	0.538	ug/L	J	J	21		0.5	2
LFW 48C	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 48C	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 48C	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 48C	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 48D	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 48C	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	DELTA-BENZENE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HEXACHLORIDE								
LFW 48C	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 48C	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 48C	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 48C	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 48C	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 48C	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 48C	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 48C	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 48C	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 48C	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 48C	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,1-DICHLOROETHANE	2.77	ug/L					0.3	1
LFW 48C	3/17/2015	1,1-DICHLOROETHYLENE	0.98	ug/L	J	J	21		0.3	1
LFW 48C	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,2-DICHLOROETHANE (EDC)	0.45	ug/L	J	J	21		0.3	1
LFW 48C	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 48C	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 48C	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	BENZENE	0.38	ug/L	J	J	21		0.3	1
LFW 48C	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	CHLOROBENZENE	1.62	ug/L					0.3	1
LFW 48C	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	7.62	ug/L					0.3	1
LFW 48C	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	9.21	ug/L					0.3	1
LFW 48C	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 48C	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 48C	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J	J	21		0.3	1
LFW 48C	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 43D	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 48C	3/17/2015	TRICHLOROFLUOROMETHANE	3.97	ug/L					0.3	1
LFW 48C	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 48C	3/17/2015	XYLENES	0.33	ug/L	J	J	21		0.3	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
LFW 48C	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1,4-DICHLOROBENZENE	3.69	ug/L	J	J	21		3	10
LFW 48C	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	R	14		5	20
LFW 48C	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 48C	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	2-NITROPHENOL	10	ug/L	U	R	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 48C	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 48C	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	4-NITROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 48C	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 48C	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 48C	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 48C	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 48C	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 48C	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 48C	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	M/P-CRESOL	10	ug/L	U	R	14		3.7	10
LFW 48C	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 48C	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	PHENOL	10	ug/L	U	R	14		3	10
LFW 48C	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 48C	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 48C	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 48C	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 48C	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 48C	3/17/2015	GROSS ALPHA	2.14	pCi/L	U	U		1.58	2.22	5.38
LFW 48C	3/17/2015	TRITIUM	0.822	pCi/mL	J	J	21	0.327	0.459	1.11
LFW 48C	3/17/2015	RADIUM-226	1.49	pCi/L				0.408	0.376	1.19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	3/17/2015	RADIUM-228	1.01	pCi/L	J	J	21	0.404	0.525	1.33
LFW 48C	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 48C	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.23	mg/L					0.0047	0.05
LFW 48C	8/17/2015	ALUMINUM	45	ug/L					17	30
LFW 48C	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 48C	8/17/2015	BARIUM	17	ug/L					0.22	2
LFW 48C	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 48C	8/17/2015	CHROMIUM	1.3	ug/L	J		21		1	10
LFW 48C	8/17/2015	COBALT	0.51	ug/L	J		21		0.22	2
LFW 48C	8/17/2015	COPPER	1	ug/L	U				0.68	1
LFW 48C	8/17/2015	IRON	84	ug/L					33	50
LFW 48C	8/17/2015	LEAD	0.31	ug/L	J		21		0.17	3
LFW 48C	8/17/2015	MANGANESE	3.7	ug/L					0.88	2
LFW 48C	8/17/2015	NICKEL	0.9	ug/L	J		21		0.8	5
LFW 48C	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 48C	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 48C	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 48C	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 59C	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 48C	8/17/2015	1,1,1-TRICHLOROETHANE	0.19	ug/L	J		21		0.07	1
LFW 48C	8/17/2015	1,1-DICHLOROETHANE	2.9	ug/L					0.07	1
LFW 48C	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 48C	8/17/2015	1,2-DICHLOROETHANE (EDC)	0.24	ug/L	J		21		0.1	1
LFW 48C	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 48C	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 48C	8/17/2015	ACETONE	2.2	ug/L					0.34	2
LFW 48C	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	8/17/2015	BENZENE	0.38	ug/L	J		21		0.06	1
LFW 48C	8/17/2015	CHLOROBENZENE	0.68	ug/L	J		21		0.15	1
LFW 48C	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 48C	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2.7	ug/L					0.08	2
LFW 48C	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 48C	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 48C	8/17/2015	CIS-1,2-DICHLOROETHYLENE	4.9	ug/L					0.09	1
LFW 48C	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 48C	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.86	ug/L	J		21		0.27	1
LFW 48C	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 48C	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 48C	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 48C	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 48C	8/17/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
LFW 48C	8/17/2015	TOLUENE	0.23	ug/L	J		21		0.07	1
LFW 48C	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 48D	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 48C	8/17/2015	TRICHLOROFLUOROMETHANE	12	ug/L					0.11	1
LFW 48C	8/17/2015	XYLENES	0.6	ug/L	J		21		0.2	3
LFW 48C	8/17/2015	1,4-DIOXANE	37	ug/L					1.2	5
LFW 48C	8/17/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 48C	8/17/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 48C	8/17/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 48C	8/17/2015	PHENOL	9.7	ug/L	U				1.9	9.7
LFW 48C	8/17/2015	GROSS ALPHA	0.837	pCi/L	U			0.962	1.58	3.504

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48C	8/17/2015	RADIUM-226	1.25	pCi/L				0.163	0.077	0.4033
LFW 48C	8/17/2015	RADIUM-228	0.317	pCi/L	U			0.242	0.383	0.867
LFW 48C	8/17/2015	FLUORIDE	100	ug/L	U				10	100
LFW 48C	8/17/2015	TRITIUM	0.436	pCi/mL	J		21	0.264	0.378	0.906
LFW 48D	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.451	mg/L		J	11		0.017	0.05
LFW 48D	3/17/2015	VANADIUM	1.01	ug/L	J	J	21		1	5
LFW 48D	3/17/2015	ALUMINUM	16.6	ug/L	J	J	21		15	50
LFW 48D	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 48D	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 48D	3/17/2015	BARIUM	9.32	ug/L					0.6	2
LFW 48D	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 48D	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 48D	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 48D	3/17/2015	COBALT	9.2	ug/L					0.1	1
LFW 48D	3/17/2015	COPPER	1.14	ug/L					0.35	1
LFW 48D	3/17/2015	IRON	100	ug/L	U	U			33	100
LFW 48D	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 48D	3/17/2015	MANGANESE	2.81	ug/L	J	J	21		1	5
LFW 48D	3/17/2015	NICKEL	1.09	ug/L	J	J	21		0.5	2
LFW 48D	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 48D	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 48D	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 48D	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 59D	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 48D	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 48D	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 48D	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 48D	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 48D	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 48D	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 48D	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 48D	3/17/2015	2,4,5-T	0.024	ug/L	U	U			0.00769	0.024
LFW 48D	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	U			0.00769	0.024
LFW 48D	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	U			0.00769	0.024
LFW 48D	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 48D	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59C	8/17/2015	1,4-DIOXANE	27	ug/L					1.2	5
LFW 48D	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 48D	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 48D	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 48D	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 48D	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 48D	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 62D	3/17/2015	1,4-DIOXANE	25.8	ug/L	J	J	21		15	50
LFW 48D	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 48D	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 48D	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 48D	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 48D	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 48D	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 48D	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 48D	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 48D	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 48D	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 48D	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 48D	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 48D	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 48D	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 48D	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 48D	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 48D	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 48D	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	3/17/2015	GROSS ALPHA	0.381	pCi/L	U	U		1.33	2.61	5.27
LFW 48D	3/17/2015	TRITIUM	0.801	pCi/mL	J	J	21	0.318	0.446	1.08
LFW 48D	3/17/2015	RADIUM-226	0.309	pCi/L	U	U		0.251	0.384	0.886
LFW 48D	3/17/2015	RADIUM-228	1.39	pCi/L	J	J	21	0.536	0.745	1.82
LFW 48D	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 48D	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.13	mg/L					0.0047	0.05
LFW 48D	8/17/2015	ALUMINUM	39	ug/L					17	30
LFW 48D	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 48D	8/17/2015	BARIUM	19	ug/L					0.22	2
LFW 48D	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 48D	8/17/2015	CHROMIUM	10	ug/L	U				1	10
LFW 48D	8/17/2015	COBALT	2	ug/L					0.22	2
LFW 48D	8/17/2015	COPPER	1.3	ug/L					0.68	1
LFW 48D	8/17/2015	IRON	1100	ug/L					33	50
LFW 48D	8/17/2015	LEAD	3	ug/L	U				0.17	3
LFW 48D	8/17/2015	MANGANESE	29	ug/L					0.88	2
LFW 48D	8/17/2015	NICKEL	5	ug/L	U				0.8	5
LFW 48D	8/17/2015	SELENIUM	1.8	ug/L	J		21		1.6	5
LFW 48D	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 48D	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 48D	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 61C	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 48D	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 48D	8/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 48D	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 48D	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 48D	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 48D	8/17/2015	ACETONE	2	ug/L					0.34	2
LFW 48D	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 48D	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 48D	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 48D	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 48D	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 48D	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 48D	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 48D	8/17/2015	CIS-1,2-DICHLOROETHYLENE	0.37	ug/L	J		21		0.09	1
LFW 48D	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 48D	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 48D	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 48D	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 48D	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 48D	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 48D	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 48D	8/17/2015	TOLUENE	0.69	ug/L	J		21		0.07	1
LFW 48D	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 59D	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 48D	8/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 48D	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 10A	8/17/2015	1,4-DIOXANE	25	ug/L					1.2	5
LFW 48D	8/17/2015	1,2-DICHLOROBENZENE	9.8	ug/L	U				0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 48D	8/17/2015	1,3-DICHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 48D	8/17/2015	1,4-DICHLOROBENZENE	9.8	ug/L	U				0.98	9.8
LFW 48D	8/17/2015	PHENOL	9.8	ug/L	U				2	9.8
LFW 48D	8/17/2015	GROSS ALPHA	2.59	pCi/L	J		21	1.14	1.46	3.74
LFW 48D	8/17/2015	RADIUM-226	0.627	pCi/L				0.116	0.078	0.3103
LFW 48D	8/17/2015	RADIUM-228	0.789	pCi/L	J		21	0.253	0.339	0.845
LFW 48D	8/17/2015	FLUORIDE	100	ug/L	U				10	100
LFW 48D	8/17/2015	TRITIUM	0.702	pCi/mL	J		21	0.306	0.404	1.016
LFW 59C	3/17/2015	1,4-DIOXANE	21	ug/L					0.85	3
LFW 65D	8/20/2015	1,4-DIOXANE	18	ug/L					1.2	5
LFW 59C	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.321	mg/L		J	11		0.017	0.05
LFW 59C	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 59C	3/17/2015	ALUMINUM	50	ug/L	U	U			15	50
LFW 59C	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 59C	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 59C	3/17/2015	BARIUM	4.49	ug/L					0.6	2
LFW 59C	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 59C	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 59C	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 59C	3/17/2015	COBALT	0.449	ug/L	J	J	21		0.1	1
LFW 59C	3/17/2015	COPPER	0.389	ug/L	J	J	21		0.35	1
LFW 59C	3/17/2015	IRON	100	ug/L	U	U			33	100
LFW 59C	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 59C	3/17/2015	MANGANESE	3.14	ug/L	J	J	21		1	5
LFW 59C	3/17/2015	NICKEL	2	ug/L	U	U			0.5	2
LFW 59C	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	SILVER	1	ug/L	U	U			0.2	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 59C	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 59C	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 61D	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 59C	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 59C	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 59C	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 59C	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 59C	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 59C	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 59C	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 59C	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 59C	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 59C	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,1-DICHLOROETHANE	6.97	ug/L					0.3	1
LFW 59C	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 59C	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48D	3/17/2015	1,4-DIOXANE	17	ug/L					0.85	3
LFW 59C	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 59C	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BROMOFORM	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(TRIBROMOMETHANE)								
LFW 59C	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	8.95	ug/L					0.3	1
LFW 59C	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	DICHLORODIFLUOROMETHANE	2.86	ug/L					0.3	1
LFW 59C	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 59C	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 59C	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	TETRACHLOROETHYLENE (PCE)	1.46	ug/L					0.3	1
LFW 59C	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 59D	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 59C	3/17/2015	TRICHLOROFLUOROMETHANE	2.76	ug/L					0.3	1
LFW 59C	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 59C	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 41R	3/17/2015	1,4-DIOXANE	12	ug/L					0.85	3
LFW 59C	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 59C	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 59C	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 59C	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 59C	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 59C	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 59C	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 59C	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 59C	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 59C	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 59C	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 59C	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 59C	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 59C	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 59C	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 59C	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 59C	3/17/2015	FLUORIDE	0.0343	mg/L	J	J	21		0.033	0.1
LFW 59C	3/17/2015	GROSS ALPHA	2.43	pCi/L	J	J	21	1.64	2.15	5.43
LFW 59C	3/17/2015	TRITIUM	0.64	pCi/mL	J	J	21	0.308	0.453	1.07
LFW 59C	3/17/2015	RADIUM-226	0.569	pCi/L	J	J	21	0.264	0.328	0.856
LFW 59C	3/17/2015	RADIUM-228	0.81	pCi/L	J	J	21	0.392	0.545	1.33
LFW 59C	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 59C	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.21	mg/L					0.0047	0.05
LFW 59C	8/17/2015	ALUMINUM	33	ug/L					17	30
LFW 59C	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 59C	8/17/2015	BARIUM	6	ug/L					0.22	2
LFW 59C	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 59C	8/17/2015	CHROMIUM	10	ug/L	U				1	10
LFW 59C	8/17/2015	COBALT	2.1	ug/L					0.22	2
LFW 59C	8/17/2015	COPPER	2.4	ug/L					0.68	1
LFW 59C	8/17/2015	IRON	50	ug/L	U				33	50
LFW 59C	8/17/2015	LEAD	3	ug/L	U				0.17	3
LFW 59C	8/17/2015	MANGANESE	5.1	ug/L					0.88	2
LFW 59C	8/17/2015	NICKEL	5	ug/L	U				0.8	5
LFW 59C	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 59C	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 59C	8/17/2015	VANADIUM	10	ug/L	U				2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 61D	3/17/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
LFW 59C	8/17/2015	1,1,1-TRICHLOROETHANE	0.32	ug/L	J		21		0.07	1
LFW 59C	8/17/2015	1,1-DICHLOROETHANE	15	ug/L					0.07	1
LFW 59C	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 59C	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 59C	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 59C	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 59C	8/17/2015	ACETONE	2	ug/L	U				0.34	2
LFW 59C	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 59C	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 59C	8/17/2015	CHLOROBENZENE	0.16	ug/L	J		21		0.15	1
LFW 59C	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.7	ug/L	J		21		0.1	2
LFW 59C	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1.6	ug/L	J		21		0.08	2
LFW 59C	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 59C	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 59C	8/17/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L					0.09	1
LFW 59C	8/17/2015	DICHLORODIFLUOROMETHANE	3	ug/L					0.08	2
LFW 59C	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 59C	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 59C	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 59C	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 59C	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 59C	8/17/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
LFW 59C	8/17/2015	TOLUENE	0.69	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59C	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 61D	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 59C	8/17/2015	TRICHLOROFLUOROMETHANE	2.2	ug/L					0.11	1
LFW 59C	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 61C	3/17/2015	1,4-DIOXANE	9.7	ug/L					0.85	3
LFW 59C	8/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 59C	8/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 59C	8/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 59C	8/17/2015	PHENOL	10	ug/L	U				2.1	10
LFW 59C	8/17/2015	GROSS ALPHA	2.7	pCi/L	J		21	0.983	0.956	2.922
LFW 59C	8/17/2015	RADIUM-226	0.983	pCi/L				0.15	0.118	0.418
LFW 59C	8/17/2015	RADIUM-228	0.329	pCi/L	J		21	0.208	0.319	0.735
LFW 59C	8/17/2015	FLUORIDE	25	ug/L	J		21		10	100
LFW 59C	8/17/2015	TRITIUM	1.14	pCi/mL				0.348	0.398	1.094
LFW 59D	3/17/2015	NITRATE-NITRITE AS NITROGEN	1.06	mg/L		J	11		0.085	0.25
LFW 59D	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 59D	3/17/2015	ALUMINUM	24.3	ug/L	J	J	21		15	50
LFW 59D	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 59D	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 59D	3/17/2015	BARIUM	4.7	ug/L					0.6	2
LFW 59D	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 59D	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 59D	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 59D	3/17/2015	COBALT	5.12	ug/L					0.1	1
LFW 59D	3/17/2015	COPPER	0.486	ug/L	J	J	21		0.35	1
LFW 59D	3/17/2015	IRON	100	ug/L	U	U			33	100
LFW 59D	3/17/2015	LEAD	2	ug/L	U	U			0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	MANGANESE	5	ug/L	U	U			1	5
LFW 59D	3/17/2015	NICKEL	0.834	ug/L	J	J	21		0.5	2
LFW 59D	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 59D	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 59D	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 59D	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 62B	3/18/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 59D	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 59D	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 59D	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 59D	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 59D	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 59D	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 59D	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 59D	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 59D	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 59D	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 59D	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,4-DIOXANE	9.5	ug/L	U	U			0.95	9.5
LFW 59D	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 59D	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 59D	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 59D	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
LFW 59D	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 59D	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 61C	8/18/2015	1,4-DIOXANE	8.6	ug/L					1.2	5
LFW 59D	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 59D	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 59D	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 59D	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 59D	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 59D	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 59D	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 59D	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 59D	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 59D	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 59D	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 59D	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 59D	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 59D	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 59D	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 59D	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 59D	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 59D	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 59D	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 59D	3/17/2015	GROSS ALPHA	1.52	pCi/L	U	U		1.74	2.88	6.36
LFW 59D	3/17/2015	TRITIUM	0.343	pCi/mL	U	U		0.344	0.572	1.26
LFW 59D	3/17/2015	RADIUM-226	0.764	pCi/L	J	J	21	0.364	0.457	1.19
LFW 59D	3/17/2015	RADIUM-228	1.45	pCi/L	J	J	21	0.583	0.843	2.01
LFW 59D	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 59D	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.9	mg/L					0.0094	0.1
LFW 59D	8/17/2015	ALUMINUM	700	ug/L					17	30
LFW 59D	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 59D	8/17/2015	BARIUM	8	ug/L					0.22	2
LFW 59D	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 59D	8/17/2015	CHROMIUM	5.7	ug/L	J		21		1	10
LFW 59D	8/17/2015	COBALT	7	ug/L					0.22	2
LFW 59D	8/17/2015	COPPER	0.95	ug/L	J		21		0.68	1
LFW 59D	8/17/2015	IRON	970	ug/L					33	50
LFW 59D	8/17/2015	LEAD	1.1	ug/L	J		21		0.17	3
LFW 59D	8/17/2015	MANGANESE	1.3	ug/L	J		21		0.88	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	8/17/2015	NICKEL	2.1	ug/L	J		21		0.8	5
LFW 59D	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 59D	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 59D	8/17/2015	VANADIUM	3.3	ug/L	J		21		2.4	10
LFW 59D	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 62D	3/17/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
LFW 59D	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 59D	8/17/2015	1,1-DICHLOROETHANE	0.39	ug/L	J		21		0.07	1
LFW 59D	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 59D	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 59D	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 59D	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 59D	8/17/2015	ACETONE	1.8	ug/L	J		21		0.34	2
LFW 59D	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 59D	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 59D	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 59D	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 59D	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 59D	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 59D	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 59D	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 59D	8/17/2015	DICHLORODIFLUOROMETHANE	1.1	ug/L	J		21		0.08	2
LFW 59D	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 59D	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 59D	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 59D	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 59D	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 59D	8/17/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
LFW 59D	8/17/2015	TOLUENE	0.65	ug/L	J		21		0.07	1
LFW 59D	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 62B	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
LFW 59D	8/17/2015	TRICHLOROFLUOROMETHANE	0.24	ug/L	J		21		0.11	1
LFW 59D	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 63D	8/19/2015	1,4-DIOXANE	6.3	ug/L					1.2	5
LFW 59D	8/17/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 59D	8/17/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 59D	8/17/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 59D	8/17/2015	PHENOL	9.6	ug/L	U				1.9	9.6
LFW 59D	8/17/2015	GROSS ALPHA	2.45	pCi/L	J		21	1.19	1.64	4.02
LFW 59D	8/17/2015	RADIUM-226	0.657	pCi/L				0.124	0.106	0.354
LFW 59D	8/17/2015	RADIUM-228	0.417	pCi/L	J		21	0.237	0.361	0.835
LFW 59D	8/17/2015	FLUORIDE	100	ug/L	U				10	100
LFW 59D	8/17/2015	TRITIUM	0.319	pCi/mL	U			0.253	0.386	0.892
LFW 21	8/17/2015	1,4-DIOXANE	6.1	ug/L					1.2	5
LFW 59D	3/17/2015	1,4-DIOXANE	5.4	ug/L					0.85	3
LFW 6R	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61C	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.0517	mg/L		J	11		0.017	0.05
LFW 61C	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 61C	3/17/2015	ALUMINUM	50	ug/L	U	U			15	50
LFW 61C	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 61C	3/17/2015	ARSENIC	24	ug/L					1.7	5
LFW 61C	3/17/2015	BARIUM	4.64	ug/L					0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 61C	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 61C	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 61C	3/17/2015	COBALT	0.233	ug/L	J	J	21		0.1	1
LFW 61C	3/17/2015	COPPER	1.68	ug/L					0.35	1
LFW 61C	3/17/2015	IRON	19000	ug/L					33	100
LFW 61C	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 61C	3/17/2015	MANGANESE	4.98	ug/L	J	J	21		1	5
LFW 61C	3/17/2015	NICKEL	2	ug/L	U	U			0.5	2
LFW 61C	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 61C	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 61C	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 61C	3/17/2015	ZINC	10.7	ug/L	J	J	V		3.5	10
LFW 74C	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 61C	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 61C	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 61C	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 61C	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 61C	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 61C	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 61C	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 61C	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 61C	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 61C	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 61C	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,1-DICHLOROETHANE	48.3	ug/L					0.3	1
LFW 61C	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 61C	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	1,2-DICHLOROETHANE (EDC)	0.41	ug/L	J	J	21		0.3	1
LFW 61C	3/17/2015	1,2-DICHLOROPROPANE	1.73	ug/L					0.3	1
LFW 61C	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 41R	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 61C	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	BENZENE	4.84	ug/L					0.3	1
LFW 61C	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CHLOROBENZENE	0.49	ug/L	J	J	21		0.3	1
LFW 61C	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	0.86	ug/L	J	J	21		0.3	1
LFW 61C	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	16.2	ug/L					0.3	1
LFW 61C	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	DICHLORODIFLUOROMETHANE	12.5	ug/L					0.3	1
LFW 61C	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 61C	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 61C	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	TETRACHLOROETHYLENE (PCE)	4.11	ug/L					0.3	1
LFW 61C	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 62B	8/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 61C	3/17/2015	TRICHLOROFLUOROMETHANE	11.5	ug/L					0.3	1
LFW 61C	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 61C	3/17/2015	XYLENES	2.39	ug/L	J	J	21		0.3	3
LFW 43C	8/12/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61C	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 61C	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 61C	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 61C	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 61C	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 61C	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 61C	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 61C	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 61C	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 61C	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 61C	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	ISODRIN	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 61C	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 61C	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	NAPHTHALENE	1.72	ug/L					0.3	1
LFW 61C	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	P-	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIMETHYLAMINOAZOBENZENE								
LFW 61C	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 61C	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 61C	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 61C	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 61C	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 61C	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 61C	3/17/2015	FLUORIDE	0.0559	mg/L	J	J	21		0.033	0.1
LFW 61C	3/17/2015	GROSS ALPHA	0.929	pCi/L	U	U		1.58	2.82	5.98
LFW 61C	3/17/2015	TRITIUM	1.17	pCi/mL	J	J	21	0.361	0.467	1.19
LFW 61C	3/17/2015	RADIUM-226	1.43	pCi/L				0.353	0.205	0.911
LFW 61C	3/17/2015	RADIUM-228	0.725	pCi/L	J	J	21	0.404	0.594	1.4
LFW 61C	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 61C	6/10/2015	NAPHTHALENE	0.4	ug/L	J	J	21		0.3	1
LFW 61C	8/18/2015	NITRATE-NITRITE AS NITROGEN	0.012	mg/L	J		21		0.0047	0.05
LFW 61C	8/18/2015	ALUMINUM	30	ug/L			S		17	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	8/18/2015	ARSENIC	35	ug/L					1.2	10
LFW 61C	8/18/2015	BARIUM	5.7	ug/L					0.22	2
LFW 61C	8/18/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 61C	8/18/2015	CHROMIUM	10	ug/L	U				1	10
LFW 61C	8/18/2015	COBALT	0.6	ug/L	J		21		0.22	2
LFW 61C	8/18/2015	COPPER	1.1	ug/L					0.68	1
LFW 61C	8/18/2015	IRON	40000	ug/L					33	50
LFW 61C	8/18/2015	LEAD	0.28	ug/L	J		21		0.17	3
LFW 61C	8/18/2015	MANGANESE	6.4	ug/L					0.88	2
LFW 61C	8/18/2015	NICKEL	5	ug/L	U				0.8	5
LFW 61C	8/18/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 61C	8/18/2015	SILVER	2	ug/L	U				0.82	2
LFW 61C	8/18/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 61C	8/18/2015	ZINC	10	ug/L	U				9.3	10
LFW 75C	3/16/2015	MERCURY	0.2	ug/L	U				0.06	0.2
LFW 61C	8/18/2015	1,1,1-TRICHLOROETHANE	0.15	ug/L	J		21		0.07	1
LFW 61C	8/18/2015	1,1-DICHLOROETHANE	53	ug/L					0.35	5
LFW 61C	8/18/2015	1,1-DICHLOROETHYLENE	0.5	ug/L	J		21		0.08	1
LFW 61C	8/18/2015	1,2-DICHLOROETHANE (EDC)	0.31	ug/L	J		21		0.1	1
LFW 61C	8/18/2015	1,2-DICHLOROPROPANE	1.7	ug/L					0.1	1
LFW 61C	8/18/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 61C	8/18/2015	ACETONE	1.7	ug/L	J		21		0.34	2
LFW 61C	8/18/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 61C	8/18/2015	BENZENE	3.5	ug/L					0.06	1
LFW 61C	8/18/2015	CHLOROBENZENE	0.26	ug/L	J		21		0.15	1
LFW 61C	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1.1	ug/L	J		21		0.08	2
LFW 61C	8/18/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 61C	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 61C	8/18/2015	CIS-1,2-DICHLOROETHYLENE	22	ug/L					0.09	1
LFW 61C	8/18/2015	DICHLORODIFLUOROMETHANE	5.5	ug/L					0.08	2
LFW 61C	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 61C	8/18/2015	ETHYLBENZENE	0.17	ug/L	J		21		0.09	1
LFW 61C	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 61C	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 61C	8/18/2015	STYRENE	1	ug/L	U				0.07	1
LFW 61C	8/18/2015	TETRACHLOROETHYLENE (PCE)	4.3	ug/L					0.18	1
LFW 61C	8/18/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
LFW 61C	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74C	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 61C	8/18/2015	TRICHLOROFLUOROMETHANE	4	ug/L					0.11	1
LFW 61C	8/18/2015	XYLENES	3	ug/L	U				0.2	3
LFW 47C	8/17/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61C	8/18/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 61C	8/18/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 61C	8/18/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 61C	8/18/2015	PHENOL	9.7	ug/L	U				1.9	9.7
LFW 61C	8/18/2015	GROSS ALPHA	3.15	pCi/L	J		21	1.48	2.03	4.99
LFW 61C	8/18/2015	RADIUM-226	0.951	pCi/L				0.141	0.086	0.3675
LFW 61C	8/18/2015	RADIUM-228	0.449	pCi/L	J		21	0.24	0.364	0.844
LFW 61C	8/18/2015	FLUORIDE	38	ug/L	J		21		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61C	8/18/2015	TRITIUM	2.69	pCi/mL				0.478	0.407	1.363
LFW 61D	3/17/2015	NITRATE-NITRITE AS NITROGEN	1.53	mg/L		J	11		0.085	0.25
LFW 61D	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 61D	3/17/2015	ALUMINUM	23.7	ug/L	J	J	21		15	50
LFW 61D	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 61D	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 61D	3/17/2015	BARIUM	4.63	ug/L					0.6	2
LFW 61D	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 61D	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 61D	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 61D	3/17/2015	COBALT	0.381	ug/L	J	J	21		0.1	1
LFW 61D	3/17/2015	COPPER	0.552	ug/L	J	J	21		0.35	1
LFW 61D	3/17/2015	IRON	154	ug/L					33	100
LFW 61D	3/17/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 61D	3/17/2015	MANGANESE	1.42	ug/L	J	J	21		1	5
LFW 61D	3/17/2015	NICKEL	0.887	ug/L	J	J	21		0.5	2
LFW 61D	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 61D	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 61D	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 61D	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 75C	8/12/2015	MERCURY	0.2	ug/L	U				0.02	0.2
LFW 61D	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 61D	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 61D	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 61D	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 61D	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 61D	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 61D	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 61D	3/17/2015	2,4,5-T	0.024	ug/L	U	U			0.00769	0.024
LFW 61D	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	U			0.00769	0.024
LFW 61D	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	U			0.00769	0.024
LFW 61D	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 61D	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 48D	8/17/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61D	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	ACETONE	3.97	ug/L	J	J	21		1.5	5
LFW 61D	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 61D	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 61D	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 61D	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 74C	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 61D	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 61D	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 57D	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61D	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 61D	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 61D	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 61D	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 61D	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 61D	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 61D	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 61D	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 61D	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 61D	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 61D	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 61D	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 61D	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 61D	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 61D	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 61D	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 61D	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 61D	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 61D	3/17/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 61D	3/17/2015	GROSS ALPHA	1.37	pCi/L	U	U		1.24	1.91	4.39
LFW 61D	3/17/2015	TRITIUM	0.325	pCi/mL	U	U		0.339	0.565	1.24

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	RADIUM-226	0.996	pCi/L				0.316	0.272	0.904
LFW 61D	3/17/2015	RADIUM-228	0.926	pCi/L	J	J	21	0.451	0.657	1.56
LFW 61D	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 61D	3/17/2015	NITRATE-NITRITE AS NITROGEN	1.4	mg/L		J	11		0.0094	0.1
LFW 61D	3/17/2015	SULFIDE	1	mg/L	U	U			0.45	1
LFW 61D	3/17/2015	ALUMINUM	30	ug/L	U	U			17	30
LFW 61D	3/17/2015	ANTIMONY	5	ug/L	U	U			1.7	5
LFW 61D	3/17/2015	ARSENIC	10	ug/L	U	U			1.2	10
LFW 61D	3/17/2015	BARIUM	4.6	ug/L					0.22	2
LFW 61D	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
LFW 61D	3/17/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
LFW 61D	3/17/2015	CHROMIUM	10	ug/L	U	U			1	10
LFW 61D	3/17/2015	COBALT	0.29	ug/L	J	J	21		0.22	2
LFW 61D	3/17/2015	COPPER	1	ug/L	U	U			0.68	1
LFW 61D	3/17/2015	IRON	39	ug/L	J	J	21		33	50
LFW 61D	3/17/2015	LEAD	3	ug/L	U	U			0.17	3
LFW 61D	3/17/2015	MANGANESE	1.3	ug/L	J	J	21		0.88	2
LFW 61D	3/17/2015	NICKEL	5	ug/L	U	U			0.8	5
LFW 61D	3/17/2015	SELENIUM	5	ug/L	U	U			1.6	5
LFW 61D	3/17/2015	SILVER	2	ug/L	U	U			0.82	2
LFW 61D	3/17/2015	THALLIUM	2	ug/L	U	U			0.55	2
LFW 61D	3/17/2015	TIN	2	ug/L	U	U			1.1	2
LFW 61D	3/17/2015	VANADIUM	10	ug/L	U	U			2.4	10
LFW 61D	3/17/2015	ZINC	10	ug/L	U	U			9.3	10
LFW 75D	8/12/2015	MERCURY	0.194	ug/L	J		21		0.02	0.2
LFW 61D	3/17/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
LFW 61D	3/17/2015	DDD	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	DDE	0.05	ug/L	U	U			0.014	0.05
LFW 61D	3/17/2015	DDT	0.05	ug/L	U	U			0.023	0.05
LFW 61D	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
LFW 61D	3/17/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
LFW 61D	3/17/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
LFW 61D	3/17/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
LFW 61D	3/17/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
LFW 61D	3/17/2015	TOTAL CHLORDANE	0.5	ug/L	U	U			0.1	0.5
LFW 61D	3/17/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
LFW 61D	3/17/2015	2,4,5-T	0.94	ug/L	U	U			0.25	0.94
LFW 61D	3/17/2015	2,4,5-TP (SILVEX)	0.94	ug/L	U	U			0.18	0.94
LFW 61D	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	7.5	ug/L	U	U			4	7.5
LFW 61D	3/17/2015	DINOSEB	1.9	ug/L	U	U			0.69	1.9
LFW 61D	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.09	1
LFW 61D	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
LFW 61D	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
LFW 61D	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
LFW 61D	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
LFW 61D	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
LFW 61D	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.15	1
LFW 61D	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
LFW 61D	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
LFW 61D	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
LFW 61D	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
LFW 61D	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.07	1
LFW 59D	8/17/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61D	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.14	1
LFW 61D	3/17/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
LFW 61D	3/17/2015	ACETONE	2	ug/L	U	U			0.34	2
LFW 61D	3/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U	U			2	10
LFW 61D	3/17/2015	ACROLEIN	10	ug/L	U	U			2.8	10
LFW 61D	3/17/2015	ACRYLONITRILE	10	ug/L	U	U			0.58	10
LFW 61D	3/17/2015	ALLYL CHLORIDE	2	ug/L	U	U			0.11	2
LFW 61D	3/17/2015	BENZENE	1	ug/L	U	U			0.06	1
LFW 61D	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
LFW 61D	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
LFW 61D	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
LFW 61D	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
LFW 61D	3/17/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
LFW 61D	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
LFW 61D	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
LFW 61D	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
LFW 61D	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
LFW 61D	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
LFW 61D	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.1	1
LFW 61D	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
LFW 61D	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
LFW 61D	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
LFW 61D	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.21	1
LFW 61D	3/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
LFW 61D	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
LFW 61D	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
LFW 61D	3/17/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U	U			0.09	2
LFW 61D	3/17/2015	ISOBUTANOL	80	ug/L	U	U			8.7	80
LFW 61D	3/17/2015	METHACRYLONITRILE	10	ug/L	U	U			0.5	10
LFW 61D	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
LFW 61D	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
LFW 61D	3/17/2015	METHYL METHACRYLATE	2	ug/L	U	U			0.26	2
LFW 61D	3/17/2015	PROPIONITRILE	10	ug/L	U	U			1.4	10
LFW 61D	3/17/2015	STYRENE	1	ug/L	U	U			0.07	1
LFW 61D	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
LFW 61D	3/17/2015	TOLUENE	0.24	ug/L	J	U	21, 8, 14		0.07	1
LFW 61D	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
LFW 61D	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
LFW 61D	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U	U			0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 61D	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
LFW 61D	3/17/2015	VINYL ACETATE	2	ug/L	U	U			0.18	2
LFW 61D	3/17/2015	XYLENES	3	ug/L	U	U			0.2	3
LFW 61D	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	1,3,5-TRINITROBENZENE	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	1,3-DINITROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 60B	8/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61D	3/17/2015	1,4-NAPHTHOQUINONE	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	1-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U	UJ	14		0.95	47
LFW 61D	3/17/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2,4-DINITROPHENOL	47	ug/L	U	UJ	14		1.9	47
LFW 61D	3/17/2015	2,4-DINITROTOLUENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2,6-DINITROTOLUENE	9.5	ug/L	U	U			2.1	9.5
LFW 61D	3/17/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U	UJ	14		0.95	95
LFW 61D	3/17/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	2-CHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U	U			0.95	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	2-NAPHTHYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	2-NITROANILINE	9.5	ug/L	U	U			1	9.5
LFW 61D	3/17/2015	2-NITROPHENOL	9.5	ug/L	U	UJ	14		1.4	9.5
LFW 61D	3/17/2015	2-PICOLINE	19	ug/L	U	U			1.9	19
LFW 61D	3/17/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U	UJ	14		1.2	47
LFW 61D	3/17/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U	UJ	14		2.5	47
LFW 61D	3/17/2015	3-METHYLCHOLANTHRENE	19	ug/L	U	UJ	14		0.95	19
LFW 61D	3/17/2015	4-AMINOBIPHENYL	47	ug/L	U	U			1	47
LFW 61D	3/17/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	4-CHLOROANILINE	9.5	ug/L	U	U			1.9	9.5
LFW 61D	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	4-NITROPHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
LFW 61D	3/17/2015	4-NITROQUINOLINE-1-OXIDE	95	ug/L	U	UJ	14		4.7	95
LFW 61D	3/17/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U	U			0.95	19
LFW 61D	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U	UJ	14		0.95	19
LFW 61D	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U	U			21	47
LFW 61D	3/17/2015	ACENAPHTHENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	ACENAPHTHYLENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	ACETOPHENONE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	ANILINE	9.5	ug/L	U	U			1.2	9.5
LFW 61D	3/17/2015	ANTHRACENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	ARAMITE	19	ug/L	U	UJ	14		4.7	19
LFW 61D	3/17/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U	UJ	14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	BENZO[A]PYRENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	BENZOIC ACID	47	ug/L	U	UJ	14		4.7	47
LFW 61D	3/17/2015	BENZYL ALCOHOL	9.5	ug/L	U	U			2.8	9.5
LFW 61D	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U	UJ	14		1.8	9.5
LFW 61D	3/17/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	CHLOROBENZILATE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	CHRYSENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	DIALLATE	19	ug/L	U	U			1.9	19
LFW 61D	3/17/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	DIBENZOFURAN	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	DIETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	DIMETHOATE	19	ug/L	U	U			0.95	19
LFW 61D	3/17/2015	DIMETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	DINITRO-O-CRESOL	9.5	ug/L	U	UJ	14		1.2	9.5
LFW 61D	3/17/2015	DISULFOTON	47	ug/L	U	UJ	14		0.95	47
LFW 61D	3/17/2015	ETHYL METHACRYLATE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	ETHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	FAMPHUR	95	ug/L	U	UJ	14, 13		1.6	95
LFW 61D	3/17/2015	FLUORANTHENE	9.5	ug/L	U	UJ	14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	FLUORENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	HEXACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	HEXACHLOROETHANE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	HEXACHLOROPHENE	240	ug/L	U	UJ	14		9.5	240
LFW 61D	3/17/2015	HEXACHLOROPROPENE	95	ug/L	U	U			0.95	95
LFW 61D	3/17/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	ISODRIN	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	ISOPHORONE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	ISOSAFROLE	19	ug/L	U	U			4.7	19
LFW 61D	3/17/2015	KEPONE	95	ug/L	U	UJ	14		19	95
LFW 61D	3/17/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
LFW 61D	3/17/2015	METHAPYRILENE	47	ug/L	U	UJ	14		1.2	47
LFW 61D	3/17/2015	METHYL METHANESULFONATE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	METHYL PARATHION	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	M-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	NAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	NITROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U	U			1.9	9.5
LFW 61D	3/17/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U	U			1.4	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	N-NITROSOMORPHOLINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U	U			1.1	47
LFW 61D	3/17/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	PARATHION	47	ug/L	U	UJ	14		0.95	47
LFW 61D	3/17/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	PENTACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	PENTACHLOROETHANE	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	PENTACHLORONITROBENZENE	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	PENTACHLOROPHENOL	9.5	ug/L	U	UJ	14		1.2	9.5
LFW 61D	3/17/2015	PHENACETIN	19	ug/L	U	U			0.95	19
LFW 61D	3/17/2015	PHENANTHRENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	PHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
LFW 61D	3/17/2015	PHORATE	47	ug/L	U	U			1.9	47
LFW 61D	3/17/2015	P-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
LFW 61D	3/17/2015	P-PHENYLENEDIAMINE	95	ug/L	U	U			0.95	95
LFW 61D	3/17/2015	PRONAMIDE	19	ug/L	U	U			0.95	19
LFW 61D	3/17/2015	PYRENE	9.5	ug/L	U	UJ	14		0.95	9.5
LFW 61D	3/17/2015	PYRIDINE	19	ug/L	U	U			1.9	19
LFW 61D	3/17/2015	SAFROLE	19	ug/L	U	U			0.95	19
LFW 61D	3/17/2015	SULFOTEPP	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	THIONAZIN	47	ug/L	U	U			0.95	47
LFW 61D	3/17/2015	GROSS ALPHA	1.25	pCi/L	U	U		0.94	1.41	3.29

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	3/17/2015	CYANIDE	10	ug/L	U	U			2.9	10
LFW 61D	3/17/2015	RADIUM-226	0.533	pCi/L				0.09	0.066	0.245
LFW 61D	3/17/2015	RADIUM-228	0.445	pCi/L	J	J	21	0.202	0.289	0.693
LFW 61D	3/17/2015	FLUORIDE	0.014	mg/L	J	J	21		0.01	0.1
LFW 61D	3/17/2015	TRITIUM	0.293	pCi/mL	U	U		0.247	0.401	0.895
LFW 61D	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.65	mg/L					0.0094	0.1
LFW 61D	8/17/2015	ALUMINUM	220	ug/L					17	30
LFW 61D	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 61D	8/17/2015	BARIUM	6.2	ug/L					0.22	2
LFW 61D	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 61D	8/17/2015	CHROMIUM	5.5	ug/L	J		21		1	10
LFW 61D	8/17/2015	COBALT	0.62	ug/L	J		21		0.22	2
LFW 61D	8/17/2015	COPPER	2.3	ug/L					0.68	1
LFW 61D	8/17/2015	IRON	8700	ug/L					33	50
LFW 61D	8/17/2015	LEAD	0.59	ug/L	J		21		0.17	3
LFW 61D	8/17/2015	MANGANESE	2.4	ug/L					0.88	2
LFW 61D	8/17/2015	NICKEL	2.1	ug/L	J		21		0.8	5
LFW 61D	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 61D	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 61D	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 61D	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 30	3/16/2015	MERCURY	0.19	ug/L	J		21, V		0.06	0.2
LFW 61D	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 61D	8/17/2015	1,1-DICHLOROETHANE	9.3	ug/L					0.07	1
LFW 61D	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 61D	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 61D	8/17/2015	1,2-DICHLOROPROPANE	0.36	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 61D	8/17/2015	ACETONE	2.5	ug/L					0.34	2
LFW 61D	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 61D	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 61D	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 61D	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 61D	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 61D	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 61D	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 61D	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
LFW 61D	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 61D	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 61D	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 61D	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 61D	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 61D	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 61D	8/17/2015	TETRACHLOROETHYLENE (PCE)	0.57	ug/L	J		21		0.18	1
LFW 61D	8/17/2015	TOLUENE	1.4	ug/L					0.07	1
LFW 61D	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75C	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 61D	8/17/2015	TRICHLOROFLUOROMETHANE	0.44	ug/L	J		21		0.11	1
LFW 61D	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 62B	8/17/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 61D	8/17/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 61D	8/17/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 61D	8/17/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 61D	8/17/2015	PHENOL	9.7	ug/L	U				1.9	9.7
LFW 61D	8/17/2015	GROSS ALPHA	3.37	pCi/L				1.04	0.876	2.956
LFW 61D	8/17/2015	RADIUM-226	0.728	pCi/L				0.177	0.147	0.501
LFW 61D	8/17/2015	RADIUM-228	0.416	pCi/L	U			0.378	0.609	1.365
LFW 61D	8/17/2015	FLUORIDE	15	ug/L	J		21		10	100
LFW 61D	8/17/2015	TRITIUM	0.729	pCi/mL	J		21	0.304	0.392	1
LFW 62B	3/18/2015	NITRATE-NITRITE AS NITROGEN	0.614	mg/L		J	11		0.017	0.05
LFW 62B	3/18/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 62B	3/18/2015	ALUMINUM	217	ug/L					15	50
LFW 62B	3/18/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 62B	3/18/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 62B	3/18/2015	BARIUM	3.06	ug/L					0.6	2
LFW 62B	3/18/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 62B	3/18/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 62B	3/18/2015	CHROMIUM	2.44	ug/L	J	J	21		2	10
LFW 62B	3/18/2015	COBALT	0.995	ug/L	J	J	21		0.1	1
LFW 62B	3/18/2015	COPPER	0.694	ug/L	J	J	21		0.35	1
LFW 62B	3/18/2015	IRON	37.9	ug/L	J	J	21		33	100
LFW 62B	3/18/2015	LEAD	2	ug/L	U	U			0.5	2
LFW 62B	3/18/2015	MANGANESE	4.96	ug/L	J	J	21		1	5
LFW 62B	3/18/2015	NICKEL	1.23	ug/L	J	J	21		0.5	2
LFW 62B	3/18/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 62B	3/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 62B	3/18/2015	TIN	5	ug/L	U	U			1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	ZINC	5.15	ug/L	J	J	21		3.5	10
LFW 59C	8/17/2015	MERCURY	0.13	ug/L	J		21, V		0.06	0.2
LFW 62B	3/18/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62B	3/18/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 62B	3/18/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 62B	3/18/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 62B	3/18/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 62B	3/18/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 62B	3/18/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 62B	3/18/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62B	3/18/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62B	3/18/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62B	3/18/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 62B	3/18/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 63C	8/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62B	3/18/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 62B	3/18/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	BENZENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.13	ug/L	U	U	21, V, 8		1	5
LFW 62B	3/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 62B	3/18/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 76	3/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 62B	3/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 62B	3/18/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 66D	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62B	3/18/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 62B	3/18/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 62B	3/18/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 62B	3/18/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 62B	3/18/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 62B	3/18/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 62B	3/18/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 62B	3/18/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 62B	3/18/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	DISULFOTON	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 62B	3/18/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 62B	3/18/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 62B	3/18/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	KEPONE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 62B	3/18/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	PARATHION	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 62B	3/18/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 62B	3/18/2015	PHORATE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 62B	3/18/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 62B	3/18/2015	PYRIDINE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	3/18/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 62B	3/18/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 62B	3/18/2015	FLUORIDE	0.1	mg/L	U	U			0.033	0.1
LFW 62B	3/18/2015	GROSS ALPHA	3.43	pCi/L	J	J	21	1.87	2.38	6.12
LFW 62B	3/18/2015	TRITIUM	0.129	pCi/mL	U	U		0.326	0.57	1.22
LFW 62B	3/18/2015	RADIUM-226	2.34	pCi/L				0.508	0.397	1.41
LFW 62B	3/18/2015	RADIUM-228	1.69	pCi/L	J	J	21	0.546	0.664	1.76
LFW 62B	3/18/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 62B	8/17/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.0094	0.1
LFW 62B	8/17/2015	ALUMINUM	240	ug/L					17	30
LFW 62B	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 62B	8/17/2015	BARIUM	3.5	ug/L					0.22	2
LFW 62B	8/17/2015	CADMIUM	0.16	ug/L	J		21		0.1	0.5
LFW 62B	8/17/2015	CHROMIUM	10	ug/L	U				1	10
LFW 62B	8/17/2015	COBALT	1.7	ug/L	J		21		0.22	2
LFW 62B	8/17/2015	COPPER	0.82	ug/L	J		21		0.68	1
LFW 62B	8/17/2015	IRON	50	ug/L	U				33	50
LFW 62B	8/17/2015	LEAD	0.27	ug/L	J		21		0.17	3
LFW 62B	8/17/2015	MANGANESE	6.6	ug/L					0.88	2
LFW 62B	8/17/2015	NICKEL	2.1	ug/L	J		21		0.8	5
LFW 62B	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 62B	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 62B	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 62B	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 31	3/16/2015	MERCURY	0.12	ug/L	J		21, V		0.06	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62B	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 62B	8/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 62B	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 62B	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 62B	8/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 62B	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 62B	8/17/2015	ACETONE	2	ug/L	U				0.34	2
LFW 62B	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 62B	8/17/2015	BENZENE	1	ug/L	U				0.06	1
LFW 62B	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 62B	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 62B	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 62B	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 62B	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 62B	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 62B	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 62B	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 62B	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 62B	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 62B	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 62B	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 62B	8/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 62B	8/17/2015	TOLUENE	0.45	ug/L	J		21		0.07	1
LFW 62B	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	8/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LFW 62B	8/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 62B	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 69C	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62B	8/17/2015	1,2-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 62B	8/17/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 62B	8/17/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 62B	8/17/2015	PHENOL	9.7	ug/L	U				1.9	9.7
LFW 62B	8/17/2015	GROSS ALPHA	5.79	pCi/L				1.52	1.67	4.71
LFW 62B	8/17/2015	RADIUM-226	2.27	pCi/L				0.21	0.081	0.501
LFW 62B	8/17/2015	RADIUM-228	1.15	pCi/L				0.273	0.342	0.888
LFW 62B	8/17/2015	FLUORIDE	100	ug/L	U				10	100
LFW 62B	8/17/2015	TRITIUM	0.427	pCi/mL	J		21	0.273	0.401	0.947
LFW 62C	3/17/2015	NITRATE-NITRITE AS NITROGEN	0.745	mg/L		J	11		0.017	0.05
LFW 62C	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 62C	3/17/2015	ALUMINUM	19.4	ug/L	J	J	21		15	50
LFW 62C	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 62C	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 62C	3/17/2015	BARIUM	6.02	ug/L					0.6	2
LFW 62C	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 62C	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 62C	3/17/2015	CHROMIUM	10	ug/L	U	U			2	10
LFW 62C	3/17/2015	COBALT	0.173	ug/L	J	J	21		0.1	1
LFW 62C	3/17/2015	COPPER	0.628	ug/L	J	J	21		0.35	1
LFW 62C	3/17/2015	IRON	100	ug/L	U	U			33	100
LFW 62C	3/17/2015	LEAD	0.573	ug/L	J	J	21		0.5	2
LFW 62C	3/17/2015	MANGANESE	1.68	ug/L	J	J	21		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	NICKEL	2	ug/L	U	U			0.5	2
LFW 62C	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 62C	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 62C	3/17/2015	TIN	5	ug/L	U	U			1	5
LFW 62C	3/17/2015	ZINC	10	ug/L	U	U			3.5	10
LFW 35	3/16/2015	MERCURY	0.12	ug/L	J		21, V		0.06	0.2
LFW 62C	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62C	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 62C	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 62C	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 62C	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 62C	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 62C	3/17/2015	2,4,5-T	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62C	3/17/2015	2,4,5-TP (SILVEX)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62C	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.0238	ug/L	U	U			0.00762	0.0238
LFW 62C	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,1-DICHLOROETHANE	9.01	ug/L					0.3	1
LFW 62C	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 62C	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,2-DICHLOROETHANE (EDC)	0.93	ug/L	J	J	21		0.3	1
LFW 62C	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 70B	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62C	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	ACETONE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25
LFW 62C	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	BENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	16.4	ug/L					0.3	1
LFW 62C	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	DICHLORODIFLUOROMETHANE	2.93	ug/L					0.3	1
LFW 62C	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 62C	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 62C	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	TETRACHLOROETHYLENE (PCE)	0.35	ug/L	J	J	21		0.3	1
LFW 62C	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 48C	8/17/2015	TRICHLOROETHYLENE (TCE)	0.82	ug/L	J		21		0.25	1
LFW 62C	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 62C	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 70C	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62C	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 62C	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 62C	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 62C	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 62C	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 62C	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	7,12-	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIMETHYLBENZ(A)ANTHRACENE								
LFW 62C	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 62C	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 62C	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 62C	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 62C	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 62C	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 62C	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 62C	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 62C	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 62C	3/17/2015	PHORATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 62C	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 62C	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 62C	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 62C	3/17/2015	FLUORIDE	0.0385	mg/L	J	J	21		0.033	0.1
LFW 62C	3/17/2015	GROSS ALPHA	1.25	pCi/L	U	U		1.43	2.39	5.25
LFW 62C	3/17/2015	TRITIUM	1.74	pCi/mL				0.391	0.448	1.23
LFW 62C	3/17/2015	RADIUM-226	1.84	pCi/L				0.487	0.438	1.41
LFW 62C	3/17/2015	RADIUM-228	-0.031	pCi/L	U	U		0.423	0.776	1.62
LFW 62C	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 62C	8/19/2015	NITRATE-NITRITE AS NITROGEN	0.84	mg/L					0.0047	0.05
LFW 62C	8/19/2015	ALUMINUM	95	ug/L					17	30
LFW 62C	8/19/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 62C	8/19/2015	BARIUM	5.7	ug/L					0.22	2
LFW 62C	8/19/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 62C	8/19/2015	CHROMIUM	10	ug/L	U				1	10
LFW 62C	8/19/2015	COBALT	2	ug/L	U				0.22	2
LFW 62C	8/19/2015	COPPER	0.86	ug/L	J		21		0.68	1
LFW 62C	8/19/2015	IRON	44	ug/L	J		21		33	50
LFW 62C	8/19/2015	LEAD	0.51	ug/L	J		21		0.17	3
LFW 62C	8/19/2015	MANGANESE	1.5	ug/L	J		21		0.88	2
LFW 62C	8/19/2015	NICKEL	5	ug/L	U				0.8	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	8/19/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 62C	8/19/2015	SILVER	2	ug/L	U				0.82	2
LFW 62C	8/19/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 62C	8/19/2015	ZINC	10	ug/L	U				9.3	10
LFW 75D	3/16/2015	MERCURY	0.12	ug/L	J		21, V		0.06	0.2
LFW 62C	8/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 62C	8/19/2015	1,1-DICHLOROETHANE	7.5	ug/L					0.07	1
LFW 62C	8/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 62C	8/19/2015	1,2-DICHLOROETHANE (EDC)	0.65	ug/L	J		21		0.1	1
LFW 62C	8/19/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 62C	8/19/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 62C	8/19/2015	ACETONE	2	ug/L	U				0.34	2
LFW 62C	8/19/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 62C	8/19/2015	BENZENE	1	ug/L	U				0.06	1
LFW 62C	8/19/2015	CHLOROBENZENE	0.19	ug/L	J		21		0.15	1
LFW 62C	8/19/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 62C	8/19/2015	CHLOROETHENE (VINYL CHLORIDE)	0.37	ug/L	J		21		0.08	2
LFW 62C	8/19/2015	CHLOROFORM	0.2	ug/L	J		21		0.1	1
LFW 62C	8/19/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 62C	8/19/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.09	1
LFW 62C	8/19/2015	DICHLORODIFLUOROMETHANE	1.3	ug/L	J		21		0.08	2
LFW 62C	8/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 62C	8/19/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 62C	8/19/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 62C	8/19/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62C	8/19/2015	STYRENE	1	ug/L	U				0.07	1
LFW 62C	8/19/2015	TETRACHLOROETHYLENE (PCE)	0.37	ug/L	J		21		0.18	1
LFW 62C	8/19/2015	TOLUENE	0.29	ug/L	J		21		0.07	1
LFW 62C	8/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 44D	3/16/2015	TRICHLOROETHYLENE (TCE)	0.77	ug/L	J		21		0.25	1
LFW 62C	8/19/2015	TRICHLOROFLUOROMETHANE	1.3	ug/L					0.11	1
LFW 62C	8/19/2015	XYLENES	3	ug/L	U				0.2	3
LFW 71C	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62C	8/19/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 62C	8/19/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 62C	8/19/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
LFW 62C	8/19/2015	PHENOL	9.5	ug/L	U				1.9	9.5
LFW 62C	8/19/2015	GROSS ALPHA	1.68	pCi/L	U			1.16	1.75	4.07
LFW 62C	8/19/2015	RADIUM-226	1.17	pCi/L				0.164	0.124	0.452
LFW 62C	8/19/2015	RADIUM-228	0.143	pCi/L	U			0.242	0.41	0.894
LFW 62C	8/19/2015	FLUORIDE	17	ug/L	J		21		10	100
LFW 62C	8/19/2015	TRITIUM	1.74	pCi/mL				0.4	0.398	1.198
LFW 62D	3/17/2015	NITRATE-NITRITE AS NITROGEN	1.16	mg/L		J	11		0.017	0.05
LFW 62D	3/17/2015	VANADIUM	5	ug/L	U	U			1	5
LFW 62D	3/17/2015	ALUMINUM	42.4	ug/L	J	J	21		15	50
LFW 62D	3/17/2015	ANTIMONY	3	ug/L	U	U			1	3
LFW 62D	3/17/2015	ARSENIC	5	ug/L	U	U			1.7	5
LFW 62D	3/17/2015	BARIUM	3.57	ug/L					0.6	2
LFW 62D	3/17/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
LFW 62D	3/17/2015	CADMIUM	1	ug/L	U	U			0.11	1
LFW 62D	3/17/2015	CHROMIUM	2.04	ug/L	J	J	21		2	10
LFW 62D	3/17/2015	COBALT	0.168	ug/L	J	J	21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	COPPER	6.81	ug/L					0.35	1
LFW 62D	3/17/2015	IRON	279	ug/L					33	100
LFW 62D	3/17/2015	LEAD	0.522	ug/L	J	J	21		0.5	2
LFW 62D	3/17/2015	MANGANESE	3.5	ug/L	J	J	21		1	5
LFW 62D	3/17/2015	NICKEL	1.99	ug/L	J	J	21		0.5	2
LFW 62D	3/17/2015	SELENIUM	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	SILVER	1	ug/L	U	U			0.2	1
LFW 62D	3/17/2015	THALLIUM	2	ug/L	U	U			0.45	2
LFW 62D	3/17/2015	TIN	1.97	ug/L	J	J	21		1	5
LFW 62D	3/17/2015	ZINC	10.4	ug/L	J	J	V		3.5	10
LFW 34	8/12/2015	MERCURY	0.106	ug/L	J		21		0.02	0.2
LFW 62D	3/17/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	DDD	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	DDE	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	DDT	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
LFW 62D	3/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
LFW 62D	3/17/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
LFW 62D	3/17/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
LFW 62D	3/17/2015	TOTAL CHLORDANE	0.25	ug/L	U	U			0.0765	0.25
LFW 62D	3/17/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
LFW 62D	3/17/2015	DINOSEB	0.25	ug/L	U	U			0.0833	0.25
LFW 62D	3/17/2015	2,4,5-T	0.024	ug/L	U	U			0.00769	0.024
LFW 62D	3/17/2015	2,4,5-TP (SILVEX)	0.024	ug/L	U	U			0.00769	0.024
LFW 62D	3/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.024	ug/L	U	U			0.00769	0.024
LFW 62D	3/17/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,1-DICHLOROETHANE	21.5	ug/L					0.3	1
LFW 62D	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,1-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
LFW 62D	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	1,2-DICHLOROPROPANE	0.39	ug/L	J	J	21		0.3	1
LFW 62D	3/17/2015	1,3-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 71D	8/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
LFW 62D	3/17/2015	2,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	ACETONE	3.56	ug/L	J	J	21		1.5	5
LFW 62D	3/17/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U	U			8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	ACROLEIN	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	ACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	ALLYL CHLORIDE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	BENZENE	0.58	ug/L	J	J	21		0.3	1
LFW 62D	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CHLOROBENZENE	1.29	ug/L					0.3	1
LFW 62D	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CHLOROPRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	CIS-1,2-DICHLOROETHYLENE	5.48	ug/L					0.3	1
LFW 62D	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
LFW 62D	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	IODOMETHANE (METHYL	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		IODIDE)								
LFW 62D	3/17/2015	ISOBUTANOL	50	ug/L	U	U			15	50
LFW 62D	3/17/2015	METHACRYLONITRILE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	METHYL METHACRYLATE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	PROPIONITRILE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	STYRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	TETRACHLOROETHYLENE (PCE)	1.42	ug/L					0.3	1
LFW 62D	3/17/2015	TOLUENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U	U			1.5	5
LFW 36R	8/17/2015	TRICHLOROETHYLENE (TCE)	0.72	ug/L	J		21		0.25	1
LFW 62D	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	VINYL ACETATE	5	ug/L	U	U			1.5	5
LFW 62D	3/17/2015	XYLENES	3	ug/L	U	U			0.3	3
LFW 29	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
LFW 62D	3/17/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,3,5-TRINITROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,3-DINITROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	1,4-NAPHTHOQUINONE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	1-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
LFW 62D	3/17/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2,6-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2-ACETYLAMINOFLUORENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
LFW 62D	3/17/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2-METHYLANILINE (O-TOLUIDINE)	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	2-NAPHTHYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2-NITROANILINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	2-PICOLINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	3,3'-DIMETHYLBENZIDINE	10	ug/L	U	U			3.3	10
LFW 62D	3/17/2015	3-METHYLCHOLANTHRENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	4-AMINOBIPHENYL	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
LFW 62D	3/17/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	4-NITROQUINOLINE-1-OXIDE	10	ug/L	U	U			3.8	10
LFW 62D	3/17/2015	5-NITRO-O-TOLUIDINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	A,A-DIMETHYLPHENETHYLAMINE	10	ug/L	U	U			5.4	10
LFW 62D	3/17/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	ACETOPHENONE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	ANILINE	10	ug/L	U	U			4.2	10
LFW 62D	3/17/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	ARAMITE	10	ug/L	U	U			3.7	10
LFW 62D	3/17/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	BENZYL ALCOHOL	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	CHLOROBENZILATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	CHRYSENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	DIALLATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DIMETHOATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	DISULFOTON	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	ETHYL METHACRYLATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	ETHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	FAMPHUR	10	ug/L	U	U			5	10
LFW 62D	3/17/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	FLUORENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	HEXACHLOROPHENE	500	ug/L	U	U			167	500
LFW 62D	3/17/2015	HEXACHLOROPROPENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	ISODRIN	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
LFW 62D	3/17/2015	ISOSAFROLE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	KEPONE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
LFW 62D	3/17/2015	METHAPYRILENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	METHYL METHANESULFONATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	METHYL PARATHION	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	M-NITROANILINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	NITROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSODIETHYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSOMORPHOLINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSOPIPERIDINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	N-NITROSOPYRROLIDINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	PARATHION	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	PENTACHLOROBENZENE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	PENTACHLOROETHANE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	PENTACHLORONITROBENZENE	10	ug/L	U	U			3.4	10
LFW 62D	3/17/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	3/17/2015	PHENACETIN	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	PHENOL	10	ug/L	U	UJ	14		3	10
LFW 62D	3/17/2015	PHORATE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	P-NITROANILINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	P-PHENYLENEDIAMINE	500	ug/L	U	U			100	500
LFW 62D	3/17/2015	PRONAMIDE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	PYRENE	1	ug/L	U	U			0.3	1
LFW 62D	3/17/2015	PYRIDINE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	SAFROLE	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	SULFOTEPP	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	THIONAZIN	10	ug/L	U	U			3	10
LFW 62D	3/17/2015	CYANIDE	5	ug/L	U	U			1.67	5
LFW 62D	3/17/2015	FLUORIDE	0.0365	mg/L	J	J	21		0.033	0.1
LFW 62D	3/17/2015	GROSS ALPHA	0.0972	pCi/L	U	U		1.39	2.84	5.62
LFW 62D	3/17/2015	TRITIUM	1.37	pCi/mL				0.366	0.451	1.18
LFW 62D	3/17/2015	RADIUM-226	0.949	pCi/L	J	J	21	0.323	0.341	0.987
LFW 62D	3/17/2015	RADIUM-228	0.919	pCi/L	J	J	21	0.414	0.586	1.41
LFW 62D	3/17/2015	SULFIDE	0.1	mg/L	U	R	11		0.033	0.1
LFW 62D	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.97	mg/L					0.0094	0.1
LFW 62D	8/17/2015	ALUMINUM	20	ug/L	J		21		17	30
LFW 62D	8/17/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 62D	8/17/2015	BARIUM	5.3	ug/L					0.22	2
LFW 62D	8/17/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 62D	8/17/2015	CHROMIUM	10	ug/L	U				1	10
LFW 62D	8/17/2015	COBALT	0.48	ug/L	J		21		0.22	2
LFW 62D	8/17/2015	COPPER	2.4	ug/L					0.68	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	8/17/2015	IRON	50	ug/L	U				33	50
LFW 62D	8/17/2015	LEAD	0.24	ug/L	J		21		0.17	3
LFW 62D	8/17/2015	MANGANESE	2.4	ug/L					0.88	2
LFW 62D	8/17/2015	NICKEL	0.98	ug/L	J		21		0.8	5
LFW 62D	8/17/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 62D	8/17/2015	SILVER	2	ug/L	U				0.82	2
LFW 62D	8/17/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 62D	8/17/2015	ZINC	10	ug/L	U				9.3	10
LFW 21	8/17/2015	MERCURY	0.1	ug/L	J		21, V		0.06	0.2
LFW 62D	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 62D	8/17/2015	1,1-DICHLOROETHANE	20	ug/L					0.07	1
LFW 62D	8/17/2015	1,1-DICHLOROETHYLENE	0.34	ug/L	J		21		0.08	1
LFW 62D	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 62D	8/17/2015	1,2-DICHLOROPROPANE	0.53	ug/L	J		21		0.1	1
LFW 62D	8/17/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 62D	8/17/2015	ACETONE	2	ug/L					0.34	2
LFW 62D	8/17/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 62D	8/17/2015	BENZENE	1.1	ug/L					0.06	1
LFW 62D	8/17/2015	CHLOROBENZENE	3	ug/L					0.15	1
LFW 62D	8/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.63	ug/L	J		21		0.1	2
LFW 62D	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	J		21		0.08	2
LFW 62D	8/17/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 62D	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 62D	8/17/2015	CIS-1,2-DICHLOROETHYLENE	7.9	ug/L					0.09	1
LFW 62D	8/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L			S		0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 62D	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 62D	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 62D	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 62D	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 62D	8/17/2015	STYRENE	1	ug/L	U				0.07	1
LFW 62D	8/17/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
LFW 62D	8/17/2015	TOLUENE	0.36	ug/L	J		21		0.07	1
LFW 62D	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 48C	3/17/2015	TRICHLOROETHYLENE (TCE)	0.66	ug/L	J	J	21		0.3	1
LFW 62D	8/17/2015	TRICHLOROFLUOROMETHANE	0.15	ug/L	J		21		0.11	1
LFW 62D	8/17/2015	XYLENES	3	ug/L	U				0.2	3
LFW 29	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
LFW 62D	8/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 62D	8/17/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 62D	8/17/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 62D	8/17/2015	PHENOL	10	ug/L	U				2	10
LFW 62D	8/17/2015	GROSS ALPHA	1.69	pCi/L	J		21	0.893	1.14	2.926
LFW 62D	8/17/2015	RADIUM-226	1.04	pCi/L				0.15	0.108	0.408
LFW 62D	8/17/2015	RADIUM-228	0.604	pCi/L	J		21	0.221	0.303	0.745
LFW 62D	8/17/2015	FLUORIDE	18	ug/L	J		21		10	100
LFW 62D	8/17/2015	TRITIUM	1.84	pCi/mL				0.406	0.395	1.207
LFW 29	8/17/2015	1,4-DIOXANE	3	ug/L	J		21		1.2	5
LFW 43C	3/16/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
LFW 61D	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
LFW 62B	3/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
LFW 61D	8/17/2015	1,4-DIOXANE	2.9	ug/L	J		21		1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 57C	8/18/2015	1,4-DIOXANE	2.7	ug/L	J		21		1.2	5
LFW 66CR	8/20/2015	1,4-DIOXANE	2.1	ug/L	J		21		1.2	5
LFW 18	8/17/2015	1,4-DIOXANE	2	ug/L	J		21		1.2	5
LFW 45D	8/17/2015	1,4-DIOXANE	1.8	ug/L	J		21		1.2	5
LFW 60D	8/19/2015	1,4-DIOXANE	1.7	ug/L	J		21		1.2	5
LFW 74C	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 74C	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 74C	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 74C	3/16/2015	BARIUM	5.8	ug/L					0.22	2
LFW 74C	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 74C	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 74C	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 74C	3/16/2015	COBALT	0.43	ug/L	J		21		0.22	2
LFW 74C	3/16/2015	COPPER	10	ug/L					0.68	1
LFW 74C	3/16/2015	LEAD	20	ug/L					0.17	3
LFW 74C	3/16/2015	NICKEL	1.1	ug/L	J		21, V		0.8	5
LFW 74C	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 74C	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 74C	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 74C	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 74C	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 74C	3/16/2015	ZINC	10	ug/L			S		9.3	10
LFW 61D	8/17/2015	MERCURY	0.1	ug/L	J		21, V		0.06	0.2
LFW 74C	3/16/2015	ALDRIN	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.014	0.054
LFW 74C	3/16/2015	DDD	0.054	ug/L	U				0.011	0.054

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	DDE	0.054	ug/L	U				0.015	0.054
LFW 74C	3/16/2015	DDT	0.054	ug/L	U				0.025	0.054
LFW 74C	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	DIELDRIN	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	ENDOSULFAN I	0.054	ug/L	U				0.021	0.054
LFW 74C	3/16/2015	ENDOSULFAN II	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	ENDOSULFAN SULFATE	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	ENDRIN	0.054	ug/L	U				0.019	0.054
LFW 74C	3/16/2015	ENDRIN ALDEHYDE	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	HEPTACHLOR	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	HEPTACHLOR EPOXIDE	0.054	ug/L	U				0.018	0.054
LFW 74C	3/16/2015	LINDANE	0.054	ug/L	U				0.011	0.054
LFW 74C	3/16/2015	METHOXYCHLOR	0.54	ug/L	U				0.014	0.54
LFW 74C	3/16/2015	TOTAL CHLORDANE	0.54	ug/L	U				0.11	0.54
LFW 74C	3/16/2015	TOXAPHENE	2.2	ug/L	U				0.29	2.2
LFW 74C	3/16/2015	AROCLOR 1016	1	ug/L	U				0.36	1
LFW 74C	3/16/2015	AROCLOR 1221	1	ug/L	U				0.36	1
LFW 74C	3/16/2015	AROCLOR 1232	1	ug/L	U				0.36	1
LFW 74C	3/16/2015	AROCLOR 1242	1	ug/L	U				0.36	1
LFW 74C	3/16/2015	AROCLOR 1248	1	ug/L	U				0.36	1
LFW 74C	3/16/2015	AROCLOR 1254	1	ug/L	U				0.17	1
LFW 74C	3/16/2015	AROCLOR 1260	1	ug/L	U				0.17	1
LFW 74C	3/16/2015	DINOSEB	0.253	ug/L	U				0.0842	0.253
LFW 74C	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 74C	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 74C	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 74C	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 74C	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 74C	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 74C	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 74C	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74C	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74C	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 74C	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 74C	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 74C	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 74C	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 74C	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 74C	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 74C	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 74C	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 74C	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 74C	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 74C	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 74C	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 74C	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 74C	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 74C	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74C	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 74C	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 74C	3/16/2015	BROMOMETHANE (METHYL	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
LFW 74C	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 74C	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 74C	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 74C	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 74C	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74C	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 74C	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74C	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 74C	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 74C	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 74C	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74C	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 74C	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 74C	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 74C	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 74C	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 74C	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 74C	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 74C	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 74C	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 74C	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 74C	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 74C	3/16/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 74C	3/16/2015	TOLUENE	1.2	ug/L					0.07	1
LFW 74C	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74C	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74C	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 36R	3/17/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J	J	21		0.3	1
LFW 74C	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 74C	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 74C	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 74C	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	1,3,5-TRINITROBENZENE	51	ug/L	U				1	51
LFW 74C	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	1,4-NAPHTHOQUINONE	51	ug/L	U				1	51
LFW 74C	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U				1	51
LFW 74C	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,4-DINITROPHENOL	51	ug/L	U				2	51
LFW 74C	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U				1	100
LFW 74C	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				1	20
LFW 74C	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 74C	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.6	10
LFW 74C	3/16/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U				1.3	51
LFW 74C	3/16/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U				2.7	51
LFW 74C	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U				1	20
LFW 74C	3/16/2015	4-AMINOBIPHENYL	51	ug/L	U				1.1	51
LFW 74C	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 74C	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2	10
LFW 74C	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 74C	3/16/2015	4-NITROPHENOL	10	ug/L	U				2	10
LFW 74C	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				1	20
LFW 74C	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U				1	20
LFW 74C	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U				23	51
LFW 74C	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ANTHRACENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BENZO[A]PYRENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3.1	10
LFW 74C	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10
LFW 74C	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 74C	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 74C	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
LFW 74C	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	CHLOROBENZILATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	CHRYSENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 74C	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 74C	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	DIMETHOATE	20	ug/L	U				1	20
LFW 74C	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 74C	3/16/2015	DISULFOTON	51	ug/L	U				1	51
LFW 74C	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	FAMPHUR	100	ug/L	U				1.7	100
LFW 74C	3/16/2015	FLUORANTHENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	FLUORENE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 74C	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 74C	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ISODRIN	10	ug/L	U				1	10
LFW 74C	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 74C	3/16/2015	ISOSAFROLE	20	ug/L	U				5.1	20
LFW 74C	3/16/2015	KEPONE	100	ug/L	U				20	100
LFW 74C	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 74C	3/16/2015	METHAPYRILENE	51	ug/L	U				1.3	51
LFW 74C	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	METHYL PARATHION	10	ug/L	U				1	10
LFW 74C	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U				1	10
LFW 74C	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2	10
LFW 74C	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.5	10
LFW 74C	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U				1.2	51
LFW 74C	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 74C	3/16/2015	PARATHION	51	ug/L	U				1	51
LFW 74C	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 74C	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	PENTACHLORONITROBENZENE	51	ug/L	U				1	51
LFW 74C	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10
LFW 74C	3/16/2015	PHENACETIN	20	ug/L	U				1	20
LFW 74C	3/16/2015	PHENANTHRENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	PHENOL	10	ug/L	U				2	10
LFW 74C	3/16/2015	PHORATE	51	ug/L	U				2	51
LFW 74C	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 74C	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 74C	3/16/2015	PRONAMIDE	20	ug/L	U				1	20
LFW 74C	3/16/2015	PYRENE	10	ug/L	U				1	10
LFW 74C	3/16/2015	SAFROLE	20	ug/L	U				1	20
LFW 74C	3/16/2015	THIONAZIN	51	ug/L	U				1	51
LFW 74C	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0035	0.01
LFW 74C	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 74C	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 74C	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 74C	8/12/2015	BARIUM	4.9	ug/L	J		21		2	20
LFW 74C	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	CADMIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 74C	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 74C	8/12/2015	COPPER	4.27	ug/L	J		21		0.5	5
LFW 74C	8/12/2015	LEAD	4.73	ug/L	J		21		0.5	5
LFW 74C	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 74C	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 74C	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 74C	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	TIN	10	ug/L	U				1	10
LFW 74C	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 74C	8/12/2015	ZINC	9.1	ug/L	J		21		4	40
LFW 61C	8/18/2015	MERCURY	0.098	ug/L	J		21, V		0.06	0.2
LFW 74C	8/12/2015	2,4,5-T	0.99	ug/L	U				0.27	0.99
LFW 74C	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 74C	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 74C	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 74C	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 74C	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74C	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 74C	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 74C	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 74C	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 74C	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 74C	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 74C	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 74C	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 74C	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74C	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 74C	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 74C	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 74C	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 74C	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 74C	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 74C	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 74C	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74C	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 74C	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74C	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 74C	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 74C	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74C	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 74C	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 74C	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 74C	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 74C	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 74C	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74C	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 74C	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 74C	8/12/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
LFW 74C	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74C	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74C	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 61D	8/17/2015	TRICHLOROETHYLENE (TCE)	0.6	ug/L	J		21		0.25	1
LFW 74C	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 74C	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 74C	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 74C	8/12/2015	DIETHYL PHTHALATE	9.9	ug/L	U				0.99	9.9
LFW 74D	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 74D	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 74D	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 74D	3/16/2015	BARIUM	7.7	ug/L					0.22	2
LFW 74D	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 74D	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 74D	3/16/2015	CHROMIUM	1.1	ug/L	J		21, V		1	10
LFW 74D	3/16/2015	COBALT	7	ug/L					0.22	2
LFW 74D	3/16/2015	COPPER	0.96	ug/L	J		21		0.68	1
LFW 74D	3/16/2015	LEAD	0.84	ug/L	J		21		0.17	3
LFW 74D	3/16/2015	NICKEL	5	ug/L	U				0.8	5
LFW 74D	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 74D	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 74D	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 74D	3/16/2015	TIN	2	ug/L	U				1.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 74D	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 43B	3/16/2015	MERCURY	0.097	ug/L	J		21, V		0.06	0.2
LFW 74D	3/16/2015	ALDRIN	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.014	0.054
LFW 74D	3/16/2015	DDD	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	DDE	0.054	ug/L	U				0.015	0.054
LFW 74D	3/16/2015	DDT	0.054	ug/L	U				0.025	0.054
LFW 74D	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	DIELDRIN	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	ENDOSULFAN I	0.054	ug/L	U				0.021	0.054
LFW 74D	3/16/2015	ENDOSULFAN II	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	ENDOSULFAN SULFATE	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	ENDRIN	0.054	ug/L	U				0.02	0.054
LFW 74D	3/16/2015	ENDRIN ALDEHYDE	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	HEPTACHLOR	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	HEPTACHLOR EPOXIDE	0.054	ug/L	U				0.018	0.054
LFW 74D	3/16/2015	LINDANE	0.054	ug/L	U				0.011	0.054
LFW 74D	3/16/2015	METHOXYCHLOR	0.54	ug/L	U				0.014	0.54
LFW 74D	3/16/2015	TOTAL CHLORDANE	0.54	ug/L	U				0.11	0.54
LFW 74D	3/16/2015	TOXAPHENE	2.2	ug/L	U				0.29	2.2
LFW 74D	3/16/2015	AROCLOR 1016	1	ug/L	U				0.35	1
LFW 74D	3/16/2015	AROCLOR 1221	1	ug/L	U				0.35	1
LFW 74D	3/16/2015	AROCLOR 1232	1	ug/L	U				0.35	1
LFW 74D	3/16/2015	AROCLOR 1242	1	ug/L	U				0.35	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	AROCLOR 1248	1	ug/L	U				0.35	1
LFW 74D	3/16/2015	AROCLOR 1254	1	ug/L	U				0.17	1
LFW 74D	3/16/2015	AROCLOR 1260	1	ug/L	U				0.17	1
LFW 74D	3/16/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
LFW 74D	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 74D	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 74D	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 74D	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 74D	3/16/2015	1,1,1-TRICHLOROETHANE	0.35	ug/L	J		21		0.07	1
LFW 74D	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 74D	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 74D	3/16/2015	1,1-DICHLOROETHANE	4.2	ug/L					0.07	1
LFW 74D	3/16/2015	1,1-DICHLOROETHYLENE	0.94	ug/L	J		21		0.08	1
LFW 74D	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74D	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 74D	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 74D	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 74D	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 74D	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 74D	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 74D	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 74D	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 74D	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 74D	3/16/2015	ACETONE	3	ug/L					0.34	2
LFW 74D	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 74D	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 74D	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 74D	3/16/2015	BENZENE	1.3	ug/L					0.06	1
LFW 74D	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74D	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 74D	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 74D	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 74D	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 74D	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 74D	3/16/2015	CHLOROBENZENE	0.57	ug/L	J		21		0.15	1
LFW 74D	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.86	ug/L	J		21		0.1	2
LFW 74D	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	J		21		0.08	2
LFW 74D	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 74D	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74D	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 74D	3/16/2015	CIS-1,2-DICHLOROETHYLENE	4.4	ug/L					0.09	1
LFW 74D	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 74D	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74D	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 74D	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 74D	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4	ug/L					0.27	1
LFW 74D	3/16/2015	ETHYLBENZENE	0.13	ug/L	J		21		0.09	1
LFW 74D	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 74D	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 74D	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 74D	3/16/2015	METHYL ISOBUTYL KETONE	0.37	ug/L	J		21		0.12	5
LFW 74D	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 74D	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 74D	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 74D	3/16/2015	TETRACHLOROETHYLENE (PCE)	0.6	ug/L	J		21		0.18	1
LFW 74D	3/16/2015	TOLUENE	1.1	ug/L					0.07	1
LFW 74D	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74D	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74D	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 44D	8/12/2015	TRICHLOROETHYLENE (TCE)	0.5	ug/L	J		21		0.25	1
LFW 74D	3/16/2015	TRICHLOROFLUOROMETHANE	16	ug/L					0.11	1
LFW 74D	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 74D	3/16/2015	XYLENES	9.3	ug/L					0.2	3
LFW 74D	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	1,2,4-TRICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	1,3,5-TRINITROBENZENE	49	ug/L	U				0.97	49
LFW 74D	3/16/2015	1,3-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	1,3-DINITROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	1,4-DICHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	1,4-NAPHTHOQUINONE	49	ug/L	U				0.97	49
LFW 74D	3/16/2015	1-NAPHTHYLAMINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U				0.97	49
LFW 74D	3/16/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U				0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,4-DINITROPHENOL	49	ug/L	U				1.9	49
LFW 74D	3/16/2015	2,4-DINITROTOLUENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,6-DICHLOROPHENOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2,6-DINITROTOLUENE	9.7	ug/L	U				2.1	9.7
LFW 74D	3/16/2015	2-ACETYLAMINOFLUORENE	97	ug/L	U		14		0.97	97
LFW 74D	3/16/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2-CHLOROPHENOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.97	19
LFW 74D	3/16/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2-NAPHTHYLAMINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	2-NITROANILINE	9.7	ug/L	U				1.1	9.7
LFW 74D	3/16/2015	2-NITROPHENOL	9.7	ug/L	U				1.5	9.7
LFW 74D	3/16/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U		14		1.3	49
LFW 74D	3/16/2015	3,3'-DIMETHYLBENZIDINE	49	ug/L	U		14		2.5	49
LFW 74D	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.97	19
LFW 74D	3/16/2015	4-AMINOBIPHENYL	49	ug/L	U				1	49
LFW 74D	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	4-CHLOROANILINE	9.7	ug/L	U				1.9	9.7
LFW 74D	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	4-NITROPHENOL	9.7	ug/L	U				1.9	9.7
LFW 74D	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.97	19
LFW 74D	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACEN	19	ug/L	U		14		0.97	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		E								
LFW 74D	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	49	ug/L	U				21	49
LFW 74D	3/16/2015	ACENAPHTHENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	ACENAPHTHYLENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	ACETOPHENONE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	ANTHRACENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZO[A]PYRENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	BENZYL ALCOHOL	9.7	ug/L	U				2.9	9.7
LFW 74D	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U		14		1.8	9.7
LFW 74D	3/16/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	CHLOROBENZILATE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	CHRYSENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 74D	3/16/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	DIBENZOFURAN	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	DIETHYL PHTHALATE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	DIMETHOATE	19	ug/L	U				0.97	19
LFW 74D	3/16/2015	DIMETHYL PHTHALATE	9.7	ug/L	U				0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	DINITRO-O-CRESOL	9.7	ug/L	U				1.2	9.7
LFW 74D	3/16/2015	DISULFOTON	49	ug/L	U		14		0.97	49
LFW 74D	3/16/2015	ETHYL METHACRYLATE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	ETHYL METHANESULFONATE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	FAMPHUR	97	ug/L	U		14		1.7	97
LFW 74D	3/16/2015	FLUORANTHENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	FLUORENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	HEXACHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	HEXACHLOROETHANE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	HEXACHLOROPROPENE	97	ug/L	U				0.97	97
LFW 74D	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	ISODRIN	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	ISOPHORONE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	ISOSAFROLE	19	ug/L	U				4.9	19
LFW 74D	3/16/2015	KEPONE	97	ug/L	U		14		19	97
LFW 74D	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 74D	3/16/2015	METHAPYRILENE	49	ug/L	U		14		1.2	49
LFW 74D	3/16/2015	METHYL METHANESULFONATE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	METHYL PARATHION	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	M-NITROANILINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	NAPHTHALENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	NITROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-NITROSODIETHYLAMINE	9.7	ug/L	U				0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	N-NITROSODIMETHYLAMINE	9.7	ug/L	U				1.9	9.7
LFW 74D	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U				1.5	9.7
LFW 74D	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-NITROSOPIPERIDINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	N-NITROSOPYRROLIDINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	49	ug/L	U				1.1	49
LFW 74D	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	PARATHION	49	ug/L	U		14		0.97	49
LFW 74D	3/16/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	PENTACHLOROBENZENE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	PENTACHLORONITROBENZENE	49	ug/L	U				0.97	49
LFW 74D	3/16/2015	PENTACHLOROPHENOL	9.7	ug/L	U				1.2	9.7
LFW 74D	3/16/2015	PHENACETIN	19	ug/L	U				0.97	19
LFW 74D	3/16/2015	PHENANTHRENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	PHENOL	9.7	ug/L	U				1.9	9.7
LFW 74D	3/16/2015	PHORATE	49	ug/L	U				1.9	49
LFW 74D	3/16/2015	P-NITROANILINE	9.7	ug/L	U				0.97	9.7
LFW 74D	3/16/2015	P-PHENYLENEDIAMINE	97	ug/L	U				0.97	97
LFW 74D	3/16/2015	PRONAMIDE	19	ug/L	U				0.97	19
LFW 74D	3/16/2015	PYRENE	9.7	ug/L	U		14		0.97	9.7
LFW 74D	3/16/2015	SAFROLE	19	ug/L	U				0.97	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	3/16/2015	THIONAZIN	49	ug/L	U				0.97	49
LFW 74D	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0026	0.01
LFW 74D	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 74D	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 74D	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 74D	8/12/2015	BARIUM	5.62	ug/L	J		21		2	20
LFW 74D	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 74D	8/12/2015	COBALT	4.64	ug/L	J		21		0.5	5
LFW 74D	8/12/2015	COPPER	10.5	ug/L					0.5	5
LFW 74D	8/12/2015	LEAD	2.55	ug/L	J		21		0.5	5
LFW 74D	8/12/2015	NICKEL	0.719	ug/L	J		21		0.5	5
LFW 74D	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 74D	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 74D	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	TIN	10	ug/L	U				1	10
LFW 74D	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 74D	8/12/2015	ZINC	17.3	ug/L	J		21		4	40
LFW 59D	8/17/2015	MERCURY	0.095	ug/L	J		21, V		0.06	0.2
LFW 74D	8/12/2015	2,4,5-T	0.99	ug/L	U				0.27	0.99
LFW 74D	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 74D	8/12/2015	1,1,1-TRICHLOROETHANE	0.26	ug/L	J		21		0.07	1
LFW 74D	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 74D	8/12/2015	1,1-DICHLOROETHANE	4.2	ug/L					0.07	1
LFW 74D	8/12/2015	1,1-DICHLOROETHYLENE	0.55	ug/L	J		21		0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 74D	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 74D	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 74D	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 74D	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 74D	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 74D	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 74D	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 74D	8/12/2015	BENZENE	1.5	ug/L					0.06	1
LFW 74D	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74D	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 74D	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 74D	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 74D	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 74D	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 74D	8/12/2015	CHLOROBENZENE	0.8	ug/L	J		21		0.15	1
LFW 74D	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	J		21		0.1	2
LFW 74D	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	0.5	ug/L	J		21		0.08	2
LFW 74D	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 74D	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 74D	8/12/2015	CIS-1,2-DICHLOROETHYLENE	4.9	ug/L					0.09	1
LFW 74D	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 74D	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 74D	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 74D	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4	ug/L					0.27	1
LFW 74D	8/12/2015	ETHYLBENZENE	0.44	ug/L	J		21		0.09	1
LFW 74D	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 74D	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 74D	8/12/2015	METHYL ISOBUTYL KETONE	0.79	ug/L	J		21		0.12	5
LFW 74D	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 74D	8/12/2015	TETRACHLOROETHYLENE (PCE)	0.57	ug/L	J		21		0.18	1
LFW 74D	8/12/2015	TOLUENE	0.44	ug/L	J		21		0.07	1
LFW 74D	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 74D	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 74D	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 75D	3/16/2015	TRICHLOROETHYLENE (TCE)	0.43	ug/L	J		21		0.25	1
LFW 74D	8/12/2015	TRICHLOROFLUOROMETHANE	13	ug/L					0.11	1
LFW 74D	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 74D	8/12/2015	XYLENES	9.7	ug/L					0.2	3
LFW 74D	8/12/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 75C	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 75C	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 75C	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 75C	3/16/2015	BARIUM	8.8	ug/L					0.22	2
LFW 75C	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 75C	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 75C	3/16/2015	CHROMIUM	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	COBALT	0.61	ug/L	J		21		0.22	2
LFW 75C	3/16/2015	COPPER	4.4	ug/L					0.68	1
LFW 75C	3/16/2015	LEAD	5.4	ug/L					0.17	3
LFW 75C	3/16/2015	NICKEL	0.9	ug/L	J		21, V		0.8	5
LFW 75C	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 75C	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 75C	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 75C	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 75C	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 75C	3/16/2015	ZINC	9.4	ug/L	J		21		9.3	10
LFW 29	8/17/2015	MERCURY	0.092	ug/L	J		21, V		0.06	0.2
LFW 75C	3/16/2015	ALDRIN	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.013	0.048
LFW 75C	3/16/2015	DDD	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	DDE	0.048	ug/L	U				0.013	0.048
LFW 75C	3/16/2015	DDT	0.048	ug/L	U				0.022	0.048
LFW 75C	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	DIELDRIN	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	ENDOSULFAN I	0.048	ug/L	U				0.018	0.048
LFW 75C	3/16/2015	ENDOSULFAN II	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	ENDOSULFAN SULFATE	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	ENDRIN	0.048	ug/L	U				0.017	0.048
LFW 75C	3/16/2015	ENDRIN ALDEHYDE	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	HEPTACHLOR	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U				0.016	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	LINDANE	0.048	ug/L	U				0.0096	0.048
LFW 75C	3/16/2015	METHOXYCHLOR	0.48	ug/L	U				0.013	0.48
LFW 75C	3/16/2015	TOTAL CHLORDANE	0.48	ug/L	U				0.096	0.48
LFW 75C	3/16/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
LFW 75C	3/16/2015	AROCLOR 1016	0.97	ug/L	U				0.34	0.97
LFW 75C	3/16/2015	AROCLOR 1221	0.97	ug/L	U				0.34	0.97
LFW 75C	3/16/2015	AROCLOR 1232	0.97	ug/L	U				0.34	0.97
LFW 75C	3/16/2015	AROCLOR 1242	0.97	ug/L	U				0.34	0.97
LFW 75C	3/16/2015	AROCLOR 1248	0.97	ug/L	U				0.34	0.97
LFW 75C	3/16/2015	AROCLOR 1254	0.97	ug/L	U				0.16	0.97
LFW 75C	3/16/2015	AROCLOR 1260	0.97	ug/L	U				0.16	0.97
LFW 75C	3/16/2015	DINOSEB	0.238	ug/L	U				0.0794	0.238
LFW 75C	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 75C	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 75C	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 75C	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 75C	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 75C	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 75C	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 75C	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 75C	3/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75C	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 75C	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 75C	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 75C	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 75C	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 75C	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 75C	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 75C	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 75C	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 75C	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 75C	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 75C	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 75C	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 75C	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 75C	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 75C	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75C	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 75C	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 75C	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 75C	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 75C	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 75C	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 75C	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 75C	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75C	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 75C	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75C	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 75C	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 75C	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75C	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 75C	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 75C	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 75C	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 75C	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 75C	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 75C	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 75C	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 75C	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 75C	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 75C	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 75C	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 75C	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 75C	3/16/2015	TOLUENE	0.23	ug/L	J		21		0.07	1
LFW 75C	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75C	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 75C	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 75D	8/12/2015	TRICHLOROETHYLENE (TCE)	0.39	ug/L	J		21		0.25	1
LFW 75C	3/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 75C	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 75C	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 75C	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U				0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	1,3,5-TRINITROBENZENE	48	ug/L	U				0.96	48
LFW 75C	3/16/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	1,3-DINITROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	1,4-NAPHTHOQUINONE	48	ug/L	U				0.96	48
LFW 75C	3/16/2015	1-NAPHTHYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U				0.96	48
LFW 75C	3/16/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,4-DINITROPHENOL	48	ug/L	U				1.9	48
LFW 75C	3/16/2015	2,4-DINITROTOLUENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2,6-DINITROTOLUENE	9.6	ug/L	U				2.1	9.6
LFW 75C	3/16/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U		14		0.96	96
LFW 75C	3/16/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2-CHLOROPHENOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2-NAPHTHYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	2-NITROANILINE	9.6	ug/L	U				1.1	9.6
LFW 75C	3/16/2015	2-NITROPHENOL	9.6	ug/L	U				1.5	9.6
LFW 75C	3/16/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U		14		1.2	48
LFW 75C	3/16/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U		14		2.5	48
LFW 75C	3/16/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.96	19
LFW 75C	3/16/2015	4-AMINOBIPHENYL	48	ug/L	U				1	48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	4-CHLOROANILINE	9.6	ug/L	U				1.9	9.6
LFW 75C	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	4-NITROPHENOL	9.6	ug/L	U				1.9	9.6
LFW 75C	3/16/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.96	19
LFW 75C	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U				21	48
LFW 75C	3/16/2015	ACENAPHTHENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	ACENAPHTHYLENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	ACETOPHENONE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZO[A]PYRENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	BENZYL ALCOHOL	9.6	ug/L	U				2.9	9.6
LFW 75C	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U		14		1.8	9.6
LFW 75C	3/16/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	CHLOROBENZILATE	9.6	ug/L	U		14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	CHRYSENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	DIALLATE	19	ug/L	U				1.9	19
LFW 75C	3/16/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	DIBENZOFURAN	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	DIETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	DIMETHOATE	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	DIMETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	DINITRO-O-CRESOL	9.6	ug/L	U				1.2	9.6
LFW 75C	3/16/2015	DISULFOTON	48	ug/L	U		14		0.96	48
LFW 75C	3/16/2015	ETHYL METHACRYLATE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	ETHYL METHANESULFONATE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	FAMPHUR	96	ug/L	U		14		1.6	96
LFW 75C	3/16/2015	FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	FLUORENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	HEXACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	HEXACHLOROETHANE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	HEXACHLOROPROPENE	96	ug/L	U				0.96	96
LFW 75C	3/16/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	ISODRIN	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	ISOPHORONE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	ISOSAFROLE	19	ug/L	U				4.8	19
LFW 75C	3/16/2015	KEPONE	96	ug/L	U		14		19	96
LFW 75C	3/16/2015	M/P-CRESOL	19	ug/L	U				1.9	19
LFW 75C	3/16/2015	METHAPYRILENE	48	ug/L	U		14		1.2	48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	METHYL METHANESULFONATE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	METHYL PARATHION	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	M-NITROANILINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	NAPHTHALENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	NITROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U				1.9	9.6
LFW 75C	3/16/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U				1.4	9.6
LFW 75C	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U				1.1	48
LFW 75C	3/16/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	PARATHION	48	ug/L	U		14		0.96	48
LFW 75C	3/16/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	PENTACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	PENTACHLORONITROBENZENE	48	ug/L	U				0.96	48
LFW 75C	3/16/2015	PENTACHLOROPHENOL	9.6	ug/L	U				1.2	9.6
LFW 75C	3/16/2015	PHENACETIN	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	PHENANTHRENE	9.6	ug/L	U		14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	3/16/2015	PHENOL	9.6	ug/L	U				1.9	9.6
LFW 75C	3/16/2015	PHORATE	48	ug/L	U				1.9	48
LFW 75C	3/16/2015	P-NITROANILINE	9.6	ug/L	U				0.96	9.6
LFW 75C	3/16/2015	P-PHENYLENEDIAMINE	96	ug/L	U				0.96	96
LFW 75C	3/16/2015	PRONAMIDE	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	PYRENE	9.6	ug/L	U		14		0.96	9.6
LFW 75C	3/16/2015	SAFROLE	19	ug/L	U				0.96	19
LFW 75C	3/16/2015	THIONAZIN	48	ug/L	U				0.96	48
LFW 75C	3/16/2015	2,3,7,8-TCDD	0.0097	ng/L	U				0.0028	0.0097
LFW 75C	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 75C	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 75C	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 75C	8/12/2015	BARIUM	7.15	ug/L	J		21		2	20
LFW 75C	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 75C	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 75C	8/12/2015	COPPER	28.9	ug/L					0.5	5
LFW 75C	8/12/2015	LEAD	15.8	ug/L					0.5	5
LFW 75C	8/12/2015	NICKEL	0.62	ug/L	J		21		0.5	5
LFW 75C	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 75C	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 75C	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	TIN	10	ug/L	U				1	10
LFW 75C	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 75C	8/12/2015	ZINC	11.8	ug/L	J		21		4	40
LFW 62D	8/17/2015	MERCURY	0.089	ug/L	J		21, V		0.06	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75C	8/12/2015	2,4,5-T	0.94	ug/L	U				0.25	0.94
LFW 75C	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 75C	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 75C	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 75C	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 75C	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75C	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 75C	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 75C	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 75C	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 75C	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 75C	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 75C	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 75C	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 75C	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 75C	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75C	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 75C	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 75C	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 75C	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 75C	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 75C	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 75C	8/12/2015	CHLOROETHANE (ETHYL	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
LFW 75C	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75C	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 75C	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75C	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 75C	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 75C	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75C	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 75C	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 75C	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 75C	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 75C	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 75C	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 75C	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 75C	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 75C	8/12/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
LFW 75C	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75C	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 75C	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 32C	3/16/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.25	1
LFW 75C	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
LFW 75C	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 75C	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 75C	8/12/2015	DIETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 75D	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 75D	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 75D	3/16/2015	BARIUM	23	ug/L					0.22	2
LFW 75D	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 75D	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 75D	3/16/2015	CHROMIUM	10	ug/L	U				1	10
LFW 75D	3/16/2015	COBALT	0.25	ug/L	J		21		0.22	2
LFW 75D	3/16/2015	COPPER	2.5	ug/L					0.68	1
LFW 75D	3/16/2015	LEAD	2.2	ug/L	J		21		0.17	3
LFW 75D	3/16/2015	NICKEL	1.1	ug/L	J		21, V		0.8	5
LFW 75D	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 75D	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 75D	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 75D	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 75D	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 75D	3/16/2015	ZINC	15	ug/L					9.3	10
LFW 10A	8/17/2015	MERCURY	0.077	ug/L	J		21, V		0.06	0.2
LFW 75D	3/16/2015	ALDRIN	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U				0.013	0.05
LFW 75D	3/16/2015	DDD	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	DDE	0.05	ug/L	U				0.014	0.05
LFW 75D	3/16/2015	DDT	0.05	ug/L	U				0.023	0.05
LFW 75D	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	DIELDRIN	0.05	ug/L	U				0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	ENDOSULFAN I	0.05	ug/L	U				0.019	0.05
LFW 75D	3/16/2015	ENDOSULFAN II	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	ENDOSULFAN SULFATE	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	ENDRIN	0.05	ug/L	U				0.018	0.05
LFW 75D	3/16/2015	ENDRIN ALDEHYDE	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	HEPTACHLOR	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U				0.017	0.05
LFW 75D	3/16/2015	LINDANE	0.05	ug/L	U				0.01	0.05
LFW 75D	3/16/2015	METHOXYCHLOR	0.5	ug/L	U				0.013	0.5
LFW 75D	3/16/2015	TOTAL CHLORDANE	0.5	ug/L	U				0.1	0.5
LFW 75D	3/16/2015	TOXAPHENE	2	ug/L	U				0.27	2
LFW 75D	3/16/2015	AROCLOR 1016	0.98	ug/L	U				0.34	0.98
LFW 75D	3/16/2015	AROCLOR 1221	0.98	ug/L	U				0.34	0.98
LFW 75D	3/16/2015	AROCLOR 1232	0.98	ug/L	U				0.34	0.98
LFW 75D	3/16/2015	AROCLOR 1242	0.98	ug/L	U				0.34	0.98
LFW 75D	3/16/2015	AROCLOR 1248	0.98	ug/L	U				0.34	0.98
LFW 75D	3/16/2015	AROCLOR 1254	0.98	ug/L	U				0.16	0.98
LFW 75D	3/16/2015	AROCLOR 1260	0.98	ug/L	U				0.16	0.98
LFW 75D	3/16/2015	DINOSEB	0.248	ug/L	U				0.0825	0.248
LFW 75D	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 75D	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
LFW 75D	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 75D	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 75D	3/16/2015	1,1,1-TRICHLOROETHANE	0.15	ug/L	J		21		0.07	1
LFW 75D	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 75D	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 75D	3/16/2015	1,1-DICHLOROETHANE	1.2	ug/L					0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	1,1-DICHLOROETHYLENE	0.59	ug/L	J		21		0.08	1
LFW 75D	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 75D	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 75D	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 75D	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 75D	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 75D	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 75D	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 75D	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 75D	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 75D	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 75D	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 75D	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 75D	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 75D	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 75D	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 75D	3/16/2015	BENZENE	0.36	ug/L	J		21		0.06	1
LFW 75D	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75D	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 75D	3/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 75D	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 75D	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 75D	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 75D	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 75D	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	0.64	ug/L	J		21		0.08	2
LFW 75D	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 75D	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75D	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 75D	3/16/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.09	1
LFW 75D	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 75D	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75D	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 75D	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 75D	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 75D	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 75D	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 75D	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 75D	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 75D	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 75D	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 75D	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 75D	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
LFW 75D	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 75D	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 75D	3/16/2015	TOLUENE	0.26	ug/L	J		21		0.07	1
LFW 75D	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75D	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 75D	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 10A	8/17/2015	TRICHLOROETHYLENE (TCE)	0.34	ug/L	J		21		0.25	1
LFW 75D	3/16/2015	TRICHLOROFLUOROMETHANE	4.7	ug/L					0.11	1
LFW 75D	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 75D	3/16/2015	XYLENES	0.49	ug/L	J		21		0.2	3
LFW 75D	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	1,3,5-TRINITROBENZENE	50	ug/L	U				1	50
LFW 75D	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	1,4-NAPHTHOQUINONE	50	ug/L	U				1	50
LFW 75D	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U				1	50
LFW 75D	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,4-DINITROPHENOL	50	ug/L	U				2	50
LFW 75D	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.1	10
LFW 75D	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U		14		1	100
LFW 75D	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				1	20
LFW 75D	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 75D	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.5	10
LFW 75D	3/16/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U		14		1.3	50
LFW 75D	3/16/2015	3,3'-DIMETHYLBENZIDINE	50	ug/L	U		14		2.6	50
LFW 75D	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U		14		1	20
LFW 75D	3/16/2015	4-AMINOBIPHENYL	50	ug/L	U				1	50
LFW 75D	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 75D	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2	10
LFW 75D	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 75D	3/16/2015	4-NITROPHENOL	10	ug/L	U				2	10
LFW 75D	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				1	20
LFW 75D	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U		14		1	20
LFW 75D	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	50	ug/L	U				22	50
LFW 75D	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 75D	3/16/2015	ANTHRACENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZO[A]PYRENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3	10
LFW 75D	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 75D	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 75D	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U		14		1.9	10
LFW 75D	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	CHLOROBENZILATE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	CHRYSENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 75D	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 75D	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 75D	3/16/2015	DIMETHOATE	20	ug/L	U				1	20
LFW 75D	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 75D	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 75D	3/16/2015	DISULFOTON	50	ug/L	U		14		1	50
LFW 75D	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 75D	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 75D	3/16/2015	FAMPHUR	100	ug/L	U		14		1.7	100
LFW 75D	3/16/2015	FLUORANTHENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	FLUORENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 75D	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 75D	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U		14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	3/16/2015	ISODRIN	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 75D	3/16/2015	ISOSAFROLE	20	ug/L	U				5	20
LFW 75D	3/16/2015	KEPONE	100	ug/L	U		14		20	100
LFW 75D	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 75D	3/16/2015	METHAPYRILENE	50	ug/L	U		14		1.3	50
LFW 75D	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 75D	3/16/2015	METHYL PARATHION	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2	10
LFW 75D	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.5	10
LFW 75D	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	50	ug/L	U				1.1	50
LFW 75D	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 75D	3/16/2015	PARATHION	50	ug/L	U		14		1	50
LFW 75D	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 75D	3/16/2015	P-	10	ug/L	U		14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIMETHYLAMINOAZOBENZENE								
LFW 75D	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 75D	3/16/2015	PENTACHLORONITROBENZENE	50	ug/L	U				1	50
LFW 75D	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10
LFW 75D	3/16/2015	PHENACETIN	20	ug/L	U				1	20
LFW 75D	3/16/2015	PHENANTHRENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	PHENOL	10	ug/L	U				2	10
LFW 75D	3/16/2015	PHORATE	50	ug/L	U				2	50
LFW 75D	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 75D	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 75D	3/16/2015	PRONAMIDE	20	ug/L	U				1	20
LFW 75D	3/16/2015	PYRENE	10	ug/L	U		14		1	10
LFW 75D	3/16/2015	SAFROLE	20	ug/L	U				1	20
LFW 75D	3/16/2015	THIONAZIN	50	ug/L	U				1	50
LFW 75D	3/16/2015	2,3,7,8-TCDD	0.0099	ng/L	U				0.0022	0.0099
LFW 75D	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 75D	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 75D	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 75D	8/12/2015	BARIUM	17	ug/L	J		21		2	20
LFW 75D	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 75D	8/12/2015	COBALT	5	ug/L	U				0.5	5
LFW 75D	8/12/2015	COPPER	2.43	ug/L	J		21		0.5	5
LFW 75D	8/12/2015	LEAD	2.35	ug/L	J		21		0.5	5
LFW 75D	8/12/2015	NICKEL	0.557	ug/L	J		21		0.5	5
LFW 75D	8/12/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 75D	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	TIN	10	ug/L	U				1	10
LFW 75D	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 75D	8/12/2015	ZINC	9.77	ug/L	J		21		4	40
LFW 74C	3/16/2015	MERCURY	0.076	ug/L	J		21, V		0.06	0.2
LFW 75D	8/12/2015	2,4,5-T	0.95	ug/L	U				0.26	0.95
LFW 75D	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 75D	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 75D	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 75D	8/12/2015	1,1-DICHLOROETHANE	0.94	ug/L	J		21		0.07	1
LFW 75D	8/12/2015	1,1-DICHLOROETHYLENE	0.37	ug/L	J		21		0.08	1
LFW 75D	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 75D	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 75D	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 75D	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 75D	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
LFW 75D	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 75D	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 75D	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 75D	8/12/2015	BENZENE	0.46	ug/L	J		21		0.06	1
LFW 75D	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75D	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 75D	8/12/2015	BROMOFORM	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(TRIBROMOMETHANE)								
LFW 75D	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 75D	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 75D	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 75D	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 75D	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 75D	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	0.34	ug/L	J		21		0.08	2
LFW 75D	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 75D	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 75D	8/12/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J		21		0.09	1
LFW 75D	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 75D	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 75D	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 75D	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 75D	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 75D	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 75D	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 75D	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 75D	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 75D	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 75D	8/12/2015	TOLUENE	1	ug/L	U				0.07	1
LFW 75D	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 75D	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 75D	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 28	3/16/2015	TRICHLOROETHYLENE (TCE)	0.31	ug/L	J		21		0.25	1
LFW 75D	8/12/2015	TRICHLOROFLUOROMETHANE	4	ug/L					0.11	1
LFW 75D	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 75D	8/12/2015	XYLENES	0.31	ug/L	J		21		0.2	3
LFW 75D	8/12/2015	DIETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4
LFW 76	3/16/2015	SULFIDE	1	mg/L	U				0.45	1
LFW 76	3/16/2015	ANTIMONY	5	ug/L	U				1.7	5
LFW 76	3/16/2015	ARSENIC	10	ug/L	U				1.2	10
LFW 76	3/16/2015	BARIUM	5.2	ug/L					0.22	2
LFW 76	3/16/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
LFW 76	3/16/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
LFW 76	3/16/2015	CHROMIUM	1.2	ug/L	J		21, V		1	10
LFW 76	3/16/2015	COBALT	30	ug/L					0.22	2
LFW 76	3/16/2015	COPPER	2.2	ug/L					0.68	1
LFW 76	3/16/2015	LEAD	0.54	ug/L	J		21		0.17	3
LFW 76	3/16/2015	NICKEL	1.1	ug/L	J		21, V		0.8	5
LFW 76	3/16/2015	SELENIUM	5	ug/L	U				1.6	5
LFW 76	3/16/2015	SILVER	2	ug/L	U				0.82	2
LFW 76	3/16/2015	THALLIUM	2	ug/L	U				0.55	2
LFW 76	3/16/2015	TIN	2	ug/L	U				1.1	2
LFW 76	3/16/2015	VANADIUM	10	ug/L	U				2.4	10
LFW 76	3/16/2015	ZINC	10	ug/L	U				9.3	10
LFW 48D	8/17/2015	MERCURY	0.067	ug/L	J		21, V		0.06	0.2
LFW 76	3/16/2015	ALDRIN	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U				0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U				0.013	0.051
LFW 76	3/16/2015	DDD	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	DDE	0.051	ug/L	U				0.014	0.051
LFW 76	3/16/2015	DDT	0.051	ug/L	U				0.023	0.051
LFW 76	3/16/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	DIELDRIN	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	ENDOSULFAN I	0.051	ug/L	U				0.019	0.051
LFW 76	3/16/2015	ENDOSULFAN II	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	ENDOSULFAN SULFATE	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	ENDRIN	0.051	ug/L	U				0.018	0.051
LFW 76	3/16/2015	ENDRIN ALDEHYDE	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	HEPTACHLOR	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U				0.017	0.051
LFW 76	3/16/2015	LINDANE	0.051	ug/L	U				0.01	0.051
LFW 76	3/16/2015	METHOXYCHLOR	0.51	ug/L	U				0.013	0.51
LFW 76	3/16/2015	TOTAL CHLORDANE	0.51	ug/L	U				0.1	0.51
LFW 76	3/16/2015	TOXAPHENE	2	ug/L	U				0.27	2
LFW 76	3/16/2015	AROCLOR 1016	1	ug/L	U				0.35	1
LFW 76	3/16/2015	AROCLOR 1221	1	ug/L	U				0.35	1
LFW 76	3/16/2015	AROCLOR 1232	1	ug/L	U				0.35	1
LFW 76	3/16/2015	AROCLOR 1242	1	ug/L	U				0.35	1
LFW 76	3/16/2015	AROCLOR 1248	1	ug/L	U				0.35	1
LFW 76	3/16/2015	AROCLOR 1254	1	ug/L	U				0.17	1
LFW 76	3/16/2015	AROCLOR 1260	1	ug/L	U				0.17	1
LFW 76	3/16/2015	DINOSEB	0.253	ug/L	U				0.0842	0.253
LFW 76	3/16/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
LFW 76	3/16/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
LFW 76	3/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 76	3/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 76	3/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 76	3/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 76	3/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 76	3/16/2015	1,1-DICHLOROETHYLENE	0.38	ug/L	J		21		0.08	1
LFW 76	3/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 76	3/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 76	3/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 76	3/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 76	3/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 76	3/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 76	3/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 76	3/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
LFW 76	3/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
LFW 76	3/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 76	3/16/2015	ACETONE	2	ug/L	U				0.34	2
LFW 76	3/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
LFW 76	3/16/2015	ACROLEIN	10	ug/L	U				2.8	10
LFW 76	3/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 76	3/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
LFW 76	3/16/2015	BENZENE	1	ug/L	U				0.06	1
LFW 76	3/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 76	3/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 76	3/16/2015	BROMOFORM	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(TRIBROMOMETHANE)								
LFW 76	3/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 76	3/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 76	3/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 76	3/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 76	3/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 76	3/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 76	3/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 76	3/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 76	3/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
LFW 76	3/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 76	3/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 76	3/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 76	3/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 76	3/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
LFW 76	3/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 76	3/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 76	3/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 76	3/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
LFW 76	3/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
LFW 76	3/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
LFW 76	3/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 76	3/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
LFW 76	3/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	STYRENE	1	ug/L	U				0.07	1
LFW 76	3/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 76	3/16/2015	TOLUENE	1.6	ug/L					0.07	1
LFW 76	3/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 76	3/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 76	3/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 6R	8/13/2015	TRICHLOROETHYLENE (TCE)	0.3	ug/L	J		21		0.25	1
LFW 76	3/16/2015	TRICHLOROFLUOROMETHANE	12	ug/L					0.11	1
LFW 76	3/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 76	3/16/2015	XYLENES	3	ug/L	U				0.2	3
LFW 76	3/16/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	1,3,5-TRINITROBENZENE	51	ug/L	U				1	51
LFW 76	3/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	1,3-DINITROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	1,4-NAPHTHOQUINONE	51	ug/L	U				1	51
LFW 76	3/16/2015	1-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 76	3/16/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U				1	51
LFW 76	3/16/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 76	3/16/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U				1	10
LFW 76	3/16/2015	2,4-DICHLOROPHENOL	10	ug/L	U				1	10
LFW 76	3/16/2015	2,4-DIMETHYLPHENOL	10	ug/L	U				1	10
LFW 76	3/16/2015	2,4-DINITROPHENOL	51	ug/L	U				2	51
LFW 76	3/16/2015	2,4-DINITROTOLUENE	10	ug/L	U				1	10
LFW 76	3/16/2015	2,6-DICHLOROPHENOL	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	2,6-DINITROTOLUENE	10	ug/L	U				2.2	10
LFW 76	3/16/2015	2-ACETYLAMINOFLUORENE	100	ug/L	U				1	100
LFW 76	3/16/2015	2-CHLORONAPHTHALENE	10	ug/L	U				1	10
LFW 76	3/16/2015	2-CHLOROPHENOL	10	ug/L	U				1	10
LFW 76	3/16/2015	2-METHYLANILINE (O-TOLUIDINE)	20	ug/L	U				1	20
LFW 76	3/16/2015	2-METHYLNAPHTHALENE	10	ug/L	U				1	10
LFW 76	3/16/2015	2-NAPHTHYLAMINE	10	ug/L	U				1	10
LFW 76	3/16/2015	2-NITROANILINE	10	ug/L	U				1.1	10
LFW 76	3/16/2015	2-NITROPHENOL	10	ug/L	U				1.5	10
LFW 76	3/16/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U				1.3	51
LFW 76	3/16/2015	3,3'-DIMETHYLBENZIDINE	51	ug/L	U				2.7	51
LFW 76	3/16/2015	3-METHYLCHOLANTHRENE	20	ug/L	U				1	20
LFW 76	3/16/2015	4-AMINOBIPHENYL	51	ug/L	U				1.1	51
LFW 76	3/16/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 76	3/16/2015	4-CHLOROANILINE	10	ug/L	U				2	10
LFW 76	3/16/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U				1	10
LFW 76	3/16/2015	4-NITROPHENOL	10	ug/L	U				2	10
LFW 76	3/16/2015	5-NITRO-O-TOLUIDINE	20	ug/L	U				1	20
LFW 76	3/16/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	20	ug/L	U				1	20
LFW 76	3/16/2015	A,A-DIMETHYLPHENETHYLAMINE	51	ug/L	U				22	51
LFW 76	3/16/2015	ACENAPHTHENE	10	ug/L	U				1	10
LFW 76	3/16/2015	ACENAPHTHYLENE	10	ug/L	U				1	10
LFW 76	3/16/2015	ACETOPHENONE	10	ug/L	U				1	10
LFW 76	3/16/2015	ANTHRACENE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U				1	10
LFW 76	3/16/2015	BENZO[A]ANTHRACENE	10	ug/L	U				1	10
LFW 76	3/16/2015	BENZO[A]PYRENE	10	ug/L	U				1	10
LFW 76	3/16/2015	BENZO[B]FLUORANTHENE	10	ug/L	U				1	10
LFW 76	3/16/2015	BENZO[K]FLUORANTHENE	10	ug/L	U				1	10
LFW 76	3/16/2015	BENZYL ALCOHOL	10	ug/L	U				3	10
LFW 76	3/16/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U				1	10
LFW 76	3/16/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U				1	10
LFW 76	3/16/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U				1	10
LFW 76	3/16/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				1.9	10
LFW 76	3/16/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U				1	10
LFW 76	3/16/2015	CHLOROBENZILATE	10	ug/L	U				1	10
LFW 76	3/16/2015	CHRYSENE	10	ug/L	U				1	10
LFW 76	3/16/2015	DIALLATE	20	ug/L	U				2	20
LFW 76	3/16/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U				1	10
LFW 76	3/16/2015	DIBENZOFURAN	10	ug/L	U				1	10
LFW 76	3/16/2015	DIETHYL PHTHALATE	10	ug/L	U				1	10
LFW 76	3/16/2015	DIMETHOATE	20	ug/L	U				1	20
LFW 76	3/16/2015	DIMETHYL PHTHALATE	10	ug/L	U				1	10
LFW 76	3/16/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U				1	10
LFW 76	3/16/2015	DINITRO-O-CRESOL	10	ug/L	U				1.3	10
LFW 76	3/16/2015	DISULFOTON	51	ug/L	U				1	51
LFW 76	3/16/2015	ETHYL METHACRYLATE	10	ug/L	U				1	10
LFW 76	3/16/2015	ETHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 76	3/16/2015	FAMPHUR	100	ug/L	U				1.7	100
LFW 76	3/16/2015	FLUORANTHENE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	FLUORENE	10	ug/L	U				1	10
LFW 76	3/16/2015	HEXACHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	HEXACHLOROBUTADIENE	10	ug/L	U				1	10
LFW 76	3/16/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U				1	10
LFW 76	3/16/2015	HEXACHLOROETHANE	10	ug/L	U				1	10
LFW 76	3/16/2015	HEXACHLOROPROPENE	100	ug/L	U				1	100
LFW 76	3/16/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U				1	10
LFW 76	3/16/2015	ISODRIN	10	ug/L	U				1	10
LFW 76	3/16/2015	ISOPHORONE	10	ug/L	U				1	10
LFW 76	3/16/2015	ISOSAFROLE	20	ug/L	U				5.1	20
LFW 76	3/16/2015	KEPONE	100	ug/L	U				20	100
LFW 76	3/16/2015	M/P-CRESOL	20	ug/L	U				2	20
LFW 76	3/16/2015	METHAPYRILENE	51	ug/L	U				1.3	51
LFW 76	3/16/2015	METHYL METHANESULFONATE	10	ug/L	U				1	10
LFW 76	3/16/2015	METHYL PARATHION	10	ug/L	U				1	10
LFW 76	3/16/2015	M-NITROANILINE	10	ug/L	U				1	10
LFW 76	3/16/2015	NAPHTHALENE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-DIOCTYL PHTHALATE	10	ug/L	U				1	10
LFW 76	3/16/2015	NITROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-NITROSODIETHYLAMINE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-NITROSODIMETHYLAMINE	10	ug/L	U				2	10
LFW 76	3/16/2015	N-NITROSODI-N-BUTYLAMINE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U				1.5	10
LFW 76	3/16/2015	N-NITROSO-N-METHYLETHYLAMINE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	3/16/2015	N-NITROSOPIPERIDINE	10	ug/L	U				1	10
LFW 76	3/16/2015	N-NITROSOPYRROLIDINE	10	ug/L	U				1	10
LFW 76	3/16/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	51	ug/L	U				1.2	51
LFW 76	3/16/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U				1	10
LFW 76	3/16/2015	PARATHION	51	ug/L	U				1	51
LFW 76	3/16/2015	P-CHLORO-M-CRESOL	10	ug/L	U				1	10
LFW 76	3/16/2015	P-DIMETHYLAMINOAZOBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	PENTACHLOROBENZENE	10	ug/L	U				1	10
LFW 76	3/16/2015	PENTACHLORONITROBENZENE	51	ug/L	U				1	51
LFW 76	3/16/2015	PENTACHLOROPHENOL	10	ug/L	U				1.3	10
LFW 76	3/16/2015	PHENACETIN	20	ug/L	U				1	20
LFW 76	3/16/2015	PHENANTHRENE	10	ug/L	U				1	10
LFW 76	3/16/2015	PHENOL	10	ug/L	U				2	10
LFW 76	3/16/2015	PHORATE	51	ug/L	U				2	51
LFW 76	3/16/2015	P-NITROANILINE	10	ug/L	U				1	10
LFW 76	3/16/2015	P-PHENYLENEDIAMINE	100	ug/L	U				1	100
LFW 76	3/16/2015	PRONAMIDE	20	ug/L	U				1	20
LFW 76	3/16/2015	PYRENE	10	ug/L	U				1	10
LFW 76	3/16/2015	SAFROLE	20	ug/L	U				1	20
LFW 76	3/16/2015	THIONAZIN	51	ug/L	U				1	51
LFW 76	3/16/2015	2,3,7,8-TCDD	0.01	ng/L	U				0.0024	0.01
LFW 76	3/16/2015	CYANIDE	10	ug/L	U				2.9	10
LFW 76	8/12/2015	ANTIMONY	10	ug/L	U				1	10
LFW 76	8/12/2015	ARSENIC	50	ug/L	U				5	50
LFW 76	8/12/2015	BARIUM	4.76	ug/L	J		21		2	20
LFW 76	8/12/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	8/12/2015	CADMIUM	1	ug/L	U				0.1	1
LFW 76	8/12/2015	CHROMIUM	100	ug/L	U				10	100
LFW 76	8/12/2015	COBALT	12.4	ug/L					0.5	5
LFW 76	8/12/2015	COPPER	1.23	ug/L	J		21		0.5	5
LFW 76	8/12/2015	LEAD	5	ug/L	U				0.5	5
LFW 76	8/12/2015	NICKEL	5	ug/L	U				0.5	5
LFW 76	8/12/2015	SELENIUM	20	ug/L	U				2	20
LFW 76	8/12/2015	SILVER	5	ug/L	U				0.5	5
LFW 76	8/12/2015	THALLIUM	1	ug/L	U				0.1	1
LFW 76	8/12/2015	TIN	10	ug/L	U				1	10
LFW 76	8/12/2015	VANADIUM	50	ug/L	U				5	50
LFW 76	8/12/2015	ZINC	40	ug/L	U				4	40
LFW 30	8/12/2015	MERCURY	0.054	ug/L	J		21		0.02	0.2
LFW 76	8/12/2015	2,4,5-T	0.99	ug/L	U				0.27	0.99
LFW 76	8/12/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
LFW 76	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
LFW 76	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
LFW 76	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
LFW 76	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
LFW 76	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 76	8/12/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
LFW 76	8/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
LFW 76	8/12/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
LFW 76	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
LFW 76	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
LFW 76	8/12/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
LFW 76	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	8/12/2015	2-HEXANONE	5	ug/L	U				0.22	5
LFW 76	8/12/2015	ACETONE	2	ug/L	U				0.34	2
LFW 76	8/12/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
LFW 76	8/12/2015	BENZENE	1	ug/L	U				0.06	1
LFW 76	8/12/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 76	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
LFW 76	8/12/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
LFW 76	8/12/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
LFW 76	8/12/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
LFW 76	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LFW 76	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
LFW 76	8/12/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
LFW 76	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 76	8/12/2015	CHLOROFORM	1	ug/L	U				0.1	1
LFW 76	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LFW 76	8/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LFW 76	8/12/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
LFW 76	8/12/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
LFW 76	8/12/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
LFW 76	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LFW 76	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
LFW 76	8/12/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
LFW 76	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LFW 76	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
LFW 76	8/12/2015	STYRENE	1	ug/L	U				0.07	1
LFW 76	8/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LFW 76	8/12/2015	TOLUENE	1	ug/L	U				0.07	1
LFW 76	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LFW 76	8/12/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
LFW 76	8/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
LFW 45D	8/17/2015	TRICHLOROETHYLENE (TCE)	0.27	ug/L	J		21		0.25	1
LFW 76	8/12/2015	TRICHLOROFLUOROMETHANE	17	ug/L					0.11	1
LFW 76	8/12/2015	VINYL ACETATE	2	ug/L	U				0.18	2
LFW 76	8/12/2015	XYLENES	3	ug/L	U				0.2	3
LFW 76	8/12/2015	DIETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
LRP 6R	11/9/2015	CARBON TETRACHLORIDE	2.6	ug/L					0.13	1
LRP 6R	11/9/2015	CHLOROFORM	1.9	ug/L					0.1	0.5
LRP 6R	11/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LRP 6R	11/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LRP 7D	11/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
LRP 7D	11/9/2015	CHLOROFORM	0.2	ug/L	J		21		0.1	0.5
LRP 7D	11/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
LRP 7D	11/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
LSB 4	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSB 4	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSB 4	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSB 4	11/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LSB 4	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSB 4	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSB 4	11/23/2015	TRITIUM	0.75	pCi/mL	J		21	0.29	0.417	0.998
LSP 8DU	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSP 8DU	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSP 8DU	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSP 8DU	11/16/2015	TETRACHLOROETHYLENE (PCE)	0.47	ug/L	J		21		0.18	1
LSP 8DU	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSP 8DU	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSP 8DU	11/16/2015	TRITIUM	0.598	pCi/mL	J		21	0.367	0.576	1.31
LSW 2DL	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 2DL	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW 2DL	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW 2DL	11/23/2015	TETRACHLOROETHYLENE (PCE)	0.81	ug/L	J		21		0.18	1
LSW 2DL	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 2DL	11/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW 2DL	11/23/2015	TRITIUM	20.6	pCi/mL				0.88	0.402	2.16
LSW 8C	11/23/2015	TRITIUM	18.8	pCi/mL				0.856	0.449	2.16
LSW 8DL	12/8/2015	TRITIUM	10.2	pCi/mL				0.649	0.42	1.72
LSW 9C	12/8/2015	TRITIUM	18	pCi/mL				0.835	0.417	2.09
LSW 9DL	11/24/2015	TRITIUM	53.9	pCi/mL				1.4	0.446	3.25
LSW 12C	11/30/2015	TRITIUM	0.921	pCi/mL	J		21	0.312	0.442	1.07
LSW 12DL	11/30/2015	TRITIUM	0.151	pCi/mL	U			0.266	0.444	0.976
LSW 14C	11/24/2015	TRITIUM	9.27	pCi/mL				0.624	0.443	1.69
LSW 14DL	11/24/2015	TRITIUM	4.66	pCi/mL				0.481	0.447	1.41

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LSW 24A	12/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 24A	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW 24A	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW 24A	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LSW 24A	12/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 24A	12/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW 24A	12/15/2015	TRITIUM	0.293	pCi/mL	U			0.252	0.403	0.908
LSW 25DL	12/8/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 25DL	12/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW 25DL	12/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW 25DL	12/8/2015	TETRACHLOROETHYLENE (PCE)	56	ug/L					0.9	5
LSW 25DL	12/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW 25DL	12/8/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J		21		0.25	1
LSW 25DL	12/8/2015	TRITIUM	645	pCi/mL				4.79	0.417	9.99
LSW002AR	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW002AR	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW002AR	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW002AR	11/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LSW002AR	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW002AR	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW002AR	11/16/2015	TRITIUM	0.493	pCi/mL	U			0.338	0.535	1.21
LSW014A	11/16/2015	TRITIUM	-0.297	pCi/mL	U			0.257	0.479	0.993
LSW026DL	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW026DL	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LSW026DL	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW026DL	11/16/2015	TETRACHLOROETHYLENE (PCE)	6.4	ug/L					0.18	1
LSW026DL	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW026DL	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW026DL	11/16/2015	TRITIUM	3.94	pCi/mL				0.465	0.496	1.42
LSW027A	11/16/2015	TRITIUM	-0.202	pCi/mL	U			0.279	0.502	1.06
LSW027C	11/26/2015	TRITIUM	0.205	pCi/mL	U			0.307	0.508	1.12
LSW028C	11/16/2015	TRITIUM	5.4	pCi/mL				0.508	0.459	1.48
LSW029DL	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW029DL	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW029DL	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW029DL	11/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LSW029DL	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW029DL	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW029DL	11/16/2015	TRITIUM	7.68	pCi/mL				0.589	0.469	1.65
LSW030DL	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW030DL	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW030DL	11/16/2015	CIS-1,2-DICHLOROETHYLENE	0.87	ug/L	J		21		0.09	1
LSW030DL	11/16/2015	TETRACHLOROETHYLENE (PCE)	17	ug/L					0.18	1
LSW030DL	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW030DL	11/16/2015	TRICHLOROETHYLENE (TCE)	4	ug/L					0.25	1
LSW030DL	11/16/2015	TRITIUM	47.7	pCi/mL				1.31	0.497	3.11
LSW031DL	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW031DL	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
LSW031DL	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW031DL	11/16/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
LSW031DL	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW031DL	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW031DL	11/16/2015	TRITIUM	461	pCi/mL				3.98	0.5	8.45
LSW032DL	11/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW032DL	11/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
LSW032DL	11/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
LSW032DL	11/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
LSW032DL	11/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
LSW032DL	11/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
LSW032DL	11/16/2015	TRITIUM	1.01	pCi/mL	J		21	0.345	0.501	1.19
MCB 4	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 4	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 4	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 4	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 4	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 4	8/20/2015	ACETONE	2	ug/L	U				0.34	2
MCB 4	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 4	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 4	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 4	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 4	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB 4	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 4	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 4	8/20/2015	TRICHLOROETHYLENE (TCE)	3.6	ug/L					0.25	1
MCB 4	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 5	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 5	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 5	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 5	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 5	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 5	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 5	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 5	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 5	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 5	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 5	8/25/2015	TETRACHLOROETHYLENE (PCE)	0.92	ug/L	J		21		0.18	1
MCB 5	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 5	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 5	8/25/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.25	1
MCB 5	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 5C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 5C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 5C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 5C	8/25/2015	1,1-DICHLOROETHYLENE	0.4	ug/L	J		21		0.08	1
MCB 5C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 5C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 5C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 5C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 5C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 5C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	0.34	ug/L	J		21		0.09	1
MCB 5C	8/25/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.18	1
MCB 5C	8/25/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
MCB 5C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 5C	8/25/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.25	1
MCB 5C	8/25/2015	1,4-DIOXANE	3.7	ug/L	J		21		1.2	5
MCB 6C	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 6C	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 6C	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 6C	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 6C	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 6C	8/20/2015	ACETONE	2	ug/L	U				0.34	2
MCB 6C	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 6C	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 6C	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 6C	8/20/2015	CIS-1,2-DICHLOROETHYLENE	0.48	ug/L	J		21		0.09	1
MCB 6C	8/20/2015	TETRACHLOROETHYLENE (PCE)	6	ug/L					0.18	1
MCB 6C	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 6C	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 6C	8/20/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.25	1
MCB 6C	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 7C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 7C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 7C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 7C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 7C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 7C	8/27/2015	ACETONE	2.2	ug/L					0.34	2
MCB 7C	8/27/2015	CARBON TETRACHLORIDE	0.43	ug/L	J		21		0.13	1
MCB 7C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 7C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 7C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	0.26	ug/L	J		21		0.09	1
MCB 7C	8/27/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MCB 7C	8/27/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
MCB 7C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 7C	8/27/2015	TRICHLOROETHYLENE (TCE)	35	ug/L					0.25	1
MCB 7C	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 11B	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 11B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 11B	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 11B	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 11B	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 11B	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MCB 11B	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 11B	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 11B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 11B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J		21		0.09	1
MCB 11B	8/27/2015	TETRACHLOROETHYLENE (PCE)	0.47	ug/L	J		21		0.18	1
MCB 11B	8/27/2015	TOLUENE	0.26	ug/L	J		21		0.07	1
MCB 11B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 11B	8/27/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
MCB 11B	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 12B	8/31/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MCB 12B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MCB 12B	8/31/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MCB 12B	8/31/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MCB 12B	8/31/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MCB 12B	8/31/2015	ACETONE	10	ug/L	U				1.7	10
MCB 12B	8/31/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MCB 12B	8/31/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MCB 12B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MCB 12B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L	J		21		0.45	5
MCB 12B	8/31/2015	TETRACHLOROETHYLENE (PCE)	61	ug/L					0.9	5
MCB 12B	8/31/2015	TOLUENE	5	ug/L	U				0.35	5
MCB 12B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MCB 12B	8/31/2015	TRICHLOROETHYLENE (TCE)	70	ug/L					1.3	5
MCB 12B	8/31/2015	1,4-DIOXANE	5.1	ug/L					1.2	5
MCB 12C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 12C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 12C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 12C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 12C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 12C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 12C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 12C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 12C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 12C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J		21		0.09	1
MCB 12C	8/25/2015	TETRACHLOROETHYLENE (PCE)	8.8	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 12C	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 12C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 12C	8/25/2015	TRICHLOROETHYLENE (TCE)	13	ug/L					0.25	1
MCB 12C	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 14B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 14B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 14B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 14B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 14B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 14B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 14B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 14B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 14B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 14B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	0.22	ug/L	J		21		0.09	1
MCB 14B	8/25/2015	TETRACHLOROETHYLENE (PCE)	4	ug/L					0.18	1
MCB 14B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 14B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 14B	8/25/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
MCB 14B	8/25/2015	1,4-DIOXANE	1.4	ug/L	J		21		1.2	5
MCB 14C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 14C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 14C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 14C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 14C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 14C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 14C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 14C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 14C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 14C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 14C	8/25/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L					0.18	1
MCB 14C	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 14C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 14C	8/25/2015	TRICHLOROETHYLENE (TCE)	8.7	ug/L					0.25	1
MCB 14C	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 15B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 15B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 15B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 15B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 15B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 15B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 15B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 15B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 15B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 15B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
MCB 15B	8/25/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
MCB 15B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 15B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 15B	8/25/2015	TRICHLOROETHYLENE (TCE)	8.1	ug/L					0.25	1
MCB 15B	8/25/2015	1,4-DIOXANE	11	ug/L					1.2	5
MCB 15C	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 15C	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 15C	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 15C	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 15C	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 15C	8/24/2015	ACETONE	2	ug/L	U				0.34	2
MCB 15C	8/24/2015	CARBON TETRACHLORIDE	0.47	ug/L	J		21		0.13	1
MCB 15C	8/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 15C	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 15C	8/24/2015	CIS-1,2-DICHLOROETHYLENE	6.7	ug/L					0.09	1
MCB 15C	8/24/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
MCB 15C	8/24/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 15C	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 15C	8/24/2015	TRICHLOROETHYLENE (TCE)	44	ug/L					1.3	5
MCB 15C	8/24/2015	1,4-DIOXANE	41	ug/L					1.2	5
MCB 16C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 16C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 16C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 16C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 16C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 16C	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MCB 16C	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 16C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 16C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 16C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1.3	ug/L					0.09	1
MCB 16C	8/27/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
MCB 16C	8/27/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 16C	8/27/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MCB 16C	8/27/2015	TRICHLOROETHYLENE (TCE)	8.7	ug/L					0.25	1
MCB 16C	8/27/2015	1,4-DIOXANE	14	ug/L					1.2	5
MCB 17B	8/31/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MCB 17B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MCB 17B	8/31/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MCB 17B	8/31/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MCB 17B	8/31/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MCB 17B	8/31/2015	ACETONE	50	ug/L	U				8.5	50
MCB 17B	8/31/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MCB 17B	8/31/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MCB 17B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MCB 17B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	59	ug/L					2.3	25
MCB 17B	8/31/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L	J		21		4.5	25
MCB 17B	8/31/2015	TOLUENE	25	ug/L	U				1.8	25
MCB 17B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MCB 17B	8/31/2015	TRICHLOROETHYLENE (TCE)	490	ug/L					6.3	25
MCB 17B	8/31/2015	1,4-DIOXANE	110	ug/L					1.2	5
MCB 18B	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 18B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 18B	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 18B	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 18B	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 18B	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MCB 18B	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 18B	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 18B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 18B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 18B	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB 18B	8/27/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
MCB 18B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 18B	8/27/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
MCB 18B	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 19B	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 19B	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 19B	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 19B	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 19B	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 19B	11/19/2015	ACETONE	2	ug/L	U				0.34	2
MCB 19B	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 19B	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 19B	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 19B	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 19B	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB 19B	11/19/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 19B	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 19B	11/19/2015	TRICHLOROETHYLENE (TCE)	2.8	ug/L					0.25	1
MCB 19B	11/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 21B2	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 21B2	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 21B2	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 21B2	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 21B2	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 21B2	9/30/2015	ACETONE	5.1	ug/L					0.34	2
MCB 21B2	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 21B2	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 21B2	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 21B2	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1.6	ug/L					0.09	1
MCB 21B2	9/30/2015	TETRACHLOROETHYLENE (PCE)	2.9	ug/L					0.18	1
MCB 21B2	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 21B2	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 21B2	9/30/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
MCB 21B2	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 22B2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 22B2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 22B2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 22B2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 22B2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 22B2	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MCB 22B2	9/29/2015	CARBON TETRACHLORIDE	0.38	ug/L	J		21		0.13	1
MCB 22B2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 22B2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 22B2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	22	ug/L					0.09	1
MCB 22B2	9/29/2015	TETRACHLOROETHYLENE (PCE)	4.9	ug/L					0.18	1
MCB 22B2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 22B2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 22B2	9/29/2015	TRICHLOROETHYLENE (TCE)	250	ug/L					2.5	10
MCB 22B2	9/29/2015	1,4-DIOXANE	46	ug/L					1.2	5
MCB 22C2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 22C2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 22C2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 22C2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 22C2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 22C2	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MCB 22C2	9/29/2015	CARBON TETRACHLORIDE	0.42	ug/L	J		21		0.13	1
MCB 22C2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 22C2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 22C2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.09	1
MCB 22C2	9/29/2015	TETRACHLOROETHYLENE (PCE)	7.6	ug/L					0.18	1
MCB 22C2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 22C2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 22C2	9/29/2015	TRICHLOROETHYLENE (TCE)	95	ug/L					1.3	5
MCB 22C2	9/29/2015	1,4-DIOXANE	47	ug/L					1.2	5
MCB 23B	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 23B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 23B	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 23B	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 23B	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 23B	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MCB 23B	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 23B	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 23B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 23B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	0.55	ug/L	J		21		0.09	1
MCB 23B	8/31/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
MCB 23B	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 23B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 23B	8/31/2015	TRICHLOROETHYLENE (TCE)	8.4	ug/L					0.25	1
MCB 23B	8/31/2015	1,4-DIOXANE	120	ug/L					1.2	5
MCB 24B2	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 24B2	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 24B2	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 24B2	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 24B2	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 24B2	9/23/2015	ACETONE	2	ug/L	U				0.34	2
MCB 24B2	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 24B2	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 24B2	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 24B2	9/23/2015	CIS-1,2-DICHLOROETHYLENE	0.62	ug/L	J		21		0.09	1
MCB 24B2	9/23/2015	TETRACHLOROETHYLENE (PCE)	3.2	ug/L					0.18	1
MCB 24B2	9/23/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
MCB 24B2	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 24B2	9/23/2015	TRICHLOROETHYLENE (TCE)	6.3	ug/L					0.25	1
MCB 24B2	9/23/2015	1,4-DIOXANE	1.5	ug/L	J		21		1.2	5
MCB 24C2	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 24C2	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 24C2	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 24C2	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 24C2	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 24C2	9/23/2015	ACETONE	2.9	ug/L					0.34	2
MCB 24C2	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 24C2	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 24C2	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 24C2	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 24C2	9/23/2015	TETRACHLOROETHYLENE (PCE)	0.74	ug/L	J		21		0.18	1
MCB 24C2	9/23/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 24C2	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 24C2	9/23/2015	TRICHLOROETHYLENE (TCE)	3.1	ug/L					0.25	1
MCB 24C2	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB 25B	8/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MCB 25B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MCB 25B	8/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MCB 25B	8/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MCB 25B	8/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MCB 25B	8/28/2015	ACETONE	10	ug/L	U				1.7	10
MCB 25B	8/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MCB 25B	8/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MCB 25B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MCB 25B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	7.8	ug/L					0.45	5
MCB 25B	8/28/2015	TETRACHLOROETHYLENE (PCE)	3.1	ug/L	J		21		0.9	5
MCB 25B	8/28/2015	TOLUENE	5	ug/L	U				0.35	5
MCB 25B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MCB 25B	8/28/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					1.3	5
MCB 25B	8/28/2015	1,4-DIOXANE	46	ug/L					1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 26B2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 26B2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 26B2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 26B2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 26B2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 26B2	9/29/2015	ACETONE	2.2	ug/L					0.34	2
MCB 26B2	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 26B2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 26B2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 26B2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J		21		0.09	1
MCB 26B2	9/29/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J		21		0.18	1
MCB 26B2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 26B2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 26B2	9/29/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
MCB 26B2	9/29/2015	1,4-DIOXANE	22	ug/L					1.2	5
MCB 26C2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 26C2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 26C2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 26C2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 26C2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 26C2	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MCB 26C2	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 26C2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 26C2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 26C2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	3.3	ug/L					0.09	1
MCB 26C2	9/29/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 26C2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 26C2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 26C2	9/29/2015	TRICHLOROETHYLENE (TCE)	35	ug/L					0.25	1
MCB 26C2	9/29/2015	1,4-DIOXANE	110	ug/L					1.2	5
MCB 27B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 27B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 27B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 27B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 27B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 27B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB 27B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB 27B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 27B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 27B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 27B	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB 27B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 27B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 27B	8/25/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.25	1
MCB 27B	8/25/2015	1,4-DIOXANE	8	ug/L					1.2	5
MCB 28B2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 28B2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 28B2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 28B2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 28B2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 28B2	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MCB 28B2	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB 28B2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 28B2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 28B2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB 28B2	9/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB 28B2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 28B2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 28B2	9/29/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
MCB 28B2	9/29/2015	1,4-DIOXANE	19	ug/L					1.2	5
MCB 28C2	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB 28C2	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB 28C2	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB 28C2	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 28C2	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB 28C2	9/29/2015	ACETONE	2.9	ug/L					0.34	2
MCB 28C2	9/29/2015	CARBON TETRACHLORIDE	0.69	ug/L	J		21		0.13	1
MCB 28C2	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB 28C2	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB 28C2	9/29/2015	CIS-1,2-DICHLOROETHYLENE	4.5	ug/L					0.09	1
MCB 28C2	9/29/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
MCB 28C2	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MCB 28C2	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB 28C2	9/29/2015	TRICHLOROETHYLENE (TCE)	51	ug/L					1.3	5
MCB 28C2	9/29/2015	1,4-DIOXANE	140	ug/L					1.2	5
MCB025C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB025C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB025C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB025C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB025C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB025C	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MCB025C	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB025C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB025C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB025C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	3.9	ug/L					0.09	1
MCB025C	8/27/2015	TETRACHLOROETHYLENE (PCE)	0.43	ug/L	J		21		0.18	1
MCB025C	8/27/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
MCB025C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB025C	8/27/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					0.25	1
MCB025C	8/27/2015	1,4-DIOXANE	31	ug/L					1.2	5
MCB029B	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB029B	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB029B	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB029B	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB029B	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB029B	8/20/2015	ACETONE	2	ug/L	U				0.34	2
MCB029B	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB029B	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB029B	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB029B	8/20/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J		21		0.09	1
MCB029B	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB029B	8/20/2015	TOLUENE	1	ug/L	U				0.07	1
MCB029B	8/20/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MCB029B	8/20/2015	TRICHLOROETHYLENE (TCE)	2.8	ug/L					0.25	1
MCB029B	8/20/2015	1,4-DIOXANE	1.2	ug/L	J		21		1.2	5
MCB029C	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB029C	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB029C	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB029C	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB029C	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB029C	8/20/2015	ACETONE	2	ug/L	U				0.34	2
MCB029C	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB029C	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB029C	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB029C	8/20/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J		21		0.09	1
MCB029C	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB029C	8/20/2015	TOLUENE	1.3	ug/L					0.07	1
MCB029C	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB029C	8/20/2015	TRICHLOROETHYLENE (TCE)	3.2	ug/L					0.25	1
MCB029C	8/20/2015	1,4-DIOXANE	2.5	ug/L	J		21		1.2	5
MCB030B	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB030B	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB030B	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB030B	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB030B	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB030B	8/20/2015	ACETONE	3.6	ug/L					0.34	2
MCB030B	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB030B	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB030B	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB030B	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB030B	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB030B	8/20/2015	TOLUENE	1.8	ug/L					0.07	1
MCB030B	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB030B	8/20/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
MCB030B	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB030C	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB030C	8/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB030C	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB030C	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB030C	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB030C	8/20/2015	ACETONE	2	ug/L	U				0.34	2
MCB030C	8/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB030C	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB030C	8/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB030C	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB030C	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB030C	8/20/2015	TOLUENE	0.81	ug/L	J		21		0.07	1
MCB030C	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB030C	8/20/2015	TRICHLOROETHYLENE (TCE)	0.5	ug/L	J		21		0.25	1
MCB030C	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB031B	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB031B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB031B	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB031B	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB031B	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB031B	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MCB031B	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB031B	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB031B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB031B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB031B	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB031B	8/27/2015	TOLUENE	0.54	ug/L	J		21		0.07	1
MCB031B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB031B	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MCB031B	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCB031C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MCB031C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MCB031C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MCB031C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MCB031C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MCB031C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MCB031C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MCB031C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MCB031C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MCB031C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MCB031C	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MCB031C	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MCB031C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MCB031C	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MCB031C	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MCS002A	11/23/2015	TRITIUM	0.345	pCi/mL	U	U		0.291	0.465	1.05
MCS002B	11/23/2015	TRITIUM	0.506	pCi/mL	J	J	21	0.294	0.451	1.04
MHTW 1	9/1/2015	TRITIUM	0.123	pCi/mL	U			0.265	0.447	0.978
TR92 4A2	9/2/2015	TRITIUM	0.0919	pCi/mL	U			0.258	0.436	0.952
MHTW 4	9/1/2015	TRITIUM	0.0817	pCi/mL	U			0.263	0.448	0.975
TR92 6A2	9/8/2015	TRITIUM	0.0799	pCi/mL	U			0.311	0.525	1.15
MHTW 2	9/1/2015	TRITIUM	0.0726	pCi/mL	U			0.263	0.448	0.974
MOX 6	3/23/2015	ALUMINUM	2410	ug/L					40	400
MOX 6	3/23/2015	BARIUM	17.5	ug/L	J				2	20
MOX 6	3/23/2015	CHROMIUM	100	ug/L	U				10	100
MOX 6	3/23/2015	COPPER	0.518	ug/L	J				0.5	5
MOX 6	3/23/2015	LEAD	0.894	ug/L	J				0.5	5
MOX 6	3/23/2015	NICKEL	5	ug/L	U				0.5	5
MOX 6	3/23/2015	ZINC	40	ug/L	U				4	40
MOX 6	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MOX 6	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MOX 6	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MOX 6	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MOX 6	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MOX 6	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MOX 6	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MOX 6	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MOX 6	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MOX 6	3/23/2015	CIS-1,2-DICHLOROETHYLENE	3.2	ug/L					0.09	1
MOX 6	3/23/2015	TETRACHLOROETHYLENE (PCE)	33	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MOX 6	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MOX 6	3/23/2015	TRICHLOROETHYLENE (TCE)	41	ug/L					2.5	10
MOX 6	8/27/2015	ALUMINUM	117	ug/L	J		21		40	400
MOX 6	8/27/2015	BARIUM	8.87	ug/L	J		21		2	20
MOX 6	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MOX 6	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MOX 6	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MOX 6	8/27/2015	COBALT	5	ug/L	U				0.5	5
MOX 6	8/27/2015	COPPER	5	ug/L	U				0.5	5
MOX 6	8/27/2015	IRON	90.3	ug/L	U		21, V		10	100
MOX 6	8/27/2015	LEAD	5	ug/L	U				0.5	5
MOX 6	8/27/2015	MANGANESE	3.73	ug/L	J		21		1	10
MOX 6	8/27/2015	NICKEL	5	ug/L	U				0.5	5
MOX 6	8/27/2015	SELENIUM	20	ug/L	U				2	20
MOX 6	8/27/2015	SODIUM	1890	ug/L					20	200
MOX 6	8/27/2015	VANADIUM	15.2	ug/L	J		21		5	50
MOX 6	8/27/2015	ZINC	40	ug/L	U				4	40
MOX 6	8/27/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MOX 6	8/27/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MOX 6	8/27/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MOX 6	8/27/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MOX 6	8/27/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MOX 6	8/27/2015	ACETONE	12	ug/L					1.7	10
MOX 6	8/27/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MOX 6	8/27/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MOX 6	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MOX 6	8/27/2015	CIS-1,2-DICHLOROETHYLENE	3.3	ug/L	J		21		0.45	5
MOX 6	8/27/2015	TETRACHLOROETHYLENE (PCE)	30	ug/L					0.9	5
MOX 6	8/27/2015	TOLUENE	5	ug/L	U				0.35	5
MOX 6	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MOX 6	8/27/2015	TRICHLOROETHYLENE (TCE)	56	ug/L					1.3	5
MOX 6	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MOX 8	3/11/2015	ALUMINUM	64.2	ug/L	J		21		40	400
MOX 8	3/11/2015	BARIUM	2.95	ug/L	J				2	20
MOX 8	3/11/2015	CHROMIUM	100	ug/L	U				10	100
MOX 8	3/11/2015	COPPER	0.613	ug/L	J				0.5	5
MOX 8	3/11/2015	LEAD	5	ug/L	U				0.5	5
MOX 8	3/11/2015	NICKEL	5	ug/L	U				0.5	5
MOX 8	3/11/2015	ZINC	40	ug/L	U				4	40
MOX 8	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MOX 8	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MOX 8	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MOX 8	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MOX 8	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MOX 8	3/11/2015	ACETONE	14	ug/L					0.34	2
MOX 8	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MOX 8	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MOX 8	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MOX 8	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MOX 8	3/11/2015	TETRACHLOROETHYLENE (PCE)	240	ug/L					1.8	10
MOX 8	3/11/2015	TETRACHLOROETHYLENE (PCE)	8.4	ug/L					0.18	1
MOX 8	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MOX 8	3/11/2015	TRICHLOROETHYLENE (TCE)	0.74	ug/L	J		21		0.25	1
MOX 8	3/11/2015	TRICHLOROETHYLENE (TCE)	9.9	ug/L					0.25	1
MOX 8	8/24/2015	ALUMINUM	119	ug/L					15	50
MOX 8	8/24/2015	BARIUM	5.88	ug/L					0.6	2
MOX 8	8/24/2015	BERYLLIUM	0.223	ug/L	J	J	21		0.2	0.5
MOX 8	8/24/2015	CADMIUM	1	ug/L	U	U			0.11	1
MOX 8	8/24/2015	CHROMIUM	10	ug/L	U	U			2	10
MOX 8	8/24/2015	COBALT	0.95	ug/L	J	J	21		0.1	1
MOX 8	8/24/2015	COPPER	0.914	ug/L	J	J	21		0.35	1
MOX 8	8/24/2015	IRON	100	ug/L	U	U			33	100
MOX 8	8/24/2015	LEAD	2	ug/L	U	U			0.5	2
MOX 8	8/24/2015	MANGANESE	7.7	ug/L					1	5
MOX 8	8/24/2015	NICKEL	0.907	ug/L	J	J	21		0.5	2
MOX 8	8/24/2015	SELENIUM	5	ug/L	U	U			1.5	5
MOX 8	8/24/2015	SILVER	1	ug/L	U	U			0.2	1
MOX 8	8/24/2015	SODIUM	2200	ug/L					80	250
MOX 8	8/24/2015	THALLIUM	2	ug/L	U	U			0.45	2
MOX 8	8/24/2015	TIN	5	ug/L	U	U			1	5
MOX 8	8/24/2015	VANADIUM	11.8	ug/L	J	J	V		3	10
MOX 8	8/24/2015	ZINC	36.7	ug/L					3.5	10
MOX 8	8/24/2015	MERCURY	0.588	ug/L					0.067	0.2
MOX 8	8/24/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MOX 8	8/24/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MOX 8	8/24/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MOX 8	8/24/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,1-DICHLOROETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,1-DICHLOROETHYLENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	1,2-DICHLOROPROPANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	ACETONE	50	ug/L	U	UJ	11		15	50
MOX 8	8/24/2015	BENZENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	BROMODICHLOROMETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CARBON DISULFIDE	50	ug/L	U	U			15	50
MOX 8	8/24/2015	CARBON TETRACHLORIDE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CHLOROBENZENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CHLOROFORM	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U	U			3	10
MOX 8	8/24/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MOX 8	8/24/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	DIBROMOCHLOROMETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	16.9	ug/L	J	J	21		10	50
MOX 8	8/24/2015	ETHYLBENZENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	METHYL ETHYL KETONE	50	ug/L	U	UJ	11		15	50
MOX 8	8/24/2015	METHYL ISOBUTYL KETONE	50	ug/L	U	U			15	50
MOX 8	8/24/2015	TETRACHLOROETHYLENE (PCE)	886	ug/L					3	10
MOX 8	8/24/2015	TOLUENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	TRICHLOROETHYLENE (TCE)	48.8	ug/L					3	10
MOX 8	8/24/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U	U			3	10
MOX 8	8/24/2015	XYLENES	30	ug/L	U	U			3	30
MOX 8	8/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MOX 8	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MOX 8	8/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MOX 8	8/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MOX 8	8/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	UJ	14		3	10
MOX 8	8/24/2015	PHENOL	10	ug/L	U	UJ	2, 11, 14		3	10
MOX 8	8/24/2015	CYANIDE	5	ug/L	U	U			1.67	5
MOX 8	8/24/2015	GROSS ALPHA	4.73	pCi/L	J	J	21	2.27	2.65	7.19
MOX 8	8/24/2015	NONVOLATILE BETA	2.93	pCi/L	J	J	21	1.73	2.54	6
MOX 8	8/24/2015	RADIUM-226	3.21	pCi/L		J	11	0.55	0.358	1.46
MOX 8	8/24/2015	RADIUM-228	1.79	pCi/L	J	J	21	0.556	0.729	1.84
MOX 8	8/24/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TR92 3A	9/10/2015	TRITIUM	0.0671	pCi/mL	U			0.267	0.457	0.991
MPTW 3	9/8/2015	TRITIUM	0.0493	pCi/mL	U			0.313	0.53	1.16
TR92 1J	9/9/2015	TRITIUM	0.0488	pCi/mL	U			0.273	0.469	1.02
TR92 1A	9/9/2015	TRITIUM	0.0309	pCi/mL	U			0.274	0.472	1.02
TR92 1F	9/9/2015	TRITIUM	0.0275	pCi/mL	U			0.276	0.476	1.03
TR92 6C	9/8/2015	TRITIUM	0.0224	pCi/mL	U			0.312	0.531	1.15
MPTW 6	9/3/2015	TRITIUM	0.0101	pCi/mL	U			0.251	0.434	0.935
MSB 1B	2/18/2015	ALUMINUM	319	ug/L	J				40	400
MSB 1B	2/18/2015	BARIUM	63	ug/L					2	20
MSB 1B	2/18/2015	CADMIUM	1	ug/L	U	U			0.1	1
MSB 1B	2/18/2015	CHROMIUM	100	ug/L	U	U			10	100
MSB 1B	2/18/2015	COPPER	1.83	ug/L	J				0.5	5
MSB 1B	2/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 1B	2/18/2015	MANGANESE	11.5	ug/L					1	10
MSB 1B	2/18/2015	NICKEL	2.29	ug/L	J				0.5	5
MSB 1B	2/18/2015	SODIUM	4790	ug/L					20	200
MSB 1B	2/18/2015	TIN	10	ug/L	U				1	10
MSB 1B	2/18/2015	ZINC	21.7	ug/L	J				4	40
MSB 1B	2/18/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 1B	2/18/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 1B	2/18/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 1B	2/18/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 1B	2/18/2015	1,4-DIOXANE	4000	ug/L	U				380	4000
MSB 1B	2/18/2015	ACETONE	100	ug/L	U				17	100
MSB 1B	2/18/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 1B	2/18/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 1B	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 1B	2/18/2015	CIS-1,2-DICHLOROETHYLENE	60	ug/L					4.5	50
MSB 1B	2/18/2015	TETRACHLOROETHYLENE (PCE)	1000	ug/L					9	50
MSB 1B	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 1B	2/18/2015	TRICHLOROETHYLENE (TCE)	5800	ug/L					130	500
MSB 1B	8/28/2015	NITRATE-NITRITE AS NITROGEN	21	mg/L					0.19	2
MSB 1B	8/28/2015	ALUMINUM	151	ug/L	J		21		40	400
MSB 1B	8/28/2015	BARIUM	72.3	ug/L					2	20
MSB 1B	8/28/2015	BERYLLIUM	0.618	ug/L	J		21		0.1	1
MSB 1B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 1B	8/28/2015	CHROMIUM	11.3	ug/L	J		21		10	100
MSB 1B	8/28/2015	COBALT	1.35	ug/L	J		21		0.5	5
MSB 1B	8/28/2015	COPPER	1.92	ug/L	J		21		0.5	5
MSB 1B	8/28/2015	IRON	170	ug/L			V		10	100
MSB 1B	8/28/2015	LEAD	0.504	ug/L	J		21		0.5	5
MSB 1B	8/28/2015	MANGANESE	14.8	ug/L					1	10
MSB 1B	8/28/2015	NICKEL	5.77	ug/L					0.5	5
MSB 1B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 1B	8/28/2015	SODIUM	5460	ug/L					20	200
MSB 1B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 1B	8/28/2015	ZINC	24.4	ug/L	J		21		4	40
MSB 1B	8/28/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 1B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 1B	8/28/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 1B	8/28/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 1B	8/28/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB 1B	8/28/2015	ACETONE	500	ug/L	U				85	500
MSB 1B	8/28/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 1B	8/28/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 1B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 1B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	77	ug/L	J		21		23	250
MSB 1B	8/28/2015	TETRACHLOROETHYLENE (PCE)	1300	ug/L					45	250
MSB 1B	8/28/2015	TOLUENE	250	ug/L	U				18	250
MSB 1B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 1B	8/28/2015	TRICHLOROETHYLENE (TCE)	7800	ug/L					63	250
MSB 1B	8/28/2015	1,4-DIOXANE	250	ug/L	U				62	250
MSB 1B	8/28/2015	RADIUM-226	2.7	pCi/L				0.367	0.207	0.941
MSB 1B	8/28/2015	RADIUM-228	3.23	pCi/L				0.383	0.349	1.115
MSB 1B	8/28/2015	GROSS ALPHA	11.9	pCi/L				4.49	2.42	11.4
MSB 1B	8/28/2015	NONVOLATILE BETA	6.31	pCi/L	J		21	3.9	5.5	13.3
MSB 1C	3/11/2015	ALUMINUM	400	ug/L	U				40	400
MSB 1C	3/11/2015	BARIUM	43.8	ug/L					2	20
MSB 1C	3/11/2015	CHROMIUM	12.1	ug/L	U				10	100
MSB 1C	3/11/2015	COPPER	0.619	ug/L	J				0.5	5
MSB 1C	3/11/2015	LEAD	0.607	ug/L	J				0.5	5
MSB 1C	3/11/2015	NICKEL	1.84	ug/L	J				0.5	5
MSB 1C	3/11/2015	ZINC	23.3	ug/L	J				4	40
MSB 1C	3/11/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 1C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 1C	3/11/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 1C	3/11/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 1C	3/11/2015	1,4-DIOXANE	5500	ug/L	J		21		1900	20000
MSB 1C	3/11/2015	ACETONE	500	ug/L	U				85	500
MSB 1C	3/11/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 1C	3/11/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 1C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 1C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	250	ug/L	U				23	250
MSB 1C	3/11/2015	TETRACHLOROETHYLENE (PCE)	13000	ug/L					450	2500
MSB 1C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 1C	3/11/2015	TRICHLOROETHYLENE (TCE)	3800	ug/L					63	250
MSB 1C	9/23/2015	NITRATE-NITRITE AS NITROGEN	7.8	mg/L					0.047	0.5
MSB 1C	9/23/2015	ALUMINUM	400	ug/L	U				40	400
MSB 1C	9/23/2015	BARIUM	44.4	ug/L					2	20
MSB 1C	9/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 1C	9/23/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 1C	9/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 1C	9/23/2015	COBALT	5	ug/L	U				0.5	5
MSB 1C	9/23/2015	COPPER	5	ug/L	U				0.5	5
MSB 1C	9/23/2015	IRON	20.5	ug/L	U		21, V		10	100
MSB 1C	9/23/2015	LEAD	0.596	ug/L	J		21		0.5	5
MSB 1C	9/23/2015	MANGANESE	1.18	ug/L	J		21		1	10
MSB 1C	9/23/2015	NICKEL	1.22	ug/L	J		21		0.5	5
MSB 1C	9/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 1C	9/23/2015	SODIUM	11900	ug/L					20	200
MSB 1C	9/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 1C	9/23/2015	ZINC	33.5	ug/L	J		21		4	40
MSB 1C	9/23/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 1C	9/23/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 1C	9/23/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 1C	9/23/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 1C	9/23/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB 1C	9/23/2015	ACETONE	500	ug/L	U				85	500
MSB 1C	9/23/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250
MSB 1C	9/23/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 1C	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 1C	9/23/2015	CIS-1,2-DICHLOROETHYLENE	250	ug/L	U				23	250
MSB 1C	9/23/2015	TETRACHLOROETHYLENE (PCE)	14000	ug/L					450	2500
MSB 1C	9/23/2015	TOLUENE	250	ug/L	U				18	250
MSB 1C	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 1C	9/23/2015	TRICHLOROETHYLENE (TCE)	4200	ug/L					63	250
MSB 1C	9/23/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 1C	9/23/2015	RADIUM-226	0.39	pCi/L				0.106	0.1	0.3115
MSB 1C	9/23/2015	RADIUM-228	0.471	pCi/L	J		21	0.226	0.324	0.776
MSB 1C	9/23/2015	GROSS ALPHA	1.64	pCi/L	U			1.87	2.39	6.12
MSB 1C	9/23/2015	NONVOLATILE BETA	3.62	pCi/L	U			2.89	3.98	9.76
MSB 4DR	3/18/2015	ALUMINUM	67.2	ug/L	J				40	400
MSB 4DR	3/18/2015	BARIUM	9.42	ug/L	J				2	20
MSB 4DR	3/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 4DR	3/18/2015	COPPER	1.74	ug/L	J				0.5	5
MSB 4DR	3/18/2015	LEAD	0.825	ug/L	J				0.5	5
MSB 4DR	3/18/2015	NICKEL	0.725	ug/L	J				0.5	5
MSB 4DR	3/18/2015	ZINC	40	ug/L	U				4	40
MSB 4DR	3/18/2015	AROCLOR 1016	0.97	ug/L	U				0.34	0.97
MSB 4DR	3/18/2015	AROCLOR 1221	0.97	ug/L	U				0.34	0.97
MSB 4DR	3/18/2015	AROCLOR 1232	0.97	ug/L	U				0.34	0.97
MSB 4DR	3/18/2015	AROCLOR 1242	0.97	ug/L	U				0.34	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 4DR	3/18/2015	AROCLOR 1248	0.97	ug/L	U				0.34	0.97
MSB 4DR	3/18/2015	AROCLOR 1254	0.97	ug/L	U				0.16	0.97
MSB 4DR	3/18/2015	AROCLOR 1260	0.97	ug/L	U				0.16	0.97
MSB 4DR	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 4DR	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 4DR	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 4DR	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 4DR	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 4DR	3/18/2015	ACETONE	3.5	ug/L					0.34	2
MSB 4DR	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 4DR	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 4DR	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 4DR	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J		21		0.09	1
MSB 4DR	3/18/2015	TETRACHLOROETHYLENE (PCE)	2.9	ug/L					0.18	1
MSB 4DR	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 4DR	3/18/2015	TRICHLOROETHYLENE (TCE)	2	ug/L					0.25	1
MSB 4DR	9/29/2015	NITRATE-NITRITE AS NITROGEN	11	mg/L					0.094	1
MSB 4DR	9/29/2015	ALUMINUM	131	ug/L	J		21		40	400
MSB 4DR	9/29/2015	BARIUM	7.93	ug/L	J		21		2	20
MSB 4DR	9/29/2015	BERYLLIUM	0.219	ug/L	J		21		0.1	1
MSB 4DR	9/29/2015	CADMIUM	0.121	ug/L	J		21		0.1	1
MSB 4DR	9/29/2015	CHROMIUM	100	ug/L	U				10	100
MSB 4DR	9/29/2015	COBALT	0.577	ug/L	J		21		0.5	5
MSB 4DR	9/29/2015	COPPER	2.8	ug/L	J		21		0.5	5
MSB 4DR	9/29/2015	IRON	962	ug/L			V		10	100
MSB 4DR	9/29/2015	LEAD	1.5	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 4DR	9/29/2015	MANGANESE	16.9	ug/L					1	10
MSB 4DR	9/29/2015	NICKEL	1.36	ug/L	J		21		0.5	5
MSB 4DR	9/29/2015	SELENIUM	3.58	ug/L	J		21		2	20
MSB 4DR	9/29/2015	SODIUM	30000	ug/L					20	200
MSB 4DR	9/29/2015	VANADIUM	50	ug/L	U				5	50
MSB 4DR	9/29/2015	ZINC	12.7	ug/L	J		21		4	40
MSB 4DR	9/29/2015	AROCLOR 1016	0.96	ug/L	U				0.33	0.96
MSB 4DR	9/29/2015	AROCLOR 1221	0.96	ug/L	U				0.33	0.96
MSB 4DR	9/29/2015	AROCLOR 1232	0.96	ug/L	U				0.33	0.96
MSB 4DR	9/29/2015	AROCLOR 1242	0.96	ug/L	U				0.33	0.96
MSB 4DR	9/29/2015	AROCLOR 1248	0.96	ug/L	U				0.33	0.96
MSB 4DR	9/29/2015	AROCLOR 1254	0.96	ug/L	U				0.16	0.96
MSB 4DR	9/29/2015	AROCLOR 1260	0.96	ug/L	U				0.16	0.96
MSB 4DR	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 4DR	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 4DR	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 4DR	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 4DR	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 4DR	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MSB 4DR	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 4DR	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 4DR	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 4DR	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 4DR	9/29/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
MSB 4DR	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 4DR	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 4DR	9/29/2015	TRICHLOROETHYLENE (TCE)	1.5	ug/L					0.25	1
MSB 4DR	9/29/2015	1,4-DIOXANE	2.4	ug/L	J		21		1.2	5
MSB 4DR	9/29/2015	RADIUM-226	2.3	pCi/L				0.207	0.111	0.525
MSB 4DR	9/29/2015	RADIUM-228	1.25	pCi/L				0.338	0.45	1.126
MSB 4DR	9/29/2015	GROSS ALPHA	5.83	pCi/L	J		21	3.25	2.45	8.95
MSB 4DR	9/29/2015	NONVOLATILE BETA	5.98	pCi/L	J		21	3.3	4.09	10.7
MSB 5B	3/18/2015	ALUMINUM	45.9	ug/L	J				40	400
MSB 5B	3/18/2015	BARIUM	26	ug/L					2	20
MSB 5B	3/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 5B	3/18/2015	COPPER	1.67	ug/L	J				0.5	5
MSB 5B	3/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 5B	3/18/2015	NICKEL	1	ug/L	J				0.5	5
MSB 5B	3/18/2015	ZINC	6.56	ug/L	J				4	40
MSB 5B	3/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 5B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 5B	3/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 5B	3/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 5B	3/18/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 5B	3/18/2015	ACETONE	11	ug/L					0.85	5
MSB 5B	3/18/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 5B	3/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 5B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 5B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L					0.23	2.5
MSB 5B	3/18/2015	TETRACHLOROETHYLENE (PCE)	9.6	ug/L					0.45	2.5
MSB 5B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 5B	3/18/2015	TRICHLOROETHYLENE (TCE)	310	ug/L					13	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5B	10/1/2015	NITRATE-NITRITE AS NITROGEN	0.67	mg/L					0.0047	0.05
MSB 5B	10/1/2015	ALUMINUM	400	ug/L	U				40	400
MSB 5B	10/1/2015	BARIUM	25.4	ug/L					2	20
MSB 5B	10/1/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 5B	10/1/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 5B	10/1/2015	CHROMIUM	100	ug/L	U				10	100
MSB 5B	10/1/2015	COBALT	5	ug/L	U				0.5	5
MSB 5B	10/1/2015	COPPER	0.916	ug/L	J		21		0.5	5
MSB 5B	10/1/2015	IRON	28.6	ug/L	U		21, V		10	100
MSB 5B	10/1/2015	LEAD	5	ug/L	U				0.5	5
MSB 5B	10/1/2015	MANGANESE	2.04	ug/L	J		21		1	10
MSB 5B	10/1/2015	NICKEL	0.687	ug/L	J		21		0.5	5
MSB 5B	10/1/2015	SELENIUM	20	ug/L	U				2	20
MSB 5B	10/1/2015	SODIUM	2240	ug/L					20	200
MSB 5B	10/1/2015	VANADIUM	50	ug/L	U				5	50
MSB 5B	10/1/2015	ZINC	6.08	ug/L	J		21		4	40
MSB 5B	10/1/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 5B	10/1/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 5B	10/1/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 5B	10/1/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 5B	10/1/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 5B	10/1/2015	ACETONE	10	ug/L	U				1.7	10
MSB 5B	10/1/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 5B	10/1/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 5B	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 5B	10/1/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L					0.45	5
MSB 5B	10/1/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L					0.9	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5B	10/1/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 5B	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 5B	10/1/2015	TRICHLOROETHYLENE (TCE)	500	ug/L					6.3	25
MSB 5B	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 5B	10/1/2015	RADIUM-226	0.217	pCi/L	J		21	0.094	0.125	0.3126
MSB 5B	10/1/2015	RADIUM-228	0.249	pCi/L	U			0.296	0.489	1.081
MSB 5B	10/1/2015	GROSS ALPHA	-0.358	pCi/L	U			0.422	2.23	3.08
MSB 5B	10/1/2015	NONVOLATILE BETA	1.84	pCi/L	U			2.55	3.91	9
MSB 5C	3/26/2015	ALUMINUM	536	ug/L					40	400
MSB 5C	3/26/2015	BARIUM	31	ug/L					2	20
MSB 5C	3/26/2015	CHROMIUM	13.5	ug/L	U				10	100
MSB 5C	3/26/2015	COPPER	2.66	ug/L	J				0.5	5
MSB 5C	3/26/2015	LEAD	0.559	ug/L	J				0.5	5
MSB 5C	3/26/2015	NICKEL	1.2	ug/L	J				0.5	5
MSB 5C	3/26/2015	ZINC	8.91	ug/L	J				4	40
MSB 5C	3/26/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 5C	3/26/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 5C	3/26/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 5C	3/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 5C	3/26/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 5C	3/26/2015	ACETONE	10	ug/L	U				1.7	10
MSB 5C	3/26/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 5C	3/26/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 5C	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 5C	3/26/2015	CIS-1,2-DICHLOROETHYLENE	2.4	ug/L	J		21		0.45	5
MSB 5C	3/26/2015	TETRACHLOROETHYLENE (PCE)	290	ug/L					9	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5C	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 5C	3/26/2015	TRICHLOROETHYLENE (TCE)	810	ug/L					13	50
MSB 5C	3/26/2015	1,4-DIOXANE	12	ug/L					0.85	3
MSB 5C	8/24/2015	ALUMINUM	180	ug/L					15	50
MSB 5C	8/24/2015	BARIUM	29.5	ug/L					0.6	2
MSB 5C	8/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
MSB 5C	8/24/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB 5C	8/24/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB 5C	8/24/2015	COBALT	1.17	ug/L					0.1	1
MSB 5C	8/24/2015	COPPER	2.48	ug/L					0.35	1
MSB 5C	8/24/2015	IRON	250	ug/L					33	100
MSB 5C	8/24/2015	LEAD	2	ug/L	U	U			0.5	2
MSB 5C	8/24/2015	MANGANESE	8.74	ug/L					1	5
MSB 5C	8/24/2015	NICKEL	0.971	ug/L	J	J	21		0.5	2
MSB 5C	8/24/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB 5C	8/24/2015	SILVER	1	ug/L	U	U			0.2	1
MSB 5C	8/24/2015	SODIUM	25000	ug/L					80	250
MSB 5C	8/24/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB 5C	8/24/2015	TIN	5	ug/L	U	U			1	5
MSB 5C	8/24/2015	VANADIUM	4.2	ug/L	U	U	21, V		3	10
MSB 5C	8/24/2015	ZINC	7.69	ug/L	J	J	21		3.5	10
MSB 5C	8/24/2015	MERCURY	0.252	ug/L					0.067	0.2
MSB 5C	8/24/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB 5C	8/24/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5C	8/24/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB 5C	8/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,1,2-TRICHLOROETHANE	0.55	ug/L	J	J	21		0.3	1
MSB 5C	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,1-DICHLOROETHYLENE	2.38	ug/L					0.3	1
MSB 5C	8/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB 5C	8/24/2015	BENZENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB 5C	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5C	8/24/2015	CIS-1,2-DICHLOROETHYLENE	2.43	ug/L					0.3	1
MSB 5C	8/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.06	ug/L	J	J	21		1	5
MSB 5C	8/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
MSB 5C	8/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB 5C	8/24/2015	TETRACHLOROETHYLENE (PCE)	351	ug/L					6	20
MSB 5C	8/24/2015	TOLUENE	0.37	ug/L	J	J	21		0.3	1
MSB 5C	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	TRICHLOROETHYLENE (TCE)	1490	ug/L					6	20
MSB 5C	8/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 5C	8/24/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB 5C	8/24/2015	1,4-DIOXANE	10	ug/L					0.85	3
MSB 5C	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB 5C	8/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB 5C	8/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB 5C	8/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	UJ	14		3	10
MSB 5C	8/24/2015	PHENOL	10	ug/L	U	UJ	2, 11, 14		3	10
MSB 5C	8/24/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB 5C	8/24/2015	GROSS ALPHA	2.45	pCi/L	U	U		1.96	2.88	6.8
MSB 5C	8/24/2015	NONVOLATILE BETA	11.4	pCi/L				2.45	2.51	7.41
MSB 5C	8/24/2015	RADIUM-226	1.74	pCi/L		J	11	0.427	0.365	1.22
MSB 5C	8/24/2015	RADIUM-228	1.13	pCi/L	J	J	21	0.399	0.502	1.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 5C	8/24/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB 6A	8/25/2015	NITRATE-NITRITE AS NITROGEN	0.51	mg/L					0.0047	0.05
MSB 6A	8/25/2015	ALUMINUM	400	ug/L	U				40	400
MSB 6A	8/25/2015	BARIUM	4.8	ug/L	J		21		2	20
MSB 6A	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 6A	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 6A	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 6A	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 6A	8/25/2015	COPPER	0.63	ug/L	U		21, V		0.5	5
MSB 6A	8/25/2015	IRON	25.3	ug/L	U		21, V		10	100
MSB 6A	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 6A	8/25/2015	MANGANESE	10	ug/L	U				1	10
MSB 6A	8/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 6A	8/25/2015	SELENIUM	2.55	ug/L	J		21		2	20
MSB 6A	8/25/2015	SODIUM	5460	ug/L					20	200
MSB 6A	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 6A	8/25/2015	ZINC	4.11	ug/L	U		21, V		4	40
MSB 6A	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6A	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 6A	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6A	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6A	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 6A	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 6A	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 6A	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 6A	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 6A	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 6A	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 6A	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 6A	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6A	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 6A	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 6A	8/25/2015	RADIUM-226	0.349	pCi/L	J		21	0.142	0.144	0.428
MSB 6A	8/25/2015	RADIUM-228	0.177	pCi/L	U			0.226	0.376	0.828
MSB 6A	8/25/2015	GROSS ALPHA	1.58	pCi/L	U			1.78	2.3	5.85
MSB 6A	8/25/2015	NONVOLATILE BETA	2.74	pCi/L	U			2.85	4.34	10
MSB 6B	3/18/2015	ALUMINUM	102	ug/L	J				40	400
MSB 6B	3/18/2015	BARIUM	102	ug/L					2	20
MSB 6B	3/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 6B	3/18/2015	COPPER	7.05	ug/L					0.5	5
MSB 6B	3/18/2015	LEAD	12.7	ug/L					0.5	5
MSB 6B	3/18/2015	NICKEL	1.32	ug/L	J				0.5	5
MSB 6B	3/18/2015	ZINC	6.84	ug/L	J				4	40
MSB 6B	3/18/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 6B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 6B	3/18/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 6B	3/18/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 6B	3/18/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 6B	3/18/2015	ACETONE	50	ug/L	U				8.5	50
MSB 6B	3/18/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 6B	3/18/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 6B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 6B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	32	ug/L					2.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 6B	3/18/2015	TETRACHLOROETHYLENE (PCE)	82	ug/L					4.5	25
MSB 6B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 6B	3/18/2015	TRICHLOROETHYLENE (TCE)	4200	ug/L					63	250
MSB 6B	10/1/2015	NITRATE-NITRITE AS NITROGEN	3.5	mg/L					0.047	0.5
MSB 6B	10/1/2015	ALUMINUM	108	ug/L	J		21		40	400
MSB 6B	10/1/2015	BARIUM	87.9	ug/L					2	20
MSB 6B	10/1/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 6B	10/1/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 6B	10/1/2015	CHROMIUM	100	ug/L	U				10	100
MSB 6B	10/1/2015	COBALT	5	ug/L	U				0.5	5
MSB 6B	10/1/2015	COPPER	5	ug/L	U				0.5	5
MSB 6B	10/1/2015	IRON	62	ug/L	U		21, V		10	100
MSB 6B	10/1/2015	LEAD	5	ug/L	U				0.5	5
MSB 6B	10/1/2015	MANGANESE	2.51	ug/L	J		21		1	10
MSB 6B	10/1/2015	NICKEL	0.925	ug/L	J		21		0.5	5
MSB 6B	10/1/2015	SELENIUM	20	ug/L	U				2	20
MSB 6B	10/1/2015	SODIUM	3640	ug/L					20	200
MSB 6B	10/1/2015	VANADIUM	6.6	ug/L	J		21		5	50
MSB 6B	10/1/2015	ZINC	40	ug/L	U				4	40
MSB 6B	10/1/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 6B	10/1/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 6B	10/1/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 6B	10/1/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 6B	10/1/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 6B	10/1/2015	ACETONE	50	ug/L	U				8.5	50
MSB 6B	10/1/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 6B	10/1/2015	CHLOROBENZENE	25	ug/L	U				3.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 6B	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 6B	10/1/2015	CIS-1,2-DICHLOROETHYLENE	30	ug/L					2.3	25
MSB 6B	10/1/2015	TETRACHLOROETHYLENE (PCE)	96	ug/L					4.5	25
MSB 6B	10/1/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 6B	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 6B	10/1/2015	TRICHLOROETHYLENE (TCE)	4200	ug/L					63	250
MSB 6B	10/1/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 6B	10/1/2015	RADIUM-226	1.59	pCi/L				0.19	0.101	0.481
MSB 6B	10/1/2015	RADIUM-228	1.31	pCi/L	J		21	0.42	0.584	1.424
MSB 6B	10/1/2015	GROSS ALPHA	3.85	pCi/L	J		21	2.58	2.27	7.43
MSB 6B	10/1/2015	NONVOLATILE BETA	4.88	pCi/L	J		21	3.1	4.02	10.2
MSB 6C	3/11/2015	ALUMINUM	1670	ug/L					40	400
MSB 6C	3/11/2015	BARIUM	11.9	ug/L	J				2	20
MSB 6C	3/11/2015	CHROMIUM	11.7	ug/L	U				10	100
MSB 6C	3/11/2015	COPPER	1.01	ug/L	J				0.5	5
MSB 6C	3/11/2015	LEAD	0.919	ug/L	J				0.5	5
MSB 6C	3/11/2015	NICKEL	0.538	ug/L	J				0.5	5
MSB 6C	3/11/2015	ZINC	4.27	ug/L	J				4	40
MSB 6C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 6C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 6C	3/11/2015	ACETONE	9.5	ug/L					0.34	2
MSB 6C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 6C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 6C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 6C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 6C	3/11/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.18	1
MSB 6C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6C	3/11/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
MSB 6C	8/25/2015	NITRATE-NITRITE AS NITROGEN	10	mg/L					0.094	1
MSB 6C	8/25/2015	ALUMINUM	2700	ug/L					40	400
MSB 6C	8/25/2015	BARIUM	12.4	ug/L	J		21		2	20
MSB 6C	8/25/2015	BERYLLIUM	0.1	ug/L	J		21		0.1	1
MSB 6C	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 6C	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 6C	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 6C	8/25/2015	COPPER	1.07	ug/L	U		21, V		0.5	5
MSB 6C	8/25/2015	IRON	967	ug/L			V		10	100
MSB 6C	8/25/2015	LEAD	1.05	ug/L	J		21		0.5	5
MSB 6C	8/25/2015	MANGANESE	17.8	ug/L					1	10
MSB 6C	8/25/2015	NICKEL	0.7	ug/L	J		21		0.5	5
MSB 6C	8/25/2015	SELENIUM	2.79	ug/L	J		21		2	20
MSB 6C	8/25/2015	SODIUM	22800	ug/L					20	200
MSB 6C	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 6C	8/25/2015	ZINC	11.7	ug/L	U		21, V		4	40
MSB 6C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 6C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 6C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 6C	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 6C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 6C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 6C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 6C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 6C	8/25/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MSB 6C	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 6C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 6C	8/25/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
MSB 6C	8/25/2015	1,4-DIOXANE	3.4	ug/L	J		21		1.2	5
MSB 6C	8/25/2015	RADIUM-226	0.401	pCi/L	J		21	0.202	0.278	0.682
MSB 6C	8/25/2015	RADIUM-228	0.218	pCi/L	U			0.22	0.358	0.798
MSB 6C	8/25/2015	GROSS ALPHA	1.67	pCi/L	U			1.89	2.45	6.23
MSB 6C	8/25/2015	NONVOLATILE BETA	6.82	pCi/L	J		21	3.48	4.36	11.3
MSB 7B	8/25/2015	NITRATE-NITRITE AS NITROGEN	4.5	mg/L					0.047	0.5
MSB 7B	8/25/2015	ALUMINUM	203	ug/L	J		21		40	400
MSB 7B	8/25/2015	BARIUM	27.6	ug/L					2	20
MSB 7B	8/25/2015	BERYLLIUM	0.107	ug/L	J		21		0.1	1
MSB 7B	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 7B	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 7B	8/25/2015	COBALT	1.05	ug/L	J		21		0.5	5
MSB 7B	8/25/2015	COPPER	2.53	ug/L	U		21, V		0.5	5
MSB 7B	8/25/2015	IRON	82.9	ug/L	U		21, V		10	100
MSB 7B	8/25/2015	LEAD	0.812	ug/L	J		21		0.5	5
MSB 7B	8/25/2015	MANGANESE	15.3	ug/L					1	10
MSB 7B	8/25/2015	NICKEL	1.41	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 7B	8/25/2015	SELENIUM	2.14	ug/L	J		21		2	20
MSB 7B	8/25/2015	SODIUM	5120	ug/L					20	200
MSB 7B	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 7B	8/25/2015	ZINC	7.71	ug/L	U		21, V		4	40
MSB 7B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 7B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7B	8/25/2015	1,1-DICHLOROETHYLENE	1.2	ug/L					0.08	1
MSB 7B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 7B	8/25/2015	ACETONE	1.8	ug/L	J		21		0.34	2
MSB 7B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 7B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 7B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 7B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	0.6	ug/L	J		21		0.09	1
MSB 7B	8/25/2015	TETRACHLOROETHYLENE (PCE)	29	ug/L					0.18	1
MSB 7B	8/25/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
MSB 7B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 7B	8/25/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
MSB 7B	8/25/2015	1,4-DIOXANE	4.4	ug/L	J		21		1.2	5
MSB 7B	8/25/2015	RADIUM-226	0.732	pCi/L				0.213	0.192	0.618
MSB 7B	8/25/2015	RADIUM-228	1.18	pCi/L				0.332	0.438	1.102
MSB 7B	8/25/2015	GROSS ALPHA	2.47	pCi/L	J		21	2.19	2.41	6.78
MSB 7B	8/25/2015	NONVOLATILE BETA	3.26	pCi/L	U			2.99	4.46	10.4
MSB 7C	3/11/2015	ALUMINUM	400	ug/L	U				40	400
MSB 7C	3/11/2015	BARIUM	8.77	ug/L	J				2	20
MSB 7C	3/11/2015	CHROMIUM	12	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 7C	3/11/2015	COPPER	5	ug/L	U				0.5	5
MSB 7C	3/11/2015	LEAD	5	ug/L	U				0.5	5
MSB 7C	3/11/2015	NICKEL	0.566	ug/L	J				0.5	5
MSB 7C	3/11/2015	ZINC	40	ug/L	U				4	40
MSB 7C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 7C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 7C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 7C	3/11/2015	ACETONE	8.6	ug/L					0.34	2
MSB 7C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 7C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 7C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 7C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 7C	3/11/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L					0.18	1
MSB 7C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 7C	3/11/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
MSB 7C	8/24/2015	NITRATE-NITRITE AS NITROGEN	3	mg/L					0.019	0.2
MSB 7C	8/24/2015	ALUMINUM	400	ug/L	U				40	400
MSB 7C	8/24/2015	BARIUM	8.73	ug/L	J		21		2	20
MSB 7C	8/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 7C	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 7C	8/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 7C	8/24/2015	COBALT	2.34	ug/L	J		21		0.5	5
MSB 7C	8/24/2015	COPPER	0.511	ug/L	J		21		0.5	5
MSB 7C	8/24/2015	IRON	22.2	ug/L	U		21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 7C	8/24/2015	LEAD	5	ug/L	U				0.5	5
MSB 7C	8/24/2015	MANGANESE	7.29	ug/L	J		21		1	10
MSB 7C	8/24/2015	NICKEL	5	ug/L	U				0.5	5
MSB 7C	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 7C	8/24/2015	SODIUM	4240	ug/L					20	200
MSB 7C	8/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 7C	8/24/2015	ZINC	40	ug/L	U				4	40
MSB 7C	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7C	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 7C	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 7C	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 7C	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 7C	8/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 7C	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 7C	8/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 7C	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 7C	8/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 7C	8/24/2015	TETRACHLOROETHYLENE (PCE)	5.3	ug/L					0.18	1
MSB 7C	8/24/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 7C	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 7C	8/24/2015	TRICHLOROETHYLENE (TCE)	4.1	ug/L					0.25	1
MSB 7C	8/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 7C	8/24/2015	RADIUM-226	0.736	pCi/L	J		21	0.244	0.296	0.784
MSB 7C	8/24/2015	RADIUM-228	0.653	pCi/L	J		21	0.281	0.409	0.971
MSB 7C	8/24/2015	GROSS ALPHA	1.99	pCi/L	U			1.96	2.31	6.22
MSB 7C	8/24/2015	NONVOLATILE BETA	1.21	pCi/L	U			2.61	4.4	9.62

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 8B	3/18/2015	ALUMINUM	52	ug/L	J				40	400
MSB 8B	3/18/2015	BARIUM	40.5	ug/L					2	20
MSB 8B	3/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 8B	3/18/2015	COPPER	0.738	ug/L	J				0.5	5
MSB 8B	3/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 8B	3/18/2015	NICKEL	1.58	ug/L	J				0.5	5
MSB 8B	3/18/2015	ZINC	5.26	ug/L	J				4	40
MSB 8B	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 8B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 8B	3/18/2015	1,1-DICHLOROETHANE	0.2	ug/L	J		21		0.07	1
MSB 8B	3/18/2015	1,1-DICHLOROETHYLENE	5.5	ug/L					0.08	1
MSB 8B	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 8B	3/18/2015	ACETONE	2.2	ug/L					0.34	2
MSB 8B	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 8B	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 8B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 8B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L					0.09	1
MSB 8B	3/18/2015	TETRACHLOROETHYLENE (PCE)	88	ug/L					0.9	5
MSB 8B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 8B	3/18/2015	TRICHLOROETHYLENE (TCE)	69	ug/L					1.3	5
MSB 8B	8/27/2015	NITRATE-NITRITE AS NITROGEN	9.1	mg/L					0.094	1
MSB 8B	8/27/2015	ALUMINUM	115	ug/L	J		21		40	400
MSB 8B	8/27/2015	BARIUM	42.1	ug/L					2	20
MSB 8B	8/27/2015	BERYLLIUM	0.318	ug/L	J		21		0.1	1
MSB 8B	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 8B	8/27/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 8B	8/27/2015	COBALT	1.2	ug/L	J		21		0.5	5
MSB 8B	8/27/2015	COPPER	5	ug/L	U				0.5	5
MSB 8B	8/27/2015	IRON	100	ug/L	U		V		10	100
MSB 8B	8/27/2015	LEAD	5	ug/L	U				0.5	5
MSB 8B	8/27/2015	MANGANESE	7.67	ug/L	J		21		1	10
MSB 8B	8/27/2015	NICKEL	0.916	ug/L	J		21		0.5	5
MSB 8B	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 8B	8/27/2015	SODIUM	6070	ug/L					20	200
MSB 8B	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 8B	8/27/2015	ZINC	40	ug/L	U				4	40
MSB 8B	8/27/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 8B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 8B	8/27/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 8B	8/27/2015	1,1-DICHLOROETHYLENE	5.8	ug/L					0.4	5
MSB 8B	8/27/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 8B	8/27/2015	ACETONE	10	ug/L	U				1.7	10
MSB 8B	8/27/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 8B	8/27/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 8B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 8B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L	J		21		0.45	5
MSB 8B	8/27/2015	TETRACHLOROETHYLENE (PCE)	84	ug/L					0.9	5
MSB 8B	8/27/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 8B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 8B	8/27/2015	TRICHLOROETHYLENE (TCE)	70	ug/L					1.3	5
MSB 8B	8/27/2015	1,4-DIOXANE	9.7	ug/L					1.2	5
MSB 8B	8/27/2015	RADIUM-226	0.929	pCi/L				0.231	0.202	0.664

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 8B	8/27/2015	RADIUM-228	1.87	pCi/L				0.315	0.323	0.953
MSB 8B	8/27/2015	GROSS ALPHA	6.02	pCi/L	J		21	3.23	2.38	8.83
MSB 8B	8/27/2015	NONVOLATILE BETA	9.67	pCi/L	J		21	4.05	4.89	13
MSB 8C	3/26/2015	ALUMINUM	79.3	ug/L	J				40	400
MSB 8C	3/26/2015	BARIUM	42.8	ug/L					2	20
MSB 8C	3/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 8C	3/26/2015	COPPER	2.13	ug/L	J				0.5	5
MSB 8C	3/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 8C	3/26/2015	NICKEL	1.57	ug/L	J				0.5	5
MSB 8C	3/26/2015	ZINC	15.4	ug/L	J				4	40
MSB 8C	3/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 8C	3/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 8C	3/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 8C	3/26/2015	1,1-DICHLOROETHYLENE	2.2	ug/L					0.08	1
MSB 8C	3/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 8C	3/26/2015	ACETONE	4.8	ug/L					0.34	2
MSB 8C	3/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 8C	3/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 8C	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 8C	3/26/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J		21		0.09	1
MSB 8C	3/26/2015	TETRACHLOROETHYLENE (PCE)	50	ug/L					0.9	5
MSB 8C	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 8C	3/26/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
MSB 8C	3/26/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 8C	8/24/2015	NITRATE-NITRITE AS NITROGEN	25	mg/L					0.094	1
MSB 8C	8/24/2015	ALUMINUM	95.2	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 8C	8/24/2015	BARIUM	42.9	ug/L					2	20
MSB 8C	8/24/2015	BERYLLIUM	0.372	ug/L	J		21		0.1	1
MSB 8C	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 8C	8/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 8C	8/24/2015	COBALT	6.79	ug/L					0.5	5
MSB 8C	8/24/2015	COPPER	2.46	ug/L	J		21		0.5	5
MSB 8C	8/24/2015	IRON	58.9	ug/L	U		21, V		10	100
MSB 8C	8/24/2015	LEAD	5	ug/L	U				0.5	5
MSB 8C	8/24/2015	MANGANESE	29	ug/L					1	10
MSB 8C	8/24/2015	NICKEL	1.35	ug/L	J		21		0.5	5
MSB 8C	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 8C	8/24/2015	SODIUM	21900	ug/L					20	200
MSB 8C	8/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 8C	8/24/2015	ZINC	21	ug/L	J		21		4	40
MSB 8C	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 8C	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 8C	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 8C	8/24/2015	1,1-DICHLOROETHYLENE	1.9	ug/L					0.08	1
MSB 8C	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 8C	8/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 8C	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 8C	8/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 8C	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 8C	8/24/2015	CIS-1,2-DICHLOROETHYLENE	0.29	ug/L	J		21		0.09	1
MSB 8C	8/24/2015	TETRACHLOROETHYLENE (PCE)	48	ug/L					0.9	5
MSB 8C	8/24/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 8C	8/24/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 8C	8/24/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
MSB 8C	8/24/2015	1,4-DIOXANE	12	ug/L					1.2	5
MSB 8C	8/24/2015	RADIUM-226	1.66	pCi/L				0.287	0.162	0.736
MSB 8C	8/24/2015	RADIUM-228	1.51	pCi/L				0.313	0.359	0.985
MSB 8C	8/24/2015	GROSS ALPHA	2.52	pCi/L	U			2.27	2.55	7.08
MSB 8C	8/24/2015	NONVOLATILE BETA	25.3	pCi/L				5.48	4.46	15.4
MSB 10A	2/19/2015	ALUMINUM	47.9	ug/L	J				40	400
MSB 10A	2/19/2015	BARIUM	13	ug/L	J				2	20
MSB 10A	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 10A	2/19/2015	COPPER	0.924	ug/L	J				0.5	5
MSB 10A	2/19/2015	LEAD	5	ug/L	U				0.5	5
MSB 10A	2/19/2015	NICKEL	5	ug/L	U				0.5	5
MSB 10A	2/19/2015	ZINC	13.8	ug/L	J				4	40
MSB 10A	2/19/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 10A	2/19/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 10A	2/19/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 10A	2/19/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 10A	2/19/2015	1,4-DIOXANE	200	ug/L	U		18		19	200
MSB 10A	2/19/2015	ACETONE	12	ug/L					0.85	5
MSB 10A	2/19/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 10A	2/19/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 10A	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 10A	2/19/2015	CIS-1,2-DICHLOROETHYLENE	8.6	ug/L					0.23	2.5
MSB 10A	2/19/2015	TETRACHLOROETHYLENE (PCE)	1600	ug/L					18	100
MSB 10A	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 10A	2/19/2015	TRICHLOROETHYLENE (TCE)	1800	ug/L					25	100
MSB 10A	11/18/2015	ALUMINUM	400	ug/L	U				40	400
MSB 10A	11/18/2015	BARIUM	15	ug/L	J		21		2	20
MSB 10A	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 10A	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 10A	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 10A	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 10A	11/18/2015	COPPER	1.44	ug/L	J		21		0.5	5
MSB 10A	11/18/2015	IRON	11.1	ug/L	J		21		10	100
MSB 10A	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 10A	11/18/2015	MANGANESE	1.1	ug/L	J		21		1	10
MSB 10A	11/18/2015	NICKEL	5	ug/L	U				0.5	5
MSB 10A	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 10A	11/18/2015	SODIUM	1700	ug/L					20	200
MSB 10A	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 10A	11/18/2015	ZINC	10.1	ug/L	J		21		4	40
MSB 10A	11/18/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.14	2
MSB 10A	11/18/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.2	2
MSB 10A	11/18/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.14	2
MSB 10A	11/18/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.16	2
MSB 10A	11/18/2015	1,2-DICHLOROBENZENE	2	ug/L	U				0.12	2
MSB 10A	11/18/2015	ACETONE	4	ug/L	U				0.68	4
MSB 10A	11/18/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.26	2
MSB 10A	11/18/2015	CHLOROBENZENE	2	ug/L	U				0.3	2
MSB 10A	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	4	ug/L	U				0.16	4
MSB 10A	11/18/2015	CIS-1,2-DICHLOROETHYLENE	19	ug/L					0.18	2
MSB 10A	11/18/2015	TETRACHLOROETHYLENE (PCE)	780	ug/L					4.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 10A	11/18/2015	TOLUENE	2	ug/L	U				0.14	2
MSB 10A	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.16	2
MSB 10A	11/18/2015	TRICHLOROETHYLENE (TCE)	580	ug/L					6.3	25
MSB 10A	11/18/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 10C	3/23/2015	ALUMINUM	687	ug/L					40	400
MSB 10C	3/23/2015	BARIUM	865	ug/L					2	20
MSB 10C	3/23/2015	CHROMIUM	19.3	ug/L	J				10	100
MSB 10C	3/23/2015	COPPER	2.9	ug/L	J				0.5	5
MSB 10C	3/23/2015	LEAD	1.8	ug/L	J				0.5	5
MSB 10C	3/23/2015	NICKEL	11.2	ug/L					0.5	5
MSB 10C	3/23/2015	ZINC	21.7	ug/L	J				4	40
MSB 10C	3/23/2015	AROCLOR 1016	1	ug/L	U				0.36	1
MSB 10C	3/23/2015	AROCLOR 1221	1	ug/L	U				0.36	1
MSB 10C	3/23/2015	AROCLOR 1232	1	ug/L	U				0.36	1
MSB 10C	3/23/2015	AROCLOR 1242	1	ug/L	U				0.36	1
MSB 10C	3/23/2015	AROCLOR 1248	1	ug/L	U				0.36	1
MSB 10C	3/23/2015	AROCLOR 1254	1	ug/L	U				0.17	1
MSB 10C	3/23/2015	AROCLOR 1260	1	ug/L	U				0.17	1
MSB 10C	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 10C	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 10C	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 10C	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 10C	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 10C	3/23/2015	ACETONE	10	ug/L					0.34	2
MSB 10C	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 10C	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 10C	3/23/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 10C	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 10C	3/23/2015	TETRACHLOROETHYLENE (PCE)	38	ug/L					0.18	1
MSB 10C	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 10C	3/23/2015	TRICHLOROETHYLENE (TCE)	7.2	ug/L					0.25	1
MSB 10C	8/27/2015	ALUMINUM	253	ug/L	J		21		40	400
MSB 10C	8/27/2015	BARIUM	806	ug/L					2	20
MSB 10C	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 10C	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 10C	8/27/2015	CHROMIUM	21.3	ug/L	J		21		10	100
MSB 10C	8/27/2015	COBALT	0.852	ug/L	J		21		0.5	5
MSB 10C	8/27/2015	COPPER	3.14	ug/L	J		21		0.5	5
MSB 10C	8/27/2015	IRON	39.7	ug/L	U		21, V		10	100
MSB 10C	8/27/2015	LEAD	1.33	ug/L	J		21		0.5	5
MSB 10C	8/27/2015	MANGANESE	10	ug/L	U				1	10
MSB 10C	8/27/2015	NICKEL	10.7	ug/L					0.5	5
MSB 10C	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 10C	8/27/2015	SODIUM	4640	ug/L					20	200
MSB 10C	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 10C	8/27/2015	ZINC	27.3	ug/L	J		21		4	40
MSB 10C	8/27/2015	AROCLOR 1016	0.96	ug/L	U				0.33	0.96
MSB 10C	8/27/2015	AROCLOR 1221	0.96	ug/L	U				0.33	0.96
MSB 10C	8/27/2015	AROCLOR 1232	0.96	ug/L	U				0.33	0.96
MSB 10C	8/27/2015	AROCLOR 1242	0.96	ug/L	U				0.33	0.96
MSB 10C	8/27/2015	AROCLOR 1248	0.96	ug/L	U				0.33	0.96
MSB 10C	8/27/2015	AROCLOR 1254	0.96	ug/L	U				0.16	0.96
MSB 10C	8/27/2015	AROCLOR 1260	0.96	ug/L	U				0.16	0.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 10C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 10C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 10C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 10C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 10C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 10C	8/27/2015	ACETONE	11	ug/L					0.34	2
MSB 10C	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 10C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 10C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 10C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 10C	8/27/2015	TETRACHLOROETHYLENE (PCE)	27	ug/L					0.18	1
MSB 10C	8/27/2015	TOLUENE	0.33	ug/L	J		21		0.07	1
MSB 10C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 10C	8/27/2015	TRICHLOROETHYLENE (TCE)	6.5	ug/L					0.25	1
MSB 10C	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 11A	2/19/2015	ALUMINUM	94	ug/L	J				40	400
MSB 11A	2/19/2015	BARIUM	609	ug/L					2	20
MSB 11A	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 11A	2/19/2015	COPPER	0.511	ug/L	J				0.5	5
MSB 11A	2/19/2015	LEAD	1.4	ug/L	J				0.5	5
MSB 11A	2/19/2015	NICKEL	7.49	ug/L					0.5	5
MSB 11A	2/19/2015	ZINC	18.8	ug/L	J				4	40
MSB 11A	2/19/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 11A	2/19/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 11A	2/19/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 11A	2/19/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 11A	2/19/2015	1,4-DIOXANE	800	ug/L	U		18		76	800
MSB 11A	2/19/2015	ACETONE	39	ug/L					3.4	20
MSB 11A	2/19/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 11A	2/19/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 11A	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 11A	2/19/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L	J		21		0.9	10
MSB 11A	2/19/2015	TETRACHLOROETHYLENE (PCE)	240	ug/L					1.8	10
MSB 11A	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 11A	2/19/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					25	100
MSB 11A	8/25/2015	ALUMINUM	174	ug/L	J		21		40	400
MSB 11A	8/25/2015	BARIUM	370	ug/L					2	20
MSB 11A	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 11A	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 11A	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 11A	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 11A	8/25/2015	COPPER	0.519	ug/L	U		21, V		0.5	5
MSB 11A	8/25/2015	IRON	81.6	ug/L	U		21, V		10	100
MSB 11A	8/25/2015	LEAD	1.71	ug/L	J		21		0.5	5
MSB 11A	8/25/2015	MANGANESE	1.17	ug/L	J		21		1	10
MSB 11A	8/25/2015	NICKEL	4.4	ug/L	J		21		0.5	5
MSB 11A	8/25/2015	SELENIUM	2.03	ug/L	J		21		2	20
MSB 11A	8/25/2015	SODIUM	1420	ug/L					20	200
MSB 11A	8/25/2015	VANADIUM	24.6	ug/L	J		21		5	50
MSB 11A	8/25/2015	ZINC	36.6	ug/L	U		21, V		4	40
MSB 11A	8/25/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB 11A	8/25/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 11A	8/25/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB 11A	8/25/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 11A	8/25/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB 11A	8/25/2015	ACETONE	200	ug/L	U				34	200
MSB 11A	8/25/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB 11A	8/25/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB 11A	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB 11A	8/25/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L	U				9	100
MSB 11A	8/25/2015	TETRACHLOROETHYLENE (PCE)	330	ug/L					18	100
MSB 11A	8/25/2015	TOLUENE	100	ug/L	U				7	100
MSB 11A	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 11A	8/25/2015	TRICHLOROETHYLENE (TCE)	1900	ug/L					25	100
MSB 11A	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 11C	2/19/2015	ALUMINUM	452	ug/L					40	400
MSB 11C	2/19/2015	BARIUM	17.6	ug/L	J				2	20
MSB 11C	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 11C	2/19/2015	COPPER	3.83	ug/L	J				0.5	5
MSB 11C	2/19/2015	LEAD	7.14	ug/L					0.5	5
MSB 11C	2/19/2015	NICKEL	5	ug/L	U				0.5	5
MSB 11C	2/19/2015	ZINC	17.9	ug/L	J				4	40
MSB 11C	2/19/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 11C	2/19/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 11C	2/19/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 11C	2/19/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 11C	2/19/2015	1,4-DIOXANE	2000	ug/L	U		18		190	2000
MSB 11C	2/19/2015	ACETONE	50	ug/L	U				8.5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 11C	2/19/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 11C	2/19/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 11C	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 11C	2/19/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 11C	2/19/2015	TETRACHLOROETHYLENE (PCE)	310	ug/L					4.5	25
MSB 11C	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 11C	2/19/2015	TRICHLOROETHYLENE (TCE)	2700	ug/L					63	250
MSB 11C	8/25/2015	ALUMINUM	592	ug/L					40	400
MSB 11C	8/25/2015	BARIUM	13.8	ug/L	J		21		2	20
MSB 11C	8/25/2015	BERYLLIUM	0.202	ug/L	J		21		0.1	1
MSB 11C	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 11C	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 11C	8/25/2015	COBALT	0.833	ug/L	J		21		0.5	5
MSB 11C	8/25/2015	COPPER	6.88	ug/L			V		0.5	5
MSB 11C	8/25/2015	IRON	2010	ug/L			V		10	100
MSB 11C	8/25/2015	LEAD	12	ug/L					0.5	5
MSB 11C	8/25/2015	MANGANESE	7.55	ug/L	J		21		1	10
MSB 11C	8/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 11C	8/25/2015	SELENIUM	2.11	ug/L	J		21		2	20
MSB 11C	8/25/2015	SODIUM	1490	ug/L					20	200
MSB 11C	8/25/2015	VANADIUM	15.1	ug/L	J		21		5	50
MSB 11C	8/25/2015	ZINC	27.9	ug/L	U		21, V		4	40
MSB 11C	8/25/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB 11C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB 11C	8/25/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB 11C	8/25/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 11C	8/25/2015	1,2-DICHLOROBENZENE	500	ug/L	U				30	500
MSB 11C	8/25/2015	ACETONE	1000	ug/L	U				170	1000
MSB 11C	8/25/2015	CARBON TETRACHLORIDE	500	ug/L	U				65	500
MSB 11C	8/25/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB 11C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	1000	ug/L	U				40	1000
MSB 11C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				45	500
MSB 11C	8/25/2015	TETRACHLOROETHYLENE (PCE)	330	ug/L	J		21		90	500
MSB 11C	8/25/2015	TOLUENE	500	ug/L	U				35	500
MSB 11C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB 11C	8/25/2015	TRICHLOROETHYLENE (TCE)	3000	ug/L					130	500
MSB 11C	8/25/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 12A	2/19/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 12A	2/19/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 12A	2/19/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 12A	2/19/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 12A	2/19/2015	1,4-DIOXANE	2000	ug/L	U		18		190	2000
MSB 12A	2/19/2015	ACETONE	50	ug/L	U				8.5	50
MSB 12A	2/19/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 12A	2/19/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 12A	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 12A	2/19/2015	CIS-1,2-DICHLOROETHYLENE	29	ug/L					2.3	25
MSB 12A	2/19/2015	TETRACHLOROETHYLENE (PCE)	38	ug/L					4.5	25
MSB 12A	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 12A	2/19/2015	TRICHLOROETHYLENE (TCE)	5400	ug/L					63	250
MSB 12A	8/24/2015	ALUMINUM	81.6	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 12A	8/24/2015	BARIUM	7.11	ug/L	J		21		2	20
MSB 12A	8/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 12A	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 12A	8/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 12A	8/24/2015	COBALT	0.526	ug/L	J		21		0.5	5
MSB 12A	8/24/2015	COPPER	5	ug/L	U				0.5	5
MSB 12A	8/24/2015	IRON	419	ug/L			V		10	100
MSB 12A	8/24/2015	LEAD	1.92	ug/L	J		21		0.5	5
MSB 12A	8/24/2015	MANGANESE	4.69	ug/L	J		21		1	10
MSB 12A	8/24/2015	NICKEL	0.552	ug/L	J		21		0.5	5
MSB 12A	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 12A	8/24/2015	SODIUM	1890	ug/L					20	200
MSB 12A	8/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 12A	8/24/2015	ZINC	11.3	ug/L	J		21		4	40
MSB 12A	8/24/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 12A	8/24/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 12A	8/24/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 12A	8/24/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 12A	8/24/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB 12A	8/24/2015	ACETONE	100	ug/L	U				17	100
MSB 12A	8/24/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 12A	8/24/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 12A	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
MSB 12A	8/24/2015	CIS-1,2-DICHLOROETHYLENE	33	ug/L	J		21		4.5	50
MSB 12A	8/24/2015	TETRACHLOROETHYLENE (PCE)	36	ug/L	J		21		9	50
MSB 12A	8/24/2015	TOLUENE	50	ug/L	U				3.5	50
MSB 12A	8/24/2015	TRANS-1,2-	50	ug/L	U				4	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 12A	8/24/2015	TRICHLOROETHYLENE (TCE)	6200	ug/L					130	500
MSB 12A	8/24/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 12B	2/19/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB 12B	2/19/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB 12B	2/19/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB 12B	2/19/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 12B	2/19/2015	1,4-DIOXANE	8000	ug/L	U		18		760	8000
MSB 12B	2/19/2015	ACETONE	200	ug/L	U				34	200
MSB 12B	2/19/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB 12B	2/19/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB 12B	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB 12B	2/19/2015	CIS-1,2-DICHLOROETHYLENE	21	ug/L	J		21		9	100
MSB 12B	2/19/2015	TETRACHLOROETHYLENE (PCE)	5200	ug/L					180	1000
MSB 12B	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 12B	2/19/2015	TRICHLOROETHYLENE (TCE)	6200	ug/L					250	1000
MSB 12B	8/24/2015	ALUMINUM	128	ug/L	J		21		40	400
MSB 12B	8/24/2015	BARIUM	15.6	ug/L	J		21		2	20
MSB 12B	8/24/2015	BERYLLIUM	0.155	ug/L	J		21		0.1	1
MSB 12B	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 12B	8/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 12B	8/24/2015	COBALT	0.632	ug/L	J		21		0.5	5
MSB 12B	8/24/2015	COPPER	5	ug/L	U				0.5	5
MSB 12B	8/24/2015	IRON	563	ug/L			V		10	100
MSB 12B	8/24/2015	LEAD	0.75	ug/L	J		21		0.5	5
MSB 12B	8/24/2015	MANGANESE	7.38	ug/L	J		21		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 12B	8/24/2015	NICKEL	0.584	ug/L	J		21		0.5	5
MSB 12B	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 12B	8/24/2015	SODIUM	3930	ug/L					20	200
MSB 12B	8/24/2015	VANADIUM	15.8	ug/L	J		21		5	50
MSB 12B	8/24/2015	ZINC	11.2	ug/L	J		21		4	40
MSB 12B	8/24/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB 12B	8/24/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB 12B	8/24/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB 12B	8/24/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 12B	8/24/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB 12B	8/24/2015	ACETONE	200	ug/L	U				34	200
MSB 12B	8/24/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB 12B	8/24/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB 12B	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB 12B	8/24/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	J		21		9	100
MSB 12B	8/24/2015	TETRACHLOROETHYLENE (PCE)	7200	ug/L					180	1000
MSB 12B	8/24/2015	TOLUENE	100	ug/L	U				7	100
MSB 12B	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB 12B	8/24/2015	TRICHLOROETHYLENE (TCE)	6600	ug/L					250	1000
MSB 12B	8/24/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 12TA	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 12TA	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 12TA	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 12TA	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 12TA	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 12TA	2/23/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 12TA	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 12TA	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 12TA	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 12TA	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 12TA	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 12TA	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 12TA	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 12TA	8/24/2015	ALUMINUM	400	ug/L	U				40	400
MSB 12TA	8/24/2015	BARIUM	11	ug/L	J		21		2	20
MSB 12TA	8/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 12TA	8/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 12TA	8/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 12TA	8/24/2015	COBALT	5	ug/L	U				0.5	5
MSB 12TA	8/24/2015	COPPER	3.61	ug/L	J		21		0.5	5
MSB 12TA	8/24/2015	IRON	65.1	ug/L	U		21, V		10	100
MSB 12TA	8/24/2015	LEAD	2.51	ug/L	J		21		0.5	5
MSB 12TA	8/24/2015	MANGANESE	10	ug/L	U				1	10
MSB 12TA	8/24/2015	NICKEL	5	ug/L	U				0.5	5
MSB 12TA	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 12TA	8/24/2015	SODIUM	1200	ug/L					20	200
MSB 12TA	8/24/2015	VANADIUM	15.1	ug/L	J		21		5	50
MSB 12TA	8/24/2015	ZINC	7.65	ug/L	J		21		4	40
MSB 12TA	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 12TA	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 12TA	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 12TA	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 12TA	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 12TA	8/24/2015	ACETONE	4.7	ug/L					0.34	2
MSB 12TA	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 12TA	8/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 12TA	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 12TA	8/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 12TA	8/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 12TA	8/24/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 12TA	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 12TA	8/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 12TA	8/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 12TB	2/19/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 12TB	2/19/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 12TB	2/19/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 12TB	2/19/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 12TB	2/19/2015	1,4-DIOXANE	200	ug/L	U		18		19	200
MSB 12TB	2/19/2015	ACETONE	5	ug/L	U				0.85	5
MSB 12TB	2/19/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 12TB	2/19/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 12TB	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 12TB	2/19/2015	CIS-1,2-DICHLOROETHYLENE	9.2	ug/L					0.23	2.5
MSB 12TB	2/19/2015	TETRACHLOROETHYLENE (PCE)	21	ug/L					0.45	2.5
MSB 12TB	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 12TB	2/19/2015	TRICHLOROETHYLENE (TCE)	180	ug/L					6.3	25
MSB 12TB	8/24/2015	ALUMINUM	293	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 12TB	8/24/2015	BARIUM	20	ug/L			S		2	20
MSB 12TB	8/24/2015	BERYLLIUM	0.443	ug/L	J		21		0.1	1
MSB 12TB	8/24/2015	CADMIUM	0.138	ug/L	J		21		0.1	1
MSB 12TB	8/24/2015	CHROMIUM	12.2	ug/L	J		21		10	100
MSB 12TB	8/24/2015	COBALT	2.95	ug/L	J		21		0.5	5
MSB 12TB	8/24/2015	COPPER	13.1	ug/L					0.5	5
MSB 12TB	8/24/2015	IRON	184000	ug/L			V		10	100
MSB 12TB	8/24/2015	LEAD	20.4	ug/L					0.5	5
MSB 12TB	8/24/2015	MANGANESE	406	ug/L					1	10
MSB 12TB	8/24/2015	NICKEL	9.05	ug/L					0.5	5
MSB 12TB	8/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 12TB	8/24/2015	SODIUM	1690	ug/L					20	200
MSB 12TB	8/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 12TB	8/24/2015	ZINC	505	ug/L					4	40
MSB 12TB	8/24/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 12TB	8/24/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 12TB	8/24/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 12TB	8/24/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 12TB	8/24/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 12TB	8/24/2015	ACETONE	9.8	ug/L					0.85	5
MSB 12TB	8/24/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 12TB	8/24/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 12TB	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 12TB	8/24/2015	CIS-1,2-DICHLOROETHYLENE	16	ug/L					0.23	2.5
MSB 12TB	8/24/2015	TETRACHLOROETHYLENE (PCE)	28	ug/L					0.45	2.5
MSB 12TB	8/24/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 12TB	8/24/2015	TRANS-1,2-	2.5	ug/L	U				0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 12TB	8/24/2015	TRICHLOROETHYLENE (TCE)	280	ug/L					6.3	25
MSB 12TB	8/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 13A	3/18/2015	ALUMINUM	196	ug/L	J				40	400
MSB 13A	3/18/2015	BARIUM	29.9	ug/L					2	20
MSB 13A	3/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 13A	3/18/2015	COPPER	3.51	ug/L	J				0.5	5
MSB 13A	3/18/2015	LEAD	0.832	ug/L	J				0.5	5
MSB 13A	3/18/2015	NICKEL	1.9	ug/L	J				0.5	5
MSB 13A	3/18/2015	ZINC	17.1	ug/L	J				4	40
MSB 13A	3/18/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 13A	3/18/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 13A	3/18/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 13A	3/18/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 13A	3/18/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 13A	3/18/2015	ACETONE	50	ug/L	U				8.5	50
MSB 13A	3/18/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 13A	3/18/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 13A	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 13A	3/18/2015	CIS-1,2-DICHLOROETHYLENE	48	ug/L					2.3	25
MSB 13A	3/18/2015	TETRACHLOROETHYLENE (PCE)	6200	ug/L					45	250
MSB 13A	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 13A	3/18/2015	TRICHLOROETHYLENE (TCE)	8500	ug/L					63	250
MSB 13A	8/24/2015	ALUMINUM	68.5	ug/L					15	50
MSB 13A	8/24/2015	BARIUM	27.5	ug/L					0.6	2
MSB 13A	8/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13A	8/24/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB 13A	8/24/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB 13A	8/24/2015	COBALT	1.18	ug/L					0.1	1
MSB 13A	8/24/2015	COPPER	2.41	ug/L					0.35	1
MSB 13A	8/24/2015	IRON	69.3	ug/L	J	J	21		33	100
MSB 13A	8/24/2015	LEAD	0.596	ug/L	J	J	21		0.5	2
MSB 13A	8/24/2015	MANGANESE	8.23	ug/L					1	5
MSB 13A	8/24/2015	NICKEL	1.66	ug/L	J	J	21		0.5	2
MSB 13A	8/24/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB 13A	8/24/2015	SILVER	1	ug/L	U	U			0.2	1
MSB 13A	8/24/2015	SODIUM	4370	ug/L					80	250
MSB 13A	8/24/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB 13A	8/24/2015	TIN	5	ug/L	U	U			1	5
MSB 13A	8/24/2015	VANADIUM	9.49	ug/L	U	U	21, V		3	10
MSB 13A	8/24/2015	ZINC	14.3	ug/L					3.5	10
MSB 13A	8/24/2015	MERCURY	0.119	ug/L	J	J	21		0.067	0.2
MSB 13A	8/24/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB 13A	8/24/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB 13A	8/24/2015	1,1,1,2-TETRACHLOROETHANE	1.13	ug/L					0.3	1
MSB 13A	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1.63	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13A	8/24/2015	1,1,2-TRICHLOROETHANE	2.04	ug/L					0.3	1
MSB 13A	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	1,1-DICHLOROETHYLENE	2.91	ug/L					0.3	1
MSB 13A	8/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	1,2-DICHLOROBENZENE	0.55	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB 13A	8/24/2015	BENZENE	0.54	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB 13A	8/24/2015	CARBON TETRACHLORIDE	0.39	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	CHLOROBENZENE	0.5	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	CHLOROFORM	0.44	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	CIS-1,2-DICHLOROETHYLENE	45.2	ug/L					0.3	1
MSB 13A	8/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.02	ug/L	J	J	21		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13A	8/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
MSB 13A	8/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB 13A	8/24/2015	TETRACHLOROETHYLENE (PCE)	4520	ug/L					60	200
MSB 13A	8/24/2015	TOLUENE	0.53	ug/L	J	J	21		0.3	1
MSB 13A	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	TRICHLOROETHYLENE (TCE)	10200	ug/L					60	200
MSB 13A	8/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 13A	8/24/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB 13A	8/24/2015	1,4-DIOXANE	5.2	ug/L					0.85	3
MSB 13A	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 13A	8/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 13A	8/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 13A	8/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
MSB 13A	8/24/2015	PHENOL	10	ug/L	U	UJ	2, 11, 14		3	10
MSB 13A	8/24/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB 13A	8/24/2015	GROSS ALPHA	2.8	pCi/L	U	U		2.03	2.83	6.89
MSB 13A	8/24/2015	NONVOLATILE BETA	5.94	pCi/L	J	J	21	2.17	2.76	7.1
MSB 13A	8/24/2015	RADIUM-226	1.77	pCi/L		J	11	0.453	0.398	1.3
MSB 13A	8/24/2015	RADIUM-228	3.85	pCi/L				0.615	0.511	1.74
MSB 13A	8/24/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB 13CC	3/11/2015	ALUMINUM	253	ug/L	J				40	400
MSB 13CC	3/11/2015	BARIUM	2.58	ug/L	J				2	20
MSB 13CC	3/11/2015	CHROMIUM	100	ug/L	U				10	100
MSB 13CC	3/11/2015	COPPER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13CC	3/11/2015	LEAD	5	ug/L	U				0.5	5
MSB 13CC	3/11/2015	NICKEL	5	ug/L	U				0.5	5
MSB 13CC	3/11/2015	ZINC	40	ug/L	U				4	40
MSB 13CC	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13CC	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 13CC	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13CC	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13CC	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 13CC	3/11/2015	ACETONE	2.1	ug/L					0.34	2
MSB 13CC	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 13CC	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 13CC	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 13CC	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 13CC	3/11/2015	TETRACHLOROETHYLENE (PCE)	3	ug/L					0.18	1
MSB 13CC	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13CC	3/11/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.25	1
MSB 13CC	8/27/2015	NITRATE-NITRITE AS NITROGEN	3.5	mg/L					0.047	0.5
MSB 13CC	8/27/2015	ALUMINUM	182	ug/L	J		21		40	400
MSB 13CC	8/27/2015	BARIUM	2.88	ug/L	J		21		2	20
MSB 13CC	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 13CC	8/27/2015	CADMIUM	0.177	ug/L	J		21		0.1	1
MSB 13CC	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 13CC	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 13CC	8/27/2015	COPPER	0.709	ug/L	J		21		0.5	5
MSB 13CC	8/27/2015	IRON	199	ug/L			V		10	100
MSB 13CC	8/27/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13CC	8/27/2015	MANGANESE	2.22	ug/L	J		21		1	10
MSB 13CC	8/27/2015	NICKEL	1.7	ug/L	J		21		0.5	5
MSB 13CC	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 13CC	8/27/2015	SODIUM	9620	ug/L					20	200
MSB 13CC	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 13CC	8/27/2015	ZINC	40	ug/L	U				4	40
MSB 13CC	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13CC	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 13CC	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13CC	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13CC	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 13CC	8/27/2015	ACETONE	10	ug/L					0.34	2
MSB 13CC	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 13CC	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 13CC	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 13CC	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 13CC	8/27/2015	TETRACHLOROETHYLENE (PCE)	2.8	ug/L					0.18	1
MSB 13CC	8/27/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
MSB 13CC	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13CC	8/27/2015	TRICHLOROETHYLENE (TCE)	0.52	ug/L	J		21		0.25	1
MSB 13CC	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 13CC	8/27/2015	RADIUM-226	0.39	pCi/L	J		21	0.177	0.226	0.58
MSB 13CC	8/27/2015	RADIUM-228	0.231	pCi/L	U			0.218	0.352	0.788
MSB 13CC	8/27/2015	GROSS ALPHA	1.21	pCi/L	U			1.62	2.34	5.58
MSB 13CC	8/27/2015	NONVOLATILE BETA	4.28	pCi/L	U			3.08	4.29	10.4
MSB 13D	2/19/2015	ALUMINUM	3910	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 13D	2/19/2015	BARIUM	18.8	ug/L	J				2	20
MSB 13D	2/19/2015	CHROMIUM	11	ug/L	J				10	100
MSB 13D	2/19/2015	COPPER	34	ug/L					0.5	5
MSB 13D	2/19/2015	LEAD	2.22	ug/L	J				0.5	5
MSB 13D	2/19/2015	NICKEL	6.73	ug/L					0.5	5
MSB 13D	2/19/2015	ZINC	44.9	ug/L					4	40
MSB 13D	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13D	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 13D	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 13D	2/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13D	2/19/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 13D	2/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 13D	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 13D	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 13D	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 13D	2/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 13D	2/19/2015	TETRACHLOROETHYLENE (PCE)	1.6	ug/L					0.18	1
MSB 13D	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 13D	2/19/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.25	1
MSB 14A	3/26/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 14A	3/26/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 14A	3/26/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 14A	3/26/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 14A	3/26/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 14A	3/26/2015	ACETONE	50	ug/L	U				8.5	50
MSB 14A	3/26/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 14A	3/26/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 14A	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 14A	3/26/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 14A	3/26/2015	TETRACHLOROETHYLENE (PCE)	7400	ug/L					45	250
MSB 14A	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 14A	3/26/2015	TRICHLOROETHYLENE (TCE)	2500	ug/L					63	250
MSB 14A	3/26/2015	1,4-DIOXANE	12	ug/L					0.85	3
MSB 14A	9/23/2015	ALUMINUM	400	ug/L	U				40	400
MSB 14A	9/23/2015	BARIUM	10	ug/L	J		21		2	20
MSB 14A	9/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 14A	9/23/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 14A	9/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 14A	9/23/2015	COBALT	5	ug/L	U				0.5	5
MSB 14A	9/23/2015	COPPER	7.86	ug/L					0.5	5
MSB 14A	9/23/2015	IRON	36.1	ug/L	U		21, V		10	100
MSB 14A	9/23/2015	LEAD	2.34	ug/L	J		21		0.5	5
MSB 14A	9/23/2015	MANGANESE	2.33	ug/L	J		21		1	10
MSB 14A	9/23/2015	NICKEL	5	ug/L	U				0.5	5
MSB 14A	9/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 14A	9/23/2015	SODIUM	8020	ug/L					20	200
MSB 14A	9/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 14A	9/23/2015	ZINC	12.5	ug/L	J		21		4	40
MSB 14A	9/23/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 14A	9/23/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 14A	9/23/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 14A	9/23/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 14A	9/23/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 14A	9/23/2015	ACETONE	20	ug/L	U				3.4	20
MSB 14A	9/23/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 14A	9/23/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 14A	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 14A	9/23/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L	J		21		0.9	10
MSB 14A	9/23/2015	TETRACHLOROETHYLENE (PCE)	1800	ug/L					18	100
MSB 14A	9/23/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 14A	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 14A	9/23/2015	TRICHLOROETHYLENE (TCE)	760	ug/L					25	100
MSB 14A	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 14B	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 14B	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 14B	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 14B	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 14B	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 14B	3/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 14B	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 14B	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 14B	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 14B	3/25/2015	CIS-1,2-DICHLOROETHYLENE	0.17	ug/L	J		21		0.09	1
MSB 14B	3/25/2015	TETRACHLOROETHYLENE (PCE)	0.93	ug/L	J		21		0.18	1
MSB 14B	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 14B	3/25/2015	TRICHLOROETHYLENE (TCE)	0.92	ug/L	J		21		0.25	1
MSB 14B	9/23/2015	ALUMINUM	635	ug/L					40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 14B	9/23/2015	BARIUM	24.4	ug/L					2	20
MSB 14B	9/23/2015	BERYLLIUM	1.4	ug/L					0.1	1
MSB 14B	9/23/2015	CADMIUM	0.401	ug/L	J		21		0.1	1
MSB 14B	9/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 14B	9/23/2015	COBALT	4.67	ug/L	J		21		0.5	5
MSB 14B	9/23/2015	COPPER	51.6	ug/L					0.5	5
MSB 14B	9/23/2015	IRON	1490	ug/L			V		10	100
MSB 14B	9/23/2015	LEAD	43.3	ug/L					0.5	5
MSB 14B	9/23/2015	MANGANESE	50	ug/L					1	10
MSB 14B	9/23/2015	NICKEL	3.52	ug/L	J		21		0.5	5
MSB 14B	9/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 14B	9/23/2015	SODIUM	12400	ug/L					20	200
MSB 14B	9/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 14B	9/23/2015	ZINC	98.1	ug/L					4	40
MSB 14B	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 14B	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 14B	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 14B	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 14B	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 14B	9/23/2015	ACETONE	3.6	ug/L					0.34	2
MSB 14B	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 14B	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 14B	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 14B	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 14B	9/23/2015	TETRACHLOROETHYLENE (PCE)	0.83	ug/L	J		21		0.18	1
MSB 14B	9/23/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
MSB 14B	9/23/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 14B	9/23/2015	TRICHLOROETHYLENE (TCE)	0.8	ug/L	J		21		0.25	1
MSB 14B	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 15A	2/19/2015	ALUMINUM	401	ug/L					40	400
MSB 15A	2/19/2015	BARIUM	11.6	ug/L	J				2	20
MSB 15A	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 15A	2/19/2015	COPPER	4.99	ug/L	J				0.5	5
MSB 15A	2/19/2015	LEAD	11.3	ug/L					0.5	5
MSB 15A	2/19/2015	NICKEL	1.78	ug/L	J				0.5	5
MSB 15A	2/19/2015	ZINC	82.7	ug/L					4	40
MSB 15A	2/19/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 15A	2/19/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 15A	2/19/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 15A	2/19/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 15A	2/19/2015	1,4-DIOXANE	2000	ug/L	U		18		190	2000
MSB 15A	2/19/2015	ACETONE	50	ug/L	U				8.5	50
MSB 15A	2/19/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 15A	2/19/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 15A	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 15A	2/19/2015	CIS-1,2-DICHLOROETHYLENE	4.4	ug/L	J		21		2.3	25
MSB 15A	2/19/2015	TETRACHLOROETHYLENE (PCE)	4200	ug/L					45	250
MSB 15A	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 15A	2/19/2015	TRICHLOROETHYLENE (TCE)	5400	ug/L					63	250
MSB 15A	8/26/2015	ALUMINUM	485	ug/L					40	400
MSB 15A	8/26/2015	BARIUM	9.8	ug/L	J		21		2	20
MSB 15A	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 15A	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 15A	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 15A	8/26/2015	COBALT	0.616	ug/L	J		21		0.5	5
MSB 15A	8/26/2015	COPPER	3.02	ug/L	J		21		0.5	5
MSB 15A	8/26/2015	IRON	313	ug/L			V		10	100
MSB 15A	8/26/2015	LEAD	8.32	ug/L					0.5	5
MSB 15A	8/26/2015	MANGANESE	12.1	ug/L					1	10
MSB 15A	8/26/2015	NICKEL	1.16	ug/L	J		21		0.5	5
MSB 15A	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 15A	8/26/2015	SODIUM	1860	ug/L					20	200
MSB 15A	8/26/2015	VANADIUM	15.8	ug/L	J		21		5	50
MSB 15A	8/26/2015	ZINC	52.2	ug/L					4	40
MSB 15A	8/26/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 15A	8/26/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 15A	8/26/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 15A	8/26/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 15A	8/26/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB 15A	8/26/2015	ACETONE	500	ug/L	U				85	500
MSB 15A	8/26/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250
MSB 15A	8/26/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 15A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 15A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	250	ug/L	U				23	250
MSB 15A	8/26/2015	TETRACHLOROETHYLENE (PCE)	2400	ug/L					45	250
MSB 15A	8/26/2015	TOLUENE	250	ug/L	U				18	250
MSB 15A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 15A	8/26/2015	TRICHLOROETHYLENE (TCE)	5000	ug/L					63	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 15A	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 15AA	2/19/2015	ALUMINUM	42.7	ug/L	J				40	400
MSB 15AA	2/19/2015	BARIUM	158	ug/L					2	20
MSB 15AA	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 15AA	2/19/2015	COPPER	1.18	ug/L	J				0.5	5
MSB 15AA	2/19/2015	LEAD	5	ug/L	U				0.5	5
MSB 15AA	2/19/2015	NICKEL	1.6	ug/L	J				0.5	5
MSB 15AA	2/19/2015	ZINC	30.6	ug/L	J				4	40
MSB 15AA	2/19/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 15AA	2/19/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 15AA	2/19/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 15AA	2/19/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 15AA	2/19/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 15AA	2/19/2015	ACETONE	19	ug/L					1.7	10
MSB 15AA	2/19/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 15AA	2/19/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 15AA	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 15AA	2/19/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L	J		21		0.45	5
MSB 15AA	2/19/2015	TETRACHLOROETHYLENE (PCE)	51	ug/L					0.9	5
MSB 15AA	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 15AA	2/19/2015	TRICHLOROETHYLENE (TCE)	680	ug/L					13	50
MSB 15AA	8/26/2015	ALUMINUM	400	ug/L	U				40	400
MSB 15AA	8/26/2015	BARIUM	81.2	ug/L					2	20
MSB 15AA	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 15AA	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 15AA	8/26/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 15AA	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 15AA	8/26/2015	COPPER	5	ug/L	U				0.5	5
MSB 15AA	8/26/2015	IRON	15.3	ug/L	U		21, V		10	100
MSB 15AA	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 15AA	8/26/2015	MANGANESE	10	ug/L	U				1	10
MSB 15AA	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 15AA	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 15AA	8/26/2015	SODIUM	1870	ug/L					20	200
MSB 15AA	8/26/2015	VANADIUM	50	ug/L	U				5	50
MSB 15AA	8/26/2015	ZINC	40	ug/L	U				4	40
MSB 15AA	8/26/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 15AA	8/26/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 15AA	8/26/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 15AA	8/26/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 15AA	8/26/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB 15AA	8/26/2015	ACETONE	100	ug/L	U				17	100
MSB 15AA	8/26/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 15AA	8/26/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 15AA	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
MSB 15AA	8/26/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				4.5	50
MSB 15AA	8/26/2015	TETRACHLOROETHYLENE (PCE)	55	ug/L					9	50
MSB 15AA	8/26/2015	TOLUENE	50	ug/L	U				3.5	50
MSB 15AA	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 15AA	8/26/2015	TRICHLOROETHYLENE (TCE)	810	ug/L					13	50
MSB 15AA	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 15D	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 15D	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 15D	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 15D	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 15D	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 15D	3/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 15D	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 15D	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 15D	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 15D	3/30/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J		21		0.09	1
MSB 15D	3/30/2015	TETRACHLOROETHYLENE (PCE)	33	ug/L					0.18	1
MSB 15D	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 15D	3/30/2015	TRICHLOROETHYLENE (TCE)	65	ug/L					0.5	2
MSB 16A	3/25/2015	ALUMINUM	176	ug/L	J				40	400
MSB 16A	3/25/2015	BARIUM	3.18	ug/L	J				2	20
MSB 16A	3/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 16A	3/25/2015	COPPER	1.32	ug/L	J				0.5	5
MSB 16A	3/25/2015	LEAD	0.517	ug/L	J				0.5	5
MSB 16A	3/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 16A	3/25/2015	ZINC	4.74	ug/L	J				4	40
MSB 16A	3/25/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 16A	3/25/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 16A	3/25/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 16A	3/25/2015	1,1-DICHLOROETHYLENE	1.6	ug/L	J		21		0.2	2.5
MSB 16A	3/25/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 16A	3/25/2015	ACETONE	6.8	ug/L					0.85	5
MSB 16A	3/25/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 16A	3/25/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 16A	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 16A	3/25/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.23	2.5
MSB 16A	3/25/2015	TETRACHLOROETHYLENE (PCE)	650	ug/L					4.5	25
MSB 16A	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 16A	3/25/2015	TRICHLOROETHYLENE (TCE)	130	ug/L					6.3	25
MSB 16A	8/26/2015	ALUMINUM	400	ug/L	U				40	400
MSB 16A	8/26/2015	BARIUM	2.79	ug/L	J		21		2	20
MSB 16A	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 16A	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 16A	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 16A	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 16A	8/26/2015	COPPER	6.79	ug/L					0.5	5
MSB 16A	8/26/2015	IRON	20	ug/L	U		21, V		10	100
MSB 16A	8/26/2015	LEAD	0.641	ug/L	J		21		0.5	5
MSB 16A	8/26/2015	MANGANESE	10	ug/L	U				1	10
MSB 16A	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 16A	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 16A	8/26/2015	SODIUM	1750	ug/L					20	200
MSB 16A	8/26/2015	VANADIUM	13.7	ug/L	J		21		5	50
MSB 16A	8/26/2015	ZINC	5.82	ug/L	J		21		4	40
MSB 16A	8/26/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 16A	8/26/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 16A	8/26/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 16A	8/26/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 16A	8/26/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 16A	8/26/2015	ACETONE	50	ug/L	U				8.5	50
MSB 16A	8/26/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 16A	8/26/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 16A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 16A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 16A	8/26/2015	TETRACHLOROETHYLENE (PCE)	680	ug/L					4.5	25
MSB 16A	8/26/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 16A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 16A	8/26/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					6.3	25
MSB 16A	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 17B	3/26/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 17B	3/26/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 17B	3/26/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 17B	3/26/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 17B	3/26/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 17B	3/26/2015	ACETONE	5	ug/L	U				0.85	5
MSB 17B	3/26/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 17B	3/26/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 17B	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 17B	3/26/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.23	2.5
MSB 17B	3/26/2015	TETRACHLOROETHYLENE (PCE)	23	ug/L					0.45	2.5
MSB 17B	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 17B	3/26/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					6.3	25
MSB 17B	3/26/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 17B	8/25/2015	NITRATE-NITRITE AS NITROGEN	1.8	mg/L					0.047	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 17B	8/25/2015	ALUMINUM	68.8	ug/L	J		21		40	400
MSB 17B	8/25/2015	BARIUM	12.7	ug/L	J		21		2	20
MSB 17B	8/25/2015	BERYLLIUM	0.24	ug/L	J		21		0.1	1
MSB 17B	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 17B	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 17B	8/25/2015	COBALT	3.62	ug/L	J		21		0.5	5
MSB 17B	8/25/2015	COPPER	0.703	ug/L	U		21, V		0.5	5
MSB 17B	8/25/2015	IRON	23	ug/L	U		21, V		10	100
MSB 17B	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 17B	8/25/2015	MANGANESE	3.88	ug/L	J		21		1	10
MSB 17B	8/25/2015	NICKEL	1.45	ug/L	J		21		0.5	5
MSB 17B	8/25/2015	SELENIUM	2.23	ug/L	J		21		2	20
MSB 17B	8/25/2015	SODIUM	2010	ug/L					20	200
MSB 17B	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 17B	8/25/2015	ZINC	4.72	ug/L	U		21, V		4	40
MSB 17B	8/25/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 17B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 17B	8/25/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 17B	8/25/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 17B	8/25/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 17B	8/25/2015	ACETONE	10	ug/L	U				1.7	10
MSB 17B	8/25/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 17B	8/25/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 17B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 17B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
MSB 17B	8/25/2015	TETRACHLOROETHYLENE (PCE)	21	ug/L					0.9	5
MSB 17B	8/25/2015	TOLUENE	5	ug/L	U				0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 17B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 17B	8/25/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					1.3	5
MSB 17B	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 17B	8/25/2015	RADIUM-226	1.41	pCi/L				0.276	0.183	0.735
MSB 17B	8/25/2015	RADIUM-228	0.965	pCi/L	J		21	0.298	0.401	0.997
MSB 17B	8/25/2015	GROSS ALPHA	3.9	pCi/L	J		21	2.6	2.29	7.48
MSB 17B	8/25/2015	NONVOLATILE BETA	2.33	pCi/L	U			2.94	4.65	10.5
MSB 17BB	3/11/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 17BB	3/11/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 17BB	3/11/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 17BB	3/11/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 17BB	3/11/2015	1,4-DIOXANE	800	ug/L	U				76	800
MSB 17BB	3/11/2015	ACETONE	20	ug/L	U				3.4	20
MSB 17BB	3/11/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 17BB	3/11/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 17BB	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 17BB	3/11/2015	CIS-1,2-DICHLOROETHYLENE	7.5	ug/L	J		21		0.9	10
MSB 17BB	3/11/2015	TETRACHLOROETHYLENE (PCE)	770	ug/L					18	100
MSB 17BB	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 17BB	3/11/2015	TRICHLOROETHYLENE (TCE)	1500	ug/L					25	100
MSB 17BB	8/25/2015	NITRATE-NITRITE AS NITROGEN	4.5	mg/L					0.047	0.5
MSB 17BB	8/25/2015	ALUMINUM	224	ug/L	J		21		40	400
MSB 17BB	8/25/2015	BARIUM	63.9	ug/L					2	20
MSB 17BB	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 17BB	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 17BB	8/25/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 17BB	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 17BB	8/25/2015	COPPER	0.712	ug/L	U		21, V		0.5	5
MSB 17BB	8/25/2015	IRON	100	ug/L	U		V		10	100
MSB 17BB	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 17BB	8/25/2015	MANGANESE	10	ug/L	U				1	10
MSB 17BB	8/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 17BB	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB 17BB	8/25/2015	SODIUM	3330	ug/L					20	200
MSB 17BB	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 17BB	8/25/2015	ZINC	40	ug/L	U		V		4	40
MSB 17BB	8/25/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 17BB	8/25/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 17BB	8/25/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 17BB	8/25/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 17BB	8/25/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB 17BB	8/25/2015	ACETONE	100	ug/L	U				17	100
MSB 17BB	8/25/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 17BB	8/25/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 17BB	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
MSB 17BB	8/25/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				4.5	50
MSB 17BB	8/25/2015	TETRACHLOROETHYLENE (PCE)	330	ug/L					9	50
MSB 17BB	8/25/2015	TOLUENE	50	ug/L	U				3.5	50
MSB 17BB	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 17BB	8/25/2015	TRICHLOROETHYLENE (TCE)	830	ug/L					13	50
MSB 17BB	8/25/2015	1,4-DIOXANE	100	ug/L	U				25	100
MSB 17BB	8/25/2015	RADIUM-226	0.19	pCi/L	U			0.138	0.196	0.472

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 17BB	8/25/2015	RADIUM-228	0.129	pCi/L	U			0.26	0.442	0.962
MSB 17BB	8/25/2015	GROSS ALPHA	3.13	pCi/L	J		21	2.54	2.61	7.69
MSB 17BB	8/25/2015	NONVOLATILE BETA	0.799	pCi/L	U			2.61	4.53	9.76
MSB 18A	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18A	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 18A	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18A	3/25/2015	1,1-DICHLOROETHYLENE	1.1	ug/L					0.08	1
MSB 18A	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 18A	3/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 18A	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 18A	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 18A	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 18A	3/25/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
MSB 18A	3/25/2015	TETRACHLOROETHYLENE (PCE)	36	ug/L					0.18	1
MSB 18A	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18A	3/25/2015	TRICHLOROETHYLENE (TCE)	34	ug/L					0.25	1
MSB 18A	8/28/2015	NITRATE-NITRITE AS NITROGEN	8.5	mg/L					0.094	1
MSB 18A	8/28/2015	ALUMINUM	115	ug/L	J		21		40	400
MSB 18A	8/28/2015	BARIUM	27.7	ug/L					2	20
MSB 18A	8/28/2015	BERYLLIUM	0.214	ug/L	J		21		0.1	1
MSB 18A	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 18A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 18A	8/28/2015	COBALT	1.09	ug/L	J		21		0.5	5
MSB 18A	8/28/2015	COPPER	0.936	ug/L	J		21		0.5	5
MSB 18A	8/28/2015	IRON	100	ug/L	U		V		10	100
MSB 18A	8/28/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 18A	8/28/2015	MANGANESE	21.4	ug/L					1	10
MSB 18A	8/28/2015	NICKEL	1.25	ug/L	J		21		0.5	5
MSB 18A	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 18A	8/28/2015	SODIUM	5530	ug/L					20	200
MSB 18A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 18A	8/28/2015	ZINC	8.45	ug/L	J		21		4	40
MSB 18A	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 18A	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18A	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L			S		0.08	1
MSB 18A	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 18A	8/28/2015	ACETONE	2.8	ug/L					0.34	2
MSB 18A	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 18A	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 18A	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 18A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L					0.09	1
MSB 18A	8/28/2015	TETRACHLOROETHYLENE (PCE)	32	ug/L					0.18	1
MSB 18A	8/28/2015	TOLUENE	0.16	ug/L	J		21		0.07	1
MSB 18A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18A	8/28/2015	TRICHLOROETHYLENE (TCE)	35	ug/L					0.25	1
MSB 18A	8/28/2015	1,4-DIOXANE	3	ug/L	J		21		1.2	5
MSB 18A	8/28/2015	RADIUM-226	0.481	pCi/L	J		21	0.178	0.193	0.549
MSB 18A	8/28/2015	RADIUM-228	0.743	pCi/L	J		21	0.253	0.344	0.85
MSB 18A	8/28/2015	GROSS ALPHA	2.82	pCi/L	J		21	2.3	2.38	6.98
MSB 18A	8/28/2015	NONVOLATILE BETA	9.33	pCi/L	J		21	3.86	4.5	12.2
MSB 18B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 18B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 18B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 18B	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 18B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 18B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 18B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 18B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 18B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
MSB 18B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18B	2/23/2015	TRICHLOROETHYLENE (TCE)	0.6	ug/L	J		21		0.25	1
MSB 18B	8/25/2015	NITRATE-NITRITE AS NITROGEN	2.2	mg/L					0.047	0.5
MSB 18B	8/25/2015	ALUMINUM	138	ug/L	J		21		40	400
MSB 18B	8/25/2015	BARIUM	10.4	ug/L	J		21		2	20
MSB 18B	8/25/2015	BERYLLIUM	0.329	ug/L	J		21		0.1	1
MSB 18B	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 18B	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 18B	8/25/2015	COBALT	0.772	ug/L	J		21		0.5	5
MSB 18B	8/25/2015	COPPER	0.826	ug/L	U		21, V		0.5	5
MSB 18B	8/25/2015	IRON	43.7	ug/L	U		21, V		10	100
MSB 18B	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 18B	8/25/2015	MANGANESE	6.29	ug/L	J		21		1	10
MSB 18B	8/25/2015	NICKEL	0.575	ug/L	J		21		0.5	5
MSB 18B	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB 18B	8/25/2015	SODIUM	2950	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 18B	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 18B	8/25/2015	ZINC	4.25	ug/L	U		21, V		4	40
MSB 18B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 18B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 18B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 18B	8/25/2015	ACETONE	3.5	ug/L					0.34	2
MSB 18B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 18B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 18B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 18B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 18B	8/25/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
MSB 18B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 18B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 18B	8/25/2015	TRICHLOROETHYLENE (TCE)	0.76	ug/L	J		21		0.25	1
MSB 18B	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 18B	8/25/2015	RADIUM-226	0.674	pCi/L	J		21	0.238	0.295	0.771
MSB 18B	8/25/2015	RADIUM-228	0.244	pCi/L	U			0.272	0.447	0.991
MSB 18B	8/25/2015	GROSS ALPHA	1.96	pCi/L	U			1.93	2.28	6.15
MSB 18B	8/25/2015	NONVOLATILE BETA	0.969	pCi/L	U			2.57	4.39	9.53
MSB 19B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 19B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 19B	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 19B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 19B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 19B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 19B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 19B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 19B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19B	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 19B	8/25/2015	ALUMINUM	400	ug/L	U				40	400
MSB 19B	8/25/2015	BARIUM	3.84	ug/L	J		21		2	20
MSB 19B	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 19B	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 19B	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 19B	8/25/2015	COBALT	0.876	ug/L	J		21		0.5	5
MSB 19B	8/25/2015	COPPER	5	ug/L	U		V		0.5	5
MSB 19B	8/25/2015	IRON	22.3	ug/L	U		21, V		10	100
MSB 19B	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 19B	8/25/2015	MANGANESE	1.19	ug/L	J		21		1	10
MSB 19B	8/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 19B	8/25/2015	SELENIUM	2.66	ug/L	J		21		2	20
MSB 19B	8/25/2015	SODIUM	5260	ug/L					20	200
MSB 19B	8/25/2015	VANADIUM	24.8	ug/L	J		21		5	50
MSB 19B	8/25/2015	ZINC	40	ug/L	U		V		4	40
MSB 19B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 19B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 19B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 19B	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 19B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 19B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 19B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 19B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 19B	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 19B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 19B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19B	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 19B	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 19C	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 19C	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19C	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19C	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 19C	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 19C	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 19C	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 19C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 19C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 19C	2/23/2015	TETRACHLOROETHYLENE (PCE)	0.62	ug/L	J		21		0.18	1
MSB 19C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19C	2/23/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 19C	8/25/2015	ALUMINUM	400	ug/L	U				40	400
MSB 19C	8/25/2015	BARIUM	2.16	ug/L	J		21		2	20
MSB 19C	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 19C	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 19C	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 19C	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 19C	8/25/2015	COPPER	5	ug/L	U		V		0.5	5
MSB 19C	8/25/2015	IRON	17.2	ug/L	U		21, V		10	100
MSB 19C	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 19C	8/25/2015	MANGANESE	10	ug/L	U				1	10
MSB 19C	8/25/2015	NICKEL	5	ug/L	U				0.5	5
MSB 19C	8/25/2015	SELENIUM	2.45	ug/L	J		21		2	20
MSB 19C	8/25/2015	SODIUM	2600	ug/L					20	200
MSB 19C	8/25/2015	VANADIUM	14.8	ug/L	J		21		5	50
MSB 19C	8/25/2015	ZINC	40	ug/L	U		V		4	40
MSB 19C	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19C	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 19C	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 19C	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19C	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 19C	8/25/2015	ACETONE	3.2	ug/L					0.34	2
MSB 19C	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 19C	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 19C	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 19C	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 19C	8/25/2015	TETRACHLOROETHYLENE (PCE)	0.36	ug/L	J		21		0.18	1
MSB 19C	8/25/2015	TOLUENE	0.19	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 19C	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 19C	8/25/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
MSB 19C	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 20A	2/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 20A	2/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 20A	2/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 20A	2/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 20A	2/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 20A	2/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 20A	2/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 20A	2/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 20A	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 20A	2/18/2015	CIS-1,2-DICHLOROETHYLENE	0.88	ug/L	J		21		0.09	1
MSB 20A	2/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 20A	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 20A	2/18/2015	TRICHLOROETHYLENE (TCE)	87	ug/L					1.3	5
MSB 20A	8/28/2015	NITRATE-NITRITE AS NITROGEN	0.78	mg/L					0.0047	0.05
MSB 20A	8/28/2015	ALUMINUM	145	ug/L	J		21		40	400
MSB 20A	8/28/2015	BARIUM	5.44	ug/L	J		21		2	20
MSB 20A	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 20A	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 20A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 20A	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 20A	8/28/2015	COPPER	4.26	ug/L	J		21		0.5	5
MSB 20A	8/28/2015	IRON	322	ug/L			V		10	100
MSB 20A	8/28/2015	LEAD	1.43	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 20A	8/28/2015	MANGANESE	5.19	ug/L	J		21		1	10
MSB 20A	8/28/2015	NICKEL	0.66	ug/L	J		21		0.5	5
MSB 20A	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 20A	8/28/2015	SODIUM	1560	ug/L					20	200
MSB 20A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 20A	8/28/2015	ZINC	29	ug/L	J		21		4	40
MSB 20A	8/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 20A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 20A	8/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 20A	8/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 20A	8/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 20A	8/28/2015	ACETONE	10	ug/L	U				1.7	10
MSB 20A	8/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 20A	8/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 20A	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 20A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	0.92	ug/L	J		21		0.45	5
MSB 20A	8/28/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
MSB 20A	8/28/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 20A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 20A	8/28/2015	TRICHLOROETHYLENE (TCE)	82	ug/L					1.3	5
MSB 20A	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 21B	3/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 21B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 21B	3/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 21B	3/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 21B	3/18/2015	1,4-DIOXANE	200	ug/L	U				19	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 21B	3/18/2015	ACETONE	5	ug/L	U				0.85	5
MSB 21B	3/18/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 21B	3/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 21B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 21B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	65	ug/L					0.23	2.5
MSB 21B	3/18/2015	TETRACHLOROETHYLENE (PCE)	2.5	ug/L	U				0.45	2.5
MSB 21B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	0.86	ug/L	J		21		0.2	2.5
MSB 21B	3/18/2015	TRICHLOROETHYLENE (TCE)	560	ug/L					6.3	25
MSB 21B	8/28/2015	ALUMINUM	51.1	ug/L	J		21		40	400
MSB 21B	8/28/2015	BARIUM	9.59	ug/L	J		21		2	20
MSB 21B	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 21B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 21B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 21B	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 21B	8/28/2015	COPPER	1.47	ug/L	J		21		0.5	5
MSB 21B	8/28/2015	IRON	11.6	ug/L	U		21, V		10	100
MSB 21B	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 21B	8/28/2015	MANGANESE	2.62	ug/L	J		21		1	10
MSB 21B	8/28/2015	NICKEL	0.526	ug/L	J		21		0.5	5
MSB 21B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 21B	8/28/2015	SODIUM	1880	ug/L					20	200
MSB 21B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 21B	8/28/2015	ZINC	5.92	ug/L	J		21		4	40
MSB 21B	8/28/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 21B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 21B	8/28/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 21B	8/28/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 21B	8/28/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 21B	8/28/2015	ACETONE	50	ug/L	U				8.5	50
MSB 21B	8/28/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 21B	8/28/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 21B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 21B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	53	ug/L					2.3	25
MSB 21B	8/28/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB 21B	8/28/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 21B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 21B	8/28/2015	TRICHLOROETHYLENE (TCE)	590	ug/L					6.3	25
MSB 21B	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 21C	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21C	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 21C	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21C	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21C	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 21C	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 21C	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 21C	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 21C	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 21C	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 21C	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 21C	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21C	3/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 21C	10/20/2015	ALUMINUM	84.8	ug/L	J		21		40	400
MSB 21C	10/20/2015	BARIUM	12	ug/L	J		21		2	20
MSB 21C	10/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 21C	10/20/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 21C	10/20/2015	CHROMIUM	100	ug/L	U				10	100
MSB 21C	10/20/2015	COBALT	5	ug/L	U				0.5	5
MSB 21C	10/20/2015	COPPER	0.927	ug/L	J		21		0.5	5
MSB 21C	10/20/2015	IRON	461	ug/L			V		10	100
MSB 21C	10/20/2015	LEAD	0.601	ug/L	J		21		0.5	5
MSB 21C	10/20/2015	MANGANESE	5.25	ug/L	J		21		1	10
MSB 21C	10/20/2015	NICKEL	5	ug/L	U				0.5	5
MSB 21C	10/20/2015	SELENIUM	20	ug/L	U				2	20
MSB 21C	10/20/2015	SODIUM	1240	ug/L					20	200
MSB 21C	10/20/2015	VANADIUM	50	ug/L	U				5	50
MSB 21C	10/20/2015	ZINC	40	ug/L	U				4	40
MSB 21C	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21C	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 21C	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21C	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21C	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 21C	10/20/2015	ACETONE	1.8	ug/L	J		21		0.34	2
MSB 21C	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 21C	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 21C	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 21C	10/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 21C	10/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 21C	10/20/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 21C	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21C	10/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 21C	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 21TA	12/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21TA	12/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 21TA	12/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 21TA	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21TA	12/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 21TA	12/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 21TA	12/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 21TA	12/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 21TA	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 21TA	12/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 21TA	12/2/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 23BR	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23BR	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23BR	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23BR	2/19/2015	1,1-DICHLOROETHYLENE	0.61	ug/L	J		21		0.08	1
MSB 23BR	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 23BR	2/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23BR	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23BR	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23BR	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1.4	ug/L	J		21		0.08	2
MSB 23BR	2/19/2015	CIS-1,2-DICHLOROETHYLENE	61	ug/L					2.3	25
MSB 23BR	2/19/2015	TETRACHLOROETHYLENE (PCE)	84	ug/L					4.5	25
MSB 23BR	2/19/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 23BR	2/19/2015	TRICHLOROETHYLENE (TCE)	22	ug/L					0.25	1
MSB 23BR	8/28/2015	ALUMINUM	97.5	ug/L	J		21		40	400
MSB 23BR	8/28/2015	BARIUM	10.6	ug/L	J		21		2	20
MSB 23BR	8/28/2015	BERYLLIUM	0.205	ug/L	J		21		0.1	1
MSB 23BR	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 23BR	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 23BR	8/28/2015	COBALT	0.726	ug/L	J		21		0.5	5
MSB 23BR	8/28/2015	COPPER	26.3	ug/L					0.5	5
MSB 23BR	8/28/2015	IRON	60300	ug/L			V		10	100
MSB 23BR	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 23BR	8/28/2015	MANGANESE	365	ug/L					1	10
MSB 23BR	8/28/2015	NICKEL	5.93	ug/L					0.5	5
MSB 23BR	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 23BR	8/28/2015	SODIUM	2820	ug/L					20	200
MSB 23BR	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 23BR	8/28/2015	ZINC	4.92	ug/L	J		21		4	40
MSB 23BR	8/28/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 23BR	8/28/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 23BR	8/28/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 23BR	8/28/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 23BR	8/28/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 23BR	8/28/2015	ACETONE	46	ug/L	J		21		8.5	50
MSB 23BR	8/28/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 23BR	8/28/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 23BR	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 23BR	8/28/2015	CIS-1,2-DICHLOROETHYLENE	47	ug/L					2.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23BR	8/28/2015	TETRACHLOROETHYLENE (PCE)	150	ug/L					4.5	25
MSB 23BR	8/28/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 23BR	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 23BR	8/28/2015	TRICHLOROETHYLENE (TCE)	22	ug/L	J		21		6.3	25
MSB 23BR	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 23R	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23R	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23R	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23R	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23R	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 23R	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23R	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23R	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23R	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23R	3/24/2015	CIS-1,2-DICHLOROETHYLENE	0.56	ug/L	J		21		0.09	1
MSB 23R	3/24/2015	TETRACHLOROETHYLENE (PCE)	40	ug/L					0.18	1
MSB 23R	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23R	3/24/2015	TRICHLOROETHYLENE (TCE)	34	ug/L					0.25	1
MSB 23R	11/18/2015	ALUMINUM	220	ug/L	J		21		40	400
MSB 23R	11/18/2015	BARIUM	63.7	ug/L					2	20
MSB 23R	11/18/2015	BERYLLIUM	0.324	ug/L	J		21		0.1	1
MSB 23R	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 23R	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 23R	11/18/2015	COBALT	2.31	ug/L	J		21		0.5	5
MSB 23R	11/18/2015	COPPER	2.53	ug/L	J		21		0.5	5
MSB 23R	11/18/2015	IRON	175	ug/L					10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23R	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 23R	11/18/2015	MANGANESE	79.9	ug/L					1	10
MSB 23R	11/18/2015	NICKEL	1.27	ug/L	J		21		0.5	5
MSB 23R	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 23R	11/18/2015	SODIUM	3530	ug/L					20	200
MSB 23R	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 23R	11/18/2015	ZINC	7.16	ug/L	J		21		4	40
MSB 23R	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23R	11/18/2015	1,1,2,2-TETRACHLOROETHANE	0.54	ug/L	J		21		0.1	1
MSB 23R	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23R	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23R	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 23R	11/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23R	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23R	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23R	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23R	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.09	1
MSB 23R	11/18/2015	TETRACHLOROETHYLENE (PCE)	29	ug/L					0.18	1
MSB 23R	11/18/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 23R	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23R	11/18/2015	TRICHLOROETHYLENE (TCE)	35	ug/L					0.25	1
MSB 23R	11/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 23TA	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TA	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TA	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TA	2/19/2015	1,1-DICHLOROETHYLENE	0.76	ug/L	J		21		0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TA	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 23TA	2/19/2015	ACETONE	1.9	ug/L	J		21		0.34	2
MSB 23TA	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TA	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23TA	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	0.87	ug/L	J		21		0.08	2
MSB 23TA	2/19/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
MSB 23TA	2/19/2015	TETRACHLOROETHYLENE (PCE)	350	ug/L					1.8	10
MSB 23TA	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	2.6	ug/L					0.08	1
MSB 23TA	2/19/2015	TRICHLOROETHYLENE (TCE)	65	ug/L					2.5	10
MSB 23TA	8/28/2015	ALUMINUM	133	ug/L	J		21		40	400
MSB 23TA	8/28/2015	BARIUM	376	ug/L					2	20
MSB 23TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 23TA	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 23TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 23TA	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 23TA	8/28/2015	COPPER	0.762	ug/L	J		21		0.5	5
MSB 23TA	8/28/2015	IRON	4370	ug/L			V		10	100
MSB 23TA	8/28/2015	LEAD	1.58	ug/L	J		21		0.5	5
MSB 23TA	8/28/2015	MANGANESE	21.8	ug/L					1	10
MSB 23TA	8/28/2015	NICKEL	2.87	ug/L	J		21		0.5	5
MSB 23TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 23TA	8/28/2015	SODIUM	18500	ug/L					20	200
MSB 23TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 23TA	8/28/2015	ZINC	8.08	ug/L	J		21		4	40
MSB 23TA	8/28/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 23TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TA	8/28/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 23TA	8/28/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 23TA	8/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 23TA	8/28/2015	ACETONE	37	ug/L					3.4	20
MSB 23TA	8/28/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 23TA	8/28/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 23TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 23TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L	J		21		0.9	10
MSB 23TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	370	ug/L					1.8	10
MSB 23TA	8/28/2015	TOLUENE	1.6	ug/L	J		21		0.7	10
MSB 23TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	2.9	ug/L	J		21		0.8	10
MSB 23TA	8/28/2015	TRICHLOROETHYLENE (TCE)	63	ug/L					2.5	10
MSB 23TA	8/28/2015	1,4-DIOXANE	2	ug/L	J		21		1.2	5
MSB 23TB1	3/17/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.14	2
MSB 23TB1	3/17/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.2	2
MSB 23TB1	3/17/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.14	2
MSB 23TB1	3/17/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.16	2
MSB 23TB1	3/17/2015	1,4-DIOXANE	160	ug/L	U				15	160
MSB 23TB1	3/17/2015	ACETONE	4	ug/L	U				0.68	4
MSB 23TB1	3/17/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.26	2
MSB 23TB1	3/17/2015	CHLOROBENZENE	2	ug/L	U				0.3	2
MSB 23TB1	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	4	ug/L	U				0.16	4
MSB 23TB1	3/17/2015	CIS-1,2-DICHLOROETHYLENE	6.8	ug/L					0.18	2
MSB 23TB1	3/17/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					0.36	2
MSB 23TB1	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.16	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TB1	3/17/2015	TRICHLOROETHYLENE (TCE)	95	ug/L					5	20
MSB 23TB1	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB1	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TB1	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB1	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB1	10/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 23TB1	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23TB1	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TB1	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23TB1	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23TB1	10/1/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
MSB 23TB1	10/1/2015	TETRACHLOROETHYLENE (PCE)	26	ug/L					0.18	1
MSB 23TB1	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 23TB1	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB1	10/1/2015	TRICHLOROETHYLENE (TCE)	150	ug/L					1.3	5
MSB 23TB1	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 23TB3	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB3	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TB3	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB3	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB3	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 23TB3	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23TB3	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TB3	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23TB3	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23TB3	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TB3	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 23TB3	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB3	3/17/2015	TRICHLOROETHYLENE (TCE)	2.8	ug/L					0.25	1
MSB 23TB3	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB3	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TB3	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TB3	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB3	10/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 23TB3	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23TB3	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TB3	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23TB3	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23TB3	10/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 23TB3	10/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 23TB3	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 23TB3	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TB3	10/1/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
MSB 23TB3	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 23TR	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TR	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TR	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TR	2/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TR	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 23TR	2/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 23TR	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TR	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TR	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23TR	2/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 23TR	2/19/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
MSB 23TR	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TR	2/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 23TR	8/25/2015	ALUMINUM	297	ug/L	J		21		40	400
MSB 23TR	8/25/2015	BARIUM	32.7	ug/L					2	20
MSB 23TR	8/25/2015	BERYLLIUM	2.97	ug/L					0.1	1
MSB 23TR	8/25/2015	CADMIUM	0.115	ug/L	J		21		0.1	1
MSB 23TR	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 23TR	8/25/2015	COBALT	3.06	ug/L	J		21		0.5	5
MSB 23TR	8/25/2015	COPPER	8.64	ug/L			V		0.5	5
MSB 23TR	8/25/2015	IRON	320	ug/L			V		10	100
MSB 23TR	8/25/2015	LEAD	0.87	ug/L	J		21		0.5	5
MSB 23TR	8/25/2015	MANGANESE	57	ug/L					1	10
MSB 23TR	8/25/2015	NICKEL	6.05	ug/L					0.5	5
MSB 23TR	8/25/2015	SELENIUM	2.1	ug/L	J		21		2	20
MSB 23TR	8/25/2015	SODIUM	2030	ug/L					20	200
MSB 23TR	8/25/2015	VANADIUM	14.1	ug/L	J		21		5	50
MSB 23TR	8/25/2015	ZINC	25.1	ug/L	U		21, V		4	40
MSB 23TR	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TR	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 23TR	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 23TR	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TR	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 23TR	8/25/2015	ACETONE	14	ug/L					0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 23TR	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 23TR	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 23TR	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 23TR	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 23TR	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 23TR	8/25/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
MSB 23TR	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 23TR	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 23TR	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 24	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 24	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 24	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 24	2/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 24	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 24	2/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 24	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 24	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 24	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 24	2/19/2015	CIS-1,2-DICHLOROETHYLENE	1.8	ug/L					0.09	1
MSB 24	2/19/2015	TETRACHLOROETHYLENE (PCE)	34	ug/L					0.18	1
MSB 24	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 24	2/19/2015	TRICHLOROETHYLENE (TCE)	77	ug/L					2.5	10
MSB 24	8/26/2015	ALUMINUM	366	ug/L	J		21		40	400
MSB 24	8/26/2015	BARIUM	6.44	ug/L	J		21		2	20
MSB 24	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 24	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 24	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 24	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 24	8/26/2015	COPPER	0.806	ug/L	J		21		0.5	5
MSB 24	8/26/2015	IRON	117	ug/L	J		21, V		10	100
MSB 24	8/26/2015	LEAD	2	ug/L	J		21		0.5	5
MSB 24	8/26/2015	MANGANESE	4.6	ug/L	J		21		1	10
MSB 24	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 24	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 24	8/26/2015	SODIUM	3650	ug/L					20	200
MSB 24	8/26/2015	VANADIUM	50	ug/L	U				5	50
MSB 24	8/26/2015	ZINC	10.9	ug/L	J		21		4	40
MSB 24	8/26/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 24	8/26/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 24	8/26/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 24	8/26/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 24	8/26/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 24	8/26/2015	ACETONE	50	ug/L	U				8.5	50
MSB 24	8/26/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 24	8/26/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 24	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 24	8/26/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 24	8/26/2015	TETRACHLOROETHYLENE (PCE)	42	ug/L					4.5	25
MSB 24	8/26/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 24	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 24	8/26/2015	TRICHLOROETHYLENE (TCE)	96	ug/L					6.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 24	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 25A	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 25A	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 25A	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 25A	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 25A	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 25A	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 25A	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 25A	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 25A	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 25A	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.19	ug/L	J		21		0.09	1
MSB 25A	3/18/2015	TETRACHLOROETHYLENE (PCE)	8	ug/L					0.18	1
MSB 25A	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 25A	3/18/2015	TRICHLOROETHYLENE (TCE)	83	ug/L					0.63	2.5
MSB 25A	8/26/2015	ALUMINUM	45	ug/L	J		21		40	400
MSB 25A	8/26/2015	BARIUM	3.1	ug/L	J		21		2	20
MSB 25A	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 25A	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 25A	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 25A	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 25A	8/26/2015	COPPER	5	ug/L	U		V		0.5	5
MSB 25A	8/26/2015	IRON	37.8	ug/L	U		21, V		10	100
MSB 25A	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 25A	8/26/2015	MANGANESE	10	ug/L	U				1	10
MSB 25A	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 25A	8/26/2015	SELENIUM	2.15	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 25A	8/26/2015	SODIUM	3180	ug/L					20	200
MSB 25A	8/26/2015	VANADIUM	24.1	ug/L	J		21		5	50
MSB 25A	8/26/2015	ZINC	40	ug/L	U		V		4	40
MSB 25A	8/26/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 25A	8/26/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 25A	8/26/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 25A	8/26/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 25A	8/26/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 25A	8/26/2015	ACETONE	5	ug/L	U				0.85	5
MSB 25A	8/26/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 25A	8/26/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 25A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 25A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.23	2.5
MSB 25A	8/26/2015	TETRACHLOROETHYLENE (PCE)	6.3	ug/L					0.45	2.5
MSB 25A	8/26/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 25A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 25A	8/26/2015	TRICHLOROETHYLENE (TCE)	63	ug/L					0.63	2.5
MSB 25A	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 26B	2/19/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 26B	2/19/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 26B	2/19/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 26B	2/19/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 26B	2/19/2015	1,4-DIOXANE	800	ug/L	U				76	800
MSB 26B	2/19/2015	ACETONE	20	ug/L	U				3.4	20
MSB 26B	2/19/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 26B	2/19/2015	CHLOROBENZENE	10	ug/L	U				1.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 26B	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 26B	2/19/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L					0.9	10
MSB 26B	2/19/2015	TETRACHLOROETHYLENE (PCE)	43	ug/L					1.8	10
MSB 26B	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 26B	2/19/2015	TRICHLOROETHYLENE (TCE)	3100	ug/L					25	100
MSB 26B	8/26/2015	ALUMINUM	240	ug/L	J		21		40	400
MSB 26B	8/26/2015	BARIUM	27.7	ug/L					2	20
MSB 26B	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 26B	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 26B	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 26B	8/26/2015	COBALT	1.13	ug/L	J		21		0.5	5
MSB 26B	8/26/2015	COPPER	0.937	ug/L	J		21		0.5	5
MSB 26B	8/26/2015	IRON	36.7	ug/L	U		21, V		10	100
MSB 26B	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 26B	8/26/2015	MANGANESE	7.11	ug/L	J		21		1	10
MSB 26B	8/26/2015	NICKEL	0.572	ug/L	J		21		0.5	5
MSB 26B	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 26B	8/26/2015	SODIUM	2230	ug/L					20	200
MSB 26B	8/26/2015	VANADIUM	14.8	ug/L	J		21		5	50
MSB 26B	8/26/2015	ZINC	6.25	ug/L	J		21		4	40
MSB 26B	8/26/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 26B	8/26/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 26B	8/26/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 26B	8/26/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 26B	8/26/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 26B	8/26/2015	ACETONE	50	ug/L	U				8.5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 26B	8/26/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 26B	8/26/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 26B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 26B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L	J		21		2.3	25
MSB 26B	8/26/2015	TETRACHLOROETHYLENE (PCE)	44	ug/L					4.5	25
MSB 26B	8/26/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 26B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 26B	8/26/2015	TRICHLOROETHYLENE (TCE)	3000	ug/L					63	250
MSB 26B	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 27	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 27	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 27	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 27	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 27	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 27	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 27	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 27	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 27	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27	2/23/2015	TRICHLOROETHYLENE (TCE)	0.52	ug/L	J		21		0.25	1
MSB 27	8/27/2015	ALUMINUM	616	ug/L					40	400
MSB 27	8/27/2015	BARIUM	26.1	ug/L					2	20
MSB 27	8/27/2015	BERYLLIUM	0.252	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 27	8/27/2015	CADMIUM	0.128	ug/L	J		21		0.1	1
MSB 27	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 27	8/27/2015	COBALT	1.51	ug/L	J		21		0.5	5
MSB 27	8/27/2015	COPPER	0.554	ug/L	J		21		0.5	5
MSB 27	8/27/2015	IRON	552	ug/L			V		10	100
MSB 27	8/27/2015	LEAD	5	ug/L	U				0.5	5
MSB 27	8/27/2015	MANGANESE	11.1	ug/L					1	10
MSB 27	8/27/2015	NICKEL	1.22	ug/L	J		21		0.5	5
MSB 27	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 27	8/27/2015	SODIUM	4870	ug/L					20	200
MSB 27	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 27	8/27/2015	ZINC	7.07	ug/L	J		21		4	40
MSB 27	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 27	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 27	8/27/2015	ACETONE	92	ug/L					1.7	10
MSB 27	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 27	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 27	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 27	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 27	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 27	8/27/2015	TOLUENE	0.4	ug/L	J		21		0.07	1
MSB 27	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27	8/27/2015	TRICHLOROETHYLENE (TCE)	0.55	ug/L	J		21		0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 27	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 27B	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 27B	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 27B	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27B	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 27B	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 27B	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 27B	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 27B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 27B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.99	ug/L	J		21		0.09	1
MSB 27B	3/18/2015	TETRACHLOROETHYLENE (PCE)	3.2	ug/L					0.18	1
MSB 27B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 27B	3/18/2015	TRICHLOROETHYLENE (TCE)	49	ug/L					1.3	5
MSB 27B	8/26/2015	ALUMINUM	400	ug/L	U				40	400
MSB 27B	8/26/2015	BARIUM	3.04	ug/L	J		21		2	20
MSB 27B	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 27B	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 27B	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 27B	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 27B	8/26/2015	COPPER	1.08	ug/L	J		21		0.5	5
MSB 27B	8/26/2015	IRON	21.8	ug/L	U		21, V		10	100
MSB 27B	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 27B	8/26/2015	MANGANESE	2.37	ug/L	J		21		1	10
MSB 27B	8/26/2015	NICKEL	0.506	ug/L	J		21		0.5	5
MSB 27B	8/26/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 27B	8/26/2015	SODIUM	1990	ug/L					20	200
MSB 27B	8/26/2015	VANADIUM	5.65	ug/L	J		21		5	50
MSB 27B	8/26/2015	ZINC	6.33	ug/L	J		21		4	40
MSB 27B	8/26/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 27B	8/26/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 27B	8/26/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 27B	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 27B	8/26/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 27B	8/26/2015	ACETONE	10	ug/L	U				1.7	10
MSB 27B	8/26/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 27B	8/26/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 27B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 27B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	0.93	ug/L	J		21		0.45	5
MSB 27B	8/26/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L	J		21		0.9	5
MSB 27B	8/26/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 27B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 27B	8/26/2015	TRICHLOROETHYLENE (TCE)	50	ug/L					1.3	5
MSB 27B	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 28	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 28	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 28	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 28	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 28	3/23/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 28	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 28	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 28	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 28	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 28	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 28	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 28	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 28	3/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 28	11/18/2015	ALUMINUM	60.1	ug/L	J		21		40	400
MSB 28	11/18/2015	BARIUM	20	ug/L	U				2	20
MSB 28	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 28	11/18/2015	CADMIUM	0.125	ug/L	J		21		0.1	1
MSB 28	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 28	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 28	11/18/2015	COPPER	5	ug/L	U				0.5	5
MSB 28	11/18/2015	IRON	35.7	ug/L	J		21		10	100
MSB 28	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 28	11/18/2015	MANGANESE	10	ug/L	U				1	10
MSB 28	11/18/2015	NICKEL	5	ug/L	U				0.5	5
MSB 28	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 28	11/18/2015	SODIUM	1820	ug/L					20	200
MSB 28	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 28	11/18/2015	ZINC	15.3	ug/L	J		21		4	40
MSB 28	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 28	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 28	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 28	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 28	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 28	11/18/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 28	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 28	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 28	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 28	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 28	11/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 28	11/18/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 28	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 28	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 28	11/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 28A	3/18/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 28A	3/18/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 28A	3/18/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 28A	3/18/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 28A	3/18/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 28A	3/18/2015	ACETONE	50	ug/L	U				8.5	50
MSB 28A	3/18/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 28A	3/18/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 28A	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 28A	3/18/2015	CIS-1,2-DICHLOROETHYLENE	47	ug/L					2.3	25
MSB 28A	3/18/2015	TETRACHLOROETHYLENE (PCE)	21	ug/L	J		21		4.5	25
MSB 28A	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 28A	3/18/2015	TRICHLOROETHYLENE (TCE)	6900	ug/L					63	250
MSB 28A	8/28/2015	ALUMINUM	96	ug/L	J		21		40	400
MSB 28A	8/28/2015	BARIUM	4.42	ug/L	J		21		2	20
MSB 28A	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 28A	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 28A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 28A	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 28A	8/28/2015	COPPER	2.02	ug/L	J		21		0.5	5
MSB 28A	8/28/2015	IRON	77.2	ug/L	U		21, V		10	100
MSB 28A	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 28A	8/28/2015	MANGANESE	2.97	ug/L	J		21		1	10
MSB 28A	8/28/2015	NICKEL	1.44	ug/L	J		21		0.5	5
MSB 28A	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 28A	8/28/2015	SODIUM	2280	ug/L					20	200
MSB 28A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 28A	8/28/2015	ZINC	6.81	ug/L	J		21		4	40
MSB 28A	8/28/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 28A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 28A	8/28/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 28A	8/28/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 28A	8/28/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB 28A	8/28/2015	ACETONE	500	ug/L	U				85	500
MSB 28A	8/28/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250
MSB 28A	8/28/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 28A	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 28A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	42	ug/L	J		21		23	250
MSB 28A	8/28/2015	TETRACHLOROETHYLENE (PCE)	250	ug/L	U				45	250
MSB 28A	8/28/2015	TOLUENE	250	ug/L	U				18	250
MSB 28A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 28A	8/28/2015	TRICHLOROETHYLENE (TCE)	7400	ug/L					63	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 28A	8/28/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 29A	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29A	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29A	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29A	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29A	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 29A	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 29A	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29A	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29A	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29A	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29A	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29A	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29A	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29A	8/28/2015	ALUMINUM	67.8	ug/L	J		21		40	400
MSB 29A	8/28/2015	BARIUM	10.6	ug/L	J		21		2	20
MSB 29A	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 29A	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 29A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 29A	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 29A	8/28/2015	COPPER	2.64	ug/L	J		21		0.5	5
MSB 29A	8/28/2015	IRON	78	ug/L	U		21, V		10	100
MSB 29A	8/28/2015	LEAD	1.74	ug/L	J		21		0.5	5
MSB 29A	8/28/2015	MANGANESE	3.98	ug/L	J		21		1	10
MSB 29A	8/28/2015	NICKEL	0.53	ug/L	J		21		0.5	5
MSB 29A	8/28/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29A	8/28/2015	SODIUM	24800	ug/L					20	200
MSB 29A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 29A	8/28/2015	ZINC	230	ug/L					4	40
MSB 29A	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29A	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29A	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29A	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 29A	8/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 29A	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29A	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29A	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29A	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29A	8/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 29A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29A	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29A	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 29A	8/28/2015	SULFATE	17	mg/L					0.05	0.5
MSB 29B	2/23/2015	ALUMINUM	22	ug/L	J		21		22	200
MSB 29B	2/23/2015	BARIUM	5.3	ug/L	J		21		2.1	50
MSB 29B	2/23/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 29B	2/23/2015	COPPER	5	ug/L	J		21		2.1	25
MSB 29B	2/23/2015	LEAD	4	ug/L	J		21		0.6	10
MSB 29B	2/23/2015	NICKEL	40	ug/L	U				2.6	40
MSB 29B	2/23/2015	ZINC	20	ug/L	U				8.3	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29B	2/23/2015	MERCURY	0.48	ug/L					0.06	0.2
MSB 29B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 29B	2/23/2015	ACETONE	3.2	ug/L					0.34	2
MSB 29B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29B	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29B	10/5/2015	NITRATE-NITRITE AS NITROGEN	0.88	mg/L					0.0047	0.05
MSB 29B	10/5/2015	ALUMINUM	25	ug/L	J		21		17	30
MSB 29B	10/5/2015	BARIUM	4.1	ug/L					0.22	2
MSB 29B	10/5/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
MSB 29B	10/5/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
MSB 29B	10/5/2015	CHROMIUM	10	ug/L	U				1	10
MSB 29B	10/5/2015	COBALT	0.22	ug/L	J		21		0.22	2
MSB 29B	10/5/2015	COPPER	1.7	ug/L					0.68	1
MSB 29B	10/5/2015	IRON	50	ug/L	U				33	50
MSB 29B	10/5/2015	LEAD	0.57	ug/L	J		21		0.17	3
MSB 29B	10/5/2015	MANGANESE	0.88	ug/L	J		21		0.88	2
MSB 29B	10/5/2015	NICKEL	5	ug/L	U				0.8	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29B	10/5/2015	SELENIUM	5	ug/L	U				1.6	5
MSB 29B	10/5/2015	SODIUM	2300	ug/L			V		24	50
MSB 29B	10/5/2015	VANADIUM	10	ug/L	U				2.4	10
MSB 29B	10/5/2015	ZINC	20	ug/L	U				9.3	20
MSB 29B	10/5/2015	MERCURY	0.39	ug/L					0.06	0.2
MSB 29B	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29B	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29B	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29B	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29B	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 29B	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 29B	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29B	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29B	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29B	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29B	10/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29B	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 29B	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29B	10/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29B	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 29B	10/5/2015	GROSS ALPHA	1.23	pCi/L	U			0.903	1.36	3.166
MSB 29B	10/5/2015	NONVOLATILE BETA	0.144	pCi/L	U			0.593	1.01	2.196
MSB 29B	10/5/2015	TOTAL ORGANIC HALOGENS	8.4	ug/L					1.8	5
MSB 29B	10/5/2015	RADIUM-226	0.318	pCi/L				0.097	0.114	0.307
MSB 29B	10/5/2015	RADIUM-228	0.519	pCi/L	J		21	0.278	0.415	0.971
MSB 29B	10/5/2015	CHLORIDE	2.9	mg/L					0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29B	10/5/2015	SULFATE	0.29	mg/L	J		21		0.05	0.5
MSB 29B	10/5/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
MSB 29C	2/23/2015	ALUMINUM	22	ug/L	J		21		22	200
MSB 29C	2/23/2015	BARIUM	3.5	ug/L	J		21		2.1	50
MSB 29C	2/23/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 29C	2/23/2015	COPPER	6.6	ug/L	J		21		2.1	25
MSB 29C	2/23/2015	LEAD	3.5	ug/L	J		21		0.6	10
MSB 29C	2/23/2015	NICKEL	40	ug/L	U				2.6	40
MSB 29C	2/23/2015	ZINC	20	ug/L	U				8.3	20
MSB 29C	2/23/2015	MERCURY	1.1	ug/L					0.06	0.2
MSB 29C	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29C	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29C	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29C	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 29C	2/23/2015	ACETONE	2.3	ug/L					0.34	2
MSB 29C	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29C	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29C	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29C	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29C	10/5/2015	NITRATE-NITRITE AS NITROGEN	0.74	mg/L					0.0047	0.05
MSB 29C	10/5/2015	ALUMINUM	22	ug/L	J		21		17	30
MSB 29C	10/5/2015	BARIUM	3.8	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29C	10/5/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
MSB 29C	10/5/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
MSB 29C	10/5/2015	CHROMIUM	10	ug/L	U				1	10
MSB 29C	10/5/2015	COBALT	2	ug/L	U				0.22	2
MSB 29C	10/5/2015	COPPER	4.3	ug/L					0.68	1
MSB 29C	10/5/2015	IRON	50	ug/L	U				33	50
MSB 29C	10/5/2015	LEAD	1.1	ug/L	J		21		0.17	3
MSB 29C	10/5/2015	MANGANESE	1.3	ug/L	J		21		0.88	2
MSB 29C	10/5/2015	NICKEL	5	ug/L	U				0.8	5
MSB 29C	10/5/2015	SELENIUM	5	ug/L	U				1.6	5
MSB 29C	10/5/2015	SODIUM	2500	ug/L			V		24	50
MSB 29C	10/5/2015	VANADIUM	10	ug/L	U				2.4	10
MSB 29C	10/5/2015	ZINC	20	ug/L	U				9.3	20
MSB 29C	10/5/2015	MERCURY	0.67	ug/L					0.06	0.2
MSB 29C	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29C	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29C	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29C	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29C	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 29C	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 29C	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29C	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29C	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29C	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29C	10/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29C	10/5/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
MSB 29C	10/5/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 29C	10/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29C	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 29C	10/5/2015	GROSS ALPHA	0.962	pCi/L	J		21	0.636	0.846	2.118
MSB 29C	10/5/2015	NONVOLATILE BETA	0.517	pCi/L	U			0.569	0.914	2.052
MSB 29C	10/5/2015	TOTAL ORGANIC HALOGENS	8	ug/L					1.8	5
MSB 29C	10/5/2015	RADIUM-226	0.671	pCi/L				0.114	0.074	0.3018
MSB 29C	10/5/2015	RADIUM-228	0.593	pCi/L	J		21	0.262	0.369	0.893
MSB 29C	10/5/2015	CHLORIDE	3.2	mg/L					0.02	0.2
MSB 29C	10/5/2015	SULFATE	0.38	mg/L	J		21		0.05	0.5
MSB 29C	10/5/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
MSB 29D	2/23/2015	ALUMINUM	130	ug/L	J		21		22	200
MSB 29D	2/23/2015	BARIUM	9.4	ug/L	J		21		2.1	50
MSB 29D	2/23/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 29D	2/23/2015	COPPER	25	ug/L	U				2.1	25
MSB 29D	2/23/2015	LEAD	3.1	ug/L	J		21		0.6	10
MSB 29D	2/23/2015	NICKEL	40	ug/L	U				2.6	40
MSB 29D	2/23/2015	ZINC	11	ug/L	J		21		8.3	20
MSB 29D	2/23/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 29D	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29D	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29D	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29D	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29D	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 29D	2/23/2015	ACETONE	10	ug/L					0.34	2
MSB 29D	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29D	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29D	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29D	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29D	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29D	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29D	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 29TA	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29TA	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29TA	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29TA	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29TA	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 29TA	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 29TA	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29TA	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29TA	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29TA	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29TA	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29TA	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29TA	2/23/2015	TRICHLOROETHYLENE (TCE)	0.56	ug/L	J		21		0.25	1
MSB 29TA	8/28/2015	ALUMINUM	42.5	ug/L	J		21		40	400
MSB 29TA	8/28/2015	BARIUM	2.62	ug/L	J		21		2	20
MSB 29TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 29TA	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 29TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 29TA	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 29TA	8/28/2015	COPPER	4.89	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 29TA	8/28/2015	IRON	326	ug/L			V		10	100
MSB 29TA	8/28/2015	LEAD	3.67	ug/L	J		21		0.5	5
MSB 29TA	8/28/2015	MANGANESE	13.2	ug/L					1	10
MSB 29TA	8/28/2015	NICKEL	5	ug/L	U				0.5	5
MSB 29TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 29TA	8/28/2015	SODIUM	1710	ug/L					20	200
MSB 29TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 29TA	8/28/2015	ZINC	12.6	ug/L	J		21		4	40
MSB 29TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 29TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 29TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 29TA	8/28/2015	ACETONE	26	ug/L					0.34	2
MSB 29TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 29TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 29TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 29TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 29TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 29TA	8/28/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
MSB 29TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 29TA	8/28/2015	TRICHLOROETHYLENE (TCE)	0.71	ug/L	J		21		0.25	1
MSB 29TA	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 29TA	8/28/2015	SULFATE	0.64	mg/L					0.05	0.5
MSB 30AA	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30AA	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 30AA	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30AA	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30AA	3/24/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 30AA	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 30AA	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30AA	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30AA	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 30AA	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30AA	3/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 30AA	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30AA	3/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 30AA	8/26/2015	ALUMINUM	400	ug/L	U				40	400
MSB 30AA	8/26/2015	BARIUM	49.6	ug/L					2	20
MSB 30AA	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 30AA	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 30AA	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 30AA	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 30AA	8/26/2015	COPPER	5	ug/L	U				0.5	5
MSB 30AA	8/26/2015	IRON	102	ug/L	J		21, V		10	100
MSB 30AA	8/26/2015	LEAD	0.96	ug/L	J		21		0.5	5
MSB 30AA	8/26/2015	MANGANESE	2.05	ug/L	J		21		1	10
MSB 30AA	8/26/2015	NICKEL	0.888	ug/L	J		21		0.5	5
MSB 30AA	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 30AA	8/26/2015	SODIUM	2970	ug/L					20	200
MSB 30AA	8/26/2015	VANADIUM	13.2	ug/L	J		21		5	50
MSB 30AA	8/26/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 30AA	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30AA	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 30AA	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30AA	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30AA	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 30AA	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 30AA	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30AA	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30AA	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 30AA	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30AA	8/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 30AA	8/26/2015	TOLUENE	0.27	ug/L	J		21		0.07	1
MSB 30AA	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30AA	8/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 30AA	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 30B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 30B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30B	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 30B	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 30B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30B	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 30B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 30B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30B	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 30B	8/25/2015	ALUMINUM	125	ug/L	J		21		40	400
MSB 30B	8/25/2015	BARIUM	9.1	ug/L	J		21		2	20
MSB 30B	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 30B	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 30B	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB 30B	8/25/2015	COBALT	0.758	ug/L	J		21		0.5	5
MSB 30B	8/25/2015	COPPER	0.64	ug/L	U		21, V		0.5	5
MSB 30B	8/25/2015	IRON	66.3	ug/L	U		21, V		10	100
MSB 30B	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 30B	8/25/2015	MANGANESE	9.98	ug/L	J		21		1	10
MSB 30B	8/25/2015	NICKEL	0.755	ug/L	J		21		0.5	5
MSB 30B	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB 30B	8/25/2015	SODIUM	1410	ug/L					20	200
MSB 30B	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB 30B	8/25/2015	ZINC	4.46	ug/L	U		21, V		4	40
MSB 30B	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30B	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 30B	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30B	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30B	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 30B	8/25/2015	ACETONE	6.5	ug/L					0.34	2
MSB 30B	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30B	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30B	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 30B	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30B	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 30B	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 30B	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30B	8/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 30B	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 30CC	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30CC	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 30CC	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30CC	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30CC	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 30CC	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 30CC	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30CC	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30CC	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 30CC	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30CC	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 30CC	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30CC	2/23/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J		21		0.25	1
MSB 30CC	8/25/2015	ALUMINUM	154	ug/L	J		21		40	400
MSB 30CC	8/25/2015	BARIUM	107	ug/L					2	20
MSB 30CC	8/25/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 30CC	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 30CC	8/25/2015	CHROMIUM	10	ug/L	J		21		10	100
MSB 30CC	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB 30CC	8/25/2015	COPPER	0.731	ug/L	U		21, V		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 30CC	8/25/2015	IRON	23.8	ug/L	U		21, V		10	100
MSB 30CC	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB 30CC	8/25/2015	MANGANESE	2.91	ug/L	J		21		1	10
MSB 30CC	8/25/2015	NICKEL	0.512	ug/L	J		21		0.5	5
MSB 30CC	8/25/2015	SELENIUM	2.01	ug/L	J		21		2	20
MSB 30CC	8/25/2015	SODIUM	2320	ug/L					20	200
MSB 30CC	8/25/2015	VANADIUM	15.7	ug/L	J		21		5	50
MSB 30CC	8/25/2015	ZINC	40	ug/L	U		V		4	40
MSB 30CC	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30CC	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 30CC	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 30CC	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30CC	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 30CC	8/25/2015	ACETONE	38	ug/L					0.34	2
MSB 30CC	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 30CC	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 30CC	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 30CC	8/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 30CC	8/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 30CC	8/25/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 30CC	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 30CC	8/25/2015	TRICHLOROETHYLENE (TCE)	0.3	ug/L	J		21		0.25	1
MSB 30CC	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 31A	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31A	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 31A	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31A	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31A	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 31A	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 31A	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 31A	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 31A	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 31A	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 31A	3/18/2015	TETRACHLOROETHYLENE (PCE)	5.3	ug/L					0.18	1
MSB 31A	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31A	3/18/2015	TRICHLOROETHYLENE (TCE)	1.8	ug/L					0.25	1
MSB 31A	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31A	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 31A	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31A	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31A	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 31A	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 31A	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 31A	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 31A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 31A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 31A	8/26/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L					0.18	1
MSB 31A	8/26/2015	TOLUENE	0.31	ug/L	J		21		0.07	1
MSB 31A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31A	8/26/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
MSB 31A	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31B	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31B	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 31B	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31B	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31B	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 31B	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 31B	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 31B	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 31B	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 31B	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 31B	3/24/2015	TETRACHLOROETHYLENE (PCE)	150	ug/L					0.9	5
MSB 31B	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31B	3/24/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					1.3	5
MSB 31B	8/26/2015	ALUMINUM	400	ug/L	U				40	400
MSB 31B	8/26/2015	BARIUM	2.66	ug/L	J		21		2	20
MSB 31B	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 31B	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 31B	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 31B	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 31B	8/26/2015	COPPER	1.51	ug/L	J		21		0.5	5
MSB 31B	8/26/2015	IRON	22.9	ug/L	U		21, V		10	100
MSB 31B	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 31B	8/26/2015	MANGANESE	1.07	ug/L	J		21		1	10
MSB 31B	8/26/2015	NICKEL	0.719	ug/L	J		21		0.5	5
MSB 31B	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 31B	8/26/2015	SODIUM	3100	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31B	8/26/2015	VANADIUM	50	ug/L	U				5	50
MSB 31B	8/26/2015	ZINC	5.3	ug/L	J		21		4	40
MSB 31B	8/26/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 31B	8/26/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 31B	8/26/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 31B	8/26/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 31B	8/26/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 31B	8/26/2015	ACETONE	10	ug/L	U				1.7	10
MSB 31B	8/26/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 31B	8/26/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 31B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 31B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
MSB 31B	8/26/2015	TETRACHLOROETHYLENE (PCE)	100	ug/L					0.9	5
MSB 31B	8/26/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 31B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 31B	8/26/2015	TRICHLOROETHYLENE (TCE)	85	ug/L					1.3	5
MSB 31B	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 31C	3/23/2015	AROCLOR 1016	1.1	ug/L	U				0.39	1.1
MSB 31C	3/23/2015	AROCLOR 1221	1.1	ug/L	U				0.39	1.1
MSB 31C	3/23/2015	AROCLOR 1232	1.1	ug/L	U				0.39	1.1
MSB 31C	3/23/2015	AROCLOR 1242	1.1	ug/L	U				0.39	1.1
MSB 31C	3/23/2015	AROCLOR 1248	1.1	ug/L	U				0.39	1.1
MSB 31C	3/23/2015	AROCLOR 1254	1.1	ug/L	U				0.18	1.1
MSB 31C	3/23/2015	AROCLOR 1260	1.1	ug/L	U				0.18	1.1
MSB 31C	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31C	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31C	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 31C	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31C	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 31C	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 31C	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 31C	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 31C	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 31C	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 31C	3/23/2015	TETRACHLOROETHYLENE (PCE)	140	ug/L					0.9	5
MSB 31C	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 31C	3/23/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
MSB 31C	9/30/2015	ALUMINUM	348	ug/L	J		21		40	400
MSB 31C	9/30/2015	BARIUM	7.74	ug/L	J		21		2	20
MSB 31C	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 31C	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 31C	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 31C	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 31C	9/30/2015	COPPER	0.973	ug/L	J		21		0.5	5
MSB 31C	9/30/2015	IRON	362	ug/L			V		10	100
MSB 31C	9/30/2015	LEAD	0.584	ug/L	J		21		0.5	5
MSB 31C	9/30/2015	MANGANESE	2.91	ug/L	J		21		1	10
MSB 31C	9/30/2015	NICKEL	1.74	ug/L	J		21		0.5	5
MSB 31C	9/30/2015	SELENIUM	2.6	ug/L	J		21		2	20
MSB 31C	9/30/2015	SODIUM	4980	ug/L					20	200
MSB 31C	9/30/2015	VANADIUM	50	ug/L	U				5	50
MSB 31C	9/30/2015	ZINC	5.08	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31C	9/30/2015	AROCLOR 1016	0.96	ug/L	U				0.33	0.96
MSB 31C	9/30/2015	AROCLOR 1221	0.96	ug/L	U				0.33	0.96
MSB 31C	9/30/2015	AROCLOR 1232	0.96	ug/L	U				0.33	0.96
MSB 31C	9/30/2015	AROCLOR 1242	0.96	ug/L	U				0.33	0.96
MSB 31C	9/30/2015	AROCLOR 1248	0.96	ug/L	U				0.33	0.96
MSB 31C	9/30/2015	AROCLOR 1254	0.35	ug/L	J		21		0.16	0.96
MSB 31C	9/30/2015	AROCLOR 1260	0.96	ug/L	U				0.16	0.96
MSB 31C	9/30/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 31C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 31C	9/30/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 31C	9/30/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 31C	9/30/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 31C	9/30/2015	ACETONE	20	ug/L	U				3.4	20
MSB 31C	9/30/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 31C	9/30/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 31C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 31C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.9	10
MSB 31C	9/30/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					1.8	10
MSB 31C	9/30/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 31C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 31C	9/30/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L	J		21		2.5	10
MSB 31C	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 31CC	3/23/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 31CC	3/23/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 31CC	3/23/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 31CC	3/23/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31CC	3/23/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 31CC	3/23/2015	ACETONE	10	ug/L	U				1.7	10
MSB 31CC	3/23/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 31CC	3/23/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 31CC	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 31CC	3/23/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
MSB 31CC	3/23/2015	TETRACHLOROETHYLENE (PCE)	330	ug/L					9	50
MSB 31CC	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 31CC	3/23/2015	TRICHLOROETHYLENE (TCE)	260	ug/L					13	50
MSB 31CC	8/26/2015	ALUMINUM	42	ug/L	J		21		40	400
MSB 31CC	8/26/2015	BARIUM	5.01	ug/L	J		21		2	20
MSB 31CC	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 31CC	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 31CC	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 31CC	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 31CC	8/26/2015	COPPER	5	ug/L	U				0.5	5
MSB 31CC	8/26/2015	IRON	22.3	ug/L	U		21, V		10	100
MSB 31CC	8/26/2015	LEAD	0.732	ug/L	J		21		0.5	5
MSB 31CC	8/26/2015	MANGANESE	1.48	ug/L	J		21		1	10
MSB 31CC	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 31CC	8/26/2015	SELENIUM	2.54	ug/L	J		21		2	20
MSB 31CC	8/26/2015	SODIUM	2500	ug/L					20	200
MSB 31CC	8/26/2015	VANADIUM	14.5	ug/L	J		21		5	50
MSB 31CC	8/26/2015	ZINC	40	ug/L	U				4	40
MSB 31CC	8/26/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 31CC	8/26/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 31CC	8/26/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 31CC	8/26/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 31CC	8/26/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 31CC	8/26/2015	ACETONE	50	ug/L	U				8.5	50
MSB 31CC	8/26/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 31CC	8/26/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 31CC	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 31CC	8/26/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 31CC	8/26/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					4.5	25
MSB 31CC	8/26/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 31CC	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 31CC	8/26/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					6.3	25
MSB 31CC	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 32	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 32	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 32	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 32	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 32	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 32	2/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 32	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 32	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 32	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 32	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 32	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 32	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 32	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 32	8/26/2015	ALUMINUM	146	ug/L	J		21		40	400
MSB 32	8/26/2015	BARIUM	20	ug/L	U				2	20
MSB 32	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 32	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 32	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 32	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 32	8/26/2015	COPPER	5	ug/L	U		V		0.5	5
MSB 32	8/26/2015	IRON	361	ug/L			V		10	100
MSB 32	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 32	8/26/2015	MANGANESE	10	ug/L	U				1	10
MSB 32	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 32	8/26/2015	SELENIUM	2.48	ug/L	J		21		2	20
MSB 32	8/26/2015	SODIUM	4110	ug/L					20	200
MSB 32	8/26/2015	VANADIUM	15.4	ug/L	J		21		5	50
MSB 32	8/26/2015	ZINC	40	ug/L	U		V		4	40
MSB 32	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 32	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 32	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 32	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 32	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 32	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 32	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 32	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 32	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 32	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 32	8/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 32	8/26/2015	TOLUENE	0.39	ug/L	J		21		0.07	1
MSB 32	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 32	8/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 32	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 33A	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33A	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33A	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33A	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33A	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 33A	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33A	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33A	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33A	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 33A	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 33A	3/17/2015	TETRACHLOROETHYLENE (PCE)	0.63	ug/L	J		21		0.18	1
MSB 33A	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33A	3/17/2015	TRICHLOROETHYLENE (TCE)	0.89	ug/L	J		21		0.25	1
MSB 33A	8/26/2015	ALUMINUM	65.2	ug/L	J		21		40	400
MSB 33A	8/26/2015	BARIUM	7.75	ug/L	J		21		2	20
MSB 33A	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 33A	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 33A	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 33A	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 33A	8/26/2015	COPPER	1.51	ug/L	J		21		0.5	5
MSB 33A	8/26/2015	IRON	53.8	ug/L	U		21, V		10	100
MSB 33A	8/26/2015	LEAD	0.52	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 33A	8/26/2015	MANGANESE	1.91	ug/L	J		21		1	10
MSB 33A	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 33A	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 33A	8/26/2015	SODIUM	1590	ug/L					20	200
MSB 33A	8/26/2015	VANADIUM	13.9	ug/L	J		21		5	50
MSB 33A	8/26/2015	ZINC	7.23	ug/L	J		21		4	40
MSB 33A	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33A	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33A	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33A	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33A	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 33A	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33A	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33A	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33A	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 33A	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 33A	8/26/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
MSB 33A	8/26/2015	TOLUENE	0.32	ug/L	J		21		0.07	1
MSB 33A	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33A	8/26/2015	TRICHLOROETHYLENE (TCE)	0.64	ug/L	J		21		0.25	1
MSB 33A	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 33B	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33B	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33B	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33B	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33B	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 33B	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33B	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33B	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33B	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 33B	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.24	ug/L	J		21		0.09	1
MSB 33B	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L					0.18	1
MSB 33B	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33B	3/18/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
MSB 33B	8/26/2015	ALUMINUM	55.3	ug/L	J		21		40	400
MSB 33B	8/26/2015	BARIUM	20	ug/L	U				2	20
MSB 33B	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 33B	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 33B	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 33B	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 33B	8/26/2015	COPPER	5	ug/L	U				0.5	5
MSB 33B	8/26/2015	IRON	30.7	ug/L	U		21, V		10	100
MSB 33B	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 33B	8/26/2015	MANGANESE	1.45	ug/L	J		21		1	10
MSB 33B	8/26/2015	NICKEL	0.549	ug/L	J		21		0.5	5
MSB 33B	8/26/2015	SELENIUM	4.57	ug/L	J		21		2	20
MSB 33B	8/26/2015	SODIUM	6920	ug/L					20	200
MSB 33B	8/26/2015	VANADIUM	5.61	ug/L	J		21		5	50
MSB 33B	8/26/2015	ZINC	4.34	ug/L	J		21		4	40
MSB 33B	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33B	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33B	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 33B	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33B	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 33B	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33B	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33B	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 33B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	0.27	ug/L	J		21		0.09	1
MSB 33B	8/26/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J		21		0.18	1
MSB 33B	8/26/2015	TOLUENE	0.56	ug/L	J		21		0.07	1
MSB 33B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33B	8/26/2015	TRICHLOROETHYLENE (TCE)	4.5	ug/L					0.25	1
MSB 33B	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 33C	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33C	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33C	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33C	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33C	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 33C	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33C	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33C	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33C	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	0.3	ug/L	J		21		0.08	2
MSB 33C	3/12/2015	CIS-1,2-DICHLOROETHYLENE	2.4	ug/L					0.09	1
MSB 33C	3/12/2015	TETRACHLOROETHYLENE (PCE)	0.64	ug/L	J		21		0.18	1
MSB 33C	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33C	3/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 33C	8/26/2015	ALUMINUM	46.1	ug/L	J		21		40	400
MSB 33C	8/26/2015	BARIUM	20	ug/L	U				2	20
MSB 33C	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 33C	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 33C	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 33C	8/26/2015	COBALT	0.561	ug/L	J		21		0.5	5
MSB 33C	8/26/2015	COPPER	5	ug/L	U				0.5	5
MSB 33C	8/26/2015	IRON	48.9	ug/L	U		21, V		10	100
MSB 33C	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 33C	8/26/2015	MANGANESE	2.09	ug/L	J		21		1	10
MSB 33C	8/26/2015	NICKEL	5	ug/L	U				0.5	5
MSB 33C	8/26/2015	SELENIUM	2.3	ug/L	J		21		2	20
MSB 33C	8/26/2015	SODIUM	7600	ug/L					20	200
MSB 33C	8/26/2015	VANADIUM	50	ug/L	U				5	50
MSB 33C	8/26/2015	ZINC	6.14	ug/L	J		21		4	40
MSB 33C	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33C	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 33C	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 33C	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33C	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 33C	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 33C	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 33C	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 33C	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	0.28	ug/L	J		21		0.08	2
MSB 33C	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
MSB 33C	8/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 33C	8/26/2015	TOLUENE	0.49	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 33C	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 33C	8/26/2015	TRICHLOROETHYLENE (TCE)	0.3	ug/L	J		21		0.25	1
MSB 33C	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 34A	3/12/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 34A	3/12/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 34A	3/12/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 34A	3/12/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 34A	3/12/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 34A	3/12/2015	ACETONE	10	ug/L	U				1.7	10
MSB 34A	3/12/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 34A	3/12/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 34A	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 34A	3/12/2015	CIS-1,2-DICHLOROETHYLENE	6.6	ug/L					0.45	5
MSB 34A	3/12/2015	TETRACHLOROETHYLENE (PCE)	9.9	ug/L					0.9	5
MSB 34A	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 34A	3/12/2015	TRICHLOROETHYLENE (TCE)	610	ug/L					13	50
MSB 34A	10/21/2015	ALUMINUM	400	ug/L	U				40	400
MSB 34A	10/21/2015	BARIUM	4.36	ug/L	J		21		2	20
MSB 34A	10/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 34A	10/21/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 34A	10/21/2015	CHROMIUM	16.9	ug/L	J		21		10	100
MSB 34A	10/21/2015	COBALT	0.603	ug/L	J		21		0.5	5
MSB 34A	10/21/2015	COPPER	2.81	ug/L	J		21		0.5	5
MSB 34A	10/21/2015	IRON	173	ug/L	J		21, V		10	100
MSB 34A	10/21/2015	LEAD	5	ug/L	U				0.5	5
MSB 34A	10/21/2015	MANGANESE	3.21	ug/L	J		21		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34A	10/21/2015	NICKEL	3.85	ug/L	J		21		0.5	5
MSB 34A	10/21/2015	SELENIUM	20	ug/L	U				2	20
MSB 34A	10/21/2015	SODIUM	2470	ug/L					20	200
MSB 34A	10/21/2015	VANADIUM	50	ug/L	U				5	50
MSB 34A	10/21/2015	ZINC	12.2	ug/L	J		21		4	40
MSB 34A	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 34A	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 34A	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 34A	10/21/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 34A	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 34A	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB 34A	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 34A	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 34A	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 34A	10/21/2015	CIS-1,2-DICHLOROETHYLENE	6.2	ug/L					0.23	2.5
MSB 34A	10/21/2015	TETRACHLOROETHYLENE (PCE)	9.3	ug/L					0.45	2.5
MSB 34A	10/21/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 34A	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 34A	10/21/2015	TRICHLOROETHYLENE (TCE)	590	ug/L					6.3	25
MSB 34A	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 34B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 34B	3/12/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1.8	ug/L					0.09	1
MSB 34B	3/12/2015	TETRACHLOROETHYLENE (PCE)	30	ug/L					0.18	1
MSB 34B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34B	3/12/2015	TRICHLOROETHYLENE (TCE)	290	ug/L					2.5	10
MSB 34B	11/23/2015	ALUMINUM	136	ug/L	J		21		40	400
MSB 34B	11/23/2015	BARIUM	7.23	ug/L	J		21		2	20
MSB 34B	11/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 34B	11/23/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 34B	11/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 34B	11/23/2015	COBALT	0.645	ug/L	J		21		0.5	5
MSB 34B	11/23/2015	COPPER	4.75	ug/L	J		21		0.5	5
MSB 34B	11/23/2015	IRON	34.7	ug/L	J		21		10	100
MSB 34B	11/23/2015	LEAD	1.06	ug/L	J		21		0.5	5
MSB 34B	11/23/2015	MANGANESE	4.23	ug/L	J		21		1	10
MSB 34B	11/23/2015	NICKEL	0.592	ug/L	J		21		0.5	5
MSB 34B	11/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 34B	11/23/2015	SODIUM	3210	ug/L					20	200
MSB 34B	11/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 34B	11/23/2015	ZINC	11.3	ug/L	J		21		4	40
MSB 34B	11/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34B	11/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34B	11/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34B	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34B	11/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 34B	11/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34B	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34B	11/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34B	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34B	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
MSB 34B	11/23/2015	TETRACHLOROETHYLENE (PCE)	27	ug/L					0.18	1
MSB 34B	11/23/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 34B	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34B	11/23/2015	TRICHLOROETHYLENE (TCE)	290	ug/L					2.5	10
MSB 34B	11/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 34TA	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TA	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TA	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TA	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TA	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 34TA	3/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34TA	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TA	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34TA	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TA	3/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 34TA	3/30/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
MSB 34TA	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TA	3/30/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L					0.25	1
MSB 34TA	11/18/2015	ALUMINUM	118	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34TA	11/18/2015	BARIUM	20	ug/L	U				2	20
MSB 34TA	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 34TA	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 34TA	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 34TA	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 34TA	11/18/2015	COPPER	5	ug/L	U				0.5	5
MSB 34TA	11/18/2015	IRON	2400	ug/L					10	100
MSB 34TA	11/18/2015	LEAD	0.537	ug/L	J		21		0.5	5
MSB 34TA	11/18/2015	MANGANESE	34.2	ug/L					1	10
MSB 34TA	11/18/2015	NICKEL	5	ug/L	U				0.5	5
MSB 34TA	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 34TA	11/18/2015	SODIUM	1770	ug/L					20	200
MSB 34TA	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 34TA	11/18/2015	ZINC	26.1	ug/L	J		21		4	40
MSB 34TA	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TA	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TA	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TA	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TA	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 34TA	11/18/2015	ACETONE	3.2	ug/L					0.34	2
MSB 34TA	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TA	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34TA	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TA	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 34TA	11/18/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
MSB 34TA	11/18/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 34TA	11/18/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 34TA	11/18/2015	TRICHLOROETHYLENE (TCE)	3.9	ug/L					0.25	1
MSB 34TA	11/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 34TB1	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB1	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TB1	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB1	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB1	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 34TB1	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34TB1	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TB1	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34TB1	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TB1	3/17/2015	CIS-1,2-DICHLOROETHYLENE	0.98	ug/L	J		21		0.09	1
MSB 34TB1	3/17/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1
MSB 34TB1	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB1	3/17/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.25	1
MSB 34TB1	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB1	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TB1	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB1	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB1	10/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 34TB1	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34TB1	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TB1	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34TB1	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TB1	10/1/2015	CIS-1,2-DICHLOROETHYLENE	0.67	ug/L	J		21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34TB1	10/1/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
MSB 34TB1	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 34TB1	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB1	10/1/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
MSB 34TB1	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 34TB3	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB3	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TB3	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB3	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB3	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 34TB3	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34TB3	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TB3	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 34TB3	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TB3	3/17/2015	CIS-1,2-DICHLOROETHYLENE	0.79	ug/L	J		21		0.09	1
MSB 34TB3	3/17/2015	TETRACHLOROETHYLENE (PCE)	6.4	ug/L					0.18	1
MSB 34TB3	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB3	3/17/2015	TRICHLOROETHYLENE (TCE)	8.1	ug/L					0.25	1
MSB 34TB3	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB3	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 34TB3	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 34TB3	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB3	10/1/2015	1,2-DICHLOROBENZENE	0.41	ug/L	J		21		0.06	1
MSB 34TB3	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB 34TB3	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 34TB3	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 34TB3	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 34TB3	10/1/2015	CIS-1,2-DICHLOROETHYLENE	0.76	ug/L	J		21		0.09	1
MSB 34TB3	10/1/2015	TETRACHLOROETHYLENE (PCE)	6.4	ug/L					0.18	1
MSB 34TB3	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 34TB3	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 34TB3	10/1/2015	TRICHLOROETHYLENE (TCE)	9.1	ug/L					0.25	1
MSB 34TB3	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 35B	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35B	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 35B	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35B	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35B	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 35B	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 35B	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 35B	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 35B	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 35B	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 35B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 35B	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 35B	8/28/2015	ALUMINUM	203	ug/L	J		21		40	400
MSB 35B	8/28/2015	BARIUM	43.5	ug/L					2	20
MSB 35B	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 35B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 35B	8/28/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 35B	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 35B	8/28/2015	COPPER	3.12	ug/L	J		21		0.5	5
MSB 35B	8/28/2015	IRON	202	ug/L			V		10	100
MSB 35B	8/28/2015	LEAD	6.36	ug/L					0.5	5
MSB 35B	8/28/2015	MANGANESE	2.99	ug/L	J		21		1	10
MSB 35B	8/28/2015	NICKEL	1.45	ug/L	J		21		0.5	5
MSB 35B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 35B	8/28/2015	SODIUM	2610	ug/L					20	200
MSB 35B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 35B	8/28/2015	ZINC	12.5	ug/L	J		21		4	40
MSB 35B	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 35B	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35B	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35B	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 35B	8/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 35B	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 35B	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 35B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 35B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 35B	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 35B	8/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 35B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35B	8/28/2015	TRICHLOROETHYLENE (TCE)	0.31	ug/L	J		21		0.25	1
MSB 35B	8/28/2015	1,4-DIOXANE	2.4	ug/L	J		21		1.2	5
MSB 35TA	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 35TA	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 35TA	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35TA	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35TA	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 35TA	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 35TA	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 35TA	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 35TA	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 35TA	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 35TA	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.64	ug/L	J		21		0.18	1
MSB 35TA	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35TA	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 35TA	8/27/2015	ALUMINUM	400	ug/L	U				40	400
MSB 35TA	8/27/2015	BARIUM	2.99	ug/L	J		21		2	20
MSB 35TA	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 35TA	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 35TA	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 35TA	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 35TA	8/27/2015	COPPER	3.4	ug/L	J		21		0.5	5
MSB 35TA	8/27/2015	IRON	24500	ug/L			V		10	100
MSB 35TA	8/27/2015	LEAD	0.834	ug/L	J		21		0.5	5
MSB 35TA	8/27/2015	MANGANESE	133	ug/L					1	10
MSB 35TA	8/27/2015	NICKEL	1.32	ug/L	J		21		0.5	5
MSB 35TA	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 35TA	8/27/2015	SODIUM	1590	ug/L					20	200
MSB 35TA	8/27/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 35TA	8/27/2015	ZINC	6.14	ug/L	J		21		4	40
MSB 35TA	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35TA	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 35TA	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 35TA	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35TA	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 35TA	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MSB 35TA	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 35TA	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 35TA	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 35TA	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 35TA	8/27/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
MSB 35TA	8/27/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
MSB 35TA	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 35TA	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 35TA	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 36A	3/12/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 36A	3/12/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 36A	3/12/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 36A	3/12/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 36A	3/12/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 36A	3/12/2015	ACETONE	5	ug/L	U				0.85	5
MSB 36A	3/12/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 36A	3/12/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 36A	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 36A	3/12/2015	CIS-1,2-DICHLOROETHYLENE	150	ug/L					2.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36A	3/12/2015	TETRACHLOROETHYLENE (PCE)	5.5	ug/L					0.45	2.5
MSB 36A	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 36A	3/12/2015	TRICHLOROETHYLENE (TCE)	660	ug/L					6.3	25
MSB 36A	8/28/2015	ALUMINUM	185	ug/L	J		21		40	400
MSB 36A	8/28/2015	BARIUM	30.1	ug/L					2	20
MSB 36A	8/28/2015	BERYLLIUM	0.455	ug/L	J		21		0.1	1
MSB 36A	8/28/2015	CADMIUM	0.436	ug/L	J		21		0.1	1
MSB 36A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 36A	8/28/2015	COBALT	2.03	ug/L	J		21		0.5	5
MSB 36A	8/28/2015	COPPER	1.24	ug/L	J		21		0.5	5
MSB 36A	8/28/2015	IRON	322	ug/L			V		10	100
MSB 36A	8/28/2015	LEAD	1.16	ug/L	J		21		0.5	5
MSB 36A	8/28/2015	MANGANESE	37.2	ug/L					1	10
MSB 36A	8/28/2015	NICKEL	6.35	ug/L					0.5	5
MSB 36A	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 36A	8/28/2015	SODIUM	1980	ug/L					20	200
MSB 36A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 36A	8/28/2015	ZINC	26.9	ug/L	J		21		4	40
MSB 36A	8/28/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 36A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 36A	8/28/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 36A	8/28/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 36A	8/28/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 36A	8/28/2015	ACETONE	50	ug/L	U				8.5	50
MSB 36A	8/28/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 36A	8/28/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 36A	8/28/2015	CHLOROETHENE (VINYL	50	ug/L	U				2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 36A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	140	ug/L					2.3	25
MSB 36A	8/28/2015	TETRACHLOROETHYLENE (PCE)	7.1	ug/L	J		21		4.5	25
MSB 36A	8/28/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 36A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 36A	8/28/2015	TRICHLOROETHYLENE (TCE)	600	ug/L					6.3	25
MSB 36A	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 36B	3/12/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 36B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 36B	3/12/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 36B	3/12/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 36B	3/12/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 36B	3/12/2015	ACETONE	10	ug/L	U				1.7	10
MSB 36B	3/12/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 36B	3/12/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 36B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 36B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	0.9	ug/L	J		21		0.45	5
MSB 36B	3/12/2015	TETRACHLOROETHYLENE (PCE)	89	ug/L					0.9	5
MSB 36B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 36B	3/12/2015	TRICHLOROETHYLENE (TCE)	580	ug/L					13	50
MSB 36B	9/24/2015	ALUMINUM	141	ug/L	J		21		40	400
MSB 36B	9/24/2015	BARIUM	11.3	ug/L	J		21		2	20
MSB 36B	9/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 36B	9/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 36B	9/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 36B	9/24/2015	COBALT	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36B	9/24/2015	COPPER	3.38	ug/L	J		21		0.5	5
MSB 36B	9/24/2015	IRON	32.6	ug/L	U		21, V		10	100
MSB 36B	9/24/2015	LEAD	0.867	ug/L	J		21		0.5	5
MSB 36B	9/24/2015	MANGANESE	3.41	ug/L	J		21		1	10
MSB 36B	9/24/2015	NICKEL	1.34	ug/L	J		21		0.5	5
MSB 36B	9/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 36B	9/24/2015	SODIUM	3390	ug/L					20	200
MSB 36B	9/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 36B	9/24/2015	ZINC	10.9	ug/L	J		21		4	40
MSB 36B	9/24/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 36B	9/24/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 36B	9/24/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 36B	9/24/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 36B	9/24/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 36B	9/24/2015	ACETONE	10	ug/L	U				1.7	10
MSB 36B	9/24/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 36B	9/24/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 36B	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 36B	9/24/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
MSB 36B	9/24/2015	TETRACHLOROETHYLENE (PCE)	79	ug/L					0.9	5
MSB 36B	9/24/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 36B	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 36B	9/24/2015	TRICHLOROETHYLENE (TCE)	560	ug/L					13	50
MSB 36B	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 36C	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36C	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36C	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36C	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36C	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 36C	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 36C	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 36C	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 36C	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 36C	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 36C	3/12/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
MSB 36C	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36C	3/12/2015	TRICHLOROETHYLENE (TCE)	9.1	ug/L					0.25	1
MSB 36C	9/24/2015	ALUMINUM	57.1	ug/L	J		21		40	400
MSB 36C	9/24/2015	BARIUM	8.36	ug/L	J		21		2	20
MSB 36C	9/24/2015	BERYLLIUM	0.275	ug/L	J		21		0.1	1
MSB 36C	9/24/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 36C	9/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 36C	9/24/2015	COBALT	0.752	ug/L	J		21		0.5	5
MSB 36C	9/24/2015	COPPER	0.739	ug/L	J		21		0.5	5
MSB 36C	9/24/2015	IRON	22.6	ug/L	U		21, V		10	100
MSB 36C	9/24/2015	LEAD	5	ug/L	U				0.5	5
MSB 36C	9/24/2015	MANGANESE	3.77	ug/L	J		21		1	10
MSB 36C	9/24/2015	NICKEL	0.82	ug/L	J		21		0.5	5
MSB 36C	9/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 36C	9/24/2015	SODIUM	3670	ug/L					20	200
MSB 36C	9/24/2015	VANADIUM	19.6	ug/L	J		21		5	50
MSB 36C	9/24/2015	ZINC	6.91	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36C	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36C	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 36C	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36C	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36C	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 36C	9/24/2015	ACETONE	5.5	ug/L					0.34	2
MSB 36C	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 36C	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 36C	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 36C	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 36C	9/24/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
MSB 36C	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 36C	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36C	9/24/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
MSB 36C	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 36TA	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36TA	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 36TA	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36TA	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36TA	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 36TA	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 36TA	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 36TA	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 36TA	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 36TA	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 36TA	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36TA	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36TA	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 36TA	8/26/2015	ALUMINUM	781	ug/L					40	400
MSB 36TA	8/26/2015	BARIUM	7.16	ug/L	J		21		2	20
MSB 36TA	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 36TA	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 36TA	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 36TA	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 36TA	8/26/2015	COPPER	0.855	ug/L	J		21		0.5	5
MSB 36TA	8/26/2015	IRON	17300	ug/L			V		10	100
MSB 36TA	8/26/2015	LEAD	0.993	ug/L	J		21		0.5	5
MSB 36TA	8/26/2015	MANGANESE	167	ug/L					1	10
MSB 36TA	8/26/2015	NICKEL	4.38	ug/L	J		21		0.5	5
MSB 36TA	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 36TA	8/26/2015	SODIUM	1660	ug/L					20	200
MSB 36TA	8/26/2015	VANADIUM	50	ug/L	U				5	50
MSB 36TA	8/26/2015	ZINC	29.7	ug/L	J		21		4	40
MSB 36TA	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36TA	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 36TA	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 36TA	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36TA	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 36TA	8/26/2015	ACETONE	3.1	ug/L			V		0.34	2
MSB 36TA	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 36TA	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 36TA	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 36TA	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 36TA	8/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 36TA	8/26/2015	TOLUENE	0.25	ug/L	J		21		0.07	1
MSB 36TA	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 36TA	8/26/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 36TA	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 37B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 37B	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 37B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 37B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 37B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	0.52	ug/L	J		21		0.09	1
MSB 37B	3/12/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MSB 37B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37B	3/12/2015	TRICHLOROETHYLENE (TCE)	6.9	ug/L					0.25	1
MSB 37B	8/26/2015	ALUMINUM	131	ug/L	J		21		40	400
MSB 37B	8/26/2015	BARIUM	9.27	ug/L	J		21		2	20
MSB 37B	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 37B	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 37B	8/26/2015	CHROMIUM	100	ug/L	U				10	100
MSB 37B	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 37B	8/26/2015	COPPER	9.12	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 37B	8/26/2015	IRON	34.6	ug/L	U		21, V		10	100
MSB 37B	8/26/2015	LEAD	1.12	ug/L	J		21		0.5	5
MSB 37B	8/26/2015	MANGANESE	7.85	ug/L	J		21		1	10
MSB 37B	8/26/2015	NICKEL	1.18	ug/L	J		21		0.5	5
MSB 37B	8/26/2015	SELENIUM	20	ug/L	U				2	20
MSB 37B	8/26/2015	SODIUM	1640	ug/L					20	200
MSB 37B	8/26/2015	VANADIUM	24.5	ug/L	J		21		5	50
MSB 37B	8/26/2015	ZINC	18.6	ug/L	J		21		4	40
MSB 37B	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37B	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37B	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37B	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37B	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 37B	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 37B	8/26/2015	CARBON TETRACHLORIDE	0.41	ug/L	J		21		0.13	1
MSB 37B	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37B	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 37B	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L					0.09	1
MSB 37B	8/26/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.18	1
MSB 37B	8/26/2015	TOLUENE	0.29	ug/L	J		21		0.07	1
MSB 37B	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37B	8/26/2015	TRICHLOROETHYLENE (TCE)	9.3	ug/L					0.25	1
MSB 37B	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 37C	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37C	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37C	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 37C	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37C	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 37C	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 37C	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 37C	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37C	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 37C	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 37C	2/24/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1
MSB 37C	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37C	2/24/2015	TRICHLOROETHYLENE (TCE)	4.8	ug/L					0.25	1
MSB 37C	8/26/2015	ALUMINUM	112	ug/L	J		21		40	400
MSB 37C	8/26/2015	BARIUM	3.4	ug/L	J		21		2	20
MSB 37C	8/26/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 37C	8/26/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 37C	8/26/2015	CHROMIUM	10.7	ug/L	J		21		10	100
MSB 37C	8/26/2015	COBALT	5	ug/L	U				0.5	5
MSB 37C	8/26/2015	COPPER	0.575	ug/L	U		21, V		0.5	5
MSB 37C	8/26/2015	IRON	122	ug/L	J		21, V		10	100
MSB 37C	8/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 37C	8/26/2015	MANGANESE	2.32	ug/L	J		21		1	10
MSB 37C	8/26/2015	NICKEL	0.526	ug/L	J		21		0.5	5
MSB 37C	8/26/2015	SELENIUM	2.75	ug/L	J		21		2	20
MSB 37C	8/26/2015	SODIUM	6450	ug/L					20	200
MSB 37C	8/26/2015	VANADIUM	15	ug/L	J		21		5	50
MSB 37C	8/26/2015	ZINC	6.41	ug/L	U		21, V		4	40
MSB 37C	8/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 37C	8/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37C	8/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37C	8/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37C	8/26/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 37C	8/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 37C	8/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 37C	8/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37C	8/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 37C	8/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 37C	8/26/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L					0.18	1
MSB 37C	8/26/2015	TOLUENE	0.39	ug/L	J		21		0.07	1
MSB 37C	8/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37C	8/26/2015	TRICHLOROETHYLENE (TCE)	2.2	ug/L					0.25	1
MSB 37C	8/26/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 37TA	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37TA	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37TA	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37TA	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37TA	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 37TA	2/24/2015	ACETONE	2.2	ug/L					0.34	2
MSB 37TA	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 37TA	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37TA	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	0.29	ug/L	J		21		0.08	2
MSB 37TA	2/24/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.09	1
MSB 37TA	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 37TA	2/24/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 37TA	2/24/2015	TRICHLOROETHYLENE (TCE)	0.59	ug/L	J		21		0.25	1
MSB 37TA	2/24/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB 37TA	8/28/2015	ALUMINUM	53	ug/L	J		21		40	400
MSB 37TA	8/28/2015	BARIUM	4.87	ug/L	J		21		2	20
MSB 37TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 37TA	8/28/2015	CADMIUM	0.106	ug/L	J		21		0.1	1
MSB 37TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 37TA	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 37TA	8/28/2015	COPPER	2.36	ug/L	J		21		0.5	5
MSB 37TA	8/28/2015	IRON	7710	ug/L			V		10	100
MSB 37TA	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 37TA	8/28/2015	MANGANESE	68.9	ug/L					1	10
MSB 37TA	8/28/2015	NICKEL	1.85	ug/L	J		21		0.5	5
MSB 37TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 37TA	8/28/2015	SODIUM	2960	ug/L					20	200
MSB 37TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 37TA	8/28/2015	ZINC	48.3	ug/L					4	40
MSB 37TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 37TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 37TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 37TA	8/28/2015	ACETONE	5.8	ug/L					0.34	2
MSB 37TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 37TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 37TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	0.33	ug/L	J		21		0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 37TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L					0.09	1
MSB 37TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 37TA	8/28/2015	TOLUENE	0.83	ug/L	J		21		0.07	1
MSB 37TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 37TA	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 37TA	8/28/2015	1,4-DIOXANE	3.1	ug/L	J		21		1.2	5
MSB 38C	3/12/2015	ALUMINUM	5550	ug/L					40	400
MSB 38C	3/12/2015	BARIUM	66	ug/L					2	20
MSB 38C	3/12/2015	CHROMIUM	14.6	ug/L	J				10	100
MSB 38C	3/12/2015	COPPER	3.71	ug/L	J				0.5	5
MSB 38C	3/12/2015	LEAD	4.46	ug/L	J				0.5	5
MSB 38C	3/12/2015	NICKEL	2.9	ug/L	J				0.5	5
MSB 38C	3/12/2015	ZINC	13.9	ug/L	J				4	40
MSB 38C	3/12/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 38C	3/12/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 38C	3/12/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 38C	3/12/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 38C	3/12/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 38C	3/12/2015	ACETONE	10	ug/L	U				1.7	10
MSB 38C	3/12/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 38C	3/12/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 38C	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 38C	3/12/2015	CIS-1,2-DICHLOROETHYLENE	29	ug/L					0.45	5
MSB 38C	3/12/2015	TETRACHLOROETHYLENE (PCE)	800	ug/L					9	50
MSB 38C	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 38C	3/12/2015	TRICHLOROETHYLENE (TCE)	150	ug/L					1.3	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 38C	10/1/2015	ALUMINUM	288	ug/L	J		21		40	400
MSB 38C	10/1/2015	BARIUM	57.7	ug/L					2	20
MSB 38C	10/1/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 38C	10/1/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 38C	10/1/2015	CHROMIUM	100	ug/L	U				10	100
MSB 38C	10/1/2015	COBALT	5	ug/L	U				0.5	5
MSB 38C	10/1/2015	COPPER	0.619	ug/L	J		21		0.5	5
MSB 38C	10/1/2015	IRON	204	ug/L			V		10	100
MSB 38C	10/1/2015	LEAD	0.655	ug/L	J		21		0.5	5
MSB 38C	10/1/2015	MANGANESE	4.04	ug/L	J		21		1	10
MSB 38C	10/1/2015	NICKEL	0.826	ug/L	J		21		0.5	5
MSB 38C	10/1/2015	SELENIUM	20	ug/L	U				2	20
MSB 38C	10/1/2015	SODIUM	3480	ug/L					20	200
MSB 38C	10/1/2015	VANADIUM	19.1	ug/L	J		21		5	50
MSB 38C	10/1/2015	ZINC	4.92	ug/L	J		21		4	40
MSB 38C	10/1/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 38C	10/1/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 38C	10/1/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 38C	10/1/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 38C	10/1/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 38C	10/1/2015	ACETONE	50	ug/L	U				8.5	50
MSB 38C	10/1/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 38C	10/1/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 38C	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 38C	10/1/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L	J		21		2.3	25
MSB 38C	10/1/2015	TETRACHLOROETHYLENE (PCE)	1000	ug/L					45	250
MSB 38C	10/1/2015	TOLUENE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 38C	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 38C	10/1/2015	TRICHLOROETHYLENE (TCE)	170	ug/L					6.3	25
MSB 38C	10/1/2015	1,4-DIOXANE	13	ug/L	U				3.1	13
MSB 38TB1	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB1	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 38TB1	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB1	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB1	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 38TB1	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 38TB1	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 38TB1	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 38TB1	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 38TB1	3/17/2015	CIS-1,2-DICHLOROETHYLENE	0.62	ug/L	J		21		0.09	1
MSB 38TB1	3/17/2015	TETRACHLOROETHYLENE (PCE)	23	ug/L					0.18	1
MSB 38TB1	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB1	3/17/2015	TRICHLOROETHYLENE (TCE)	2.4	ug/L					0.25	1
MSB 38TB1	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB1	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 38TB1	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB1	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB1	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 38TB1	10/13/2015	ACETONE	2	ug/L	U				0.34	2
MSB 38TB1	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 38TB1	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 38TB1	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 38TB1	10/13/2015	CIS-1,2-DICHLOROETHYLENE	0.68	ug/L	J		21		0.09	1
MSB 38TB1	10/13/2015	TETRACHLOROETHYLENE (PCE)	23	ug/L					0.18	1
MSB 38TB1	10/13/2015	TOLUENE	0.3	ug/L	J		21		0.07	1
MSB 38TB1	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB1	10/13/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
MSB 38TB1	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 38TB3	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB3	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 38TB3	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB3	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB3	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 38TB3	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 38TB3	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 38TB3	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 38TB3	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 38TB3	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 38TB3	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 38TB3	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB3	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 38TB3	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB3	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 38TB3	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 38TB3	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB3	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 38TB3	10/13/2015	ACETONE	2	ug/L	U				0.34	2
MSB 38TB3	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 38TB3	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 38TB3	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 38TB3	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 38TB3	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 38TB3	10/13/2015	TOLUENE	0.28	ug/L	J		21		0.07	1
MSB 38TB3	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 38TB3	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 38TB3	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 39A	3/30/2015	ALUMINUM	745	ug/L					40	400
MSB 39A	3/30/2015	BARIUM	6.3	ug/L	J				2	20
MSB 39A	3/30/2015	CHROMIUM	12	ug/L	U				10	100
MSB 39A	3/30/2015	COPPER	2.43	ug/L	J				0.5	5
MSB 39A	3/30/2015	LEAD	2.65	ug/L	J				0.5	5
MSB 39A	3/30/2015	NICKEL	4.77	ug/L	J				0.5	5
MSB 39A	3/30/2015	ZINC	6.74	ug/L	J				4	40
MSB 39A	3/30/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 39A	3/30/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 39A	3/30/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 39A	3/30/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 39A	3/30/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 39A	3/30/2015	ACETONE	5	ug/L	U				0.85	5
MSB 39A	3/30/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 39A	3/30/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 39A	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 39A	3/30/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.23	2.5
MSB 39A	3/30/2015	TETRACHLOROETHYLENE (PCE)	23	ug/L					0.45	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39A	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 39A	3/30/2015	TRICHLOROETHYLENE (TCE)	340	ug/L					6.3	25
MSB 39A	8/18/2015	ALUMINUM	101	ug/L					15	50
MSB 39A	8/18/2015	BARIUM	5.88	ug/L					0.6	2
MSB 39A	8/18/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
MSB 39A	8/18/2015	CADMIUM	0.587	ug/L	J	J	21		0.11	1
MSB 39A	8/18/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB 39A	8/18/2015	COBALT	0.617	ug/L	J	J	21		0.1	1
MSB 39A	8/18/2015	COPPER	3.16	ug/L					0.35	1
MSB 39A	8/18/2015	IRON	100	ug/L	U	U			33	100
MSB 39A	8/18/2015	LEAD	1.94	ug/L	J	J	21		0.5	2
MSB 39A	8/18/2015	MANGANESE	9.62	ug/L					1	5
MSB 39A	8/18/2015	NICKEL	5.36	ug/L					0.5	2
MSB 39A	8/18/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB 39A	8/18/2015	SILVER	1	ug/L	U	U			0.2	1
MSB 39A	8/18/2015	SODIUM	1690	ug/L					80	250
MSB 39A	8/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB 39A	8/18/2015	TIN	5	ug/L	U	U			1	5
MSB 39A	8/18/2015	VANADIUM	3.22	ug/L	U	U	21, V		3	10
MSB 39A	8/18/2015	ZINC	6.11	ug/L	J	J	21		3.5	10
MSB 39A	8/18/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
MSB 39A	8/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB 39A	8/18/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39A	8/18/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB 39A	8/18/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB 39A	8/18/2015	BENZENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB 39A	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J	J	21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39A	8/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
MSB 39A	8/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
MSB 39A	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB 39A	8/18/2015	TETRACHLOROETHYLENE (PCE)	20.7	ug/L					0.3	1
MSB 39A	8/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	TRICHLOROETHYLENE (TCE)	564	ug/L					3	10
MSB 39A	8/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 39A	8/18/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB 39A	8/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB 39A	8/18/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 39A	8/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 39A	8/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 39A	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
MSB 39A	8/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
MSB 39A	8/18/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB 39A	8/18/2015	GROSS ALPHA	-0.196	pCi/L	U	U		1.39	2.89	5.67
MSB 39A	8/18/2015	NONVOLATILE BETA	2.74	pCi/L	U	U		1.81	2.87	6.49
MSB 39A	8/18/2015	RADIUM-226	0.893	pCi/L	J	J	21	0.339	0.38	1.06
MSB 39A	8/18/2015	RADIUM-228	0.398	pCi/L	U	U		0.383	0.634	1.4
MSB 39A	8/18/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39B	3/11/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 39B	3/11/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 39B	3/11/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 39B	3/11/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 39B	3/11/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 39B	3/11/2015	ACETONE	5	ug/L	U				0.85	5
MSB 39B	3/11/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 39B	3/11/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 39B	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 39B	3/11/2015	CIS-1,2-DICHLOROETHYLENE	3	ug/L					0.23	2.5
MSB 39B	3/11/2015	TETRACHLOROETHYLENE (PCE)	220	ug/L					4.5	25
MSB 39B	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 39B	3/11/2015	TRICHLOROETHYLENE (TCE)	370	ug/L					6.3	25
MSB 39B	8/31/2015	ALUMINUM	396	ug/L	J		21		40	400
MSB 39B	8/31/2015	BARIUM	6.22	ug/L	J		21		2	20
MSB 39B	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 39B	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 39B	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 39B	8/31/2015	COBALT	5	ug/L	U				0.5	5
MSB 39B	8/31/2015	COPPER	5	ug/L	U				0.5	5
MSB 39B	8/31/2015	IRON	223	ug/L			V		10	100
MSB 39B	8/31/2015	LEAD	5	ug/L	U				0.5	5
MSB 39B	8/31/2015	MANGANESE	1.95	ug/L	J		21		1	10
MSB 39B	8/31/2015	NICKEL	1.13	ug/L	J		21		0.5	5
MSB 39B	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 39B	8/31/2015	SODIUM	7510	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39B	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 39B	8/31/2015	ZINC	6.14	ug/L	J		21		4	40
MSB 39B	8/31/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 39B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 39B	8/31/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 39B	8/31/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 39B	8/31/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 39B	8/31/2015	ACETONE	50	ug/L	U				8.5	50
MSB 39B	8/31/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 39B	8/31/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 39B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 39B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 39B	8/31/2015	TETRACHLOROETHYLENE (PCE)	83	ug/L					4.5	25
MSB 39B	8/31/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 39B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 39B	8/31/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					6.3	25
MSB 39B	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 39B	8/31/2015	RADIUM-226	0.263	pCi/L				0.069	0.063	0.2012
MSB 39B	8/31/2015	RADIUM-228	0.258	pCi/L	U			0.287	0.472	1.046
MSB 39B	8/31/2015	GROSS ALPHA	-0.285	pCi/L	U			0.472	2.19	3.14
MSB 39B	8/31/2015	NONVOLATILE BETA	1.55	pCi/L	U			2.37	3.76	8.5
MSB 39C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39C	3/11/2015	ACETONE	2	ug/L	U				0.34	2
MSB 39C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 39C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 39C	3/11/2015	TETRACHLOROETHYLENE (PCE)	0.38	ug/L	J		21		0.18	1
MSB 39C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39C	3/11/2015	TRICHLOROETHYLENE (TCE)	4.4	ug/L					0.25	1
MSB 39C	8/31/2015	ALUMINUM	200	ug/L	J		21		40	400
MSB 39C	8/31/2015	BARIUM	4.94	ug/L	J		21		2	20
MSB 39C	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 39C	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 39C	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 39C	8/31/2015	COBALT	0.638	ug/L	J		21		0.5	5
MSB 39C	8/31/2015	COPPER	5	ug/L	U				0.5	5
MSB 39C	8/31/2015	IRON	111	ug/L	J		21, V		10	100
MSB 39C	8/31/2015	LEAD	5	ug/L	U				0.5	5
MSB 39C	8/31/2015	MANGANESE	3.38	ug/L	J		21		1	10
MSB 39C	8/31/2015	NICKEL	1.12	ug/L	J		21		0.5	5
MSB 39C	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 39C	8/31/2015	SODIUM	1990	ug/L					20	200
MSB 39C	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 39C	8/31/2015	ZINC	40	ug/L	U				4	40
MSB 39C	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39C	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39C	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39C	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 39C	8/31/2015	ACETONE	3.3	ug/L					0.34	2
MSB 39C	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39C	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 39C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 39C	8/31/2015	TETRACHLOROETHYLENE (PCE)	0.33	ug/L	J		21		0.18	1
MSB 39C	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 39C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39C	8/31/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
MSB 39C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 39C	8/31/2015	RADIUM-226	0.364	pCi/L				0.08	0.065	0.2241
MSB 39C	8/31/2015	RADIUM-228	0.486	pCi/L	J		21	0.266	0.407	0.939
MSB 39C	8/31/2015	GROSS ALPHA	2.08	pCi/L	U			1.98	2.15	6.11
MSB 39C	8/31/2015	NONVOLATILE BETA	-0.0138	pCi/L	U			2.06	3.8	7.92
MSB 39D	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39D	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39D	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39D	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39D	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 39D	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 39D	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39D	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39D	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 39D	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39D	3/12/2015	TETRACHLOROETHYLENE (PCE)	0.99	ug/L	J		21		0.18	1
MSB 39D	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39D	3/12/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L					0.25	1
MSB 39D	8/31/2015	ALUMINUM	52.9	ug/L	J		21		40	400
MSB 39D	8/31/2015	BARIUM	15.1	ug/L	J		21		2	20
MSB 39D	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 39D	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 39D	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 39D	8/31/2015	COBALT	5	ug/L	U				0.5	5
MSB 39D	8/31/2015	COPPER	17	ug/L					0.5	5
MSB 39D	8/31/2015	IRON	103	ug/L	J		21, V		10	100
MSB 39D	8/31/2015	LEAD	1.39	ug/L	J		21		0.5	5
MSB 39D	8/31/2015	MANGANESE	1.19	ug/L	J		21		1	10
MSB 39D	8/31/2015	NICKEL	6.95	ug/L					0.5	5
MSB 39D	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 39D	8/31/2015	SODIUM	3660	ug/L					20	200
MSB 39D	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 39D	8/31/2015	ZINC	9.13	ug/L	J		21		4	40
MSB 39D	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39D	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39D	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39D	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39D	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 39D	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB 39D	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39D	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39D	8/31/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 39D	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 39D	8/31/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L					0.18	1
MSB 39D	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 39D	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39D	8/31/2015	TRICHLOROETHYLENE (TCE)	9.9	ug/L					0.25	1
MSB 39D	8/31/2015	1,4-DIOXANE	1.5	ug/L	J		21		1.2	5
MSB 39D	8/31/2015	RADIUM-226	0.516	pCi/L				0.092	0.069	0.253
MSB 39D	8/31/2015	RADIUM-228	-0.0678	pCi/L	U			0.184	0.342	0.71
MSB 39D	8/31/2015	GROSS ALPHA	0.115	pCi/L	U			0.932	2.2	4.06
MSB 39D	8/31/2015	NONVOLATILE BETA	0.569	pCi/L	U			2.17	3.77	8.1
MSB 39TA	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39TA	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39TA	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39TA	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39TA	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 39TA	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 39TA	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39TA	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39TA	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 39TA	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 39TA	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 39TA	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39TA	3/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 39TA	8/28/2015	ALUMINUM	41.1	ug/L	J		21		40	400
MSB 39TA	8/28/2015	BARIUM	2.99	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 39TA	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 39TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 39TA	8/28/2015	COBALT	2.55	ug/L	J		21		0.5	5
MSB 39TA	8/28/2015	COPPER	0.919	ug/L	J		21		0.5	5
MSB 39TA	8/28/2015	IRON	2060	ug/L			V		10	100
MSB 39TA	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 39TA	8/28/2015	MANGANESE	21.8	ug/L					1	10
MSB 39TA	8/28/2015	NICKEL	6.51	ug/L					0.5	5
MSB 39TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 39TA	8/28/2015	SODIUM	1530	ug/L					20	200
MSB 39TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 39TA	8/28/2015	ZINC	40	ug/L	U				4	40
MSB 39TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 39TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 39TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 39TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 39TA	8/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 39TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 39TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 39TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 39TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 39TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 39TA	8/28/2015	TOLUENE	0.21	ug/L	J		21		0.07	1
MSB 39TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 39TA	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 39TA	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 39TA	8/28/2015	RADIUM-226	0.147	pCi/L	U			0.175	0.289	0.639
MSB 39TA	8/28/2015	RADIUM-228	0.203	pCi/L	U			0.225	0.369	0.819
MSB 39TA	8/28/2015	GROSS ALPHA	3.52	pCi/L	J		21	2.48	2.28	7.25
MSB 39TA	8/28/2015	NONVOLATILE BETA	-1.36	pCi/L	U			2.23	4.6	9.06
MSB 40A	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40A	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 40A	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40A	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40A	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 40A	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 40A	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 40A	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 40A	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 40A	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 40A	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.34	ug/L	J		21		0.18	1
MSB 40A	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40A	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1
MSB 40A	8/28/2015	ALUMINUM	218	ug/L	J		21		40	400
MSB 40A	8/28/2015	BARIUM	16.4	ug/L	J		21		2	20
MSB 40A	8/28/2015	BERYLLIUM	0.478	ug/L	J		21		0.1	1
MSB 40A	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 40A	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 40A	8/28/2015	COBALT	0.899	ug/L	J		21		0.5	5
MSB 40A	8/28/2015	COPPER	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 40A	8/28/2015	IRON	1160	ug/L			V		10	100
MSB 40A	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 40A	8/28/2015	MANGANESE	27	ug/L					1	10
MSB 40A	8/28/2015	NICKEL	3.05	ug/L	J		21		0.5	5
MSB 40A	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 40A	8/28/2015	SODIUM	1990	ug/L					20	200
MSB 40A	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 40A	8/28/2015	ZINC	17.5	ug/L	J		21		4	40
MSB 40A	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40A	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 40A	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40A	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40A	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 40A	8/28/2015	ACETONE	19	ug/L					0.34	2
MSB 40A	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 40A	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 40A	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 40A	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 40A	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 40A	8/28/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
MSB 40A	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40A	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 40A	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 40B	3/25/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 40B	3/25/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 40B	3/25/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 40B	3/25/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 40B	3/25/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 40B	3/25/2015	ACETONE	10	ug/L	U				1.7	10
MSB 40B	3/25/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 40B	3/25/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 40B	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 40B	3/25/2015	CIS-1,2-DICHLOROETHYLENE	34	ug/L					0.45	5
MSB 40B	3/25/2015	TETRACHLOROETHYLENE (PCE)	63	ug/L					0.9	5
MSB 40B	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 40B	3/25/2015	TRICHLOROETHYLENE (TCE)	1100	ug/L					13	50
MSB 40B	10/20/2015	ALUMINUM	84.7	ug/L	J		21		40	400
MSB 40B	10/20/2015	BARIUM	34.7	ug/L					2	20
MSB 40B	10/20/2015	BERYLLIUM	0.51	ug/L	J		21		0.1	1
MSB 40B	10/20/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 40B	10/20/2015	CHROMIUM	100	ug/L	U				10	100
MSB 40B	10/20/2015	COBALT	1.53	ug/L	J		21		0.5	5
MSB 40B	10/20/2015	COPPER	1.57	ug/L	J		21		0.5	5
MSB 40B	10/20/2015	IRON	46.8	ug/L	U		21, V		10	100
MSB 40B	10/20/2015	LEAD	5	ug/L	U				0.5	5
MSB 40B	10/20/2015	MANGANESE	18.2	ug/L					1	10
MSB 40B	10/20/2015	NICKEL	2.11	ug/L	J		21		0.5	5
MSB 40B	10/20/2015	SELENIUM	20	ug/L	U				2	20
MSB 40B	10/20/2015	SODIUM	4070	ug/L					20	200
MSB 40B	10/20/2015	VANADIUM	50	ug/L	U				5	50
MSB 40B	10/20/2015	ZINC	7.9	ug/L	J		21		4	40
MSB 40B	10/20/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 40B	10/20/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 40B	10/20/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 40B	10/20/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 40B	10/20/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 40B	10/20/2015	ACETONE	10	ug/L	U				1.7	10
MSB 40B	10/20/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 40B	10/20/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 40B	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 40B	10/20/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L					0.45	5
MSB 40B	10/20/2015	TETRACHLOROETHYLENE (PCE)	99	ug/L					0.9	5
MSB 40B	10/20/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 40B	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 40B	10/20/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					13	50
MSB 40B	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 40C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 40C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40C	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 40C	3/10/2015	ACETONE	3.6	ug/L					0.34	2
MSB 40C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 40C	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 40C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 40C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 40C	3/10/2015	TETRACHLOROETHYLENE (PCE)	0.97	ug/L	J		21		0.18	1
MSB 40C	3/10/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 40C	3/10/2015	TRICHLOROETHYLENE (TCE)	7.2	ug/L					0.25	1
MSB 40C	8/28/2015	ALUMINUM	225	ug/L	J		21		40	400
MSB 40C	8/28/2015	BARIUM	10.4	ug/L	J		21		2	20
MSB 40C	8/28/2015	BERYLLIUM	3.35	ug/L					0.1	1
MSB 40C	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 40C	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 40C	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 40C	8/28/2015	COPPER	1.29	ug/L	J		21		0.5	5
MSB 40C	8/28/2015	IRON	115	ug/L	J		21, V		10	100
MSB 40C	8/28/2015	LEAD	4.04	ug/L	J		21		0.5	5
MSB 40C	8/28/2015	MANGANESE	20.5	ug/L					1	10
MSB 40C	8/28/2015	NICKEL	1.45	ug/L	J		21		0.5	5
MSB 40C	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 40C	8/28/2015	SODIUM	3010	ug/L					20	200
MSB 40C	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 40C	8/28/2015	ZINC	12.3	ug/L	J		21		4	40
MSB 40C	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40C	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 40C	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 40C	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40C	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 40C	8/28/2015	ACETONE	5.4	ug/L					0.34	2
MSB 40C	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 40C	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 40C	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 40C	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 40C	8/28/2015	TETRACHLOROETHYLENE (PCE)	0.84	ug/L	J		21		0.18	1
MSB 40C	8/28/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
MSB 40C	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 40C	8/28/2015	TRICHLOROETHYLENE (TCE)	8.5	ug/L					0.25	1
MSB 40C	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 41B	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41B	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41B	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41B	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41B	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 41B	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41B	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41B	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41B	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41B	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 41B	3/17/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
MSB 41B	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41B	3/17/2015	TRICHLOROETHYLENE (TCE)	0.78	ug/L	J		21		0.25	1
MSB 41B	10/5/2015	ALUMINUM	400	ug/L	U				40	400
MSB 41B	10/5/2015	BARIUM	6.58	ug/L	J		21		2	20
MSB 41B	10/5/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 41B	10/5/2015	CADMIUM	0.104	ug/L	J		21		0.1	1
MSB 41B	10/5/2015	CHROMIUM	100	ug/L	U				10	100
MSB 41B	10/5/2015	COBALT	5	ug/L	U				0.5	5
MSB 41B	10/5/2015	COPPER	0.848	ug/L	J		21		0.5	5
MSB 41B	10/5/2015	IRON	21.5	ug/L	U		21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 41B	10/5/2015	LEAD	5	ug/L	U				0.5	5
MSB 41B	10/5/2015	MANGANESE	2.37	ug/L	J		21		1	10
MSB 41B	10/5/2015	NICKEL	5	ug/L	U				0.5	5
MSB 41B	10/5/2015	SELENIUM	20	ug/L	U				2	20
MSB 41B	10/5/2015	SODIUM	1610	ug/L					20	200
MSB 41B	10/5/2015	VANADIUM	50	ug/L	U				5	50
MSB 41B	10/5/2015	ZINC	5.48	ug/L	J		21		4	40
MSB 41B	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41B	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41B	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41B	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41B	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 41B	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41B	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41B	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41B	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41B	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 41B	10/5/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L					0.18	1
MSB 41B	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 41B	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41B	10/5/2015	TRICHLOROETHYLENE (TCE)	0.87	ug/L	J		21		0.25	1
MSB 41B	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 41TA	2/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TA	2/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41TA	2/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TA	2/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 41TA	2/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 41TA	2/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41TA	2/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TA	2/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TA	2/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TA	2/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 41TA	2/26/2015	TETRACHLOROETHYLENE (PCE)	0.33	ug/L	J		21		0.18	1
MSB 41TA	2/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TA	2/26/2015	TRICHLOROETHYLENE (TCE)	0.4	ug/L	J		21		0.25	1
MSB 41TA	8/28/2015	ALUMINUM	48.5	ug/L	J		21		40	400
MSB 41TA	8/28/2015	BARIUM	8.82	ug/L	J		21		2	20
MSB 41TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 41TA	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 41TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 41TA	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 41TA	8/28/2015	COPPER	2.45	ug/L	J		21		0.5	5
MSB 41TA	8/28/2015	IRON	18500	ug/L			V		10	100
MSB 41TA	8/28/2015	LEAD	1.57	ug/L	J		21		0.5	5
MSB 41TA	8/28/2015	MANGANESE	179	ug/L					1	10
MSB 41TA	8/28/2015	NICKEL	2.18	ug/L	J		21		0.5	5
MSB 41TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 41TA	8/28/2015	SODIUM	2900	ug/L					20	200
MSB 41TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 41TA	8/28/2015	ZINC	19.5	ug/L	J		21		4	40
MSB 41TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 41TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 41TA	8/28/2015	ACETONE	10	ug/L					0.34	2
MSB 41TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 41TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J		21		0.18	1
MSB 41TA	8/28/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
MSB 41TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TA	8/28/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.25	1
MSB 41TA	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 41TB1	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB1	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41TB1	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB1	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB1	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 41TB1	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41TB1	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TB1	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TB1	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TB1	3/17/2015	CIS-1,2-DICHLOROETHYLENE	0.2	ug/L	J		21		0.09	1
MSB 41TB1	3/17/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
MSB 41TB1	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 41TB1	3/17/2015	TRICHLOROETHYLENE (TCE)	2.6	ug/L					0.25	1
MSB 41TB1	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB1	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41TB1	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB1	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB1	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 41TB1	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41TB1	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TB1	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TB1	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TB1	9/30/2015	CIS-1,2-DICHLOROETHYLENE	0.19	ug/L	J		21		0.09	1
MSB 41TB1	9/30/2015	TETRACHLOROETHYLENE (PCE)	2.4	ug/L					0.18	1
MSB 41TB1	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 41TB1	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB1	9/30/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
MSB 41TB1	9/30/2015	1,4-DIOXANE	2.6	ug/L	J		21		1.2	5
MSB 41TB3	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB3	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41TB3	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB3	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB3	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 41TB3	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41TB3	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TB3	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TB3	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TB3	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 41TB3	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 41TB3	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB3	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 41TB3	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB3	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 41TB3	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 41TB3	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB3	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 41TB3	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 41TB3	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 41TB3	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 41TB3	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 41TB3	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 41TB3	9/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 41TB3	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 41TB3	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 41TB3	9/30/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 41TB3	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 42A	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42A	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42A	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42A	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42A	3/23/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 42A	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 42A	3/23/2015	CARBON TETRACHLORIDE	0.74	ug/L	J		21		0.13	1
MSB 42A	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42A	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42A	3/23/2015	CIS-1,2-DICHLOROETHYLENE	0.8	ug/L	J		21		0.09	1
MSB 42A	3/23/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.18	1
MSB 42A	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42A	3/23/2015	TRICHLOROETHYLENE (TCE)	4.3	ug/L					0.25	1
MSB 42A	9/24/2015	ALUMINUM	52.5	ug/L	J		21		40	400
MSB 42A	9/24/2015	BARIUM	4.5	ug/L	J		21		2	20
MSB 42A	9/24/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 42A	9/24/2015	CADMIUM	0.155	ug/L	J		21		0.1	1
MSB 42A	9/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB 42A	9/24/2015	COBALT	5	ug/L	U				0.5	5
MSB 42A	9/24/2015	COPPER	100	ug/L					0.5	5
MSB 42A	9/24/2015	IRON	127	ug/L			V		10	100
MSB 42A	9/24/2015	LEAD	41.6	ug/L					0.5	5
MSB 42A	9/24/2015	MANGANESE	3.14	ug/L	J		21		1	10
MSB 42A	9/24/2015	NICKEL	0.82	ug/L	J		21		0.5	5
MSB 42A	9/24/2015	SELENIUM	20	ug/L	U				2	20
MSB 42A	9/24/2015	SODIUM	1840	ug/L					20	200
MSB 42A	9/24/2015	VANADIUM	50	ug/L	U				5	50
MSB 42A	9/24/2015	ZINC	21.9	ug/L	J		21		4	40
MSB 42A	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42A	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42A	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42A	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42A	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 42A	9/24/2015	ACETONE	6.1	ug/L					0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42A	9/24/2015	CARBON TETRACHLORIDE	0.63	ug/L	J		21		0.13	1
MSB 42A	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42A	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42A	9/24/2015	CIS-1,2-DICHLOROETHYLENE	0.81	ug/L	J		21		0.09	1
MSB 42A	9/24/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.18	1
MSB 42A	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 42A	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42A	9/24/2015	TRICHLOROETHYLENE (TCE)	5.5	ug/L					0.25	1
MSB 42A	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 42B	2/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42B	2/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42B	2/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42B	2/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42B	2/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 42B	2/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 42B	2/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42B	2/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42B	2/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42B	2/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 42B	2/26/2015	TETRACHLOROETHYLENE (PCE)	0.56	ug/L	J		21		0.18	1
MSB 42B	2/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42B	2/26/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
MSB 42B	8/28/2015	ALUMINUM	70	ug/L	J		21		40	400
MSB 42B	8/28/2015	BARIUM	4.84	ug/L	J		21		2	20
MSB 42B	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 42B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 42B	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 42B	8/28/2015	COPPER	1.51	ug/L	J		21		0.5	5
MSB 42B	8/28/2015	IRON	132	ug/L			V		10	100
MSB 42B	8/28/2015	LEAD	4.51	ug/L	J		21		0.5	5
MSB 42B	8/28/2015	MANGANESE	2.48	ug/L	J		21		1	10
MSB 42B	8/28/2015	NICKEL	5	ug/L	U				0.5	5
MSB 42B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 42B	8/28/2015	SODIUM	2580	ug/L					20	200
MSB 42B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 42B	8/28/2015	ZINC	13.1	ug/L	J		21		4	40
MSB 42B	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42B	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42B	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42B	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 42B	8/28/2015	ACETONE	3.2	ug/L					0.34	2
MSB 42B	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42B	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 42B	8/28/2015	TETRACHLOROETHYLENE (PCE)	0.63	ug/L	J		21		0.18	1
MSB 42B	8/28/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
MSB 42B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42B	8/28/2015	TRICHLOROETHYLENE (TCE)	2.9	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42B	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 42C	2/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42C	2/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42C	2/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42C	2/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42C	2/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 42C	2/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 42C	2/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42C	2/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42C	2/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42C	2/26/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 42C	2/26/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 42C	2/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42C	2/26/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.25	1
MSB 42C	8/28/2015	ALUMINUM	596	ug/L					40	400
MSB 42C	8/28/2015	BARIUM	7.25	ug/L	J		21		2	20
MSB 42C	8/28/2015	BERYLLIUM	0.105	ug/L	J		21		0.1	1
MSB 42C	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 42C	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 42C	8/28/2015	COBALT	0.657	ug/L	J		21		0.5	5
MSB 42C	8/28/2015	COPPER	1.91	ug/L	J		21		0.5	5
MSB 42C	8/28/2015	IRON	506	ug/L			V		10	100
MSB 42C	8/28/2015	LEAD	3.18	ug/L	J		21		0.5	5
MSB 42C	8/28/2015	MANGANESE	10.4	ug/L					1	10
MSB 42C	8/28/2015	NICKEL	1.32	ug/L	J		21		0.5	5
MSB 42C	8/28/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42C	8/28/2015	SODIUM	2050	ug/L					20	200
MSB 42C	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 42C	8/28/2015	ZINC	5.57	ug/L	J		21		4	40
MSB 42C	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42C	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42C	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42C	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42C	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 42C	8/28/2015	ACETONE	4.9	ug/L					0.34	2
MSB 42C	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42C	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42C	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42C	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 42C	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 42C	8/28/2015	TOLUENE	0.28	ug/L	J		21		0.07	1
MSB 42C	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42C	8/28/2015	TRICHLOROETHYLENE (TCE)	0.65	ug/L	J		21		0.25	1
MSB 42C	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 42TA	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42TA	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42TA	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42TA	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42TA	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 42TA	3/10/2015	ACETONE	2	ug/L	U				0.34	2
MSB 42TA	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42TA	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42TA	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42TA	3/10/2015	CIS-1,2-DICHLOROETHYLENE	4.8	ug/L					0.09	1
MSB 42TA	3/10/2015	TETRACHLOROETHYLENE (PCE)	6.8	ug/L					0.18	1
MSB 42TA	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42TA	3/10/2015	TRICHLOROETHYLENE (TCE)	2.6	ug/L					0.25	1
MSB 42TA	8/28/2015	ALUMINUM	60.8	ug/L	J		21		40	400
MSB 42TA	8/28/2015	BARIUM	4.22	ug/L	J		21		2	20
MSB 42TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 42TA	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 42TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 42TA	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 42TA	8/28/2015	COPPER	5.51	ug/L					0.5	5
MSB 42TA	8/28/2015	IRON	41900	ug/L			V		10	100
MSB 42TA	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 42TA	8/28/2015	MANGANESE	225	ug/L					1	10
MSB 42TA	8/28/2015	NICKEL	2.68	ug/L	J		21		0.5	5
MSB 42TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 42TA	8/28/2015	SODIUM	1970	ug/L					20	200
MSB 42TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 42TA	8/28/2015	ZINC	14.3	ug/L	J		21		4	40
MSB 42TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 42TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 42TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 42TA	8/28/2015	ACETONE	7.2	ug/L					0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 42TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 42TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 42TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	3.5	ug/L					0.09	1
MSB 42TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	4.1	ug/L					0.18	1
MSB 42TA	8/28/2015	TOLUENE	0.28	ug/L	J		21		0.07	1
MSB 42TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 42TA	8/28/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1
MSB 42TA	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 42TB1	3/18/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 42TB1	3/18/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 42TB1	3/18/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 42TB1	3/18/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 42TB1	3/18/2015	1,4-DIOXANE	800	ug/L	U				76	800
MSB 42TB1	3/18/2015	ACETONE	20	ug/L	U				3.4	20
MSB 42TB1	3/18/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 42TB1	3/18/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 42TB1	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 42TB1	3/18/2015	CIS-1,2-DICHLOROETHYLENE	18	ug/L					0.9	10
MSB 42TB1	3/18/2015	TETRACHLOROETHYLENE (PCE)	130	ug/L					1.8	10
MSB 42TB1	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 42TB1	3/18/2015	TRICHLOROETHYLENE (TCE)	1500	ug/L					25	100
MSB 42TB1	3/18/2015	1,4-DIOXANE	3.6	ug/L					0.85	3
MSB 42TB1	10/21/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 42TB1	10/21/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42TB1	10/21/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 42TB1	10/21/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 42TB1	10/21/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 42TB1	10/21/2015	ACETONE	20	ug/L	U				3.4	20
MSB 42TB1	10/21/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 42TB1	10/21/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 42TB1	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 42TB1	10/21/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L					0.9	10
MSB 42TB1	10/21/2015	TETRACHLOROETHYLENE (PCE)	100	ug/L					1.8	10
MSB 42TB1	10/21/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 42TB1	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 42TB1	10/21/2015	TRICHLOROETHYLENE (TCE)	1400	ug/L					25	100
MSB 42TB1	10/21/2015	1,4-DIOXANE	2.5	ug/L	J		21		2.5	10
MSB 42TB3	3/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 42TB3	3/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 42TB3	3/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 42TB3	3/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 42TB3	3/18/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 42TB3	3/18/2015	ACETONE	5	ug/L	U				0.85	5
MSB 42TB3	3/18/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 42TB3	3/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 42TB3	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 42TB3	3/18/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L					0.23	2.5
MSB 42TB3	3/18/2015	TETRACHLOROETHYLENE (PCE)	46	ug/L					0.45	2.5
MSB 42TB3	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 42TB3	3/18/2015	TRICHLOROETHYLENE (TCE)	230	ug/L					6.3	25
MSB 42TB3	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 42TB3	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 42TB3	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 42TB3	10/21/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 42TB3	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 42TB3	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB 42TB3	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 42TB3	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 42TB3	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 42TB3	10/21/2015	CIS-1,2-DICHLOROETHYLENE	2.5	ug/L			S		0.23	2.5
MSB 42TB3	10/21/2015	TETRACHLOROETHYLENE (PCE)	31	ug/L					0.45	2.5
MSB 42TB3	10/21/2015	TOLUENE	0.42	ug/L	J		21		0.18	2.5
MSB 42TB3	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 42TB3	10/21/2015	TRICHLOROETHYLENE (TCE)	240	ug/L					6.3	25
MSB 42TB3	10/21/2015	1,4-DIOXANE	1.8	ug/L	J		21		1.2	5
MSB 43A	2/25/2015	ALUMINUM	35	ug/L	J		21		22	200
MSB 43A	2/25/2015	BARIUM	11	ug/L	J		21		2.1	50
MSB 43A	2/25/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 43A	2/25/2015	COPPER	160	ug/L					2.1	25
MSB 43A	2/25/2015	LEAD	220	ug/L					0.6	10
MSB 43A	2/25/2015	NICKEL	40	ug/L	U				2.6	40
MSB 43A	2/25/2015	ZINC	18	ug/L	J		21		8.3	20
MSB 43A	2/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43A	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43A	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43A	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43A	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43A	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 43A	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 43A	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43A	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43A	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43A	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43A	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43A	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43A	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43A	10/5/2015	NITRATE-NITRITE AS NITROGEN	1.9	mg/L					0.047	0.5
MSB 43A	10/5/2015	ALUMINUM	51	ug/L					17	30
MSB 43A	10/5/2015	BARIUM	6.1	ug/L					0.22	2
MSB 43A	10/5/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
MSB 43A	10/5/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
MSB 43A	10/5/2015	CHROMIUM	1.4	ug/L	J		21		1	10
MSB 43A	10/5/2015	COBALT	2	ug/L	U				0.22	2
MSB 43A	10/5/2015	COPPER	0.97	ug/L	J		21		0.68	1
MSB 43A	10/5/2015	IRON	66	ug/L					33	50
MSB 43A	10/5/2015	LEAD	1.1	ug/L	J		21		0.17	3
MSB 43A	10/5/2015	MANGANESE	2.9	ug/L					0.88	2
MSB 43A	10/5/2015	NICKEL	5	ug/L	U				0.8	5
MSB 43A	10/5/2015	SELENIUM	5	ug/L	U				1.6	5
MSB 43A	10/5/2015	SODIUM	3100	ug/L			V		24	50
MSB 43A	10/5/2015	VANADIUM	10	ug/L	U				2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43A	10/5/2015	ZINC	20	ug/L	U				9.3	20
MSB 43A	10/5/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43A	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43A	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43A	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43A	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43A	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 43A	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 43A	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43A	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43A	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43A	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43A	10/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43A	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 43A	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43A	10/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43A	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 43A	10/5/2015	GROSS ALPHA	0.717	pCi/L	U			0.705	1.1	2.51
MSB 43A	10/5/2015	NONVOLATILE BETA	0.159	pCi/L	U			0.458	0.784	1.7
MSB 43A	10/5/2015	TOTAL ORGANIC HALOGENS	2.7	ug/L	J		21		1.8	5
MSB 43A	10/5/2015	RADIUM-226	0.416	pCi/L				0.092	0.072	0.2567
MSB 43A	10/5/2015	RADIUM-228	1.36	pCi/L				0.364	0.466	1.194
MSB 43A	10/5/2015	CHLORIDE	2.7	mg/L					0.02	0.2
MSB 43A	10/5/2015	SULFATE	0.16	mg/L	J		21		0.05	0.5
MSB 43A	10/5/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
MSB 43B	2/25/2015	ALUMINUM	200	ug/L	U				22	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43B	2/25/2015	BARIUM	2.7	ug/L	J		21		2.1	50
MSB 43B	2/25/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 43B	2/25/2015	COPPER	20	ug/L	J		21		2.1	25
MSB 43B	2/25/2015	LEAD	12	ug/L					0.6	10
MSB 43B	2/25/2015	NICKEL	40	ug/L	U				2.6	40
MSB 43B	2/25/2015	ZINC	16	ug/L	J		21		8.3	20
MSB 43B	2/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43B	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43B	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43B	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43B	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43B	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 43B	2/25/2015	ACETONE	4.1	ug/L					0.34	2
MSB 43B	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43B	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43B	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43B	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43B	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43B	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43B	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43B	10/5/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.0094	0.1
MSB 43B	10/5/2015	ALUMINUM	30	ug/L	U				17	30
MSB 43B	10/5/2015	BARIUM	2.6	ug/L					0.22	2
MSB 43B	10/5/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
MSB 43B	10/5/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
MSB 43B	10/5/2015	CHROMIUM	1.1	ug/L	J		21		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43B	10/5/2015	COBALT	2	ug/L	U				0.22	2
MSB 43B	10/5/2015	COPPER	5.3	ug/L					0.68	1
MSB 43B	10/5/2015	IRON	42	ug/L	J		21		33	50
MSB 43B	10/5/2015	LEAD	1.9	ug/L	J		21		0.17	3
MSB 43B	10/5/2015	MANGANESE	1.3	ug/L	J		21		0.88	2
MSB 43B	10/5/2015	NICKEL	5	ug/L	U				0.8	5
MSB 43B	10/5/2015	SELENIUM	5	ug/L	U				1.6	5
MSB 43B	10/5/2015	SODIUM	1900	ug/L			V		24	50
MSB 43B	10/5/2015	VANADIUM	10	ug/L	U				2.4	10
MSB 43B	10/5/2015	ZINC	9.7	ug/L	J		21		9.3	20
MSB 43B	10/5/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43B	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43B	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43B	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43B	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43B	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 43B	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 43B	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43B	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43B	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43B	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43B	10/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43B	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 43B	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43B	10/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43B	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43B	10/5/2015	GROSS ALPHA	1.93	pCi/L	J		21	0.913	1.07	2.896
MSB 43B	10/5/2015	NONVOLATILE BETA	0.966	pCi/L	J		21	0.644	0.954	2.242
MSB 43B	10/5/2015	TOTAL ORGANIC HALOGENS	5.8	ug/L					1.8	5
MSB 43B	10/5/2015	RADIUM-226	1.23	pCi/L				0.158	0.1	0.416
MSB 43B	10/5/2015	RADIUM-228	0.807	pCi/L	J		21	0.352	0.511	1.215
MSB 43B	10/5/2015	CHLORIDE	1.6	mg/L					0.02	0.2
MSB 43B	10/5/2015	SULFATE	0.18	mg/L	J		21		0.05	0.5
MSB 43B	10/5/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
MSB 43D	2/25/2015	ALUMINUM	37	ug/L	J		21		22	200
MSB 43D	2/25/2015	BARIUM	5.3	ug/L	J		21		2.1	50
MSB 43D	2/25/2015	CHROMIUM	10	ug/L	U				3.4	10
MSB 43D	2/25/2015	COPPER	9.6	ug/L	J		21		2.1	25
MSB 43D	2/25/2015	LEAD	5.9	ug/L	J		21		0.6	10
MSB 43D	2/25/2015	NICKEL	40	ug/L	U				2.6	40
MSB 43D	2/25/2015	ZINC	10	ug/L	J		21		8.3	20
MSB 43D	2/25/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43D	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43D	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43D	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43D	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43D	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 43D	2/25/2015	ACETONE	4.7	ug/L					0.34	2
MSB 43D	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43D	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43D	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43D	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43D	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43D	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43D	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43D	10/5/2015	NITRATE-NITRITE AS NITROGEN	0.9	mg/L					0.0094	0.1
MSB 43D	10/5/2015	ALUMINUM	86	ug/L					17	30
MSB 43D	10/5/2015	BARIUM	5	ug/L					0.22	2
MSB 43D	10/5/2015	BERYLLIUM	0.5	ug/L	U				0.35	0.5
MSB 43D	10/5/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
MSB 43D	10/5/2015	CHROMIUM	10	ug/L	U				1	10
MSB 43D	10/5/2015	COBALT	0.48	ug/L	J		21		0.22	2
MSB 43D	10/5/2015	COPPER	9.2	ug/L					0.68	1
MSB 43D	10/5/2015	IRON	110	ug/L					33	50
MSB 43D	10/5/2015	LEAD	1.7	ug/L	J		21		0.17	3
MSB 43D	10/5/2015	MANGANESE	8.3	ug/L					0.88	2
MSB 43D	10/5/2015	NICKEL	0.86	ug/L	J		21		0.8	5
MSB 43D	10/5/2015	SELENIUM	5	ug/L	U				1.6	5
MSB 43D	10/5/2015	SODIUM	1400	ug/L			V		24	50
MSB 43D	10/5/2015	VANADIUM	10	ug/L	U				2.4	10
MSB 43D	10/5/2015	ZINC	12	ug/L	J		21		9.3	20
MSB 43D	10/5/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB 43D	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43D	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43D	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43D	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43D	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 43D	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 43D	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43D	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43D	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43D	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43D	10/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43D	10/5/2015	TOLUENE	0.13	ug/L	J		21		0.07	1
MSB 43D	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43D	10/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43D	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 43D	10/5/2015	GROSS ALPHA	0.871	pCi/L	U			0.969	1.58	3.518
MSB 43D	10/5/2015	NONVOLATILE BETA	0.963	pCi/L	U			0.743	1.17	2.656
MSB 43D	10/5/2015	TOTAL ORGANIC HALOGENS	1.8	ug/L	J		21		1.8	5
MSB 43D	10/5/2015	RADIUM-226	0.575	pCi/L				0.113	0.095	0.3214
MSB 43D	10/5/2015	RADIUM-228	0.644	pCi/L	J		21	0.3	0.436	1.036
MSB 43D	10/5/2015	CHLORIDE	2	mg/L					0.02	0.2
MSB 43D	10/5/2015	SULFATE	0.13	mg/L	J		21		0.05	0.5
MSB 43D	10/5/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
MSB 43TA	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43TA	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43TA	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43TA	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43TA	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 43TA	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 43TA	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43TA	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43TA	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 43TA	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43TA	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43TA	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43TA	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43TA	8/27/2015	ALUMINUM	52	ug/L	J		21		40	400
MSB 43TA	8/27/2015	BARIUM	20	ug/L	U				2	20
MSB 43TA	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 43TA	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 43TA	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 43TA	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 43TA	8/27/2015	COPPER	7.82	ug/L					0.5	5
MSB 43TA	8/27/2015	IRON	762	ug/L			V		10	100
MSB 43TA	8/27/2015	LEAD	2.11	ug/L	J		21		0.5	5
MSB 43TA	8/27/2015	MANGANESE	24.4	ug/L					1	10
MSB 43TA	8/27/2015	NICKEL	5	ug/L	U				0.5	5
MSB 43TA	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 43TA	8/27/2015	SODIUM	1570	ug/L					20	200
MSB 43TA	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 43TA	8/27/2015	ZINC	4.3	ug/L	J		21		4	40
MSB 43TA	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43TA	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 43TA	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 43TA	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43TA	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 43TA	8/27/2015	ACETONE	11	ug/L					0.34	2
MSB 43TA	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 43TA	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 43TA	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 43TA	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 43TA	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 43TA	8/27/2015	TOLUENE	0.29	ug/L	J		21		0.07	1
MSB 43TA	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 43TA	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 43TA	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 45A	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45A	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 45A	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45A	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45A	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 45A	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 45A	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 45A	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 45A	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 45A	3/23/2015	CIS-1,2-DICHLOROETHYLENE	0.74	ug/L	J		21		0.09	1
MSB 45A	3/23/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MSB 45A	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45A	3/23/2015	TRICHLOROETHYLENE (TCE)	51	ug/L					1.3	5
MSB 45A	11/20/2015	ALUMINUM	517	ug/L					40	400
MSB 45A	11/20/2015	BARIUM	36.4	ug/L					2	20
MSB 45A	11/20/2015	BERYLLIUM	0.182	ug/L	J		21		0.1	1
MSB 45A	11/20/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 45A	11/20/2015	CHROMIUM	100	ug/L	U				10	100
MSB 45A	11/20/2015	COBALT	0.736	ug/L	J		21		0.5	5
MSB 45A	11/20/2015	COPPER	5.36	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 45A	11/20/2015	IRON	102	ug/L					10	100
MSB 45A	11/20/2015	LEAD	11.8	ug/L					0.5	5
MSB 45A	11/20/2015	MANGANESE	5.01	ug/L	J		21		1	10
MSB 45A	11/20/2015	NICKEL	3.93	ug/L	J		21		0.5	5
MSB 45A	11/20/2015	SELENIUM	20	ug/L	U				2	20
MSB 45A	11/20/2015	SODIUM	2640	ug/L					20	200
MSB 45A	11/20/2015	VANADIUM	50	ug/L	U				5	50
MSB 45A	11/20/2015	ZINC	9.62	ug/L	J		21		4	40
MSB 45A	11/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45A	11/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 45A	11/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45A	11/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45A	11/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 45A	11/20/2015	ACETONE	5.7	ug/L					0.34	2
MSB 45A	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 45A	11/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 45A	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 45A	11/20/2015	CIS-1,2-DICHLOROETHYLENE	0.65	ug/L	J		21		0.09	1
MSB 45A	11/20/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MSB 45A	11/20/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 45A	11/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45A	11/20/2015	TRICHLOROETHYLENE (TCE)	52	ug/L					1.3	5
MSB 45A	11/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 45B	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45B	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 45B	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 45B	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45B	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 45B	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 45B	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 45B	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 45B	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 45B	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 45B	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 45B	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45B	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 45B	8/27/2015	ALUMINUM	69	ug/L	J		21		40	400
MSB 45B	8/27/2015	BARIUM	20	ug/L	U				2	20
MSB 45B	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 45B	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 45B	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 45B	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 45B	8/27/2015	COPPER	1.82	ug/L	J		21		0.5	5
MSB 45B	8/27/2015	IRON	22.5	ug/L	U		21, V		10	100
MSB 45B	8/27/2015	LEAD	3.52	ug/L	J		21		0.5	5
MSB 45B	8/27/2015	MANGANESE	10	ug/L	U				1	10
MSB 45B	8/27/2015	NICKEL	5	ug/L	U				0.5	5
MSB 45B	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 45B	8/27/2015	SODIUM	6860	ug/L					20	200
MSB 45B	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 45B	8/27/2015	ZINC	10	ug/L	J		21		4	40
MSB 45B	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 45B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 45B	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 45B	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45B	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 45B	8/27/2015	ACETONE	13	ug/L					0.34	2
MSB 45B	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 45B	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 45B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 45B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 45B	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 45B	8/27/2015	TOLUENE	0.51	ug/L	J		21		0.07	1
MSB 45B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 45B	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 45B	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 46A	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 46A	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 46A	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 46A	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 46A	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 46A	3/5/2015	ACETONE	1.8	ug/L	J		21		0.34	2
MSB 46A	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 46A	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 46A	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 46A	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 46A	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 46A	3/5/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 46A	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 46A	8/27/2015	ALUMINUM	179	ug/L	J		21		40	400
MSB 46A	8/27/2015	BARIUM	28	ug/L					2	20
MSB 46A	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 46A	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 46A	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 46A	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 46A	8/27/2015	COPPER	1.64	ug/L	J		21		0.5	5
MSB 46A	8/27/2015	IRON	379	ug/L			V		10	100
MSB 46A	8/27/2015	LEAD	2.03	ug/L	J		21		0.5	5
MSB 46A	8/27/2015	MANGANESE	31	ug/L					1	10
MSB 46A	8/27/2015	NICKEL	1	ug/L	J		21		0.5	5
MSB 46A	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 46A	8/27/2015	SODIUM	3130	ug/L					20	200
MSB 46A	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 46A	8/27/2015	ZINC	4.13	ug/L	J		21		4	40
MSB 46A	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 46A	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 46A	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 46A	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 46A	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 46A	8/27/2015	ACETONE	16	ug/L					0.34	2
MSB 46A	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 46A	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 46A	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 46A	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 46A	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 46A	8/27/2015	TOLUENE	0.22	ug/L	J		21		0.07	1
MSB 46A	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 46A	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 46A	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 47B	3/10/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 47B	3/10/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 47B	3/10/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 47B	3/10/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 47B	3/10/2015	1,4-DIOXANE	400	ug/L	U				38	400
MSB 47B	3/10/2015	ACETONE	10	ug/L	U				1.7	10
MSB 47B	3/10/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 47B	3/10/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 47B	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 47B	3/10/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.45	5
MSB 47B	3/10/2015	TETRACHLOROETHYLENE (PCE)	8.9	ug/L					0.9	5
MSB 47B	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 47B	3/10/2015	TRICHLOROETHYLENE (TCE)	1400	ug/L					13	50
MSB 47B	8/28/2015	ALUMINUM	485	ug/L					40	400
MSB 47B	8/28/2015	BARIUM	26.1	ug/L					2	20
MSB 47B	8/28/2015	BERYLLIUM	0.127	ug/L	J		21		0.1	1
MSB 47B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 47B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 47B	8/28/2015	COBALT	1.89	ug/L	J		21		0.5	5
MSB 47B	8/28/2015	COPPER	1.04	ug/L	J		21		0.5	5
MSB 47B	8/28/2015	IRON	425	ug/L			V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 47B	8/28/2015	LEAD	1.57	ug/L	J		21		0.5	5
MSB 47B	8/28/2015	MANGANESE	44.9	ug/L					1	10
MSB 47B	8/28/2015	NICKEL	2.04	ug/L	J		21		0.5	5
MSB 47B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 47B	8/28/2015	SODIUM	2810	ug/L					20	200
MSB 47B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 47B	8/28/2015	ZINC	12.4	ug/L	J		21		4	40
MSB 47B	8/28/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 47B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 47B	8/28/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 47B	8/28/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 47B	8/28/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB 47B	8/28/2015	ACETONE	100	ug/L	U				17	100
MSB 47B	8/28/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 47B	8/28/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 47B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
MSB 47B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	19	ug/L	J		21		4.5	50
MSB 47B	8/28/2015	TETRACHLOROETHYLENE (PCE)	50	ug/L	U				9	50
MSB 47B	8/28/2015	TOLUENE	50	ug/L	U				3.5	50
MSB 47B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 47B	8/28/2015	TRICHLOROETHYLENE (TCE)	1200	ug/L					13	50
MSB 47B	8/28/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 47B	8/28/2015	SULFATE	0.34	mg/L	J		21		0.05	0.5
MSB 47C	3/10/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 47C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 47C	3/10/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 47C	3/10/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 47C	3/10/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 47C	3/10/2015	ACETONE	5	ug/L	U				0.85	5
MSB 47C	3/10/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 47C	3/10/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 47C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 47C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L	J		21		0.23	2.5
MSB 47C	3/10/2015	TETRACHLOROETHYLENE (PCE)	3.1	ug/L					0.45	2.5
MSB 47C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 47C	3/10/2015	TRICHLOROETHYLENE (TCE)	330	ug/L					6.3	25
MSB 47C	8/27/2015	ALUMINUM	103	ug/L	J		21		40	400
MSB 47C	8/27/2015	BARIUM	57.8	ug/L					2	20
MSB 47C	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 47C	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 47C	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 47C	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 47C	8/27/2015	COPPER	5	ug/L	U				0.5	5
MSB 47C	8/27/2015	IRON	100	ug/L	U		V		10	100
MSB 47C	8/27/2015	LEAD	5	ug/L	U				0.5	5
MSB 47C	8/27/2015	MANGANESE	1.42	ug/L	J		21		1	10
MSB 47C	8/27/2015	NICKEL	5	ug/L	U				0.5	5
MSB 47C	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 47C	8/27/2015	SODIUM	5970	ug/L					20	200
MSB 47C	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 47C	8/27/2015	ZINC	40	ug/L	U				4	40
MSB 47C	8/27/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 47C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 47C	8/27/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 47C	8/27/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 47C	8/27/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 47C	8/27/2015	ACETONE	50	ug/L	U				8.5	50
MSB 47C	8/27/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 47C	8/27/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 47C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 47C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 47C	8/27/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB 47C	8/27/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 47C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 47C	8/27/2015	TRICHLOROETHYLENE (TCE)	370	ug/L					6.3	25
MSB 47C	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 47C	8/27/2015	SULFATE	0.55	mg/L					0.05	0.5
MSB 47TA	2/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 47TA	2/17/2015	TRICHLOROETHYLENE (TCE)	0.99	ug/L	J		21		0.25	1
MSB 47TA	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 47TA	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 47TA	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 47TA	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 47TA	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 47TA	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 47TA	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 47TA	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 47TA	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 47TA	3/5/2015	CIS-1,2-DICHLOROETHYLENE	0.39	ug/L	J		21		0.09	1
MSB 47TA	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 47TA	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 47TA	3/5/2015	TRICHLOROETHYLENE (TCE)	0.87	ug/L	J		21		0.25	1
MSB 47TA	5/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 47TA	5/21/2015	TRICHLOROETHYLENE (TCE)	0.87	ug/L	J		21		0.25	1
MSB 47TA	8/28/2015	ALUMINUM	6610	ug/L					40	400
MSB 47TA	8/28/2015	BARIUM	34.3	ug/L					2	20
MSB 47TA	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 47TA	8/28/2015	CADMIUM	67.7	ug/L					0.1	1
MSB 47TA	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 47TA	8/28/2015	COBALT	1.02	ug/L	J		21		0.5	5
MSB 47TA	8/28/2015	COPPER	5.63	ug/L					0.5	5
MSB 47TA	8/28/2015	IRON	28200	ug/L			V		10	100
MSB 47TA	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 47TA	8/28/2015	MANGANESE	135	ug/L					1	10
MSB 47TA	8/28/2015	NICKEL	5.15	ug/L					0.5	5
MSB 47TA	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 47TA	8/28/2015	SODIUM	2870	ug/L					20	200
MSB 47TA	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 47TA	8/28/2015	ZINC	12.3	ug/L	J		21		4	40
MSB 47TA	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 47TA	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 47TA	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 47TA	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 47TA	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 47TA	8/28/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 47TA	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 47TA	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 47TA	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 47TA	8/28/2015	CIS-1,2-DICHLOROETHYLENE	0.36	ug/L	J		21		0.09	1
MSB 47TA	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 47TA	8/28/2015	TOLUENE	0.33	ug/L	J		21		0.07	1
MSB 47TA	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 47TA	8/28/2015	TRICHLOROETHYLENE (TCE)	3.1	ug/L					0.25	1
MSB 47TA	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 47TA	8/28/2015	SULFATE	0.1	mg/L	J		21		0.05	0.5
MSB 47TA	9/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
MSB 47TA	9/22/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J		21		0.3	1
MSB 47TA	12/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 47TA	12/7/2015	TRICHLOROETHYLENE (TCE)	0.7	ug/L	J		21		0.25	1
MSB 48A	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48A	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48A	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48A	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48A	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 48A	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48A	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48A	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48A	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48A	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48A	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48A	3/5/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 48A	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 48A	8/27/2015	ALUMINUM	2590	ug/L					40	400
MSB 48A	8/27/2015	BARIUM	25.9	ug/L					2	20
MSB 48A	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 48A	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 48A	8/27/2015	CHROMIUM	10.2	ug/L	J		21		10	100
MSB 48A	8/27/2015	COBALT	5	ug/L	U				0.5	5
MSB 48A	8/27/2015	COPPER	47.5	ug/L					0.5	5
MSB 48A	8/27/2015	IRON	1260	ug/L			V		10	100
MSB 48A	8/27/2015	LEAD	3.9	ug/L	J		21		0.5	5
MSB 48A	8/27/2015	MANGANESE	3.69	ug/L	J		21		1	10
MSB 48A	8/27/2015	NICKEL	1.6	ug/L	J		21		0.5	5
MSB 48A	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 48A	8/27/2015	SODIUM	1350	ug/L					20	200
MSB 48A	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 48A	8/27/2015	ZINC	22.8	ug/L	J		21		4	40
MSB 48A	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48A	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48A	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48A	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48A	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 48A	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48A	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48A	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48A	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48A	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 48A	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48A	8/27/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 48A	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48A	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 48A	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 48A	8/27/2015	SULFATE	0.16	mg/L	J		21		0.05	0.5
MSB 48B	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48B	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48B	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48B	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48B	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 48B	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48B	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48B	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48B	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48B	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48B	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48B	2/24/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
MSB 48B	8/27/2015	ALUMINUM	1210	ug/L					40	400
MSB 48B	8/27/2015	BARIUM	58.9	ug/L					2	20
MSB 48B	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 48B	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 48B	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 48B	8/27/2015	COBALT	1.64	ug/L	J		21		0.5	5
MSB 48B	8/27/2015	COPPER	1.29	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 48B	8/27/2015	IRON	323	ug/L			V		10	100
MSB 48B	8/27/2015	LEAD	1.35	ug/L	J		21		0.5	5
MSB 48B	8/27/2015	MANGANESE	3.44	ug/L	J		21		1	10
MSB 48B	8/27/2015	NICKEL	0.714	ug/L	J		21		0.5	5
MSB 48B	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 48B	8/27/2015	SODIUM	10600	ug/L					20	200
MSB 48B	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 48B	8/27/2015	ZINC	7.88	ug/L	J		21		4	40
MSB 48B	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48B	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48B	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48B	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48B	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 48B	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48B	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48B	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48B	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48B	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48B	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48B	8/27/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
MSB 48B	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48B	8/27/2015	TRICHLOROETHYLENE (TCE)	2	ug/L					0.25	1
MSB 48B	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 48B	8/27/2015	SULFATE	1.6	mg/L					0.05	0.5
MSB 48C	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48C	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 48C	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48C	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48C	2/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 48C	2/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48C	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48C	2/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48C	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48C	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48C	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48C	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48C	2/24/2015	TRICHLOROETHYLENE (TCE)	0.29	ug/L	J		21		0.25	1
MSB 48C	8/27/2015	ALUMINUM	1140	ug/L					40	400
MSB 48C	8/27/2015	BARIUM	11.8	ug/L	J		21		2	20
MSB 48C	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 48C	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 48C	8/27/2015	CHROMIUM	100	ug/L	U				10	100
MSB 48C	8/27/2015	COBALT	0.97	ug/L	J		21		0.5	5
MSB 48C	8/27/2015	COPPER	3.99	ug/L	J		21		0.5	5
MSB 48C	8/27/2015	IRON	718	ug/L			V		10	100
MSB 48C	8/27/2015	LEAD	1.87	ug/L	J		21		0.5	5
MSB 48C	8/27/2015	MANGANESE	12.9	ug/L					1	10
MSB 48C	8/27/2015	NICKEL	1.66	ug/L	J		21		0.5	5
MSB 48C	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 48C	8/27/2015	SODIUM	1690	ug/L					20	200
MSB 48C	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 48C	8/27/2015	ZINC	17.3	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 48C	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48C	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48C	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48C	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48C	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 48C	8/27/2015	ACETONE	2	ug/L	U				0.34	2
MSB 48C	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48C	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48C	8/27/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48C	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48C	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48C	8/27/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 48C	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48C	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 48C	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 48C	8/27/2015	SULFATE	0.33	mg/L	J		21		0.05	0.5
MSB 48TA	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48TA	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48TA	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48TA	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48TA	3/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 48TA	3/9/2015	ACETONE	2	ug/L	U		18		0.34	2
MSB 48TA	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48TA	3/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48TA	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 48TA	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 48TA	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48TA	3/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48TA	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 48TA	8/27/2015	ALUMINUM	238	ug/L	J		21		40	400
MSB 48TA	8/27/2015	BARIUM	12.6	ug/L	J		21		2	20
MSB 48TA	8/27/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 48TA	8/27/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 48TA	8/27/2015	CHROMIUM	19.8	ug/L	J		21		10	100
MSB 48TA	8/27/2015	COBALT	0.709	ug/L	J		21		0.5	5
MSB 48TA	8/27/2015	COPPER	4.64	ug/L	J		21		0.5	5
MSB 48TA	8/27/2015	IRON	82500	ug/L			V		10	100
MSB 48TA	8/27/2015	LEAD	0.554	ug/L	J		21		0.5	5
MSB 48TA	8/27/2015	MANGANESE	553	ug/L					1	10
MSB 48TA	8/27/2015	NICKEL	4.64	ug/L	J		21		0.5	5
MSB 48TA	8/27/2015	SELENIUM	20	ug/L	U				2	20
MSB 48TA	8/27/2015	SODIUM	1910	ug/L					20	200
MSB 48TA	8/27/2015	VANADIUM	50	ug/L	U				5	50
MSB 48TA	8/27/2015	ZINC	33.5	ug/L	J		21		4	40
MSB 48TA	8/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48TA	8/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 48TA	8/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 48TA	8/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48TA	8/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 48TA	8/27/2015	ACETONE	6	ug/L			V		0.34	2
MSB 48TA	8/27/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 48TA	8/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 48TA	8/27/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 48TA	8/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 48TA	8/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 48TA	8/27/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
MSB 48TA	8/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 48TA	8/27/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 48TA	8/27/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 49A	3/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49A	3/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 49A	3/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49A	3/26/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49A	3/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 49A	3/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 49A	3/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 49A	3/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 49A	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 49A	3/26/2015	CIS-1,2-DICHLOROETHYLENE	1.8	ug/L					0.09	1
MSB 49A	3/26/2015	TETRACHLOROETHYLENE (PCE)	24	ug/L					0.18	1
MSB 49A	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49A	3/26/2015	TRICHLOROETHYLENE (TCE)	49	ug/L					1.3	5
MSB 49A	3/26/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 49A	9/30/2015	ALUMINUM	236	ug/L	J		21		40	400
MSB 49A	9/30/2015	BARIUM	31.8	ug/L					2	20
MSB 49A	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 49A	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 49A	9/30/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 49A	9/30/2015	COBALT	0.566	ug/L	J		21		0.5	5
MSB 49A	9/30/2015	COPPER	20	ug/L					0.5	5
MSB 49A	9/30/2015	IRON	76.9	ug/L	U		21, V		10	100
MSB 49A	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 49A	9/30/2015	MANGANESE	5.7	ug/L	J		21		1	10
MSB 49A	9/30/2015	NICKEL	1.34	ug/L	J		21		0.5	5
MSB 49A	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 49A	9/30/2015	SODIUM	2440	ug/L					20	200
MSB 49A	9/30/2015	VANADIUM	18.7	ug/L	J		21		5	50
MSB 49A	9/30/2015	ZINC	5.63	ug/L	J		21		4	40
MSB 49A	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49A	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 49A	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49A	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49A	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 49A	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 49A	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 49A	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 49A	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 49A	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
MSB 49A	9/30/2015	TETRACHLOROETHYLENE (PCE)	30	ug/L					0.18	1
MSB 49A	9/30/2015	TOLUENE	0.21	ug/L	J		21		0.07	1
MSB 49A	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49A	9/30/2015	TRICHLOROETHYLENE (TCE)	80	ug/L					1.3	5
MSB 49A	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 49B	3/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 49B	3/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 49B	3/26/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49B	3/26/2015	1,1-DICHLOROETHYLENE	1.7	ug/L					0.08	1
MSB 49B	3/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 49B	3/26/2015	ACETONE	2	ug/L	U				0.34	2
MSB 49B	3/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 49B	3/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 49B	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 49B	3/26/2015	CIS-1,2-DICHLOROETHYLENE	1.3	ug/L					0.09	1
MSB 49B	3/26/2015	TETRACHLOROETHYLENE (PCE)	30	ug/L					0.18	1
MSB 49B	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49B	3/26/2015	TRICHLOROETHYLENE (TCE)	25	ug/L					0.25	1
MSB 49B	3/26/2015	1,4-DIOXANE	7.8	ug/L					0.85	3
MSB 49B	8/28/2015	ALUMINUM	896	ug/L					40	400
MSB 49B	8/28/2015	BARIUM	39.9	ug/L					2	20
MSB 49B	8/28/2015	BERYLLIUM	1.1	ug/L					0.1	1
MSB 49B	8/28/2015	CADMIUM	0.216	ug/L	J		21		0.1	1
MSB 49B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 49B	8/28/2015	COBALT	17.3	ug/L					0.5	5
MSB 49B	8/28/2015	COPPER	54.8	ug/L					0.5	5
MSB 49B	8/28/2015	IRON	74.6	ug/L	U		21, V		10	100
MSB 49B	8/28/2015	LEAD	5.1	ug/L					0.5	5
MSB 49B	8/28/2015	MANGANESE	133	ug/L					1	10
MSB 49B	8/28/2015	NICKEL	19.2	ug/L					0.5	5
MSB 49B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 49B	8/28/2015	SODIUM	6920	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 49B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 49B	8/28/2015	ZINC	69.4	ug/L					4	40
MSB 49B	8/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 49B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 49B	8/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 49B	8/28/2015	1,1-DICHLOROETHYLENE	2.1	ug/L	J		21		0.4	5
MSB 49B	8/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 49B	8/28/2015	ACETONE	9	ug/L	J		21		1.7	10
MSB 49B	8/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 49B	8/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 49B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 49B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1.5	ug/L	J		21		0.45	5
MSB 49B	8/28/2015	TETRACHLOROETHYLENE (PCE)	35	ug/L					0.9	5
MSB 49B	8/28/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 49B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 49B	8/28/2015	TRICHLOROETHYLENE (TCE)	36	ug/L					1.3	5
MSB 49B	8/28/2015	1,4-DIOXANE	6.8	ug/L					1.2	5
MSB 49D	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49D	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 49D	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49D	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49D	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 49D	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 49D	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 49D	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 49D	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 49D	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 49D	2/25/2015	TETRACHLOROETHYLENE (PCE)	0.88	ug/L	J		21		0.18	1
MSB 49D	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49D	2/25/2015	TRICHLOROETHYLENE (TCE)	3.7	ug/L					0.25	1
MSB 49D	11/19/2015	ALUMINUM	562	ug/L					40	400
MSB 49D	11/19/2015	BARIUM	11.5	ug/L	J		21		2	20
MSB 49D	11/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 49D	11/19/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 49D	11/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 49D	11/19/2015	COBALT	5	ug/L	U				0.5	5
MSB 49D	11/19/2015	COPPER	1.1	ug/L	J		21		0.5	5
MSB 49D	11/19/2015	IRON	27.9	ug/L	J		21		10	100
MSB 49D	11/19/2015	LEAD	0.638	ug/L	J		21		0.5	5
MSB 49D	11/19/2015	MANGANESE	4.34	ug/L	J		21		1	10
MSB 49D	11/19/2015	NICKEL	5	ug/L	U				0.5	5
MSB 49D	11/19/2015	SELENIUM	20	ug/L	U				2	20
MSB 49D	11/19/2015	SODIUM	1480	ug/L					20	200
MSB 49D	11/19/2015	VANADIUM	50	ug/L	U				5	50
MSB 49D	11/19/2015	ZINC	40	ug/L	U				4	40
MSB 49D	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49D	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 49D	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 49D	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49D	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 49D	11/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 49D	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 49D	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 49D	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 49D	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 49D	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 49D	11/19/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 49D	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 49D	11/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 49D	11/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 50B	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 50B	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 50B	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 50B	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 50B	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 50B	10/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 50B	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 50B	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 50B	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 50B	10/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 50B	10/5/2015	TETRACHLOROETHYLENE (PCE)	0.7	ug/L	J		21		0.18	1
MSB 50B	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 50B	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 50B	10/5/2015	TRICHLOROETHYLENE (TCE)	0.88	ug/L	J		21		0.25	1
MSB 50B	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 51B	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 51B	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 51B	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 51B	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 51B	3/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 51B	3/9/2015	ACETONE	2	ug/L	U		18		0.34	2
MSB 51B	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 51B	3/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 51B	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 51B	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 51B	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 51B	3/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 51B	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 51B	8/28/2015	ALUMINUM	809	ug/L					40	400
MSB 51B	8/28/2015	BARIUM	14.5	ug/L	J		21		2	20
MSB 51B	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 51B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 51B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 51B	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 51B	8/28/2015	COPPER	0.789	ug/L	J		21		0.5	5
MSB 51B	8/28/2015	IRON	400	ug/L			V		10	100
MSB 51B	8/28/2015	LEAD	2.14	ug/L	J		21		0.5	5
MSB 51B	8/28/2015	MANGANESE	6.27	ug/L	J		21		1	10
MSB 51B	8/28/2015	NICKEL	0.812	ug/L	J		21		0.5	5
MSB 51B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 51B	8/28/2015	SODIUM	4850	ug/L					20	200
MSB 51B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 51B	8/28/2015	ZINC	8.73	ug/L	J		21		4	40
MSB 51B	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 51B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 51B	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 51B	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 51B	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 51B	8/28/2015	ACETONE	5	ug/L					0.34	2
MSB 51B	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 51B	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 51B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 51B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 51B	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 51B	8/28/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
MSB 51B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 51B	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 51B	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 52TA1	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA1	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA1	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA1	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA1	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 52TA1	3/18/2015	ACETONE	1.8	ug/L	J		21		0.34	2
MSB 52TA1	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 52TA1	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA1	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 52TA1	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J		21		0.09	1
MSB 52TA1	3/18/2015	TETRACHLOROETHYLENE (PCE)	13	ug/L					0.18	1
MSB 52TA1	3/18/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 52TA1	3/18/2015	TRICHLOROETHYLENE (TCE)	3.2	ug/L					0.25	1
MSB 52TA1	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA1	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA1	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA1	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA1	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 52TA1	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 52TA1	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 52TA1	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA1	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 52TA1	9/30/2015	CIS-1,2-DICHLOROETHYLENE	0.26	ug/L	J		21		0.09	1
MSB 52TA1	9/30/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					0.18	1
MSB 52TA1	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 52TA1	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA1	9/30/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
MSB 52TA1	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 52TA3	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA3	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA3	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA3	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA3	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 52TA3	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 52TA3	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 52TA3	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA3	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 52TA3	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.2	ug/L	J		21		0.09	1
MSB 52TA3	3/18/2015	TETRACHLOROETHYLENE (PCE)	8.5	ug/L					0.18	1
MSB 52TA3	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA3	3/18/2015	TRICHLOROETHYLENE (TCE)	6.4	ug/L					0.25	1
MSB 52TA3	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA3	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA3	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA3	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA3	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 52TA3	9/30/2015	ACETONE	2.5	ug/L					0.34	2
MSB 52TA3	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 52TA3	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA3	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 52TA3	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 52TA3	9/30/2015	TETRACHLOROETHYLENE (PCE)	6.6	ug/L					0.18	1
MSB 52TA3	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 52TA3	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA3	9/30/2015	TRICHLOROETHYLENE (TCE)	5	ug/L					0.25	1
MSB 52TA3	9/30/2015	1,4-DIOXANE	1.8	ug/L	J		21		1.2	5
MSB 52TA5	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA5	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA5	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA5	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA5	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 52TA5	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 52TA5	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 52TA5	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA5	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 52TA5	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 52TA5	3/18/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L					0.18	1
MSB 52TA5	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA5	3/18/2015	TRICHLOROETHYLENE (TCE)	4	ug/L					0.25	1
MSB 52TA5	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA5	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 52TA5	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 52TA5	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA5	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 52TA5	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 52TA5	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 52TA5	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 52TA5	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 52TA5	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 52TA5	9/30/2015	TETRACHLOROETHYLENE (PCE)	0.47	ug/L	J		21		0.18	1
MSB 52TA5	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 52TA5	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 52TA5	9/30/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.25	1
MSB 52TA5	9/30/2015	1,4-DIOXANE	2.8	ug/L	J		21		1.2	5
MSB 53B	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53B	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 53B	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53B	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 53B	3/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 53B	3/9/2015	ACETONE	2	ug/L	U		18		0.34	2
MSB 53B	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 53B	3/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 53B	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 53B	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 53B	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 53B	3/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53B	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 53B	8/28/2015	ALUMINUM	116	ug/L	J		21		40	400
MSB 53B	8/28/2015	BARIUM	5.16	ug/L	J		21		2	20
MSB 53B	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 53B	8/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 53B	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 53B	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 53B	8/28/2015	COPPER	5	ug/L	U				0.5	5
MSB 53B	8/28/2015	IRON	61.7	ug/L	U		21, V		10	100
MSB 53B	8/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 53B	8/28/2015	MANGANESE	1.9	ug/L	J		21		1	10
MSB 53B	8/28/2015	NICKEL	5	ug/L	U				0.5	5
MSB 53B	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 53B	8/28/2015	SODIUM	1760	ug/L					20	200
MSB 53B	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 53B	8/28/2015	ZINC	40	ug/L	U				4	40
MSB 53B	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53B	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 53B	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53B	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53B	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 53B	8/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 53B	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 53B	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 53B	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 53B	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 53B	8/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 53B	8/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 53B	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53B	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 53B	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 53B	8/28/2015	SULFATE	0.23	mg/L	J		21		0.05	0.5
MSB 53C	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53C	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 53C	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53C	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53C	3/9/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 53C	3/9/2015	ACETONE	2	ug/L	U		18		0.34	2
MSB 53C	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 53C	3/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 53C	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 53C	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 53C	3/9/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J		21		0.18	1
MSB 53C	3/9/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 53C	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 53C	8/28/2015	ALUMINUM	570	ug/L					40	400
MSB 53C	8/28/2015	BARIUM	5.07	ug/L	J		21		2	20
MSB 53C	8/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 53C	8/28/2015	CADMIUM	0.589	ug/L	J		21		0.1	1
MSB 53C	8/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 53C	8/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 53C	8/28/2015	COPPER	0.907	ug/L	J		21		0.5	5
MSB 53C	8/28/2015	IRON	344	ug/L			V		10	100
MSB 53C	8/28/2015	LEAD	0.519	ug/L	J		21		0.5	5
MSB 53C	8/28/2015	MANGANESE	2.37	ug/L	J		21		1	10
MSB 53C	8/28/2015	NICKEL	5	ug/L	U				0.5	5
MSB 53C	8/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 53C	8/28/2015	SODIUM	2320	ug/L					20	200
MSB 53C	8/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 53C	8/28/2015	ZINC	40	ug/L	U				4	40
MSB 53C	8/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53C	8/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 53C	8/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 53C	8/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53C	8/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 53C	8/28/2015	ACETONE	2.2	ug/L					0.34	2
MSB 53C	8/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 53C	8/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 53C	8/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 53C	8/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 53C	8/28/2015	TETRACHLOROETHYLENE (PCE)	0.28	ug/L	J		21		0.18	1
MSB 53C	8/28/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
MSB 53C	8/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 53C	8/28/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 53C	8/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 53C	8/28/2015	SULFATE	0.14	mg/L	J		21		0.05	0.5
MSB 55B	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55B	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55B	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55B	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55B	3/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 55B	3/2/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55B	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55B	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55B	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55B	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55B	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55B	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55B	3/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55B	9/3/2015	ALUMINUM	711	ug/L					40	400
MSB 55B	9/3/2015	BARIUM	7.71	ug/L	J		21		2	20
MSB 55B	9/3/2015	BERYLLIUM	0.117	ug/L	J		21		0.1	1
MSB 55B	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 55B	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 55B	9/3/2015	COBALT	1.15	ug/L	J		21		0.5	5
MSB 55B	9/3/2015	COPPER	0.746	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 55B	9/3/2015	IRON	195	ug/L			V		10	100
MSB 55B	9/3/2015	LEAD	5	ug/L	U				0.5	5
MSB 55B	9/3/2015	MANGANESE	7.42	ug/L	J		21		1	10
MSB 55B	9/3/2015	NICKEL	2.23	ug/L	J		21		0.5	5
MSB 55B	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 55B	9/3/2015	SODIUM	1880	ug/L					20	200
MSB 55B	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 55B	9/3/2015	ZINC	4.83	ug/L	J		21		4	40
MSB 55B	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55B	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55B	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55B	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 55B	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55B	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55B	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55B	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55B	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 55B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55B	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 55B	9/3/2015	SULFATE	12	mg/L					0.05	0.5
MSB 55C	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55C	2/25/2015	1,1,2,2-TETRACHLOROETHANE	0.25	ug/L	J		21		0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 55C	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55C	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55C	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 55C	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55C	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55C	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55C	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55C	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55C	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55C	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55C	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55C	9/23/2015	ALUMINUM	40.8	ug/L	J		21		40	400
MSB 55C	9/23/2015	BARIUM	11.4	ug/L	J		21		2	20
MSB 55C	9/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 55C	9/23/2015	CADMIUM	0.104	ug/L	J		21		0.1	1
MSB 55C	9/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 55C	9/23/2015	COBALT	5	ug/L	U				0.5	5
MSB 55C	9/23/2015	COPPER	3.6	ug/L	J		21		0.5	5
MSB 55C	9/23/2015	IRON	18.8	ug/L	U		21, V		10	100
MSB 55C	9/23/2015	LEAD	0.915	ug/L	J		21		0.5	5
MSB 55C	9/23/2015	MANGANESE	1.63	ug/L	J		21		1	10
MSB 55C	9/23/2015	NICKEL	5	ug/L	U				0.5	5
MSB 55C	9/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 55C	9/23/2015	SODIUM	2280	ug/L					20	200
MSB 55C	9/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 55C	9/23/2015	ZINC	7.91	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 55C	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55C	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55C	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55C	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55C	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 55C	9/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55C	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55C	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55C	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55C	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55C	9/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55C	9/23/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 55C	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55C	9/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55C	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 55C	9/23/2015	SULFATE	0.29	mg/L	J		21		0.05	0.5
MSB 55HC	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55HC	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55HC	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55HC	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55HC	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 55HC	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55HC	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55HC	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55HC	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55HC	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 55HC	2/25/2015	TETRACHLOROETHYLENE (PCE)	0.35	ug/L	J		21		0.18	1
MSB 55HC	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55HC	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L					0.25	1
MSB 55HC	9/3/2015	ALUMINUM	48.6	ug/L	U		21, V		40	400
MSB 55HC	9/3/2015	BARIUM	307	ug/L					2	20
MSB 55HC	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 55HC	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 55HC	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 55HC	9/3/2015	COBALT	5	ug/L	U				0.5	5
MSB 55HC	9/3/2015	COPPER	0.655	ug/L	J		21		0.5	5
MSB 55HC	9/3/2015	IRON	25.3	ug/L	U		21, V		10	100
MSB 55HC	9/3/2015	LEAD	5	ug/L	U				0.5	5
MSB 55HC	9/3/2015	MANGANESE	10	ug/L	U				1	10
MSB 55HC	9/3/2015	NICKEL	0.971	ug/L	J		21		0.5	5
MSB 55HC	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 55HC	9/3/2015	SODIUM	4730	ug/L					20	200
MSB 55HC	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 55HC	9/3/2015	ZINC	27.2	ug/L	J		21		4	40
MSB 55HC	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55HC	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55HC	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55HC	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55HC	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 55HC	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55HC	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55HC	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55HC	9/3/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 55HC	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55HC	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55HC	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 55HC	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55HC	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55HC	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 55HC	9/3/2015	SULFATE	0.41	mg/L	J		21		0.05	0.5
MSB 55TA	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55TA	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55TA	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55TA	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55TA	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 55TA	3/10/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55TA	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55TA	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55TA	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55TA	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55TA	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55TA	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55TA	3/10/2015	TRICHLOROETHYLENE (TCE)	0.44	ug/L	J		21		0.25	1
MSB 55TA	9/3/2015	ALUMINUM	668	ug/L			V		40	400
MSB 55TA	9/3/2015	BARIUM	64.6	ug/L					2	20
MSB 55TA	9/3/2015	BERYLLIUM	0.15	ug/L	J		21		0.1	1
MSB 55TA	9/3/2015	CADMIUM	0.114	ug/L	J		21		0.1	1
MSB 55TA	9/3/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 55TA	9/3/2015	COBALT	0.963	ug/L	J		21		0.5	5
MSB 55TA	9/3/2015	COPPER	2.46	ug/L	J		21		0.5	5
MSB 55TA	9/3/2015	IRON	39100	ug/L			V		10	100
MSB 55TA	9/3/2015	LEAD	1.14	ug/L	J		21		0.5	5
MSB 55TA	9/3/2015	MANGANESE	450	ug/L					1	10
MSB 55TA	9/3/2015	NICKEL	4.25	ug/L	J		21		0.5	5
MSB 55TA	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 55TA	9/3/2015	SODIUM	2670	ug/L					20	200
MSB 55TA	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 55TA	9/3/2015	ZINC	67.6	ug/L					4	40
MSB 55TA	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55TA	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 55TA	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 55TA	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55TA	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 55TA	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 55TA	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 55TA	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 55TA	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 55TA	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 55TA	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 55TA	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 55TA	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 55TA	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 55TA	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 55TA	9/3/2015	SULFATE	1.8	mg/L					0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 60D	2/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 60D	2/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 60D	2/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 60D	2/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 60D	2/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 60D	2/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 60D	2/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 60D	2/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 60D	2/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 60D	2/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 60D	2/25/2015	TETRACHLOROETHYLENE (PCE)	0.84	ug/L	J		21		0.18	1
MSB 60D	2/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 60D	2/25/2015	TRICHLOROETHYLENE (TCE)	0.57	ug/L	J		21		0.25	1
MSB 60D	9/23/2015	ALUMINUM	407	ug/L					40	400
MSB 60D	9/23/2015	BARIUM	17.4	ug/L	J		21		2	20
MSB 60D	9/23/2015	BERYLLIUM	0.288	ug/L	J		21		0.1	1
MSB 60D	9/23/2015	CADMIUM	0.158	ug/L	J		21		0.1	1
MSB 60D	9/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB 60D	9/23/2015	COBALT	3.46	ug/L	J		21		0.5	5
MSB 60D	9/23/2015	COPPER	3.75	ug/L	J		21		0.5	5
MSB 60D	9/23/2015	IRON	97.2	ug/L	U		21, V		10	100
MSB 60D	9/23/2015	LEAD	0.609	ug/L	J		21		0.5	5
MSB 60D	9/23/2015	MANGANESE	25.2	ug/L					1	10
MSB 60D	9/23/2015	NICKEL	1.64	ug/L	J		21		0.5	5
MSB 60D	9/23/2015	SELENIUM	20	ug/L	U				2	20
MSB 60D	9/23/2015	SODIUM	25800	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 60D	9/23/2015	VANADIUM	50	ug/L	U				5	50
MSB 60D	9/23/2015	ZINC	15.4	ug/L	J		21		4	40
MSB 60D	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 60D	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 60D	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 60D	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 60D	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 60D	9/23/2015	ACETONE	1.8	ug/L	J		21		0.34	2
MSB 60D	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 60D	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 60D	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 60D	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 60D	9/23/2015	TETRACHLOROETHYLENE (PCE)	0.82	ug/L	J		21		0.18	1
MSB 60D	9/23/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 60D	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 60D	9/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 60D	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 62B	3/11/2015	ALUMINUM	327	ug/L	J				40	400
MSB 62B	3/11/2015	BARIUM	14.6	ug/L	J				2	20
MSB 62B	3/11/2015	CHROMIUM	13.3	ug/L	U				10	100
MSB 62B	3/11/2015	COPPER	3.86	ug/L	J				0.5	5
MSB 62B	3/11/2015	LEAD	0.539	ug/L	J				0.5	5
MSB 62B	3/11/2015	NICKEL	1.59	ug/L	J				0.5	5
MSB 62B	3/11/2015	ZINC	9.14	ug/L	J				4	40
MSB 62B	3/11/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 62B	3/11/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62B	3/11/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 62B	3/11/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 62B	3/11/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 62B	3/11/2015	ACETONE	50	ug/L	U				8.5	50
MSB 62B	3/11/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 62B	3/11/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 62B	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 62B	3/11/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L	J		21		2.3	25
MSB 62B	3/11/2015	TETRACHLOROETHYLENE (PCE)	2800	ug/L					45	250
MSB 62B	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 62B	3/11/2015	TRICHLOROETHYLENE (TCE)	2500	ug/L					63	250
MSB 62B	9/30/2015	NITRATE-NITRITE AS NITROGEN	7	mg/L					0.094	1
MSB 62B	9/30/2015	ALUMINUM	60.5	ug/L	J		21		40	400
MSB 62B	9/30/2015	BARIUM	19.2	ug/L	J		21		2	20
MSB 62B	9/30/2015	BERYLLIUM	0.205	ug/L	J		21		0.1	1
MSB 62B	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 62B	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 62B	9/30/2015	COBALT	1.09	ug/L	J		21		0.5	5
MSB 62B	9/30/2015	COPPER	1.25	ug/L	J		21		0.5	5
MSB 62B	9/30/2015	IRON	121	ug/L	J		21, V		10	100
MSB 62B	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 62B	9/30/2015	MANGANESE	6.81	ug/L	J		21		1	10
MSB 62B	9/30/2015	NICKEL	0.941	ug/L	J		21		0.5	5
MSB 62B	9/30/2015	SELENIUM	2.09	ug/L	J		21		2	20
MSB 62B	9/30/2015	SODIUM	7340	ug/L					20	200
MSB 62B	9/30/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62B	9/30/2015	ZINC	5.73	ug/L	J		21		4	40
MSB 62B	9/30/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB 62B	9/30/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB 62B	9/30/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB 62B	9/30/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 62B	9/30/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB 62B	9/30/2015	ACETONE	100	ug/L	U				17	100
MSB 62B	9/30/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB 62B	9/30/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB 62B	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
MSB 62B	9/30/2015	CIS-1,2-DICHLOROETHYLENE	27	ug/L	J		21		4.5	50
MSB 62B	9/30/2015	TETRACHLOROETHYLENE (PCE)	10000	ug/L					90	500
MSB 62B	9/30/2015	TOLUENE	50	ug/L	U				3.5	50
MSB 62B	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB 62B	9/30/2015	TRICHLOROETHYLENE (TCE)	7600	ug/L					130	500
MSB 62B	9/30/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 62B	9/30/2015	RADIUM-226	0.784	pCi/L				0.144	0.131	0.419
MSB 62B	9/30/2015	RADIUM-228	1.6	pCi/L				0.443	0.577	1.463
MSB 62B	9/30/2015	GROSS ALPHA	2.72	pCi/L	J		21	2.23	2.28	6.73
MSB 62B	9/30/2015	NONVOLATILE BETA	5.65	pCi/L	J		21	3.2	3.99	10.4
MSB 62C	3/11/2015	ALUMINUM	535	ug/L					40	400
MSB 62C	3/11/2015	BARIUM	11.9	ug/L	J				2	20
MSB 62C	3/11/2015	CHROMIUM	12.8	ug/L	U				10	100
MSB 62C	3/11/2015	COPPER	1.42	ug/L	J				0.5	5
MSB 62C	3/11/2015	LEAD	5	ug/L	U				0.5	5
MSB 62C	3/11/2015	NICKEL	0.93	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62C	3/11/2015	ZINC	7.4	ug/L	J				4	40
MSB 62C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 62C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 62C	3/11/2015	ACETONE	24	ug/L					0.34	2
MSB 62C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 62C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 62C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 62C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 62C	3/11/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					0.18	1
MSB 62C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62C	3/11/2015	TRICHLOROETHYLENE (TCE)	4.6	ug/L					0.25	1
MSB 62C	8/18/2015	ALUMINUM	2090	ug/L					15	50
MSB 62C	8/18/2015	BARIUM	15.5	ug/L					0.6	2
MSB 62C	8/18/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
MSB 62C	8/18/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB 62C	8/18/2015	CHROMIUM	7.8	ug/L	J	J	21		2	10
MSB 62C	8/18/2015	COBALT	0.149	ug/L	J	J	21		0.1	1
MSB 62C	8/18/2015	COPPER	4.25	ug/L					0.35	1
MSB 62C	8/18/2015	IRON	2680	ug/L					33	100
MSB 62C	8/18/2015	LEAD	1.55	ug/L	J	J	21		0.5	2
MSB 62C	8/18/2015	MANGANESE	7.22	ug/L					1	5
MSB 62C	8/18/2015	NICKEL	2.8	ug/L					0.5	2
MSB 62C	8/18/2015	SELENIUM	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62C	8/18/2015	SILVER	1	ug/L	U	U			0.2	1
MSB 62C	8/18/2015	SODIUM	10800	ug/L					80	250
MSB 62C	8/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB 62C	8/18/2015	TIN	5	ug/L	U	U			1	5
MSB 62C	8/18/2015	VANADIUM	7.61	ug/L	U	U	21, V		3	10
MSB 62C	8/18/2015	ZINC	11.3	ug/L					3.5	10
MSB 62C	8/18/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
MSB 62C	8/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB 62C	8/18/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB 62C	8/18/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB 62C	8/18/2015	BENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62C	8/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB 62C	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4.36	ug/L	U	U	21, V		1	5
MSB 62C	8/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
MSB 62C	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB 62C	8/18/2015	TETRACHLOROETHYLENE (PCE)	6.63	ug/L					0.3	1
MSB 62C	8/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB 62C	8/18/2015	TRICHLOROETHYLENE (TCE)	1.24	ug/L					0.3	1
MSB 62C	8/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62C	8/18/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB 62C	8/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB 62C	8/18/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 62C	8/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 62C	8/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB 62C	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
MSB 62C	8/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
MSB 62C	8/18/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB 62C	8/18/2015	GROSS ALPHA	-0.226	pCi/L	U	U		1.09	2.46	4.64
MSB 62C	8/18/2015	NONVOLATILE BETA	1.94	pCi/L	U	U		1.64	2.68	5.96
MSB 62C	8/18/2015	RADIUM-226	0.931	pCi/L	J	J	21	0.413	0.502	1.33
MSB 62C	8/18/2015	RADIUM-228	0.0932	pCi/L	U	U		0.284	0.52	1.09
MSB 62C	8/18/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB 62D	3/2/2015	ALUMINUM	719	ug/L					40	400
MSB 62D	3/2/2015	BARIUM	5.84	ug/L	J				2	20
MSB 62D	3/2/2015	CHROMIUM	100	ug/L	U				10	100
MSB 62D	3/2/2015	COPPER	0.943	ug/L	J				0.5	5
MSB 62D	3/2/2015	LEAD	5	ug/L	U				0.5	5
MSB 62D	3/2/2015	NICKEL	0.74	ug/L	J				0.5	5
MSB 62D	3/2/2015	ZINC	4.85	ug/L	J				4	40
MSB 62D	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62D	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 62D	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62D	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62D	3/2/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 62D	3/2/2015	ACETONE	10	ug/L					0.34	2
MSB 62D	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62D	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 62D	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 62D	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 62D	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L					0.18	1
MSB 62D	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62D	3/2/2015	TRICHLOROETHYLENE (TCE)	0.37	ug/L	J		21		0.25	1
MSB 62D	11/18/2015	ALUMINUM	1330	ug/L					40	400
MSB 62D	11/18/2015	BARIUM	7.61	ug/L	J		21		2	20
MSB 62D	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 62D	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 62D	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 62D	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 62D	11/18/2015	COPPER	0.878	ug/L	J		21		0.5	5
MSB 62D	11/18/2015	IRON	25.3	ug/L	J		21		10	100
MSB 62D	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 62D	11/18/2015	MANGANESE	10	ug/L	U				1	10
MSB 62D	11/18/2015	NICKEL	0.956	ug/L	J		21		0.5	5
MSB 62D	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 62D	11/18/2015	SODIUM	23100	ug/L					20	200
MSB 62D	11/18/2015	VANADIUM	11.5	ug/L	J		21		5	50
MSB 62D	11/18/2015	ZINC	40	ug/L	U				4	40
MSB 62D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 62D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 62D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 62D	11/18/2015	ACETONE	13	ug/L					0.34	2
MSB 62D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 62D	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 62D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 62D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 62D	11/18/2015	TETRACHLOROETHYLENE (PCE)	0.65	ug/L	J		21		0.18	1
MSB 62D	11/18/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
MSB 62D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 62D	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 62D	11/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 62D	11/18/2015	RADIUM-226	-0.0707	pCi/L	U			0.099	0.212	0.4094
MSB 62D	11/18/2015	RADIUM-228	0.171	pCi/L	U			0.284	0.48	1.048
MSB 62D	11/18/2015	GROSS ALPHA	-0.339	pCi/L	UJ			0.261	2.54	3.06
MSB 62D	11/18/2015	NONVOLATILE BETA	6.09	pCi/L	J		21	3.33	4.17	10.8
MSB 63B	3/11/2015	ALUMINUM	117	ug/L	J				40	400
MSB 63B	3/11/2015	BARIUM	30.7	ug/L					2	20
MSB 63B	3/11/2015	CHROMIUM	11.2	ug/L	U				10	100
MSB 63B	3/11/2015	COPPER	3.39	ug/L	J				0.5	5
MSB 63B	3/11/2015	LEAD	0.82	ug/L	J				0.5	5
MSB 63B	3/11/2015	NICKEL	1.04	ug/L	J				0.5	5
MSB 63B	3/11/2015	ZINC	13.3	ug/L	J				4	40
MSB 63B	3/11/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				1.4	20
MSB 63B	3/11/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				2	20
MSB 63B	3/11/2015	1,1-DICHLOROETHANE	20	ug/L	U				1.4	20
MSB 63B	3/11/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				1.6	20
MSB 63B	3/11/2015	1,4-DIOXANE	1600	ug/L	U				150	1600

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63B	3/11/2015	ACETONE	40	ug/L	U				6.8	40
MSB 63B	3/11/2015	CARBON TETRACHLORIDE	20	ug/L	U				2.6	20
MSB 63B	3/11/2015	CHLOROBENZENE	20	ug/L	U				3	20
MSB 63B	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	40	ug/L	U				1.6	40
MSB 63B	3/11/2015	CIS-1,2-DICHLOROETHYLENE	21	ug/L					1.8	20
MSB 63B	3/11/2015	TETRACHLOROETHYLENE (PCE)	600	ug/L					3.6	20
MSB 63B	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				1.6	20
MSB 63B	3/11/2015	TRICHLOROETHYLENE (TCE)	950	ug/L					50	200
MSB 63B	9/28/2015	NITRATE-NITRITE AS NITROGEN	15	mg/L					0.094	1
MSB 63B	9/28/2015	ALUMINUM	88.3	ug/L	J		21		40	400
MSB 63B	9/28/2015	BARIUM	31.8	ug/L					2	20
MSB 63B	9/28/2015	BERYLLIUM	0.247	ug/L	J		21		0.1	1
MSB 63B	9/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 63B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 63B	9/28/2015	COBALT	2.82	ug/L	J		21		0.5	5
MSB 63B	9/28/2015	COPPER	1.95	ug/L	J		21		0.5	5
MSB 63B	9/28/2015	IRON	16.6	ug/L	U		21, V		10	100
MSB 63B	9/28/2015	LEAD	0.541	ug/L	J		21		0.5	5
MSB 63B	9/28/2015	MANGANESE	8.55	ug/L	J		21		1	10
MSB 63B	9/28/2015	NICKEL	0.842	ug/L	J		21		0.5	5
MSB 63B	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 63B	9/28/2015	SODIUM	11100	ug/L					20	200
MSB 63B	9/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 63B	9/28/2015	ZINC	11.7	ug/L	J		21		4	40
MSB 63B	9/28/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 63B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63B	9/28/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 63B	9/28/2015	1,1-DICHLOROETHYLENE	6	ug/L	J		21		0.8	10
MSB 63B	9/28/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 63B	9/28/2015	ACETONE	20	ug/L	U				3.4	20
MSB 63B	9/28/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 63B	9/28/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 63B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 63B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L					0.9	10
MSB 63B	9/28/2015	TETRACHLOROETHYLENE (PCE)	1200	ug/L					18	100
MSB 63B	9/28/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 63B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 63B	9/28/2015	TRICHLOROETHYLENE (TCE)	1900	ug/L					25	100
MSB 63B	9/28/2015	1,4-DIOXANE	14	ug/L					2.5	10
MSB 63B	9/28/2015	RADIUM-226	1.64	pCi/L				0.188	0.083	0.4591
MSB 63B	9/28/2015	RADIUM-228	3.5	pCi/L				0.396	0.293	1.085
MSB 63B	9/28/2015	GROSS ALPHA	3.96	pCi/L	J		21	2.65	2.34	7.65
MSB 63B	9/28/2015	NONVOLATILE BETA	11.7	pCi/L	J		21	4.01	4.03	12
MSB 63C	3/11/2015	ALUMINUM	584	ug/L					40	400
MSB 63C	3/11/2015	BARIUM	6.9	ug/L	J				2	20
MSB 63C	3/11/2015	CHROMIUM	11.9	ug/L	U				10	100
MSB 63C	3/11/2015	COPPER	6.78	ug/L					0.5	5
MSB 63C	3/11/2015	LEAD	0.895	ug/L	J				0.5	5
MSB 63C	3/11/2015	NICKEL	1.05	ug/L	J				0.5	5
MSB 63C	3/11/2015	ZINC	7.4	ug/L	J				4	40
MSB 63C	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63C	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63C	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63C	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63C	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 63C	3/11/2015	ACETONE	15	ug/L					0.34	2
MSB 63C	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 63C	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 63C	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 63C	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 63C	3/11/2015	TETRACHLOROETHYLENE (PCE)	22	ug/L					0.18	1
MSB 63C	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63C	3/11/2015	TRICHLOROETHYLENE (TCE)	3.4	ug/L					0.25	1
MSB 63C	9/28/2015	NITRATE-NITRITE AS NITROGEN	1.8	mg/L					0.0094	0.1
MSB 63C	9/28/2015	ALUMINUM	51.1	ug/L	J		21		40	400
MSB 63C	9/28/2015	BARIUM	6.6	ug/L	J		21		2	20
MSB 63C	9/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 63C	9/28/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 63C	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 63C	9/28/2015	COBALT	6.35	ug/L					0.5	5
MSB 63C	9/28/2015	COPPER	6.3	ug/L					0.5	5
MSB 63C	9/28/2015	IRON	25.2	ug/L	U		21, V		10	100
MSB 63C	9/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 63C	9/28/2015	MANGANESE	4.65	ug/L	J		21		1	10
MSB 63C	9/28/2015	NICKEL	1.11	ug/L	J		21		0.5	5
MSB 63C	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 63C	9/28/2015	SODIUM	2810	ug/L					20	200
MSB 63C	9/28/2015	VANADIUM	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63C	9/28/2015	ZINC	9.86	ug/L	J		21		4	40
MSB 63C	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63C	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 63C	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63C	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63C	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 63C	9/28/2015	ACETONE	1.7	ug/L	J		21		0.34	2
MSB 63C	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 63C	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 63C	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 63C	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 63C	9/28/2015	TETRACHLOROETHYLENE (PCE)	26	ug/L					0.18	1
MSB 63C	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 63C	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63C	9/28/2015	TRICHLOROETHYLENE (TCE)	1.7	ug/L					0.25	1
MSB 63C	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 63C	9/28/2015	RADIUM-226	0.553	pCi/L				0.128	0.126	0.382
MSB 63C	9/28/2015	RADIUM-228	0.52	pCi/L	J		21	0.247	0.359	0.853
MSB 63C	9/28/2015	GROSS ALPHA	1.16	pCi/L	U			1.57	2.24	5.39
MSB 63C	9/28/2015	NONVOLATILE BETA	1.05	pCi/L	U			2.41	3.95	8.78
MSB 63D	3/11/2015	ALUMINUM	201	ug/L	J				40	400
MSB 63D	3/11/2015	BARIUM	11.2	ug/L	J				2	20
MSB 63D	3/11/2015	CHROMIUM	11	ug/L	U				10	100
MSB 63D	3/11/2015	COPPER	0.836	ug/L	J				0.5	5
MSB 63D	3/11/2015	LEAD	5	ug/L	U				0.5	5
MSB 63D	3/11/2015	NICKEL	0.769	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63D	3/11/2015	ZINC	40	ug/L	U				4	40
MSB 63D	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63D	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 63D	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63D	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63D	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 63D	3/11/2015	ACETONE	4.2	ug/L					0.34	2
MSB 63D	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 63D	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 63D	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 63D	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 63D	3/11/2015	TETRACHLOROETHYLENE (PCE)	8.6	ug/L					0.18	1
MSB 63D	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63D	3/11/2015	TRICHLOROETHYLENE (TCE)	4	ug/L					0.25	1
MSB 63D	11/18/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.0094	0.1
MSB 63D	11/18/2015	ALUMINUM	43.2	ug/L	J		21		40	400
MSB 63D	11/18/2015	BARIUM	11.2	ug/L	J		21		2	20
MSB 63D	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 63D	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 63D	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 63D	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 63D	11/18/2015	COPPER	5	ug/L	U				0.5	5
MSB 63D	11/18/2015	IRON	29.9	ug/L	J		21		10	100
MSB 63D	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 63D	11/18/2015	MANGANESE	10	ug/L	U				1	10
MSB 63D	11/18/2015	NICKEL	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 63D	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 63D	11/18/2015	SODIUM	2280	ug/L					20	200
MSB 63D	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 63D	11/18/2015	ZINC	40	ug/L	U				4	40
MSB 63D	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63D	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 63D	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 63D	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63D	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 63D	11/18/2015	ACETONE	2.2	ug/L					0.34	2
MSB 63D	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 63D	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 63D	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 63D	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 63D	11/18/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.18	1
MSB 63D	11/18/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 63D	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 63D	11/18/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
MSB 63D	11/18/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 63D	11/18/2015	RADIUM-226	1.03	pCi/L				0.183	0.144	0.51
MSB 63D	11/18/2015	RADIUM-228	0.436	pCi/L	J		21	0.22	0.325	0.765
MSB 63D	11/18/2015	GROSS ALPHA	2.49	pCi/L	J		21	2.11	2.18	6.41
MSB 63D	11/18/2015	NONVOLATILE BETA	-0.201	pCi/L	U			2.43	4.49	9.34
MSB 64C	3/26/2015	ALUMINUM	565	ug/L					40	400
MSB 64C	3/26/2015	BARIUM	54.4	ug/L					2	20
MSB 64C	3/26/2015	CHROMIUM	26.9	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 64C	3/26/2015	COPPER	2.16	ug/L	J				0.5	5
MSB 64C	3/26/2015	LEAD	5	ug/L	U				0.5	5
MSB 64C	3/26/2015	NICKEL	16.6	ug/L					0.5	5
MSB 64C	3/26/2015	ZINC	5.89	ug/L	J				4	40
MSB 64C	3/26/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 64C	3/26/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 64C	3/26/2015	1,1-DICHLOROETHANE	0.54	ug/L	J		21		0.07	1
MSB 64C	3/26/2015	1,1-DICHLOROETHYLENE	9.6	ug/L					0.08	1
MSB 64C	3/26/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 64C	3/26/2015	ACETONE	4.3	ug/L					0.34	2
MSB 64C	3/26/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 64C	3/26/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 64C	3/26/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 64C	3/26/2015	CIS-1,2-DICHLOROETHYLENE	0.38	ug/L	J		21		0.09	1
MSB 64C	3/26/2015	TETRACHLOROETHYLENE (PCE)	43	ug/L					0.9	5
MSB 64C	3/26/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 64C	3/26/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					0.25	1
MSB 64C	3/26/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 64C	9/28/2015	NITRATE-NITRITE AS NITROGEN	43	mg/L					0.19	2
MSB 64C	9/28/2015	ALUMINUM	1070	ug/L					40	400
MSB 64C	9/28/2015	BARIUM	53.9	ug/L					2	20
MSB 64C	9/28/2015	BERYLLIUM	0.644	ug/L	J		21		0.1	1
MSB 64C	9/28/2015	CADMIUM	0.229	ug/L	J		21		0.1	1
MSB 64C	9/28/2015	CHROMIUM	17.5	ug/L	J		21		10	100
MSB 64C	9/28/2015	COBALT	10.4	ug/L					0.5	5
MSB 64C	9/28/2015	COPPER	2.16	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 64C	9/28/2015	IRON	224	ug/L			V		10	100
MSB 64C	9/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 64C	9/28/2015	MANGANESE	17.4	ug/L					1	10
MSB 64C	9/28/2015	NICKEL	11.1	ug/L					0.5	5
MSB 64C	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 64C	9/28/2015	SODIUM	49500	ug/L					20	200
MSB 64C	9/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 64C	9/28/2015	ZINC	8.65	ug/L	J		21		4	40
MSB 64C	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 64C	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 64C	9/28/2015	1,1-DICHLOROETHANE	0.5	ug/L	J		21		0.07	1
MSB 64C	9/28/2015	1,1-DICHLOROETHYLENE	8.7	ug/L					0.08	1
MSB 64C	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 64C	9/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 64C	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 64C	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 64C	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 64C	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J		21		0.09	1
MSB 64C	9/28/2015	TETRACHLOROETHYLENE (PCE)	47	ug/L					0.9	5
MSB 64C	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 64C	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 64C	9/28/2015	TRICHLOROETHYLENE (TCE)	31	ug/L					0.25	1
MSB 64C	9/28/2015	1,4-DIOXANE	40	ug/L					1.2	5
MSB 64C	9/28/2015	RADIUM-226	4.93	pCi/L				0.317	0.095	0.7292
MSB 64C	9/28/2015	RADIUM-228	7.07	pCi/L				0.527	0.339	1.393
MSB 64C	9/28/2015	GROSS ALPHA	7.53	pCi/L	J		21	3.79	2.65	10.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 64C	9/28/2015	NONVOLATILE BETA	63.1	pCi/L				8.09	4.16	20.3
MSB 66B	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66B	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 66B	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66B	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66B	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 66B	3/10/2015	ACETONE	2	ug/L	U				0.34	2
MSB 66B	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 66B	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 66B	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 66B	3/10/2015	CIS-1,2-DICHLOROETHYLENE	0.88	ug/L	J		21		0.09	1
MSB 66B	3/10/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
MSB 66B	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66B	3/10/2015	TRICHLOROETHYLENE (TCE)	93	ug/L					1.3	5
MSB 66B	9/3/2015	ALUMINUM	431	ug/L					40	400
MSB 66B	9/3/2015	BARIUM	35.8	ug/L					2	20
MSB 66B	9/3/2015	BERYLLIUM	0.353	ug/L	J		21		0.1	1
MSB 66B	9/3/2015	CADMIUM	0.237	ug/L	J		21		0.1	1
MSB 66B	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 66B	9/3/2015	COBALT	1.88	ug/L	J		21		0.5	5
MSB 66B	9/3/2015	COPPER	2.38	ug/L	J		21		0.5	5
MSB 66B	9/3/2015	IRON	80.9	ug/L	U		21, V		10	100
MSB 66B	9/3/2015	LEAD	7.95	ug/L					0.5	5
MSB 66B	9/3/2015	MANGANESE	330	ug/L					1	10
MSB 66B	9/3/2015	NICKEL	4.02	ug/L	J		21		0.5	5
MSB 66B	9/3/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 66B	9/3/2015	SODIUM	3180	ug/L					20	200
MSB 66B	9/3/2015	VANADIUM	7.1	ug/L	J		21		5	50
MSB 66B	9/3/2015	ZINC	45.6	ug/L					4	40
MSB 66B	9/3/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 66B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 66B	9/3/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 66B	9/3/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 66B	9/3/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 66B	9/3/2015	ACETONE	10	ug/L	U				1.7	10
MSB 66B	9/3/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 66B	9/3/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 66B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 66B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L	J		21		0.45	5
MSB 66B	9/3/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L	J		21		0.9	5
MSB 66B	9/3/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 66B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 66B	9/3/2015	TRICHLOROETHYLENE (TCE)	98	ug/L					1.3	5
MSB 66B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 66C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 66C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66C	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 66C	3/10/2015	ACETONE	2	ug/L	U				0.34	2
MSB 66C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 66C	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 66C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 66C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
MSB 66C	3/10/2015	TETRACHLOROETHYLENE (PCE)	4.1	ug/L					0.18	1
MSB 66C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66C	3/10/2015	TRICHLOROETHYLENE (TCE)	87	ug/L					1.3	5
MSB 66C	9/3/2015	ALUMINUM	400	ug/L			S		40	400
MSB 66C	9/3/2015	BARIUM	10.9	ug/L	J		21		2	20
MSB 66C	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 66C	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 66C	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 66C	9/3/2015	COBALT	1.9	ug/L	J		21		0.5	5
MSB 66C	9/3/2015	COPPER	5	ug/L	U				0.5	5
MSB 66C	9/3/2015	IRON	124	ug/L	J		21, V		10	100
MSB 66C	9/3/2015	LEAD	5	ug/L	U				0.5	5
MSB 66C	9/3/2015	MANGANESE	15.3	ug/L					1	10
MSB 66C	9/3/2015	NICKEL	0.784	ug/L	J		21		0.5	5
MSB 66C	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 66C	9/3/2015	SODIUM	3800	ug/L					20	200
MSB 66C	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 66C	9/3/2015	ZINC	4.64	ug/L	J		21		4	40
MSB 66C	9/3/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 66C	9/3/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 66C	9/3/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 66C	9/3/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 66C	9/3/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 66C	9/3/2015	ACETONE	10	ug/L	U				1.7	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 66C	9/3/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 66C	9/3/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 66C	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 66C	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L	J		21		0.45	5
MSB 66C	9/3/2015	TETRACHLOROETHYLENE (PCE)	3.9	ug/L	J		21		0.9	5
MSB 66C	9/3/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 66C	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 66C	9/3/2015	TRICHLOROETHYLENE (TCE)	77	ug/L					1.3	5
MSB 66C	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 66TA	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66TA	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 66TA	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 66TA	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66TA	3/10/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 66TA	3/10/2015	ACETONE	2	ug/L	U				0.34	2
MSB 66TA	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 66TA	3/10/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 66TA	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 66TA	3/10/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
MSB 66TA	3/10/2015	TETRACHLOROETHYLENE (PCE)	9.1	ug/L					0.18	1
MSB 66TA	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 66TA	3/10/2015	TRICHLOROETHYLENE (TCE)	49	ug/L					1.3	5
MSB 66TA	9/3/2015	ALUMINUM	156	ug/L	J		21		40	400
MSB 66TA	9/3/2015	BARIUM	3.68	ug/L	J		21		2	20
MSB 66TA	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 66TA	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 66TA	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 66TA	9/3/2015	COBALT	5	ug/L	U				0.5	5
MSB 66TA	9/3/2015	COPPER	2.76	ug/L	J		21		0.5	5
MSB 66TA	9/3/2015	IRON	186	ug/L			V		10	100
MSB 66TA	9/3/2015	LEAD	1.86	ug/L	J		21		0.5	5
MSB 66TA	9/3/2015	MANGANESE	4.29	ug/L	J		21		1	10
MSB 66TA	9/3/2015	NICKEL	0.779	ug/L	J		21		0.5	5
MSB 66TA	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 66TA	9/3/2015	SODIUM	1790	ug/L					20	200
MSB 66TA	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 66TA	9/3/2015	ZINC	7.72	ug/L	J		21		4	40
MSB 66TA	9/3/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.14	2
MSB 66TA	9/3/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.2	2
MSB 66TA	9/3/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.14	2
MSB 66TA	9/3/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.16	2
MSB 66TA	9/3/2015	1,2-DICHLOROBENZENE	0.35	ug/L	J		21		0.12	2
MSB 66TA	9/3/2015	ACETONE	4	ug/L	U				0.68	4
MSB 66TA	9/3/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.26	2
MSB 66TA	9/3/2015	CHLOROBENZENE	2	ug/L	U				0.3	2
MSB 66TA	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	4	ug/L	U				0.16	4
MSB 66TA	9/3/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L					0.18	2
MSB 66TA	9/3/2015	TETRACHLOROETHYLENE (PCE)	8.1	ug/L					0.36	2
MSB 66TA	9/3/2015	TOLUENE	2	ug/L	U				0.14	2
MSB 66TA	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.16	2
MSB 66TA	9/3/2015	TRICHLOROETHYLENE (TCE)	58	ug/L					0.5	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 66TA	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 68B	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 68B	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 68B	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 68B	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 68B	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 68B	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 68B	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 68B	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 68B	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 68B	3/23/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L					0.09	1
MSB 68B	3/23/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
MSB 68B	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 68B	3/23/2015	TRICHLOROETHYLENE (TCE)	370	ug/L					2.5	10
MSB 68B	9/28/2015	ALUMINUM	52.5	ug/L	J		21		40	400
MSB 68B	9/28/2015	BARIUM	5.24	ug/L	J		21		2	20
MSB 68B	9/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 68B	9/28/2015	CADMIUM	0.118	ug/L	J		21		0.1	1
MSB 68B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 68B	9/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 68B	9/28/2015	COPPER	0.591	ug/L	J		21		0.5	5
MSB 68B	9/28/2015	IRON	15	ug/L	U		21, V		10	100
MSB 68B	9/28/2015	LEAD	0.624	ug/L	J		21		0.5	5
MSB 68B	9/28/2015	MANGANESE	2.61	ug/L	J		21		1	10
MSB 68B	9/28/2015	NICKEL	5	ug/L	U				0.5	5
MSB 68B	9/28/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 68B	9/28/2015	SODIUM	2700	ug/L					20	200
MSB 68B	9/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 68B	9/28/2015	ZINC	40	ug/L	U				4	40
MSB 68B	9/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 68B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 68B	9/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 68B	9/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 68B	9/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 68B	9/28/2015	ACETONE	10	ug/L	U				1.7	10
MSB 68B	9/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 68B	9/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 68B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 68B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L					0.45	5
MSB 68B	9/28/2015	TETRACHLOROETHYLENE (PCE)	77	ug/L					0.9	5
MSB 68B	9/28/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 68B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 68B	9/28/2015	TRICHLOROETHYLENE (TCE)	450	ug/L					6.3	25
MSB 68B	9/28/2015	1,4-DIOXANE	1.3	ug/L	J		21		1.2	5
MSB 68B	9/28/2015	SULFATE	0.23	mg/L	J		21		0.05	0.5
MSB 68C	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 68C	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 68C	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 68C	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 68C	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 68C	3/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 68C	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 68C	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 68C	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 68C	3/25/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L					0.09	1
MSB 68C	3/25/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
MSB 68C	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 68C	3/25/2015	TRICHLOROETHYLENE (TCE)	180	ug/L					1.3	5
MSB 68C	11/18/2015	ALUMINUM	80.2	ug/L	J		21		40	400
MSB 68C	11/18/2015	BARIUM	10.4	ug/L	J		21		2	20
MSB 68C	11/18/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 68C	11/18/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 68C	11/18/2015	CHROMIUM	100	ug/L	U				10	100
MSB 68C	11/18/2015	COBALT	5	ug/L	U				0.5	5
MSB 68C	11/18/2015	COPPER	5	ug/L	U				0.5	5
MSB 68C	11/18/2015	IRON	42.2	ug/L	J		21		10	100
MSB 68C	11/18/2015	LEAD	5	ug/L	U				0.5	5
MSB 68C	11/18/2015	MANGANESE	4.91	ug/L	J		21		1	10
MSB 68C	11/18/2015	NICKEL	5	ug/L	U				0.5	5
MSB 68C	11/18/2015	SELENIUM	20	ug/L	U				2	20
MSB 68C	11/18/2015	SODIUM	5440	ug/L					20	200
MSB 68C	11/18/2015	VANADIUM	50	ug/L	U				5	50
MSB 68C	11/18/2015	ZINC	40	ug/L	U				4	40
MSB 68C	11/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 68C	11/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 68C	11/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 68C	11/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 68C	11/18/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 68C	11/18/2015	ACETONE	5	ug/L	U				0.85	5
MSB 68C	11/18/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 68C	11/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 68C	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 68C	11/18/2015	CIS-1,2-DICHLOROETHYLENE	4	ug/L					0.23	2.5
MSB 68C	11/18/2015	TETRACHLOROETHYLENE (PCE)	2.5	ug/L					0.45	2.5
MSB 68C	11/18/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 68C	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 68C	11/18/2015	TRICHLOROETHYLENE (TCE)	330	ug/L					6.3	25
MSB 68C	11/18/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 68C	11/18/2015	SULFATE	0.2	mg/L	J		21		0.05	0.5
MSB 69C	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69C	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 69C	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69C	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69C	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 69C	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 69C	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 69C	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 69C	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 69C	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 69C	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 69C	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69C	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 69C	8/31/2015	ALUMINUM	97.8	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 69C	8/31/2015	BARIUM	14	ug/L	J		21		2	20
MSB 69C	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 69C	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 69C	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 69C	8/31/2015	COBALT	1.28	ug/L	J		21		0.5	5
MSB 69C	8/31/2015	COPPER	1.24	ug/L	J		21		0.5	5
MSB 69C	8/31/2015	IRON	12.6	ug/L	U		21, V		10	100
MSB 69C	8/31/2015	LEAD	5	ug/L	U				0.5	5
MSB 69C	8/31/2015	MANGANESE	7.95	ug/L	J		21		1	10
MSB 69C	8/31/2015	NICKEL	0.631	ug/L	J		21		0.5	5
MSB 69C	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 69C	8/31/2015	SODIUM	2410	ug/L					20	200
MSB 69C	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 69C	8/31/2015	ZINC	40	ug/L	U				4	40
MSB 69C	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 69C	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69C	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69C	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 69C	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB 69C	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 69C	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 69C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 69C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 69C	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 69C	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 69C	8/31/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 69C	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 69C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 69C	8/31/2015	SULFATE	0.15	mg/L	J		21		0.05	0.5
MSB 69TA	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69TA	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 69TA	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69TA	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69TA	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 69TA	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 69TA	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 69TA	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 69TA	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 69TA	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 69TA	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 69TA	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69TA	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 69TA	8/31/2015	ALUMINUM	400	ug/L	U				40	400
MSB 69TA	8/31/2015	BARIUM	13.8	ug/L	J		21		2	20
MSB 69TA	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 69TA	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 69TA	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 69TA	8/31/2015	COBALT	5	ug/L	U				0.5	5
MSB 69TA	8/31/2015	COPPER	5	ug/L	U				0.5	5
MSB 69TA	8/31/2015	IRON	267	ug/L			V		10	100
MSB 69TA	8/31/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 69TA	8/31/2015	MANGANESE	30.6	ug/L					1	10
MSB 69TA	8/31/2015	NICKEL	1.54	ug/L	J		21		0.5	5
MSB 69TA	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 69TA	8/31/2015	SODIUM	2060	ug/L					20	200
MSB 69TA	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 69TA	8/31/2015	ZINC	4.78	ug/L	J		21		4	40
MSB 69TA	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69TA	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 69TA	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 69TA	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69TA	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 69TA	8/31/2015	ACETONE	3.4	ug/L					0.34	2
MSB 69TA	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 69TA	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 69TA	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 69TA	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 69TA	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 69TA	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 69TA	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 69TA	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 69TA	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 69TA	8/31/2015	SULFATE	0.27	mg/L	J		21		0.05	0.5
MSB 70C	3/24/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 70C	3/24/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 70C	3/24/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 70C	3/24/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 70C	3/24/2015	1,4-DIOXANE	800	ug/L	U				76	800
MSB 70C	3/24/2015	ACETONE	18	ug/L	J		21		3.4	20
MSB 70C	3/24/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 70C	3/24/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 70C	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 70C	3/24/2015	CIS-1,2-DICHLOROETHYLENE	2.1	ug/L	J		21		0.9	10
MSB 70C	3/24/2015	TETRACHLOROETHYLENE (PCE)	160	ug/L					1.8	10
MSB 70C	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 70C	3/24/2015	TRICHLOROETHYLENE (TCE)	720	ug/L					25	100
MSB 70C	3/24/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 70C	9/30/2015	NITRATE-NITRITE AS NITROGEN	2.8	mg/L					0.047	0.5
MSB 70C	9/30/2015	ALUMINUM	287	ug/L	J		21		40	400
MSB 70C	9/30/2015	BARIUM	21.5	ug/L					2	20
MSB 70C	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 70C	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 70C	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 70C	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 70C	9/30/2015	COPPER	6.22	ug/L					0.5	5
MSB 70C	9/30/2015	IRON	301	ug/L			V		10	100
MSB 70C	9/30/2015	LEAD	0.865	ug/L	J		21		0.5	5
MSB 70C	9/30/2015	MANGANESE	4.65	ug/L	J		21		1	10
MSB 70C	9/30/2015	NICKEL	0.705	ug/L	J		21		0.5	5
MSB 70C	9/30/2015	SELENIUM	2.23	ug/L	J		21		2	20
MSB 70C	9/30/2015	SODIUM	5860	ug/L					20	200
MSB 70C	9/30/2015	VANADIUM	50	ug/L	U				5	50
MSB 70C	9/30/2015	ZINC	11.3	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 70C	9/30/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 70C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 70C	9/30/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 70C	9/30/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 70C	9/30/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 70C	9/30/2015	ACETONE	20	ug/L	U				3.4	20
MSB 70C	9/30/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 70C	9/30/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 70C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 70C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.9	10
MSB 70C	9/30/2015	TETRACHLOROETHYLENE (PCE)	110	ug/L					1.8	10
MSB 70C	9/30/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 70C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 70C	9/30/2015	TRICHLOROETHYLENE (TCE)	610	ug/L					25	100
MSB 70C	9/30/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 70D	3/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 70D	3/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 70D	3/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 70D	3/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 70D	3/11/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 70D	3/11/2015	ACETONE	2	ug/L	U				0.34	2
MSB 70D	3/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 70D	3/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 70D	3/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 70D	3/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 70D	3/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 70D	3/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 70D	3/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 70D	11/19/2015	NITRATE-NITRITE AS NITROGEN	0.61	mg/L					0.0047	0.05
MSB 70D	11/19/2015	ALUMINUM	931	ug/L					40	400
MSB 70D	11/19/2015	BARIUM	9.87	ug/L	J		21		2	20
MSB 70D	11/19/2015	BERYLLIUM	0.106	ug/L	J		21		0.1	1
MSB 70D	11/19/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 70D	11/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 70D	11/19/2015	COBALT	5	ug/L	U				0.5	5
MSB 70D	11/19/2015	COPPER	0.564	ug/L	J		21		0.5	5
MSB 70D	11/19/2015	IRON	718	ug/L					10	100
MSB 70D	11/19/2015	LEAD	0.6	ug/L	J		21		0.5	5
MSB 70D	11/19/2015	MANGANESE	3.51	ug/L	J		21		1	10
MSB 70D	11/19/2015	NICKEL	5	ug/L	U				0.5	5
MSB 70D	11/19/2015	SELENIUM	20	ug/L	U				2	20
MSB 70D	11/19/2015	SODIUM	1420	ug/L					20	200
MSB 70D	11/19/2015	VANADIUM	50	ug/L	U				5	50
MSB 70D	11/19/2015	ZINC	40	ug/L	U				4	40
MSB 70D	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 70D	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 70D	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 70D	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 70D	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 70D	11/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 70D	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 70D	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 70D	11/19/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 70D	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 70D	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 70D	11/19/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 70D	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 70D	11/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 70D	11/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 71B	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 71B	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 71B	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 71B	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 71B	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 71B	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 71B	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 71B	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 71B	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 71B	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 71B	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 71B	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 71B	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 71B	9/30/2015	NITRATE-NITRITE AS NITROGEN	0.16	mg/L					0.0047	0.05
MSB 71B	9/30/2015	ALUMINUM	47.9	ug/L	J		21		40	400
MSB 71B	9/30/2015	BARIUM	20.6	ug/L					2	20
MSB 71B	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 71B	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 71B	9/30/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 71B	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 71B	9/30/2015	COPPER	5	ug/L	U				0.5	5
MSB 71B	9/30/2015	IRON	39.6	ug/L	U		21, V		10	100
MSB 71B	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 71B	9/30/2015	MANGANESE	10	ug/L	U				1	10
MSB 71B	9/30/2015	NICKEL	0.517	ug/L	J		21		0.5	5
MSB 71B	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 71B	9/30/2015	SODIUM	1770	ug/L					20	200
MSB 71B	9/30/2015	VANADIUM	18	ug/L	J		21		5	50
MSB 71B	9/30/2015	ZINC	40	ug/L	U				4	40
MSB 71B	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 71B	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 71B	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 71B	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 71B	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 71B	9/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 71B	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 71B	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 71B	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 71B	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 71B	9/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 71B	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 71B	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 71B	9/30/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 71B	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 72B	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 72B	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 72B	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 72B	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 72B	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 72B	3/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 72B	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 72B	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 72B	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 72B	3/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 72B	3/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 72B	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 72B	3/30/2015	TRICHLOROETHYLENE (TCE)	69	ug/L					1.3	5
MSB 72B	9/28/2015	ALUMINUM	56.1	ug/L	J		21		40	400
MSB 72B	9/28/2015	BARIUM	30.6	ug/L					2	20
MSB 72B	9/28/2015	BERYLLIUM	0.234	ug/L	J		21		0.1	1
MSB 72B	9/28/2015	CADMIUM	0.435	ug/L	J		21		0.1	1
MSB 72B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 72B	9/28/2015	COBALT	5	ug/L	U				0.5	5
MSB 72B	9/28/2015	COPPER	0.579	ug/L	J		21		0.5	5
MSB 72B	9/28/2015	IRON	15.7	ug/L	U		21, V		10	100
MSB 72B	9/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 72B	9/28/2015	MANGANESE	2.89	ug/L	J		21		1	10
MSB 72B	9/28/2015	NICKEL	0.781	ug/L	J		21		0.5	5
MSB 72B	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 72B	9/28/2015	SODIUM	1790	ug/L					20	200
MSB 72B	9/28/2015	VANADIUM	18.5	ug/L	J		21		5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 72B	9/28/2015	ZINC	5.74	ug/L	J		21		4	40
MSB 72B	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 72B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 72B	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 72B	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 72B	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 72B	9/28/2015	ACETONE	4.6	ug/L					0.34	2
MSB 72B	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 72B	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 72B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 72B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
MSB 72B	9/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 72B	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 72B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 72B	9/28/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					1.3	5
MSB 72B	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 73TA1	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 73TA1	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 73TA1	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 73TA1	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 73TA1	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 73TA1	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB 73TA1	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 73TA1	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 73TA1	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 73TA1	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1.6	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 73TA1	10/7/2015	TETRACHLOROETHYLENE (PCE)	0.74	ug/L	J		21		0.18	1
MSB 73TA1	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 73TA1	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 73TA1	10/7/2015	TRICHLOROETHYLENE (TCE)	31	ug/L					0.25	1
MSB 73TA1	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 74B	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74B	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 74B	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74B	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74B	3/23/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 74B	3/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB 74B	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74B	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74B	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74B	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 74B	3/23/2015	TETRACHLOROETHYLENE (PCE)	0.87	ug/L	J		21		0.18	1
MSB 74B	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74B	3/23/2015	TRICHLOROETHYLENE (TCE)	4.1	ug/L					0.25	1
MSB 74B	9/30/2015	ALUMINUM	48.5	ug/L	J		21		40	400
MSB 74B	9/30/2015	BARIUM	16.6	ug/L	J		21		2	20
MSB 74B	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 74B	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 74B	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 74B	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 74B	9/30/2015	COPPER	5	ug/L	U				0.5	5
MSB 74B	9/30/2015	IRON	19.8	ug/L	U		21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 74B	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 74B	9/30/2015	MANGANESE	3.48	ug/L	J		21		1	10
MSB 74B	9/30/2015	NICKEL	0.581	ug/L	J		21		0.5	5
MSB 74B	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 74B	9/30/2015	SODIUM	2150	ug/L					20	200
MSB 74B	9/30/2015	VANADIUM	7.57	ug/L	J		21		5	50
MSB 74B	9/30/2015	ZINC	40	ug/L	U				4	40
MSB 74B	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74B	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 74B	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74B	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74B	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 74B	9/30/2015	ACETONE	2.6	ug/L					0.34	2
MSB 74B	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74B	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74B	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74B	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 74B	9/30/2015	TETRACHLOROETHYLENE (PCE)	0.86	ug/L	J		21		0.18	1
MSB 74B	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 74B	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74B	9/30/2015	TRICHLOROETHYLENE (TCE)	5.2	ug/L					0.25	1
MSB 74B	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 74C	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74C	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 74C	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74C	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 74C	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 74C	3/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB 74C	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74C	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74C	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74C	3/30/2015	CIS-1,2-DICHLOROETHYLENE	1.6	ug/L					0.09	1
MSB 74C	3/30/2015	TETRACHLOROETHYLENE (PCE)	6.6	ug/L					0.18	1
MSB 74C	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74C	3/30/2015	TRICHLOROETHYLENE (TCE)	42	ug/L					1.3	5
MSB 74C	9/28/2015	ALUMINUM	130	ug/L	J		21		40	400
MSB 74C	9/28/2015	BARIUM	35.3	ug/L					2	20
MSB 74C	9/28/2015	BERYLLIUM	0.129	ug/L	J		21		0.1	1
MSB 74C	9/28/2015	CADMIUM	0.158	ug/L	J		21		0.1	1
MSB 74C	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 74C	9/28/2015	COBALT	0.699	ug/L	J		21		0.5	5
MSB 74C	9/28/2015	COPPER	1.3	ug/L	J		21		0.5	5
MSB 74C	9/28/2015	IRON	674	ug/L			V		10	100
MSB 74C	9/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 74C	9/28/2015	MANGANESE	10.9	ug/L					1	10
MSB 74C	9/28/2015	NICKEL	2.18	ug/L	J		21		0.5	5
MSB 74C	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 74C	9/28/2015	SODIUM	2750	ug/L					20	200
MSB 74C	9/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 74C	9/28/2015	ZINC	4.44	ug/L	J		21		4	40
MSB 74C	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74C	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 74C	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74C	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74C	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 74C	9/28/2015	ACETONE	2.6	ug/L					0.34	2
MSB 74C	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74C	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74C	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74C	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.73	ug/L	J		21		0.09	1
MSB 74C	9/28/2015	TETRACHLOROETHYLENE (PCE)	3.6	ug/L					0.18	1
MSB 74C	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 74C	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74C	9/28/2015	TRICHLOROETHYLENE (TCE)	27	ug/L					0.25	1
MSB 74C	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 74D	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74D	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 74D	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74D	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74D	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 74D	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 74D	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74D	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74D	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74D	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 74D	3/12/2015	TETRACHLOROETHYLENE (PCE)	0.44	ug/L	J		21		0.18	1
MSB 74D	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 74D	3/12/2015	TRICHLOROETHYLENE (TCE)	0.45	ug/L	J		21		0.25	1
MSB 74D	9/3/2015	ALUMINUM	261	ug/L	J		21		40	400
MSB 74D	9/3/2015	BARIUM	5.99	ug/L	J		21		2	20
MSB 74D	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 74D	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 74D	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 74D	9/3/2015	COBALT	5	ug/L	U				0.5	5
MSB 74D	9/3/2015	COPPER	0.814	ug/L	J		21		0.5	5
MSB 74D	9/3/2015	IRON	240	ug/L			V		10	100
MSB 74D	9/3/2015	LEAD	0.503	ug/L	J		21		0.5	5
MSB 74D	9/3/2015	MANGANESE	3.67	ug/L	J		21		1	10
MSB 74D	9/3/2015	NICKEL	5	ug/L	U				0.5	5
MSB 74D	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 74D	9/3/2015	SODIUM	2010	ug/L					20	200
MSB 74D	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 74D	9/3/2015	ZINC	4.24	ug/L	J		21		4	40
MSB 74D	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74D	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 74D	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 74D	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74D	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 74D	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 74D	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 74D	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 74D	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 74D	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 74D	9/3/2015	TETRACHLOROETHYLENE (PCE)	0.33	ug/L	J		21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 74D	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 74D	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 74D	9/3/2015	TRICHLOROETHYLENE (TCE)	0.41	ug/L	J		21		0.25	1
MSB 74D	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 75B	3/19/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 75B	3/19/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 75B	3/19/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB 75B	3/19/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 75B	3/19/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
MSB 75B	3/19/2015	ACETONE	50	ug/L	U				8.5	50
MSB 75B	3/19/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 75B	3/19/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 75B	3/19/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 75B	3/19/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	J		21		2.3	25
MSB 75B	3/19/2015	TETRACHLOROETHYLENE (PCE)	830	ug/L					4.5	25
MSB 75B	3/19/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 75B	3/19/2015	TRICHLOROETHYLENE (TCE)	6400	ug/L					63	250
MSB 75B	9/3/2015	ALUMINUM	1750	ug/L					40	400
MSB 75B	9/3/2015	BARIUM	60.2	ug/L					2	20
MSB 75B	9/3/2015	BERYLLIUM	0.607	ug/L	J		21		0.1	1
MSB 75B	9/3/2015	CADMIUM	0.129	ug/L	J		21		0.1	1
MSB 75B	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 75B	9/3/2015	COBALT	3.24	ug/L	J		21		0.5	5
MSB 75B	9/3/2015	COPPER	3.77	ug/L	J		21		0.5	5
MSB 75B	9/3/2015	IRON	601	ug/L			V		10	100
MSB 75B	9/3/2015	LEAD	1.17	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 75B	9/3/2015	MANGANESE	60.4	ug/L					1	10
MSB 75B	9/3/2015	NICKEL	3.48	ug/L	J		21		0.5	5
MSB 75B	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 75B	9/3/2015	SODIUM	2680	ug/L					20	200
MSB 75B	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 75B	9/3/2015	ZINC	11.5	ug/L	J		21		4	40
MSB 75B	9/3/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB 75B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB 75B	9/3/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB 75B	9/3/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 75B	9/3/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB 75B	9/3/2015	ACETONE	500	ug/L	U				85	500
MSB 75B	9/3/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250
MSB 75B	9/3/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB 75B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB 75B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	250	ug/L	U				23	250
MSB 75B	9/3/2015	TETRACHLOROETHYLENE (PCE)	610	ug/L					45	250
MSB 75B	9/3/2015	TOLUENE	250	ug/L	U				18	250
MSB 75B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB 75B	9/3/2015	TRICHLOROETHYLENE (TCE)	5700	ug/L					63	250
MSB 75B	9/3/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB 75C	3/30/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 75C	3/30/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 75C	3/30/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 75C	3/30/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 75C	3/30/2015	1,4-DIOXANE	200	ug/L	U				19	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 75C	3/30/2015	ACETONE	5	ug/L	U				0.85	5
MSB 75C	3/30/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 75C	3/30/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 75C	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 75C	3/30/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.23	2.5
MSB 75C	3/30/2015	TETRACHLOROETHYLENE (PCE)	170	ug/L					4.5	25
MSB 75C	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 75C	3/30/2015	TRICHLOROETHYLENE (TCE)	600	ug/L					6.3	25
MSB 75C	9/28/2015	ALUMINUM	177	ug/L	J		21		40	400
MSB 75C	9/28/2015	BARIUM	22.6	ug/L					2	20
MSB 75C	9/28/2015	BERYLLIUM	0.222	ug/L	J		21		0.1	1
MSB 75C	9/28/2015	CADMIUM	0.283	ug/L	J		21		0.1	1
MSB 75C	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 75C	9/28/2015	COBALT	1.4	ug/L	J		21		0.5	5
MSB 75C	9/28/2015	COPPER	3.5	ug/L	J		21		0.5	5
MSB 75C	9/28/2015	IRON	35.7	ug/L	U		21, V		10	100
MSB 75C	9/28/2015	LEAD	1.01	ug/L	J		21		0.5	5
MSB 75C	9/28/2015	MANGANESE	27	ug/L					1	10
MSB 75C	9/28/2015	NICKEL	2.7	ug/L	J		21		0.5	5
MSB 75C	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 75C	9/28/2015	SODIUM	3200	ug/L					20	200
MSB 75C	9/28/2015	VANADIUM	50	ug/L	U				5	50
MSB 75C	9/28/2015	ZINC	16	ug/L	J		21		4	40
MSB 75C	9/28/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB 75C	9/28/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB 75C	9/28/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 75C	9/28/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 75C	9/28/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB 75C	9/28/2015	ACETONE	50	ug/L	U				8.5	50
MSB 75C	9/28/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB 75C	9/28/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB 75C	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB 75C	9/28/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB 75C	9/28/2015	TETRACHLOROETHYLENE (PCE)	210	ug/L					4.5	25
MSB 75C	9/28/2015	TOLUENE	25	ug/L	U				1.8	25
MSB 75C	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB 75C	9/28/2015	TRICHLOROETHYLENE (TCE)	770	ug/L					6.3	25
MSB 75C	9/28/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 76C	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 76C	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 76C	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 76C	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 76C	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 76C	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 76C	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 76C	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 76C	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 76C	3/24/2015	CIS-1,2-DICHLOROETHYLENE	0.81	ug/L	J		21		0.09	1
MSB 76C	3/24/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L					0.18	1
MSB 76C	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 76C	3/24/2015	TRICHLOROETHYLENE (TCE)	160	ug/L					2.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 76C	9/30/2015	NITRATE-NITRITE AS NITROGEN	0.64	mg/L					0.0094	0.1
MSB 76C	9/30/2015	ALUMINUM	1450	ug/L					40	400
MSB 76C	9/30/2015	BARIUM	23.2	ug/L					2	20
MSB 76C	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 76C	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 76C	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 76C	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 76C	9/30/2015	COPPER	9.04	ug/L					0.5	5
MSB 76C	9/30/2015	IRON	807	ug/L			V		10	100
MSB 76C	9/30/2015	LEAD	1.77	ug/L	J		21		0.5	5
MSB 76C	9/30/2015	MANGANESE	12.3	ug/L					1	10
MSB 76C	9/30/2015	NICKEL	2.23	ug/L	J		21		0.5	5
MSB 76C	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 76C	9/30/2015	SODIUM	3020	ug/L					20	200
MSB 76C	9/30/2015	VANADIUM	19.3	ug/L	J		21		5	50
MSB 76C	9/30/2015	ZINC	17.3	ug/L	J		21		4	40
MSB 76C	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 76C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 76C	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 76C	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 76C	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 76C	9/30/2015	ACETONE	2.4	ug/L					0.34	2
MSB 76C	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 76C	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 76C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 76C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	0.8	ug/L	J		21		0.09	1
MSB 76C	9/30/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 76C	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 76C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 76C	9/30/2015	TRICHLOROETHYLENE (TCE)	210	ug/L					2.5	10
MSB 76C	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 77B	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77B	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 77B	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77B	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77B	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 77B	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 77B	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 77B	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 77B	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 77B	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 77B	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 77B	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77B	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 77B	8/31/2015	ALUMINUM	261	ug/L	J		21		40	400
MSB 77B	8/31/2015	BARIUM	87.1	ug/L					2	20
MSB 77B	8/31/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 77B	8/31/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 77B	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 77B	8/31/2015	COBALT	5	ug/L	U				0.5	5
MSB 77B	8/31/2015	COPPER	0.562	ug/L	J		21		0.5	5
MSB 77B	8/31/2015	IRON	50.2	ug/L	U		21, V		10	100
MSB 77B	8/31/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 77B	8/31/2015	MANGANESE	7.74	ug/L	J		21		1	10
MSB 77B	8/31/2015	NICKEL	0.665	ug/L	J		21		0.5	5
MSB 77B	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 77B	8/31/2015	SODIUM	1510	ug/L					20	200
MSB 77B	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 77B	8/31/2015	ZINC	40	ug/L	U				4	40
MSB 77B	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 77B	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77B	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77B	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 77B	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB 77B	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 77B	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 77B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 77B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 77B	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 77B	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 77B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77B	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 77B	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 77B	8/31/2015	SULFATE	0.41	mg/L	J		21		0.05	0.5
MSB 77C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 77C	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77C	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 77C	3/17/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 77C	3/17/2015	ACETONE	2	ug/L	U				0.34	2
MSB 77C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 77C	3/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 77C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 77C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 77C	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 77C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77C	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 77C	8/31/2015	ALUMINUM	4540	ug/L					40	400
MSB 77C	8/31/2015	BARIUM	38.1	ug/L					2	20
MSB 77C	8/31/2015	BERYLLIUM	0.246	ug/L	J		21		0.1	1
MSB 77C	8/31/2015	CADMIUM	0.14	ug/L	J		21		0.1	1
MSB 77C	8/31/2015	CHROMIUM	100	ug/L	U				10	100
MSB 77C	8/31/2015	COBALT	0.973	ug/L	J		21		0.5	5
MSB 77C	8/31/2015	COPPER	4.59	ug/L	J		21		0.5	5
MSB 77C	8/31/2015	IRON	1990	ug/L			V		10	100
MSB 77C	8/31/2015	LEAD	8.82	ug/L					0.5	5
MSB 77C	8/31/2015	MANGANESE	22.3	ug/L					1	10
MSB 77C	8/31/2015	NICKEL	9.93	ug/L					0.5	5
MSB 77C	8/31/2015	SELENIUM	20	ug/L	U				2	20
MSB 77C	8/31/2015	SODIUM	2260	ug/L					20	200
MSB 77C	8/31/2015	VANADIUM	50	ug/L	U				5	50
MSB 77C	8/31/2015	ZINC	38.9	ug/L	J		21		4	40
MSB 77C	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 77C	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 77C	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77C	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 77C	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB 77C	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 77C	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 77C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 77C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 77C	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 77C	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 77C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 77C	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 77C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 77C	8/31/2015	SULFATE	0.44	mg/L	J		21		0.05	0.5
MSB 79B	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79B	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 79B	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79B	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79B	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 79B	3/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB 79B	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 79B	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 79B	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 79B	3/25/2015	CIS-1,2-DICHLOROETHYLENE	7.2	ug/L					0.09	1
MSB 79B	3/25/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.18	1
MSB 79B	3/25/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 79B	3/25/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					2.5	10
MSB 79B	3/25/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 79B	10/20/2015	ALUMINUM	64.5	ug/L	J		21		40	400
MSB 79B	10/20/2015	BARIUM	41.9	ug/L					2	20
MSB 79B	10/20/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 79B	10/20/2015	CADMIUM	0.127	ug/L	J		21		0.1	1
MSB 79B	10/20/2015	CHROMIUM	100	ug/L	U				10	100
MSB 79B	10/20/2015	COBALT	5	ug/L	U				0.5	5
MSB 79B	10/20/2015	COPPER	13.3	ug/L					0.5	5
MSB 79B	10/20/2015	IRON	112	ug/L	J		21, V		10	100
MSB 79B	10/20/2015	LEAD	4.47	ug/L	J		21		0.5	5
MSB 79B	10/20/2015	MANGANESE	1.19	ug/L	J		21		1	10
MSB 79B	10/20/2015	NICKEL	1.12	ug/L	J		21		0.5	5
MSB 79B	10/20/2015	SELENIUM	20	ug/L	U				2	20
MSB 79B	10/20/2015	SODIUM	5130	ug/L					20	200
MSB 79B	10/20/2015	VANADIUM	50	ug/L	U				5	50
MSB 79B	10/20/2015	ZINC	43.3	ug/L					4	40
MSB 79B	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79B	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 79B	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79B	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79B	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 79B	10/20/2015	ACETONE	3.7	ug/L					0.34	2
MSB 79B	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 79B	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 79B	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 79B	10/20/2015	CIS-1,2-DICHLOROETHYLENE	18	ug/L					0.09	1
MSB 79B	10/20/2015	TETRACHLOROETHYLENE (PCE)	57	ug/L					1.8	10
MSB 79B	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 79B	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79B	10/20/2015	TRICHLOROETHYLENE (TCE)	280	ug/L					2.5	10
MSB 79B	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 79C	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79C	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 79C	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79C	3/18/2015	1,1-DICHLOROETHYLENE	0.44	ug/L	J		21		0.08	1
MSB 79C	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 79C	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 79C	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 79C	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 79C	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 79C	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
MSB 79C	3/18/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L					0.18	1
MSB 79C	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79C	3/18/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.25	1
MSB 79C	3/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB 79C	9/3/2015	ALUMINUM	480	ug/L					40	400
MSB 79C	9/3/2015	BARIUM	54.6	ug/L					2	20
MSB 79C	9/3/2015	BERYLLIUM	0.137	ug/L	J		21		0.1	1
MSB 79C	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 79C	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 79C	9/3/2015	COBALT	1.63	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 79C	9/3/2015	COPPER	0.881	ug/L	J		21		0.5	5
MSB 79C	9/3/2015	IRON	225	ug/L			V		10	100
MSB 79C	9/3/2015	LEAD	1.39	ug/L	J		21		0.5	5
MSB 79C	9/3/2015	MANGANESE	15.1	ug/L					1	10
MSB 79C	9/3/2015	NICKEL	1.27	ug/L	J		21		0.5	5
MSB 79C	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 79C	9/3/2015	SODIUM	6890	ug/L					20	200
MSB 79C	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 79C	9/3/2015	ZINC	12.6	ug/L	J		21		4	40
MSB 79C	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79C	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 79C	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 79C	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79C	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 79C	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 79C	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 79C	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 79C	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 79C	9/3/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
MSB 79C	9/3/2015	TETRACHLOROETHYLENE (PCE)	15	ug/L					0.18	1
MSB 79C	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 79C	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 79C	9/3/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.25	1
MSB 79C	9/3/2015	1,4-DIOXANE	2.4	ug/L	J		21		1.2	5
MSB 82A	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82A	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82A	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82A	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82A	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 82A	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 82A	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82A	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82A	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82A	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 82A	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82A	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82A	3/5/2015	TRICHLOROETHYLENE (TCE)	1.8	ug/L					0.25	1
MSB 82A	11/19/2015	ALUMINUM	359	ug/L	J		21		40	400
MSB 82A	11/19/2015	BARIUM	126	ug/L					2	20
MSB 82A	11/19/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 82A	11/19/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 82A	11/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB 82A	11/19/2015	COBALT	5	ug/L	U				0.5	5
MSB 82A	11/19/2015	COPPER	0.517	ug/L	J		21		0.5	5
MSB 82A	11/19/2015	IRON	73.2	ug/L	J		21		10	100
MSB 82A	11/19/2015	LEAD	0.511	ug/L	J		21		0.5	5
MSB 82A	11/19/2015	MANGANESE	1.89	ug/L	J		21		1	10
MSB 82A	11/19/2015	NICKEL	0.734	ug/L	J		21		0.5	5
MSB 82A	11/19/2015	SELENIUM	2.05	ug/L	J		21		2	20
MSB 82A	11/19/2015	SODIUM	6780	ug/L					20	200
MSB 82A	11/19/2015	VANADIUM	6.21	ug/L	J		21		5	50
MSB 82A	11/19/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82A	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82A	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82A	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82A	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82A	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 82A	11/19/2015	ACETONE	2.8	ug/L					0.34	2
MSB 82A	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82A	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82A	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82A	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 82A	11/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82A	11/19/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 82A	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82A	11/19/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
MSB 82A	11/19/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 82A	11/19/2015	SULFATE	25	mg/L					1	10
MSB 82B	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82B	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82B	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82B	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82B	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 82B	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 82B	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82B	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82B	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82B	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82B	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82B	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82B	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 82B	9/3/2015	ALUMINUM	627	ug/L			V		40	400
MSB 82B	9/3/2015	BARIUM	11.3	ug/L	J		21		2	20
MSB 82B	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 82B	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 82B	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 82B	9/3/2015	COBALT	1.29	ug/L	J		21		0.5	5
MSB 82B	9/3/2015	COPPER	2	ug/L	J		21		0.5	5
MSB 82B	9/3/2015	IRON	524	ug/L			V		10	100
MSB 82B	9/3/2015	LEAD	2.58	ug/L	J		21		0.5	5
MSB 82B	9/3/2015	MANGANESE	9.11	ug/L	J		21		1	10
MSB 82B	9/3/2015	NICKEL	2.24	ug/L	J		21		0.5	5
MSB 82B	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 82B	9/3/2015	SODIUM	1900	ug/L					20	200
MSB 82B	9/3/2015	VANADIUM	17.1	ug/L	J		21		5	50
MSB 82B	9/3/2015	ZINC	12.5	ug/L	J		21		4	40
MSB 82B	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82B	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82B	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82B	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 82B	9/3/2015	ACETONE	1.7	ug/L	J		21		0.34	2
MSB 82B	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82B	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82B	9/3/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 82B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 82B	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82B	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 82B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82B	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 82B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 82B	9/3/2015	SULFATE	8.6	mg/L					0.05	0.5
MSB 82C	3/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82C	3/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82C	3/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82C	3/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82C	3/5/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 82C	3/5/2015	ACETONE	2	ug/L	U				0.34	2
MSB 82C	3/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82C	3/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82C	3/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82C	3/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 82C	3/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82C	3/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82C	3/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 82C	9/3/2015	ALUMINUM	664	ug/L					40	400
MSB 82C	9/3/2015	BARIUM	45.7	ug/L					2	20
MSB 82C	9/3/2015	BERYLLIUM	0.141	ug/L	J		21		0.1	1
MSB 82C	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 82C	9/3/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82C	9/3/2015	COBALT	0.692	ug/L	J		21		0.5	5
MSB 82C	9/3/2015	COPPER	3.4	ug/L	J		21		0.5	5
MSB 82C	9/3/2015	IRON	535	ug/L			V		10	100
MSB 82C	9/3/2015	LEAD	6.27	ug/L					0.5	5
MSB 82C	9/3/2015	MANGANESE	17.9	ug/L					1	10
MSB 82C	9/3/2015	NICKEL	1.68	ug/L	J		21		0.5	5
MSB 82C	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 82C	9/3/2015	SODIUM	2480	ug/L					20	200
MSB 82C	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 82C	9/3/2015	ZINC	35.7	ug/L	J		21		4	40
MSB 82C	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82C	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82C	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82C	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82C	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 82C	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 82C	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82C	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82C	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82C	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 82C	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 82C	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 82C	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82C	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 82C	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 82C	9/3/2015	SULFATE	0.34	mg/L	J		21		0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82TA	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82TA	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82TA	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82TA	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82TA	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 82TA	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 82TA	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82TA	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82TA	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82TA	3/12/2015	CIS-1,2-DICHLOROETHYLENE	0.88	ug/L	J		21		0.09	1
MSB 82TA	3/12/2015	TETRACHLOROETHYLENE (PCE)	0.51	ug/L	J		21		0.18	1
MSB 82TA	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82TA	3/12/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					1.3	5
MSB 82TA	9/30/2015	ALUMINUM	97	ug/L	J		21		40	400
MSB 82TA	9/30/2015	BARIUM	3.85	ug/L	J		21		2	20
MSB 82TA	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 82TA	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 82TA	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 82TA	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 82TA	9/30/2015	COPPER	5	ug/L	U				0.5	5
MSB 82TA	9/30/2015	IRON	901	ug/L			V		10	100
MSB 82TA	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 82TA	9/30/2015	MANGANESE	81.1	ug/L					1	10
MSB 82TA	9/30/2015	NICKEL	1.24	ug/L	J		21		0.5	5
MSB 82TA	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 82TA	9/30/2015	SODIUM	2060	ug/L					20	200

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 82TA	9/30/2015	VANADIUM	50	ug/L	U				5	50
MSB 82TA	9/30/2015	ZINC	6.12	ug/L	J		21		4	40
MSB 82TA	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82TA	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 82TA	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 82TA	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82TA	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 82TA	9/30/2015	ACETONE	2.3	ug/L					0.34	2
MSB 82TA	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 82TA	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 82TA	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 82TA	9/30/2015	CIS-1,2-DICHLOROETHYLENE	0.95	ug/L	J		21		0.09	1
MSB 82TA	9/30/2015	TETRACHLOROETHYLENE (PCE)	0.49	ug/L	J		21		0.18	1
MSB 82TA	9/30/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
MSB 82TA	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 82TA	9/30/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					1.3	5
MSB 82TA	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 82TA	9/30/2015	SULFATE	1.4	mg/L					0.05	0.5
MSB 85C	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 85C	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 85C	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 85C	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 85C	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 85C	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 85C	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 85C	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 85C	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 85C	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 85C	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 85C	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 85C	3/12/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					0.25	1
MSB 85C	9/3/2015	ALUMINUM	803	ug/L					40	400
MSB 85C	9/3/2015	BARIUM	8.43	ug/L	J		21		2	20
MSB 85C	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 85C	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 85C	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 85C	9/3/2015	COBALT	5	ug/L	U				0.5	5
MSB 85C	9/3/2015	COPPER	1.01	ug/L	J		21		0.5	5
MSB 85C	9/3/2015	IRON	86.3	ug/L	U		21, V		10	100
MSB 85C	9/3/2015	LEAD	0.733	ug/L	J		21		0.5	5
MSB 85C	9/3/2015	MANGANESE	5.58	ug/L	J		21		1	10
MSB 85C	9/3/2015	NICKEL	5	ug/L	U				0.5	5
MSB 85C	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 85C	9/3/2015	SODIUM	4060	ug/L					20	200
MSB 85C	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 85C	9/3/2015	ZINC	40	ug/L	U				4	40
MSB 85C	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 85C	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 85C	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 85C	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 85C	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 85C	9/3/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 85C	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 85C	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 85C	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 85C	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 85C	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 85C	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 85C	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 85C	9/3/2015	TRICHLOROETHYLENE (TCE)	14	ug/L					0.25	1
MSB 85C	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 85C	9/3/2015	SULFATE	0.24	mg/L	J		21		0.05	0.5
MSB 87CR	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 87CR	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 87CR	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 87CR	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 87CR	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 87CR	3/12/2015	ACETONE	2	ug/L	U				0.34	2
MSB 87CR	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 87CR	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 87CR	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 87CR	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 87CR	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 87CR	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 87CR	3/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 87CR	9/3/2015	ALUMINUM	416	ug/L					40	400
MSB 87CR	9/3/2015	BARIUM	4.81	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 87CR	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 87CR	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 87CR	9/3/2015	CHROMIUM	100	ug/L	U				10	100
MSB 87CR	9/3/2015	COBALT	5	ug/L	U				0.5	5
MSB 87CR	9/3/2015	COPPER	5	ug/L	U				0.5	5
MSB 87CR	9/3/2015	IRON	30	ug/L	U		21, V		10	100
MSB 87CR	9/3/2015	LEAD	5	ug/L	U				0.5	5
MSB 87CR	9/3/2015	MANGANESE	2.42	ug/L	J		21		1	10
MSB 87CR	9/3/2015	NICKEL	5	ug/L	U				0.5	5
MSB 87CR	9/3/2015	SELENIUM	20	ug/L	U				2	20
MSB 87CR	9/3/2015	SODIUM	4320	ug/L					20	200
MSB 87CR	9/3/2015	VANADIUM	50	ug/L	U				5	50
MSB 87CR	9/3/2015	ZINC	40	ug/L	U				4	40
MSB 87CR	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 87CR	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 87CR	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 87CR	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 87CR	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 87CR	9/3/2015	ACETONE	2	ug/L	U				0.34	2
MSB 87CR	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 87CR	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 87CR	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 87CR	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 87CR	9/3/2015	TETRACHLOROETHYLENE (PCE)	0.48	ug/L	J		21		0.18	1
MSB 87CR	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 87CR	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 87CR	9/3/2015	TRICHLOROETHYLENE (TCE)	0.3	ug/L	J		21		0.25	1
MSB 87CR	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 88B	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88B	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 88B	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88B	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88B	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 88B	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 88B	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 88B	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 88B	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 88B	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 88B	3/24/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J		21		0.18	1
MSB 88B	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88B	3/24/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
MSB 88B	9/28/2015	ALUMINUM	103	ug/L	J		21		40	400
MSB 88B	9/28/2015	BARIUM	8.08	ug/L	J		21		2	20
MSB 88B	9/28/2015	BERYLLIUM	0.167	ug/L	J		21		0.1	1
MSB 88B	9/28/2015	CADMIUM	0.137	ug/L	J		21		0.1	1
MSB 88B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
MSB 88B	9/28/2015	COBALT	0.603	ug/L	J		21		0.5	5
MSB 88B	9/28/2015	COPPER	1.23	ug/L	J		21		0.5	5
MSB 88B	9/28/2015	IRON	14.7	ug/L	U		21, V		10	100
MSB 88B	9/28/2015	LEAD	5	ug/L	U				0.5	5
MSB 88B	9/28/2015	MANGANESE	3.13	ug/L	J		21		1	10
MSB 88B	9/28/2015	NICKEL	1.1	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 88B	9/28/2015	SELENIUM	20	ug/L	U				2	20
MSB 88B	9/28/2015	SODIUM	1790	ug/L					20	200
MSB 88B	9/28/2015	VANADIUM	7.59	ug/L	J		21		5	50
MSB 88B	9/28/2015	ZINC	5.75	ug/L	J		21		4	40
MSB 88B	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 88B	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88B	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88B	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 88B	9/28/2015	ACETONE	2	ug/L	U				0.34	2
MSB 88B	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 88B	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 88B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 88B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 88B	9/28/2015	TETRACHLOROETHYLENE (PCE)	0.94	ug/L	J		21		0.18	1
MSB 88B	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 88B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88B	9/28/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
MSB 88B	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 88C	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88C	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 88C	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88C	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88C	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 88C	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 88C	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 88C	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 88C	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 88C	3/18/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J		21		0.09	1
MSB 88C	3/18/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
MSB 88C	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88C	3/18/2015	TRICHLOROETHYLENE (TCE)	0.5	ug/L	J		21		0.25	1
MSB 88C	9/30/2015	ALUMINUM	400	ug/L	U				40	400
MSB 88C	9/30/2015	BARIUM	20	ug/L	U				2	20
MSB 88C	9/30/2015	BERYLLIUM	1	ug/L	U				0.1	1
MSB 88C	9/30/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 88C	9/30/2015	CHROMIUM	100	ug/L	U				10	100
MSB 88C	9/30/2015	COBALT	5	ug/L	U				0.5	5
MSB 88C	9/30/2015	COPPER	1	ug/L	J		21		0.5	5
MSB 88C	9/30/2015	IRON	27.3	ug/L	U		21, V		10	100
MSB 88C	9/30/2015	LEAD	5	ug/L	U				0.5	5
MSB 88C	9/30/2015	MANGANESE	1.92	ug/L	J		21		1	10
MSB 88C	9/30/2015	NICKEL	0.549	ug/L	J		21		0.5	5
MSB 88C	9/30/2015	SELENIUM	20	ug/L	U				2	20
MSB 88C	9/30/2015	SODIUM	7990	ug/L					20	200
MSB 88C	9/30/2015	VANADIUM	50	ug/L	U				5	50
MSB 88C	9/30/2015	ZINC	40	ug/L	U				4	40
MSB 88C	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 88C	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 88C	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88C	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 88C	9/30/2015	ACETONE	2.8	ug/L					0.34	2
MSB 88C	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 88C	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 88C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 88C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 88C	9/30/2015	TETRACHLOROETHYLENE (PCE)	0.4	ug/L	J		21		0.18	1
MSB 88C	9/30/2015	TOLUENE	0.36	ug/L	J		21		0.07	1
MSB 88C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 88C	9/30/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.25	1
MSB 88C	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 89B	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 89B	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 89B	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 89B	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 89B	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 89B	3/24/2015	ACETONE	2	ug/L	U				0.34	2
MSB 89B	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 89B	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 89B	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 89B	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
MSB 89B	3/24/2015	TETRACHLOROETHYLENE (PCE)	9.5	ug/L					0.18	1
MSB 89B	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 89B	3/24/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					1.3	5
MSB 89B	9/29/2015	ALUMINUM	41.8	ug/L	J		21		40	400
MSB 89B	9/29/2015	BARIUM	27.1	ug/L					2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 89B	9/29/2015	BERYLLIUM	0.266	ug/L	J		21		0.1	1
MSB 89B	9/29/2015	CADMIUM	1	ug/L	U				0.1	1
MSB 89B	9/29/2015	CHROMIUM	100	ug/L	U				10	100
MSB 89B	9/29/2015	COBALT	0.726	ug/L	J		21		0.5	5
MSB 89B	9/29/2015	COPPER	2.05	ug/L	J		21		0.5	5
MSB 89B	9/29/2015	IRON	32.2	ug/L	U		21, V		10	100
MSB 89B	9/29/2015	LEAD	5	ug/L	U				0.5	5
MSB 89B	9/29/2015	MANGANESE	6.01	ug/L	J		21		1	10
MSB 89B	9/29/2015	NICKEL	2.59	ug/L	J		21		0.5	5
MSB 89B	9/29/2015	SELENIUM	3.14	ug/L	J		21		2	20
MSB 89B	9/29/2015	SODIUM	3110	ug/L					20	200
MSB 89B	9/29/2015	VANADIUM	50	ug/L	U				5	50
MSB 89B	9/29/2015	ZINC	5.68	ug/L	J		21		4	40
MSB 89B	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 89B	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 89B	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 89B	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 89B	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 89B	9/29/2015	ACETONE	2.1	ug/L					0.34	2
MSB 89B	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 89B	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 89B	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 89B	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L					0.09	1
MSB 89B	9/29/2015	TETRACHLOROETHYLENE (PCE)	9.2	ug/L					0.18	1
MSB 89B	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 89B	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 89B	9/29/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					1.3	5
MSB 89B	9/29/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 90TB	12/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 90TB	12/14/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
MSB 90TB	12/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 90TB	12/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 90TB	12/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 90TB	12/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 90TB	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 90TB	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 90TB	12/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 90TB	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 90TB	12/14/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 93TA1	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 93TA1	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 93TA1	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 93TA1	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 93TA1	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 93TA1	10/13/2015	ACETONE	2	ug/L	U				0.34	2
MSB 93TA1	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 93TA1	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 93TA1	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 93TA1	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 93TA1	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 93TA1	10/13/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 93TA1	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 93TA1	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 93TA1	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 94TB1	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB1	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 94TB1	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB1	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB1	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 94TB1	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 94TB1	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 94TB1	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 94TB1	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 94TB1	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 94TB1	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 94TB1	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB1	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 94TB1	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB1	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 94TB1	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB1	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB1	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 94TB1	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB 94TB1	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 94TB1	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 94TB1	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 94TB1	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 94TB1	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 94TB1	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 94TB1	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB1	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 94TB1	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 94TB3	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB3	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 94TB3	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB3	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB3	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 94TB3	3/18/2015	ACETONE	2.2	ug/L					0.34	2
MSB 94TB3	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 94TB3	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 94TB3	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 94TB3	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 94TB3	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 94TB3	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB3	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 94TB3	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB3	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 94TB3	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 94TB3	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB3	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 94TB3	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB 94TB3	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 94TB3	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 94TB3	10/7/2015	CHLOROETHENE (VINYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 94TB3	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 94TB3	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 94TB3	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB 94TB3	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 94TB3	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 94TB3	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 95TB1	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB1	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 95TB1	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB1	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB1	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 95TB1	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 95TB1	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 95TB1	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 95TB1	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 95TB1	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 95TB1	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 95TB1	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB1	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 95TB1	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB1	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 95TB1	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB1	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB1	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 95TB1	10/7/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 95TB1	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 95TB1	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 95TB1	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 95TB1	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 95TB1	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 95TB1	10/7/2015	TOLUENE	0.16	ug/L	J		21		0.07	1
MSB 95TB1	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB1	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 95TB1	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 95TB3	3/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB3	3/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 95TB3	3/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB3	3/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB3	3/18/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 95TB3	3/18/2015	ACETONE	2	ug/L	U				0.34	2
MSB 95TB3	3/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 95TB3	3/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 95TB3	3/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 95TB3	3/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 95TB3	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 95TB3	3/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB3	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 95TB3	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 95TB3	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 95TB3	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 95TB3	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB3	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 95TB3	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB 95TB3	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 95TB3	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 95TB3	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 95TB3	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 95TB3	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 95TB3	10/7/2015	TOLUENE	0.31	ug/L	J		21		0.07	1
MSB 95TB3	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 95TB3	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 95TB3	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 96TA1	3/23/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TA1	3/23/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 96TA1	3/23/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TA1	3/23/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 96TA1	3/23/2015	1,4-DIOXANE	200	ug/L	U		18		19	200
MSB 96TA1	3/23/2015	ACETONE	5	ug/L	U				0.85	5
MSB 96TA1	3/23/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 96TA1	3/23/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 96TA1	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 96TA1	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1100	ug/L					4.5	50
MSB 96TA1	3/23/2015	TETRACHLOROETHYLENE (PCE)	3.9	ug/L					0.45	2.5
MSB 96TA1	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 96TA1	3/23/2015	TRICHLOROETHYLENE (TCE)	65	ug/L					0.63	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 96TA1	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TA1	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 96TA1	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TA1	10/21/2015	1,1-DICHLOROETHYLENE	0.97	ug/L	J		21		0.2	2.5
MSB 96TA1	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 96TA1	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB 96TA1	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 96TA1	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 96TA1	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	1.1	ug/L	J		21		0.2	5
MSB 96TA1	10/21/2015	CIS-1,2-DICHLOROETHYLENE	970	ug/L					2.3	25
MSB 96TA1	10/21/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L	J		21		0.45	2.5
MSB 96TA1	10/21/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 96TA1	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 96TA1	10/21/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.63	2.5
MSB 96TA1	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 96TB1	3/23/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TB1	3/23/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 96TB1	3/23/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 96TB1	3/23/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 96TB1	3/23/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB 96TB1	3/23/2015	ACETONE	5	ug/L	U				0.85	5
MSB 96TB1	3/23/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 96TB1	3/23/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 96TB1	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 96TB1	3/23/2015	CIS-1,2-DICHLOROETHYLENE	200	ug/L					2.3	25
MSB 96TB1	3/23/2015	TETRACHLOROETHYLENE (PCE)	78	ug/L					0.45	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 96TB1	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 96TB1	3/23/2015	TRICHLOROETHYLENE (TCE)	870	ug/L					6.3	25
MSB 96TB1	10/21/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 96TB1	10/21/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 96TB1	10/21/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 96TB1	10/21/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 96TB1	10/21/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB 96TB1	10/21/2015	ACETONE	20	ug/L	U				3.4	20
MSB 96TB1	10/21/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 96TB1	10/21/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 96TB1	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB 96TB1	10/21/2015	CIS-1,2-DICHLOROETHYLENE	340	ug/L					0.9	10
MSB 96TB1	10/21/2015	TETRACHLOROETHYLENE (PCE)	64	ug/L					1.8	10
MSB 96TB1	10/21/2015	TOLUENE	10	ug/L	U				0.7	10
MSB 96TB1	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 96TB1	10/21/2015	TRICHLOROETHYLENE (TCE)	880	ug/L					25	100
MSB 96TB1	10/21/2015	1,4-DIOXANE	13	ug/L	U				3.1	13
MSB 96TB3	3/23/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB 96TB3	3/23/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB 96TB3	3/23/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB 96TB3	3/23/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 96TB3	3/23/2015	1,4-DIOXANE	800	ug/L	U		18		76	800
MSB 96TB3	3/23/2015	ACETONE	20	ug/L	U				3.4	20
MSB 96TB3	3/23/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB 96TB3	3/23/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB 96TB3	3/23/2015	CHLOROETHENE (VINYL	20	ug/L	U				0.8	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB 96TB3	3/23/2015	CIS-1,2-DICHLOROETHYLENE	1400	ug/L					9	100
MSB 96TB3	3/23/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L	J		21		1.8	10
MSB 96TB3	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB 96TB3	3/23/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					2.5	10
MSB 96TB3	10/21/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB 96TB3	10/21/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB 96TB3	10/21/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB 96TB3	10/21/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 96TB3	10/21/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB 96TB3	10/21/2015	ACETONE	10	ug/L	U				1.7	10
MSB 96TB3	10/21/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB 96TB3	10/21/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB 96TB3	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB 96TB3	10/21/2015	CIS-1,2-DICHLOROETHYLENE	1100	ug/L					4.5	50
MSB 96TB3	10/21/2015	TETRACHLOROETHYLENE (PCE)	3.1	ug/L	J		21		0.9	5
MSB 96TB3	10/21/2015	TOLUENE	5	ug/L	U				0.35	5
MSB 96TB3	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB 96TB3	10/21/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					1.3	5
MSB 96TB3	10/21/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB 97TA1	3/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TA1	3/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 97TA1	3/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TA1	3/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TA1	3/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 97TA1	3/19/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 97TA1	3/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 97TA1	3/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 97TA1	3/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 97TA1	3/19/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
MSB 97TA1	3/19/2015	TETRACHLOROETHYLENE (PCE)	7.1	ug/L					0.18	1
MSB 97TA1	3/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TA1	3/19/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					2.5	10
MSB 97TA1	10/20/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 97TA1	10/20/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 97TA1	10/20/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 97TA1	10/20/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 97TA1	10/20/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 97TA1	10/20/2015	ACETONE	5	ug/L	U				0.85	5
MSB 97TA1	10/20/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 97TA1	10/20/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 97TA1	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 97TA1	10/20/2015	CIS-1,2-DICHLOROETHYLENE	8.3	ug/L					0.23	2.5
MSB 97TA1	10/20/2015	TETRACHLOROETHYLENE (PCE)	5.4	ug/L					0.45	2.5
MSB 97TA1	10/20/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 97TA1	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 97TA1	10/20/2015	TRICHLOROETHYLENE (TCE)	170	ug/L					6.3	25
MSB 97TA1	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 97TB1	3/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TB1	3/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 97TB1	3/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 97TB1	3/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TB1	3/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 97TB1	3/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 97TB1	3/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 97TB1	3/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 97TB1	3/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 97TB1	3/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 97TB1	3/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 97TB1	3/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TB1	3/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 97TB1	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TB1	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 97TB1	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TB1	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TB1	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 97TB1	10/13/2015	ACETONE	2	ug/L	U				0.34	2
MSB 97TB1	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 97TB1	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 97TB1	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 97TB1	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 97TB1	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 97TB1	10/13/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
MSB 97TB1	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TB1	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 97TB1	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 97TC1	3/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TC1	3/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 97TC1	3/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TC1	3/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TC1	3/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB 97TC1	3/19/2015	ACETONE	2	ug/L	U				0.34	2
MSB 97TC1	3/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 97TC1	3/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 97TC1	3/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 97TC1	3/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 97TC1	3/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 97TC1	3/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TC1	3/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 97TC1	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TC1	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 97TC1	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB 97TC1	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 97TC1	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB 97TC1	10/13/2015	ACETONE	3.1	ug/L					0.34	2
MSB 97TC1	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 97TC1	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 97TC1	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB 97TC1	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB 97TC1	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 97TC1	10/13/2015	TOLUENE	0.33	ug/L	J		21		0.07	1
MSB 97TC1	10/13/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB 97TC1	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB 97TC1	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 98TB1	3/23/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TB1	3/23/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 98TB1	3/23/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TB1	3/23/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TB1	3/23/2015	1,4-DIOXANE	200	ug/L	U		18		19	200
MSB 98TB1	3/23/2015	ACETONE	5	ug/L	U				0.85	5
MSB 98TB1	3/23/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 98TB1	3/23/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 98TB1	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 98TB1	3/23/2015	CIS-1,2-DICHLOROETHYLENE	5.7	ug/L					0.23	2.5
MSB 98TB1	3/23/2015	TETRACHLOROETHYLENE (PCE)	0.95	ug/L	J		21		0.45	2.5
MSB 98TB1	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TB1	3/23/2015	TRICHLOROETHYLENE (TCE)	160	ug/L					6.3	25
MSB 98TB1	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TB1	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 98TB1	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TB1	10/21/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TB1	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 98TB1	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB 98TB1	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 98TB1	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB 98TB1	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 98TB1	10/21/2015	CIS-1,2-DICHLOROETHYLENE	4.1	ug/L					0.23	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 98TB1	10/21/2015	TETRACHLOROETHYLENE (PCE)	0.78	ug/L	J		21		0.45	2.5
MSB 98TB1	10/21/2015	TOLUENE	0.7	ug/L	J		21		0.18	2.5
MSB 98TB1	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TB1	10/21/2015	TRICHLOROETHYLENE (TCE)	210	ug/L					6.3	25
MSB 98TB1	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB 98TC1	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB 98TC1	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB 98TC1	3/23/2015	1,1-DICHLOROETHANE	2.2	ug/L					0.07	1
MSB 98TC1	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 98TC1	3/23/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
MSB 98TC1	3/23/2015	ACETONE	6.9	ug/L					0.34	2
MSB 98TC1	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB 98TC1	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB 98TC1	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1.3	ug/L	J		21		0.08	2
MSB 98TC1	3/23/2015	CIS-1,2-DICHLOROETHYLENE	0.57	ug/L	J		21		0.09	1
MSB 98TC1	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB 98TC1	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB 98TC1	3/23/2015	TRICHLOROETHYLENE (TCE)	9.1	ug/L					0.25	1
MSB 98TC1	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TC1	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB 98TC1	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB 98TC1	10/21/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TC1	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB 98TC1	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB 98TC1	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB 98TC1	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB 98TC1	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB 98TC1	10/21/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L	J		21		0.23	2.5
MSB 98TC1	10/21/2015	TETRACHLOROETHYLENE (PCE)	2.5	ug/L	U				0.45	2.5
MSB 98TC1	10/21/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB 98TC1	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB 98TC1	10/21/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					6.3	25
MSB 98TC1	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB002BR	2/18/2015	ALUMINUM	99.7	ug/L	J				40	400
MSB002BR	2/18/2015	BARIUM	16.4	ug/L	J				2	20
MSB002BR	2/18/2015	CADMIUM	1	ug/L	U	U			0.1	1
MSB002BR	2/18/2015	CHROMIUM	100	ug/L	U	U			10	100
MSB002BR	2/18/2015	COPPER	1.99	ug/L	J				0.5	5
MSB002BR	2/18/2015	LEAD	5	ug/L	U				0.5	5
MSB002BR	2/18/2015	MANGANESE	10.3	ug/L					1	10
MSB002BR	2/18/2015	NICKEL	1.28	ug/L	J				0.5	5
MSB002BR	2/18/2015	SODIUM	4990	ug/L					20	200
MSB002BR	2/18/2015	TIN	10	ug/L	U				1	10
MSB002BR	2/18/2015	ZINC	5.64	ug/L	J				4	40
MSB002BR	2/18/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB002BR	2/18/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB002BR	2/18/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB002BR	2/18/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB002BR	2/18/2015	1,4-DIOXANE	8000	ug/L	U				760	8000
MSB002BR	2/18/2015	ACETONE	250	ug/L					34	200
MSB002BR	2/18/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB002BR	2/18/2015	CHLOROBENZENE	100	ug/L	U				15	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	2/18/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB002BR	2/18/2015	CIS-1,2-DICHLOROETHYLENE	38	ug/L	J		21		9	100
MSB002BR	2/18/2015	TETRACHLOROETHYLENE (PCE)	99000	ug/L					450	2500
MSB002BR	2/18/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB002BR	2/18/2015	TRICHLOROETHYLENE (TCE)	30000	ug/L					250	1000
MSB002BR	8/18/2015	ALUMINUM	43.7	ug/L	J	J	21		15	50
MSB002BR	8/18/2015	BARIUM	14.1	ug/L					0.6	2
MSB002BR	8/18/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
MSB002BR	8/18/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB002BR	8/18/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB002BR	8/18/2015	COBALT	0.65	ug/L	J	J	21		0.1	1
MSB002BR	8/18/2015	COPPER	1.18	ug/L					0.35	1
MSB002BR	8/18/2015	IRON	93	ug/L	J	J	21		33	100
MSB002BR	8/18/2015	LEAD	2	ug/L	U	U			0.5	2
MSB002BR	8/18/2015	MANGANESE	8.67	ug/L					1	5
MSB002BR	8/18/2015	NICKEL	0.635	ug/L	J	J	21		0.5	2
MSB002BR	8/18/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB002BR	8/18/2015	SILVER	1	ug/L	U	U			0.2	1
MSB002BR	8/18/2015	SODIUM	4310	ug/L					80	250
MSB002BR	8/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB002BR	8/18/2015	TIN	5	ug/L	U	U			1	5
MSB002BR	8/18/2015	VANADIUM	4.73	ug/L	U	U	21, V		3	10
MSB002BR	8/18/2015	ZINC	4.07	ug/L	J	J	21		3.5	10
MSB002BR	8/18/2015	MERCURY	3.51	ug/L					0.067	0.2
MSB002BR	8/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB002BR	8/18/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	8/18/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	1,1,1,2-TETRACHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,1-TRICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,2,2-TETRACHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,2-TRICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1-DICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2,4-TRICHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROETHANE (EDC)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROPROPANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	ACETONE	10000	ug/L	U	UJ	11		3000	10000
MSB002BR	8/18/2015	BENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMODICHLOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMOFORM (TRIBROMOMETHANE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMOMETHANE (METHYL BROMIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CARBON DISULFIDE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	CARBON TETRACHLORIDE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROETHENE (VINYL	2000	ug/L	U	U			600	2000

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB002BR	8/18/2015	CHLOROFORM	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CIS-1,2-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CIS-1,3-DICHLOROPROPENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DIBROMOCHLOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DICHLORODIFLUOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4460	ug/L	J	J	21		2000	10000
MSB002BR	8/18/2015	ETHYLBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	METHYL ETHYL KETONE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	METHYL ISOBUTYL KETONE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	TETRACHLOROETHYLENE (PCE)	67900	ug/L					600	2000
MSB002BR	8/18/2015	TOLUENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRANS-1,3-DICHLOROPROPENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRICHLOROETHYLENE (TCE)	25700	ug/L					600	2000
MSB002BR	8/18/2015	TRICHLOROFLUOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	XYLENES	6000	ug/L	U	U			600	6000
MSB002BR	8/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB002BR	8/18/2015	1,2-DICHLOROBENZENE	3.72	ug/L	J	J	21		3	10
MSB002BR	8/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
MSB002BR	8/18/2015	CYANIDE	5	ug/L	U	U			1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	8/18/2015	GROSS ALPHA	0.126	pCi/L	U	U		0.883	1.89	3.66
MSB002BR	8/18/2015	NONVOLATILE BETA	1.86	pCi/L	U	U		1.62	2.65	5.89
MSB002BR	8/18/2015	RADIUM-226	0.877	pCi/L	J	J	21	0.371	0.421	1.16
MSB002BR	8/18/2015	RADIUM-228	1	pCi/L	J	J	21	0.352	0.429	1.13
MSB002BR	8/18/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB002BR	8/18/2015	ALUMINUM	59.1	ug/L					15	50
MSB002BR	8/18/2015	BARIUM	14.2	ug/L					0.6	2
MSB002BR	8/18/2015	BERYLLIUM	0.206	ug/L	J	J	21		0.2	0.5
MSB002BR	8/18/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB002BR	8/18/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB002BR	8/18/2015	COBALT	0.682	ug/L	J	J	21		0.1	1
MSB002BR	8/18/2015	COPPER	1.11	ug/L					0.35	1
MSB002BR	8/18/2015	IRON	94.5	ug/L	J	J	21		33	100
MSB002BR	8/18/2015	LEAD	2	ug/L	U	U			0.5	2
MSB002BR	8/18/2015	MANGANESE	9.02	ug/L					1	5
MSB002BR	8/18/2015	NICKEL	0.693	ug/L	J	J	21		0.5	2
MSB002BR	8/18/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB002BR	8/18/2015	SILVER	1	ug/L	U	U			0.2	1
MSB002BR	8/18/2015	SODIUM	4360	ug/L					80	250
MSB002BR	8/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB002BR	8/18/2015	TIN	5	ug/L	U	U			1	5
MSB002BR	8/18/2015	VANADIUM	7.68	ug/L	U	U	21, V		3	10
MSB002BR	8/18/2015	ZINC	10	ug/L	U	U			3.5	10
MSB002BR	8/18/2015	MERCURY	3.87	ug/L					0.067	0.2
MSB002BR	8/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB002BR	8/18/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	8/18/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB002BR	8/18/2015	1,1,1,2-TETRACHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,1-TRICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,2,2-TETRACHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1,2-TRICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1-DICHLOROETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,1-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2,4-TRICHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROETHANE (EDC)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	1,2-DICHLOROPROPANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	ACETONE	10000	ug/L	U	UJ	11		3000	10000
MSB002BR	8/18/2015	BENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMODICHLOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMOFORM (TRIBROMOMETHANE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	BROMOMETHANE (METHYL BROMIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CARBON DISULFIDE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	CARBON TETRACHLORIDE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	2000	ug/L	U	U			600	2000

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	8/18/2015	CHLOROFORM	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CIS-1,2-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	CIS-1,3-DICHLOROPROPENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DIBROMOCHLOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DICHLORODIFLUOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4880	ug/L	J	J	21		2000	10000
MSB002BR	8/18/2015	ETHYLBENZENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	METHYL ETHYL KETONE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	METHYL ISOBUTYL KETONE	10000	ug/L	U	U			3000	10000
MSB002BR	8/18/2015	TETRACHLOROETHYLENE (PCE)	66500	ug/L					600	2000
MSB002BR	8/18/2015	TOLUENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRANS-1,3-DICHLOROPROPENE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	TRICHLOROETHYLENE (TCE)	27600	ug/L					600	2000
MSB002BR	8/18/2015	TRICHLOROFLUOROMETHANE	2000	ug/L	U	U			600	2000
MSB002BR	8/18/2015	XYLENES	6000	ug/L	U	U			600	6000
MSB002BR	8/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB002BR	8/18/2015	1,2-DICHLOROBENZENE	4.44	ug/L	J	J	21		3	10
MSB002BR	8/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
MSB002BR	8/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
MSB002BR	8/18/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB002BR	8/18/2015	GROSS ALPHA	0.358	pCi/L	U	U		1.35	2.62	5.32

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002BR	8/18/2015	NONVOLATILE BETA	0.197	pCi/L	U	U		1.51	2.75	5.77
MSB002BR	8/18/2015	RADIUM-226	0.484	pCi/L	J	J	21	0.285	0.391	0.961
MSB002BR	8/18/2015	RADIUM-228	0.825	pCi/L	U	U		0.533	0.844	1.91
MSB002BR	8/18/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB002CR	2/23/2015	ALUMINUM	60	ug/L	J				40	400
MSB002CR	2/23/2015	BARIUM	22.5	ug/L					2	20
MSB002CR	2/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB002CR	2/23/2015	COPPER	0.975	ug/L	J				0.5	5
MSB002CR	2/23/2015	LEAD	5	ug/L	U				0.5	5
MSB002CR	2/23/2015	NICKEL	2.33	ug/L	J				0.5	5
MSB002CR	2/23/2015	ZINC	40	ug/L	U				4	40
MSB002CR	2/23/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB002CR	2/23/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB002CR	2/23/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB002CR	2/23/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB002CR	2/23/2015	1,4-DIOXANE	20000	ug/L	U				1900	20000
MSB002CR	2/23/2015	ACETONE	500	ug/L	U				85	500
MSB002CR	2/23/2015	CARBON TETRACHLORIDE	250	ug/L	U				33	250
MSB002CR	2/23/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB002CR	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				20	500
MSB002CR	2/23/2015	CIS-1,2-DICHLOROETHYLENE	250	ug/L	U				23	250
MSB002CR	2/23/2015	TETRACHLOROETHYLENE (PCE)	31000	ug/L					450	2500
MSB002CR	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB002CR	2/23/2015	TRICHLOROETHYLENE (TCE)	2400	ug/L					63	250
MSB002CR	8/25/2015	NITRATE-NITRITE AS NITROGEN	6.5	mg/L					0.047	0.5
MSB002CR	8/25/2015	ALUMINUM	51.7	ug/L	J		21		40	400

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002CR	8/25/2015	BARIUM	27.7	ug/L					2	20
MSB002CR	8/25/2015	BERYLLIUM	0.319	ug/L	J		21		0.1	1
MSB002CR	8/25/2015	CADMIUM	0.193	ug/L	J		21		0.1	1
MSB002CR	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB002CR	8/25/2015	COBALT	0.652	ug/L	J		21		0.5	5
MSB002CR	8/25/2015	COPPER	2.19	ug/L	U		21, V		0.5	5
MSB002CR	8/25/2015	IRON	16.7	ug/L	U		21, V		10	100
MSB002CR	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB002CR	8/25/2015	MANGANESE	9.44	ug/L	J		21		1	10
MSB002CR	8/25/2015	NICKEL	1.56	ug/L	J		21		0.5	5
MSB002CR	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB002CR	8/25/2015	SODIUM	4730	ug/L					20	200
MSB002CR	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB002CR	8/25/2015	ZINC	8.92	ug/L	U		21, V		4	40
MSB002CR	8/25/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB002CR	8/25/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB002CR	8/25/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB002CR	8/25/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB002CR	8/25/2015	1,2-DICHLOROBENZENE	500	ug/L	U				30	500
MSB002CR	8/25/2015	ACETONE	1000	ug/L	U				170	1000
MSB002CR	8/25/2015	CARBON TETRACHLORIDE	500	ug/L	U				65	500
MSB002CR	8/25/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB002CR	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	1000	ug/L	U				40	1000
MSB002CR	8/25/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				45	500
MSB002CR	8/25/2015	TETRACHLOROETHYLENE (PCE)	33000	ug/L					900	5000
MSB002CR	8/25/2015	TOLUENE	500	ug/L	U				35	500
MSB002CR	8/25/2015	TRANS-1,2-	500	ug/L	U				40	500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB002CR	8/25/2015	TRICHLOROETHYLENE (TCE)	2500	ug/L					130	500
MSB002CR	8/25/2015	1,4-DIOXANE	130	ug/L	U				31	130
MSB002CR	8/25/2015	RADIUM-226	1.27	pCi/L				0.259	0.165	0.683
MSB002CR	8/25/2015	RADIUM-228	1.07	pCi/L				0.294	0.378	0.966
MSB002CR	8/25/2015	GROSS ALPHA	4.53	pCi/L	J		21	2.86	2.42	8.14
MSB002CR	8/25/2015	NONVOLATILE BETA	2.97	pCi/L	U			3.07	4.71	10.8
MSB002DR	2/23/2015	ALUMINUM	901	ug/L					40	400
MSB002DR	2/23/2015	BARIUM	21.1	ug/L					2	20
MSB002DR	2/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB002DR	2/23/2015	COPPER	1.04	ug/L	J				0.5	5
MSB002DR	2/23/2015	LEAD	0.645	ug/L	J				0.5	5
MSB002DR	2/23/2015	NICKEL	1.09	ug/L	J				0.5	5
MSB002DR	2/23/2015	ZINC	7.47	ug/L	J				4	40
MSB002DR	2/23/2015	AROCLOR 1016	0.98	ug/L	U				0.34	0.98
MSB002DR	2/23/2015	AROCLOR 1221	0.98	ug/L	U				0.34	0.98
MSB002DR	2/23/2015	AROCLOR 1232	0.98	ug/L	U				0.34	0.98
MSB002DR	2/23/2015	AROCLOR 1242	0.98	ug/L	U				0.34	0.98
MSB002DR	2/23/2015	AROCLOR 1248	0.98	ug/L	U				0.34	0.98
MSB002DR	2/23/2015	AROCLOR 1254	0.98	ug/L	U				0.16	0.98
MSB002DR	2/23/2015	AROCLOR 1260	0.98	ug/L	U				0.16	0.98
MSB002DR	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB002DR	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB002DR	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB002DR	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB002DR	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB002DR	2/23/2015	ACETONE	2	ug/L	U				0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002DR	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB002DR	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB002DR	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB002DR	2/23/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L					0.09	1
MSB002DR	2/23/2015	TETRACHLOROETHYLENE (PCE)	29	ug/L					0.18	1
MSB002DR	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB002DR	2/23/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					0.25	1
MSB002DR	8/18/2015	NITRATE-NITRITE AS NITROGEN	3.75	mg/L					0.085	0.25
MSB002DR	8/18/2015	ALUMINUM	273	ug/L					15	50
MSB002DR	8/18/2015	BARIUM	19.7	ug/L					0.6	2
MSB002DR	8/18/2015	BERYLLIUM	0.2	ug/L	J	J	21		0.2	0.5
MSB002DR	8/18/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB002DR	8/18/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB002DR	8/18/2015	COBALT	0.499	ug/L	J	J	21		0.1	1
MSB002DR	8/18/2015	COPPER	0.638	ug/L	J	J	21		0.35	1
MSB002DR	8/18/2015	IRON	528	ug/L					33	100
MSB002DR	8/18/2015	LEAD	2	ug/L	U	U			0.5	2
MSB002DR	8/18/2015	MANGANESE	14.1	ug/L					1	5
MSB002DR	8/18/2015	NICKEL	0.786	ug/L	J	J	21		0.5	2
MSB002DR	8/18/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB002DR	8/18/2015	SILVER	1	ug/L	U	U			0.2	1
MSB002DR	8/18/2015	SODIUM	4760	ug/L					80	250
MSB002DR	8/18/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB002DR	8/18/2015	TIN	5	ug/L	U	U			1	5
MSB002DR	8/18/2015	VANADIUM	7.44	ug/L	J	J	21		3	10
MSB002DR	8/18/2015	ZINC	4.94	ug/L	J	J	21		3.5	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002DR	8/18/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
MSB002DR	8/18/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB002DR	8/18/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB002DR	8/18/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB002DR	8/18/2015	BENZENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB002DR	8/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002DR	8/18/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	CIS-1,2-DICHLOROETHYLENE	1.34	ug/L					0.3	1
MSB002DR	8/18/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
MSB002DR	8/18/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
MSB002DR	8/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB002DR	8/18/2015	TETRACHLOROETHYLENE (PCE)	19.2	ug/L					0.3	1
MSB002DR	8/18/2015	TOLUENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	TRICHLOROETHYLENE (TCE)	19	ug/L					0.3	1
MSB002DR	8/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB002DR	8/18/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB002DR	8/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB002DR	8/18/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002DR	8/18/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002DR	8/18/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			3	10
MSB002DR	8/18/2015	BIS(2-ETHYLHEXYL)PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(DEHP)								
MSB002DR	8/18/2015	PHENOL	10	ug/L	U	UJ	14		3	10
MSB002DR	8/18/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB002DR	8/18/2015	GROSS ALPHA	3.87	pCi/L	J	J	21	2.24	2.85	7.33
MSB002DR	8/18/2015	NONVOLATILE BETA	2.85	pCi/L	J	J	21	1.61	2.29	5.51
MSB002DR	8/18/2015	RADIUM-226	1.07	pCi/L	J	J	21	0.374	0.401	1.15
MSB002DR	8/18/2015	RADIUM-228	0.559	pCi/L	J	J	21	0.298	0.435	1.03
MSB002DR	8/18/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB002DR	8/25/2015	NITRATE-NITRITE AS NITROGEN	4	mg/L					0.047	0.5
MSB002DR	8/25/2015	ALUMINUM	1100	ug/L					40	400
MSB002DR	8/25/2015	BARIUM	16.9	ug/L	J		21		2	20
MSB002DR	8/25/2015	BERYLLIUM	0.148	ug/L	J		21		0.1	1
MSB002DR	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB002DR	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB002DR	8/25/2015	COBALT	5	ug/L	U				0.5	5
MSB002DR	8/25/2015	COPPER	1.56	ug/L	U		21, V		0.5	5
MSB002DR	8/25/2015	IRON	743	ug/L			V		10	100
MSB002DR	8/25/2015	LEAD	0.774	ug/L	J		21		0.5	5
MSB002DR	8/25/2015	MANGANESE	9.48	ug/L	J		21		1	10
MSB002DR	8/25/2015	NICKEL	1.36	ug/L	J		21		0.5	5
MSB002DR	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB002DR	8/25/2015	SODIUM	5170	ug/L					20	200
MSB002DR	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB002DR	8/25/2015	ZINC	11.5	ug/L	U		21, V		4	40
MSB002DR	8/25/2015	AROCLOR 1016	0.95	ug/L	U				0.33	0.95
MSB002DR	8/25/2015	AROCLOR 1221	0.95	ug/L	U				0.33	0.95
MSB002DR	8/25/2015	AROCLOR 1232	0.95	ug/L	U				0.33	0.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB002DR	8/25/2015	AROCLOR 1242	0.95	ug/L	U				0.33	0.95
MSB002DR	8/25/2015	AROCLOR 1248	0.95	ug/L	U				0.33	0.95
MSB002DR	8/25/2015	AROCLOR 1254	0.95	ug/L	U				0.16	0.95
MSB002DR	8/25/2015	AROCLOR 1260	0.95	ug/L	U				0.16	0.95
MSB002DR	8/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB002DR	8/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB002DR	8/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB002DR	8/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB002DR	8/25/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB002DR	8/25/2015	ACETONE	2	ug/L	U				0.34	2
MSB002DR	8/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB002DR	8/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB002DR	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB002DR	8/25/2015	CIS-1,2-DICHLOROETHYLENE	0.99	ug/L	J		21		0.09	1
MSB002DR	8/25/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
MSB002DR	8/25/2015	TOLUENE	0.85	ug/L	J		21		0.07	1
MSB002DR	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB002DR	8/25/2015	TRICHLOROETHYLENE (TCE)	9.3	ug/L					0.25	1
MSB002DR	8/25/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB002DR	8/25/2015	RADIUM-226	0.706	pCi/L				0.208	0.195	0.611
MSB002DR	8/25/2015	RADIUM-228	0.743	pCi/L	J		21	0.314	0.457	1.085
MSB002DR	8/25/2015	GROSS ALPHA	2.38	pCi/L	J		21	2.11	2.32	6.53
MSB002DR	8/25/2015	NONVOLATILE BETA	2.76	pCi/L	U			2.91	4.45	10.3
MSB004BR	2/23/2015	ALUMINUM	983	ug/L					40	400
MSB004BR	2/23/2015	BARIUM	51.5	ug/L					2	20
MSB004BR	2/23/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004BR	2/23/2015	COPPER	0.949	ug/L	J				0.5	5
MSB004BR	2/23/2015	LEAD	0.593	ug/L	J				0.5	5
MSB004BR	2/23/2015	NICKEL	1.34	ug/L	J				0.5	5
MSB004BR	2/23/2015	ZINC	8.8	ug/L	J				4	40
MSB004BR	2/23/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB004BR	2/23/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB004BR	2/23/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB004BR	2/23/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB004BR	2/23/2015	1,4-DIOXANE	40000	ug/L	U				3800	40000
MSB004BR	2/23/2015	ACETONE	1000	ug/L	U				170	1000
MSB004BR	2/23/2015	CARBON TETRACHLORIDE	500	ug/L	U				65	500
MSB004BR	2/23/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB004BR	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	1000	ug/L	U				40	1000
MSB004BR	2/23/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				45	500
MSB004BR	2/23/2015	TETRACHLOROETHYLENE (PCE)	58000	ug/L					900	5000
MSB004BR	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB004BR	2/23/2015	TRICHLOROETHYLENE (TCE)	21000	ug/L					1300	5000
MSB004BR	8/25/2015	NITRATE-NITRITE AS NITROGEN	23	mg/L					0.094	1
MSB004BR	8/25/2015	ALUMINUM	134	ug/L	J		21		40	400
MSB004BR	8/25/2015	BARIUM	55.6	ug/L					2	20
MSB004BR	8/25/2015	BERYLLIUM	0.482	ug/L	J		21		0.1	1
MSB004BR	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB004BR	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB004BR	8/25/2015	COBALT	2.04	ug/L	J		21		0.5	5
MSB004BR	8/25/2015	COPPER	0.85	ug/L	U		21, V		0.5	5
MSB004BR	8/25/2015	IRON	14.7	ug/L	U		21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004BR	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB004BR	8/25/2015	MANGANESE	12.2	ug/L					1	10
MSB004BR	8/25/2015	NICKEL	1.14	ug/L	J		21		0.5	5
MSB004BR	8/25/2015	SELENIUM	20	ug/L	U				2	20
MSB004BR	8/25/2015	SODIUM	14300	ug/L					20	200
MSB004BR	8/25/2015	VANADIUM	50	ug/L	U				5	50
MSB004BR	8/25/2015	ZINC	8.79	ug/L	U		21, V		4	40
MSB004BR	8/25/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB004BR	8/25/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB004BR	8/25/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB004BR	8/25/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB004BR	8/25/2015	1,2-DICHLOROBENZENE	500	ug/L	U				30	500
MSB004BR	8/25/2015	ACETONE	1000	ug/L	U				170	1000
MSB004BR	8/25/2015	CARBON TETRACHLORIDE	500	ug/L	U				65	500
MSB004BR	8/25/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB004BR	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	1000	ug/L	U				40	1000
MSB004BR	8/25/2015	CIS-1,2-DICHLOROETHYLENE	120	ug/L	J		21		45	500
MSB004BR	8/25/2015	TETRACHLOROETHYLENE (PCE)	79000	ug/L					900	5000
MSB004BR	8/25/2015	TOLUENE	500	ug/L	U				35	500
MSB004BR	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB004BR	8/25/2015	TRICHLOROETHYLENE (TCE)	34000	ug/L					1300	5000
MSB004BR	8/25/2015	1,4-DIOXANE	250	ug/L	U				62	250
MSB004BR	8/25/2015	RADIUM-226	1.24	pCi/L				0.253	0.169	0.675
MSB004BR	8/25/2015	RADIUM-228	1.92	pCi/L				0.338	0.374	1.05
MSB004BR	8/25/2015	GROSS ALPHA	7.08	pCi/L	J		21	3.55	2.47	9.56
MSB004BR	8/25/2015	NONVOLATILE BETA	8.08	pCi/L	J		21	3.9	4.99	12.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004CR	2/23/2015	ALUMINUM	549	ug/L					40	400
MSB004CR	2/23/2015	BARIUM	7.8	ug/L	J				2	20
MSB004CR	2/23/2015	CHROMIUM	100	ug/L	U				10	100
MSB004CR	2/23/2015	COPPER	0.528	ug/L	J				0.5	5
MSB004CR	2/23/2015	LEAD	5	ug/L	U				0.5	5
MSB004CR	2/23/2015	NICKEL	5	ug/L	U				0.5	5
MSB004CR	2/23/2015	ZINC	6.34	ug/L	J				4	40
MSB004CR	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB004CR	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB004CR	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB004CR	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB004CR	2/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB004CR	2/23/2015	ACETONE	3.5	ug/L					0.34	2
MSB004CR	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB004CR	2/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB004CR	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB004CR	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB004CR	2/23/2015	TETRACHLOROETHYLENE (PCE)	7.5	ug/L					0.18	1
MSB004CR	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB004CR	2/23/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
MSB004CR	2/23/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB004CR	8/24/2015	ALUMINUM	22.9	ug/L	J	J	21		15	50
MSB004CR	8/24/2015	BARIUM	7.21	ug/L					0.6	2
MSB004CR	8/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
MSB004CR	8/24/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB004CR	8/24/2015	CHROMIUM	10	ug/L	U	U			2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004CR	8/24/2015	COBALT	0.186	ug/L	J	J	21		0.1	1
MSB004CR	8/24/2015	COPPER	1	ug/L	U	U			0.35	1
MSB004CR	8/24/2015	IRON	100	ug/L	U	U			33	100
MSB004CR	8/24/2015	LEAD	2	ug/L	U	U			0.5	2
MSB004CR	8/24/2015	MANGANESE	2.78	ug/L	J	J	21		1	5
MSB004CR	8/24/2015	NICKEL	2	ug/L	U	U			0.5	2
MSB004CR	8/24/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB004CR	8/24/2015	SILVER	1	ug/L	U	U			0.2	1
MSB004CR	8/24/2015	SODIUM	4940	ug/L					80	250
MSB004CR	8/24/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB004CR	8/24/2015	TIN	5	ug/L	U	U			1	5
MSB004CR	8/24/2015	VANADIUM	12.8	ug/L	J	J	V		3	10
MSB004CR	8/24/2015	ZINC	10	ug/L	U	U			3.5	10
MSB004CR	8/24/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
MSB004CR	8/24/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB004CR	8/24/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB004CR	8/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004CR	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB004CR	8/24/2015	BENZENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB004CR	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	ug/L	U	U	21, V		1	5
MSB004CR	8/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB004CR	8/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB004CR	8/24/2015	TETRACHLOROETHYLENE (PCE)	6.52	ug/L					0.3	1
MSB004CR	8/24/2015	TOLUENE	0.32	ug/L	J	J	21		0.3	1
MSB004CR	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	TRICHLOROETHYLENE (TCE)	2.16	ug/L					0.3	1
MSB004CR	8/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB004CR	8/24/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB004CR	8/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB004CR	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB004CR	8/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB004CR	8/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB004CR	8/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	UJ	14		3	10
MSB004CR	8/24/2015	PHENOL	10	ug/L	U	UJ	2, 11, 14		3	10
MSB004CR	8/24/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB004CR	8/24/2015	GROSS ALPHA	0.463	pCi/L	U	U		1.49	2.97	5.95
MSB004CR	8/24/2015	NONVOLATILE BETA	1.13	pCi/L	U	U		1.61	2.72	5.94
MSB004CR	8/24/2015	RADIUM-226	0.27	pCi/L	U	UJ	11	0.27	0.437	0.977
MSB004CR	8/24/2015	RADIUM-228	1.25	pCi/L	J	J	21	0.448	0.618	1.51
MSB004CR	8/24/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB009AR	2/19/2015	ALUMINUM	65.5	ug/L	J				40	400
MSB009AR	2/19/2015	BARIUM	22.3	ug/L					2	20
MSB009AR	2/19/2015	CHROMIUM	100	ug/L	U				10	100
MSB009AR	2/19/2015	COPPER	1.08	ug/L	J				0.5	5
MSB009AR	2/19/2015	LEAD	5	ug/L	U				0.5	5
MSB009AR	2/19/2015	NICKEL	0.575	ug/L	J				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB009AR	2/19/2015	ZINC	4.47	ug/L	J				4	40
MSB009AR	2/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB009AR	2/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB009AR	2/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB009AR	2/19/2015	1,1-DICHLOROETHYLENE	3.9	ug/L					0.08	1
MSB009AR	2/19/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB009AR	2/19/2015	ACETONE	6.1	ug/L					0.34	2
MSB009AR	2/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB009AR	2/19/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB009AR	2/19/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB009AR	2/19/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L					0.09	1
MSB009AR	2/19/2015	TETRACHLOROETHYLENE (PCE)	180	ug/L					4.5	25
MSB009AR	2/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB009AR	2/19/2015	TRICHLOROETHYLENE (TCE)	1100	ug/L					13	50
MSB009AR	8/25/2015	NITRATE-NITRITE AS NITROGEN	6.4	mg/L					0.047	0.5
MSB009AR	8/25/2015	ALUMINUM	63.2	ug/L	J		21		40	400
MSB009AR	8/25/2015	BARIUM	24.4	ug/L					2	20
MSB009AR	8/25/2015	BERYLLIUM	0.166	ug/L	J		21		0.1	1
MSB009AR	8/25/2015	CADMIUM	1	ug/L	U				0.1	1
MSB009AR	8/25/2015	CHROMIUM	100	ug/L	U				10	100
MSB009AR	8/25/2015	COBALT	0.685	ug/L	J		21		0.5	5
MSB009AR	8/25/2015	COPPER	0.774	ug/L	U		21, V		0.5	5
MSB009AR	8/25/2015	IRON	20.2	ug/L	U		21, V		10	100
MSB009AR	8/25/2015	LEAD	5	ug/L	U				0.5	5
MSB009AR	8/25/2015	MANGANESE	4	ug/L	J		21		1	10
MSB009AR	8/25/2015	NICKEL	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB009AR	8/25/2015	SELENIUM	2.33	ug/L	J		21		2	20
MSB009AR	8/25/2015	SODIUM	3640	ug/L					20	200
MSB009AR	8/25/2015	VANADIUM	12.5	ug/L	J		21		5	50
MSB009AR	8/25/2015	ZINC	5.15	ug/L	U		21, V		4	40
MSB009AR	8/25/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB009AR	8/25/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB009AR	8/25/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB009AR	8/25/2015	1,1-DICHLOROETHYLENE	5.1	ug/L	J		21		0.8	10
MSB009AR	8/25/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB009AR	8/25/2015	ACETONE	20	ug/L	U				3.4	20
MSB009AR	8/25/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB009AR	8/25/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB009AR	8/25/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB009AR	8/25/2015	CIS-1,2-DICHLOROETHYLENE	19	ug/L					0.9	10
MSB009AR	8/25/2015	TETRACHLOROETHYLENE (PCE)	180	ug/L					1.8	10
MSB009AR	8/25/2015	TOLUENE	10	ug/L	U				0.7	10
MSB009AR	8/25/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB009AR	8/25/2015	TRICHLOROETHYLENE (TCE)	980	ug/L					25	100
MSB009AR	8/25/2015	1,4-DIOXANE	7.7	ug/L					1.2	5
MSB021TB	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB021TB	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB021TB	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB021TB	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB021TB	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB021TB	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MSB021TB	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB021TB	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB021TB	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB021TB	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB021TB	9/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB021TB	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MSB021TB	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB021TB	9/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB021TB	9/29/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB021TC	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB021TC	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB021TC	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB021TC	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB021TC	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB021TC	9/29/2015	ACETONE	2	ug/L	U				0.34	2
MSB021TC	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB021TC	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB021TC	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB021TC	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB021TC	9/29/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB021TC	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
MSB021TC	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB021TC	9/29/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB021TC	9/29/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB030TB	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB030TB	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB030TB	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB030TB	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB030TB	10/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB030TB	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB030TB	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB030TB	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB030TB	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB030TB	10/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB030TB	10/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB030TB	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB030TB	10/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB030TB	10/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB030TB	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB030TC	10/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB030TC	10/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB030TC	10/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB030TC	10/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB030TC	10/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB030TC	10/1/2015	ACETONE	2	ug/L	U				0.34	2
MSB030TC	10/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB030TC	10/1/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB030TC	10/1/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB030TC	10/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB030TC	10/1/2015	TETRACHLOROETHYLENE (PCE)	0.48	ug/L	J		21		0.18	1
MSB030TC	10/1/2015	TOLUENE	1	ug/L	U				0.07	1
MSB030TC	10/1/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
MSB030TC	10/1/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.25	1
MSB030TC	10/1/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB064DR	3/24/2015	ALUMINUM	400	ug/L	U				40	400
MSB064DR	3/24/2015	BARIUM	4.63	ug/L	J				2	20
MSB064DR	3/24/2015	CHROMIUM	100	ug/L	U				10	100
MSB064DR	3/24/2015	COPPER	0.549	ug/L	J				0.5	5
MSB064DR	3/24/2015	LEAD	5	ug/L	U				0.5	5
MSB064DR	3/24/2015	NICKEL	0.807	ug/L	J				0.5	5
MSB064DR	3/24/2015	ZINC	4.35	ug/L	J				4	40
MSB064DR	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB064DR	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB064DR	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB064DR	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB064DR	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB064DR	3/24/2015	ACETONE	3.7	ug/L					0.34	2
MSB064DR	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB064DR	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB064DR	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB064DR	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB064DR	3/24/2015	TETRACHLOROETHYLENE (PCE)	13	ug/L					0.18	1
MSB064DR	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB064DR	3/24/2015	TRICHLOROETHYLENE (TCE)	56	ug/L					1.3	5
MSB064DR	8/24/2015	ALUMINUM	60.4	ug/L					15	50
MSB064DR	8/24/2015	BARIUM	4.59	ug/L					0.6	2
MSB064DR	8/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB064DR	8/24/2015	CADMIUM	1	ug/L	U	U			0.11	1
MSB064DR	8/24/2015	CHROMIUM	10	ug/L	U	U			2	10
MSB064DR	8/24/2015	COBALT	0.173	ug/L	J	J	21		0.1	1
MSB064DR	8/24/2015	COPPER	0.524	ug/L	J	J	21		0.35	1
MSB064DR	8/24/2015	IRON	123	ug/L					33	100
MSB064DR	8/24/2015	LEAD	2	ug/L	U	U			0.5	2
MSB064DR	8/24/2015	MANGANESE	44.7	ug/L					1	5
MSB064DR	8/24/2015	NICKEL	0.596	ug/L	J	J	21		0.5	2
MSB064DR	8/24/2015	SELENIUM	5	ug/L	U	U			1.5	5
MSB064DR	8/24/2015	SILVER	1	ug/L	U	U			0.2	1
MSB064DR	8/24/2015	SODIUM	3900	ug/L					80	250
MSB064DR	8/24/2015	THALLIUM	2	ug/L	U	U			0.45	2
MSB064DR	8/24/2015	TIN	5	ug/L	U	U			1	5
MSB064DR	8/24/2015	VANADIUM	11.6	ug/L	J	J	V		3	10
MSB064DR	8/24/2015	ZINC	10	ug/L	U	U			3.5	10
MSB064DR	8/24/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
MSB064DR	8/24/2015	DDT	0.04	ug/L	U	U			0.01	0.04
MSB064DR	8/24/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
MSB064DR	8/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB064DR	8/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	ACETONE	5	ug/L	U	UJ	11		1.5	5
MSB064DR	8/24/2015	BENZENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
MSB064DR	8/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.44	ug/L	U	U	21, V		1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB064DR	8/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	METHYL ETHYL KETONE	5	ug/L	U	UJ	11		1.5	5
MSB064DR	8/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
MSB064DR	8/24/2015	TETRACHLOROETHYLENE (PCE)	6.85	ug/L					0.3	1
MSB064DR	8/24/2015	TOLUENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	TRICHLOROETHYLENE (TCE)	40.9	ug/L					0.3	1
MSB064DR	8/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
MSB064DR	8/24/2015	XYLENES	3	ug/L	U	U			0.3	3
MSB064DR	8/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
MSB064DR	8/24/2015	1,2-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB064DR	8/24/2015	1,3-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB064DR	8/24/2015	1,4-DICHLOROBENZENE	10	ug/L	U	UJ	14		3	10
MSB064DR	8/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	UJ	14		3	10
MSB064DR	8/24/2015	PHENOL	10	ug/L	U	UJ	2, 11, 14		3	10
MSB064DR	8/24/2015	CYANIDE	5	ug/L	U	U			1.67	5
MSB064DR	8/24/2015	GROSS ALPHA	1.75	pCi/L	U	U		1.78	2.78	6.34
MSB064DR	8/24/2015	NONVOLATILE BETA	0.765	pCi/L	U	U		1.94	3.42	7.3
MSB064DR	8/24/2015	RADIUM-226	0.806	pCi/L	J	J	21, 11	0.317	0.362	0.996
MSB064DR	8/24/2015	RADIUM-228	0.281	pCi/L	U	U		0.278	0.456	1.01
MSB064DR	8/24/2015	SULFIDE	0.1	mg/L	U	U			0.033	0.1
MSB075A	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB075A	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB075A	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB075A	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB075A	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB075A	9/3/2015	ACETONE	7.5	ug/L					0.34	2
MSB075A	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB075A	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB075A	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB075A	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB075A	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB075A	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
MSB075A	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075A	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB075A	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB075TA	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TA	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB075TA	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TA	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TA	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB075TA	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB075TA	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB075TA	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB075TA	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB075TA	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB075TA	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB075TA	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB075TA	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TA	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB075TA	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB075TB	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TB	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB075TB	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TB	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TB	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB075TB	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB075TB	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB075TB	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB075TB	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB075TB	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB075TB	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB075TB	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB075TB	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TB	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB075TB	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB075TC	10/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TC	10/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB075TC	10/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB075TC	10/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TC	10/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB075TC	10/7/2015	ACETONE	2	ug/L	U				0.34	2
MSB075TC	10/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB075TC	10/7/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB075TC	10/7/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB075TC	10/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB075TC	10/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB075TC	10/7/2015	TOLUENE	1	ug/L	U				0.07	1
MSB075TC	10/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB075TC	10/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB075TC	10/7/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB099B	2/17/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB099B	2/17/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB099B	2/17/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB099B	2/17/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB099B	2/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB099B	2/17/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB099B	2/17/2015	CIS-1,2-DICHLOROETHYLENE	9.4	ug/L	J		21		0.9	10
MSB099B	2/17/2015	TETRACHLOROETHYLENE (PCE)	4.6	ug/L	J		21		1.8	10
MSB099B	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB099B	2/17/2015	TRICHLOROETHYLENE (TCE)	3200	ug/L					25	100
MSB099B	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB099B	5/18/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB099B	5/18/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB099B	5/18/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB099B	5/18/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB099B	5/18/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB099B	5/18/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB099B	5/18/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L	J		21		2.3	25
MSB099B	5/18/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB099B	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB099B	5/18/2015	TRICHLOROETHYLENE (TCE)	3600	ug/L					63	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB099B	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB099B	9/23/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB099B	9/23/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB099B	9/23/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB099B	9/23/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB099B	9/23/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB099B	9/23/2015	ACETONE	50	ug/L	U				8.5	50
MSB099B	9/23/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB099B	9/23/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB099B	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB099B	9/23/2015	CIS-1,2-DICHLOROETHYLENE	9.9	ug/L	J		21		2.3	25
MSB099B	9/23/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB099B	9/23/2015	TOLUENE	25	ug/L	U				1.8	25
MSB099B	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB099B	9/23/2015	TRICHLOROETHYLENE (TCE)	2700	ug/L					63	250
MSB099B	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB099C	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB099C	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	2/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB099C	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB099C	2/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB099C	2/17/2015	TETRACHLOROETHYLENE (PCE)	2.9	ug/L					0.18	1
MSB099C	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	2/17/2015	TRICHLOROETHYLENE (TCE)	6.5	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB099C	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB099C	5/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	5/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB099C	5/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	5/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	5/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB099C	5/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB099C	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB099C	5/18/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1
MSB099C	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	5/18/2015	TRICHLOROETHYLENE (TCE)	4.6	ug/L					0.25	1
MSB099C	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB099C	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB099C	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB099C	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB099C	9/23/2015	ACETONE	2	ug/L	U				0.34	2
MSB099C	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB099C	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB099C	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB099C	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB099C	9/23/2015	TETRACHLOROETHYLENE (PCE)	1.1	ug/L					0.18	1
MSB099C	9/23/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
MSB099C	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB099C	9/23/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB099C	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB100TA	10/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB100TA	10/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB100TA	10/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB100TA	10/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB100TA	10/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB100TA	10/21/2015	ACETONE	2	ug/L	U				0.34	2
MSB100TA	10/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB100TA	10/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB100TA	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB100TA	10/21/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB100TA	10/21/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J		21		0.18	1
MSB100TA	10/21/2015	TOLUENE	1	ug/L	U				0.07	1
MSB100TA	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB100TA	10/21/2015	TRICHLOROETHYLENE (TCE)	17	ug/L					0.25	1
MSB100TA	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB100TB	10/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB100TB	10/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB100TB	10/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB100TB	10/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB100TB	10/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB100TB	10/21/2015	ACETONE	2	ug/L	U				0.34	2
MSB100TB	10/21/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB100TB	10/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB100TB	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB100TB	10/21/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB100TB	10/21/2015	TETRACHLOROETHYLENE (PCE)	0.48	ug/L	J		21		0.18	1
MSB100TB	10/21/2015	TOLUENE	1	ug/L	U				0.07	1
MSB100TB	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB100TB	10/21/2015	TRICHLOROETHYLENE (TCE)	270	ug/L					2.5	10
MSB100TB	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB100TC	10/21/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB100TC	10/21/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB100TC	10/21/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB100TC	10/21/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB100TC	10/21/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB100TC	10/21/2015	ACETONE	5	ug/L	U				0.85	5
MSB100TC	10/21/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
MSB100TC	10/21/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB100TC	10/21/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB100TC	10/21/2015	CIS-1,2-DICHLOROETHYLENE	2.8	ug/L					0.23	2.5
MSB100TC	10/21/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	J		21		0.45	2.5
MSB100TC	10/21/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
MSB100TC	10/21/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB100TC	10/21/2015	TRICHLOROETHYLENE (TCE)	430	ug/L					6.3	25
MSB100TC	10/21/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB101A	9/3/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB101A	9/3/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB101A	9/3/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB101A	9/3/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB101A	9/3/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB101A	9/3/2015	ACETONE	10	ug/L	U				1.7	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB101A	9/3/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB101A	9/3/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB101A	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB101A	9/3/2015	CIS-1,2-DICHLOROETHYLENE	9.3	ug/L					0.45	5
MSB101A	9/3/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
MSB101A	9/3/2015	TOLUENE	5	ug/L	U				0.35	5
MSB101A	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB101A	9/3/2015	TRICHLOROETHYLENE (TCE)	82	ug/L					1.3	5
MSB101A	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB101B	9/3/2015	1,1,1-TRICHLOROETHANE	2500	ug/L	U				180	2500
MSB101B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	2500	ug/L	U				250	2500
MSB101B	9/3/2015	1,1-DICHLOROETHANE	2500	ug/L	U				180	2500
MSB101B	9/3/2015	1,1-DICHLOROETHYLENE	2500	ug/L	U				200	2500
MSB101B	9/3/2015	1,2-DICHLOROBENZENE	2500	ug/L	U				150	2500
MSB101B	9/3/2015	ACETONE	5000	ug/L	U				850	5000
MSB101B	9/3/2015	CARBON TETRACHLORIDE	2500	ug/L	U				330	2500
MSB101B	9/3/2015	CHLOROBENZENE	2500	ug/L	U				380	2500
MSB101B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	5000	ug/L	U				200	5000
MSB101B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	2500	ug/L	U				230	2500
MSB101B	9/3/2015	TETRACHLOROETHYLENE (PCE)	2600	ug/L					450	2500
MSB101B	9/3/2015	TOLUENE	2500	ug/L	U				180	2500
MSB101B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	2500	ug/L	U				200	2500
MSB101B	9/3/2015	TRICHLOROETHYLENE (TCE)	30000	ug/L					630	2500
MSB101B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB101C	9/3/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB101C	9/3/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB101C	9/3/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB101C	9/3/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB101C	9/3/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB101C	9/3/2015	ACETONE	50	ug/L	U				8.5	50
MSB101C	9/3/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB101C	9/3/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB101C	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB101C	9/3/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB101C	9/3/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB101C	9/3/2015	TOLUENE	25	ug/L	U				1.8	25
MSB101C	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB101C	9/3/2015	TRICHLOROETHYLENE (TCE)	590	ug/L					6.3	25
MSB101C	9/3/2015	1,4-DIOXANE	250	ug/L	U				62	250
MSB101CC	2/17/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB101CC	2/17/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB101CC	2/17/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB101CC	2/17/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB101CC	2/17/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB101CC	2/17/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB101CC	2/17/2015	CIS-1,2-DICHLOROETHYLENE	210	ug/L					9	100
MSB101CC	2/17/2015	TETRACHLOROETHYLENE (PCE)	330	ug/L					18	100
MSB101CC	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB101CC	2/17/2015	TRICHLOROETHYLENE (TCE)	12000	ug/L					250	1000
MSB101CC	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB101CC	5/18/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB101CC	5/18/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB101CC	5/18/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB101CC	5/18/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB101CC	5/18/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB101CC	5/18/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB101CC	5/18/2015	CIS-1,2-DICHLOROETHYLENE	120	ug/L					4.5	50
MSB101CC	5/18/2015	TETRACHLOROETHYLENE (PCE)	130	ug/L					9	50
MSB101CC	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB101CC	5/18/2015	TRICHLOROETHYLENE (TCE)	4900	ug/L					130	500
MSB101CC	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB101CC	9/3/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB101CC	9/3/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB101CC	9/3/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB101CC	9/3/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB101CC	9/3/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB101CC	9/3/2015	ACETONE	200	ug/L	U				34	200
MSB101CC	9/3/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB101CC	9/3/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB101CC	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB101CC	9/3/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L	U				9	100
MSB101CC	9/3/2015	TETRACHLOROETHYLENE (PCE)	54	ug/L	J		21		18	100
MSB101CC	9/3/2015	TOLUENE	100	ug/L	U				7	100
MSB101CC	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB101CC	9/3/2015	TRICHLOROETHYLENE (TCE)	1700	ug/L					25	100
MSB101CC	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB102A	9/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB102A	9/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB102A	9/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB102A	9/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB102A	9/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB102A	9/23/2015	ACETONE	7	ug/L					0.34	2
MSB102A	9/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB102A	9/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB102A	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB102A	9/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB102A	9/23/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
MSB102A	9/23/2015	TOLUENE	0.57	ug/L	J		21		0.07	1
MSB102A	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB102A	9/23/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
MSB102A	9/23/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB102B	9/23/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB102B	9/23/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB102B	9/23/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB102B	9/23/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB102B	9/23/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB102B	9/23/2015	ACETONE	20	ug/L	U				3.4	20
MSB102B	9/23/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB102B	9/23/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB102B	9/23/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB102B	9/23/2015	CIS-1,2-DICHLOROETHYLENE	6.2	ug/L	J		21		0.9	10
MSB102B	9/23/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L	U				1.8	10
MSB102B	9/23/2015	TOLUENE	10	ug/L	U				0.7	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB102B	9/23/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB102B	9/23/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					25	100
MSB102B	9/23/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB102C	8/31/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB102C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB102C	8/31/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB102C	8/31/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB102C	8/31/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB102C	8/31/2015	ACETONE	10	ug/L	U				1.7	10
MSB102C	8/31/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB102C	8/31/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB102C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB102C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
MSB102C	8/31/2015	TETRACHLOROETHYLENE (PCE)	4.7	ug/L	J		21		0.9	5
MSB102C	8/31/2015	TOLUENE	5	ug/L	U				0.35	5
MSB102C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB102C	8/31/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					1.3	5
MSB102C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB102TA	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB102TA	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB102TA	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB102TA	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB102TA	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB102TA	8/31/2015	ACETONE	4.4	ug/L					0.34	2
MSB102TA	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB102TA	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB102TA	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB102TA	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB102TA	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB102TA	8/31/2015	TOLUENE	0.24	ug/L	J		21		0.07	1
MSB102TA	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB102TA	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB102TA	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB103A	8/31/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB103A	8/31/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB103A	8/31/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB103A	8/31/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB103A	8/31/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB103A	8/31/2015	ACETONE	50	ug/L	U				8.5	50
MSB103A	8/31/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB103A	8/31/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB103A	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB103A	8/31/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB103A	8/31/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U				4.5	25
MSB103A	8/31/2015	TOLUENE	25	ug/L	U				1.8	25
MSB103A	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB103A	8/31/2015	TRICHLOROETHYLENE (TCE)	290	ug/L					6.3	25
MSB103A	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB103C	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB103C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB103C	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB103C	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB103C	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB103C	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB103C	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB103C	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB103C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB103C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB103C	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB103C	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB103C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB103C	8/31/2015	TRICHLOROETHYLENE (TCE)	0.51	ug/L	J		21		0.25	1
MSB103C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB104B	8/31/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB104B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB104B	8/31/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB104B	8/31/2015	1,1-DICHLOROETHYLENE	2.7	ug/L	J		21		0.4	5
MSB104B	8/31/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB104B	8/31/2015	ACETONE	10	ug/L	U				1.7	10
MSB104B	8/31/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB104B	8/31/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB104B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB104B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1.3	ug/L	J		21		0.45	5
MSB104B	8/31/2015	TETRACHLOROETHYLENE (PCE)	79	ug/L					0.9	5
MSB104B	8/31/2015	TOLUENE	5	ug/L	U				0.35	5
MSB104B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB104B	8/31/2015	TRICHLOROETHYLENE (TCE)	65	ug/L					1.3	5
MSB104B	8/31/2015	1,4-DIOXANE	8.2	ug/L					1.2	5
MSB104C	3/17/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB104C	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB104C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB104C	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB104C	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB104C	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB104C	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB104C	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB104C	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB104C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB104C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB104C	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB104C	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB104C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB104C	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
MSB104C	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB104TA	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB104TA	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB104TA	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB104TA	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB104TA	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB104TA	8/31/2015	ACETONE	4.8	ug/L					0.34	2
MSB104TA	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB104TA	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB104TA	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB104TA	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB104TA	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB104TA	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB104TA	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB104TA	8/31/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J		21		0.25	1
MSB104TA	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB106A	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB106A	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB106A	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB106A	2/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106A	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB106A	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB106A	2/17/2015	CIS-1,2-DICHLOROETHYLENE	0.58	ug/L	J		21		0.09	1
MSB106A	2/17/2015	TETRACHLOROETHYLENE (PCE)	69	ug/L					0.9	5
MSB106A	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106A	2/17/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					1.3	5
MSB106A	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB106A	5/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB106A	5/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB106A	5/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB106A	5/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106A	5/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB106A	5/18/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB106A	5/18/2015	CIS-1,2-DICHLOROETHYLENE	0.55	ug/L	J		21		0.09	1
MSB106A	5/18/2015	TETRACHLOROETHYLENE (PCE)	76	ug/L					1.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB106A	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106A	5/18/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					2.5	10
MSB106A	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB106A	8/31/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB106A	8/31/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB106A	8/31/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB106A	8/31/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB106A	8/31/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB106A	8/31/2015	ACETONE	20	ug/L	U				3.4	20
MSB106A	8/31/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB106A	8/31/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB106A	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
MSB106A	8/31/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.9	10
MSB106A	8/31/2015	TETRACHLOROETHYLENE (PCE)	48	ug/L					1.8	10
MSB106A	8/31/2015	TOLUENE	10	ug/L	U				0.7	10
MSB106A	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB106A	8/31/2015	TRICHLOROETHYLENE (TCE)	93	ug/L					2.5	10
MSB106A	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB106B	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB106B	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB106B	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB106B	2/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106B	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB106B	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB106B	2/17/2015	CIS-1,2-DICHLOROETHYLENE	8.7	ug/L					0.09	1
MSB106B	2/17/2015	TETRACHLOROETHYLENE (PCE)	0.69	ug/L	J		21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB106B	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106B	2/17/2015	TRICHLOROETHYLENE (TCE)	250	ug/L					2.5	10
MSB106B	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB106B	5/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB106B	5/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB106B	5/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB106B	5/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB106B	5/18/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB106B	5/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB106B	5/18/2015	CIS-1,2-DICHLOROETHYLENE	7.2	ug/L					0.23	2.5
MSB106B	5/18/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L	J		21		0.45	2.5
MSB106B	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB106B	5/18/2015	TRICHLOROETHYLENE (TCE)	230	ug/L					6.3	25
MSB106B	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB106B	8/31/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB106B	8/31/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB106B	8/31/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB106B	8/31/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB106B	8/31/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB106B	8/31/2015	ACETONE	50	ug/L	U				8.5	50
MSB106B	8/31/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB106B	8/31/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB106B	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB106B	8/31/2015	CIS-1,2-DICHLOROETHYLENE	6.1	ug/L	J		21		2.3	25
MSB106B	8/31/2015	TETRACHLOROETHYLENE (PCE)	110	ug/L					4.5	25
MSB106B	8/31/2015	TOLUENE	25	ug/L	U				1.8	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB106B	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB106B	8/31/2015	TRICHLOROETHYLENE (TCE)	250	ug/L					6.3	25
MSB106B	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB106C	2/17/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB106C	2/17/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB106C	2/17/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB106C	2/17/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB106C	2/17/2015	1,2-DICHLOROBENZENE	500	ug/L	U				30	500
MSB106C	2/17/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB106C	2/17/2015	CIS-1,2-DICHLOROETHYLENE	81	ug/L	J		21		45	500
MSB106C	2/17/2015	TETRACHLOROETHYLENE (PCE)	46000	ug/L					900	5000
MSB106C	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB106C	2/17/2015	TRICHLOROETHYLENE (TCE)	19000	ug/L					1300	5000
MSB106C	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB106C	5/18/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				35	500
MSB106C	5/18/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				50	500
MSB106C	5/18/2015	1,1-DICHLOROETHANE	500	ug/L	U				35	500
MSB106C	5/18/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB106C	5/18/2015	1,2-DICHLOROBENZENE	500	ug/L	U				30	500
MSB106C	5/18/2015	CHLOROBENZENE	500	ug/L	U				75	500
MSB106C	5/18/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				45	500
MSB106C	5/18/2015	TETRACHLOROETHYLENE (PCE)	54000	ug/L					900	5000
MSB106C	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				40	500
MSB106C	5/18/2015	TRICHLOROETHYLENE (TCE)	20000	ug/L					130	500
MSB106C	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB106C	8/31/2015	1,1,1-TRICHLOROETHANE	5000	ug/L	U				350	5000

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB106C	8/31/2015	1,1,2,2-TETRACHLOROETHANE	5000	ug/L	U				500	5000
MSB106C	8/31/2015	1,1-DICHLOROETHANE	5000	ug/L	U				350	5000
MSB106C	8/31/2015	1,1-DICHLOROETHYLENE	5000	ug/L	U				400	5000
MSB106C	8/31/2015	1,2-DICHLOROBENZENE	5000	ug/L	U				300	5000
MSB106C	8/31/2015	ACETONE	10000	ug/L	U				1700	10000
MSB106C	8/31/2015	CARBON TETRACHLORIDE	5000	ug/L	U				650	5000
MSB106C	8/31/2015	CHLOROBENZENE	5000	ug/L	U				750	5000
MSB106C	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	10000	ug/L	U				400	10000
MSB106C	8/31/2015	CIS-1,2-DICHLOROETHYLENE	5000	ug/L	U				450	5000
MSB106C	8/31/2015	TETRACHLOROETHYLENE (PCE)	38000	ug/L					900	5000
MSB106C	8/31/2015	TOLUENE	5000	ug/L	U				350	5000
MSB106C	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	5000	ug/L	U				400	5000
MSB106C	8/31/2015	TRICHLOROETHYLENE (TCE)	17000	ug/L					1300	5000
MSB106C	8/31/2015	1,4-DIOXANE	1.7	ug/L	J		21		1.2	5
MSB106TB	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB106TB	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB106TB	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB106TB	2/17/2015	1,1-DICHLOROETHYLENE	0.5	ug/L	J		21		0.08	1
MSB106TB	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB106TB	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB106TB	2/17/2015	CIS-1,2-DICHLOROETHYLENE	3	ug/L					0.09	1
MSB106TB	2/17/2015	TETRACHLOROETHYLENE (PCE)	31	ug/L					0.18	1
MSB106TB	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB106TB	2/17/2015	TRICHLOROETHYLENE (TCE)	300	ug/L					2.5	10
MSB106TB	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB106TB	5/18/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB106TB	5/18/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB106TB	5/18/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB106TB	5/18/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB106TB	5/18/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB106TB	5/18/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB106TB	5/18/2015	CIS-1,2-DICHLOROETHYLENE	3.1	ug/L					0.23	2.5
MSB106TB	5/18/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L					0.45	2.5
MSB106TB	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB106TB	5/18/2015	TRICHLOROETHYLENE (TCE)	250	ug/L					6.3	25
MSB106TB	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB106TB	8/31/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB106TB	8/31/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB106TB	8/31/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB106TB	8/31/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB106TB	8/31/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB106TB	8/31/2015	ACETONE	10	ug/L	U				1.7	10
MSB106TB	8/31/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB106TB	8/31/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB106TB	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB106TB	8/31/2015	CIS-1,2-DICHLOROETHYLENE	2.7	ug/L	J		21		0.45	5
MSB106TB	8/31/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L					0.9	5
MSB106TB	8/31/2015	TOLUENE	1.4	ug/L	J		21		0.35	5
MSB106TB	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB106TB	8/31/2015	TRICHLOROETHYLENE (TCE)	42	ug/L					1.3	5
MSB106TB	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB107A	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107A	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB107A	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB107A	2/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB107A	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB107A	2/17/2015	CIS-1,2-DICHLOROETHYLENE	2.6	ug/L					0.09	1
MSB107A	2/17/2015	TETRACHLOROETHYLENE (PCE)	0.72	ug/L	J		21		0.18	1
MSB107A	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	2/17/2015	TRICHLOROETHYLENE (TCE)	13	ug/L					0.25	1
MSB107A	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB107A	5/21/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB107A	5/21/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB107A	5/21/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB107A	5/21/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	5/21/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB107A	5/21/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB107A	5/21/2015	CIS-1,2-DICHLOROETHYLENE	2.9	ug/L					0.09	1
MSB107A	5/21/2015	TETRACHLOROETHYLENE (PCE)	0.41	ug/L	J		21		0.18	1
MSB107A	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	5/21/2015	TRICHLOROETHYLENE (TCE)	13	ug/L					0.25	1
MSB107A	5/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB107A	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB107A	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB107A	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB107A	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107A	8/31/2015	ACETONE	2	ug/L	U				0.34	2
MSB107A	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB107A	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB107A	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB107A	8/31/2015	CIS-1,2-DICHLOROETHYLENE	3.1	ug/L					0.09	1
MSB107A	8/31/2015	TETRACHLOROETHYLENE (PCE)	0.28	ug/L	J		21		0.18	1
MSB107A	8/31/2015	TOLUENE	1	ug/L	U				0.07	1
MSB107A	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB107A	8/31/2015	TRICHLOROETHYLENE (TCE)	15	ug/L					0.25	1
MSB107A	8/31/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB107B	2/17/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB107B	2/17/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB107B	2/17/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB107B	2/17/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB107B	2/17/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250
MSB107B	2/17/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB107B	2/17/2015	CIS-1,2-DICHLOROETHYLENE	80	ug/L	J		21		23	250
MSB107B	2/17/2015	TETRACHLOROETHYLENE (PCE)	1500	ug/L					45	250
MSB107B	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB107B	2/17/2015	TRICHLOROETHYLENE (TCE)	35000	ug/L					630	2500
MSB107B	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB107B	5/21/2015	1,1,1-TRICHLOROETHANE	250	ug/L	U				18	250
MSB107B	5/21/2015	1,1,2,2-TETRACHLOROETHANE	250	ug/L	U				25	250
MSB107B	5/21/2015	1,1-DICHLOROETHANE	250	ug/L	U				18	250
MSB107B	5/21/2015	1,1-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB107B	5/21/2015	1,2-DICHLOROBENZENE	250	ug/L	U				15	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107B	5/21/2015	CHLOROBENZENE	250	ug/L	U				38	250
MSB107B	5/21/2015	CIS-1,2-DICHLOROETHYLENE	93	ug/L	J		21		23	250
MSB107B	5/21/2015	TETRACHLOROETHYLENE (PCE)	1400	ug/L					45	250
MSB107B	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	250	ug/L	U				20	250
MSB107B	5/21/2015	TRICHLOROETHYLENE (TCE)	32000	ug/L					630	2500
MSB107B	5/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB107B	9/30/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB107B	9/30/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB107B	9/30/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB107B	9/30/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB107B	9/30/2015	1,2-DICHLOROBENZENE	1.4	ug/L	J		21		0.3	5
MSB107B	9/30/2015	ACETONE	10	ug/L	U				1.7	10
MSB107B	9/30/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
MSB107B	9/30/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB107B	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
MSB107B	9/30/2015	CIS-1,2-DICHLOROETHYLENE	110	ug/L					0.45	5
MSB107B	9/30/2015	TETRACHLOROETHYLENE (PCE)	1700	ug/L	J		21		450	2500
MSB107B	9/30/2015	TOLUENE	5	ug/L	U				0.35	5
MSB107B	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB107B	9/30/2015	TRICHLOROETHYLENE (TCE)	31000	ug/L					630	2500
MSB107B	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB107C	2/17/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB107C	2/17/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB107C	2/17/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB107C	2/17/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB107C	2/17/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107C	2/17/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB107C	2/17/2015	CIS-1,2-DICHLOROETHYLENE	12	ug/L	J		21		2.3	25
MSB107C	2/17/2015	TETRACHLOROETHYLENE (PCE)	210	ug/L					4.5	25
MSB107C	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB107C	2/17/2015	TRICHLOROETHYLENE (TCE)	5700	ug/L					63	250
MSB107C	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB107C	5/21/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB107C	5/21/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB107C	5/21/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB107C	5/21/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107C	5/21/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB107C	5/21/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB107C	5/21/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L	J		21		4.5	50
MSB107C	5/21/2015	TETRACHLOROETHYLENE (PCE)	260	ug/L					9	50
MSB107C	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107C	5/21/2015	TRICHLOROETHYLENE (TCE)	6000	ug/L					130	500
MSB107C	5/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB107C	9/30/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB107C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB107C	9/30/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB107C	9/30/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107C	9/30/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB107C	9/30/2015	ACETONE	100	ug/L	U				17	100
MSB107C	9/30/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
MSB107C	9/30/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB107C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L	J		21		4.5	50
MSB107C	9/30/2015	TETRACHLOROETHYLENE (PCE)	220	ug/L					9	50
MSB107C	9/30/2015	TOLUENE	50	ug/L	U				3.5	50
MSB107C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107C	9/30/2015	TRICHLOROETHYLENE (TCE)	5500	ug/L					130	500
MSB107C	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB107CC	2/17/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB107CC	2/17/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB107CC	2/17/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB107CC	2/17/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107CC	2/17/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB107CC	2/17/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB107CC	2/17/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L	J		21		4.5	50
MSB107CC	2/17/2015	TETRACHLOROETHYLENE (PCE)	6000	ug/L					90	500
MSB107CC	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB107CC	2/17/2015	TRICHLOROETHYLENE (TCE)	8400	ug/L					130	500
MSB107CC	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB107CC	5/21/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB107CC	5/21/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB107CC	5/21/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB107CC	5/21/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB107CC	5/21/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB107CC	5/21/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB107CC	5/21/2015	CIS-1,2-DICHLOROETHYLENE	30	ug/L	J		21		9	100
MSB107CC	5/21/2015	TETRACHLOROETHYLENE (PCE)	8900	ug/L					180	1000
MSB107CC	5/21/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB107CC	5/21/2015	TRICHLOROETHYLENE (TCE)	8300	ug/L					250	1000
MSB107CC	5/21/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB107CC	9/30/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
MSB107CC	9/30/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
MSB107CC	9/30/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
MSB107CC	9/30/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB107CC	9/30/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
MSB107CC	9/30/2015	ACETONE	200	ug/L	U				34	200
MSB107CC	9/30/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
MSB107CC	9/30/2015	CHLOROBENZENE	100	ug/L	U				15	100
MSB107CC	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
MSB107CC	9/30/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L	J		21		9	100
MSB107CC	9/30/2015	TETRACHLOROETHYLENE (PCE)	9500	ug/L					180	1000
MSB107CC	9/30/2015	TOLUENE	100	ug/L	U				7	100
MSB107CC	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
MSB107CC	9/30/2015	TRICHLOROETHYLENE (TCE)	7100	ug/L					250	1000
MSB107CC	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB109B	2/17/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB109B	2/17/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB109B	2/17/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB109B	2/17/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB109B	2/17/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB109B	2/17/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB109B	2/17/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L					0.9	10
MSB109B	2/17/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L					1.8	10
MSB109B	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB109B	2/17/2015	TRICHLOROETHYLENE (TCE)	2600	ug/L					25	100
MSB109B	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB109B	5/18/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB109B	5/18/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB109B	5/18/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB109B	5/18/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109B	5/18/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB109B	5/18/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB109B	5/18/2015	CIS-1,2-DICHLOROETHYLENE	47	ug/L					2.3	25
MSB109B	5/18/2015	TETRACHLOROETHYLENE (PCE)	39	ug/L					4.5	25
MSB109B	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109B	5/18/2015	TRICHLOROETHYLENE (TCE)	2600	ug/L					63	250
MSB109B	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB109B	9/24/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB109B	9/24/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB109B	9/24/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB109B	9/24/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109B	9/24/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB109B	9/24/2015	ACETONE	50	ug/L	U				8.5	50
MSB109B	9/24/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB109B	9/24/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB109B	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB109B	9/24/2015	CIS-1,2-DICHLOROETHYLENE	28	ug/L					2.3	25
MSB109B	9/24/2015	TETRACHLOROETHYLENE (PCE)	37	ug/L					4.5	25
MSB109B	9/24/2015	TOLUENE	25	ug/L	U				1.8	25
MSB109B	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB109B	9/24/2015	TRICHLOROETHYLENE (TCE)	2100	ug/L					63	250
MSB109B	9/24/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
MSB109C	2/17/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB109C	2/17/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
MSB109C	2/17/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB109C	2/17/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109C	2/17/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB109C	2/17/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB109C	2/17/2015	CIS-1,2-DICHLOROETHYLENE	8.3	ug/L	J		21		2.3	25
MSB109C	2/17/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					4.5	25
MSB109C	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109C	2/17/2015	TRICHLOROETHYLENE (TCE)	3900	ug/L					63	250
MSB109C	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
MSB109C	5/18/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
MSB109C	5/18/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
MSB109C	5/18/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
MSB109C	5/18/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB109C	5/18/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
MSB109C	5/18/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
MSB109C	5/18/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				4.5	50
MSB109C	5/18/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					9	50
MSB109C	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
MSB109C	5/18/2015	TRICHLOROETHYLENE (TCE)	3700	ug/L					130	500
MSB109C	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB109C	9/24/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB109C	9/24/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB109C	9/24/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB109C	9/24/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109C	9/24/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB109C	9/24/2015	ACETONE	50	ug/L	U				8.5	50
MSB109C	9/24/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
MSB109C	9/24/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB109C	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
MSB109C	9/24/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				2.3	25
MSB109C	9/24/2015	TETRACHLOROETHYLENE (PCE)	130	ug/L					4.5	25
MSB109C	9/24/2015	TOLUENE	25	ug/L	U				1.8	25
MSB109C	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB109C	9/24/2015	TRICHLOROETHYLENE (TCE)	3000	ug/L					63	250
MSB109C	9/24/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
MSB111A	8/17/2015	NITRATE-NITRITE AS NITROGEN	0.728	mg/L					0.017	0.05
MSB111A	8/17/2015	TOTAL PHOSPHATES (AS P)	0.0203	mg/L	J		21		0.017	0.05
MSB111A	8/17/2015	ALUMINUM	798	ug/L					15	50
MSB111A	8/17/2015	ANTIMONY	3	ug/L	U				1	3
MSB111A	8/17/2015	ARSENIC	5	ug/L	U				1.7	5
MSB111A	8/17/2015	BARIUM	6.23	ug/L					0.6	2
MSB111A	8/17/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
MSB111A	8/17/2015	BORON	12.5	ug/L	J		21		4	15
MSB111A	8/17/2015	CADMIUM	1	ug/L	U				0.11	1
MSB111A	8/17/2015	CHROMIUM	10	ug/L	U				2	10
MSB111A	8/17/2015	COBALT	0.332	ug/L	J		21		0.1	1
MSB111A	8/17/2015	COPPER	1	ug/L	U				0.35	1
MSB111A	8/17/2015	IRON	592	ug/L					33	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111A	8/17/2015	LEAD	0.657	ug/L	J		21		0.5	2
MSB111A	8/17/2015	MAGNESIUM	652	ug/L					10	30
MSB111A	8/17/2015	MANGANESE	3.3	ug/L	J		21		1	5
MSB111A	8/17/2015	NICKEL	2	ug/L	U				0.5	2
MSB111A	8/17/2015	SELENIUM	5	ug/L	U				1.5	5
MSB111A	8/17/2015	SILVER	1	ug/L	U				0.2	1
MSB111A	8/17/2015	THALLIUM	2	ug/L	U				0.45	2
MSB111A	8/17/2015	TIN	5	ug/L	U				1	5
MSB111A	8/17/2015	URANIUM	0.152	ug/L	J		21		0.067	0.2
MSB111A	8/17/2015	VANADIUM	4.37	ug/L	U		21, V		3	10
MSB111A	8/17/2015	ZINC	6.44	ug/L	J		21		3.5	10
MSB111A	8/17/2015	MERCURY	0.2	ug/L	U				0.067	0.2
MSB111A	8/17/2015	ALDRIN	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	ALPHA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	DDD	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	DDE	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	DDT	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	DIELDRIN	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	ENDOSULFAN I	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	ENDOSULFAN II	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	ENDRIN	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U				0.00665	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111A	8/17/2015	ENDRIN KETONE	0.04	ug/L	U				0.01	0.04
MSB111A	8/17/2015	GAMMA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	HEPTACHLOR	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
MSB111A	8/17/2015	METHOXYCHLOR	0.2	ug/L	U				0.05	0.2
MSB111A	8/17/2015	TOTAL CHLORDANE	0.25	ug/L	U				0.0765	0.25
MSB111A	8/17/2015	TOXAPHENE	0.5	ug/L	U				0.15	0.5
MSB111A	8/17/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
MSB111A	8/17/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB111A	8/17/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB111A	8/17/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB111A	8/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB111A	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
MSB111A	8/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111A	8/17/2015	1,4-DIOXANE	50	ug/L	U				15	50
MSB111A	8/17/2015	2-HEXANONE	5	ug/L	U				1.5	5
MSB111A	8/17/2015	ACETONE	5	ug/L	U				1.5	5
MSB111A	8/17/2015	BENZENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
MSB111A	8/17/2015	CARBON TETRACHLORIDE	0.38	ug/L	J		21		0.3	1
MSB111A	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111A	8/17/2015	CHLOROFORM	0.74	ug/L	J		21		0.3	1
MSB111A	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111A	8/17/2015	CIS-1,2-DICHLOROETHYLENE	6.34	ug/L					0.3	1
MSB111A	8/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
MSB111A	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
MSB111A	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
MSB111A	8/17/2015	TETRACHLOROETHYLENE (PCE)	98.8	ug/L					0.3	1
MSB111A	8/17/2015	TOLUENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	TRICHLOROETHYLENE (TCE)	75.5	ug/L					0.3	1
MSB111A	8/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111A	8/17/2015	XYLENES	3	ug/L	U				0.3	3
MSB111A	8/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
MSB111A	8/17/2015	PHENOL	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111A	8/17/2015	CYANIDE	5	ug/L	U				1.67	5
MSB111A	8/17/2015	FLUORIDE	0.1	mg/L	U				0.033	0.1
MSB111A	8/17/2015	SULFATE	1.85	mg/L					0.133	0.4
MSB111A	8/17/2015	GROSS ALPHA	2.52	pCi/L	U			1.92	2.73	6.57
MSB111A	8/17/2015	NONVOLATILE BETA	2.04	pCi/L	U			2.32	3.89	8.53
MSB111A	8/17/2015	TRITIUM	1.09	pCi/mL	J		21	0.414	0.605	1.43
MSB111A	8/17/2015	RADIUM-226	0.913	pCi/L	J		21	0.446	0.567	1.46
MSB111A	8/17/2015	RADIUM, TOTAL ALPHA-EMITTING	0.444	pCi/L	U			0.77	1.39	2.93
MSB111A	8/17/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
MSB111A	12/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB111A	12/3/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
MSB111A	12/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB111A	12/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB111A	12/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB111A	12/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB111A	12/3/2015	CIS-1,2-DICHLOROETHYLENE	3.3	ug/L					0.09	1
MSB111A	12/3/2015	TETRACHLOROETHYLENE (PCE)	58	ug/L					0.9	5
MSB111A	12/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB111A	12/3/2015	TRICHLOROETHYLENE (TCE)	36	ug/L					0.25	1
MSB111A	12/3/2015	1,4-DIOXANE	2.9	ug/L	J		21		1.2	5
MSB111AA	8/12/2015	NITRATE-NITRITE AS NITROGEN	0.726	mg/L					0.017	0.05
MSB111AA	8/12/2015	TOTAL PHOSPHATES (AS P)	0.0273	mg/L	J		21		0.017	0.05
MSB111AA	8/12/2015	ALUMINUM	578	ug/L					15	50
MSB111AA	8/12/2015	ANTIMONY	3	ug/L	U				1	3
MSB111AA	8/12/2015	ARSENIC	5	ug/L	U				1.7	5
MSB111AA	8/12/2015	BARIUM	9.72	ug/L					0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111AA	8/12/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
MSB111AA	8/12/2015	BORON	9.09	ug/L	J		21		4	15
MSB111AA	8/12/2015	CADMIUM	1	ug/L	U				0.11	1
MSB111AA	8/12/2015	CHROMIUM	3.28	ug/L	J		21		2	10
MSB111AA	8/12/2015	COBALT	0.474	ug/L	J		21		0.1	1
MSB111AA	8/12/2015	COPPER	0.865	ug/L	J		21		0.35	1
MSB111AA	8/12/2015	IRON	778	ug/L					33	100
MSB111AA	8/12/2015	LEAD	1.35	ug/L	J		21		0.5	2
MSB111AA	8/12/2015	MAGNESIUM	584	ug/L					10	30
MSB111AA	8/12/2015	MANGANESE	14	ug/L					1	5
MSB111AA	8/12/2015	NICKEL	1.94	ug/L	J		21		0.5	2
MSB111AA	8/12/2015	SELENIUM	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	SILVER	1	ug/L	U				0.2	1
MSB111AA	8/12/2015	THALLIUM	2	ug/L	U				0.45	2
MSB111AA	8/12/2015	TIN	5	ug/L	U				1	5
MSB111AA	8/12/2015	URANIUM	0.48	ug/L					0.067	0.2
MSB111AA	8/12/2015	VANADIUM	10	ug/L	U				3	10
MSB111AA	8/12/2015	ZINC	10.1	ug/L					3.5	10
MSB111AA	8/12/2015	MERCURY	0.2	ug/L	U				0.067	0.2
MSB111AA	8/12/2015	ALDRIN	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	ALPHA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	DDD	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	DDE	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	DDT	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	DELTA-BENZENE	0.02	ug/L	U				0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HEXACHLORIDE								
MSB111AA	8/12/2015	DIELDRIN	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	ENDOSULFAN I	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	ENDOSULFAN II	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	ENDOSULFAN SULFATE	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	ENDRIN	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	ENDRIN ALDEHYDE	0.04	ug/L	U				0.00665	0.04
MSB111AA	8/12/2015	ENDRIN KETONE	0.04	ug/L	U				0.01	0.04
MSB111AA	8/12/2015	GAMMA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	HEPTACHLOR	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
MSB111AA	8/12/2015	METHOXYCHLOR	0.2	ug/L	U				0.05	0.2
MSB111AA	8/12/2015	TOTAL CHLORDANE	0.25	ug/L	U				0.0765	0.25
MSB111AA	8/12/2015	TOXAPHENE	0.5	ug/L	U				0.15	0.5
MSB111AA	8/12/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
MSB111AA	8/12/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB111AA	8/12/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB111AA	8/12/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB111AA	8/12/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB111AA	8/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111AA	8/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	1,4-DIOXANE	50	ug/L	U				15	50
MSB111AA	8/12/2015	2-HEXANONE	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	ACETONE	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	BENZENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	CHLOROFORM	0.5	ug/L	J		21		0.3	1
MSB111AA	8/12/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	CIS-1,2-DICHLOROETHYLENE	4.12	ug/L					0.3	1
MSB111AA	8/12/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	3.76	ug/L	U		21, V		1	5
MSB111AA	8/12/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
MSB111AA	8/12/2015	TETRACHLOROETHYLENE (PCE)	52.1	ug/L					0.3	1
MSB111AA	8/12/2015	TOLUENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111AA	8/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	TRICHLOROETHYLENE (TCE)	428	ug/L					3	10
MSB111AA	8/12/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111AA	8/12/2015	XYLENES	3	ug/L	U				0.3	3
MSB111AA	8/12/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
MSB111AA	8/12/2015	PHENOL	10	ug/L	UJ		14		3	10
MSB111AA	8/12/2015	CYANIDE	5	ug/L	U				1.67	5
MSB111AA	8/12/2015	FLUORIDE	0.1	mg/L	U				0.033	0.1
MSB111AA	8/12/2015	SULFATE	2.01	mg/L					0.133	0.4
MSB111AA	8/12/2015	GROSS ALPHA	3.48	pCi/L	J		21	2.1	2.89	7.09
MSB111AA	8/12/2015	NONVOLATILE BETA	3.48	pCi/L	J		21	1.82	2.8	6.44
MSB111AA	8/12/2015	TRITIUM	1.3	pCi/mL	J		21	0.412	0.549	1.37
MSB111AA	8/12/2015	RADIUM-226	2.12	pCi/L				0.693	0.714	2.1
MSB111AA	8/12/2015	RADIUM, TOTAL ALPHA-EMITTING	1.79	pCi/L	U			1.3	1.85	4.45
MSB111AA	8/12/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
MSB111AA	12/3/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB111AA	12/3/2015	1,1,2,2-TETRACHLOROETHANE	1.7	ug/L	U				0.25	1.7
MSB111AA	12/3/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB111AA	12/3/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB111AA	12/3/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB111AA	12/3/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB111AA	12/3/2015	CIS-1,2-DICHLOROETHYLENE	3	ug/L					0.23	2.5
MSB111AA	12/3/2015	TETRACHLOROETHYLENE (PCE)	31	ug/L					0.45	2.5
MSB111AA	12/3/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB111AA	12/3/2015	TRICHLOROETHYLENE (TCE)	260	ug/L					6.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111AA	12/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB111B	8/17/2015	NITRATE-NITRITE AS NITROGEN	1.47	mg/L					0.017	0.05
MSB111B	8/17/2015	TOTAL PHOSPHATES (AS P)	0.0182	mg/L	J		21		0.017	0.05
MSB111B	8/17/2015	ALUMINUM	598	ug/L					15	50
MSB111B	8/17/2015	ANTIMONY	3	ug/L	U				1	3
MSB111B	8/17/2015	ARSENIC	5	ug/L	U				1.7	5
MSB111B	8/17/2015	BARIUM	4.64	ug/L					0.6	2
MSB111B	8/17/2015	BERYLLIUM	0.5	ug/L	U				0.2	0.5
MSB111B	8/17/2015	BORON	13.7	ug/L	J		21		4	15
MSB111B	8/17/2015	CADMIUM	1	ug/L	U				0.11	1
MSB111B	8/17/2015	CHROMIUM	10	ug/L	U				2	10
MSB111B	8/17/2015	COBALT	1.11	ug/L					0.1	1
MSB111B	8/17/2015	COPPER	1	ug/L	U				0.35	1
MSB111B	8/17/2015	IRON	441	ug/L					33	100
MSB111B	8/17/2015	LEAD	2	ug/L	U				0.5	2
MSB111B	8/17/2015	MAGNESIUM	403	ug/L					10	30
MSB111B	8/17/2015	MANGANESE	7.42	ug/L					1	5
MSB111B	8/17/2015	NICKEL	2	ug/L	U				0.5	2
MSB111B	8/17/2015	SELENIUM	5	ug/L	U				1.5	5
MSB111B	8/17/2015	SILVER	1	ug/L	U				0.2	1
MSB111B	8/17/2015	THALLIUM	2	ug/L	U				0.45	2
MSB111B	8/17/2015	TIN	5	ug/L	U				1	5
MSB111B	8/17/2015	URANIUM	0.11	ug/L	J		21		0.067	0.2
MSB111B	8/17/2015	VANADIUM	3.74	ug/L	U		21, V		3	10
MSB111B	8/17/2015	ZINC	10	ug/L	U				3.5	10
MSB111B	8/17/2015	MERCURY	0.2	ug/L	U				0.067	0.2
MSB111B	8/17/2015	ALDRIN	0.02	ug/L	U				0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111B	8/17/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	ALPHA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	DDD	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	DDE	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	DDT	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	DIELDRIN	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	ENDOSULFAN I	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	ENDOSULFAN II	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	ENDOSULFAN SULFATE	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	ENDRIN	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	ENDRIN ALDEHYDE	0.04	ug/L	U				0.00665	0.04
MSB111B	8/17/2015	ENDRIN KETONE	0.04	ug/L	U				0.01	0.04
MSB111B	8/17/2015	GAMMA-CHLORDANE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	HEPTACHLOR	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	LINDANE	0.02	ug/L	U				0.00665	0.02
MSB111B	8/17/2015	METHOXYCHLOR	0.2	ug/L	U				0.05	0.2
MSB111B	8/17/2015	TOTAL CHLORDANE	0.25	ug/L	U				0.0765	0.25
MSB111B	8/17/2015	TOXAPHENE	0.5	ug/L	U				0.15	0.5
MSB111B	8/17/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111B	8/17/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
MSB111B	8/17/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB111B	8/17/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB111B	8/17/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB111B	8/17/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB111B	8/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	1,4-DIOXANE	50	ug/L	U				15	50
MSB111B	8/17/2015	2-HEXANONE	5	ug/L	U				1.5	5
MSB111B	8/17/2015	ACETONE	5	ug/L	U				1.5	5
MSB111B	8/17/2015	BENZENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
MSB111B	8/17/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111B	8/17/2015	CHLOROFORM	0.76	ug/L	J		21		0.3	1
MSB111B	8/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
MSB111B	8/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111B	8/17/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
MSB111B	8/17/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
MSB111B	8/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
MSB111B	8/17/2015	TETRACHLOROETHYLENE (PCE)	2.36	ug/L					0.3	1
MSB111B	8/17/2015	TOLUENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	TRICHLOROETHYLENE (TCE)	60.1	ug/L					0.3	1
MSB111B	8/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
MSB111B	8/17/2015	XYLENES	3	ug/L	U				0.3	3
MSB111B	8/17/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U				3	10
MSB111B	8/17/2015	PHENOL	10	ug/L	U				3	10
MSB111B	8/17/2015	CYANIDE	5	ug/L	U				1.67	5
MSB111B	8/17/2015	FLUORIDE	0.1	mg/L	U				0.033	0.1
MSB111B	8/17/2015	SULFATE	1.17	mg/L					0.133	0.4
MSB111B	8/17/2015	GROSS ALPHA	2.29	pCi/L	U			1.88	2.88	6.64
MSB111B	8/17/2015	NONVOLATILE BETA	1.31	pCi/L	U			2.33	3.99	8.65
MSB111B	8/17/2015	TRITIUM	-0.0503	pCi/mL	U			0.328	0.6	1.26
MSB111B	8/17/2015	RADIUM-226	0.395	pCi/L	U			0.298	0.437	1.03
MSB111B	8/17/2015	RADIUM, TOTAL ALPHA-EMITTING	1.19	pCi/L	U			0.998	1.5	3.5
MSB111B	8/17/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
MSB111B	12/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB111B	12/3/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
MSB111B	12/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB111B	12/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB111B	12/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB111B	12/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB111B	12/3/2015	CIS-1,2-DICHLOROETHYLENE	0.18	ug/L	J		21		0.09	1
MSB111B	12/3/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
MSB111B	12/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB111B	12/3/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.25	1
MSB111B	12/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB113A	3/30/2015	TOTAL SUSPENDED SOLIDS	85000	ug/L					4000	4000
MSB113A	3/30/2015	NITRATE-NITRITE AS NITROGEN	1700	ug/L					9.4	100
MSB113A	3/30/2015	TOTAL PHOSPHATES (AS P)	150	ug/L					6	50
MSB113A	3/30/2015	SULFIDE	1000	ug/L	U				450	1000
MSB113A	3/30/2015	ALUMINUM	3400	ug/L					45	400
MSB113A	3/30/2015	ANTIMONY	20	ug/L	U				7.5	20
MSB113A	3/30/2015	ARSENIC	20	ug/L	U				3.6	20
MSB113A	3/30/2015	BARIUM	14	ug/L	J		21		4.2	100
MSB113A	3/30/2015	BERYLLIUM	10	ug/L	U				0.57	10
MSB113A	3/30/2015	BORON	14	ug/L	J		21		14	100
MSB113A	3/30/2015	CADMIUM	10	ug/L	U				0.67	10
MSB113A	3/30/2015	CHROMIUM	20	ug/L	U				6.7	20
MSB113A	3/30/2015	COBALT	100	ug/L	U				5.4	100
MSB113A	3/30/2015	COPPER	50	ug/L	U				4.2	50
MSB113A	3/30/2015	IRON	1600	ug/L					26	200
MSB113A	3/30/2015	LEAD	5.2	ug/L	J		21		1.2	20
MSB113A	3/30/2015	MAGNESIUM	780	ug/L	J		21		100	2000
MSB113A	3/30/2015	MANGANESE	38	ug/L					2	30
MSB113A	3/30/2015	NICKEL	80	ug/L	U				5.1	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	SELENIUM	30	ug/L	U				4.2	30
MSB113A	3/30/2015	SILVER	20	ug/L	U				2	20
MSB113A	3/30/2015	THALLIUM	40	ug/L	U				4.8	40
MSB113A	3/30/2015	TIN	200	ug/L	U				10	200
MSB113A	3/30/2015	URANIUM	150	ug/L	J		21, V		51	1000
MSB113A	3/30/2015	VANADIUM	100	ug/L	U				8.8	100
MSB113A	3/30/2015	ZINC	36	ug/L	J		21		17	40
MSB113A	3/30/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB113A	3/30/2015	ALDRIN	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ALPHA-CHLORDANE	0.047	ug/L	U				0.014	0.047
MSB113A	3/30/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.012	0.047
MSB113A	3/30/2015	DDD	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	DDE	0.047	ug/L	U				0.013	0.047
MSB113A	3/30/2015	DDT	0.047	ug/L	U				0.022	0.047
MSB113A	3/30/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	DIELDRIN	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ENDOSULFAN I	0.047	ug/L	U				0.018	0.047
MSB113A	3/30/2015	ENDOSULFAN II	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ENDOSULFAN SULFATE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ENDRIN	0.047	ug/L	U				0.017	0.047
MSB113A	3/30/2015	ENDRIN ALDEHYDE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	ENDRIN KETONE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	GAMMA-CHLORDANE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	HEPTACHLOR	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U				0.016	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	LINDANE	0.047	ug/L	U				0.0094	0.047
MSB113A	3/30/2015	METHOXYCHLOR	0.47	ug/L	U				0.012	0.47
MSB113A	3/30/2015	TOTAL CHLORDANE	0.47	ug/L	U				0.094	0.47
MSB113A	3/30/2015	TOXAPHENE	1.9	ug/L	U				0.25	1.9
MSB113A	3/30/2015	AROCLOR 1016	0.95	ug/L	U				0.33	0.95
MSB113A	3/30/2015	AROCLOR 1221	0.95	ug/L	U				0.33	0.95
MSB113A	3/30/2015	AROCLOR 1232	0.95	ug/L	U				0.33	0.95
MSB113A	3/30/2015	AROCLOR 1242	0.95	ug/L	U				0.33	0.95
MSB113A	3/30/2015	AROCLOR 1248	0.95	ug/L	U				0.33	0.95
MSB113A	3/30/2015	AROCLOR 1254	0.95	ug/L	U				0.16	0.95
MSB113A	3/30/2015	AROCLOR 1260	0.95	ug/L	U				0.16	0.95
MSB113A	3/30/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB113A	3/30/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB113A	3/30/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB113A	3/30/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB113A	3/30/2015	1,1,1,2-TETRACHLOROETHANE	2.5	ug/L	U				0.23	2.5
MSB113A	3/30/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	1,1,2-TRICHLOROETHANE	2.5	ug/L	U				0.38	2.5
MSB113A	3/30/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	1,1-DICHLOROPROPENE	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	1,2,3-TRICHLOROBENZENE	2.5	ug/L	U				0.23	2.5
MSB113A	3/30/2015	1,2,3-TRICHLOROPROPANE	2.5	ug/L	U				0.38	2.5
MSB113A	3/30/2015	1,2,4-TRICHLOROBENZENE	2.5	ug/L	U				0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	1,2-DIBROMO-3-CHLOROPROPANE	2.5	ug/L	U				1	2.5
MSB113A	3/30/2015	1,2-DIBROMOETHANE	2.5	ug/L	U				0.33	2.5
MSB113A	3/30/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
MSB113A	3/30/2015	1,2-DICHLOROETHANE (EDC)	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	1,2-DICHLOROETHYLENE	4.5	ug/L	J		21		0.38	5
MSB113A	3/30/2015	1,2-DICHLOROPROPANE	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	1,3-DICHLOROBENZENE	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	1,3-DICHLOROPROPANE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	1,4-DICHLOROBENZENE	2.5	ug/L	U				0.3	2.5
MSB113A	3/30/2015	1,4-DIOXANE	200	ug/L	U				19	200
MSB113A	3/30/2015	2,2-DICHLOROPROPANE	2.5	ug/L	U				0.35	2.5
MSB113A	3/30/2015	2-CHLOROETHYL VINYL ETHER	5	ug/L	U				0.43	5
MSB113A	3/30/2015	2-HEXANONE	13	ug/L	U				0.55	13
MSB113A	3/30/2015	ACETONE	5	ug/L	U				0.85	5
MSB113A	3/30/2015	ACETONITRILE (METHYL CYANIDE)	25	ug/L	U				5.1	25
MSB113A	3/30/2015	ACROLEIN	25	ug/L	U				6.9	25
MSB113A	3/30/2015	ACRYLONITRILE	25	ug/L	U				1.5	25
MSB113A	3/30/2015	ALLYL CHLORIDE	5	ug/L	U				0.28	5
MSB113A	3/30/2015	BENZENE	2.5	ug/L	U				0.15	2.5
MSB113A	3/30/2015	BROMOCHLOROMETHANE	2.5	ug/L	U				0.33	2.5
MSB113A	3/30/2015	BROMODICHLOROMETHANE	2.5	ug/L	U				0.23	2.5
MSB113A	3/30/2015	BROMOFORM (TRIBROMOMETHANE)	2.5	ug/L	U				0.43	2.5
MSB113A	3/30/2015	BROMOMETHANE (METHYL BROMIDE)	5	ug/L	U				0.63	5
MSB113A	3/30/2015	CARBON DISULFIDE	2.5	ug/L	U				0.13	2.5
MSB113A	3/30/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
MSB113A	3/30/2015	CHLOROETHANE (ETHYL CHLORIDE)	5	ug/L	U				0.25	5
MSB113A	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
MSB113A	3/30/2015	CHLOROFORM	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	CHLOROMETHANE (METHYL CHLORIDE)	5	ug/L	U				0.2	5
MSB113A	3/30/2015	CHLOROPRENE	2.5	ug/L	U				0.25	2.5
MSB113A	3/30/2015	CIS-1,2-DICHLOROETHYLENE	4.5	ug/L					0.23	2.5
MSB113A	3/30/2015	CIS-1,3-DICHLOROPROPENE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	CUMENE (ISOPROPYLBENZENE)	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	CYCLOHEXANE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	DIBROMOCHLOROMETHANE	2.5	ug/L	U				0.33	2.5
MSB113A	3/30/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	2.5	ug/L	U				0.53	2.5
MSB113A	3/30/2015	DICHLORODIFLUOROMETHANE	5	ug/L	U				0.2	5
MSB113A	3/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2.5	ug/L	U				0.68	2.5
MSB113A	3/30/2015	ETHYL ACETATE	5	ug/L	U				0.45	5
MSB113A	3/30/2015	ETHYLBENZENE	2.5	ug/L	U				0.23	2.5
MSB113A	3/30/2015	IODOMETHANE (METHYL IODIDE)	5	ug/L	U				0.23	5
MSB113A	3/30/2015	ISOBUTANOL	200	ug/L	U				22	200
MSB113A	3/30/2015	M,P-XYLENE	5	ug/L	U				0.35	5
MSB113A	3/30/2015	METHACRYLONITRILE	25	ug/L	U				1.3	25
MSB113A	3/30/2015	METHYL ACETATE	63	ug/L	U				0.93	63
MSB113A	3/30/2015	METHYL ETHYL KETONE	13	ug/L	U				1.3	13
MSB113A	3/30/2015	METHYL ISOBUTYL KETONE	13	ug/L	U				0.3	13
MSB113A	3/30/2015	METHYL METHACRYLATE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	5	ug/L	U				0.28	5
MSB113A	3/30/2015	METHYLCYCLOHEXANE	10	ug/L	U				0.25	10
MSB113A	3/30/2015	NAPHTHALENE	2.5	ug/L	U				0.4	2.5
MSB113A	3/30/2015	O-XYLENE	2.5	ug/L	U				0.15	2.5
MSB113A	3/30/2015	PROPIONITRILE	25	ug/L	U				3.4	25
MSB113A	3/30/2015	STYRENE	2.5	ug/L	U				0.18	2.5
MSB113A	3/30/2015	TETRACHLOROETHYLENE (PCE)	4.3	ug/L					0.45	2.5
MSB113A	3/30/2015	TOLUENE	0.44	ug/L	J		21		0.18	2.5
MSB113A	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	TRANS-1,3-DICHLOROPROPENE	2.5	ug/L	U				0.2	2.5
MSB113A	3/30/2015	TRANS-1,4-DICHLORO-2-BUTENE	5	ug/L	U				0.73	5
MSB113A	3/30/2015	TRICHLOROETHYLENE (TCE)	460	ug/L					6.3	25
MSB113A	3/30/2015	TRICHLOROFLUOROMETHANE	2.5	ug/L	U				0.28	2.5
MSB113A	3/30/2015	VINYL ACETATE	5	ug/L	U		18		0.45	5
MSB113A	3/30/2015	XYLENES	7.5	ug/L	U				0.5	7.5
MSB113A	3/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113A	3/30/2015	1,1'-BIPHENYL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,2,4-TRICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,2-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,3,5-TRINITROBENZENE	47	ug/L	U				0.95	47
MSB113A	3/30/2015	1,3-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,3-DINITROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,4-DICHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,4-DIOXANE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	1,4-NAPHTHOQUINONE	47	ug/L	U				0.95	47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	1-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U				0.95	47
MSB113A	3/30/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,4-DINITROPHENOL	47	ug/L	U				1.9	47
MSB113A	3/30/2015	2,4-DINITROTOLUENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,6-DICHLOROPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2,6-DINITROTOLUENE	9.5	ug/L	U				2	9.5
MSB113A	3/30/2015	2-ACETYLAMINOFLUORENE	95	ug/L	U		14		0.95	95
MSB113A	3/30/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2-CHLOROPHENOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.95	19
MSB113A	3/30/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2-NAPHTHYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	2-NITROANILINE	9.5	ug/L	U				1	9.5
MSB113A	3/30/2015	2-NITROPHENOL	9.5	ug/L	U				1.4	9.5
MSB113A	3/30/2015	2-PICOLINE	19	ug/L	U				1.9	19
MSB113A	3/30/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U		14		1.2	47
MSB113A	3/30/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U		14		2.5	47
MSB113A	3/30/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.95	19
MSB113A	3/30/2015	4-AMINOBIPHENYL	47	ug/L	U				0.99	47
MSB113A	3/30/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	4-CHLOROANILINE	9.5	ug/L	U				1.9	9.5
MSB113A	3/30/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	4-NITROPHENOL	9.5	ug/L	U				1.9	9.5
MSB113A	3/30/2015	4-NITROQUINOLINE-1-OXIDE	95	ug/L	U		14		4.7	95
MSB113A	3/30/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.95	19
MSB113A	3/30/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.95	19
MSB113A	3/30/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U				21	47
MSB113A	3/30/2015	ACENAPHTHENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	ACENAPHTHYLENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	ACETOPHENONE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	ANILINE	9.5	ug/L	U				1.2	9.5
MSB113A	3/30/2015	ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	ARAMITE	19	ug/L	U		14		4.7	19
MSB113A	3/30/2015	ATRAZINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	BENZALDEHYDE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	BENZIDINE	95	ug/L	U		14		19	95
MSB113A	3/30/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	BENZO[A]PYRENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	BENZOIC ACID	47	ug/L	U				4.7	47
MSB113A	3/30/2015	BENZYL ALCOHOL	9.5	ug/L	U				2.8	9.5
MSB113A	3/30/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	BIS(2-CHLOROETHOXY)METHANE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U				0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U		14		1.8	9.5
MSB113A	3/30/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	CAPROLACTAM	9.5	ug/L	U				1.9	9.5
MSB113A	3/30/2015	CARBAZOLE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	CHLOROBENZILATE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	CHRYSENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	DIALLATE	19	ug/L	U				1.9	19
MSB113A	3/30/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	DIBENZOFURAN	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	DIETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	DIMETHOATE	19	ug/L	U				0.95	19
MSB113A	3/30/2015	DIMETHYL PHTHALATE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	DINITRO-O-CRESOL	9.5	ug/L	U				1.2	9.5
MSB113A	3/30/2015	DISULFOTON	47	ug/L	U		14		0.95	47
MSB113A	3/30/2015	ETHYL METHACRYLATE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	ETHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	FAMPHUR	95	ug/L	U		14		1.6	95
MSB113A	3/30/2015	FLUORANTHENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	FLUORENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	HEXACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	HEXACHLOROETHANE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	HEXACHLOROPHENE	240	ug/L	U		14		9.5	240
MSB113A	3/30/2015	HEXACHLOROPROPENE	95	ug/L	U				0.95	95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	ISODRIN	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	ISOPHORONE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	ISOSAFROLE	19	ug/L	U				4.7	19
MSB113A	3/30/2015	KEPONE	95	ug/L	U		14		19	95
MSB113A	3/30/2015	M/P-CRESOL	19	ug/L	U				1.9	19
MSB113A	3/30/2015	METHAPYRILENE	47	ug/L	U		14		1.2	47
MSB113A	3/30/2015	METHYL METHANESULFONATE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	METHYL PARATHION	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	M-NITROANILINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	NAPHTHALENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	NITROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSODIETHYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSODIMETHYLAMINE	9.5	ug/L	U				1.9	9.5
MSB113A	3/30/2015	N-NITROSODI-N-BUTYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U				1.4	9.5
MSB113A	3/30/2015	N-NITROSOMORPHOLINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSO-N-METHYLETHYLAMINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSOPIPERIDINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	N-NITROSOPYRROLIDINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U				1.1	47
MSB113A	3/30/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	PARATHION	47	ug/L	U		14		0.95	47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	3/30/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	P-DIMETHYLAMINOAZOBENZENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	PENTACHLOROBENZENE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	PENTACHLOROETHANE	47	ug/L	U				0.95	47
MSB113A	3/30/2015	PENTACHLORONITROBENZENE	47	ug/L	U				0.95	47
MSB113A	3/30/2015	PENTACHLOROPHENOL	9.5	ug/L	U				1.2	9.5
MSB113A	3/30/2015	PHENACETIN	19	ug/L	U				0.95	19
MSB113A	3/30/2015	PHENANTHRENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	PHENOL	9.5	ug/L	U				1.9	9.5
MSB113A	3/30/2015	PHORATE	47	ug/L	U				1.9	47
MSB113A	3/30/2015	P-NITROANILINE	9.5	ug/L	U				0.95	9.5
MSB113A	3/30/2015	P-PHENYLENEDIAMINE	95	ug/L	U				0.95	95
MSB113A	3/30/2015	PRONAMIDE	19	ug/L	U				0.95	19
MSB113A	3/30/2015	PYRENE	9.5	ug/L	U		14		0.95	9.5
MSB113A	3/30/2015	PYRIDINE	19	ug/L	U				1.9	19
MSB113A	3/30/2015	SAFROLE	19	ug/L	U				0.95	19
MSB113A	3/30/2015	SULFOTEPP	47	ug/L	U				0.95	47
MSB113A	3/30/2015	THIONAZIN	47	ug/L	U				0.95	47
MSB113A	3/30/2015	GROSS ALPHA	11.4	pCi/L				2.46	1.9	6.82
MSB113A	3/30/2015	NONVOLATILE BETA	1.76	pCi/L	J		21	0.802	1.06	2.664
MSB113A	3/30/2015	CYANIDE	10	ug/L	U				2.9	10
MSB113A	3/30/2015	RADIUM, TOTAL ALPHA-EMITTING	0.866	pCi/L				0.235	0.189	0.659
MSB113A	3/30/2015	RADIUM-226	0.34	pCi/L	J		21	0.153	0.206	0.512
MSB113A	3/30/2015	FLUORIDE	19	ug/L	J		21		10	100
MSB113A	3/30/2015	SULFATE	730	ug/L					50	500
MSB113A	3/30/2015	TRITIUM	-44.1	pCi/L	U			195	360	750

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	5/27/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	5/27/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
MSB113A	5/27/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	5/27/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB113A	5/27/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB113A	5/27/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB113A	5/27/2015	CIS-1,2-DICHLOROETHYLENE	4.8	ug/L	J		21		0.45	5
MSB113A	5/27/2015	TETRACHLOROETHYLENE (PCE)	2.5	ug/L	J		21		0.9	5
MSB113A	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB113A	5/27/2015	TRICHLOROETHYLENE (TCE)	570	ug/L					13	50
MSB113A	5/27/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113A	8/20/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	8/20/2015	1,1,2,2-TETRACHLOROETHANE	3.4	ug/L	U				0.5	3.4
MSB113A	8/20/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	8/20/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB113A	8/20/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB113A	8/20/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB113A	8/20/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L			S		0.45	5
MSB113A	8/20/2015	TETRACHLOROETHYLENE (PCE)	2.2	ug/L	J		21		0.9	5
MSB113A	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB113A	8/20/2015	TRICHLOROETHYLENE (TCE)	480	ug/L					13	50
MSB113A	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB113A	12/2/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	12/2/2015	1,1,2,2-TETRACHLOROETHANE	3.4	ug/L	U				0.5	3.4
MSB113A	12/2/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
MSB113A	12/2/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113A	12/2/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
MSB113A	12/2/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
MSB113A	12/2/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L			S		0.45	5
MSB113A	12/2/2015	TETRACHLOROETHYLENE (PCE)	1.8	ug/L	J		21		0.9	5
MSB113A	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
MSB113A	12/2/2015	TRICHLOROETHYLENE (TCE)	500	ug/L					13	50
MSB113A	12/2/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB113AA	3/30/2015	TOTAL SUSPENDED SOLIDS	8000	ug/L					4000	4000
MSB113AA	3/30/2015	NITRATE-NITRITE AS NITROGEN	720	ug/L					4.7	50
MSB113AA	3/30/2015	TOTAL PHOSPHATES (AS P)	110	ug/L					6	50
MSB113AA	3/30/2015	SULFIDE	1000	ug/L	U				450	1000
MSB113AA	3/30/2015	ALUMINUM	230	ug/L	J		21		45	400
MSB113AA	3/30/2015	ANTIMONY	20	ug/L	U				7.5	20
MSB113AA	3/30/2015	ARSENIC	20	ug/L	U				3.6	20
MSB113AA	3/30/2015	BARIUM	5.4	ug/L	J		21		4.2	100
MSB113AA	3/30/2015	BERYLLIUM	10	ug/L	U				0.57	10
MSB113AA	3/30/2015	BORON	100	ug/L	U				14	100
MSB113AA	3/30/2015	CADMIUM	10	ug/L	U				0.67	10
MSB113AA	3/30/2015	CHROMIUM	20	ug/L	U				6.7	20
MSB113AA	3/30/2015	COBALT	100	ug/L	U				5.4	100
MSB113AA	3/30/2015	COPPER	50	ug/L	U				4.2	50
MSB113AA	3/30/2015	IRON	230	ug/L					26	200
MSB113AA	3/30/2015	LEAD	20	ug/L	U				1.2	20
MSB113AA	3/30/2015	MAGNESIUM	340	ug/L	J		21		100	2000
MSB113AA	3/30/2015	MANGANESE	46	ug/L					2	30
MSB113AA	3/30/2015	NICKEL	80	ug/L	U				5.1	80
MSB113AA	3/30/2015	SELENIUM	30	ug/L	U				4.2	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	SILVER	20	ug/L	U				2	20
MSB113AA	3/30/2015	THALLIUM	40	ug/L	U				4.8	40
MSB113AA	3/30/2015	TIN	200	ug/L	U				10	200
MSB113AA	3/30/2015	URANIUM	87	ug/L	J		21, V		51	1000
MSB113AA	3/30/2015	VANADIUM	100	ug/L	U				8.8	100
MSB113AA	3/30/2015	ZINC	21	ug/L	J		21		17	40
MSB113AA	3/30/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB113AA	3/30/2015	ALDRIN	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ALPHA-CHLORDANE	0.048	ug/L	U				0.014	0.048
MSB113AA	3/30/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.012	0.048
MSB113AA	3/30/2015	DDD	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	DDE	0.048	ug/L	U				0.013	0.048
MSB113AA	3/30/2015	DDT	0.048	ug/L	U				0.022	0.048
MSB113AA	3/30/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	DIELDRIN	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ENDOSULFAN I	0.048	ug/L	U				0.018	0.048
MSB113AA	3/30/2015	ENDOSULFAN II	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ENDOSULFAN SULFATE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ENDRIN	0.048	ug/L	U				0.017	0.048
MSB113AA	3/30/2015	ENDRIN ALDEHYDE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	ENDRIN KETONE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	GAMMA-CHLORDANE	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	HEPTACHLOR	0.048	ug/L	U				0.0096	0.048
MSB113AA	3/30/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U				0.016	0.048
MSB113AA	3/30/2015	LINDANE	0.048	ug/L	U				0.0096	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	METHOXYCHLOR	0.48	ug/L	U				0.012	0.48
MSB113AA	3/30/2015	TOTAL CHLORDANE	0.48	ug/L	U				0.096	0.48
MSB113AA	3/30/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
MSB113AA	3/30/2015	AROCLOR 1016	0.98	ug/L	U				0.34	0.98
MSB113AA	3/30/2015	AROCLOR 1221	0.98	ug/L	U				0.34	0.98
MSB113AA	3/30/2015	AROCLOR 1232	0.98	ug/L	U				0.34	0.98
MSB113AA	3/30/2015	AROCLOR 1242	0.98	ug/L	U				0.34	0.98
MSB113AA	3/30/2015	AROCLOR 1248	0.98	ug/L	U				0.34	0.98
MSB113AA	3/30/2015	AROCLOR 1254	0.98	ug/L	U				0.16	0.98
MSB113AA	3/30/2015	AROCLOR 1260	0.98	ug/L	U				0.16	0.98
MSB113AA	3/30/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB113AA	3/30/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB113AA	3/30/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB113AA	3/30/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB113AA	3/30/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
MSB113AA	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
MSB113AA	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
MSB113AA	3/30/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
MSB113AA	3/30/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
MSB113AA	3/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB113AA	3/30/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
MSB113AA	3/30/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
MSB113AA	3/30/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
MSB113AA	3/30/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
MSB113AA	3/30/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
MSB113AA	3/30/2015	2-HEXANONE	5	ug/L	U				0.22	5
MSB113AA	3/30/2015	ACETONE	2	ug/L	U				0.34	2
MSB113AA	3/30/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
MSB113AA	3/30/2015	ACROLEIN	10	ug/L	U				2.8	10
MSB113AA	3/30/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
MSB113AA	3/30/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
MSB113AA	3/30/2015	BENZENE	1	ug/L	U				0.06	1
MSB113AA	3/30/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
MSB113AA	3/30/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
MSB113AA	3/30/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
MSB113AA	3/30/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
MSB113AA	3/30/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
MSB113AA	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
MSB113AA	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB113AA	3/30/2015	CHLOROETHANE (ETHYL	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
MSB113AA	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
MSB113AA	3/30/2015	CHLOROFORM	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
MSB113AA	3/30/2015	CHLOROPRENE	1	ug/L	U				0.1	1
MSB113AA	3/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
MSB113AA	3/30/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
MSB113AA	3/30/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
MSB113AA	3/30/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
MSB113AA	3/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
MSB113AA	3/30/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
MSB113AA	3/30/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
MSB113AA	3/30/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
MSB113AA	3/30/2015	ISOBUTANOL	80	ug/L	U				8.7	80
MSB113AA	3/30/2015	M,P-XYLENE	2	ug/L	U				0.14	2
MSB113AA	3/30/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
MSB113AA	3/30/2015	METHYL ACETATE	25	ug/L	U				0.37	25
MSB113AA	3/30/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
MSB113AA	3/30/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
MSB113AA	3/30/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
MSB113AA	3/30/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
MSB113AA	3/30/2015	NAPHTHALENE	1	ug/L	U				0.16	1
MSB113AA	3/30/2015	O-XYLENE	1	ug/L	U				0.06	1
MSB113AA	3/30/2015	PROPIONITRILE	10	ug/L	U				1.4	10
MSB113AA	3/30/2015	STYRENE	1	ug/L	U				0.07	1
MSB113AA	3/30/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB113AA	3/30/2015	TOLUENE	3.1	ug/L					0.07	1
MSB113AA	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
MSB113AA	3/30/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
MSB113AA	3/30/2015	TRICHLOROETHYLENE (TCE)	14	ug/L					0.25	1
MSB113AA	3/30/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
MSB113AA	3/30/2015	VINYL ACETATE	2	ug/L	U		18		0.18	2
MSB113AA	3/30/2015	XYLENES	3	ug/L	U				0.2	3
MSB113AA	3/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113AA	3/30/2015	1,1'-BIPHENYL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,2,4-TRICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,2-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,3,5-TRINITROBENZENE	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	1,3-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,3-DINITROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,4-DICHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,4-DIOXANE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	1,4-NAPHTHOQUINONE	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	1-NAPHTHYLAMINE	9.6	ug/L	U				0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,4-DINITROPHENOL	48	ug/L	U				1.9	48
MSB113AA	3/30/2015	2,4-DINITROTOLUENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,6-DICHLOROPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2,6-DINITROTOLUENE	9.6	ug/L	U				2.1	9.6
MSB113AA	3/30/2015	2-ACETYLAMINOFLUORENE	96	ug/L	U		14		0.96	96
MSB113AA	3/30/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2-CHLOROPHENOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2-NAPHTHYLAMINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	2-NITROANILINE	9.6	ug/L	U				1.1	9.6
MSB113AA	3/30/2015	2-NITROPHENOL	9.6	ug/L	U				1.5	9.6
MSB113AA	3/30/2015	2-PICOLINE	19	ug/L	U				1.9	19
MSB113AA	3/30/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U		14		1.2	48
MSB113AA	3/30/2015	3,3'-DIMETHYLBENZIDINE	48	ug/L	U		14		2.5	48
MSB113AA	3/30/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.96	19
MSB113AA	3/30/2015	4-AMINOBIPHENYL	48	ug/L	U				1	48
MSB113AA	3/30/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	4-CHLOROANILINE	9.6	ug/L	U				1.9	9.6
MSB113AA	3/30/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	4-NITROPHENOL	9.6	ug/L	U				1.9	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	4-NITROQUINOLINE-1-OXIDE	96	ug/L	U		14		4.8	96
MSB113AA	3/30/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	7,12-DIMETHYLBENZ(A)ANTHRACENE	19	ug/L	U		14		0.96	19
MSB113AA	3/30/2015	A,A-DIMETHYLPHENETHYLAMINE	48	ug/L	U				21	48
MSB113AA	3/30/2015	ACENAPHTHENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	ACENAPHTHYLENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	ACETOPHENONE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	ANILINE	9.6	ug/L	U				1.2	9.6
MSB113AA	3/30/2015	ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	ARAMITE	19	ug/L	U		14		4.8	19
MSB113AA	3/30/2015	ATRAZINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	BENZALDEHYDE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	BENZIDINE	96	ug/L	U		14		19	96
MSB113AA	3/30/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	BENZO[A]PYRENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	BENZOIC ACID	48	ug/L	U				4.8	48
MSB113AA	3/30/2015	BENZYL ALCOHOL	9.6	ug/L	U				2.9	9.6
MSB113AA	3/30/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U		14		1.8	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	CAPROLACTAM	9.6	ug/L	U				1.9	9.6
MSB113AA	3/30/2015	CARBAZOLE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	CHLOROBENZILATE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	CHRYSENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	DIALLATE	19	ug/L	U				1.9	19
MSB113AA	3/30/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	DIBENZOFURAN	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	DIETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	DIMETHOATE	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	DIMETHYL PHTHALATE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	DINITRO-O-CRESOL	9.6	ug/L	U				1.2	9.6
MSB113AA	3/30/2015	DISULFOTON	48	ug/L	U		14		0.96	48
MSB113AA	3/30/2015	ETHYL METHACRYLATE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	ETHYL METHANESULFONATE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	FAMPHUR	96	ug/L	U		14		1.6	96
MSB113AA	3/30/2015	FLUORANTHENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	FLUORENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	HEXACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	HEXACHLOROETHANE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	HEXACHLOROPHENE	240	ug/L	U		14		9.6	240
MSB113AA	3/30/2015	HEXACHLOROPROPENE	96	ug/L	U				0.96	96
MSB113AA	3/30/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	ISODRIN	9.6	ug/L	U		14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	3/30/2015	ISOPHORONE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	ISOSAFROLE	19	ug/L	U				4.8	19
MSB113AA	3/30/2015	KEPONE	96	ug/L	U		14		19	96
MSB113AA	3/30/2015	M/P-CRESOL	19	ug/L	U				1.9	19
MSB113AA	3/30/2015	METHAPYRILENE	48	ug/L	U		14		1.2	48
MSB113AA	3/30/2015	METHYL METHANESULFONATE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	METHYL PARATHION	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	M-NITROANILINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	NAPHTHALENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	NITROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSODIETHYLAMINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSODIMETHYLAMINE	9.6	ug/L	U				1.9	9.6
MSB113AA	3/30/2015	N-NITROSODI-N-BUTYLAMINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U				1.4	9.6
MSB113AA	3/30/2015	N-NITROSOMORPHOLINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSO-N-METHYLETHYLAMINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSOPIPERIDINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	N-NITROSOPYRROLIDINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	48	ug/L	U				1.1	48
MSB113AA	3/30/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	PARATHION	48	ug/L	U		14		0.96	48
MSB113AA	3/30/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	P-	9.6	ug/L	U		14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIMETHYLAMINOAZOBENZENE								
MSB113AA	3/30/2015	PENTACHLOROBENZENE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	PENTACHLOROETHANE	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	PENTACHLORONITROBENZENE	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	PENTACHLOROPHENOL	9.6	ug/L	U				1.2	9.6
MSB113AA	3/30/2015	PHENACETIN	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	PHENANTHRENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	PHENOL	9.6	ug/L	U				1.9	9.6
MSB113AA	3/30/2015	PHORATE	48	ug/L	U				1.9	48
MSB113AA	3/30/2015	P-NITROANILINE	9.6	ug/L	U				0.96	9.6
MSB113AA	3/30/2015	P-PHENYLENEDIAMINE	96	ug/L	U				0.96	96
MSB113AA	3/30/2015	PRONAMIDE	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	PYRENE	9.6	ug/L	U		14		0.96	9.6
MSB113AA	3/30/2015	PYRIDINE	19	ug/L	U				1.9	19
MSB113AA	3/30/2015	SAFROLE	19	ug/L	U				0.96	19
MSB113AA	3/30/2015	SULFOTEPP	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	THIONAZIN	48	ug/L	U				0.96	48
MSB113AA	3/30/2015	GROSS ALPHA	0.299	pCi/L	U			0.882	1.57	3.334
MSB113AA	3/30/2015	NONVOLATILE BETA	1.09	pCi/L	J		21	0.68	1.05	2.41
MSB113AA	3/30/2015	CYANIDE	10	ug/L	U				2.9	10
MSB113AA	3/30/2015	RADIUM, TOTAL ALPHA-EMITTING	0.814	pCi/L				0.173	0.156	0.502
MSB113AA	3/30/2015	RADIUM-226	0.254	pCi/L				0.08	0.09	0.2509
MSB113AA	3/30/2015	FLUORIDE	100	ug/L	U				10	100
MSB113AA	3/30/2015	SULFATE	120	ug/L	J		21		50	500
MSB113AA	3/30/2015	TRITIUM	140	pCi/L	U			214	360	788
MSB113AA	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB113AA	5/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB113AA	5/27/2015	CIS-1,2-DICHLOROETHYLENE	0.46	ug/L	J		21		0.09	1
MSB113AA	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB113AA	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	5/27/2015	TRICHLOROETHYLENE (TCE)	70	ug/L					1.3	5
MSB113AA	5/27/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113AA	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
MSB113AA	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB113AA	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
MSB113AA	8/20/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J		21		0.09	1
MSB113AA	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB113AA	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	8/20/2015	TRICHLOROETHYLENE (TCE)	58	ug/L					2.5	10
MSB113AA	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB113AA	12/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	12/2/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
MSB113AA	12/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
MSB113AA	12/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	12/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
MSB113AA	12/2/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113AA	12/2/2015	CIS-1,2-DICHLOROETHYLENE	0.36	ug/L	J		21		0.09	1
MSB113AA	12/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
MSB113AA	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
MSB113AA	12/2/2015	TRICHLOROETHYLENE (TCE)	54	ug/L					1.3	5
MSB113AA	12/2/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
MSB113B	3/30/2015	TOTAL SUSPENDED SOLIDS	31000	ug/L					4000	4000
MSB113B	3/30/2015	NITRATE-NITRITE AS NITROGEN	2500	ug/L					9.4	100
MSB113B	3/30/2015	TOTAL PHOSPHATES (AS P)	180	ug/L					6	50
MSB113B	3/30/2015	SULFIDE	1000	ug/L	U				450	1000
MSB113B	3/30/2015	ALUMINUM	2000	ug/L					45	400
MSB113B	3/30/2015	ANTIMONY	20	ug/L	U				7.5	20
MSB113B	3/30/2015	ARSENIC	20	ug/L	U				3.6	20
MSB113B	3/30/2015	BARIUM	31	ug/L	J		21		4.2	100
MSB113B	3/30/2015	BERYLLIUM	10	ug/L	U				0.57	10
MSB113B	3/30/2015	BORON	100	ug/L	U				14	100
MSB113B	3/30/2015	CADMIUM	10	ug/L	U				0.67	10
MSB113B	3/30/2015	CHROMIUM	20	ug/L	U				6.7	20
MSB113B	3/30/2015	COBALT	100	ug/L	U				5.4	100
MSB113B	3/30/2015	COPPER	50	ug/L	U				4.2	50
MSB113B	3/30/2015	IRON	3000	ug/L					26	200
MSB113B	3/30/2015	LEAD	3.6	ug/L	J		21		1.2	20
MSB113B	3/30/2015	MAGNESIUM	690	ug/L	J		21		100	2000
MSB113B	3/30/2015	MANGANESE	99	ug/L					2	30
MSB113B	3/30/2015	NICKEL	80	ug/L	U				5.1	80
MSB113B	3/30/2015	SELENIUM	30	ug/L	U				4.2	30
MSB113B	3/30/2015	SILVER	20	ug/L	U				2	20
MSB113B	3/30/2015	THALLIUM	40	ug/L	U				4.8	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	TIN	200	ug/L	U				10	200
MSB113B	3/30/2015	URANIUM	170	ug/L	J		21, V		51	1000
MSB113B	3/30/2015	VANADIUM	100	ug/L	U				8.8	100
MSB113B	3/30/2015	ZINC	33	ug/L	J		21		17	40
MSB113B	3/30/2015	MERCURY	0.2	ug/L	U				0.06	0.2
MSB113B	3/30/2015	ALDRIN	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ALPHA-CHLORDANE	0.048	ug/L	U				0.014	0.048
MSB113B	3/30/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.012	0.048
MSB113B	3/30/2015	DDD	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	DDE	0.048	ug/L	U				0.013	0.048
MSB113B	3/30/2015	DDT	0.048	ug/L	U				0.022	0.048
MSB113B	3/30/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	DIELDRIN	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ENDOSULFAN I	0.048	ug/L	U				0.018	0.048
MSB113B	3/30/2015	ENDOSULFAN II	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ENDOSULFAN SULFATE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ENDRIN	0.048	ug/L	U				0.017	0.048
MSB113B	3/30/2015	ENDRIN ALDEHYDE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	ENDRIN KETONE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	GAMMA-CHLORDANE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	HEPTACHLOR	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U				0.016	0.048
MSB113B	3/30/2015	LINDANE	0.048	ug/L	U				0.0095	0.048
MSB113B	3/30/2015	METHOXYCHLOR	0.48	ug/L	U				0.012	0.48
MSB113B	3/30/2015	TOTAL CHLORDANE	0.48	ug/L	U				0.095	0.48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	TOXAPHENE	1.9	ug/L	U				0.26	1.9
MSB113B	3/30/2015	AROCLOR 1016	0.95	ug/L	U				0.33	0.95
MSB113B	3/30/2015	AROCLOR 1221	0.95	ug/L	U				0.33	0.95
MSB113B	3/30/2015	AROCLOR 1232	0.95	ug/L	U				0.33	0.95
MSB113B	3/30/2015	AROCLOR 1242	0.95	ug/L	U				0.33	0.95
MSB113B	3/30/2015	AROCLOR 1248	0.95	ug/L	U				0.33	0.95
MSB113B	3/30/2015	AROCLOR 1254	0.95	ug/L	U				0.16	0.95
MSB113B	3/30/2015	AROCLOR 1260	0.95	ug/L	U				0.16	0.95
MSB113B	3/30/2015	DINOSEB	0.25	ug/L	U				0.0833	0.25
MSB113B	3/30/2015	2,4,5-T	0.025	ug/L	U				0.008	0.025
MSB113B	3/30/2015	2,4,5-TP (SILVEX)	0.025	ug/L	U				0.008	0.025
MSB113B	3/30/2015	2,4-DICHLOROPHENOXYACETIC ACID (2,4-D)	0.025	ug/L	U				0.008	0.025
MSB113B	3/30/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
MSB113B	3/30/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB113B	3/30/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
MSB113B	3/30/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
MSB113B	3/30/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
MSB113B	3/30/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
MSB113B	3/30/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
MSB113B	3/30/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10
MSB113B	3/30/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
MSB113B	3/30/2015	1,2-DICHLOROETHYLENE	10	ug/L	J		21		1.5	20
MSB113B	3/30/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
MSB113B	3/30/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
MSB113B	3/30/2015	1,4-DIOXANE	800	ug/L	U				76	800
MSB113B	3/30/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
MSB113B	3/30/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
MSB113B	3/30/2015	2-HEXANONE	50	ug/L	U				2.2	50
MSB113B	3/30/2015	ACETONE	20	ug/L	U				3.4	20
MSB113B	3/30/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
MSB113B	3/30/2015	ACROLEIN	100	ug/L	U				28	100
MSB113B	3/30/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
MSB113B	3/30/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
MSB113B	3/30/2015	BENZENE	10	ug/L	U				0.6	10
MSB113B	3/30/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
MSB113B	3/30/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
MSB113B	3/30/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
MSB113B	3/30/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
MSB113B	3/30/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
MSB113B	3/30/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
MSB113B	3/30/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB113B	3/30/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
MSB113B	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	CHLOROFORM	10	ug/L	U				1	10
MSB113B	3/30/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
MSB113B	3/30/2015	CHLOROPRENE	10	ug/L	U				1	10
MSB113B	3/30/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L			S		0.9	10
MSB113B	3/30/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
MSB113B	3/30/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
MSB113B	3/30/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
MSB113B	3/30/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
MSB113B	3/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
MSB113B	3/30/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
MSB113B	3/30/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
MSB113B	3/30/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
MSB113B	3/30/2015	ISOBUTANOL	800	ug/L	U				87	800
MSB113B	3/30/2015	M,P-XYLENE	20	ug/L	U				1.4	20
MSB113B	3/30/2015	METHACRYLONITRILE	100	ug/L	U				5	100
MSB113B	3/30/2015	METHYL ACETATE	250	ug/L	U				3.7	250
MSB113B	3/30/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
MSB113B	3/30/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
MSB113B	3/30/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
MSB113B	3/30/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
MSB113B	3/30/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
MSB113B	3/30/2015	NAPHTHALENE	10	ug/L	U				1.6	10
MSB113B	3/30/2015	O-XYLENE	10	ug/L	U				0.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	PROPIONITRILE	100	ug/L	U				14	100
MSB113B	3/30/2015	STYRENE	10	ug/L	U				0.7	10
MSB113B	3/30/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L					1.8	10
MSB113B	3/30/2015	TOLUENE	4.3	ug/L	J		21		0.7	10
MSB113B	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
MSB113B	3/30/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
MSB113B	3/30/2015	TRICHLOROETHYLENE (TCE)	1400	ug/L					25	100
MSB113B	3/30/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
MSB113B	3/30/2015	VINYL ACETATE	20	ug/L	U		18		1.8	20
MSB113B	3/30/2015	XYLENES	30	ug/L	U				2	30
MSB113B	3/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113B	3/30/2015	1,1'-BIPHENYL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,2,4,5-TETRACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,2,4-TRICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,2-DICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,3,5-TRINITROBENZENE	47	ug/L	U				0.94	47
MSB113B	3/30/2015	1,3-DICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,3-DINITROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,4-DICHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,4-DIOXANE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	1,4-NAPHTHOQUINONE	47	ug/L	U				0.94	47
MSB113B	3/30/2015	1-NAPHTHYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U				0.94	47
MSB113B	3/30/2015	2,4,5-TRICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,4,6-TRICHLOROPHENOL	9.4	ug/L	U				0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	2,4-DICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,4-DIMETHYLPHENOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,4-DINITROPHENOL	47	ug/L	U				1.9	47
MSB113B	3/30/2015	2,4-DINITROTOLUENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,6-DICHLOROPHENOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2,6-DINITROTOLUENE	9.4	ug/L	U				2	9.4
MSB113B	3/30/2015	2-ACETYLAMINOFLUORENE	94	ug/L	U		14		0.94	94
MSB113B	3/30/2015	2-CHLORONAPHTHALENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2-CHLOROPHENOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2-METHYLANILINE (O-TOLUIDINE)	19	ug/L	U				0.94	19
MSB113B	3/30/2015	2-METHYLNAPHTHALENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2-NAPHTHYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	2-NITROANILINE	9.4	ug/L	U				1	9.4
MSB113B	3/30/2015	2-NITROPHENOL	9.4	ug/L	U				1.4	9.4
MSB113B	3/30/2015	2-PICOLINE	19	ug/L	U				1.9	19
MSB113B	3/30/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U		14		1.2	47
MSB113B	3/30/2015	3,3'-DIMETHYLBENZIDINE	47	ug/L	U		14		2.5	47
MSB113B	3/30/2015	3-METHYLCHOLANTHRENE	19	ug/L	U		14		0.94	19
MSB113B	3/30/2015	4-AMINOBIPHENYL	47	ug/L	U				0.99	47
MSB113B	3/30/2015	4-BROMOPHENYL PHENYL ETHER	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	4-CHLOROANILINE	9.4	ug/L	U				1.9	9.4
MSB113B	3/30/2015	4-CHLOROPHENYL PHENYL ETHER	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	4-NITROPHENOL	9.4	ug/L	U				1.9	9.4
MSB113B	3/30/2015	4-NITROQUINOLINE-1-OXIDE	94	ug/L	U		14		4.7	94
MSB113B	3/30/2015	5-NITRO-O-TOLUIDINE	19	ug/L	U				0.94	19
MSB113B	3/30/2015	7,12-	19	ug/L	U		14		0.94	19

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DIMETHYLBENZ(A)ANTHRACENE								
MSB113B	3/30/2015	A,A-DIMETHYLPHENETHYLAMINE	47	ug/L	U				21	47
MSB113B	3/30/2015	ACENAPHTHENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	ACENAPHTHYLENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	ACETOPHENONE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	ANILINE	9.4	ug/L	U				1.2	9.4
MSB113B	3/30/2015	ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	ARAMITE	19	ug/L	U		14		4.7	19
MSB113B	3/30/2015	ATRAZINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	BENZALDEHYDE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	BENZIDINE	94	ug/L	U		14		19	94
MSB113B	3/30/2015	BENZO(G,H,I)PERYLENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	BENZO[A]ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	BENZO[A]PYRENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	BENZO[B]FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	BENZO[K]FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	BENZOIC ACID	47	ug/L	U				4.7	47
MSB113B	3/30/2015	BENZYL ALCOHOL	9.4	ug/L	U				2.8	9.4
MSB113B	3/30/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	BIS(2-CHLOROETHOXY)METHANE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	BIS(2-CHLOROETHYL)ETHER	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.4	ug/L	U		14		1.7	9.4
MSB113B	3/30/2015	BUTYL BENZYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	CAPROLACTAM	9.4	ug/L	U				1.9	9.4
MSB113B	3/30/2015	CARBAZOLE	9.4	ug/L	U		14		0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	CHLOROBENZILATE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	CHRYSENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	DIALLATE	19	ug/L	U				1.9	19
MSB113B	3/30/2015	DIBENZ[AH]ANTHRACENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	DIBENZOFURAN	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	DIETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	DIMETHOATE	19	ug/L	U				0.94	19
MSB113B	3/30/2015	DIMETHYL PHTHALATE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	DI-N-BUTYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	DINITRO-O-CRESOL	9.4	ug/L	U				1.2	9.4
MSB113B	3/30/2015	DISULFOTON	47	ug/L	U		14		0.94	47
MSB113B	3/30/2015	ETHYL METHACRYLATE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	ETHYL METHANESULFONATE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	FAMPHUR	94	ug/L	U		14		1.6	94
MSB113B	3/30/2015	FLUORANTHENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	FLUORENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	HEXACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	HEXACHLOROBUTADIENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	HEXACHLOROCYCLOPENTADIENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	HEXACHLOROETHANE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	HEXACHLOROPHENE	230	ug/L	U		14		9.4	230
MSB113B	3/30/2015	HEXACHLOROPROPENE	94	ug/L	U				0.94	94
MSB113B	3/30/2015	INDENO[1,2,3-CD]PYRENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	ISODRIN	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	ISOPHORONE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	ISOSAFROLE	19	ug/L	U				4.7	19
MSB113B	3/30/2015	KEPONE	94	ug/L	U		14		19	94

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	M/P-CRESOL	19	ug/L	U				1.9	19
MSB113B	3/30/2015	METHAPYRILENE	47	ug/L	U		14		1.2	47
MSB113B	3/30/2015	METHYL METHANESULFONATE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	METHYL PARATHION	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	M-NITROANILINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	NAPHTHALENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-DIOCTYL PHTHALATE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	NITROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSODIETHYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSODIMETHYLAMINE	9.4	ug/L	U				1.9	9.4
MSB113B	3/30/2015	N-NITROSODI-N-BUTYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSODIPROPYLAMINE	9.4	ug/L	U				1.4	9.4
MSB113B	3/30/2015	N-NITROSOMORPHOLINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSO-N-METHYLETHYLAMINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSOPIPERIDINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	N-NITROSOPYRROLIDINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	O,O,O-TRIETHYL PHOSPHOROTHIOATE	47	ug/L	U				1.1	47
MSB113B	3/30/2015	O-CRESOL (2-METHYLPHENOL)	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	PARATHION	47	ug/L	U		14		0.94	47
MSB113B	3/30/2015	P-CHLORO-M-CRESOL	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	P-DIMETHYLAMINOAZOBENZENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	PENTACHLOROBENZENE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	PENTACHLOROETHANE	47	ug/L	U				0.94	47

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	3/30/2015	PENTACHLORONITROBENZENE	47	ug/L	U				0.94	47
MSB113B	3/30/2015	PENTACHLOROPHENOL	9.4	ug/L	U				1.2	9.4
MSB113B	3/30/2015	PHENACETIN	19	ug/L	U				0.94	19
MSB113B	3/30/2015	PHENANTHRENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	PHENOL	9.4	ug/L	U				1.9	9.4
MSB113B	3/30/2015	PHORATE	47	ug/L	U				1.9	47
MSB113B	3/30/2015	P-NITROANILINE	9.4	ug/L	U				0.94	9.4
MSB113B	3/30/2015	P-PHENYLENEDIAMINE	94	ug/L	U				0.94	94
MSB113B	3/30/2015	PRONAMIDE	19	ug/L	U				0.94	19
MSB113B	3/30/2015	PYRENE	9.4	ug/L	U		14		0.94	9.4
MSB113B	3/30/2015	PYRIDINE	19	ug/L	U				1.9	19
MSB113B	3/30/2015	SAFROLE	19	ug/L	U				0.94	19
MSB113B	3/30/2015	SULFOTEPP	47	ug/L	U				0.94	47
MSB113B	3/30/2015	THIONAZIN	47	ug/L	U				0.94	47
MSB113B	3/30/2015	GROSS ALPHA	1.71	pCi/L	U			1.24	1.84	4.32
MSB113B	3/30/2015	NONVOLATILE BETA	0.251	pCi/L	U			0.537	0.889	1.963
MSB113B	3/30/2015	CYANIDE	10	ug/L	U				2.9	10
MSB113B	3/30/2015	RADIUM, TOTAL ALPHA-EMITTING	0.574	pCi/L	J		21	0.221	0.264	0.706
MSB113B	3/30/2015	RADIUM-226	0.115	pCi/L	U			0.121	0.196	0.438
MSB113B	3/30/2015	FLUORIDE	23	ug/L	J		21		10	100
MSB113B	3/30/2015	SULFATE	3500	ug/L					50	500
MSB113B	3/30/2015	TRITIUM	725	pCi/L	J		21	263	355	881
MSB113B	5/27/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	5/27/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
MSB113B	5/27/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	5/27/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	5/27/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	5/27/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB113B	5/27/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L					0.9	10
MSB113B	5/27/2015	TETRACHLOROETHYLENE (PCE)	18	ug/L					1.8	10
MSB113B	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	5/27/2015	TRICHLOROETHYLENE (TCE)	2000	ug/L					25	100
MSB113B	5/27/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
MSB113B	8/20/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	8/20/2015	1,1,2,2-TETRACHLOROETHANE	6.7	ug/L	U				1	6.7
MSB113B	8/20/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
MSB113B	8/20/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	8/20/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
MSB113B	8/20/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
MSB113B	8/20/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L			S		0.9	10
MSB113B	8/20/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					1.8	10
MSB113B	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
MSB113B	8/20/2015	TRICHLOROETHYLENE (TCE)	1500	ug/L					25	100
MSB113B	8/20/2015	1,4-DIOXANE	1.3	ug/L	J		21		1.2	5
MSB113B	12/2/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
MSB113B	12/2/2015	1,1,2,2-TETRACHLOROETHANE	17	ug/L	U				2.5	17
MSB113B	12/2/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
MSB113B	12/2/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
MSB113B	12/2/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
MSB113B	12/2/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
MSB113B	12/2/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L	J		21		2.3	25
MSB113B	12/2/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L	J		21		4.5	25
MSB113B	12/2/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
MSB113B	12/2/2015	TRICHLOROETHYLENE (TCE)	1600	ug/L					63	250
MSB113B	12/2/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
NEB 17DU	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.74	mg/L					0.085	0.25
NEB 17DU	1/20/2015	ARSENIC	10	ug/L	U				1.2	10
NEB 17DU	1/20/2015	BARIUM	12	ug/L					0.22	2
NEB 17DU	1/20/2015	CADMIUM	0.13	ug/L	J		21		0.1	0.5
NEB 17DU	1/20/2015	CHROMIUM	3	ug/L	J		21		1	10
NEB 17DU	1/20/2015	LEAD	0.52	ug/L	J		21, V		0.17	3
NEB 17DU	1/20/2015	SELENIUM	5	ug/L	U				1.6	5
NEB 17DU	1/20/2015	SILVER	2	ug/L	U				0.82	2
NEB 17DU	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
NEB 17DU	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEB 17DU	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEB 17DU	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NEB 17DU	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEB 17DU	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEB 17DU	1/20/2015	BENZENE	1	ug/L	U				0.06	1
NEB 17DU	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEB 17DU	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEB 17DU	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NEB 17DU	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
NEB 17DU	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NEB 17DU	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NEB 17DU	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEB 17DU	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEB 17DU	1/20/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEB 17DU	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEB 17DU	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEB 17DU	1/20/2015	XYLENES	3	ug/L	U				0.2	3
NEB 17DU	1/20/2015	CHLORIDE	2.7	mg/L					0.02	0.2
NEB 17DU	1/20/2015	SULFATE	0.25	mg/L	J		21		0.05	0.5
NEB 17DU	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.84	mg/L			V		0.0047	0.05
NEB 17DU	8/13/2015	ARSENIC	10	ug/L	U				1.2	10
NEB 17DU	8/13/2015	BARIUM	11	ug/L					0.22	2
NEB 17DU	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
NEB 17DU	8/13/2015	CHROMIUM	1.7	ug/L	J		21		1	10
NEB 17DU	8/13/2015	LEAD	0.48	ug/L	J		21		0.17	3
NEB 17DU	8/13/2015	SELENIUM	5	ug/L	U				1.6	5
NEB 17DU	8/13/2015	SILVER	2	ug/L	U				0.82	2
NEB 17DU	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
NEB 17DU	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEB 17DU	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEB 17DU	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NEB 17DU	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEB 17DU	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEB 17DU	8/13/2015	BENZENE	1	ug/L	U				0.06	1
NEB 17DU	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEB 17DU	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEB 17DU	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NEB 17DU	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
NEB 17DU	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NEB 17DU	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEB 17DU	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEB 17DU	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEB 17DU	8/13/2015	TOLUENE	1	ug/L	U				0.07	1
NEB 17DU	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEB 17DU	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEB 17DU	8/13/2015	XYLENES	3	ug/L	U				0.2	3
NEB 17DU	8/13/2015	CHLORIDE	2.8	mg/L					0.02	0.2
NEB 17DU	8/13/2015	SULFATE	0.21	mg/L	J		21		0.05	0.5
NEP 1D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEP 1D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEP 1D	1/6/2015	TRITIUM	0.919	pCi/mL	J		21	0.299	0.416	1.01
NEP 1D	7/15/2015	ETHANE	0.0094	ug/L	J		21		0.002	0.1
NEP 1D	7/15/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
NEP 1D	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NEP 1D	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEP 1D	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NEP 1D	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NEP 1D	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NEP 1D	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 1D	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NEP 1D	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NEP 1D	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NEP 1D	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NEP 1D	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NEP 1D	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
NEP 1D	7/15/2015	ACETONE	2	ug/L	U				0.34	2
NEP 1D	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NEP 1D	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
NEP 1D	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NEP 1D	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NEP 1D	7/15/2015	BENZENE	1	ug/L	U				0.06	1
NEP 1D	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 1D	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NEP 1D	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NEP 1D	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NEP 1D	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NEP 1D	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEP 1D	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEP 1D	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NEP 1D	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 1D	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 1D	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NEP 1D	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NEP 1D	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 1D	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NEP 1D	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NEP 1D	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NEP 1D	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NEP 1D	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEP 1D	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NEP 1D	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NEP 1D	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NEP 1D	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NEP 1D	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NEP 1D	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NEP 1D	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NEP 1D	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NEP 1D	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NEP 1D	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NEP 1D	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NEP 1D	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 1D	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NEP 1D	7/15/2015	STYRENE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEP 1D	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
NEP 1D	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 1D	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NEP 1D	7/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEP 1D	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NEP 1D	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NEP 1D	7/15/2015	XYLENES	3	ug/L	U				0.2	3
NEP 1D	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NEP 1D	7/15/2015	TRITIUM	0.952	pCi/mL	J		21	0.354	0.523	1.23
NEP 2D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEP 2D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEP 2D	1/6/2015	TRITIUM	1.12	pCi/mL				0.309	0.413	1.03
NEP 2D	7/15/2015	ETHANE	0.0045	ug/L	J		21		0.002	0.1
NEP 2D	7/15/2015	ETHYLENE	0.0085	ug/L	J		21		0.003	0.1
NEP 2D	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NEP 2D	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEP 2D	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 2D	7/15/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NEP 2D	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NEP 2D	7/15/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NEP 2D	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NEP 2D	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NEP 2D	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NEP 2D	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NEP 2D	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NEP 2D	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NEP 2D	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
NEP 2D	7/15/2015	ACETONE	2	ug/L	U				0.34	2
NEP 2D	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NEP 2D	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
NEP 2D	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NEP 2D	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NEP 2D	7/15/2015	BENZENE	1	ug/L	U				0.06	1
NEP 2D	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 2D	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NEP 2D	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NEP 2D	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 2D	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NEP 2D	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEP 2D	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEP 2D	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NEP 2D	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 2D	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 2D	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NEP 2D	7/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NEP 2D	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 2D	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NEP 2D	7/15/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NEP 2D	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NEP 2D	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NEP 2D	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEP 2D	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NEP 2D	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NEP 2D	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NEP 2D	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NEP 2D	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NEP 2D	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 2D	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NEP 2D	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NEP 2D	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NEP 2D	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NEP 2D	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NEP 2D	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
NEP 2D	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NEP 2D	7/15/2015	STYRENE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NEP 2D	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
NEP 2D	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 2D	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NEP 2D	7/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NEP 2D	7/15/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NEP 2D	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NEP 2D	7/15/2015	XYLENES	3	ug/L	U				0.2	3
NEP 2D	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NEP 2D	7/15/2015	TRITIUM	1.09	pCi/mL	J		21	0.358	0.52	1.24
NEP 3D	1/14/2015	TETRACHLOROETHYLENE (PCE)	0.68	ug/L	J		21		0.18	1
NEP 3D	1/14/2015	TRICHLOROETHYLENE (TCE)	4.7	ug/L					0.25	1
NEP 3D	1/14/2015	TRITIUM	138	pCi/mL				2.16	0.428	4.76
NEP 3D	7/23/2015	ETHANE	0.0024	ug/L	J		21		0.002	0.1
NEP 3D	7/23/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
NEP 3D	7/23/2015	ANTIMONY	10	ug/L	U				1	10
NEP 3D	7/23/2015	ARSENIC	50	ug/L	U				5	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 3D	7/23/2015	BARIUM	6.71	ug/L	J		21		2	20
NEP 3D	7/23/2015	BERYLLIUM	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	CHROMIUM	100	ug/L	U				10	100
NEP 3D	7/23/2015	COBALT	0.748	ug/L	J		21		0.5	5
NEP 3D	7/23/2015	COPPER	0.952	ug/L	J		21		0.5	5
NEP 3D	7/23/2015	LEAD	5	ug/L	U				0.5	5
NEP 3D	7/23/2015	NICKEL	0.925	ug/L	J		21		0.5	5
NEP 3D	7/23/2015	SELENIUM	20	ug/L	U				2	20
NEP 3D	7/23/2015	SILVER	5	ug/L	U				0.5	5
NEP 3D	7/23/2015	THALLIUM	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	TIN	10	ug/L	U				1	10
NEP 3D	7/23/2015	VANADIUM	50	ug/L	U				5	50
NEP 3D	7/23/2015	ZINC	40	ug/L	U				4	40
NEP 3D	7/23/2015	MERCURY	0.2	ug/L	U				0.02	0.2
NEP 3D	7/23/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NEP 3D	7/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.2	ug/L					0.1	1
NEP 3D	7/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEP 3D	7/23/2015	1,1-DICHLOROETHANE	0.34	ug/L	J		21		0.07	1
NEP 3D	7/23/2015	1,1-DICHLOROETHYLENE	0.54	ug/L	J		21		0.08	1
NEP 3D	7/23/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NEP 3D	7/23/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NEP 3D	7/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 3D	7/23/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NEP 3D	7/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NEP 3D	7/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	1,2-DICHLOROETHYLENE	0.79	ug/L	J		21		0.15	2
NEP 3D	7/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NEP 3D	7/23/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NEP 3D	7/23/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NEP 3D	7/23/2015	2-HEXANONE	5	ug/L	U				0.22	5
NEP 3D	7/23/2015	ACETONE	2	ug/L	U				0.34	2
NEP 3D	7/23/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NEP 3D	7/23/2015	ACROLEIN	10	ug/L	U				2.8	10
NEP 3D	7/23/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NEP 3D	7/23/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NEP 3D	7/23/2015	BENZENE	1	ug/L	U				0.06	1
NEP 3D	7/23/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 3D	7/23/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NEP 3D	7/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NEP 3D	7/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NEP 3D	7/23/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NEP 3D	7/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEP 3D	7/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEP 3D	7/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 3D	7/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 3D	7/23/2015	CHLOROFORM	0.21	ug/L	J		21		0.1	1
NEP 3D	7/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 3D	7/23/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NEP 3D	7/23/2015	CIS-1,2-DICHLOROETHYLENE	0.79	ug/L	J		21		0.09	1
NEP 3D	7/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 3D	7/23/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NEP 3D	7/23/2015	DICHLORODIFLUOROMETHANE	0.39	ug/L	J		21		0.08	2
NEP 3D	7/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NEP 3D	7/23/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NEP 3D	7/23/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEP 3D	7/23/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NEP 3D	7/23/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NEP 3D	7/23/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NEP 3D	7/23/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NEP 3D	7/23/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NEP 3D	7/23/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NEP 3D	7/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NEP 3D	7/23/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NEP 3D	7/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NEP 3D	7/23/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 3D	7/23/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NEP 3D	7/23/2015	O-XYLENE	1	ug/L	U				0.06	1
NEP 3D	7/23/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NEP 3D	7/23/2015	STYRENE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	TETRACHLOROETHYLENE (PCE)	0.95	ug/L	J		21		0.18	1
NEP 3D	7/23/2015	TOLUENE	1	ug/L	U				0.07	1
NEP 3D	7/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 3D	7/23/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NEP 3D	7/23/2015	TRICHLOROETHYLENE (TCE)	5.7	ug/L					0.25	1
NEP 3D	7/23/2015	TRICHLOROFLUOROMETHANE	0.58	ug/L	J		21		0.11	1
NEP 3D	7/23/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NEP 3D	7/23/2015	XYLENES	3	ug/L	U				0.2	3
NEP 3D	7/23/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NEP 3D	7/23/2015	RADIUM, TOTAL ALPHA-EMITTING	0.136	pCi/L	U			0.096	0.148	0.3408
NEP 3D	7/23/2015	RADIUM-226	0.0668	pCi/L	U			0.048	0.071	0.1668
NEP 3D	7/23/2015	URANIUM-233/234	0	pCi/L	U		V	0	0.0585	0.0585
NEP 3D	7/23/2015	URANIUM-235	-0.00665	pCi/L	U			0.013	0.134	0.161
NEP 3D	7/23/2015	URANIUM-238	0.0377	pCi/L	U		V	0.062	0.108	0.233
NEP 3D	7/23/2015	GROSS ALPHA	0.844	pCi/L	U			1.36	2.09	4.81
NEP 3D	7/23/2015	NONVOLATILE BETA	1.25	pCi/L	U			2.38	3.96	8.72
NEP 3D	7/23/2015	STRONTIUM-90	0.883	pCi/L	U			1.94	3.38	7.26
NEP 3D	7/23/2015	CARBON-14	8.62	pCi/L	J		21	4.26	6.79	15.3
NEP 3D	7/23/2015	TECHNETIUM-99	1.26	pCi/L	U			2.43	4.04	8.9
NEP 3D	7/23/2015	TRITIUM	230	pCi/mL				2.87	0.542	6.28
NEP 3D	7/23/2015	IODINE-129	0.104	pCi/L	U			0.76	1.1	2.62

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 4D	1/14/2015	TETRACHLOROETHYLENE (PCE)	0.96	ug/L	J		21		0.18	1
NEP 4D	1/14/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
NEP 4D	1/14/2015	TRITIUM	193	pCi/mL				2.56	0.429	5.55
NEP 4D	7/16/2015	ETHANE	0.0033	ug/L	J		21		0.002	0.1
NEP 4D	7/16/2015	ETHYLENE	0.0083	ug/L	J		21		0.003	0.1
NEP 4D	7/16/2015	ANTIMONY	10	ug/L	U				1	10
NEP 4D	7/16/2015	ARSENIC	50	ug/L	U				5	50
NEP 4D	7/16/2015	BARIUM	8.04	ug/L	J		21		2	20
NEP 4D	7/16/2015	BERYLLIUM	0.117	ug/L	J		21		0.1	1
NEP 4D	7/16/2015	CHROMIUM	10.6	ug/L	J		21		10	100
NEP 4D	7/16/2015	COBALT	1.34	ug/L	J		21		0.5	5
NEP 4D	7/16/2015	COPPER	3.07	ug/L	J		21		0.5	5
NEP 4D	7/16/2015	LEAD	5	ug/L	U				0.5	5
NEP 4D	7/16/2015	NICKEL	3.19	ug/L	J		21		0.5	5
NEP 4D	7/16/2015	SELENIUM	20	ug/L	U				2	20
NEP 4D	7/16/2015	SILVER	5	ug/L	U				0.5	5
NEP 4D	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
NEP 4D	7/16/2015	TIN	10	ug/L	U				1	10
NEP 4D	7/16/2015	VANADIUM	50	ug/L	U				5	50
NEP 4D	7/16/2015	ZINC	9.87	ug/L	U		21, V		4	40
NEP 4D	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
NEP 4D	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NEP 4D	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NEP 4D	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.81	ug/L	J		21		0.1	1
NEP 4D	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NEP 4D	7/16/2015	1,1-DICHLOROETHANE	0.26	ug/L	J		21		0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 4D	7/16/2015	1,1-DICHLOROETHYLENE	0.38	ug/L	J		21		0.08	1
NEP 4D	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NEP 4D	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NEP 4D	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NEP 4D	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NEP 4D	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NEP 4D	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NEP 4D	7/16/2015	1,2-DICHLOROETHYLENE	0.6	ug/L	J		21		0.15	2
NEP 4D	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NEP 4D	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NEP 4D	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NEP 4D	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NEP 4D	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
NEP 4D	7/16/2015	ACETONE	2	ug/L	U				0.34	2
NEP 4D	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NEP 4D	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
NEP 4D	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NEP 4D	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NEP 4D	7/16/2015	BENZENE	1	ug/L	U				0.06	1
NEP 4D	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 4D	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NEP 4D	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 4D	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NEP 4D	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NEP 4D	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NEP 4D	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NEP 4D	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NEP 4D	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 4D	7/16/2015	CHLOROFORM	0.19	ug/L	J		21		0.1	1
NEP 4D	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NEP 4D	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NEP 4D	7/16/2015	CIS-1,2-DICHLOROETHYLENE	0.6	ug/L	J		21		0.09	1
NEP 4D	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NEP 4D	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NEP 4D	7/16/2015	DICHLORODIFLUOROMETHANE	0.5	ug/L	J		21		0.08	2
NEP 4D	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NEP 4D	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NEP 4D	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NEP 4D	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NEP 4D	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NEP 4D	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NEP 4D	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NEP 4D	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 4D	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NEP 4D	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NEP 4D	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NEP 4D	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NEP 4D	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NEP 4D	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NEP 4D	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
NEP 4D	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NEP 4D	7/16/2015	STYRENE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	TETRACHLOROETHYLENE (PCE)	0.85	ug/L	J		21		0.18	1
NEP 4D	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
NEP 4D	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NEP 4D	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NEP 4D	7/16/2015	TRICHLOROETHYLENE (TCE)	3.7	ug/L					0.25	1
NEP 4D	7/16/2015	TRICHLOROFLUOROMETHANE	0.92	ug/L	J		21		0.11	1
NEP 4D	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NEP 4D	7/16/2015	XYLENES	3	ug/L	U				0.2	3
NEP 4D	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NEP 4D	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.0391	pCi/L	U			0.066	0.112	0.2432
NEP 4D	7/16/2015	RADIUM-226	0.0251	pCi/L	U			0.046	0.079	0.1703
NEP 4D	7/16/2015	URANIUM-233/234	0.0221	pCi/L	U		V	0.044	0.0599	0.149
NEP 4D	7/16/2015	URANIUM-235	0	pCi/L	U		V	0	0.0739	0.0739
NEP 4D	7/16/2015	URANIUM-238	0	pCi/L	U			0	0.0598	0.0598
NEP 4D	7/16/2015	GROSS ALPHA	0.411	pCi/L	U			1.15	2.28	4.57

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NEP 4D	7/16/2015	NONVOLATILE BETA	0.922	pCi/L	U			2.44	4.17	9.05
NEP 4D	7/16/2015	STRONTIUM-90	-0.701	pCi/L	U			2.03	3.13	7.19
NEP 4D	7/16/2015	CARBON-14	150	pCi/L	J			7.01	7.31	21.3
NEP 4D	7/16/2015	TECHNETIUM-99	-1.15	pCi/L	U			2.55	4.35	9.44
NEP 4D	7/16/2015	TRITIUM	215	pCi/mL				2.76	0.491	6.02
NEP 4D	7/16/2015	IODINE-129	0.516	pCi/L	U			0.556	0.807	1.92
NHO002R	6/8/2015	BENZENE	32.7	ug/L					0.3	1
NHO002R	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO002R	6/8/2015	CIS-1,2-DICHLOROETHYLENE	14	ug/L					0.3	1
NHO002R	6/8/2015	ETHYLBENZENE	4.04	ug/L					0.3	1
NHO002R	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO002R	6/8/2015	NAPHTHALENE	273	ug/L					1.2	4
NHO002R	6/8/2015	TETRACHLOROETHYLENE (PCE)	0.89	ug/L	J		21		0.3	1
NHO002R	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO002R	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO002R	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO002R	6/8/2015	XYLENES	27.3	ug/L					0.3	3
NHO002R	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO002R	10/13/2015	BENZENE	38.6	ug/L					0.3	1
NHO002R	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO002R	10/13/2015	CIS-1,2-DICHLOROETHYLENE	17.1	ug/L					0.3	1
NHO002R	10/13/2015	ETHYLBENZENE	5.44	ug/L					0.3	1
NHO002R	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO002R	10/13/2015	NAPHTHALENE	185	ug/L					0.6	2
NHO002R	10/13/2015	TETRACHLOROETHYLENE (PCE)	1.21	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO002R	10/13/2015	TOLUENE	0.53	ug/L	J		21		0.3	1
NHO002R	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO002R	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO002R	10/13/2015	XYLENES	31.7	ug/L					0.3	3
NHO002R	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO007R	6/8/2015	BENZENE	0.33	ug/L	J		21		0.3	1
NHO007R	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO007R	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO007R	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO007R	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO007R	6/8/2015	NAPHTHALENE	1.2	ug/L					0.3	1
NHO007R	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO007R	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO007R	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO007R	6/8/2015	TRICHLOROETHYLENE (TCE)	10.6	ug/L					0.3	1
NHO007R	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO007R	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO007R	10/13/2015	BENZENE	1	ug/L	U				0.3	1
NHO007R	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO007R	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO007R	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO007R	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO007R	10/13/2015	NAPHTHALENE	0.41	ug/L	J		21		0.3	1
NHO007R	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO007R	10/13/2015	TOLUENE	1	ug/L	U				0.3	1
NHO007R	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO007R	10/13/2015	TRICHLOROETHYLENE (TCE)	10.5	ug/L					0.3	1
NHO007R	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO007R	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-10	6/8/2015	BENZENE	12.7	ug/L					0.3	1
NHO-10	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-10	6/8/2015	CIS-1,2-DICHLOROETHYLENE	13.5	ug/L					0.3	1
NHO-10	6/8/2015	ETHYLBENZENE	2.91	ug/L					0.3	1
NHO-10	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-10	6/8/2015	NAPHTHALENE	205	ug/L					0.3	1
NHO-10	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-10	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-10	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-10	6/8/2015	TRICHLOROETHYLENE (TCE)	1130	ug/L					6	20
NHO-10	6/8/2015	XYLENES	7.42	ug/L					0.3	3
NHO-10	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-10	10/13/2015	BENZENE	12.1	ug/L					0.3	1
NHO-10	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-10	10/13/2015	CIS-1,2-DICHLOROETHYLENE	5.84	ug/L					0.3	1
NHO-10	10/13/2015	ETHYLBENZENE	2.24	ug/L					0.3	1
NHO-10	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-10	10/13/2015	NAPHTHALENE	206	ug/L					3	10
NHO-10	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-10	10/13/2015	TOLUENE	0.44	ug/L	J		21		0.3	1
NHO-10	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-10	10/13/2015	TRICHLOROETHYLENE (TCE)	964	ug/L					3	10
NHO-10	10/13/2015	XYLENES	6.46	ug/L					0.3	3
NHO-10	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-11	6/8/2015	BENZENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-11	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-11	6/8/2015	NAPHTHALENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-11	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-11	6/8/2015	TRICHLOROETHYLENE (TCE)	0.86	ug/L	J		21		0.3	1
NHO-11	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO-11	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-11	10/13/2015	BENZENE	1	ug/L	U				0.3	1
NHO-11	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-11	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-11	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-11	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-11	10/13/2015	NAPHTHALENE	1.1	ug/L					0.3	1
NHO-11	10/13/2015	TETRACHLOROETHYLENE (PCE)	1.41	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-11	10/13/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-11	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-11	10/13/2015	TRICHLOROETHYLENE (TCE)	3.98	ug/L					0.3	1
NHO-11	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO-11	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-3	6/8/2015	BENZENE	1	ug/L	U				0.3	1
NHO-3	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-3	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-3	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-3	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1.33	ug/L					0.3	1
NHO-3	6/8/2015	NAPHTHALENE	0.92	ug/L	J		21		0.3	1
NHO-3	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-3	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-3	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-3	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO-3	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO-3	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-3	10/13/2015	BENZENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-3	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1.37	ug/L					0.3	1
NHO-3	10/13/2015	NAPHTHALENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-3	10/13/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-3	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO-3	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO-3	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-4	6/8/2015	BENZENE	19.5	ug/L					0.3	1
NHO-4	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-4	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1.34	ug/L					0.3	1
NHO-4	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-4	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-4	6/8/2015	NAPHTHALENE	71	ug/L					0.3	1
NHO-4	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-4	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-4	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-4	6/8/2015	TRICHLOROETHYLENE (TCE)	54.2	ug/L					0.3	1
NHO-4	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO-4	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-4	10/13/2015	BENZENE	23	ug/L					0.3	1
NHO-4	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-4	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1.06	ug/L					0.3	1
NHO-4	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-4	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-4	10/13/2015	NAPHTHALENE	71.2	ug/L					0.3	1
NHO-4	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-4	10/13/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-4	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-4	10/13/2015	TRICHLOROETHYLENE (TCE)	47	ug/L					0.3	1
NHO-4	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO-4	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-5	6/8/2015	BENZENE	1	ug/L	U				0.3	1
NHO-5	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-5	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-5	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-5	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-5	6/8/2015	NAPHTHALENE	0.55	ug/L	J		21		0.3	1
NHO-5	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-5	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-5	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-5	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO-5	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO-5	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-5	10/13/2015	BENZENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-5	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-5	10/13/2015	NAPHTHALENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	TETRACHLOROETHYLENE (PCE)	0.67	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-5	10/13/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-5	10/13/2015	TRICHLOROETHYLENE (TCE)	0.9	ug/L	J		21		0.3	1
NHO-5	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO-5	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-6	6/8/2015	BENZENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-6	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-6	6/8/2015	NAPHTHALENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-6	6/8/2015	TOLUENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-6	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO-6	6/8/2015	XYLENES	3	ug/L	U				0.3	3
NHO-6	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-6	10/13/2015	BENZENE	1	ug/L	U				0.3	1
NHO-6	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-6	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-6	10/13/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
NHO-6	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-6	10/13/2015	NAPHTHALENE	1.28	ug/L					0.3	1
NHO-6	10/13/2015	TETRACHLOROETHYLENE (PCE)	0.42	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-6	10/13/2015	TOLUENE	0.37	ug/L	J		21		0.3	1
NHO-6	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-6	10/13/2015	TRICHLOROETHYLENE (TCE)	0.57	ug/L	J		21		0.3	1
NHO-6	10/13/2015	XYLENES	3	ug/L	U				0.3	3
NHO-6	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-8	6/8/2015	BENZENE	13.6	ug/L					0.3	1
NHO-8	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-8	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-8	6/8/2015	ETHYLBENZENE	0.3	ug/L	J		21		0.3	1
NHO-8	6/8/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-8	6/8/2015	NAPHTHALENE	38.9	ug/L					0.3	1
NHO-8	6/8/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
NHO-8	6/8/2015	TOLUENE	0.69	ug/L	J		21		0.3	1
NHO-8	6/8/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-8	6/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
NHO-8	6/8/2015	XYLENES	23.1	ug/L					0.3	3
NHO-8	6/8/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NHO-8	10/13/2015	BENZENE	15.2	ug/L					0.3	1
NHO-8	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
NHO-8	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-8	10/13/2015	ETHYLBENZENE	0.41	ug/L	J		21		0.3	1
NHO-8	10/13/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1
NHO-8	10/13/2015	NAPHTHALENE	73.8	ug/L					0.3	1
NHO-8	10/13/2015	TETRACHLOROETHYLENE (PCE)	0.44	ug/L	J		21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NHO-8	10/13/2015	TOLUENE	0.78	ug/L	J		21		0.3	1
NHO-8	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
NHO-8	10/13/2015	TRICHLOROETHYLENE (TCE)	0.59	ug/L	J		21		0.3	1
NHO-8	10/13/2015	XYLENES	25	ug/L					0.3	3
NHO-8	10/13/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NPM 1	1/20/2015	NITRATE-NITRITE AS NITROGEN	0.34	mg/L					0.017	0.05
NPM 1	1/20/2015	ARSENIC	10	ug/L	U				1.2	10
NPM 1	1/20/2015	BARIUM	7.2	ug/L					0.22	2
NPM 1	1/20/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
NPM 1	1/20/2015	CHROMIUM	1	ug/L	J		21		1	10
NPM 1	1/20/2015	LEAD	0.43	ug/L	J		21, V		0.17	3
NPM 1	1/20/2015	SELENIUM	5	ug/L	U				1.6	5
NPM 1	1/20/2015	SILVER	2	ug/L	U				0.82	2
NPM 1	1/20/2015	MERCURY	0.2	ug/L	U				0.06	0.2
NPM 1	1/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NPM 1	1/20/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NPM 1	1/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NPM 1	1/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NPM 1	1/20/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NPM 1	1/20/2015	BENZENE	1	ug/L	U				0.06	1
NPM 1	1/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NPM 1	1/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NPM 1	1/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NPM 1	1/20/2015	CHLOROFORM	1	ug/L	U				0.1	1
NPM 1	1/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NPM 1	1/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NPM 1	1/20/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NPM 1	1/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NPM 1	1/20/2015	TOLUENE	1	ug/L	U				0.07	1
NPM 1	1/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NPM 1	1/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NPM 1	1/20/2015	XYLENES	3	ug/L	U				0.2	3
NPM 1	1/20/2015	CHLORIDE	8	mg/L					0.1	1
NPM 1	1/20/2015	SULFATE	0.15	mg/L	J		21		0.05	0.5
NPM 1	8/13/2015	NITRATE-NITRITE AS NITROGEN	0.44	mg/L			V		0.0047	0.05
NPM 1	8/13/2015	ARSENIC	10	ug/L	U				1.2	10
NPM 1	8/13/2015	BARIUM	6.9	ug/L					0.22	2
NPM 1	8/13/2015	CADMIUM	0.5	ug/L	U				0.1	0.5
NPM 1	8/13/2015	CHROMIUM	10	ug/L	U				1	10
NPM 1	8/13/2015	LEAD	0.44	ug/L	J		21		0.17	3
NPM 1	8/13/2015	SELENIUM	5	ug/L	U				1.6	5
NPM 1	8/13/2015	SILVER	2	ug/L	U				0.82	2
NPM 1	8/13/2015	MERCURY	0.2	ug/L	U				0.06	0.2
NPM 1	8/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NPM 1	8/13/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NPM 1	8/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NPM 1	8/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NPM 1	8/13/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NPM 1	8/13/2015	BENZENE	1	ug/L	U				0.06	1
NPM 1	8/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NPM 1	8/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NPM 1	8/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NPM 1	8/13/2015	CHLOROFORM	1	ug/L	U				0.1	1
NPM 1	8/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NPM 1	8/13/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NPM 1	8/13/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NPM 1	8/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NPM 1	8/13/2015	TOLUENE	1	ug/L	U				0.07	1
NPM 1	8/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NPM 1	8/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NPM 1	8/13/2015	XYLENES	3	ug/L	U				0.2	3
NPM 1	8/13/2015	CHLORIDE	8	mg/L					0.1	1
NPM 1	8/13/2015	SULFATE	0.15	mg/L	J		21		0.05	0.5
NWP 1B	7/14/2015	ETHANE	0.0028	ug/L	J		21		0.002	0.1
NWP 1B	7/14/2015	ETHYLENE	0.003	ug/L	J		21		0.003	0.1
NWP 1B	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP 1B	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP 1B	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP 1B	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP 1B	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1B	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP 1B	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP 1B	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP 1B	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP 1B	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP 1B	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP 1B	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP 1B	7/14/2015	ACETONE	2	ug/L	U				0.34	2
NWP 1B	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP 1B	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP 1B	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP 1B	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP 1B	7/14/2015	BENZENE	1	ug/L	U				0.06	1
NWP 1B	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 1B	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP 1B	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP 1B	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP 1B	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP 1B	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP 1B	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP 1B	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1B	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 1B	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 1B	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP 1B	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP 1B	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 1B	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP 1B	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP 1B	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP 1B	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP 1B	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP 1B	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP 1B	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP 1B	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP 1B	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP 1B	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP 1B	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP 1B	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP 1B	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP 1B	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP 1B	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1B	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP 1B	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP 1B	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP 1B	7/14/2015	STYRENE	1	ug/L	U				0.07	1
NWP 1B	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP 1B	7/14/2015	TOLUENE	0.33	ug/L	J		21		0.07	1
NWP 1B	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 1B	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP 1B	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NWP 1B	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP 1B	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP 1B	7/14/2015	XYLENES	3	ug/L	U				0.2	3
NWP 1B	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP 1B	7/14/2015	TRITIUM	0.214	pCi/mL	U			0.233	0.38	0.846
NWP 1D	7/15/2015	ETHANE	0.0057	ug/L	J		21		0.002	0.1
NWP 1D	7/15/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
NWP 1D	7/15/2015	ANTIMONY	10	ug/L	U				1	10
NWP 1D	7/15/2015	ARSENIC	50	ug/L	U				5	50
NWP 1D	7/15/2015	BARIUM	4.32	ug/L	J		21		2	20
NWP 1D	7/15/2015	BERYLLIUM	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	CHROMIUM	100	ug/L	U				10	100
NWP 1D	7/15/2015	COBALT	0.664	ug/L	J		21		0.5	5
NWP 1D	7/15/2015	COPPER	2.1	ug/L	J		21		0.5	5
NWP 1D	7/15/2015	LEAD	5	ug/L	U				0.5	5
NWP 1D	7/15/2015	NICKEL	3.63	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1D	7/15/2015	SELENIUM	20	ug/L	U				2	20
NWP 1D	7/15/2015	SILVER	5	ug/L	U				0.5	5
NWP 1D	7/15/2015	THALLIUM	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	TIN	10	ug/L	U				1	10
NWP 1D	7/15/2015	VANADIUM	50	ug/L	U				5	50
NWP 1D	7/15/2015	ZINC	40	ug/L	U		V		4	40
NWP 1D	7/15/2015	MERCURY	0.2	ug/L	U				0.02	0.2
NWP 1D	7/15/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP 1D	7/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP 1D	7/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	3	ug/L					0.1	1
NWP 1D	7/15/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP 1D	7/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP 1D	7/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 1D	7/15/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 1D	7/15/2015	1,2,3-TRICHLOROBENZENE	0.74	ug/L	J		21		0.09	1
NWP 1D	7/15/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP 1D	7/15/2015	1,2,4-TRICHLOROBENZENE	0.53	ug/L	J		21		0.08	1
NWP 1D	7/15/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP 1D	7/15/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP 1D	7/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP 1D	7/15/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	1,2-DICHLOROETHYLENE	0.5	ug/L	J		21		0.15	2
NWP 1D	7/15/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 1D	7/15/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1D	7/15/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP 1D	7/15/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP 1D	7/15/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP 1D	7/15/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP 1D	7/15/2015	ACETONE	2	ug/L	U				0.34	2
NWP 1D	7/15/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP 1D	7/15/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP 1D	7/15/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP 1D	7/15/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP 1D	7/15/2015	BENZENE	1	ug/L	U				0.06	1
NWP 1D	7/15/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 1D	7/15/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP 1D	7/15/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP 1D	7/15/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP 1D	7/15/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP 1D	7/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP 1D	7/15/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP 1D	7/15/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP 1D	7/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 1D	7/15/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 1D	7/15/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP 1D	7/15/2015	CIS-1,2-DICHLOROETHYLENE	0.5	ug/L	J		21		0.09	1
NWP 1D	7/15/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1D	7/15/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP 1D	7/15/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP 1D	7/15/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 1D	7/15/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP 1D	7/15/2015	DICHLORODIFLUOROMETHANE	0.41	ug/L	J		21		0.08	2
NWP 1D	7/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP 1D	7/15/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP 1D	7/15/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP 1D	7/15/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP 1D	7/15/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP 1D	7/15/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP 1D	7/15/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP 1D	7/15/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP 1D	7/15/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP 1D	7/15/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP 1D	7/15/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP 1D	7/15/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP 1D	7/15/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP 1D	7/15/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP 1D	7/15/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP 1D	7/15/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP 1D	7/15/2015	STYRENE	1	ug/L	U				0.07	1
NWP 1D	7/15/2015	TETRACHLOROETHYLENE (PCE)	0.52	ug/L	J		21		0.18	1
NWP 1D	7/15/2015	TOLUENE	1	ug/L	U				0.07	1
NWP 1D	7/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 1D	7/15/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 1D	7/15/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP 1D	7/15/2015	TRICHLOROETHYLENE (TCE)	4.6	ug/L					0.25	1
NWP 1D	7/15/2015	TRICHLOROFLUOROMETHANE	0.88	ug/L	J		21		0.11	1
NWP 1D	7/15/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP 1D	7/15/2015	XYLENES	3	ug/L	U				0.2	3
NWP 1D	7/15/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP 1D	7/15/2015	RADIUM, TOTAL ALPHA-EMITTING	0.244	pCi/L	J		21	0.09	0.115	0.2954
NWP 1D	7/15/2015	RADIUM-226	0.141	pCi/L	J		21	0.058	0.073	0.1894
NWP 1D	7/15/2015	URANIUM-233/234	0.0316	pCi/L	U		V	0.062	0.126	0.249
NWP 1D	7/15/2015	URANIUM-235	0.013	pCi/L	U		V	0.055	0.156	0.266
NWP 1D	7/15/2015	URANIUM-238	0.021	pCi/L	U			0.042	0.0569	0.141
NWP 1D	7/15/2015	GROSS ALPHA	1.29	pCi/L	U			1.63	2.15	5.42
NWP 1D	7/15/2015	NONVOLATILE BETA	1.46	pCi/L	U			2.37	3.79	8.52
NWP 1D	7/15/2015	STRONTIUM-90	-0.738	pCi/L	U			1.64	3.23	6.51
NWP 1D	7/15/2015	CARBON-14	-3.19	pCi/L	UJ			4.25	7.24	15.7
NWP 1D	7/15/2015	TECHNETIUM-99	-0.232	pCi/L	U			2.53	4.28	9.35
NWP 1D	7/15/2015	TRITIUM	876	pCi/mL				5.5	0.522	11.5
NWP 1D	7/15/2015	IODINE-129	-0.159	pCi/L	U			0.577	0.961	2.12
NWP 2D	7/16/2015	ETHANE	0.1	ug/L	U				0.002	0.1
NWP 2D	7/16/2015	ETHYLENE	0.0055	ug/L	J		21		0.003	0.1
NWP 2D	7/16/2015	ANTIMONY	10	ug/L	U				1	10
NWP 2D	7/16/2015	ARSENIC	50	ug/L	U				5	50
NWP 2D	7/16/2015	BARIUM	7.61	ug/L	J		21		2	20
NWP 2D	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 2D	7/16/2015	COBALT	5	ug/L	U				0.5	5
NWP 2D	7/16/2015	COPPER	8.06	ug/L					0.5	5
NWP 2D	7/16/2015	LEAD	1.36	ug/L	J		21		0.5	5
NWP 2D	7/16/2015	NICKEL	0.969	ug/L	J		21		0.5	5
NWP 2D	7/16/2015	SELENIUM	20	ug/L	U				2	20
NWP 2D	7/16/2015	SILVER	5	ug/L	U				0.5	5
NWP 2D	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	TIN	10	ug/L	U				1	10
NWP 2D	7/16/2015	VANADIUM	50	ug/L	U				5	50
NWP 2D	7/16/2015	ZINC	12.5	ug/L	U		21, V		4	40
NWP 2D	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
NWP 2D	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP 2D	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP 2D	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP 2D	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP 2D	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP 2D	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP 2D	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP 2D	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 2D	7/16/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP 2D	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP 2D	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP 2D	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP 2D	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP 2D	7/16/2015	ACETONE	2	ug/L	U				0.34	2
NWP 2D	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP 2D	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP 2D	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP 2D	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP 2D	7/16/2015	BENZENE	1	ug/L	U				0.06	1
NWP 2D	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 2D	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP 2D	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP 2D	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP 2D	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP 2D	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP 2D	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP 2D	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP 2D	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 2D	7/16/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	CHLOROMETHANE (METHYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
NWP 2D	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP 2D	7/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP 2D	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 2D	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP 2D	7/16/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP 2D	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP 2D	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP 2D	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP 2D	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP 2D	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP 2D	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP 2D	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP 2D	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP 2D	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP 2D	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP 2D	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP 2D	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP 2D	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP 2D	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP 2D	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP 2D	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 2D	7/16/2015	STYRENE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP 2D	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
NWP 2D	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 2D	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP 2D	7/16/2015	TRICHLOROETHYLENE (TCE)	0.83	ug/L	J		21		0.25	1
NWP 2D	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP 2D	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP 2D	7/16/2015	XYLENES	3	ug/L	U				0.2	3
NWP 2D	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP 2D	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.267	pCi/L				0.082	0.091	0.2545
NWP 2D	7/16/2015	RADIUM-226	0.321	pCi/L				0.083	0.093	0.2594
NWP 2D	7/16/2015	URANIUM-233/234	0	pCi/L	U		V	0	0.0668	0.0668
NWP 2D	7/16/2015	URANIUM-235	0.0304	pCi/L	U		V	0.061	0.0824	0.204
NWP 2D	7/16/2015	URANIUM-238	-0.0123	pCi/L	U			0.018	0.147	0.182
NWP 2D	7/16/2015	GROSS ALPHA	0.918	pCi/L	U			1.47	2.2	5.14
NWP 2D	7/16/2015	NONVOLATILE BETA	1.49	pCi/L	U			2.37	3.79	8.53
NWP 2D	7/16/2015	STRONTIUM-90	-1.07	pCi/L	U			1.97	3.12	7.06
NWP 2D	7/16/2015	CARBON-14	-1.96	pCi/L	UJ			4.14	7.01	15.3
NWP 2D	7/16/2015	TECHNETIUM-99	2.56	pCi/L	U			2.6	4.25	9.45
NWP 2D	7/16/2015	TRITIUM	0.838	pCi/mL	J		21	0.324	0.476	1.12
NWP 2D	7/16/2015	IODINE-129	-0.151	pCi/L	U			0.653	1.09	2.4
NWP 3C	7/16/2015	ETHANE	0.0021	ug/L	J		21		0.002	0.1
NWP 3C	7/16/2015	ETHYLENE	0.0082	ug/L	J		21		0.003	0.1
NWP 3C	7/16/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 3C	7/16/2015	ARSENIC	50	ug/L	U				5	50
NWP 3C	7/16/2015	BARIUM	17.6	ug/L	J		21		2	20
NWP 3C	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1
NWP 3C	7/16/2015	CHROMIUM	100	ug/L	U				10	100
NWP 3C	7/16/2015	COBALT	5	ug/L	U				0.5	5
NWP 3C	7/16/2015	COPPER	0.584	ug/L	J		21		0.5	5
NWP 3C	7/16/2015	LEAD	5	ug/L	U				0.5	5
NWP 3C	7/16/2015	NICKEL	1.18	ug/L	J		21		0.5	5
NWP 3C	7/16/2015	SELENIUM	20	ug/L	U				2	20
NWP 3C	7/16/2015	SILVER	5	ug/L	U				0.5	5
NWP 3C	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
NWP 3C	7/16/2015	TIN	10	ug/L	U				1	10
NWP 3C	7/16/2015	VANADIUM	50	ug/L	U				5	50
NWP 3C	7/16/2015	ZINC	9.15	ug/L	U		21, V		4	40
NWP 3C	7/16/2015	MERCURY	0.2	ug/L	U				0.02	0.2
NWP 3C	7/16/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP 3C	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.09	pCi/L	J		21	0.05	0.064	0.1645
NWP 3C	7/16/2015	RADIUM-226	0.102	pCi/L	J		21	0.065	0.098	0.2285
NWP 3C	7/16/2015	URANIUM-233/234	0.0267	pCi/L	U		V	0.063	0.144	0.271
NWP 3C	7/16/2015	URANIUM-235	-0.00659	pCi/L	U		V	0.013	0.133	0.159
NWP 3C	7/16/2015	URANIUM-238	0.0427	pCi/L	U			0.061	0.0578	0.179
NWP 3C	7/16/2015	GROSS ALPHA	0.527	pCi/L	U			1.25	2.24	4.74
NWP 3C	7/16/2015	NONVOLATILE BETA	-0.892	pCi/L	U			1.83	3.78	7.44
NWP 3C	7/16/2015	STRONTIUM-90	0.914	pCi/L	U			2.1	3.13	7.33
NWP 3C	7/16/2015	CARBON-14	132	pCi/L	J			6.76	7.34	20.9
NWP 3C	7/16/2015	TECHNETIUM-99	-2.63	pCi/L	U			2.51	4.36	9.38
NWP 3C	7/16/2015	TRITIUM	2.18	pCi/mL				0.391	0.477	1.26

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 3C	7/16/2015	IODINE-129	-0.318	pCi/L	U			0.636	1.05	2.32
NWP 3C	7/24/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP 3C	7/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP 3C	7/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP 3C	7/24/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP 3C	7/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP 3C	7/24/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP 3C	7/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP 3C	7/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	1,2-DICHLOROETHYLENE	2.3	ug/L					0.15	2
NWP 3C	7/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP 3C	7/24/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP 3C	7/24/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP 3C	7/24/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP 3C	7/24/2015	ACETONE	2	ug/L	U				0.34	2
NWP 3C	7/24/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 3C	7/24/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP 3C	7/24/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP 3C	7/24/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP 3C	7/24/2015	BENZENE	1	ug/L	U				0.06	1
NWP 3C	7/24/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 3C	7/24/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP 3C	7/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP 3C	7/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP 3C	7/24/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP 3C	7/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP 3C	7/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP 3C	7/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP 3C	7/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 3C	7/24/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP 3C	7/24/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP 3C	7/24/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
NWP 3C	7/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP 3C	7/24/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP 3C	7/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP 3C	7/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP 3C	7/24/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP 3C	7/24/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP 3C	7/24/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP 3C	7/24/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP 3C	7/24/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP 3C	7/24/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP 3C	7/24/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP 3C	7/24/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP 3C	7/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP 3C	7/24/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP 3C	7/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP 3C	7/24/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP 3C	7/24/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP 3C	7/24/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP 3C	7/24/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP 3C	7/24/2015	STYRENE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP 3C	7/24/2015	TOLUENE	1	ug/L	U				0.07	1
NWP 3C	7/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP 3C	7/24/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP 3C	7/24/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
NWP 3C	7/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP 3C	7/24/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP 3C	7/24/2015	XYLENES	3	ug/L	U				0.2	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP101D	1/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP101D	1/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NWP101D	1/14/2015	TRITIUM	2.41	pCi/mL				0.378	0.431	1.19
NWP101D	7/14/2015	ETHANE	0.1	ug/L	U				0.002	0.1
NWP101D	7/14/2015	ETHYLENE	0.023	ug/L	J		21		0.003	0.1
NWP101D	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP101D	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP101D	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP101D	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP101D	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP101D	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP101D	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP101D	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP101D	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP101D	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP101D	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP101D	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP101D	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP101D	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP101D	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP101D	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP101D	7/14/2015	ACETONE	2	ug/L	U				0.34	2
NWP101D	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP101D	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP101D	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP101D	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP101D	7/14/2015	BENZENE	1	ug/L	U				0.06	1
NWP101D	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP101D	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP101D	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP101D	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP101D	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP101D	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP101D	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP101D	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP101D	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP101D	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP101D	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP101D	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP101D	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP101D	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP101D	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP101D	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP101D	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP101D	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP101D	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP101D	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP101D	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP101D	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP101D	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP101D	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP101D	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP101D	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP101D	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP101D	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP101D	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP101D	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP101D	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP101D	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP101D	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP101D	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP101D	7/14/2015	STYRENE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP101D	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
NWP101D	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP101D	7/14/2015	TRANS-1,4-DICHLORO-2-	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BUTENE								
NWP101D	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NWP101D	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP101D	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP101D	7/14/2015	XYLENES	3	ug/L	U				0.2	3
NWP101D	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP101D	7/14/2015	TRITIUM	2.53	pCi/mL				0.365	0.382	1.11
NWP202C	1/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP202C	1/14/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.25	1
NWP202C	1/14/2015	TRITIUM	-0.077	pCi/mL	U			0.241	0.427	0.909
NWP202C	7/14/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1
NWP202C	7/14/2015	ETHYLENE	0.021	ug/L	J		21		0.003	0.1
NWP202C	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP202C	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP202C	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP202C	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP202C	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP202C	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP202C	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP202C	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP202C	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP202C	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP202C	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP202C	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP202C	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP202C	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP202C	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP202C	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP202C	7/14/2015	ACETONE	2	ug/L	U				0.34	2
NWP202C	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP202C	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP202C	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP202C	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP202C	7/14/2015	BENZENE	1	ug/L	U				0.06	1
NWP202C	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP202C	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP202C	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP202C	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP202C	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP202C	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP202C	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP202C	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP202C	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP202C	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP202C	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP202C	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP202C	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP202C	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP202C	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP202C	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP202C	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP202C	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP202C	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP202C	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP202C	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP202C	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP202C	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP202C	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP202C	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP202C	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP202C	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP202C	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP202C	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP202C	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP202C	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP202C	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP202C	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP202C	7/14/2015	STYRENE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP202C	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
NWP202C	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP202C	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP202C	7/14/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J		21		0.25	1
NWP202C	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP202C	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP202C	7/14/2015	XYLENES	3	ug/L	U				0.2	3
NWP202C	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP202C	7/14/2015	TRITIUM	0.313	pCi/mL	U			0.24	0.38	0.86
NWP302A	1/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP302A	1/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NWP302A	1/13/2015	TRITIUM	-0.121	pCi/mL	U			0.24	0.431	0.91
NWP302A	7/14/2015	ETHANE	0.002	ug/L	J		21		0.002	0.1
NWP302A	7/14/2015	ETHYLENE	0.0097	ug/L	J		21		0.003	0.1
NWP302A	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP302A	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP302A	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP302A	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
NWP302A	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP302A	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP302A	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP302A	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP302A	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP302A	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP302A	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP302A	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP302A	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP302A	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP302A	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP302A	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP302A	7/14/2015	ACETONE	2	ug/L	U				0.34	2
NWP302A	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP302A	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP302A	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP302A	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP302A	7/14/2015	BENZENE	1	ug/L	U				0.06	1
NWP302A	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP302A	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
NWP302A	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP302A	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP302A	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP302A	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP302A	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP302A	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP302A	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP302A	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP302A	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP302A	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP302A	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP302A	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP302A	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP302A	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP302A	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP302A	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP302A	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP302A	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP302A	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP302A	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP302A	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2
NWP302A	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP302A	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP302A	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP302A	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP302A	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP302A	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP302A	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP302A	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP302A	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP302A	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP302A	7/14/2015	STYRENE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP302A	7/14/2015	TOLUENE	1	ug/L	U				0.07	1
NWP302A	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP302A	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP302A	7/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
NWP302A	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP302A	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP302A	7/14/2015	XYLENES	3	ug/L	U				0.2	3
NWP302A	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP302A	7/14/2015	TRITIUM	-0.0792	pCi/mL	U			0.299	0.522	1.12
NWP303A	7/14/2015	ETHANE	0.0031	ug/L	J		21		0.002	0.1
NWP303A	7/14/2015	ETHYLENE	0.0057	ug/L	J		21		0.003	0.1
NWP303A	7/14/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
NWP303A	7/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
NWP303A	7/14/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
NWP303A	7/14/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP303A	7/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
NWP303A	7/14/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
NWP303A	7/14/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
NWP303A	7/14/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
NWP303A	7/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
NWP303A	7/14/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
NWP303A	7/14/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
NWP303A	7/14/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
NWP303A	7/14/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
NWP303A	7/14/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
NWP303A	7/14/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
NWP303A	7/14/2015	2-HEXANONE	5	ug/L	U				0.22	5
NWP303A	7/14/2015	ACETONE	2	ug/L	U				0.34	2
NWP303A	7/14/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
NWP303A	7/14/2015	ACROLEIN	10	ug/L	U				2.8	10
NWP303A	7/14/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
NWP303A	7/14/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
NWP303A	7/14/2015	BENZENE	1	ug/L	U				0.06	1
NWP303A	7/14/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP303A	7/14/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP303A	7/14/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
NWP303A	7/14/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
NWP303A	7/14/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
NWP303A	7/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
NWP303A	7/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
NWP303A	7/14/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
NWP303A	7/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
NWP303A	7/14/2015	CHLOROFORM	1	ug/L	U				0.1	1
NWP303A	7/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
NWP303A	7/14/2015	CHLOROPRENE	1	ug/L	U				0.1	1
NWP303A	7/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
NWP303A	7/14/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
NWP303A	7/14/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
NWP303A	7/14/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
NWP303A	7/14/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
NWP303A	7/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
NWP303A	7/14/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
NWP303A	7/14/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
NWP303A	7/14/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
NWP303A	7/14/2015	ISOBUTANOL	80	ug/L	U				8.7	80
NWP303A	7/14/2015	M,P-XYLENE	2	ug/L	U				0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
NWP303A	7/14/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
NWP303A	7/14/2015	METHYL ACETATE	25	ug/L	U				0.37	25
NWP303A	7/14/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
NWP303A	7/14/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
NWP303A	7/14/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
NWP303A	7/14/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
NWP303A	7/14/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
NWP303A	7/14/2015	NAPHTHALENE	1	ug/L	U				0.16	1
NWP303A	7/14/2015	O-XYLENE	1	ug/L	U				0.06	1
NWP303A	7/14/2015	PROPIONITRILE	10	ug/L	U				1.4	10
NWP303A	7/14/2015	STYRENE	1	ug/L	U				0.07	1
NWP303A	7/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
NWP303A	7/14/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
NWP303A	7/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
NWP303A	7/14/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
NWP303A	7/14/2015	TRICHLOROETHYLENE (TCE)	0.73	ug/L	J		21		0.25	1
NWP303A	7/14/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
NWP303A	7/14/2015	VINYL ACETATE	2	ug/L	U				0.18	2
NWP303A	7/14/2015	XYLENES	3	ug/L	U				0.2	3
NWP303A	7/14/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
NWP303A	7/14/2015	TRITIUM	-0.283	pCi/mL	U			0.285	0.519	1.09
P 26A	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
P 26A	5/12/2015	CARBON DIOXIDE	34	mg/L					0.36	5
P 26A	5/12/2015	ETHANE	0.0064	ug/L	J		21		0.002	0.1
P 26A	5/12/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26A	5/12/2015	ISOBUTANE	0.028	ug/L	J		21		0.006	0.2
P 26A	5/12/2015	METHANE	0.16	ug/L	J		21		0.042	0.5
P 26A	5/12/2015	NITROGEN	21	mg/L					0.16	2
P 26A	5/12/2015	OXYGEN	3	mg/L					0.048	0.5
P 26A	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
P 26A	5/12/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
P 26A	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
P 26A	5/12/2015	IRON	620	ug/L					10	100
P 26A	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
P 26A	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26A	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26A	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
P 26A	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
P 26A	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
P 26A	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
P 26A	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
P 26A	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
P 26A	5/12/2015	NITRATE	0.1	mg/L	U	U			0.033	0.1
P 26A	5/12/2015	SULFATE	7.28	mg/L					0.133	0.4
P 26A	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
P 26A	5/12/2015	GROSS ALPHA	0.949	pCi/L	U	U		1.45	2.15	5.04
P 26A	5/12/2015	NONVOLATILE BETA	2.52	pCi/L	U	U		2.51	3.75	8.77
P 26A	5/12/2015	RADIUM-226	0.512	pCi/L	J	J	21	0.266	0.335	0.867
P 26A	5/12/2015	RADIUM-228	0.548	pCi/L	U	U		0.43	0.691	1.55
P 26A	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
P 26A	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
P 26A	12/14/2015	CARBON DIOXIDE	31	mg/L					0.26	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26A	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
P 26A	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
P 26A	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
P 26A	12/14/2015	METHANE	0.5	ug/L	U				0.033	0.5
P 26A	12/14/2015	NITROGEN	24	mg/L					0.2	2
P 26A	12/14/2015	OXYGEN	4	mg/L					0.097	0.5
P 26A	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
P 26A	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
P 26A	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
P 26A	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
P 26A	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
P 26A	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
P 26A	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
P 26A	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.0047	0.05
P 26A	12/14/2015	IRON	686	ug/L			V		10	100
P 26A	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26A	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26A	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
P 26A	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
P 26A	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
P 26A	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
P 26A	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
P 26A	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
P 26A	12/14/2015	RADIUM-226	0.469	pCi/L				0.093	0.076	0.2609
P 26A	12/14/2015	RADIUM-228	0.371	pCi/L	U	U		0.248	0.384	0.88
P 26A	12/14/2015	NITRATE	0.0081	mg/L	J	J	21, Q		0.004	0.02
P 26A	12/14/2015	SULFATE	7.2	mg/L					0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26A	12/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
P 26A	12/14/2015	GROSS ALPHA	1.56	pCi/L	U	U		1.78	2.28	5.84
P 26A	12/14/2015	NONVOLATILE BETA	3.37	pCi/L	U	U		2.84	3.96	9.64
P 26B	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
P 26B	5/12/2015	CARBON DIOXIDE	38	mg/L					0.36	5
P 26B	5/12/2015	ETHANE	0.0035	ug/L	J		21		0.002	0.1
P 26B	5/12/2015	ETHYLENE	0.0076	ug/L	J		21		0.003	0.1
P 26B	5/12/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
P 26B	5/12/2015	METHANE	0.075	ug/L	J		21		0.042	0.5
P 26B	5/12/2015	NITROGEN	22	mg/L					0.16	2
P 26B	5/12/2015	OXYGEN	8.8	mg/L					0.048	0.5
P 26B	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
P 26B	5/12/2015	PROPYLENE	0.026	ug/L	J		21		0.01	0.1
P 26B	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.472	mg/L					0.017	0.05
P 26B	5/12/2015	IRON	45.4	ug/L	J	J	21		10	100
P 26B	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
P 26B	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26B	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26B	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
P 26B	5/12/2015	NITRATE	0.438	mg/L					0.033	0.1
P 26B	5/12/2015	SULFATE	1.76	mg/L					0.133	0.4
P 26B	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26B	5/12/2015	GROSS ALPHA	0.539	pCi/L	U	U		1.18	2.11	4.48
P 26B	5/12/2015	NONVOLATILE BETA	0.628	pCi/L	U	U		2.11	3.74	7.96
P 26B	5/12/2015	RADIUM-226	1.42	pCi/L		J	9	0.401	0.352	1.15
P 26B	5/12/2015	RADIUM-228	0.462	pCi/L	U	U		0.345	0.537	1.23
P 26B	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
P 26B	5/12/2015	CARBON DIOXIDE	38	mg/L					0.36	5
P 26B	5/12/2015	ETHANE	0.0068	ug/L	J		21		0.002	0.1
P 26B	5/12/2015	ETHYLENE	0.009	ug/L	J		21		0.003	0.1
P 26B	5/12/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
P 26B	5/12/2015	METHANE	0.07	ug/L	J		21		0.042	0.5
P 26B	5/12/2015	NITROGEN	22	mg/L					0.16	2
P 26B	5/12/2015	OXYGEN	8.3	mg/L					0.048	0.5
P 26B	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
P 26B	5/12/2015	PROPYLENE	0.02	ug/L	J		21		0.01	0.1
P 26B	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.477	mg/L					0.017	0.05
P 26B	5/12/2015	IRON	37.1	ug/L	J	J	21		10	100
P 26B	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26B	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
P 26B	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26B	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
P 26B	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
P 26B	5/12/2015	NITRATE	0.437	mg/L					0.033	0.1
P 26B	5/12/2015	SULFATE	1.74	mg/L					0.133	0.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26B	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
P 26B	5/12/2015	GROSS ALPHA	0.934	pCi/L	U	U		1.42	2.11	4.96
P 26B	5/12/2015	NONVOLATILE BETA	0.607	pCi/L	U	U		2.11	3.75	7.96
P 26B	5/12/2015	RADIUM-226	0.425	pCi/L	J	J	21, 9	0.281	0.404	0.966
P 26B	5/12/2015	RADIUM-228	0.478	pCi/L	U	U		0.39	0.628	1.41
P 26B	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
P 26B	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
P 26B	12/14/2015	CARBON DIOXIDE	36	mg/L					0.26	5
P 26B	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
P 26B	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
P 26B	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
P 26B	12/14/2015	METHANE	0.5	ug/L	U				0.033	0.5
P 26B	12/14/2015	NITROGEN	23	mg/L					0.2	2
P 26B	12/14/2015	OXYGEN	7.3	mg/L					0.097	0.5
P 26B	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
P 26B	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
P 26B	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
P 26B	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
P 26B	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
P 26B	12/14/2015	PROPIONIC ACID	5.3	mg/L					0.73	5
P 26B	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
P 26B	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.43	mg/L					0.0047	0.05
P 26B	12/14/2015	IRON	1620	ug/L			V		10	100
P 26B	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26B	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26B	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
P 26B	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26B	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
P 26B	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
P 26B	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
P 26B	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
P 26B	12/14/2015	RADIUM-226	0.618	pCi/L				0.111	0.08	0.3019
P 26B	12/14/2015	RADIUM-228	0.115	pCi/L	U	U		0.318	0.546	1.182
P 26B	12/14/2015	NITRATE	0.4	mg/L		J	Q		0.004	0.02
P 26B	12/14/2015	SULFATE	2.3	mg/L					0.05	0.5
P 26B	12/14/2015	TOTAL ORGANIC CARBON	3.9	mg/L		U	V		0.35	1
P 26B	12/14/2015	GROSS ALPHA	3.08	pCi/L	J	J	21	2.34	2.26	6.93
P 26B	12/14/2015	NONVOLATILE BETA	3.75	pCi/L	U	U		2.91	4	9.82
P 26D	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
P 26D	5/12/2015	CARBON DIOXIDE	41	mg/L					0.36	5
P 26D	5/12/2015	ETHANE	0.0066	ug/L	J		21		0.002	0.1
P 26D	5/12/2015	ETHYLENE	0.0069	ug/L	J		21		0.003	0.1
P 26D	5/12/2015	ISOBUTANE	0.024	ug/L	J		21		0.006	0.2
P 26D	5/12/2015	METHANE	0.5	ug/L	U				0.042	0.5
P 26D	5/12/2015	NITROGEN	20	mg/L					0.16	2
P 26D	5/12/2015	OXYGEN	8.7	mg/L					0.048	0.5
P 26D	5/12/2015	PROPANE	0.007	ug/L	J		21		0.002	0.1
P 26D	5/12/2015	PROPYLENE	0.017	ug/L	J		21		0.01	0.1
P 26D	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.519	mg/L					0.017	0.05
P 26D	5/12/2015	IRON	125	ug/L					10	100
P 26D	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
P 26D	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26D	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26D	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26D	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
P 26D	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
P 26D	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
P 26D	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
P 26D	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
P 26D	5/12/2015	NITRATE	0.471	mg/L					0.033	0.1
P 26D	5/12/2015	SULFATE	1.72	mg/L					0.133	0.4
P 26D	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
P 26D	5/12/2015	GROSS ALPHA	-0.252	pCi/L	U	U		0.383	2.1	2.87
P 26D	5/12/2015	NONVOLATILE BETA	1.63	pCi/L	U	U		2.31	3.72	8.34
P 26D	5/12/2015	RADIUM-226	0.154	pCi/L	U	U		0.236	0.415	0.887
P 26D	5/12/2015	RADIUM-228	0.351	pCi/L	U	U		0.422	0.713	1.56
P 26D	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
P 26D	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
P 26D	12/14/2015	CARBON DIOXIDE	40	mg/L					0.26	5
P 26D	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
P 26D	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
P 26D	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
P 26D	12/14/2015	METHANE	0.5	ug/L	U				0.033	0.5
P 26D	12/14/2015	NITROGEN	23	mg/L					0.2	2
P 26D	12/14/2015	OXYGEN	8.2	mg/L					0.097	0.5
P 26D	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
P 26D	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
P 26D	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
P 26D	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
P 26D	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
P 26D	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
P 26D	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
P 26D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.3	mg/L					0.0047	0.05
P 26D	12/14/2015	IRON	154	ug/L	J	J	21, V		10	100
P 26D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
P 26D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
P 26D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
P 26D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
P 26D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
P 26D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
P 26D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
P 26D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
P 26D	12/14/2015	RADIUM-226	0.183	pCi/L	J	J	21	0.065	0.073	0.2033
P 26D	12/14/2015	RADIUM-228	0.126	pCi/L	U	U		0.227	0.386	0.84
P 26D	12/14/2015	NITRATE	0.26	mg/L		J	Q		0.004	0.02
P 26D	12/14/2015	SULFATE	1.5	mg/L					0.05	0.5
P 26D	12/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
P 26D	12/14/2015	GROSS ALPHA	0.777	pCi/L	U	U		1.38	2.24	5
P 26D	12/14/2015	NONVOLATILE BETA	1.77	pCi/L	U	U		2.55	3.94	9.03
PAO001DU	3/9/2015	AMERICIUM-241	1.58	pCi/L	U	U		4.59	8.52	17.7
PAO001DU	3/9/2015	AMERICIUM-243	2.58	pCi/L	J	J	21	1.61	1.65	4.87
PAO001DU	3/9/2015	CURIUM-242	0.516	pCi/L	U	U		1.79	3.95	7.53
PAO001DU	3/9/2015	CURIUM-243/244	0.516	pCi/L	U	U		3.72	7.44	14.88
PAO001DU	3/9/2015	CURIUM-245/246	0	pCi/L	U	U		0.873	2.09	3.836
PAO001DU	3/9/2015	NEPTUNIUM-237	0.0149	pCi/L	U	U		0.028	0.052	0.1072
PAO001DU	3/9/2015	PLUTONIUM-238	0.0872	pCi/L				0.037	0.012	0.0863
PAO001DU	3/9/2015	PLUTONIUM-239/240	0.0159	pCi/L	U	U		0.036	0.064	0.1351
PAO001DU	3/9/2015	PLUTONIUM-242	0	pCi/L	U	U		0.025	0.051	0.0998

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO001DU	3/9/2015	THORIUM-228	0.526	pCi/L	J	J	21	0.2	0.17	0.57
PAO001DU	3/9/2015	THORIUM-230	2.31	pCi/L				0.39	0.049	0.8293
PAO001DU	3/9/2015	THORIUM-232	0.539	pCi/L				0.188	0.049	0.425
PAO001DU	3/9/2015	URANIUM-233/234	15.3	pCi/L				1.09	0.095	2.2747
PAO001DU	3/9/2015	URANIUM-235	0.999	pCi/L				0.312	0.073	0.6971
PAO001DU	3/9/2015	URANIUM-238	20.2	pCi/L				1.26	0.059	2.5786
PAO001DU	3/9/2015	ALUMINUM	31000	ug/L					17	30
PAO001DU	3/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PAO001DU	3/9/2015	ARSENIC	55	ug/L					1.2	10
PAO001DU	3/9/2015	BARIUM	18	ug/L					0.22	2
PAO001DU	3/9/2015	BERYLLIUM	2.1	ug/L					0.35	0.5
PAO001DU	3/9/2015	CADMIUM	0.12	ug/L	J	J	21		0.1	0.5
PAO001DU	3/9/2015	CALCIUM	11000	ug/L					68	100
PAO001DU	3/9/2015	CHROMIUM	320	ug/L					1	10
PAO001DU	3/9/2015	COBALT	3.1	ug/L					0.22	2
PAO001DU	3/9/2015	COPPER	15	ug/L					0.68	1
PAO001DU	3/9/2015	IRON	170	ug/L					33	50
PAO001DU	3/9/2015	LEAD	0.99	ug/L	J	J	21		0.17	3
PAO001DU	3/9/2015	MAGNESIUM	4200	ug/L					5.6	50
PAO001DU	3/9/2015	MANGANESE	3.3	ug/L					0.88	2
PAO001DU	3/9/2015	NICKEL	8.4	ug/L					0.8	5
PAO001DU	3/9/2015	POTASSIUM	2000	ug/L					42	100
PAO001DU	3/9/2015	SELENIUM	250	ug/L					1.6	5
PAO001DU	3/9/2015	SILVER	2	ug/L	U	U			0.82	2
PAO001DU	3/9/2015	SODIUM	590000	ug/L			V		120	250
PAO001DU	3/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
PAO001DU	3/9/2015	VANADIUM	10	ug/L	U	U			2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO001DU	3/9/2015	ZINC	24	ug/L					9.3	10
PAO001DU	3/9/2015	MERCURY	1	ug/L		J	V		0.06	0.2
PAO001DU	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW025 B	2/25/2015	TRICHLOROETHYLENE (TCE)	7100	ug/L					130	500
PAO001DU	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PAO001DU	3/9/2015	GROSS ALPHA	50.7	pCi/L				14.3	15.2	43.8
PAO001DU	3/9/2015	NONVOLATILE BETA	12.2	pCi/L	J	J	21	4.11	5.1	13.32
PAO001DU	3/9/2015	RADIUM-226	1.03	pCi/L				0.14	0.099	0.3792
PAO001DU	3/9/2015	RADIUM-228	1.37	pCi/L		J	V	0.346	0.417	1.109
PAO001DU	3/9/2015	SULFATE	990	mg/L					10	100
PSB002C	3/9/2015	TRITIUM	16200	pCi/mL				234	4.96	472.96
PAO001DU	3/9/2015	ACTINIUM-228	8.8	pCi/L	U	U		17.3	36.6	71.2
PAO001DU	3/9/2015	BISMUTH-214	37.5	pCi/L	J	J	21	18.5	24.4	61.4
PAO001DU	3/9/2015	CESIUM-137	0.494	pCi/L	U	U		6.68	12.1	25.46
PAO001DU	3/9/2015	COBALT-60	0.0335	pCi/L	U	U		3.94	8.3	16.18
PAO001DU	3/9/2015	LEAD-212	-0.812	pCi/L	U	U		2.41	19.6	24.42
PAO001DU	3/9/2015	LEAD-214	52.3	pCi/L	J	J	21	16.3	21.2	53.8
PAO001DU	3/9/2015	POTASSIUM-40	-23.3	pCi/L	U	U		129	166	424
PAO001DU	3/9/2015	THALLIUM-208	1.65	pCi/L	U	U		5.62	11.6	22.84
PAO001DU	3/9/2015	STRONTIUM-90	0.284	pCi/L	U	U		0.215	0.335	0.765
PAO001DU	3/9/2015	IODINE-129	-0.133	pCi/L	U	U		0.694	1.2	2.588
PAO001DU	3/9/2015	NICKEL-59	0	pCi/L	U	U		0.888	1.44	3.216
PAO001DU	3/9/2015	NICKEL-63	2.6	pCi/L	J	J	21	1.29	2.11	4.69
PAO001DU	3/9/2015	PROMETHIUM-147	1.34	pCi/L	U	U		1.05	1.77	3.87
PAO001DU	3/9/2015	TECHNETIUM-99	-0.576	pCi/L	U	U		1.18	2.04	4.4
PAO002DL	2/23/2015	ALUMINUM	24	ug/L	J	J	21		17	30
PAO002DL	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO002DL	2/23/2015	ARSENIC	10	ug/L	U	U			1.2	10
PAO002DL	2/23/2015	BARIUM	6.2	ug/L					0.22	2
PAO002DL	2/23/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PAO002DL	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PAO002DL	2/23/2015	CALCIUM	1300	ug/L					68	100
PAO002DL	2/23/2015	CHROMIUM	2	ug/L	J	J	21		1	10
PAO002DL	2/23/2015	COBALT	0.52	ug/L	J	J	21		0.22	2
PAO002DL	2/23/2015	COPPER	7.9	ug/L					0.68	1
PAO002DL	2/23/2015	IRON	33	ug/L	J	J	21		33	50
PAO002DL	2/23/2015	LEAD	0.96	ug/L	J	J	21		0.17	3
PAO002DL	2/23/2015	MAGNESIUM	490	ug/L					5.6	50
PAO002DL	2/23/2015	MANGANESE	7.9	ug/L					0.88	2
PAO002DL	2/23/2015	NICKEL	1.2	ug/L	J	J	21		0.8	5
PAO002DL	2/23/2015	POTASSIUM	310	ug/L					42	100
PAO002DL	2/23/2015	SELENIUM	5	ug/L	U	U			1.6	5
PAO002DL	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PAO002DL	2/23/2015	SODIUM	3100	ug/L					24	50
PAO002DL	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PAO002DL	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PAO002DL	2/23/2015	ZINC	10	ug/L	U	U			9.3	10
PAO002DL	2/23/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PAO002DL	2/23/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U	U			0.5	5
PAO002DL	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			0.5	5
PAO002DL	2/23/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U	U			0.75	5
PAO002DL	2/23/2015	1,1-DICHLOROETHANE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	1,1-DICHLOROETHYLENE	5	ug/L	U	U			0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO002DL	2/23/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U	U			0.45	5
PAO002DL	2/23/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U	U			0.4	5
PAO002DL	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U	U			2.1	5
PAO002DL	2/23/2015	1,2-DIBROMOETHANE	5	ug/L	U	U			0.65	5
PAO002DL	2/23/2015	1,2-DICHLOROBENZENE	5	ug/L	U	U			0.3	5
PAO002DL	2/23/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U	U			0.5	5
PAO002DL	2/23/2015	1,2-DICHLOROPROPANE	5	ug/L	U	U			0.5	5
PAO002DL	2/23/2015	1,3-DICHLOROBENZENE	5	ug/L	U	U			0.4	5
PAO002DL	2/23/2015	1,4-DICHLOROBENZENE	5	ug/L	U	U			0.6	5
PAO002DL	2/23/2015	1,4-DIOXANE	400	ug/L	U	U			38	400
PAO002DL	2/23/2015	2-HEXANONE	25	ug/L	U	U			1.1	25
PAO002DL	2/23/2015	ACETONE	10	ug/L	U	U			1.7	10
PAO002DL	2/23/2015	BENZENE	5	ug/L	U	U			0.3	5
PAO002DL	2/23/2015	BROMOCHLOROMETHANE	5	ug/L	U	U			0.65	5
PAO002DL	2/23/2015	BROMODICHLOROMETHANE	5	ug/L	U	U			0.45	5
PAO002DL	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U	U			0.85	5
PAO002DL	2/23/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U	U			1.3	10
PAO002DL	2/23/2015	CARBON DISULFIDE	5	ug/L	U	U			0.25	5
PAO002DL	2/23/2015	CARBON TETRACHLORIDE	5	ug/L	U	U			0.65	5
PAO002DL	2/23/2015	CHLOROBENZENE	5	ug/L	U	U			0.75	5
PAO002DL	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U	U			0.5	10
PAO002DL	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U	U			0.4	10
PAO002DL	2/23/2015	CHLOROFORM	0.77	ug/L	J	J	21		0.5	5
PAO002DL	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U	U			0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO002DL	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1.4	ug/L	J	J	21		0.45	5
PAO002DL	2/23/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U	U			0.4	5
PAO002DL	2/23/2015	CYCLOHEXANE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	DIBROMOCHLOROMETHANE	5	ug/L	U	U			0.65	5
PAO002DL	2/23/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U	U			0.4	10
PAO002DL	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1.4	5
PAO002DL	2/23/2015	ETHYLBENZENE	5	ug/L	U	U			0.45	5
PAO002DL	2/23/2015	M,P-XYLENE	10	ug/L	U	U			0.7	10
PAO002DL	2/23/2015	METHYL ACETATE	130	ug/L	U	U			1.9	130
PAO002DL	2/23/2015	METHYL ETHYL KETONE	25	ug/L	U	U			2.6	25
PAO002DL	2/23/2015	METHYL ISOBUTYL KETONE	25	ug/L	U	U			0.6	25
PAO002DL	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U	U			0.55	10
PAO002DL	2/23/2015	METHYLCYCLOHEXANE	20	ug/L	U	U			0.5	20
PAO002DL	2/23/2015	O-XYLENE	5	ug/L	U	U			0.3	5
PAO002DL	2/23/2015	STYRENE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	TETRACHLOROETHYLENE (PCE)	4	ug/L	J	J	21		0.9	5
PAO002DL	2/23/2015	TOLUENE	5	ug/L	U	U			0.35	5
PAO002DL	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U	U			0.4	5
PAO002DL	2/23/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U	U			0.4	5
PGW026C	2/23/2015	TRICHLOROETHYLENE (TCE)	5400	ug/L					63	250
PAO002DL	2/23/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U	U			0.55	5
PAO002DL	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PAO002DL	2/23/2015	GROSS ALPHA	0.892	pCi/L	U	U		0.718	1.06	2.496
PAO002DL	2/23/2015	NONVOLATILE BETA	0.751	pCi/L	U	U		0.536	0.813	1.885
PAO002DL	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	TRITIUM	14900	pCi/mL				222	4.86	448.86
PAO002DL	2/23/2015	STRONTIUM-90	-0.0772	pCi/L	U	U		0.169	0.312	0.65
PAO002DL	2/23/2015	IODINE-129	-0.059	pCi/L	U	U		0.373	0.639	1.385
PAO002DU	3/9/2015	AMERICIUM-241	0.0288	pCi/L	U	U		0.045	0.077	0.1662
PAO002DU	3/9/2015	AMERICIUM-243	0.00161	pCi/L	U	U		0.032	0.072	0.1363
PAO002DU	3/9/2015	CURIUM-242	0	pCi/L	U	U		0.009	0.031	0.0479
PAO002DU	3/9/2015	CURIUM-243/244	0.0162	pCi/L	U	U		0.03	0.057	0.1171
PAO002DU	3/9/2015	CURIUM-245/246	-0.00571	pCi/L	U	U		0.019	0.057	0.0955
PAO002DU	3/9/2015	NEPTUNIUM-237	0.00575	pCi/L	U	U		0.021	0.055	0.0973
PAO002DU	3/9/2015	PLUTONIUM-238	0.0482	pCi/L	J	J	21	0.034	0.042	0.1098
PAO002DU	3/9/2015	PLUTONIUM-239/240	0.0526	pCi/L	J	J	21	0.033	0.034	0.0992
PAO002DU	3/9/2015	PLUTONIUM-242	0.0072	pCi/L	U	U		0.02	0.04	0.0806
PAO002DU	3/9/2015	THORIUM-228	0.0673	pCi/L	U	U		0.105	0.184	0.394
PAO002DU	3/9/2015	THORIUM-230	0.161	pCi/L	J	J	21	0.114	0.061	0.2886
PAO002DU	3/9/2015	THORIUM-232	0.01	pCi/L	U	U		0.043	0.113	0.1982
PAO002DU	3/9/2015	URANIUM-233/234	0.0454	pCi/L	U	U		0.069	0.117	0.2542
PAO002DU	3/9/2015	URANIUM-235	0.0411	pCi/L	U	U		0.058	0.062	0.1779
PAO002DU	3/9/2015	URANIUM-238	0.0288	pCi/L	U	U		0.047	0.08	0.1744
PAO002DU	3/9/2015	ALUMINUM	100	ug/L					17	30
PAO002DU	3/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PAO002DU	3/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
PAO002DU	3/9/2015	BARIUM	28	ug/L					0.22	2
PAO002DU	3/9/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PAO002DU	3/9/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PAO002DU	3/9/2015	CALCIUM	6900	ug/L					68	100
PAO002DU	3/9/2015	CHROMIUM	2.3	ug/L	J	J	21		1	10
PAO002DU	3/9/2015	COBALT	2	ug/L	U	U			0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO002DU	3/9/2015	COPPER	1	ug/L	U	U			0.68	1
PAO002DU	3/9/2015	IRON	98	ug/L					33	50
PAO002DU	3/9/2015	LEAD	0.28	ug/L	J	J	21		0.17	3
PAO002DU	3/9/2015	MAGNESIUM	1400	ug/L					5.6	50
PAO002DU	3/9/2015	MANGANESE	11	ug/L					0.88	2
PAO002DU	3/9/2015	NICKEL	1.9	ug/L	J	J	21		0.8	5
PAO002DU	3/9/2015	POTASSIUM	4500	ug/L					42	100
PAO002DU	3/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
PAO002DU	3/9/2015	SILVER	2	ug/L	U	U			0.82	2
PAO002DU	3/9/2015	SODIUM	6900	ug/L			V		24	50
PAO002DU	3/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
PAO002DU	3/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
PAO002DU	3/9/2015	ZINC	10	ug/L	U	U			9.3	10
PAO002DU	3/9/2015	MERCURY	0.073	ug/L	J	U	21, V		0.06	0.2
PAO002DU	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW026DL	2/23/2015	TRICHLOROETHYLENE (TCE)	4900	ug/L					63	250
PAO002DU	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PAO002DU	3/9/2015	GROSS ALPHA	2.37	pCi/L	J	J	21	1.19	1.57	3.95
PAO002DU	3/9/2015	NONVOLATILE BETA	3.57	pCi/L				0.798	0.89	2.486
PAO002DU	3/9/2015	RADIUM-226	1.7	pCi/L				0.159	0.084	0.4021
PAO002DU	3/9/2015	RADIUM-228	0.475	pCi/L	J	U	21, V	0.234	0.343	0.811
PAO002DU	3/9/2015	SULFATE	2.1	mg/L					0.05	0.5
PSB011DL	3/4/2015	TRITIUM	7430	pCi/mL				111	3.17	225.17
PAO002DU	3/9/2015	ACTINIUM-228	4.33	pCi/L	U	U		29.4	54.8	113.6
PAO002DU	3/9/2015	BISMUTH-214	86	pCi/L				25.9	26.8	78.6
PAO002DU	3/9/2015	CESIUM-137	-1.95	pCi/L	U	U		9.56	17.2	36.32
PAO002DU	3/9/2015	COBALT-60	4.11	pCi/L	U	U		11.2	20.1	42.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PAO002DU	3/9/2015	LEAD-212	-3.97	pCi/L	U	U		31.1	25.4	87.6
PAO002DU	3/9/2015	LEAD-214	54.6	pCi/L	J	J	21	21	28.6	70.6
PAO002DU	3/9/2015	POTASSIUM-40	-44.1	pCi/L	U	U		275	241	791
PAO002DU	3/9/2015	THALLIUM-208	-3.84	pCi/L	U	U		38.7	18.7	96.1
PAO002DU	3/9/2015	STRONTIUM-90	0.151	pCi/L	U	U		0.178	0.293	0.649
PAO002DU	3/9/2015	IODINE-129	0.105	pCi/L	U	U		0.334	0.569	1.237
PAO002DU	3/9/2015	NICKEL-59	0	pCi/L	U	U		0.933	1.49	3.356
PAO002DU	3/9/2015	NICKEL-63	2.67	pCi/L	J	J	21	1.29	2.06	4.64
PAO002DU	3/9/2015	PROMETHIUM-147	0.26	pCi/L	U	U		0.855	1.46	3.17
PAO002DU	3/9/2015	TECHNETIUM-99	-0.129	pCi/L	U	U		1.24	2.12	4.6
PAO003DU	2/23/2015	TETRACHLOROETHYLENE (PCE)	87	ug/L					4.5	25
PGW030B	3/2/2015	TRICHLOROETHYLENE (TCE)	3100	ug/L					25	100
PAO003DU	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PAO003DU	2/23/2015	NONVOLATILE BETA	5.74	pCi/L				1.7	2.12	5.52
PSB002AA	3/4/2015	TRITIUM	5860	pCi/mL				86.9	2.66	176.46
PAO003DU	2/23/2015	STRONTIUM-90	0.414	pCi/L	U	U		0.697	1.18	2.574
PDB 2	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PRB005C	3/4/2015	TRICHLOROETHYLENE (TCE)	2900	ug/L		J	14		63	250
PDB 2	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB002AA	3/4/2015	TRITIUM	5810	pCi/mL				86.4	2.65	175.45
PDB 3	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW027DL	2/24/2015	TRICHLOROETHYLENE (TCE)	1500	ug/L					13	50
PDB 3	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB003DL	3/4/2015	TRITIUM	4140	pCi/mL				62	2.15	126.15
PDB 4	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PAO002DL	2/23/2015	TRICHLOROETHYLENE (TCE)	770	ug/L					13	50
PDB 4	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	TRITIUM	3700	pCi/mL				14.5	0.618	29.6
PDB 5	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW031C	3/10/2015	TRICHLOROETHYLENE (TCE)	290	ug/L					2.5	10
PDB 5	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB011C	3/10/2015	TRITIUM	3130	pCi/mL				46.5	1.6	94.6
PDB003C	2/23/2015	ALUMINUM	60	ug/L					17	30
PDB003C	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PDB003C	2/23/2015	ARSENIC	1.4	ug/L	J	J	21		1.2	10
PDB003C	2/23/2015	BARIUM	7.7	ug/L					0.22	2
PDB003C	2/23/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PDB003C	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PDB003C	2/23/2015	CALCIUM	1500	ug/L					68	100
PDB003C	2/23/2015	CHROMIUM	10	ug/L	U	U			1	10
PDB003C	2/23/2015	COBALT	0.29	ug/L	J	J	21		0.22	2
PDB003C	2/23/2015	COPPER	1	ug/L			S		0.68	1
PDB003C	2/23/2015	IRON	50	ug/L	U	U			33	50
PDB003C	2/23/2015	LEAD	0.75	ug/L	J	J	21		0.17	3
PDB003C	2/23/2015	MAGNESIUM	330	ug/L					5.6	50
PDB003C	2/23/2015	MANGANESE	1.7	ug/L	J	J	21		0.88	2
PDB003C	2/23/2015	NICKEL	5	ug/L	U	U			0.8	5
PDB003C	2/23/2015	POTASSIUM	220	ug/L					42	100
PDB003C	2/23/2015	SELENIUM	1.9	ug/L	J	J	21		1.6	5
PDB003C	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PDB003C	2/23/2015	SODIUM	3200	ug/L					24	50
PDB003C	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PDB003C	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PDB003C	2/23/2015	ZINC	10	ug/L	U	U			9.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	MERCURY	0.23	ug/L					0.06	0.2
PDB003C	2/23/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PDB003C	2/23/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PDB003C	2/23/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PDB003C	2/23/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PDB003C	2/23/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PDB003C	2/23/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PDB003C	2/23/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PDB003C	2/23/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
PDB003C	2/23/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PDB003C	2/23/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PDB003C	2/23/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PDB003C	2/23/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PDB003C	2/23/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PDB003C	2/23/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PDB003C	2/23/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PDB003C	2/23/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PDB003C	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PDB003C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PDB003C	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PDB003C	2/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PDB003C	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PDB003C	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PDB003C	2/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PDB003C	2/23/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PDB003C	2/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PDB003C	2/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PDB003C	2/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PDB003C	2/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PDB003C	2/23/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PDB003C	2/23/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PDB003C	2/23/2015	ACETONE	2	ug/L	U	U			0.34	2
PDB003C	2/23/2015	BENZENE	1	ug/L	U	U			0.06	1
PDB003C	2/23/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PDB003C	2/23/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PDB003C	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PDB003C	2/23/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
PDB003C	2/23/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PDB003C	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PDB003C	2/23/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PDB003C	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PDB003C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PDB003C	2/23/2015	CHLOROFORM	1.7	ug/L					0.1	1
PDB003C	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PDB003C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PDB003C	2/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PDB003C	2/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PDB003C	2/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PDB003C	2/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PDB003C	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PDB003C	2/23/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PDB003C	2/23/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PDB003C	2/23/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PDB003C	2/23/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PDB003C	2/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PDB003C	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PDB003C	2/23/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PDB003C	2/23/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PDB003C	2/23/2015	STYRENE	1	ug/L	U	U			0.07	1
PDB003C	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	TOLUENE	0.31	ug/L	J	U	21, 8		0.07	1
PDB003C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW026B	2/23/2015	TRICHLOROETHYLENE (TCE)	210	ug/L					2.5	10
PDB003C	2/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PDB003C	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PDB003C	2/23/2015	1,1'-BIPHENYL	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	2,3,4,6-TETRACHLOROPHENOL	53	ug/L	U	UJ	14		1.1	53
PDB003C	2/23/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	2,4-DINITROPHENOL	53	ug/L	U	UJ	14		2.1	53
PDB003C	2/23/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.3	11
PDB003C	2/23/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
PDB003C	2/23/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.6	11
PDB003C	2/23/2015	3,3-DICHLOROBENZIDINE	53	ug/L	U	U	14		1.4	53
PDB003C	2/23/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	4-CHLOROANILINE	11	ug/L	U	U			2.1	11
PDB003C	2/23/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	ANTHRACENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	ATRAZINE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	BENZALDEHYDE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	BENZO[A]PYRENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U	14		2	11
PDB003C	2/23/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	CAPROLACTAM	11	ug/L	U	U			2.1	11
PDB003C	2/23/2015	CARBAZOLE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	CHRYSENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.3	11
PDB003C	2/23/2015	FLUORANTHENE	11	ug/L	U	U	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	FLUORENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PDB003C	2/23/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
PDB003C	2/23/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
PDB003C	2/23/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.3	11
PDB003C	2/23/2015	PHENANTHRENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	PHENOL	11	ug/L	U	UJ	14		2.1	11
PDB003C	2/23/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
PDB003C	2/23/2015	PYRENE	11	ug/L	U	U	14		1.1	11
PDB003C	2/23/2015	GROSS ALPHA	1.51	pCi/L	U	U		1.06	1.59	3.71
PDB003C	2/23/2015	NONVOLATILE BETA	0.164	pCi/L	U	U		0.491	0.822	1.804
PDB003C	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW027DU	2/24/2015	TRITIUM	1300	pCi/mL				19.4	0.88	39.68

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PDB003C	2/23/2015	STRONTIUM-90	-0.0854	pCi/L	U	U		0.16	0.3	0.62
PDB003C	2/23/2015	IODINE-129	-0.112	pCi/L	U	U		0.37	0.637	1.377
PGW014 A	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW031C	3/10/2015	TRICHLOROETHYLENE (TCE)	190	ug/L					0.6	2
PGW014 A	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB 3A	2/25/2015	TRITIUM	859	pCi/mL				12.9	0.924	26.724
PGW014 A	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
PAO002DU	3/9/2015	TRICHLOROETHYLENE (TCE)	180	ug/L		J	14		2.5	10
PGW028DU	2/24/2015	TRITIUM	855	pCi/mL				12.9	0.702	26.502
PGW014 B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW014DU	3/9/2015	TRICHLOROETHYLENE (TCE)	160	ug/L		J	14		2.5	10
PGW014 B	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB002DL	3/9/2015	TRITIUM	806	pCi/mL				12	0.736	24.736
PGW014 C	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW027C	2/23/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					1.3	5
PGW014 C	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB 1A	2/25/2015	TRITIUM	769	pCi/mL				11.5	0.871	23.871
PGW014DU	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW014 C	2/25/2015	TRICHLOROETHYLENE (TCE)	37	ug/L					0.25	1
PGW014DU	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB 2A	2/25/2015	TRITIUM	458	pCi/mL				6.89	0.671	14.451
PGW016 B	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW025 C	2/25/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.63	2.5
PGW016 B	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW027DL	2/24/2015	TRITIUM	436	pCi/mL				6.56	0.509	13.629
PGW016 C	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW031B	3/2/2015	TRICHLOROETHYLENE (TCE)	8.3	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW016 C	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB 6A	2/25/2015	TRITIUM	214	pCi/mL				3.23	0.503	6.963
PGW016DU	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW024 C	2/24/2015	TRICHLOROETHYLENE (TCE)	6.3	ug/L					0.25	1
PGW016DU	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW027C	2/23/2015	TRITIUM	209	pCi/mL				3.14	0.413	6.693
PGW017 B	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW029DL	3/2/2015	TRICHLOROETHYLENE (TCE)	3.3	ug/L					0.25	1
PGW017 B	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW016DU	2/25/2015	TRITIUM	178	pCi/mL				2.77	0.306	5.846
PGW017 C	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW024 B	2/24/2015	TRICHLOROETHYLENE (TCE)	2.5	ug/L					0.25	1
PGW017 C	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026DL	2/23/2015	TRITIUM	121	pCi/mL				2.29	0.399	4.979
PGW017DU	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW022DU	2/24/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
PGW017DU	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PDB003C	2/23/2015	TRITIUM	95.4	pCi/mL				2.05	0.405	4.505
PGW018 B	3/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PRP 7	11/12/2015	TRICHLOROETHYLENE (TCE)	1.8	ug/L					0.25	1
PGW018 B	3/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB011B	3/3/2015	TRITIUM	81.2	pCi/mL				1.86	0.456	4.176
PGW018 C	3/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PAO003DU	2/23/2015	TRICHLOROETHYLENE (TCE)	1.5	ug/L					0.25	1
PGW018 C	3/19/2015	1,4-DIOXANE	5.9	ug/L					0.85	3
PGW024 C	2/24/2015	TRITIUM	62.9	pCi/mL				1.66	0.401	3.721
PGW018DU	3/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRP 6	11/12/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1
PGW018DU	3/3/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PRB005C	3/4/2015	TRITIUM	47.8	pCi/mL				1.44	0.462	3.342
PGW019 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW027DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1.3	ug/L					0.25	1
PGW019 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW024 B	2/24/2015	TRITIUM	44.5	pCi/mL				1.42	0.409	3.249
PGW019 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW022 C	2/24/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
PGW019 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PAO002DL	2/23/2015	TRITIUM	36.3	pCi/mL				1.28	0.407	2.967
PGW019DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
PAO001DU	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW019DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW025 B	2/25/2015	TRITIUM	34	pCi/mL				1.07	0.44	2.58
PGW020 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PDB 2	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW020 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026C	2/23/2015	TRITIUM	27.8	pCi/mL				1.13	0.411	2.671
PGW020 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.5	ug/L	J	J	21		0.18	1
PDB 3	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW020 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW020 C	2/24/2015	TRITIUM	24.7	pCi/mL				1.07	0.379	2.519
PGW020DU	2/24/2015	ALUMINUM	160	ug/L		J	9		17	30
PGW020DU	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW020DU	2/24/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW020DU	2/24/2015	BARIUM	4.5	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW020DU	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW020DU	2/24/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW020DU	2/24/2015	CALCIUM	720	ug/L					68	100
PGW020DU	2/24/2015	CHROMIUM	1.4	ug/L	J	J	21		1	10
PGW020DU	2/24/2015	COBALT	2.1	ug/L					0.22	2
PGW020DU	2/24/2015	COPPER	3.5	ug/L					0.68	1
PGW020DU	2/24/2015	IRON	53	ug/L					33	50
PGW020DU	2/24/2015	LEAD	5.8	ug/L		J	9		0.17	3
PGW020DU	2/24/2015	MAGNESIUM	510	ug/L					5.6	50
PGW020DU	2/24/2015	MANGANESE	2.1	ug/L					0.88	2
PGW020DU	2/24/2015	NICKEL	1.3	ug/L	J	J	21		0.8	5
PGW020DU	2/24/2015	POTASSIUM	61	ug/L	J	J	21		42	100
PGW020DU	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW020DU	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW020DU	2/24/2015	SODIUM	4800	ug/L					24	50
PGW020DU	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW020DU	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW020DU	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW020DU	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW020DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
PDB 4	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW020DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW020DU	2/24/2015	NONVOLATILE BETA	0.373	pCi/L	U	U		0.536	0.883	1.955
PGW020 B	2/24/2015	TRITIUM	15.7	pCi/mL				0.855	0.375	2.085
PGW020DU	2/24/2015	STRONTIUM-90	0.23	pCi/L	U	U		0.192	0.306	0.69
PGW020DU	2/24/2015	IODINE-129	0.0733	pCi/L	U	U		0.408	0.689	1.505
PGW020DU	2/24/2015	ALUMINUM	38	ug/L		J	9		17	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW020DU	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW020DU	2/24/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW020DU	2/24/2015	BARIUM	3.8	ug/L					0.22	2
PGW020DU	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW020DU	2/24/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW020DU	2/24/2015	CALCIUM	800	ug/L					68	100
PGW020DU	2/24/2015	CHROMIUM	1.3	ug/L	J	J	21		1	10
PGW020DU	2/24/2015	COBALT	0.23	ug/L	J	J	21		0.22	2
PGW020DU	2/24/2015	COPPER	4.3	ug/L					0.68	1
PGW020DU	2/24/2015	IRON	50	ug/L	U	U			33	50
PGW020DU	2/24/2015	LEAD	17	ug/L		J	9		0.17	3
PGW020DU	2/24/2015	MAGNESIUM	450	ug/L					5.6	50
PGW020DU	2/24/2015	MANGANESE	1.6	ug/L	J	J	21		0.88	2
PGW020DU	2/24/2015	NICKEL	0.96	ug/L	J	J	21		0.8	5
PGW020DU	2/24/2015	POTASSIUM	55	ug/L	J	J	21		42	100
PGW020DU	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW020DU	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW020DU	2/24/2015	SODIUM	4500	ug/L					24	50
PGW020DU	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW020DU	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW020DU	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW020DU	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW020DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L			S		0.18	1
PDB 5	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW020DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW020DU	2/24/2015	NONVOLATILE BETA	0.182	pCi/L	U	U		0.522	0.871	1.915
PGW031C	3/10/2015	TRITIUM	15.3	pCi/mL				0.985	0.607	2.58

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW020DU	2/24/2015	STRONTIUM-90	0.0257	pCi/L	U	U		0.158	0.28	0.596
PGW020DU	2/24/2015	IODINE-129	0.104	pCi/L	U	U		0.385	0.644	1.414
PGW021 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW014 A	3/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW021 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW028C	2/24/2015	TRITIUM	14.6	pCi/mL				0.831	0.377	2.039
PGW021 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.3	ug/L	J	J	21		0.18	1
PGW014 A	3/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
PGW021 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW031C	3/10/2015	TRITIUM	14.2	pCi/mL				0.695	0.35	1.74
PGW021DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW014 B	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW021DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW021DU	2/24/2015	NONVOLATILE BETA	15.3	pCi/L				1.33	0.851	3.511
PGW014DU	3/9/2015	TRITIUM	10.4	pCi/mL				0.602	0.35	1.554
PGW021DU	2/24/2015	STRONTIUM-90	0.344	pCi/L	J	J	21	0.151	0.201	0.503
PGW022 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	UJ	14		0.18	1
PGW016 B	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW022 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW018 B	3/18/2015	TRITIUM	7.36	pCi/mL				0.534	0.396	1.464
PGW022 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	1.5	ug/L					0.18	1
PGW016 C	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW022 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PDB 2	2/23/2015	TRITIUM	7.07	pCi/mL				0.594	0.399	1.587
PGW022DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	7	ug/L					0.18	1
PGW016DU	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW022DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW022DU	2/24/2015	NONVOLATILE BETA	1.13	pCi/L	J	J	21	0.572	0.813	1.957
PGW018 C	3/19/2015	TRITIUM	5.73	pCi/mL				0.477	0.387	1.341
PGW022DU	2/24/2015	STRONTIUM-90	-0.00291	pCi/L	U	U		0.145	0.26	0.55
PGW022DU	2/24/2015	IODINE-129	0.188	pCi/L	U	U		0.396	0.659	1.451
PGW023 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW017 B	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW023 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB002AL	3/3/2015	TRITIUM	5.53	pCi/mL				0.538	0.444	1.52
PGW023 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1
PGW017 C	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW023 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW021 C	2/24/2015	TRITIUM	4.86	pCi/mL				0.512	0.405	1.429
PGW023DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.93	ug/L	J	J	21		0.18	1
PGW017DU	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW023DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW025 C	2/25/2015	TRITIUM	4.35	pCi/mL				0.447	0.438	1.332
PGW024 A	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW018 B	3/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW024 A	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW024DU	2/24/2015	TRITIUM	4.14	pCi/mL				0.482	0.405	1.369
PGW024 B	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW018 C	3/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW024 B	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW020DU	2/24/2015	TRITIUM	3.72	pCi/mL				0.452	0.371	1.275
PGW024 C	2/24/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
PGW018DU	3/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW024 C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB 10	2/25/2015	TRITIUM	3.68	pCi/mL				0.414	0.424	1.252
PGW024DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	0.32	ug/L	J	J	21		0.18	1
PGW019 B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW024DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PRB003C	3/10/2015	TRITIUM	3.42	pCi/mL				0.379	0.344	1.102
PGW025 B	2/25/2015	TETRACHLOROETHYLENE (PCE)	50	ug/L	U	U			9	50
PGW019 C	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW025 B	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW020DU	2/24/2015	TRITIUM	3.39	pCi/mL				0.438	0.375	1.251
PGW025 C	2/25/2015	TETRACHLOROETHYLENE (PCE)	240	ug/L					4.5	25
PGW019DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW025 C	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW022DU	2/24/2015	TRITIUM	3.39	pCi/mL				0.432	0.364	1.228
PGW025DU	2/25/2015	TETRACHLOROETHYLENE (PCE)	6	ug/L					0.18	1
PGW020 B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW025DU	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PRB003C	3/10/2015	TRITIUM	3.34	pCi/mL				0.384	0.358	1.126
PGW026B	2/23/2015	ALUMINUM	30	ug/L	U	U			17	30
PGW026B	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW026B	2/23/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW026B	2/23/2015	BARIUM	50	ug/L					0.22	2
PGW026B	2/23/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW026B	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW026B	2/23/2015	CALCIUM	530	ug/L					68	100
PGW026B	2/23/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW026B	2/23/2015	COBALT	0.93	ug/L	J	J	21		0.22	2
PGW026B	2/23/2015	COPPER	1	ug/L	U	U			0.68	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	IRON	50	ug/L	U	U			33	50
PGW026B	2/23/2015	LEAD	3	ug/L	U	U			0.17	3
PGW026B	2/23/2015	MAGNESIUM	310	ug/L					5.6	50
PGW026B	2/23/2015	MANGANESE	1.6	ug/L	J	J	21		0.88	2
PGW026B	2/23/2015	NICKEL	1.2	ug/L	J	J	21		0.8	5
PGW026B	2/23/2015	POTASSIUM	1900	ug/L					42	100
PGW026B	2/23/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW026B	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PGW026B	2/23/2015	SODIUM	1300	ug/L					24	50
PGW026B	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW026B	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW026B	2/23/2015	ZINC	10	ug/L	U	U			9.3	10
PGW026B	2/23/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW026B	2/23/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PGW026B	2/23/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PGW026B	2/23/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PGW026B	2/23/2015	DDT	0.051	ug/L	U	U			0.024	0.051
PGW026B	2/23/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PGW026B	2/23/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PGW026B	2/23/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PGW026B	2/23/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PGW026B	2/23/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PGW026B	2/23/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PGW026B	2/23/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PGW026B	2/23/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PGW026B	2/23/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PGW026B	2/23/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PGW026B	2/23/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW026B	2/23/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW026B	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW026B	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW026B	2/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW026B	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW026B	2/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW026B	2/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW026B	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW026B	2/23/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW026B	2/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW026B	2/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW026B	2/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW026B	2/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW026B	2/23/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW026B	2/23/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW026B	2/23/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW026B	2/23/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW026B	2/23/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW026B	2/23/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW026B	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW026B	2/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW026B	2/23/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW026B	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW026B	2/23/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW026B	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW026B	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW026B	2/23/2015	CHLOROFORM	0.21	ug/L	J	J	21		0.1	1
PGW026B	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW026B	2/23/2015	CIS-1,2-DICHLOROETHYLENE	8.6	ug/L					0.09	1
PGW026B	2/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW026B	2/23/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW026B	2/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW026B	2/23/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW026B	2/23/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW026B	2/23/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW026B	2/23/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW026B	2/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW026B	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW026B	2/23/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW026B	2/23/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW026B	2/23/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW026B	2/23/2015	TOLUENE	1	ug/L	U	U			0.07	1
PGW026B	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	0.27	ug/L	J	J	21		0.08	1
PGW026B	2/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW020 C	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW026B	2/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW026B	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026B	2/23/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW026B	2/23/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
PGW026B	2/23/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
PGW026B	2/23/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW026B	2/23/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW026B	2/23/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW026B	2/23/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U	14		1.3	52
PGW026B	2/23/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW026B	2/23/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW026B	2/23/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW026B	2/23/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PGW026B	2/23/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW026B	2/23/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW026B	2/23/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW026B	2/23/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW026B	2/23/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW026B	2/23/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	FLUORENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW026B	2/23/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026B	2/23/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.6	10
PGW026B	2/23/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW026B	2/23/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW026B	2/23/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PGW026B	2/23/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW026B	2/23/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW026B	2/23/2015	GROSS ALPHA	1.39	pCi/L	U	U		1.08	1.66	3.82
PGW026B	2/23/2015	NONVOLATILE BETA	1.53	pCi/L	J	J	21	0.723	1.05	2.496
PGW026B	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10
PAO001DU	3/9/2015	TRITIUM	3.16	pCi/mL				0.376	0.356	1.108
PGW026B	2/23/2015	STRONTIUM-90	0.131	pCi/L	U	U		0.163	0.27	0.596
PGW026B	2/23/2015	IODINE-129	0.103	pCi/L	U	U		0.38	0.639	1.399
PGW026C	2/23/2015	ALUMINUM	30	ug/L	U	U			17	30
PGW026C	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW026C	2/23/2015	ARSENIC	1.3	ug/L	J	J	21		1.2	10
PGW026C	2/23/2015	BARIUM	65	ug/L					0.22	2
PGW026C	2/23/2015	BERYLLIUM	0.48	ug/L	J	J	21		0.35	0.5
PGW026C	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW026C	2/23/2015	CALCIUM	870	ug/L					68	100
PGW026C	2/23/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW026C	2/23/2015	COBALT	1.2	ug/L	J	J	21		0.22	2
PGW026C	2/23/2015	COPPER	1	ug/L	U	U			0.68	1
PGW026C	2/23/2015	IRON	50	ug/L	U	U			33	50
PGW026C	2/23/2015	LEAD	0.32	ug/L	J	J	21		0.17	3
PGW026C	2/23/2015	MAGNESIUM	360	ug/L					5.6	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	MANGANESE	3.4	ug/L					0.88	2
PGW026C	2/23/2015	NICKEL	1.5	ug/L	J	J	21		0.8	5
PGW026C	2/23/2015	POTASSIUM	1500	ug/L					42	100
PGW026C	2/23/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW026C	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PGW026C	2/23/2015	SODIUM	1500	ug/L					24	50
PGW026C	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW026C	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW026C	2/23/2015	ZINC	10	ug/L	U	U			9.3	10
PGW026C	2/23/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW026C	2/23/2015	ALDRIN	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ALPHA-BENZENE HEXACHLORIDE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ALPHA-CHLORDANE	0.055	ug/L	U	U			0.017	0.055
PGW026C	2/23/2015	BETA-BENZENE HEXACHLORIDE	0.055	ug/L	U	U			0.014	0.055
PGW026C	2/23/2015	DDD	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	DDE	0.055	ug/L	U	U			0.015	0.055
PGW026C	2/23/2015	DDT	0.055	ug/L	U	U			0.025	0.055
PGW026C	2/23/2015	DELTA-BENZENE HEXACHLORIDE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	DIELDRIN	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ENDOSULFAN I	0.055	ug/L	U	U			0.021	0.055
PGW026C	2/23/2015	ENDOSULFAN II	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ENDOSULFAN SULFATE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ENDRIN	0.055	ug/L	U	U			0.02	0.055
PGW026C	2/23/2015	ENDRIN ALDEHYDE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	ENDRIN KETONE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	GAMMA-CHLORDANE	0.055	ug/L	U	U			0.011	0.055

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	HEPTACHLOR	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	HEPTACHLOR EPOXIDE	0.055	ug/L	U	U			0.019	0.055
PGW026C	2/23/2015	LINDANE	0.055	ug/L	U	U			0.011	0.055
PGW026C	2/23/2015	METHOXYCHLOR	0.55	ug/L	U	U			0.014	0.55
PGW026C	2/23/2015	TOXAPHENE	2.2	ug/L	U	U			0.3	2.2
PGW026C	2/23/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PGW026C	2/23/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PGW026C	2/23/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
PGW026C	2/23/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PGW026C	2/23/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PGW026C	2/23/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW026C	2/23/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW026C	2/23/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U	U			2.5	25
PGW026C	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U	U			2.5	25
PGW026C	2/23/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U	U			3.8	25
PGW026C	2/23/2015	1,1-DICHLOROETHANE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	1,1-DICHLOROETHYLENE	25	ug/L	U	U			2	25
PGW026C	2/23/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U	U			2.3	25
PGW026C	2/23/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U	U			2	25
PGW026C	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U	U			10	25
PGW026C	2/23/2015	1,2-DIBROMOETHANE	25	ug/L	U	U			3.3	25
PGW026C	2/23/2015	1,2-DICHLOROBENZENE	25	ug/L	U	U			1.5	25
PGW026C	2/23/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U	U			2.5	25
PGW026C	2/23/2015	1,2-DICHLOROPROPANE	25	ug/L	U	U			2.5	25
PGW026C	2/23/2015	1,3-DICHLOROBENZENE	25	ug/L	U	U			2	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	1,4-DICHLOROBENZENE	25	ug/L	U	U			3	25
PGW026C	2/23/2015	1,4-DIOXANE	2000	ug/L	U	U			190	2000
PGW026C	2/23/2015	2-HEXANONE	130	ug/L	U	U			5.5	130
PGW026C	2/23/2015	ACETONE	50	ug/L	U	U			8.5	50
PGW026C	2/23/2015	BENZENE	25	ug/L	U	U			1.5	25
PGW026C	2/23/2015	BROMOCHLOROMETHANE	25	ug/L	U	U			3.3	25
PGW026C	2/23/2015	BROMODICHLOROMETHANE	25	ug/L	U	U			2.3	25
PGW026C	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U	U			4.3	25
PGW026C	2/23/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U	U			6.3	50
PGW026C	2/23/2015	CARBON DISULFIDE	25	ug/L	U	U			1.3	25
PGW026C	2/23/2015	CARBON TETRACHLORIDE	25	ug/L	U	U			3.3	25
PGW026C	2/23/2015	CHLOROBENZENE	25	ug/L	U	U			3.8	25
PGW026C	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U	U			2.5	50
PGW026C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U	U			2	50
PGW026C	2/23/2015	CHLOROFORM	3	ug/L	J	J	21		2.5	25
PGW026C	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U	U			2	50
PGW026C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	210	ug/L					2.3	25
PGW026C	2/23/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U	U			2	25
PGW026C	2/23/2015	CYCLOHEXANE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	DIBROMOCHLOROMETHANE	25	ug/L	U	U			3.3	25
PGW026C	2/23/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U	U			2	50
PGW026C	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U	U			6.8	25
PGW026C	2/23/2015	ETHYLBENZENE	25	ug/L	U	U			2.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	M,P-XYLENE	50	ug/L	U	U			3.5	50
PGW026C	2/23/2015	METHYL ACETATE	630	ug/L	U	U			9.3	630
PGW026C	2/23/2015	METHYL ETHYL KETONE	130	ug/L	U	U			13	130
PGW026C	2/23/2015	METHYL ISOBUTYL KETONE	130	ug/L	U	U			3	130
PGW026C	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U	U			2.8	50
PGW026C	2/23/2015	METHYLCYCLOHEXANE	100	ug/L	U	U			2.5	100
PGW026C	2/23/2015	O-XYLENE	25	ug/L	U	U			1.5	25
PGW026C	2/23/2015	STYRENE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U	U			4.5	25
PGW026C	2/23/2015	TOLUENE	25	ug/L	U	U			1.8	25
PGW026C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	6.3	ug/L	J	J	21		2	25
PGW026C	2/23/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U	U			2	25
PGW020DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW026C	2/23/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U	U			2.8	25
PGW026C	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026C	2/23/2015	1,1'-BIPHENYL	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
PGW026C	2/23/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
PGW026C	2/23/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
PGW026C	2/23/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
PGW026C	2/23/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
PGW026C	2/23/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U			1.3	49
PGW026C	2/23/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
PGW026C	2/23/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8
PGW026C	2/23/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	ATRAZINE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZALDEHYDE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZO[A]PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U			1.8	9.8
PGW026C	2/23/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	CAPROLACTAM	9.8	ug/L	U	U			2	9.8
PGW026C	2/23/2015	CARBAZOLE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	CHRYSENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
PGW026C	2/23/2015	FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PGW026C	2/23/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
PGW026C	2/23/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026C	2/23/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW026C	2/23/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
PGW026C	2/23/2015	PHENANTHRENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
PGW026C	2/23/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW026C	2/23/2015	GROSS ALPHA	2.51	pCi/L	J	J	21	1.1	1.43	3.63
PGW026C	2/23/2015	NONVOLATILE BETA	2.54	pCi/L				0.752	0.949	2.453
PGW026C	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW019DU	2/24/2015	TRITIUM	3.14	pCi/mL				0.422	0.371	1.215
PGW026C	2/23/2015	STRONTIUM-90	-0.0132	pCi/L	U	U		0.139	0.253	0.531
PGW026C	2/23/2015	IODINE-129	-0.0645	pCi/L	U	U		0.409	0.699	1.517
PGW026DL	2/23/2015	ALUMINUM	30	ug/L	U	U			17	30
PGW026DL	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW026DL	2/23/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW026DL	2/23/2015	BARIUM	100	ug/L					0.22	2
PGW026DL	2/23/2015	BERYLLIUM	0.55	ug/L					0.35	0.5
PGW026DL	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW026DL	2/23/2015	CALCIUM	650	ug/L					68	100
PGW026DL	2/23/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	COBALT	2.2	ug/L					0.22	2
PGW026DL	2/23/2015	COPPER	1	ug/L	U	U			0.68	1
PGW026DL	2/23/2015	IRON	110	ug/L					33	50
PGW026DL	2/23/2015	LEAD	3	ug/L	U	U			0.17	3
PGW026DL	2/23/2015	MAGNESIUM	540	ug/L					5.6	50
PGW026DL	2/23/2015	MANGANESE	7.5	ug/L					0.88	2
PGW026DL	2/23/2015	NICKEL	3.1	ug/L	J	J	21		0.8	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	POTASSIUM	2400	ug/L					42	100
PGW026DL	2/23/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW026DL	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PGW026DL	2/23/2015	SODIUM	1800	ug/L					24	50
PGW026DL	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW026DL	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW026DL	2/23/2015	ZINC	10	ug/L	U	U			9.3	10
PGW026DL	2/23/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW026DL	2/23/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PGW026DL	2/23/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PGW026DL	2/23/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PGW026DL	2/23/2015	DDT	0.051	ug/L	U	U			0.023	0.051
PGW026DL	2/23/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PGW026DL	2/23/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PGW026DL	2/23/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PGW026DL	2/23/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PGW026DL	2/23/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW026DL	2/23/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
PGW026DL	2/23/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
PGW026DL	2/23/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
PGW026DL	2/23/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
PGW026DL	2/23/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
PGW026DL	2/23/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
PGW026DL	2/23/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
PGW026DL	2/23/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U	U			2.5	25
PGW026DL	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U	U			2.5	25
PGW026DL	2/23/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U	U			3.8	25
PGW026DL	2/23/2015	1,1-DICHLOROETHANE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	1,1-DICHLOROETHYLENE	25	ug/L	U	U			2	25
PGW026DL	2/23/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U	U			2.3	25
PGW026DL	2/23/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U	U			2	25
PGW026DL	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U	U			10	25
PGW026DL	2/23/2015	1,2-DIBROMOETHANE	25	ug/L	U	U			3.3	25
PGW026DL	2/23/2015	1,2-DICHLOROBENZENE	25	ug/L	U	U			1.5	25
PGW026DL	2/23/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U	U			2.5	25
PGW026DL	2/23/2015	1,2-DICHLOROPROPANE	25	ug/L	U	U			2.5	25
PGW026DL	2/23/2015	1,3-DICHLOROBENZENE	25	ug/L	U	U			2	25
PGW026DL	2/23/2015	1,4-DICHLOROBENZENE	25	ug/L	U	U			3	25
PGW026DL	2/23/2015	1,4-DIOXANE	2000	ug/L	U	U			190	2000

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	2-HEXANONE	130	ug/L	U	U			5.5	130
PGW026DL	2/23/2015	ACETONE	50	ug/L	U	U			8.5	50
PGW026DL	2/23/2015	BENZENE	25	ug/L	U	U			1.5	25
PGW026DL	2/23/2015	BROMOCHLOROMETHANE	25	ug/L	U	U			3.3	25
PGW026DL	2/23/2015	BROMODICHLOROMETHANE	25	ug/L	U	U			2.3	25
PGW026DL	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U	U			4.3	25
PGW026DL	2/23/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U	U			6.3	50
PGW026DL	2/23/2015	CARBON DISULFIDE	25	ug/L	U	U			1.3	25
PGW026DL	2/23/2015	CARBON TETRACHLORIDE	25	ug/L	U	U			3.3	25
PGW026DL	2/23/2015	CHLOROBENZENE	25	ug/L	U	U			3.8	25
PGW026DL	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U	U			2.5	50
PGW026DL	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U	U			2	50
PGW026DL	2/23/2015	CHLOROFORM	3.2	ug/L	J	J	21		2.5	25
PGW026DL	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U	U			2	50
PGW026DL	2/23/2015	CIS-1,2-DICHLOROETHYLENE	460	ug/L					2.3	25
PGW026DL	2/23/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U	U			2	25
PGW026DL	2/23/2015	CYCLOHEXANE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	DIBROMOCHLOROMETHANE	25	ug/L	U	U			3.3	25
PGW026DL	2/23/2015	DICHLORODIFLUOROMETHANE	50	ug/L	U	U			2	50
PGW026DL	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U	U			6.8	25
PGW026DL	2/23/2015	ETHYLBENZENE	25	ug/L	U	U			2.3	25
PGW026DL	2/23/2015	M,P-XYLENE	50	ug/L	U	U			3.5	50
PGW026DL	2/23/2015	METHYL ACETATE	630	ug/L	U	U			9.3	630

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	METHYL ETHYL KETONE	130	ug/L	U	U			13	130
PGW026DL	2/23/2015	METHYL ISOBUTYL KETONE	130	ug/L	U	U			3	130
PGW026DL	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U	U			2.8	50
PGW026DL	2/23/2015	METHYLCYCLOHEXANE	100	ug/L	U	U			2.5	100
PGW026DL	2/23/2015	O-XYLENE	25	ug/L	U	U			1.5	25
PGW026DL	2/23/2015	STYRENE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L	U	U			4.5	25
PGW026DL	2/23/2015	TOLUENE	25	ug/L	U	U			1.8	25
PGW026DL	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	12	ug/L	J	J	21		2	25
PGW026DL	2/23/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U	U			2	25
PGW020DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW026DL	2/23/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U	U			2.8	25
PGW026DL	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026DL	2/23/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
PGW026DL	2/23/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
PGW026DL	2/23/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW026DL	2/23/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW026DL	2/23/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
PGW026DL	2/23/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
PGW026DL	2/23/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
PGW026DL	2/23/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
PGW026DL	2/23/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW026DL	2/23/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	CAPROLACTAM	10	ug/L	U	U			2	10
PGW026DL	2/23/2015	CARBAZOLE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW026DL	2/23/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	FLUORENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PGW026DL	2/23/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW026DL	2/23/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW026DL	2/23/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW026DL	2/23/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	PHENOL	10	ug/L	U	UJ	14		2	10
PGW026DL	2/23/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW026DL	2/23/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW026DL	2/23/2015	GROSS ALPHA	3.29	pCi/L	J	J	21	1.22	1.47	3.91
PGW026DL	2/23/2015	NONVOLATILE BETA	1.83	pCi/L	J	J	21	0.694	0.906	2.294
PGW026DL	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10
PDB 4	2/23/2015	TRITIUM	2.95	pCi/mL				0.421	0.401	1.243
PGW026DL	2/23/2015	STRONTIUM-90	0.13	pCi/L	U	U		0.148	0.243	0.539
PGW026DL	2/23/2015	IODINE-129	-0.101	pCi/L	U	U		0.41	0.703	1.523
PGW027C	2/23/2015	ALUMINUM	230	ug/L					17	30
PGW027C	2/23/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW027C	2/23/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW027C	2/23/2015	BARIUM	53	ug/L					0.22	2
PGW027C	2/23/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW027C	2/23/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW027C	2/23/2015	CALCIUM	1400	ug/L					68	100
PGW027C	2/23/2015	CHROMIUM	1.3	ug/L	J	J	21		1	10
PGW027C	2/23/2015	COBALT	0.56	ug/L	J	J	21		0.22	2
PGW027C	2/23/2015	COPPER	1	ug/L	U	U			0.68	1
PGW027C	2/23/2015	IRON	280	ug/L					33	50
PGW027C	2/23/2015	LEAD	0.22	ug/L	J	J	21		0.17	3
PGW027C	2/23/2015	MAGNESIUM	310	ug/L					5.6	50
PGW027C	2/23/2015	MANGANESE	16	ug/L					0.88	2
PGW027C	2/23/2015	NICKEL	0.98	ug/L	J	J	21		0.8	5
PGW027C	2/23/2015	POTASSIUM	1500	ug/L					42	100
PGW027C	2/23/2015	SELENIUM	5	ug/L	U	U			1.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	SILVER	2	ug/L	U	U			0.82	2
PGW027C	2/23/2015	SODIUM	1200	ug/L					24	50
PGW027C	2/23/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW027C	2/23/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW027C	2/23/2015	ZINC	10	ug/L	U	U			9.3	10
PGW027C	2/23/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW027C	2/23/2015	ALDRIN	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
PGW027C	2/23/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.013	0.048
PGW027C	2/23/2015	DDD	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	DDE	0.048	ug/L	U	U			0.014	0.048
PGW027C	2/23/2015	DDT	0.048	ug/L	U	U			0.022	0.048
PGW027C	2/23/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	DIELDRIN	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
PGW027C	2/23/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
PGW027C	2/23/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	ENDRIN KETONE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
PGW027C	2/23/2015	LINDANE	0.048	ug/L	U	U			0.0096	0.048
PGW027C	2/23/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.013	0.48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PGW027C	2/23/2015	AROCLOR 1016	0.96	ug/L	U	U			0.34	0.96
PGW027C	2/23/2015	AROCLOR 1221	0.96	ug/L	U	U			0.34	0.96
PGW027C	2/23/2015	AROCLOR 1232	0.96	ug/L	U	U			0.34	0.96
PGW027C	2/23/2015	AROCLOR 1242	0.96	ug/L	U	U			0.34	0.96
PGW027C	2/23/2015	AROCLOR 1248	0.96	ug/L	U	U			0.34	0.96
PGW027C	2/23/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
PGW027C	2/23/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
PGW027C	2/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW027C	2/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW027C	2/23/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW027C	2/23/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW027C	2/23/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW027C	2/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW027C	2/23/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW027C	2/23/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW027C	2/23/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW027C	2/23/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW027C	2/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW027C	2/23/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW027C	2/23/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW027C	2/23/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW027C	2/23/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW027C	2/23/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW027C	2/23/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW027C	2/23/2015	ACETONE	2	ug/L	U	U			0.34	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW027C	2/23/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW027C	2/23/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW027C	2/23/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW027C	2/23/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW027C	2/23/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW027C	2/23/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW027C	2/23/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW027C	2/23/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW027C	2/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW027C	2/23/2015	CHLOROFORM	0.39	ug/L	J	J	21		0.1	1
PGW027C	2/23/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW027C	2/23/2015	CIS-1,2-DICHLOROETHYLENE	17	ug/L					0.09	1
PGW027C	2/23/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW027C	2/23/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW027C	2/23/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW027C	2/23/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW027C	2/23/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW027C	2/23/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW027C	2/23/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW027C	2/23/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW027C	2/23/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW027C	2/23/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW027C	2/23/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW027C	2/23/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW027C	2/23/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW027C	2/23/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW027C	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW027C	2/23/2015	TOLUENE	0.17	ug/L	J	U	21, 8		0.07	1
PGW027C	2/23/2015	TRANS-1,2-DICHLOROETHYLENE	0.48	ug/L	J	J	21		0.08	1
PGW027C	2/23/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW021 B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW027C	2/23/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW027C	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW027C	2/23/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.97	48
PGW027C	2/23/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PGW027C	2/23/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PGW027C	2/23/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PGW027C	2/23/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
PGW027C	2/23/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PGW027C	2/23/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
PGW027C	2/23/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PGW027C	2/23/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7
PGW027C	2/23/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PGW027C	2/23/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PGW027C	2/23/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
PGW027C	2/23/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
PGW027C	2/23/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PGW027C	2/23/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	PHENOL	9.7	ug/L	U	UJ	14		1.9	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027C	2/23/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PGW027C	2/23/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PGW027C	2/23/2015	GROSS ALPHA	2.26	pCi/L	J	J	21	1.05	1.36	3.46
PGW027C	2/23/2015	NONVOLATILE BETA	1.33	pCi/L	J	J	21	0.653	0.927	2.233
PGW027C	2/23/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW023 C	2/24/2015	TRITIUM	2.73	pCi/mL				0.406	0.379	1.191
PGW027C	2/23/2015	STRONTIUM-90	0.042	pCi/L	U	U		0.157	0.274	0.588
PGW027C	2/23/2015	IODINE-129	0.252	pCi/L	U	U		0.403	0.669	1.475
PGW027DL	2/24/2015	ALUMINUM	17	ug/L	J	J	21		17	30
PGW027DL	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW027DL	2/24/2015	ARSENIC	1.4	ug/L	J	J	21		1.2	10
PGW027DL	2/24/2015	BARIUM	59	ug/L					0.22	2
PGW027DL	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW027DL	2/24/2015	CADMIUM	0.11	ug/L	J	J	21		0.1	0.5
PGW027DL	2/24/2015	CALCIUM	690	ug/L					68	100
PGW027DL	2/24/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	COBALT	1.3	ug/L	J	J	21		0.22	2
PGW027DL	2/24/2015	COPPER	1	ug/L	U	U			0.68	1
PGW027DL	2/24/2015	IRON	58	ug/L					33	50
PGW027DL	2/24/2015	LEAD	3	ug/L	U	U			0.17	3
PGW027DL	2/24/2015	MAGNESIUM	430	ug/L					5.6	50
PGW027DL	2/24/2015	MANGANESE	6.7	ug/L					0.88	2
PGW027DL	2/24/2015	NICKEL	1.5	ug/L	J	J	21		0.8	5
PGW027DL	2/24/2015	POTASSIUM	2000	ug/L					42	100
PGW027DL	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW027DL	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW027DL	2/24/2015	SODIUM	2000	ug/L					24	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW027DL	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW027DL	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW027DL	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW027DL	2/24/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PGW027DL	2/24/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PGW027DL	2/24/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PGW027DL	2/24/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PGW027DL	2/24/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PGW027DL	2/24/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PGW027DL	2/24/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PGW027DL	2/24/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PGW027DL	2/24/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PGW027DL	2/24/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW027DL	2/24/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
PGW027DL	2/24/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98
PGW027DL	2/24/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
PGW027DL	2/24/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
PGW027DL	2/24/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
PGW027DL	2/24/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
PGW027DL	2/24/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U	U			0.5	5
PGW027DL	2/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			0.5	5
PGW027DL	2/24/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U	U			0.75	5
PGW027DL	2/24/2015	1,1-DICHLOROETHANE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	1,1-DICHLOROETHYLENE	5	ug/L	U	U			0.4	5
PGW027DL	2/24/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U	U			0.45	5
PGW027DL	2/24/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U	U			0.4	5
PGW027DL	2/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U	U			2.1	5
PGW027DL	2/24/2015	1,2-DIBROMOETHANE	5	ug/L	U	U			0.65	5
PGW027DL	2/24/2015	1,2-DICHLOROBENZENE	5	ug/L	U	U			0.3	5
PGW027DL	2/24/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U	U			0.5	5
PGW027DL	2/24/2015	1,2-DICHLOROPROPANE	5	ug/L	U	U			0.5	5
PGW027DL	2/24/2015	1,3-DICHLOROBENZENE	5	ug/L	U	U			0.4	5
PGW027DL	2/24/2015	1,4-DICHLOROBENZENE	5	ug/L	U	U			0.6	5
PGW027DL	2/24/2015	1,4-DIOXANE	400	ug/L	U	U			38	400
PGW027DL	2/24/2015	2-HEXANONE	25	ug/L	U	U			1.1	25
PGW027DL	2/24/2015	ACETONE	10	ug/L	U	U			1.7	10
PGW027DL	2/24/2015	BENZENE	5	ug/L	U	U			0.3	5
PGW027DL	2/24/2015	BROMOCHLOROMETHANE	5	ug/L	U	U			0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	BROMODICHLOROMETHANE	5	ug/L	U	U			0.45	5
PGW027DL	2/24/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U	U			0.85	5
PGW027DL	2/24/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U	U			1.3	10
PGW027DL	2/24/2015	CARBON DISULFIDE	5	ug/L	U	U			0.25	5
PGW027DL	2/24/2015	CARBON TETRACHLORIDE	5	ug/L	U	U			0.65	5
PGW027DL	2/24/2015	CHLOROBENZENE	5	ug/L	U	U			0.75	5
PGW027DL	2/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U	U			0.5	10
PGW027DL	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U	U			0.4	10
PGW027DL	2/24/2015	CHLOROFORM	2	ug/L	J	U	21, 8		0.5	5
PGW027DL	2/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U	U			0.4	10
PGW027DL	2/24/2015	CIS-1,2-DICHLOROETHYLENE	160	ug/L					0.45	5
PGW027DL	2/24/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U	U			0.4	5
PGW027DL	2/24/2015	CYCLOHEXANE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	DIBROMOCHLOROMETHANE	5	ug/L	U	U			0.65	5
PGW027DL	2/24/2015	DICHLORODIFLUOROMETHANE	10	ug/L	U	U			0.4	10
PGW027DL	2/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1.4	5
PGW027DL	2/24/2015	ETHYLBENZENE	5	ug/L	U	U			0.45	5
PGW027DL	2/24/2015	M,P-XYLENE	10	ug/L	U	U			0.7	10
PGW027DL	2/24/2015	METHYL ACETATE	130	ug/L	U	U			1.9	130
PGW027DL	2/24/2015	METHYL ETHYL KETONE	25	ug/L	U	U			2.6	25
PGW027DL	2/24/2015	METHYL ISOBUTYL KETONE	25	ug/L	U	U			0.6	25
PGW027DL	2/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U	U			0.55	10
PGW027DL	2/24/2015	METHYLCYCLOHEXANE	20	ug/L	U	U			0.5	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	O-XYLENE	5	ug/L	U	U			0.3	5
PGW027DL	2/24/2015	STYRENE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U	U			0.9	5
PGW027DL	2/24/2015	TOLUENE	5	ug/L	U	U			0.35	5
PGW027DL	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	4.1	ug/L	J	J	21		0.4	5
PGW027DL	2/24/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U	U			0.4	5
PGW021 C	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L			S		0.25	1
PGW027DL	2/24/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U	U			0.55	5
PGW027DL	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW027DL	2/24/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
PGW027DL	2/24/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
PGW027DL	2/24/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW027DL	2/24/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW027DL	2/24/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW027DL	2/24/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U			1.3	52
PGW027DL	2/24/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW027DL	2/24/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PGW027DL	2/24/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	ANTHRACENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZO[A]PYRENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			1.9	10
PGW027DL	2/24/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW027DL	2/24/2015	CARBAZOLE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	CHRYSENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW027DL	2/24/2015	FLUORANTHENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	FLUORENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW027DL	2/24/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.6	10
PGW027DL	2/24/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW027DL	2/24/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW027DL	2/24/2015	PHENANTHRENE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PGW027DL	2/24/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW027DL	2/24/2015	PYRENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DL	2/24/2015	GROSS ALPHA	2.34	pCi/L	J	J	21	0.958	1.07	2.986
PGW027DL	2/24/2015	NONVOLATILE BETA	1.83	pCi/L	J	J	21	0.658	0.847	2.163
PGW027DL	2/24/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW021DU	2/24/2015	TRITIUM	2.52	pCi/mL				0.387	0.366	1.14
PGW027DL	2/24/2015	STRONTIUM-90	0.309	pCi/L	U	U		0.216	0.339	0.771
PGW027DL	2/24/2015	IODINE-129	0.315	pCi/L	U	U		0.392	0.644	1.428
PGW027DU	2/24/2015	ALUMINUM	70	ug/L					17	30
PGW027DU	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW027DU	2/24/2015	ARSENIC	1.6	ug/L	J	J	21		1.2	10
PGW027DU	2/24/2015	BARIUM	17	ug/L					0.22	2
PGW027DU	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW027DU	2/24/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW027DU	2/24/2015	CALCIUM	1000	ug/L					68	100
PGW027DU	2/24/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW027DU	2/24/2015	COBALT	0.74	ug/L	J	J	21		0.22	2
PGW027DU	2/24/2015	COPPER	1	ug/L	U	U			0.68	1
PGW027DU	2/24/2015	IRON	41	ug/L	J	J	21		33	50
PGW027DU	2/24/2015	LEAD	0.29	ug/L	J	J	21		0.17	3
PGW027DU	2/24/2015	MAGNESIUM	170	ug/L					5.6	50
PGW027DU	2/24/2015	MANGANESE	7.7	ug/L					0.88	2
PGW027DU	2/24/2015	NICKEL	5	ug/L	U	U			0.8	5
PGW027DU	2/24/2015	POTASSIUM	980	ug/L					42	100
PGW027DU	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW027DU	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW027DU	2/24/2015	SODIUM	2300	ug/L					24	50
PGW027DU	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW027DU	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW027DU	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW027DU	2/24/2015	ALDRIN	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PGW027DU	2/24/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PGW027DU	2/24/2015	DDD	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PGW027DU	2/24/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PGW027DU	2/24/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	DIELDRIN	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PGW027DU	2/24/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PGW027DU	2/24/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	HEPTACHLOR	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PGW027DU	2/24/2015	LINDANE	0.05	ug/L	U	U			0.0099	0.05
PGW027DU	2/24/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PGW027DU	2/24/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW027DU	2/24/2015	AROCLOR 1016	0.96	ug/L	U	U			0.34	0.96
PGW027DU	2/24/2015	AROCLOR 1221	0.96	ug/L	U	U			0.34	0.96
PGW027DU	2/24/2015	AROCLOR 1232	0.96	ug/L	U	U			0.34	0.96

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	AROCLOR 1242	0.96	ug/L	U	U			0.34	0.96
PGW027DU	2/24/2015	AROCLOR 1248	0.96	ug/L	U	U			0.34	0.96
PGW027DU	2/24/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
PGW027DU	2/24/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
PGW027DU	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW027DU	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW027DU	2/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW027DU	2/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW027DU	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW027DU	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW027DU	2/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW027DU	2/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW027DU	2/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW027DU	2/24/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW027DU	2/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW027DU	2/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW027DU	2/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW027DU	2/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW027DU	2/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW027DU	2/24/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW027DU	2/24/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW027DU	2/24/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW027DU	2/24/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW027DU	2/24/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW027DU	2/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW027DU	2/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW027DU	2/24/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW027DU	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW027DU	2/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW027DU	2/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW027DU	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW027DU	2/24/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW027DU	2/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW027DU	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW027DU	2/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW027DU	2/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW027DU	2/24/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW027DU	2/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW027DU	2/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW027DU	2/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW027DU	2/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW027DU	2/24/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW027DU	2/24/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW027DU	2/24/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW027DU	2/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW027DU	2/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW027DU	2/24/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW027DU	2/24/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW027DU	2/24/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW027DU	2/24/2015	TOLUENE	0.22	ug/L	J	U	21, 8		0.07	1
PGW027DU	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW027DU	2/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW021DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW027DU	2/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW027DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW027DU	2/24/2015	1,1'-BIPHENYL	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
PGW027DU	2/24/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
PGW027DU	2/24/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
PGW027DU	2/24/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
PGW027DU	2/24/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
PGW027DU	2/24/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U			1.3	49
PGW027DU	2/24/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
PGW027DU	2/24/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	14		2	9.8
PGW027DU	2/24/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	ATRAZINE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZALDEHYDE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZO[A]PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U			1.8	9.8
PGW027DU	2/24/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	CAPROLACTAM	9.8	ug/L	U	U			2	9.8
PGW027DU	2/24/2015	CARBAZOLE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	CHRYSENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW027DU	2/24/2015	FLUORANTHENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PGW027DU	2/24/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
PGW027DU	2/24/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
PGW027DU	2/24/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
PGW027DU	2/24/2015	PHENANTHRENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	PHENOL	9.8	ug/L	U	UJ	14		2	9.8
PGW027DU	2/24/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	PYRENE	9.8	ug/L	U	U			0.98	9.8
PGW027DU	2/24/2015	GROSS ALPHA	1.14	pCi/L	U	U		0.828	1.22	2.876
PGW027DU	2/24/2015	NONVOLATILE BETA	0.852	pCi/L	U	U		0.628	0.967	2.223
PGW027DU	2/24/2015	CYANIDE	10	ug/L	U	U			2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB 11	2/25/2015	TRITIUM	2.36	pCi/mL				0.371	0.44	1.182
PGW027DU	2/24/2015	STRONTIUM-90	0.0301	pCi/L	U	U		0.149	0.263	0.561
PGW027DU	2/24/2015	IODINE-129	0.0715	pCi/L	U	U		0.399	0.673	1.471
PGW028C	2/24/2015	ALUMINUM	17	ug/L	J	J	21		17	30
PGW028C	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW028C	2/24/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW028C	2/24/2015	BARIUM	8.7	ug/L					0.22	2
PGW028C	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW028C	2/24/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW028C	2/24/2015	CALCIUM	680	ug/L					68	100
PGW028C	2/24/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW028C	2/24/2015	COBALT	0.66	ug/L	J	J	21		0.22	2
PGW028C	2/24/2015	COPPER	1	ug/L	U	U			0.68	1
PGW028C	2/24/2015	IRON	50	ug/L	U	U			33	50
PGW028C	2/24/2015	LEAD	3	ug/L	U	U			0.17	3
PGW028C	2/24/2015	MAGNESIUM	290	ug/L					5.6	50
PGW028C	2/24/2015	MANGANESE	14	ug/L					0.88	2
PGW028C	2/24/2015	NICKEL	5	ug/L	U	U			0.8	5
PGW028C	2/24/2015	POTASSIUM	1200	ug/L					42	100
PGW028C	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW028C	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW028C	2/24/2015	SODIUM	3100	ug/L					24	50
PGW028C	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW028C	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW028C	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW028C	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW028C	2/24/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PGW028C	2/24/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PGW028C	2/24/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PGW028C	2/24/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PGW028C	2/24/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PGW028C	2/24/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PGW028C	2/24/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PGW028C	2/24/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PGW028C	2/24/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PGW028C	2/24/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW028C	2/24/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
PGW028C	2/24/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
PGW028C	2/24/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98
PGW028C	2/24/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
PGW028C	2/24/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
PGW028C	2/24/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
PGW028C	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW028C	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW028C	2/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW028C	2/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW028C	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW028C	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW028C	2/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW028C	2/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW028C	2/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW028C	2/24/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW028C	2/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW028C	2/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW028C	2/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW028C	2/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW028C	2/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW028C	2/24/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW028C	2/24/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW028C	2/24/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW028C	2/24/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW028C	2/24/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW028C	2/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW028C	2/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW028C	2/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW028C	2/24/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW028C	2/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW028C	2/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW028C	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW028C	2/24/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW028C	2/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW028C	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW028C	2/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW028C	2/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW028C	2/24/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW028C	2/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW028C	2/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW028C	2/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW028C	2/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW028C	2/24/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW028C	2/24/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW028C	2/24/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW028C	2/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW028C	2/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW028C	2/24/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW028C	2/24/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW028C	2/24/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW028C	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW028C	2/24/2015	TOLUENE	0.59	ug/L	J	U	21, 8		0.07	1
PGW028C	2/24/2015	TRANS-1,2-	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
PGW028C	2/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW022 B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	UJ	14		0.25	1
PGW028C	2/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW028C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW028C	2/24/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW028C	2/24/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
PGW028C	2/24/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
PGW028C	2/24/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW028C	2/24/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW028C	2/24/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW028C	2/24/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U	14		1.3	52
PGW028C	2/24/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW028C	2/24/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW028C	2/24/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW028C	2/24/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PGW028C	2/24/2015	ACENAPHTHENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW028C	2/24/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW028C	2/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW028C	2/24/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW028C	2/24/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW028C	2/24/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW028C	2/24/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	FLUORENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW028C	2/24/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.6	10
PGW028C	2/24/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW028C	2/24/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW028C	2/24/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PGW028C	2/24/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW028C	2/24/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW028C	2/24/2015	GROSS ALPHA	0.67	pCi/L	U	U		0.861	1.43	3.152
PGW028C	2/24/2015	NONVOLATILE BETA	0.981	pCi/L	J	J	21	0.578	0.861	2.017
PGW028C	2/24/2015	CYANIDE	10	ug/L	U	U			2.9	10
PAO002DU	3/9/2015	TRITIUM	2.35	pCi/mL				0.337	0.351	1.025
PGW028C	2/24/2015	STRONTIUM-90	-0.183	pCi/L	U	U		0.156	0.312	0.624

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028C	2/24/2015	IODINE-129	-0.0574	pCi/L	U	U		0.363	0.622	1.348
PGW028DU	2/24/2015	ALUMINUM	33	ug/L					17	30
PGW028DU	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW028DU	2/24/2015	ARSENIC	1.5	ug/L	J	J	21		1.2	10
PGW028DU	2/24/2015	BARIUM	18	ug/L					0.22	2
PGW028DU	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW028DU	2/24/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW028DU	2/24/2015	CALCIUM	1300	ug/L					68	100
PGW028DU	2/24/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	COBALT	0.59	ug/L	J	J	21		0.22	2
PGW028DU	2/24/2015	COPPER	1	ug/L	U	U			0.68	1
PGW028DU	2/24/2015	IRON	50	ug/L	U	U			33	50
PGW028DU	2/24/2015	LEAD	0.75	ug/L	J	J	21		0.17	3
PGW028DU	2/24/2015	MAGNESIUM	600	ug/L					5.6	50
PGW028DU	2/24/2015	MANGANESE	2.8	ug/L					0.88	2
PGW028DU	2/24/2015	NICKEL	5	ug/L	U	U			0.8	5
PGW028DU	2/24/2015	POTASSIUM	370	ug/L					42	100
PGW028DU	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW028DU	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW028DU	2/24/2015	SODIUM	3100	ug/L					24	50
PGW028DU	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW028DU	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW028DU	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW028DU	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW028DU	2/24/2015	ALDRIN	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ALPHA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ALPHA-CHLORDANE	0.052	ug/L	U	U			0.016	0.052

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	BETA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.014	0.052
PGW028DU	2/24/2015	DDD	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	DDE	0.052	ug/L	U	U			0.015	0.052
PGW028DU	2/24/2015	DDT	0.052	ug/L	U	U			0.024	0.052
PGW028DU	2/24/2015	DELTA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	DIELDRIN	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ENDOSULFAN I	0.052	ug/L	U	U			0.02	0.052
PGW028DU	2/24/2015	ENDOSULFAN II	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ENDOSULFAN SULFATE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ENDRIN	0.052	ug/L	U	U			0.019	0.052
PGW028DU	2/24/2015	ENDRIN ALDEHYDE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	ENDRIN KETONE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	GAMMA-CHLORDANE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	HEPTACHLOR	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	HEPTACHLOR EPOXIDE	0.052	ug/L	U	U			0.018	0.052
PGW028DU	2/24/2015	LINDANE	0.052	ug/L	U	U			0.01	0.052
PGW028DU	2/24/2015	METHOXYCHLOR	0.52	ug/L	U	U			0.014	0.52
PGW028DU	2/24/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PGW028DU	2/24/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PGW028DU	2/24/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PGW028DU	2/24/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PGW028DU	2/24/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PGW028DU	2/24/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PGW028DU	2/24/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW028DU	2/24/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW028DU	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW028DU	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW028DU	2/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW028DU	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW028DU	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW028DU	2/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW028DU	2/24/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW028DU	2/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW028DU	2/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW028DU	2/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW028DU	2/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW028DU	2/24/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW028DU	2/24/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW028DU	2/24/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW028DU	2/24/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW028DU	2/24/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW028DU	2/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW028DU	2/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW028DU	2/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW028DU	2/24/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW028DU	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW028DU	2/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW028DU	2/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW028DU	2/24/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW028DU	2/24/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW028DU	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW028DU	2/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW028DU	2/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW028DU	2/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW028DU	2/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW028DU	2/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW028DU	2/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW028DU	2/24/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW028DU	2/24/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW028DU	2/24/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW028DU	2/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW028DU	2/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW028DU	2/24/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW028DU	2/24/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW028DU	2/24/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW028DU	2/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW028DU	2/24/2015	TOLUENE	0.26	ug/L	J	U	21, 8		0.07	1
PGW028DU	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW023 B	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW028DU	2/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW028DU	2/24/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
PGW028DU	2/24/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2.1	51
PGW028DU	2/24/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW028DU	2/24/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW028DU	2/24/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW028DU	2/24/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U	14		1.3	51
PGW028DU	2/24/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW028DU	2/24/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PGW028DU	2/24/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	ATRAZINE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW028DU	2/24/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW028DU	2/24/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW028DU	2/24/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	FLUORENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW028DU	2/24/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW028DU	2/24/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW028DU	2/24/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW028DU	2/24/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW028DU	2/24/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PGW028DU	2/24/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW028DU	2/24/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW028DU	2/24/2015	GROSS ALPHA	1.68	pCi/L	J	J	21	0.954	1.33	3.238
PGW028DU	2/24/2015	NONVOLATILE BETA	0.0772	pCi/L	U	U		0.61	1.04	2.26
PGW028DU	2/24/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW019 C	2/24/2015	TRITIUM	2.13	pCi/mL				0.37	0.377	1.117
PGW028DU	2/24/2015	STRONTIUM-90	0.0251	pCi/L	U	U		0.14	0.249	0.529
PGW028DU	2/24/2015	IODINE-129	0.359	pCi/L	U	U		0.459	0.754	1.672
PGW029C	2/24/2015	ALUMINUM	210	ug/L					17	30
PGW029C	2/24/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW029C	2/24/2015	ARSENIC	1.8	ug/L	J	J	21		1.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	BARIUM	30	ug/L					0.22	2
PGW029C	2/24/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW029C	2/24/2015	CADMIUM	0.15	ug/L	J	J	21		0.1	0.5
PGW029C	2/24/2015	CALCIUM	13000	ug/L					68	100
PGW029C	2/24/2015	CHROMIUM	1.3	ug/L	J	J	21		1	10
PGW029C	2/24/2015	COBALT	3.6	ug/L					0.22	2
PGW029C	2/24/2015	COPPER	1	ug/L	U	U			0.68	1
PGW029C	2/24/2015	IRON	180	ug/L					33	50
PGW029C	2/24/2015	LEAD	0.22	ug/L	J	J	21		0.17	3
PGW029C	2/24/2015	MAGNESIUM	200	ug/L					5.6	50
PGW029C	2/24/2015	MANGANESE	44	ug/L					0.88	2
PGW029C	2/24/2015	NICKEL	1.6	ug/L	J	J	21		0.8	5
PGW029C	2/24/2015	POTASSIUM	1000	ug/L					42	100
PGW029C	2/24/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW029C	2/24/2015	SILVER	2	ug/L	U	U			0.82	2
PGW029C	2/24/2015	SODIUM	2600	ug/L					24	50
PGW029C	2/24/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW029C	2/24/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW029C	2/24/2015	ZINC	10	ug/L	U	U			9.3	10
PGW029C	2/24/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW029C	2/24/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PGW029C	2/24/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PGW029C	2/24/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PGW029C	2/24/2015	DDT	0.05	ug/L	U	U			0.023	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PGW029C	2/24/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PGW029C	2/24/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PGW029C	2/24/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PGW029C	2/24/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PGW029C	2/24/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW029C	2/24/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PGW029C	2/24/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PGW029C	2/24/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
PGW029C	2/24/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PGW029C	2/24/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PGW029C	2/24/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW029C	2/24/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW029C	2/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW029C	2/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW029C	2/24/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW029C	2/24/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW029C	2/24/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW029C	2/24/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW029C	2/24/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW029C	2/24/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW029C	2/24/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW029C	2/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW029C	2/24/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW029C	2/24/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW029C	2/24/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW029C	2/24/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW029C	2/24/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW029C	2/24/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW029C	2/24/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW029C	2/24/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW029C	2/24/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW029C	2/24/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW029C	2/24/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW029C	2/24/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW029C	2/24/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW029C	2/24/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW029C	2/24/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW029C	2/24/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW029C	2/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW029C	2/24/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW029C	2/24/2015	CHLOROMETHANE (METHYL	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
PGW029C	2/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW029C	2/24/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW029C	2/24/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW029C	2/24/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW029C	2/24/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW029C	2/24/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW029C	2/24/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW029C	2/24/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW029C	2/24/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW029C	2/24/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW029C	2/24/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW029C	2/24/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW029C	2/24/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW029C	2/24/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW029C	2/24/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW029C	2/24/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW029C	2/24/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L					0.18	1
PGW029C	2/24/2015	TOLUENE	0.24	ug/L	J	U	21, 8		0.07	1
PGW029C	2/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW029C	2/24/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW023 C	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW029C	2/24/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW029C	2/24/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW029C	2/24/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW029C	2/24/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
PGW029C	2/24/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
PGW029C	2/24/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW029C	2/24/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW029C	2/24/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
PGW029C	2/24/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
PGW029C	2/24/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW029C	2/24/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
PGW029C	2/24/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW029C	2/24/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
PGW029C	2/24/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW029C	2/24/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW029C	2/24/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW029C	2/24/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	CAPROLACTAM	10	ug/L	U	U			2	10
PGW029C	2/24/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW029C	2/24/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW029C	2/24/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	FLUORENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	ISOPHORONE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029C	2/24/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PGW029C	2/24/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW029C	2/24/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW029C	2/24/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW029C	2/24/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	PHENOL	10	ug/L	U	UJ	14		2	10
PGW029C	2/24/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW029C	2/24/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW029C	2/24/2015	GROSS ALPHA	1.01	pCi/L	U	U		0.85	1.29	2.99
PGW029C	2/24/2015	NONVOLATILE BETA	1.42	pCi/L	J	J	21	0.634	0.891	2.159
PGW029C	2/24/2015	CYANIDE	10	ug/L	U	U			2.9	10
PSB 11	2/25/2015	TRITIUM	2.08	pCi/mL				0.354	0.431	1.139
PGW029C	2/24/2015	STRONTIUM-90	0.099	pCi/L	U	U		0.148	0.248	0.544
PGW029C	2/24/2015	IODINE-129	0.0397	pCi/L	U	U		0.385	0.65	1.42
PGW029DL	3/2/2015	ALUMINUM	30	ug/L			S		17	30
PGW029DL	3/2/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW029DL	3/2/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW029DL	3/2/2015	BARIUM	5.3	ug/L					0.22	2
PGW029DL	3/2/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW029DL	3/2/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	CALCIUM	1100	ug/L					68	100
PGW029DL	3/2/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW029DL	3/2/2015	COBALT	0.26	ug/L	J	J	21		0.22	2
PGW029DL	3/2/2015	COPPER	2.6	ug/L					0.68	1
PGW029DL	3/2/2015	IRON	50	ug/L	U	U			33	50
PGW029DL	3/2/2015	LEAD	0.51	ug/L	J	J	21		0.17	3
PGW029DL	3/2/2015	MAGNESIUM	360	ug/L			V		5.6	50
PGW029DL	3/2/2015	MANGANESE	3.8	ug/L					0.88	2
PGW029DL	3/2/2015	NICKEL	5	ug/L	U	U			0.8	5
PGW029DL	3/2/2015	POTASSIUM	1900	ug/L					42	100
PGW029DL	3/2/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW029DL	3/2/2015	SILVER	2	ug/L	U	U			0.82	2
PGW029DL	3/2/2015	SODIUM	7600	ug/L					24	50
PGW029DL	3/2/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW029DL	3/2/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW029DL	3/2/2015	ZINC	10	ug/L	U	U			9.3	10
PGW029DL	3/2/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW029DL	3/2/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PGW029DL	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PGW029DL	3/2/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PGW029DL	3/2/2015	DDT	0.051	ug/L	U	U			0.024	0.051
PGW029DL	3/2/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PGW029DL	3/2/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PGW029DL	3/2/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PGW029DL	3/2/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PGW029DL	3/2/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PGW029DL	3/2/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PGW029DL	3/2/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PGW029DL	3/2/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PGW029DL	3/2/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PGW029DL	3/2/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PGW029DL	3/2/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PGW029DL	3/2/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW029DL	3/2/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW029DL	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW029DL	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW029DL	3/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW029DL	3/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW029DL	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW029DL	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW029DL	3/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW029DL	3/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW029DL	3/2/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW029DL	3/2/2015	1,2-DICHLOROBENZENE	0.17	ug/L	J	J	21		0.06	1
PGW029DL	3/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW029DL	3/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW029DL	3/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW029DL	3/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW029DL	3/2/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW029DL	3/2/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW029DL	3/2/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW029DL	3/2/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW029DL	3/2/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW029DL	3/2/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW029DL	3/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW029DL	3/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW029DL	3/2/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW029DL	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW029DL	3/2/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW029DL	3/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW029DL	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW029DL	3/2/2015	CHLOROFORM	0.22	ug/L	J	J	21		0.1	1
PGW029DL	3/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW029DL	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW029DL	3/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW029DL	3/2/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW029DL	3/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW029DL	3/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW029DL	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW029DL	3/2/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW029DL	3/2/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW029DL	3/2/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW029DL	3/2/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW029DL	3/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW029DL	3/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW029DL	3/2/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW029DL	3/2/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW029DL	3/2/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW029DL	3/2/2015	TETRACHLOROETHYLENE (PCE)	190	ug/L					4.5	25
PGW029DL	3/2/2015	TOLUENE	1	ug/L	U	U			0.07	1
PGW029DL	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW029DL	3/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW024DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW029DL	3/2/2015	TRICHLOROFLUOROMETHANE	0.49	ug/L	J	J	21		0.11	1
PGW029DL	3/2/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW029DL	3/2/2015	1,1'-BIPHENYL	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	2,3,4,6-TETRACHLOROPHENOL	53	ug/L	U	UJ	14		1.1	53
PGW029DL	3/2/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	2,4-DINITROPHENOL	53	ug/L	U	UJ	14		2.1	53
PGW029DL	3/2/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.3	11
PGW029DL	3/2/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
PGW029DL	3/2/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.6	11
PGW029DL	3/2/2015	3,3-DICHLOROBENZIDINE	53	ug/L	U	U	14		1.4	53
PGW029DL	3/2/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	4-CHLOROANILINE	11	ug/L	U	U			2.1	11
PGW029DL	3/2/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	4-NITROPHENOL	11	ug/L	U	UJ	11, 14		2.1	11
PGW029DL	3/2/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	ANTHRACENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	ATRAZINE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	BENZALDEHYDE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	BENZO[A]PYRENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U	14		1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U	14		2	11
PGW029DL	3/2/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	CAPROLACTAM	11	ug/L	U	U			2.1	11
PGW029DL	3/2/2015	CARBAZOLE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	CHRYSENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.3	11
PGW029DL	3/2/2015	FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	FLUORENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW029DL	3/2/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW029DL	3/2/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
PGW029DL	3/2/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
PGW029DL	3/2/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.4	11
PGW029DL	3/2/2015	PHENANTHRENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	PHENOL	11	ug/L	U	UJ	11, 14		2.1	11
PGW029DL	3/2/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
PGW029DL	3/2/2015	PYRENE	11	ug/L	U	U	14		1.1	11
PGW029DL	3/2/2015	GROSS ALPHA	0.771	pCi/L	U	U		1.05	1.76	3.86
PGW029DL	3/2/2015	NONVOLATILE BETA	1.29	pCi/L	J	J	21	0.676	1	2.352
PGW029DL	3/2/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW031B	3/2/2015	TRITIUM	1.79	pCi/mL				0.326	0.387	1.039
PGW029DL	3/2/2015	STRONTIUM-90	0.174	pCi/L	U	U		0.184	0.3	0.668
PGW029DL	3/2/2015	IODINE-129	-0.136	pCi/L	U	UJ	Q	0.417	0.714	1.548
PGW-02A	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02A	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW-02A	3/17/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW-02A	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW-02A	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02A	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02A	3/17/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW-02A	3/17/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02A	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW-02A	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW-02A	3/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW-02A	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW-02A	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW-02A	3/17/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02A	3/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW-02A	3/17/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW-02A	3/17/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW-02A	3/17/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW-02A	3/17/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW-02A	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02A	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW-02A	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW-02A	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW-02A	3/17/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW-02A	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW-02A	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW-02A	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW-02A	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02A	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW-02A	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02A	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW-02A	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02A	3/17/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW-02A	3/17/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW-02A	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02A	3/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW-02A	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW-02A	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW-02A	3/17/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW-02A	3/17/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW-02A	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW-02A	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW-02A	3/17/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW-02A	3/17/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW-02A	3/17/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW-02A	3/17/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW-02A	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW-02A	3/17/2015	TOLUENE	0.59	ug/L	J	U	21, 8, 14		0.07	1
PGW-02A	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02A	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW025DU	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW-02A	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW-02A	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002AL	3/3/2015	TRITIUM	1.65	pCi/mL				0.462	0.601	1.53
PGW-02C	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02C	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW-02C	3/17/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02C	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW-02C	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02C	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02C	3/17/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW-02C	3/17/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02C	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW-02C	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW-02C	3/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW-02C	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW-02C	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW-02C	3/17/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02C	3/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW-02C	3/17/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW-02C	3/17/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW-02C	3/17/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW-02C	3/17/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW-02C	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02C	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW-02C	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW-02C	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW-02C	3/17/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW-02C	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW-02C	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW-02C	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW-02C	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02C	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW-02C	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02C	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW-02C	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW-02C	3/17/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW-02C	3/17/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW-02C	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02C	3/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW-02C	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW-02C	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW-02C	3/17/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW-02C	3/17/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW-02C	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW-02C	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW-02C	3/17/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW-02C	3/17/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW-02C	3/17/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW-02C	3/17/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW-02C	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW-02C	3/17/2015	TOLUENE	0.27	ug/L	J	U	21, 8		0.07	1
PGW-02C	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02C	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW028C	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW-02C	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW-02C	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW023DU	2/24/2015	TRITIUM	1.61	pCi/mL				0.335	0.371	1.041
PGW-02CU	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02CU	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW-02CU	3/17/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW-02CU	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW-02CU	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02CU	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02CU	3/17/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW-02CU	3/17/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02CU	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW-02CU	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW-02CU	3/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW-02CU	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW-02CU	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW-02CU	3/17/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02CU	3/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW-02CU	3/17/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW-02CU	3/17/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW-02CU	3/17/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW-02CU	3/17/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW-02CU	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02CU	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW-02CU	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW-02CU	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW-02CU	3/17/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02CU	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW-02CU	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW-02CU	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW-02CU	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02CU	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW-02CU	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02CU	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW-02CU	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW-02CU	3/17/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW-02CU	3/17/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW-02CU	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02CU	3/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW-02CU	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW-02CU	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW-02CU	3/17/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW-02CU	3/17/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW-02CU	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW-02CU	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW-02CU	3/17/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW-02CU	3/17/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW-02CU	3/17/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW-02CU	3/17/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW-02CU	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW-02CU	3/17/2015	TOLUENE	0.3	ug/L	J	U	21, 8		0.07	1
PGW-02CU	3/17/2015	TRANS-1,2-	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
PGW-02CU	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW028DU	2/24/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW-02CU	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW-02CU	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW018DU	3/3/2015	TRITIUM	1.56	pCi/mL				0.366	0.458	1.19
PGW-02DL	3/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02DL	3/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW-02DL	3/17/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW-02DL	3/17/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW-02DL	3/17/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW-02DL	3/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW-02DL	3/17/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW-02DL	3/17/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW-02DL	3/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW-02DL	3/17/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW-02DL	3/17/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW-02DL	3/17/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW-02DL	3/17/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW-02DL	3/17/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW-02DL	3/17/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW-02DL	3/17/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW-02DL	3/17/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02DL	3/17/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW-02DL	3/17/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW-02DL	3/17/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW-02DL	3/17/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW-02DL	3/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW-02DL	3/17/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW-02DL	3/17/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW-02DL	3/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02DL	3/17/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW-02DL	3/17/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW-02DL	3/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW-02DL	3/17/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW-02DL	3/17/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW-02DL	3/17/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW-02DL	3/17/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW-02DL	3/17/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW-02DL	3/17/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW-02DL	3/17/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW-02DL	3/17/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW-02DL	3/17/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW-02DL	3/17/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW-02DL	3/17/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW-02DL	3/17/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW-02DL	3/17/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW-02DL	3/17/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW-02DL	3/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW-02DL	3/17/2015	TOLUENE	0.21	ug/L	J	U	21, 8		0.07	1
PGW-02DL	3/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW-02A	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW-02DL	3/17/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW-02DL	3/17/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW030B	3/2/2015	TRITIUM	1.49	pCi/mL				0.307	0.377	0.991
PGW030B	3/2/2015	ALUMINUM	50	ug/L					17	30
PGW030B	3/2/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW030B	3/2/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW030B	3/2/2015	BARIUM	95	ug/L					0.22	2
PGW030B	3/2/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW030B	3/2/2015	CADMIUM	0.26	ug/L	J	J	21		0.1	0.5
PGW030B	3/2/2015	CALCIUM	1600	ug/L					68	100
PGW030B	3/2/2015	CHROMIUM	10	ug/L	U	U			1	10
PGW030B	3/2/2015	COBALT	4.2	ug/L					0.22	2
PGW030B	3/2/2015	COPPER	1	ug/L	U	U			0.68	1
PGW030B	3/2/2015	IRON	50	ug/L	U	U			33	50
PGW030B	3/2/2015	LEAD	3	ug/L	U	U			0.17	3
PGW030B	3/2/2015	MAGNESIUM	430	ug/L			V		5.6	50
PGW030B	3/2/2015	MANGANESE	25	ug/L					0.88	2
PGW030B	3/2/2015	NICKEL	2.7	ug/L	J	J	21		0.8	5
PGW030B	3/2/2015	POTASSIUM	1200	ug/L					42	100
PGW030B	3/2/2015	SELENIUM	5	ug/L	U	U			1.6	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	SILVER	2	ug/L	U	U			0.82	2
PGW030B	3/2/2015	SODIUM	1500	ug/L					24	50
PGW030B	3/2/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW030B	3/2/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW030B	3/2/2015	ZINC	10	ug/L	U	U			9.3	10
PGW030B	3/2/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW030B	3/2/2015	ALDRIN	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
PGW030B	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.012	0.048
PGW030B	3/2/2015	DDD	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	DDE	0.048	ug/L	U	U			0.013	0.048
PGW030B	3/2/2015	DDT	0.048	ug/L	U	U			0.022	0.048
PGW030B	3/2/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	DIELDRIN	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
PGW030B	3/2/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
PGW030B	3/2/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	ENDRIN KETONE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
PGW030B	3/2/2015	LINDANE	0.048	ug/L	U	U			0.0096	0.048
PGW030B	3/2/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.012	0.48

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PGW030B	3/2/2015	AROCLOR 1016	1.1	ug/L	U	U			0.39	1.1
PGW030B	3/2/2015	AROCLOR 1221	1.1	ug/L	U	U			0.39	1.1
PGW030B	3/2/2015	AROCLOR 1232	1.1	ug/L	U	U			0.39	1.1
PGW030B	3/2/2015	AROCLOR 1242	1.1	ug/L	U	U			0.39	1.1
PGW030B	3/2/2015	AROCLOR 1248	1.1	ug/L	U	U			0.39	1.1
PGW030B	3/2/2015	AROCLOR 1254	1.1	ug/L	U	U			0.19	1.1
PGW030B	3/2/2015	AROCLOR 1260	1.1	ug/L	U	U			0.19	1.1
PGW030B	3/2/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U	U			1	10
PGW030B	3/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U	U			1	10
PGW030B	3/2/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U	U			1.5	10
PGW030B	3/2/2015	1,1-DICHLOROETHANE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	1,1-DICHLOROETHYLENE	10	ug/L	U	U			0.8	10
PGW030B	3/2/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U	U			0.9	10
PGW030B	3/2/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U	U			0.8	10
PGW030B	3/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U	U			4.1	10
PGW030B	3/2/2015	1,2-DIBROMOETHANE	10	ug/L	U	U			1.3	10
PGW030B	3/2/2015	1,2-DICHLOROBENZENE	10	ug/L	U	U			0.6	10
PGW030B	3/2/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U	U			1	10
PGW030B	3/2/2015	1,2-DICHLOROPROPANE	10	ug/L	U	U			1	10
PGW030B	3/2/2015	1,3-DICHLOROBENZENE	10	ug/L	U	U			0.8	10
PGW030B	3/2/2015	1,4-DICHLOROBENZENE	10	ug/L	U	U			1.2	10
PGW030B	3/2/2015	1,4-DIOXANE	800	ug/L	U	U			76	800
PGW030B	3/2/2015	2-HEXANONE	50	ug/L	U	U			2.2	50
PGW030B	3/2/2015	ACETONE	20	ug/L	U	U			3.4	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	BENZENE	10	ug/L	U	U			0.6	10
PGW030B	3/2/2015	BROMOCHLOROMETHANE	10	ug/L	U	U			1.3	10
PGW030B	3/2/2015	BROMODICHLOROMETHANE	10	ug/L	U	U			0.9	10
PGW030B	3/2/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U	U			1.7	10
PGW030B	3/2/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U	U			2.5	20
PGW030B	3/2/2015	CARBON DISULFIDE	10	ug/L	U	U			0.5	10
PGW030B	3/2/2015	CARBON TETRACHLORIDE	10	ug/L	U	U			1.3	10
PGW030B	3/2/2015	CHLOROBENZENE	10	ug/L	U	U			1.5	10
PGW030B	3/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U	U			1	20
PGW030B	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U	U			0.8	20
PGW030B	3/2/2015	CHLOROFORM	3.1	ug/L	J	J	21		1	10
PGW030B	3/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U	U			0.8	20
PGW030B	3/2/2015	CIS-1,2-DICHLOROETHYLENE	38	ug/L					0.9	10
PGW030B	3/2/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U	U			0.8	10
PGW030B	3/2/2015	CYCLOHEXANE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	DIBROMOCHLOROMETHANE	10	ug/L	U	U			1.3	10
PGW030B	3/2/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U	U			0.8	20
PGW030B	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U	U			2.7	10
PGW030B	3/2/2015	ETHYLBENZENE	10	ug/L	U	U			0.9	10
PGW030B	3/2/2015	M,P-XYLENE	20	ug/L	U	U			1.4	20
PGW030B	3/2/2015	METHYL ACETATE	250	ug/L	U	U			3.7	250
PGW030B	3/2/2015	METHYL ETHYL KETONE	50	ug/L	U	U			5.2	50
PGW030B	3/2/2015	METHYL ISOBUTYL KETONE	50	ug/L	U	U			1.2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U	U			1.1	20
PGW030B	3/2/2015	METHYLCYCLOHEXANE	40	ug/L	U	U			1	40
PGW030B	3/2/2015	O-XYLENE	10	ug/L	U	U			0.6	10
PGW030B	3/2/2015	STYRENE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	TETRACHLOROETHYLENE (PCE)	3.5	ug/L	J	J	21		1.8	10
PGW030B	3/2/2015	TOLUENE	10	ug/L	U	U			0.7	10
PGW030B	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U	U			0.8	10
PGW030B	3/2/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U	U			0.8	10
PGW-02C	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW030B	3/2/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U	U			1.1	10
PGW030B	3/2/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW030B	3/2/2015	1,1'-BIPHENYL	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	1,2,4,5-TETRACHLOROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U	UJ	14		0.94	47
PGW030B	3/2/2015	2,4,5-TRICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	2,4,6-TRICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	2,4-DICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	2,4-DIMETHYLPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	2,4-DINITROPHENOL	47	ug/L	U	UJ	14		1.9	47
PGW030B	3/2/2015	2,4-DINITROTOLUENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	2,6-DINITROTOLUENE	9.4	ug/L	U	U			2	9.4
PGW030B	3/2/2015	2-CHLORONAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	2-CHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	2-METHYLNAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	2-NITROANILINE	9.4	ug/L	U	U			1	9.4
PGW030B	3/2/2015	2-NITROPHENOL	9.4	ug/L	U	UJ	14		1.4	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U	U	14		1.2	47
PGW030B	3/2/2015	4-BROMOPHENYL PHENYL ETHER	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	4-CHLOROANILINE	9.4	ug/L	U	U			1.9	9.4
PGW030B	3/2/2015	4-CHLOROPHENYL PHENYL ETHER	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	4-NITROPHENOL	9.4	ug/L	U	UJ	11, 14		1.9	9.4
PGW030B	3/2/2015	ACENAPHTHENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	ACENAPHTHYLENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	ACETOPHENONE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	ATRAZINE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	BENZALDEHYDE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	BENZO(G,H,I)PERYLENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	BENZO[A]ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	BENZO[A]PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	BENZO[B]FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	BENZO[K]FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	BIS(2-CHLOROETHOXY)METHANE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	BIS(2-CHLOROETHYL)ETHER	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.4	ug/L	U	U	14		1.8	9.4
PGW030B	3/2/2015	BUTYL BENZYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	CAPROLACTAM	9.4	ug/L	U	U			1.9	9.4
PGW030B	3/2/2015	CARBAZOLE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	CHRYSENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	DIBENZ[AH]ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	DIBENZOFURAN	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	DIETHYL PHTHALATE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	DIMETHYL PHTHALATE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	DI-N-BUTYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	DINITRO-O-CRESOL	9.4	ug/L	U	UJ	14		1.2	9.4
PGW030B	3/2/2015	FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	FLUORENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	HEXACHLOROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	HEXACHLOROBUTADIENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	HEXACHLOROCYCLOPENTADIENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	HEXACHLOROETHANE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	INDENO[1,2,3-CD]PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	ISOPHORONE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PGW030B	3/2/2015	M-NITROANILINE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	NAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	N-DIOCTYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	NITROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	N-NITROSODIPROPYLAMINE	9.4	ug/L	U	U			1.4	9.4
PGW030B	3/2/2015	O-CRESOL (2-METHYLPHENOL)	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	P-CHLORO-M-CRESOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW030B	3/2/2015	PENTACHLOROPHENOL	9.4	ug/L	U	UJ	14		1.2	9.4
PGW030B	3/2/2015	PHENANTHRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	PHENOL	9.4	ug/L	U	UJ	11, 14		1.9	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030B	3/2/2015	P-NITROANILINE	9.4	ug/L	U	U			0.94	9.4
PGW030B	3/2/2015	PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW030B	3/2/2015	GROSS ALPHA	1.63	pCi/L	J	J	21	0.923	1.27	3.116
PGW030B	3/2/2015	NONVOLATILE BETA	1.97	pCi/L	J	J	21	0.673	0.878	2.224
PGW030B	3/2/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW022 C	2/24/2015	TRITIUM	1.47	pCi/mL				0.33	0.379	1.039
PGW030B	3/2/2015	STRONTIUM-90	0.065	pCi/L	U	U		0.178	0.308	0.664
PGW030B	3/2/2015	IODINE-129	-0.0282	pCi/L	U	UJ	Q	0.368	0.625	1.361
PGW030BL	3/2/2015	ALUMINUM	24	ug/L	J	J	21		17	30
PGW030BL	3/2/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW030BL	3/2/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW030BL	3/2/2015	BARIUM	19	ug/L					0.22	2
PGW030BL	3/2/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PGW030BL	3/2/2015	CADMIUM	0.23	ug/L	J	J	21		0.1	0.5
PGW030BL	3/2/2015	CALCIUM	11000	ug/L					68	100
PGW030BL	3/2/2015	CHROMIUM	5.8	ug/L	J	J	21		1	10
PGW030BL	3/2/2015	COBALT	2	ug/L	U	U			0.22	2
PGW030BL	3/2/2015	COPPER	1	ug/L	U	U			0.68	1
PGW030BL	3/2/2015	IRON	50	ug/L	U	U			33	50
PGW030BL	3/2/2015	LEAD	0.19	ug/L	J	J	21		0.17	3
PGW030BL	3/2/2015	MAGNESIUM	1200	ug/L			V		5.6	50
PGW030BL	3/2/2015	MANGANESE	4.5	ug/L					0.88	2
PGW030BL	3/2/2015	NICKEL	4.7	ug/L	J	J	21		0.8	5
PGW030BL	3/2/2015	POTASSIUM	4100	ug/L					42	100
PGW030BL	3/2/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW030BL	3/2/2015	SILVER	2	ug/L	U	U			0.82	2
PGW030BL	3/2/2015	SODIUM	6200	ug/L					24	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW030BL	3/2/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW030BL	3/2/2015	ZINC	22	ug/L					9.3	10
PGW030BL	3/2/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW030BL	3/2/2015	ALDRIN	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ALPHA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ALPHA-CHLORDANE	0.053	ug/L	U	U			0.016	0.053
PGW030BL	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.014	0.053
PGW030BL	3/2/2015	DDD	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	DDE	0.053	ug/L	U	U			0.015	0.053
PGW030BL	3/2/2015	DDT	0.053	ug/L	U	U			0.024	0.053
PGW030BL	3/2/2015	DELTA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	DIELDRIN	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ENDOSULFAN I	0.053	ug/L	U	U			0.02	0.053
PGW030BL	3/2/2015	ENDOSULFAN II	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ENDOSULFAN SULFATE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ENDRIN	0.053	ug/L	U	U			0.019	0.053
PGW030BL	3/2/2015	ENDRIN ALDEHYDE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	ENDRIN KETONE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	GAMMA-CHLORDANE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	HEPTACHLOR	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	HEPTACHLOR EPOXIDE	0.053	ug/L	U	U			0.018	0.053
PGW030BL	3/2/2015	LINDANE	0.053	ug/L	U	U			0.011	0.053
PGW030BL	3/2/2015	METHOXYCHLOR	0.53	ug/L	U	U			0.014	0.53
PGW030BL	3/2/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PGW030BL	3/2/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
PGW030BL	3/2/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
PGW030BL	3/2/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
PGW030BL	3/2/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
PGW030BL	3/2/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
PGW030BL	3/2/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
PGW030BL	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW030BL	3/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW030BL	3/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW030BL	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW030BL	3/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW030BL	3/2/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW030BL	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW030BL	3/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW030BL	3/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW030BL	3/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW030BL	3/2/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW030BL	3/2/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW030BL	3/2/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW030BL	3/2/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW030BL	3/2/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW030BL	3/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW030BL	3/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW030BL	3/2/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW030BL	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW030BL	3/2/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW030BL	3/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW030BL	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW030BL	3/2/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW030BL	3/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW030BL	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW030BL	3/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW030BL	3/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW030BL	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW030BL	3/2/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW030BL	3/2/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW030BL	3/2/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW030BL	3/2/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW030BL	3/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW030BL	3/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW030BL	3/2/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW030BL	3/2/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW030BL	3/2/2015	TOLUENE	1	ug/L	U	U			0.07	1
PGW030BL	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW-02CU	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW030BL	3/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW030BL	3/2/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW030BL	3/2/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
PGW030BL	3/2/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2.1	51
PGW030BL	3/2/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW030BL	3/2/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW030BL	3/2/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW030BL	3/2/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U			1.3	51
PGW030BL	3/2/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW030BL	3/2/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		2.1	10
PGW030BL	3/2/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	ANTHRACENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZO[A]PYRENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			1.9	10
PGW030BL	3/2/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW030BL	3/2/2015	CARBAZOLE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	CHRYSENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW030BL	3/2/2015	FLUORANTHENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	FLUORENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW030BL	3/2/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW030BL	3/2/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW030BL	3/2/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW030BL	3/2/2015	PHENANTHRENE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	PHENOL	10	ug/L	U	UJ	11, 14		2.1	10
PGW030BL	3/2/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW030BL	3/2/2015	PYRENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW030BL	3/2/2015	GROSS ALPHA	0.0836	pCi/L	U	U		1.02	1.9	3.94
PGW030BL	3/2/2015	NONVOLATILE BETA	3.59	pCi/L				0.784	0.894	2.462
PGW030BL	3/2/2015	CYANIDE	10	ug/L	U	U			2.9	10
PDB 5	2/23/2015	TRITIUM	1.45	pCi/mL				0.339	0.405	1.083
PGW030BL	3/2/2015	STRONTIUM-90	0.115	pCi/L	U	U		0.198	0.334	0.73
PGW030BL	3/2/2015	IODINE-129	-0.251	pCi/L	U	UJ	Q	0.422	0.728	1.572
PGW031B	3/2/2015	ALUMINUM	20	ug/L	J	J	21		17	30
PGW031B	3/2/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW031B	3/2/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW031B	3/2/2015	BARIUM	7.5	ug/L					0.22	2
PGW031B	3/2/2015	BERYLLIUM	0.45	ug/L	J	J	21		0.35	0.5
PGW031B	3/2/2015	CADMIUM	0.21	ug/L	J	J	21		0.1	0.5
PGW031B	3/2/2015	CALCIUM	820	ug/L					68	100
PGW031B	3/2/2015	CHROMIUM	1.4	ug/L	J	J	21		1	10
PGW031B	3/2/2015	COBALT	0.68	ug/L	J	J	21		0.22	2
PGW031B	3/2/2015	COPPER	1	ug/L	U	U			0.68	1
PGW031B	3/2/2015	IRON	50	ug/L	U	U			33	50
PGW031B	3/2/2015	LEAD	0.4	ug/L	J	J	21		0.17	3
PGW031B	3/2/2015	MAGNESIUM	240	ug/L			V		5.6	50
PGW031B	3/2/2015	MANGANESE	3.6	ug/L					0.88	2
PGW031B	3/2/2015	NICKEL	0.83	ug/L	J	J	21		0.8	5
PGW031B	3/2/2015	POTASSIUM	600	ug/L					42	100
PGW031B	3/2/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW031B	3/2/2015	SILVER	2	ug/L	U	U			0.82	2
PGW031B	3/2/2015	SODIUM	1500	ug/L					24	50
PGW031B	3/2/2015	THALLIUM	0.79	ug/L	J	J	21		0.55	2
PGW031B	3/2/2015	VANADIUM	10	ug/L	U	U			2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	ZINC	10	ug/L	U	U			9.3	10
PGW031B	3/2/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW031B	3/2/2015	ALDRIN	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
PGW031B	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
PGW031B	3/2/2015	DDD	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	DDE	0.049	ug/L	U	U			0.014	0.049
PGW031B	3/2/2015	DDT	0.049	ug/L	U	U			0.022	0.049
PGW031B	3/2/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	DIELDRIN	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.018	0.049
PGW031B	3/2/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
PGW031B	3/2/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	ENDRIN KETONE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
PGW031B	3/2/2015	LINDANE	0.049	ug/L	U	U			0.0097	0.049
PGW031B	3/2/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
PGW031B	3/2/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PGW031B	3/2/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
PGW031B	3/2/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
PGW031B	3/2/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
PGW031B	3/2/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
PGW031B	3/2/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
PGW031B	3/2/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
PGW031B	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW031B	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW031B	3/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW031B	3/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW031B	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW031B	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW031B	3/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW031B	3/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW031B	3/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW031B	3/2/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW031B	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW031B	3/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW031B	3/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW031B	3/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW031B	3/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW031B	3/2/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW031B	3/2/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW031B	3/2/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW031B	3/2/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW031B	3/2/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW031B	3/2/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW031B	3/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW031B	3/2/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW031B	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW031B	3/2/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW031B	3/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW031B	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW031B	3/2/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW031B	3/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW031B	3/2/2015	CIS-1,2-DICHLOROETHYLENE	0.24	ug/L	J	J	21		0.09	1
PGW031B	3/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW031B	3/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW031B	3/2/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW031B	3/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW031B	3/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW031B	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW031B	3/2/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW031B	3/2/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW031B	3/2/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW031B	3/2/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW031B	3/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW031B	3/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW031B	3/2/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW031B	3/2/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW031B	3/2/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW031B	3/2/2015	TOLUENE	1	ug/L	U	U			0.07	1
PGW031B	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW031B	3/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW-02DL	3/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW031B	3/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW031B	3/2/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW031B	3/2/2015	1,1'-BIPHENYL	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	1,2,4,5-TETRACHLOROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	2,3,4,6-TETRACHLOROPHENOL	47	ug/L	U	UJ	14		0.94	47
PGW031B	3/2/2015	2,4,5-TRICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	2,4,6-TRICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	2,4-DICHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	2,4-DIMETHYLPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	2,4-DINITROPHENOL	47	ug/L	U	UJ	14		1.9	47
PGW031B	3/2/2015	2,4-DINITROTOLUENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	2,6-DINITROTOLUENE	9.4	ug/L	U	U			2	9.4
PGW031B	3/2/2015	2-CHLORONAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	2-CHLOROPHENOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	2-METHYLNAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	2-NITROANILINE	9.4	ug/L	U	U			1	9.4
PGW031B	3/2/2015	2-NITROPHENOL	9.4	ug/L	U	UJ	14		1.4	9.4
PGW031B	3/2/2015	3,3-DICHLOROBENZIDINE	47	ug/L	U	U	14		1.2	47
PGW031B	3/2/2015	4-BROMOPHENYL PHENYL ETHER	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	4-CHLOROANILINE	9.4	ug/L	U	U			1.9	9.4
PGW031B	3/2/2015	4-CHLOROPHENYL PHENYL ETHER	9.4	ug/L	U	U			0.94	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	4-NITROPHENOL	9.4	ug/L	U	UJ	11, 14		1.9	9.4
PGW031B	3/2/2015	ACENAPHTHENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	ACENAPHTHYLENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	ACETOPHENONE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	ATRAZINE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	BENZALDEHYDE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	BENZO(G,H,I)PERYLENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	BENZO[A]ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	BENZO[A]PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	BENZO[B]FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	BENZO[K]FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	BIS(2-CHLOROETHOXY)METHANE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	BIS(2-CHLOROETHYL)ETHER	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.4	ug/L	U	U	14		1.8	9.4
PGW031B	3/2/2015	BUTYL BENZYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	CAPROLACTAM	9.4	ug/L	U	U			1.9	9.4
PGW031B	3/2/2015	CARBAZOLE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	CHRYSENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	DIBENZ[AH]ANTHRACENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	DIBENZOFURAN	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	DIETHYL PHTHALATE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	DIMETHYL PHTHALATE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	DI-N-BUTYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	DINITRO-O-CRESOL	9.4	ug/L	U	UJ	14		1.2	9.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031B	3/2/2015	FLUORANTHENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	FLUORENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	HEXACHLOROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	HEXACHLOROBUTADIENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	HEXACHLOROCYCLOPENTADIENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	HEXACHLOROETHANE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	INDENO[1,2,3-CD]PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	ISOPHORONE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PGW031B	3/2/2015	M-NITROANILINE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	NAPHTHALENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	N-DIOCTYL PHTHALATE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	NITROBENZENE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	N-NITROSODIPROPYLAMINE	9.4	ug/L	U	U			1.4	9.4
PGW031B	3/2/2015	O-CRESOL (2-METHYLPHENOL)	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	P-CHLORO-M-CRESOL	9.4	ug/L	U	UJ	14		0.94	9.4
PGW031B	3/2/2015	PENTACHLOROPHENOL	9.4	ug/L	U	UJ	14		1.2	9.4
PGW031B	3/2/2015	PHENANTHRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	PHENOL	9.4	ug/L	U	UJ	11, 14		1.9	9.4
PGW031B	3/2/2015	P-NITROANILINE	9.4	ug/L	U	U			0.94	9.4
PGW031B	3/2/2015	PYRENE	9.4	ug/L	U	U	14		0.94	9.4
PGW031B	3/2/2015	GROSS ALPHA	0.685	pCi/L	U	U		0.881	1.47	3.232
PGW031B	3/2/2015	NONVOLATILE BETA	0.286	pCi/L	U	U		0.615	1.04	2.27
PGW031B	3/2/2015	CYANIDE	10	ug/L	U	U			2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW025DU	2/25/2015	TRITIUM	1.4	pCi/mL				0.327	0.44	1.094
PGW031B	3/2/2015	STRONTIUM-90	0.229	pCi/L	U	U		0.196	0.313	0.705
PGW031B	3/2/2015	IODINE-129	-0.162	pCi/L	U	UJ	Q	0.399	0.683	1.481
PGW031C	3/10/2015	ALUMINUM	81	ug/L					17	30
PGW031C	3/10/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW031C	3/10/2015	ARSENIC	10	ug/L	U	U			1.2	10
PGW031C	3/10/2015	BARIUM	56	ug/L					0.22	2
PGW031C	3/10/2015	BERYLLIUM	0.49	ug/L	J	J	21		0.35	0.5
PGW031C	3/10/2015	CADMIUM	0.39	ug/L	J	J	21		0.1	0.5
PGW031C	3/10/2015	CALCIUM	520	ug/L					68	100
PGW031C	3/10/2015	CHROMIUM	1.5	ug/L	J	J	21		1	10
PGW031C	3/10/2015	COBALT	3.6	ug/L					0.22	2
PGW031C	3/10/2015	COPPER	1	ug/L	U	U			0.68	1
PGW031C	3/10/2015	IRON	98	ug/L					33	50
PGW031C	3/10/2015	LEAD	3	ug/L	U	U			0.17	3
PGW031C	3/10/2015	MAGNESIUM	670	ug/L					5.6	50
PGW031C	3/10/2015	MANGANESE	8.8	ug/L					0.88	2
PGW031C	3/10/2015	NICKEL	3.3	ug/L	J	J	21		0.8	5
PGW031C	3/10/2015	POTASSIUM	1800	ug/L					42	100
PGW031C	3/10/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW031C	3/10/2015	SILVER	2	ug/L	U	U			0.82	2
PGW031C	3/10/2015	SODIUM	2000	ug/L			V		24	50
PGW031C	3/10/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW031C	3/10/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW031C	3/10/2015	ZINC	11	ug/L					9.3	10
PGW031C	3/10/2015	MERCURY	0.06	ug/L	J	U	21, V		0.06	0.2
PGW031C	3/10/2015	ALDRIN	0.047	ug/L	U	U			0.0094	0.047

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	ALPHA-CHLORDANE	0.047	ug/L	U	U			0.014	0.047
PGW031C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.012	0.047
PGW031C	3/10/2015	DDD	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	DDE	0.047	ug/L	U	U			0.013	0.047
PGW031C	3/10/2015	DDT	0.047	ug/L	U	U			0.022	0.047
PGW031C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	DIELDRIN	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	ENDOSULFAN I	0.047	ug/L	U	U			0.018	0.047
PGW031C	3/10/2015	ENDOSULFAN II	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	ENDOSULFAN SULFATE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	ENDRIN	0.047	ug/L	U	U			0.017	0.047
PGW031C	3/10/2015	ENDRIN ALDEHYDE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	ENDRIN KETONE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	GAMMA-CHLORDANE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	HEPTACHLOR	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	HEPTACHLOR EPOXIDE	0.047	ug/L	U	U			0.016	0.047
PGW031C	3/10/2015	LINDANE	0.047	ug/L	U	U			0.0094	0.047
PGW031C	3/10/2015	METHOXYCHLOR	0.47	ug/L	U	U			0.012	0.47
PGW031C	3/10/2015	TOXAPHENE	1.9	ug/L	U	U			0.25	1.9
PGW031C	3/10/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
PGW031C	3/10/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
PGW031C	3/10/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
PGW031C	3/10/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
PGW031C	3/10/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
PGW031C	3/10/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
PGW031C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW031C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW031C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW031C	3/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW031C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW031C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW031C	3/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW031C	3/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW031C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW031C	3/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PGW031C	3/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW031C	3/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW031C	3/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW031C	3/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW031C	3/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW031C	3/10/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW031C	3/10/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW031C	3/10/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW031C	3/10/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW031C	3/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW031C	3/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW031C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW031C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW031C	3/10/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW031C	3/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW031C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW031C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW031C	3/10/2015	CHLOROFORM	0.51	ug/L	J	J	21		0.1	1
PGW031C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW031C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	8.7	ug/L					0.09	1
PGW031C	3/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW031C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW031C	3/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW031C	3/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW031C	3/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW031C	3/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW031C	3/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW031C	3/10/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW031C	3/10/2015	METHYL ACETATE	0.68	ug/L	J	J	21		0.37	25
PGW031C	3/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW031C	3/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW031C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW031C	3/10/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW031C	3/10/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW031C	3/10/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW031C	3/10/2015	TETRACHLOROETHYLENE (PCE)	2	ug/L					0.18	1
PGW031C	3/10/2015	TOLUENE	0.31	ug/L	J	J	21		0.07	1
PGW031C	3/10/2015	TRANS-1,2-	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
PGW031C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW030BL	3/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW031C	3/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW031C	3/10/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW031C	3/10/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW031C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
PGW031C	3/10/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
PGW031C	3/10/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW031C	3/10/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW031C	3/10/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PGW031C	3/10/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U	14		1.3	52
PGW031C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW031C	3/10/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PGW031C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW031C	3/10/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PGW031C	3/10/2015	ACENAPHTHENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW031C	3/10/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW031C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW031C	3/10/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PGW031C	3/10/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW031C	3/10/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW031C	3/10/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	FLUORENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PGW031C	3/10/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW031C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW031C	3/10/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW031C	3/10/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PGW031C	3/10/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW031C	3/10/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW031C	3/10/2015	GROSS ALPHA	1.18	pCi/L	U	U		0.938	1.43	3.306
PGW031C	3/10/2015	NONVOLATILE BETA	1.72	pCi/L	J	J	21	0.66	0.894	2.214
PGW031C	3/10/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW029DL	3/2/2015	TRITIUM	1.37	pCi/mL				0.309	0.394	1.012
PGW031C	3/10/2015	STRONTIUM-90	0.0271	pCi/L	U	U		0.164	0.291	0.619

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	IODINE-129	0.126	pCi/L	U	U		0.352	0.597	1.301
PGW031C	3/10/2015	ALUMINUM	83.3	ug/L	J	J	21		68	200
PGW031C	3/10/2015	BARIUM	55.5	ug/L					1	5
PGW031C	3/10/2015	CADMIUM	5	ug/L	U	U			1	5
PGW031C	3/10/2015	CALCIUM	428	ug/L					50	200
PGW031C	3/10/2015	CHROMIUM	1.26	ug/L	J	J	21		1	5
PGW031C	3/10/2015	COBALT	3.42	ug/L	J	J	21		1	5
PGW031C	3/10/2015	COPPER	10	ug/L	U	U			3	10
PGW031C	3/10/2015	IRON	101	ug/L					30	100
PGW031C	3/10/2015	LEAD	10	ug/L	U	U			3.3	10
PGW031C	3/10/2015	MAGNESIUM	548	ug/L					110	300
PGW031C	3/10/2015	MANGANESE	7.18	ug/L	J	J	21		2	10
PGW031C	3/10/2015	NICKEL	6.91	ug/L					1.5	5
PGW031C	3/10/2015	POTASSIUM	1540	ug/L					50	150
PGW031C	3/10/2015	SELENIUM	30	ug/L	U	U			6	30
PGW031C	3/10/2015	SILVER	5	ug/L	U	U			1	5
PGW031C	3/10/2015	SODIUM	1970	ug/L					100	300
PGW031C	3/10/2015	VANADIUM	5	ug/L	U	U			1	5
PGW031C	3/10/2015	ZINC	8.19	ug/L	J	J	21		3.3	10
PGW031C	3/10/2015	ANTIMONY	3	ug/L	U	U			1	3
PGW031C	3/10/2015	ARSENIC	5	ug/L	U	U			1.7	5
PGW031C	3/10/2015	BERYLLIUM	0.499	ug/L	J	J	21		0.2	0.5
PGW031C	3/10/2015	THALLIUM	2	ug/L	U	U			0.45	2
PGW031C	3/10/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
PGW031C	3/10/2015	ALDRIN	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	ALPHA-CHLORDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	DDD	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	DDD	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	DDE	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	DDE	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	DDT	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	DDT	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	DIELDRIN	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	ENDOSULFAN I	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	ENDOSULFAN II	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	ENDOSULFAN SULFATE	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	ENDRIN	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PGW031C	3/10/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	ENDRIN ALDEHYDE	0.04	ug/L	UJ	UJ	Q		0.00665	0.04
PGW031C	3/10/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
PGW031C	3/10/2015	ENDRIN KETONE	0.04	ug/L	UJ	UJ	Q		0.01	0.04

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	ENDRIN KETONE	0.04	ug/L	U	U			0.01	0.04
PGW031C	3/10/2015	GAMMA-CHLORDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	HEPTACHLOR	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	LINDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PGW031C	3/10/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
PGW031C	3/10/2015	METHOXYCHLOR	0.2	ug/L	UJ	UJ	Q		0.05	0.2
PGW031C	3/10/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
PGW031C	3/10/2015	TOXAPHENE	0.5	ug/L	UJ	UJ	Q		0.15	0.5
PGW031C	3/10/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
PGW031C	3/10/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
PGW031C	3/10/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U	U			4	10
PGW031C	3/10/2015	1,1,2-TRICHLOROETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,1-DICHLOROETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,1-DICHLOROETHYLENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,2,3-TRICHLOROBENZENE	2	ug/L	U	U			0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	1,2,4-TRICHLOROBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	2	ug/L	U	U			1	2
PGW031C	3/10/2015	1,2-DIBROMOETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,2-DICHLOROBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,2-DICHLOROETHANE (EDC)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,2-DICHLOROPROPANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,3-DICHLOROBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,4-DICHLOROBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,4-DIOXANE	100	ug/L	U	U			30	100
PGW031C	3/10/2015	2-HEXANONE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	ACETONE	230	ug/L					3	10
PGW031C	3/10/2015	BENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	BROMOCHLOROMETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	BROMODICHLOROMETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CARBON DISULFIDE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	CARBON TETRACHLORIDE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CHLOROBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CHLOROFORM	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	5.58	ug/L					0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	CIS-1,3-DICHLOROPROPENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	CYCLOHEXANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	DIBROMOCHLOROMETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U	U			2	10
PGW031C	3/10/2015	ETHYLBENZENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	M,P-XYLENE	4	ug/L	U	U			0.6	4
PGW031C	3/10/2015	METHYL ACETATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	METHYL ETHYL KETONE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	METHYL ISOBUTYL KETONE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	METHYLCYCLOHEXANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	O-XYLENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	STYRENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	TETRACHLOROETHYLENE (PCE)	0.92	ug/L	J	J	21		0.6	2
PGW031C	3/10/2015	TOLUENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	2	ug/L	U	U			0.6	2
PGW033A	3/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW031C	3/10/2015	TRICHLOROFLUOROMETHANE	2	ug/L	U	U			0.6	2
PGW031C	3/10/2015	1,1'-BIPHENYL	10	ug/L	U	U			3	10
PGW031C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
PGW031C	3/10/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
PGW031C	3/10/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	2-NITROANILINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
PGW031C	3/10/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
PGW031C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
PGW031C	3/10/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	ACETOPHENONE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	ATRAZINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BENZALDEHYDE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
PGW031C	3/10/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	CAPROLACTAM	10	ug/L	U	U	22		3	10
PGW031C	3/10/2015	CARBAZOLE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	CHRYSENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
PGW031C	3/10/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	FLUORENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
PGW031C	3/10/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
PGW031C	3/10/2015	M-NITROANILINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW031C	3/10/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	NITROBENZENE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	PHENOL	10	ug/L	U	UJ	14		3	10
PGW031C	3/10/2015	P-NITROANILINE	10	ug/L	U	U			3	10
PGW031C	3/10/2015	PYRENE	1	ug/L	U	U			0.3	1
PGW031C	3/10/2015	CYANIDE	5	ug/L	U	U			1.67	5
PGW031C	3/10/2015	GROSS ALPHA	1.8	pCi/L	J	J	21	0.577	0.752	1.91
PGW031C	3/10/2015	NONVOLATILE BETA	1.35	pCi/L	U	U		0.944	1.56	3.45
PAO003DU	2/23/2015	TRITIUM	1.35	pCi/mL				0.329	0.399	1.057
PGW031C	3/10/2015	STRONTIUM-90	0.207	pCi/L	U	U		2.17	4.19	8.53
PGW031C	3/10/2015	IODINE-129	-0.246	pCi/L	U	U		0.673	1.16	2.51
PGW033A	3/2/2015	ALUMINUM	2400	ug/L					17	30
PGW033A	3/2/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PGW033A	3/2/2015	ARSENIC	1.2	ug/L	J	J	21		1.2	10
PGW033A	3/2/2015	BARIUM	220	ug/L					0.22	2
PGW033A	3/2/2015	BERYLLIUM	0.39	ug/L	J	J	21		0.35	0.5
PGW033A	3/2/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PGW033A	3/2/2015	CALCIUM	35000	ug/L					68	100
PGW033A	3/2/2015	CHROMIUM	3.9	ug/L	J	J	21		1	10
PGW033A	3/2/2015	COBALT	0.28	ug/L	J	J	21		0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	COPPER	1	ug/L			S			
PGW033A	3/2/2015	IRON	1200	ug/L					33	50
PGW033A	3/2/2015	LEAD	3.7	ug/L					0.17	3
PGW033A	3/2/2015	MAGNESIUM	1000	ug/L			V		5.6	50
PGW033A	3/2/2015	MANGANESE	25	ug/L					0.88	2
PGW033A	3/2/2015	NICKEL	0.82	ug/L	J	J	21		0.8	5
PGW033A	3/2/2015	POTASSIUM	1500	ug/L					42	100
PGW033A	3/2/2015	SELENIUM	5	ug/L	U	U			1.6	5
PGW033A	3/2/2015	SILVER	2	ug/L	U	U			0.82	2
PGW033A	3/2/2015	SODIUM	6900	ug/L					24	50
PGW033A	3/2/2015	THALLIUM	2	ug/L	U	U			0.55	2
PGW033A	3/2/2015	VANADIUM	10	ug/L	U	U			2.4	10
PGW033A	3/2/2015	ZINC	10	ug/L	U	U			9.3	10
PGW033A	3/2/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PGW033A	3/2/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PGW033A	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PGW033A	3/2/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PGW033A	3/2/2015	DDT	0.051	ug/L	U	U			0.023	0.051
PGW033A	3/2/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PGW033A	3/2/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PGW033A	3/2/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PGW033A	3/2/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PGW033A	3/2/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PGW033A	3/2/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PGW033A	3/2/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PGW033A	3/2/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PGW033A	3/2/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
PGW033A	3/2/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PGW033A	3/2/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PGW033A	3/2/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PGW033A	3/2/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PGW033A	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PGW033A	3/2/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PGW033A	3/2/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PGW033A	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW033A	3/2/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PGW033A	3/2/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW033A	3/2/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PGW033A	3/2/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PGW033A	3/2/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PGW033A	3/2/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PGW033A	3/2/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PGW033A	3/2/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PGW033A	3/2/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PGW033A	3/2/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PGW033A	3/2/2015	ACETONE	2	ug/L	U	U			0.34	2
PGW033A	3/2/2015	BENZENE	1	ug/L	U	U			0.06	1
PGW033A	3/2/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PGW033A	3/2/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PGW033A	3/2/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PGW033A	3/2/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PGW033A	3/2/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PGW033A	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PGW033A	3/2/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PGW033A	3/2/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PGW033A	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW033A	3/2/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PGW033A	3/2/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PGW033A	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PGW033A	3/2/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PGW033A	3/2/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PGW033A	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PGW033A	3/2/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PGW033A	3/2/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PGW033A	3/2/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PGW033A	3/2/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PGW033A	3/2/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PGW033A	3/2/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PGW033A	3/2/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PGW033A	3/2/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PGW033A	3/2/2015	STYRENE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PGW033A	3/2/2015	TOLUENE	1	ug/L	U	U			0.07	1
PGW033A	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PGW033A	3/2/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW-03A	2/23/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW033A	3/2/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PGW033A	3/2/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PGW033A	3/2/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PGW033A	3/2/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		1	50
PGW033A	3/2/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PGW033A	3/2/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PGW033A	3/2/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
PGW033A	3/2/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
PGW033A	3/2/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW033A	3/2/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
PGW033A	3/2/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PGW033A	3/2/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		2	10
PGW033A	3/2/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	ANTHRACENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	ATRAZINE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	BENZO[A]PYRENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PGW033A	3/2/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PGW033A	3/2/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PGW033A	3/2/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U	14		1.9	10
PGW033A	3/2/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	CAPROLACTAM	10	ug/L	U	U			2	10
PGW033A	3/2/2015	CARBAZOLE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	CHRYSENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PGW033A	3/2/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PGW033A	3/2/2015	FLUORANTHENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	FLUORENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	ISOPHORONE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PGW033A	3/2/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	NITROBENZENE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	N-NITROSODIPHENYLAMINE+DIP	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HENYLAMINE								
PGW033A	3/2/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PGW033A	3/2/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PGW033A	3/2/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PGW033A	3/2/2015	PHENANTHRENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	PHENOL	10	ug/L	U	UJ	11, 14		2	10
PGW033A	3/2/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PGW033A	3/2/2015	PYRENE	10	ug/L	U	U	14		1	10
PGW033A	3/2/2015	GROSS ALPHA	13.4	pCi/L				3.27	2.68	9.22
PGW033A	3/2/2015	NONVOLATILE BETA	4.6	pCi/L				1.05	1.2	3.3
PGW033A	3/2/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW021 B	2/24/2015	TRITIUM	0.923	pCi/mL	J	J	21	0.3	0.401	1.001
PGW033A	3/2/2015	STRONTIUM-90	0.477	pCi/L	U	U		0.431	0.695	1.557
PGW033A	3/2/2015	IODINE-129	5.68	pCi/L	U	R	Q, 10	9.2	15.2	33.6
PGW-03A	2/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PRB003C	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PGW-03A	2/23/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW026B	2/23/2015	TRITIUM	0.919	pCi/mL	J	J	21	0.301	0.401	1.003
PRB003C	3/10/2015	ALUMINUM	810	ug/L					17	30
PRB003C	3/10/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PRB003C	3/10/2015	ARSENIC	10	ug/L	U	U			1.2	10
PRB003C	3/10/2015	BARIUM	8.3	ug/L					0.22	2
PRB003C	3/10/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PRB003C	3/10/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PRB003C	3/10/2015	CALCIUM	2200	ug/L					68	100
PRB003C	3/10/2015	CHROMIUM	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	COBALT	0.48	ug/L	J	J	21		0.22	2
PRB003C	3/10/2015	COPPER	0.68	ug/L	J	J	21		0.68	1
PRB003C	3/10/2015	IRON	300	ug/L					33	50
PRB003C	3/10/2015	LEAD	0.48	ug/L	J	J	21		0.17	3
PRB003C	3/10/2015	MAGNESIUM	400	ug/L					5.6	50
PRB003C	3/10/2015	MANGANESE	9.9	ug/L					0.88	2
PRB003C	3/10/2015	NICKEL	5	ug/L	U	U			0.8	5
PRB003C	3/10/2015	POTASSIUM	390	ug/L					42	100
PRB003C	3/10/2015	SELENIUM	5	ug/L	U	U			1.6	5
PRB003C	3/10/2015	SILVER	2	ug/L	U	U			0.82	2
PRB003C	3/10/2015	SODIUM	11000	ug/L			V		24	50
PRB003C	3/10/2015	THALLIUM	2	ug/L	U	U			0.55	2
PRB003C	3/10/2015	VANADIUM	10	ug/L	U	U			2.4	10
PRB003C	3/10/2015	ZINC	10	ug/L	U	U			9.3	10
PRB003C	3/10/2015	MERCURY	0.087	ug/L	J	U	21, V		0.06	0.2
PRB003C	3/10/2015	ALDRIN	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
PRB003C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
PRB003C	3/10/2015	DDD	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	DDE	0.049	ug/L	U	U			0.014	0.049
PRB003C	3/10/2015	DDT	0.049	ug/L	U	U			0.023	0.049
PRB003C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	DIELDRIN	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
PRB003C	3/10/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0099	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
PRB003C	3/10/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	ENDRIN KETONE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
PRB003C	3/10/2015	LINDANE	0.049	ug/L	U	U			0.0099	0.049
PRB003C	3/10/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
PRB003C	3/10/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PRB003C	3/10/2015	AROCLOR 1016	0.98	ug/L	U	U			0.34	0.98
PRB003C	3/10/2015	AROCLOR 1221	0.98	ug/L	U	U			0.34	0.98
PRB003C	3/10/2015	AROCLOR 1232	0.98	ug/L	U	U			0.34	0.98
PRB003C	3/10/2015	AROCLOR 1242	0.98	ug/L	U	U			0.34	0.98
PRB003C	3/10/2015	AROCLOR 1248	0.98	ug/L	U	U			0.34	0.98
PRB003C	3/10/2015	AROCLOR 1254	0.98	ug/L	U	U			0.16	0.98
PRB003C	3/10/2015	AROCLOR 1260	0.98	ug/L	U	U			0.16	0.98
PRB003C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PRB003C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PRB003C	3/10/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PRB003C	3/10/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PRB003C	3/10/2015	ACETONE	2	ug/L	U	U			0.34	2
PRB003C	3/10/2015	BENZENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PRB003C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PRB003C	3/10/2015	CARBON DISULFIDE	0.51	ug/L	J	J	21, 14		0.05	1
PRB003C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PRB003C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PRB003C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	CHLOROFORM	3.8	ug/L		J	14		0.1	1
PRB003C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PRB003C	3/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PRB003C	3/10/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PRB003C	3/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PRB003C	3/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PRB003C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PRB003C	3/10/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PRB003C	3/10/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	STYRENE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PRB003C	3/10/2015	TOLUENE	2.5	ug/L		J	14		0.07	1
PRB003C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PRB003C	3/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PRB003C	3/10/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PRB003C	3/10/2015	1,1'-BIPHENYL	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.95	48
PRB003C	3/10/2015	2,4,5-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	2,4,6-TRICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	2,4-DICHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	2,4-DIMETHYLPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PRB003C	3/10/2015	2,4-DINITROTOLUENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	2,6-DINITROTOLUENE	9.5	ug/L	U	U			2.1	9.5
PRB003C	3/10/2015	2-CHLORONAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	2-CHLOROPHENOL	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	2-METHYLNAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	2-NITROANILINE	9.5	ug/L	U	U			1	9.5
PRB003C	3/10/2015	2-NITROPHENOL	9.5	ug/L	U	UJ	14		1.4	9.5
PRB003C	3/10/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
PRB003C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	4-CHLOROANILINE	9.5	ug/L	U	U			1.9	9.5
PRB003C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	4-NITROPHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
PRB003C	3/10/2015	ACENAPHTHENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	ACENAPHTHYLENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	ACETOPHENONE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	ATRAZINE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	BENZALDEHYDE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	BENZO(G,H,I)PERYLENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	BENZO[A]ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	BENZO[A]PYRENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	BENZO[B]FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	BENZO[K]FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	BIS(2-	9.5	ug/L	U	U			0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROETHOXY)METHANE								
PRB003C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.5	ug/L	U	U	14		1.8	9.5
PRB003C	3/10/2015	BUTYL BENZYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	CAPROLACTAM	9.5	ug/L	U	U			1.9	9.5
PRB003C	3/10/2015	CARBAZOLE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	CHRYSENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	DIBENZ[AH]ANTHRACENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	DIBENZOFURAN	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	DIETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	DIMETHYL PHTHALATE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	DI-N-BUTYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	DINITRO-O-CRESOL	9.5	ug/L	U	UJ	14		1.2	9.5
PRB003C	3/10/2015	FLUORANTHENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	FLUORENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	HEXACHLOROBENZENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	HEXACHLOROBUTADIENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	HEXACHLOROETHANE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	INDENO[1,2,3-CD]PYRENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	ISOPHORONE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PRB003C	3/10/2015	M-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	NAPHTHALENE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	N-DIOCTYL PHTHALATE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	NITROBENZENE	9.5	ug/L	U	U			0.95	9.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	N-NITROSODIPROPYLAMINE	9.5	ug/L	U	U			1.4	9.5
PRB003C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	P-CHLORO-M-CRESOL	9.5	ug/L	U	UJ	14		0.95	9.5
PRB003C	3/10/2015	PENTACHLOROPHENOL	9.5	ug/L	U	UJ	14		1.2	9.5
PRB003C	3/10/2015	PHENANTHRENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	PHENOL	9.5	ug/L	U	UJ	14		1.9	9.5
PRB003C	3/10/2015	P-NITROANILINE	9.5	ug/L	U	U			0.95	9.5
PRB003C	3/10/2015	PYRENE	9.5	ug/L	U	U	14		0.95	9.5
PRB003C	3/10/2015	GROSS ALPHA	2.37	pCi/L	J	J	21	1.01	1.19	3.21
PRB003C	3/10/2015	NONVOLATILE BETA	0.413	pCi/L	U	U		0.582	0.928	2.092
PRB003C	3/10/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW017DU	2/25/2015	TRITIUM	0.86	pCi/mL	J	J	21	0.301	0.441	1.043
PRB003C	3/10/2015	STRONTIUM-90	-0.0244	pCi/L	U	U		0.15	0.277	0.577
PRB003C	3/10/2015	IODINE-129	0.438	pCi/L	U	U		1.27	2.12	4.66
PRB003C	3/10/2015	ALUMINUM	720	ug/L					17	30
PRB003C	3/10/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PRB003C	3/10/2015	ARSENIC	10	ug/L	U	U			1.2	10
PRB003C	3/10/2015	BARIUM	7.6	ug/L					0.22	2
PRB003C	3/10/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PRB003C	3/10/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PRB003C	3/10/2015	CALCIUM	2400	ug/L					68	100
PRB003C	3/10/2015	CHROMIUM	10	ug/L	U	U			1	10
PRB003C	3/10/2015	COBALT	0.37	ug/L	J	J	21		0.22	2
PRB003C	3/10/2015	COPPER	1	ug/L	U	U			0.68	1
PRB003C	3/10/2015	IRON	290	ug/L					33	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	LEAD	0.48	ug/L	J	J	21		0.17	3
PRB003C	3/10/2015	MAGNESIUM	410	ug/L					5.6	50
PRB003C	3/10/2015	MANGANESE	9	ug/L					0.88	2
PRB003C	3/10/2015	NICKEL	5	ug/L	U	U			0.8	5
PRB003C	3/10/2015	POTASSIUM	380	ug/L					42	100
PRB003C	3/10/2015	SELENIUM	5	ug/L	U	U			1.6	5
PRB003C	3/10/2015	SILVER	2	ug/L	U	U			0.82	2
PRB003C	3/10/2015	SODIUM	12000	ug/L			V		24	50
PRB003C	3/10/2015	THALLIUM	2	ug/L	U	U			0.55	2
PRB003C	3/10/2015	VANADIUM	10	ug/L	U	U			2.4	10
PRB003C	3/10/2015	ZINC	10	ug/L	U	U			9.3	10
PRB003C	3/10/2015	MERCURY	0.1	ug/L	J	U	21, V		0.06	0.2
PRB003C	3/10/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PRB003C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PRB003C	3/10/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PRB003C	3/10/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PRB003C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PRB003C	3/10/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PRB003C	3/10/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PRB003C	3/10/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PRB003C	3/10/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PRB003C	3/10/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PRB003C	3/10/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PRB003C	3/10/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PRB003C	3/10/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PRB003C	3/10/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PRB003C	3/10/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PRB003C	3/10/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PRB003C	3/10/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PRB003C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PRB003C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PRB003C	3/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PRB003C	3/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PRB003C	3/10/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PRB003C	3/10/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PRB003C	3/10/2015	ACETONE	2	ug/L	U	U			0.34	2
PRB003C	3/10/2015	BENZENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PRB003C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PRB003C	3/10/2015	CARBON DISULFIDE	0.55	ug/L	J	J	21, 14		0.05	1
PRB003C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PRB003C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PRB003C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	CHLOROFORM	3.8	ug/L		J	14		0.1	1
PRB003C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB003C	3/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PRB003C	3/10/2015	DICHLOROMETHANE	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
PRB003C	3/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PRB003C	3/10/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PRB003C	3/10/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PRB003C	3/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PRB003C	3/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PRB003C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PRB003C	3/10/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PRB003C	3/10/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PRB003C	3/10/2015	STYRENE	1	ug/L	U	U			0.07	1
PRB003C	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PRB003C	3/10/2015	TOLUENE	2.7	ug/L		J	14		0.07	1
PRB003C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PRB003C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PRP 5	11/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
PRB003C	3/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PRB003C	3/10/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PRB003C	3/10/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.97	48
PRB003C	3/10/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PRB003C	3/10/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PRB003C	3/10/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PRB003C	3/10/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
PRB003C	3/10/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
PRB003C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PRB003C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
PRB003C	3/10/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PRB003C	3/10/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7
PRB003C	3/10/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PRB003C	3/10/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PRB003C	3/10/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB003C	3/10/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.4	9.7
PRB003C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB003C	3/10/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PRB003C	3/10/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	PHENOL	9.7	ug/L	U	UJ	14		1.9	9.7
PRB003C	3/10/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PRB003C	3/10/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB003C	3/10/2015	GROSS ALPHA	1.2	pCi/L	U	U		0.977	1.5	3.454
PRB003C	3/10/2015	NONVOLATILE BETA	0.838	pCi/L	U	U		0.598	0.912	2.108
PRB003C	3/10/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW017 C	2/25/2015	TRITIUM	0.833	pCi/mL	J	J	21	0.304	0.454	1.062
PRB003C	3/10/2015	STRONTIUM-90	-0.0946	pCi/L	U	U		0.154	0.297	0.605
PRB003C	3/10/2015	IODINE-129	-0.00689	pCi/L	U	U		0.84	1.43	3.11
PRB005C	3/4/2015	ALUMINUM	490	ug/L					17	30
PRB005C	3/4/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PRB005C	3/4/2015	ARSENIC	10	ug/L	U	U			1.2	10
PRB005C	3/4/2015	BARIUM	15	ug/L					0.22	2
PRB005C	3/4/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PRB005C	3/4/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PRB005C	3/4/2015	CALCIUM	2100	ug/L					68	100
PRB005C	3/4/2015	CHROMIUM	10	ug/L	U	U			1	10
PRB005C	3/4/2015	COBALT	2.7	ug/L					0.22	2
PRB005C	3/4/2015	COPPER	1.2	ug/L					0.68	1
PRB005C	3/4/2015	IRON	320	ug/L					33	50
PRB005C	3/4/2015	LEAD	0.65	ug/L	J	J	21		0.17	3
PRB005C	3/4/2015	MAGNESIUM	520	ug/L					5.6	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	MANGANESE	58	ug/L					0.88	2
PRB005C	3/4/2015	NICKEL	2.2	ug/L	J	J	21		0.8	5
PRB005C	3/4/2015	POTASSIUM	540	ug/L					42	100
PRB005C	3/4/2015	SELENIUM	5	ug/L	U	U			1.6	5
PRB005C	3/4/2015	SILVER	2	ug/L	U	U			0.82	2
PRB005C	3/4/2015	SODIUM	3200	ug/L					24	50
PRB005C	3/4/2015	THALLIUM	2	ug/L	U	U			0.55	2
PRB005C	3/4/2015	VANADIUM	10	ug/L	U	U			2.4	10
PRB005C	3/4/2015	ZINC	10	ug/L	U	U			9.3	10
PRB005C	3/4/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PRB005C	3/4/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PRB005C	3/4/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PRB005C	3/4/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PRB005C	3/4/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PRB005C	3/4/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PRB005C	3/4/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PRB005C	3/4/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PRB005C	3/4/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PRB005C	3/4/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PRB005C	3/4/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PRB005C	3/4/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PRB005C	3/4/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PRB005C	3/4/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PRB005C	3/4/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PRB005C	3/4/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PRB005C	3/4/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PRB005C	3/4/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PRB005C	3/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	11		0.1	1
PRB005C	3/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PRB005C	3/4/2015	1,1,2-TRICHLOROETHANE	0.98	ug/L	J	J	21		0.15	1
PRB005C	3/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PRB005C	3/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PRB005C	3/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PRB005C	3/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PRB005C	3/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PRB005C	3/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PRB005C	3/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PRB005C	3/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PRB005C	3/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PRB005C	3/4/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PRB005C	3/4/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PRB005C	3/4/2015	ACETONE	2	ug/L	U	U			0.34	2
PRB005C	3/4/2015	BENZENE	1	ug/L	U	U			0.06	1
PRB005C	3/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB005C	3/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PRB005C	3/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PRB005C	3/4/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PRB005C	3/4/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PRB005C	3/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PRB005C	3/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PRB005C	3/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PRB005C	3/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB005C	3/4/2015	CHLOROFORM	3.9	ug/L					0.1	1
PRB005C	3/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PRB005C	3/4/2015	CIS-1,2-DICHLOROETHYLENE	51	ug/L	J	J	21, 14		23	250
PRB005C	3/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PRB005C	3/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PRB005C	3/4/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PRB005C	3/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PRB005C	3/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PRB005C	3/4/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PRB005C	3/4/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PRB005C	3/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PRB005C	3/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PRB005C	3/4/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PRB005C	3/4/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PRB005C	3/4/2015	STYRENE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L					0.18	1
PRB005C	3/4/2015	TOLUENE	1	ug/L	U	U			0.07	1
PRB005C	3/4/2015	TRANS-1,2-DICHLOROETHYLENE	0.98	ug/L	J	J	21		0.08	1
PRB005C	3/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB 1A	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PRB005C	3/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PRB005C	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PRB005C	3/4/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
PRB005C	3/4/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49
PRB005C	3/4/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PRB005C	3/4/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PRB005C	3/4/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
PRB005C	3/4/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
PRB005C	3/4/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PRB005C	3/4/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PRB005C	3/4/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PRB005C	3/4/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7
PRB005C	3/4/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PRB005C	3/4/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PRB005C	3/4/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
PRB005C	3/4/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRB005C	3/4/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
PRB005C	3/4/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PRB005C	3/4/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	PHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PRB005C	3/4/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PRB005C	3/4/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PRB005C	3/4/2015	GROSS ALPHA	1.14	pCi/L	U	U		0.983	1.54	3.506
PRB005C	3/4/2015	NONVOLATILE BETA	1.28	pCi/L	J	J	21	0.624	0.893	2.141
PRB005C	3/4/2015	CYANIDE	2.9	ug/L	J	J	21		2.9	10
PGW016 C	2/25/2015	TRITIUM	0.671	pCi/mL	J	J	21	0.265	0.366	0.896
PRB005C	3/4/2015	STRONTIUM-90	0.0872	pCi/L	U	U		0.147	0.249	0.543
PRB005C	3/4/2015	IODINE-129	-0.356	pCi/L	U	U		0.908	1.55	3.366
PRP 5	11/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PRP 5	11/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PRP 5	11/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
PRP 5	11/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
PRP 5	11/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
PRP 5	11/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
PSB 2A	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PRP 5	11/12/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
PRP 6	11/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PRP 6	11/12/2015	1,1-DICHLOROETHYLENE	8.8	ug/L					0.08	1
PRP 6	11/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
PRP 6	11/12/2015	CIS-1,2-DICHLOROETHYLENE	0.87	ug/L	J		21		0.09	1
PRP 6	11/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PRP 6	11/12/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
PSB 3A	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PRP 6	11/12/2015	1,4-DIOXANE	10	ug/L					1.2	5
PRP 7	11/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PRP 7	11/12/2015	1,1-DICHLOROETHYLENE	2	ug/L					0.08	1
PRP 7	11/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
PRP 7	11/12/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
PRP 7	11/12/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
PRP 7	11/12/2015	TETRACHLOROETHYLENE (PCE)	1.9	ug/L					0.18	1
PSB 6A	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PRP 7	11/12/2015	1,4-DIOXANE	4.8	ug/L	J		21		1.2	5
PSB 1A	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB 10	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 1A	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PSB 1A	2/25/2015	NONVOLATILE BETA	16.8	pCi/L				1.45	1.08	3.98
PGW017 B	2/25/2015	TRITIUM	0.59	pCi/mL	J	J	21	0.285	0.438	1.008
PSB 1A	2/25/2015	STRONTIUM-90	9.74	pCi/L				0.576	0.276	1.428
PSB 2A	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB 11	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 2A	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW029C	2/24/2015	TRITIUM	0.495	pCi/mL	J	J	21	0.257	0.381	0.895
PSB 3A	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB 11	2/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 3A	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW014 A	3/4/2015	TRITIUM	0.473	pCi/mL	J	J	21	0.301	0.467	1.069
PSB 6A	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 6A	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW014 B	2/23/2015	TRITIUM	0.441	pCi/mL	J	J	21	0.265	0.403	0.933
PSB 10	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AA	3/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 10	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW022 B	2/24/2015	TRITIUM	0.401	pCi/mL	J	J	21	0.258	0.395	0.911
PSB 11	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AL	3/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB 11	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PDB 3	2/23/2015	TRITIUM	0.396	pCi/mL	U	U		0.259	0.399	0.917
PSB 11	2/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AL	3/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
PSB 11	2/25/2015	1,4-DIOXANE	3	ug/L	U	U			0.48	3
PGW024 A	2/24/2015	TRITIUM	0.365	pCi/mL	U	U		0.272	0.434	0.978
PSB002AA	3/4/2015	ALUMINUM	180	ug/L					17	30
PSB002AA	3/4/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002AA	3/4/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB002AA	3/4/2015	BARIUM	6	ug/L					0.22	2
PSB002AA	3/4/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002AA	3/4/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB002AA	3/4/2015	CALCIUM	1700	ug/L		J	9		68	100
PSB002AA	3/4/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB002AA	3/4/2015	COBALT	1.5	ug/L	J	J	21		0.22	2
PSB002AA	3/4/2015	COPPER	1	ug/L	U	U			0.68	1
PSB002AA	3/4/2015	IRON	58	ug/L					33	50
PSB002AA	3/4/2015	LEAD	3	ug/L	U	U			0.17	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	MAGNESIUM	170	ug/L					5.6	50
PSB002AA	3/4/2015	MANGANESE	25	ug/L					0.88	2
PSB002AA	3/4/2015	NICKEL	1.3	ug/L	J	J	21		0.8	5
PSB002AA	3/4/2015	POTASSIUM	1500	ug/L		J	9		42	100
PSB002AA	3/4/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002AA	3/4/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002AA	3/4/2015	SODIUM	2900	ug/L					24	50
PSB002AA	3/4/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002AA	3/4/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB002AA	3/4/2015	ZINC	10	ug/L	U	U			9.3	10
PSB002AA	3/4/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB002AA	3/4/2015	ALDRIN	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
PSB002AA	3/4/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
PSB002AA	3/4/2015	DDD	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	DDE	0.049	ug/L	U	U			0.014	0.049
PSB002AA	3/4/2015	DDT	0.049	ug/L	U	U			0.022	0.049
PSB002AA	3/4/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	DIELDRIN	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
PSB002AA	3/4/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
PSB002AA	3/4/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	ENDRIN KETONE	0.049	ug/L	U	U			0.0098	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
PSB002AA	3/4/2015	LINDANE	0.049	ug/L	U	U			0.0098	0.049
PSB002AA	3/4/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
PSB002AA	3/4/2015	TOXAPHENE	2	ug/L	U	U			0.26	2
PSB002AA	3/4/2015	AROCLOR 1016	0.95	ug/L	U	U			0.33	0.95
PSB002AA	3/4/2015	AROCLOR 1221	0.95	ug/L	U	U			0.33	0.95
PSB002AA	3/4/2015	AROCLOR 1232	0.95	ug/L	U	U			0.33	0.95
PSB002AA	3/4/2015	AROCLOR 1242	0.95	ug/L	U	U			0.33	0.95
PSB002AA	3/4/2015	AROCLOR 1248	0.95	ug/L	U	U			0.33	0.95
PSB002AA	3/4/2015	AROCLOR 1254	0.95	ug/L	U	U			0.16	0.95
PSB002AA	3/4/2015	AROCLOR 1260	0.95	ug/L	U	U			0.16	0.95
PSB002AA	3/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	11		0.1	1
PSB002AA	3/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002AA	3/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002AA	3/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002AA	3/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	1,2-DICHLOROBENZENE	0.18	ug/L	J	J	21		0.06	1
PSB002AA	3/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002AA	3/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB002AA	3/4/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002AA	3/4/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB002AA	3/4/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB002AA	3/4/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002AA	3/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB002AA	3/4/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002AA	3/4/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB002AA	3/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002AA	3/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB002AA	3/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	CHLOROFORM	0.48	ug/L	J	J	21		0.1	1
PSB002AA	3/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB002AA	3/4/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002AA	3/4/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB002AA	3/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002AA	3/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002AA	3/4/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002AA	3/4/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002AA	3/4/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AA	3/4/2015	TOLUENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002AA	3/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB002AA	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002AA	3/4/2015	1,1'-BIPHENYL	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
PSB002AA	3/4/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PSB002AA	3/4/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
PSB002AA	3/4/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
PSB002AA	3/4/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
PSB002AA	3/4/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
PSB002AA	3/4/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
PSB002AA	3/4/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	ATRAZINE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	BENZALDEHYDE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	BENZO[A]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U	14		1.8	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	CAPROLACTAM	9.6	ug/L	U	U			1.9	9.6
PSB002AA	3/4/2015	CARBAZOLE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	CHRYSENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB002AA	3/4/2015	FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB002AA	3/4/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AA	3/4/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB002AA	3/4/2015	PHENANTHRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	PHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
PSB002AA	3/4/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB002AA	3/4/2015	PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AA	3/4/2015	GROSS ALPHA	0.674	pCi/L	U	U		0.867	1.44	3.174
PSB002AA	3/4/2015	NONVOLATILE BETA	1.03	pCi/L	J	J	21	0.583	0.862	2.028
PSB002AA	3/4/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW-02DL	3/17/2015	TRITIUM	0.279	pCi/mL	U	U		0.253	0.415	0.921
PSB002AA	3/4/2015	STRONTIUM-90	0.276	pCi/L	U	U		0.184	0.284	0.652
PSB002AA	3/4/2015	IODINE-129	0	pCi/L	U	U		0.539	0.909	1.987
PSB002AA	3/4/2015	ALUMINUM	220	ug/L					17	30
PSB002AA	3/4/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002AA	3/4/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB002AA	3/4/2015	BARIUM	7.4	ug/L					0.22	2
PSB002AA	3/4/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002AA	3/4/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB002AA	3/4/2015	CALCIUM	2300	ug/L		J	9		68	100
PSB002AA	3/4/2015	CHROMIUM	1.1	ug/L	J	J	21		1	10
PSB002AA	3/4/2015	COBALT	2	ug/L			S		0.22	2
PSB002AA	3/4/2015	COPPER	1	ug/L	U	U			0.68	1
PSB002AA	3/4/2015	IRON	75	ug/L					33	50
PSB002AA	3/4/2015	LEAD	0.22	ug/L	J	J	21		0.17	3
PSB002AA	3/4/2015	MAGNESIUM	170	ug/L					5.6	50
PSB002AA	3/4/2015	MANGANESE	27	ug/L					0.88	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	NICKEL	1.5	ug/L	J	J	21		0.8	5
PSB002AA	3/4/2015	POTASSIUM	2100	ug/L		J	9		42	100
PSB002AA	3/4/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002AA	3/4/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002AA	3/4/2015	SODIUM	3100	ug/L					24	50
PSB002AA	3/4/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002AA	3/4/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB002AA	3/4/2015	ZINC	10	ug/L	U	U			9.3	10
PSB002AA	3/4/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB002AA	3/4/2015	ALDRIN	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
PSB002AA	3/4/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
PSB002AA	3/4/2015	DDD	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	DDE	0.049	ug/L	U	U			0.014	0.049
PSB002AA	3/4/2015	DDT	0.049	ug/L	U	U			0.022	0.049
PSB002AA	3/4/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	DIELDRIN	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
PSB002AA	3/4/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
PSB002AA	3/4/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	ENDRIN KETONE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0097	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
PSB002AA	3/4/2015	LINDANE	0.049	ug/L	U	U			0.0097	0.049
PSB002AA	3/4/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
PSB002AA	3/4/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PSB002AA	3/4/2015	AROCLOR 1016	0.99	ug/L	U	U			0.35	0.99
PSB002AA	3/4/2015	AROCLOR 1221	0.99	ug/L	U	U			0.35	0.99
PSB002AA	3/4/2015	AROCLOR 1232	0.99	ug/L	U	U			0.35	0.99
PSB002AA	3/4/2015	AROCLOR 1242	0.99	ug/L	U	U			0.35	0.99
PSB002AA	3/4/2015	AROCLOR 1248	0.99	ug/L	U	U			0.35	0.99
PSB002AA	3/4/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
PSB002AA	3/4/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
PSB002AA	3/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	11		0.1	1
PSB002AA	3/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002AA	3/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002AA	3/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002AA	3/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	1,2-DICHLOROBENZENE	0.18	ug/L	J	J	21		0.06	1
PSB002AA	3/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002AA	3/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB002AA	3/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002AA	3/4/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB002AA	3/4/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB002AA	3/4/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002AA	3/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB002AA	3/4/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002AA	3/4/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB002AA	3/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002AA	3/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB002AA	3/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	CHLOROFORM	0.56	ug/L	J	J	21		0.1	1
PSB002AA	3/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AA	3/4/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB002AA	3/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB002AA	3/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002AA	3/4/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002AA	3/4/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB002AA	3/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002AA	3/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002AA	3/4/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002AA	3/4/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002AA	3/4/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AA	3/4/2015	TOLUENE	1	ug/L	U	U			0.07	1
PSB002AA	3/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AA	3/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB002C	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002AA	3/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB002AA	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002AA	3/4/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.97	48
PSB002AA	3/4/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB002AA	3/4/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB002AA	3/4/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB002AA	3/4/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB002AA	3/4/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PSB002AA	3/4/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PSB002AA	3/4/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PSB002AA	3/4/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
PSB002AA	3/4/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.3	48
PSB002AA	3/4/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PSB002AA	3/4/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB002AA	3/4/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PSB002AA	3/4/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB002AA	3/4/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB002AA	3/4/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
PSB002AA	3/4/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
PSB002AA	3/4/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AA	3/4/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB002AA	3/4/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	PHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB002AA	3/4/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB002AA	3/4/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB002AA	3/4/2015	GROSS ALPHA	1.24	pCi/L	U	U		0.863	1.25	2.976
PSB002AA	3/4/2015	NONVOLATILE BETA	1.69	pCi/L	J	J	21	0.695	0.972	2.362
PSB002AA	3/4/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW019 B	2/24/2015	TRITIUM	0.252	pCi/mL	U	U		0.233	0.377	0.843
PSB002AA	3/4/2015	STRONTIUM-90	0.0476	pCi/L	U	U		0.174	0.304	0.652
PSB002AA	3/4/2015	IODINE-129	-0.133	pCi/L	U	U		0.437	0.745	1.619
PSB002AL	3/3/2015	ALUMINUM	29	ug/L	J	J	21		17	30
PSB002AL	3/3/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002AL	3/3/2015	ARSENIC	1.6	ug/L	J	J	21		1.2	10
PSB002AL	3/3/2015	BARIUM	29	ug/L					0.22	2
PSB002AL	3/3/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002AL	3/3/2015	CADMIUM	0.15	ug/L	J	J	21		0.1	0.5
PSB002AL	3/3/2015	CALCIUM	19000	ug/L					68	100
PSB002AL	3/3/2015	CHROMIUM	1.1	ug/L	J	J	21		1	10
PSB002AL	3/3/2015	COBALT	0.49	ug/L	J	J	21		0.22	2
PSB002AL	3/3/2015	COPPER	1	ug/L	U	U			0.68	1
PSB002AL	3/3/2015	IRON	55	ug/L					33	50
PSB002AL	3/3/2015	LEAD	3	ug/L	U	U			0.17	3
PSB002AL	3/3/2015	MAGNESIUM	1000	ug/L			V		5.6	50
PSB002AL	3/3/2015	MANGANESE	24	ug/L					0.88	2
PSB002AL	3/3/2015	NICKEL	5	ug/L	U	U			0.8	5
PSB002AL	3/3/2015	POTASSIUM	2900	ug/L					42	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002AL	3/3/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002AL	3/3/2015	SODIUM	2500	ug/L					24	50
PSB002AL	3/3/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002AL	3/3/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB002AL	3/3/2015	ZINC	10	ug/L	U	U			9.3	10
PSB002AL	3/3/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB002AL	3/3/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PSB002AL	3/3/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PSB002AL	3/3/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PSB002AL	3/3/2015	DDT	0.051	ug/L	U	U			0.024	0.051
PSB002AL	3/3/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.02	0.051
PSB002AL	3/3/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PSB002AL	3/3/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PSB002AL	3/3/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PSB002AL	3/3/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PSB002AL	3/3/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PSB002AL	3/3/2015	AROCLOR 1016	1	ug/L	U	U			0.35	1
PSB002AL	3/3/2015	AROCLOR 1221	1	ug/L	U	U			0.35	1
PSB002AL	3/3/2015	AROCLOR 1232	1	ug/L	U	U			0.35	1
PSB002AL	3/3/2015	AROCLOR 1242	1	ug/L	U	U			0.35	1
PSB002AL	3/3/2015	AROCLOR 1248	1	ug/L	U	U			0.35	1
PSB002AL	3/3/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PSB002AL	3/3/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PSB002AL	3/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AL	3/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB002AL	3/3/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002AL	3/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002AL	3/3/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002AL	3/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AL	3/3/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002AL	3/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AL	3/3/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002AL	3/3/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002AL	3/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB002AL	3/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002AL	3/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB002AL	3/3/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002AL	3/3/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB002AL	3/3/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002AL	3/3/2015	2-HEXANONE	5	ug/L	U	U			0.22	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB002AL	3/3/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002AL	3/3/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AL	3/3/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002AL	3/3/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB002AL	3/3/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002AL	3/3/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB002AL	3/3/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002AL	3/3/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002AL	3/3/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB002AL	3/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AL	3/3/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PSB002AL	3/3/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002AL	3/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002AL	3/3/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002AL	3/3/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002AL	3/3/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002AL	3/3/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002AL	3/3/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB002AL	3/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB002AL	3/3/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002AL	3/3/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB002AL	3/3/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002AL	3/3/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002AL	3/3/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002AL	3/3/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002AL	3/3/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002AL	3/3/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB002AL	3/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002AL	3/3/2015	TOLUENE	1.3	ug/L		U	8		0.07	1
PSB002AL	3/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002AL	3/3/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002AL	3/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB002AL	3/3/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002AL	3/3/2015	1,1'-BIPHENYL	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
PSB002AL	3/3/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PSB002AL	3/3/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6
PSB002AL	3/3/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
PSB002AL	3/3/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U	14		1.2	48
PSB002AL	3/3/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
PSB002AL	3/3/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
PSB002AL	3/3/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	ATRAZINE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	BENZALDEHYDE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	BENZO[A]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U	14		1.8	9.6
PSB002AL	3/3/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	CAPROLACTAM	9.6	ug/L	U	U			1.9	9.6
PSB002AL	3/3/2015	CARBAZOLE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	CHRYSENE	9.6	ug/L	U	U	14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB002AL	3/3/2015	FLUORANTHENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB002AL	3/3/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6
PSB002AL	3/3/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB002AL	3/3/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB002AL	3/3/2015	PHENANTHRENE	9.6	ug/L	U	U	14		0.96	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	PHENOL	9.6	ug/L	U	UJ	11, 14		1.9	9.6
PSB002AL	3/3/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB002AL	3/3/2015	PYRENE	9.6	ug/L	U	U	14		0.96	9.6
PSB002AL	3/3/2015	GROSS ALPHA	0.453	pCi/L	U	U		1.03	1.82	3.88
PSB002AL	3/3/2015	NONVOLATILE BETA	1.91	pCi/L	J	J	21	0.687	0.935	2.309
PSB002AL	3/3/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW033A	3/2/2015	TRITIUM	0.243	pCi/mL	U	U		0.242	0.392	0.876
PSB002AL	3/3/2015	STRONTIUM-90	0.169	pCi/L	U	U		0.192	0.316	0.7
PSB002AL	3/3/2015	IODINE-129	-0.162	pCi/L	U	UJ	Q	0.432	0.739	1.603
PSB002AL	3/3/2015	ALUMINUM	200	ug/L	U	U			68	200
PSB002AL	3/3/2015	BARIUM	29.3	ug/L					1	5
PSB002AL	3/3/2015	CADMIUM	5	ug/L	U	U			1	5
PSB002AL	3/3/2015	CALCIUM	19700	ug/L					50	200
PSB002AL	3/3/2015	CHROMIUM	1.05	ug/L	J	J	21		1	5
PSB002AL	3/3/2015	COBALT	5	ug/L	U	U			1	5
PSB002AL	3/3/2015	COPPER	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	IRON	30.9	ug/L	J	J	21		30	100
PSB002AL	3/3/2015	LEAD	10	ug/L	U	U			3.3	10
PSB002AL	3/3/2015	MAGNESIUM	1130	ug/L					110	300
PSB002AL	3/3/2015	MANGANESE	22.7	ug/L					2	10
PSB002AL	3/3/2015	NICKEL	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	POTASSIUM	1870	ug/L					50	150
PSB002AL	3/3/2015	SELENIUM	30	ug/L	U	U			6	30
PSB002AL	3/3/2015	SILVER	5	ug/L	U	U			1	5
PSB002AL	3/3/2015	SODIUM	2070	ug/L					100	300
PSB002AL	3/3/2015	VANADIUM	2.04	ug/L	J	J	21		1	5
PSB002AL	3/3/2015	ZINC	10	ug/L	U	U			3.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	ANTIMONY	3	ug/L	U	U			1	3
PSB002AL	3/3/2015	ARSENIC	5	ug/L	U	U			1.7	5
PSB002AL	3/3/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
PSB002AL	3/3/2015	THALLIUM	0.468	ug/L	J	J	21		0.45	2
PSB002AL	3/3/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
PSB002AL	3/3/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	DDD	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	DDE	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	DDT	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
PSB002AL	3/3/2015	ENDRIN KETONE	0.04	ug/L	U	U			0.01	0.04
PSB002AL	3/3/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
PSB002AL	3/3/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
PSB002AL	3/3/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
PSB002AL	3/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
PSB002AL	3/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
PSB002AL	3/3/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
PSB002AL	3/3/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	ACETONE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	BENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
PSB002AL	3/3/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
PSB002AL	3/3/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
PSB002AL	3/3/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	O-XYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	STYRENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	TOLUENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
PSB011A	3/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002AL	3/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	1,1'-BIPHENYL	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	2,3,4,6-TETRACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2,4-DINITROPHENOL	20	ug/L	U	UJ	14		5	20
PSB002AL	3/3/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	2-CHLORONAPHTHALENE	1	ug/L	U	U			0.41	1
PSB002AL	3/3/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	2-METHYLNAPHTHALENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	2-NITROANILINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	3,3-DICHLOROBENZIDINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	4-CHLOROANILINE	10	ug/L	U	U			3.3	10
PSB002AL	3/3/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	4-NITROPHENOL	10	ug/L	U	UJ	11, 14		3	10
PSB002AL	3/3/2015	ACENAPHTHENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	ACENAPHTHYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	ACETOPHENONE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	ANTHRACENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	ATRAZINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BENZALDEHYDE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BENZO(G,H,I)PERYLENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BENZO[A]ANTHRACENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BENZO[A]PYRENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BENZO[B]FLUORANTHENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BENZO[K]FLUORANTHENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	CAPROLACTAM	10	ug/L	U	U	22		3	10
PSB002AL	3/3/2015	CARBAZOLE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	CHRYSENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	DIBENZ[AH]ANTHRACENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	DIBENZOFURAN	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	DIETHYL PHTHALATE	10	ug/L	U	U			3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	FLUORANTHENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	FLUORENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	HEXACHLOROBENZENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	HEXACHLOROETHANE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	INDENO[1,2,3-CD]PYRENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	ISOPHORONE	10	ug/L	U	U			3.5	10
PSB002AL	3/3/2015	M/P-CRESOL	10	ug/L	U	UJ	14		3.7	10
PSB002AL	3/3/2015	M-NITROANILINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	NAPHTHALENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	NITROBENZENE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	PHENANTHRENE	1	ug/L	U	U			0.3	1
PSB002AL	3/3/2015	PHENOL	10	ug/L	U	UJ	14		3	10
PSB002AL	3/3/2015	P-NITROANILINE	10	ug/L	U	U			3	10
PSB002AL	3/3/2015	PYRENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002AL	3/3/2015	CYANIDE	5	ug/L	U	UJ	11		1.67	5
PSB002AL	3/3/2015	GROSS ALPHA	0.724	pCi/L	U	U		0.602	0.976	2.18
PSB002AL	3/3/2015	NONVOLATILE BETA	1.29	pCi/L	U	U		1.06	1.76	3.88
PGW-03A	2/23/2015	TRITIUM	0.243	pCi/mL	U	U		0.245	0.397	0.887
PSB002AL	3/3/2015	STRONTIUM-90	0.953	pCi/L	U	U		2.69	4.87	10.3
PSB002AL	3/3/2015	IODINE-129	0.637	pCi/L	U	U		0.739	1.43	2.91
PSB002B	3/9/2015	ALUMINUM	410	ug/L					17	30
PSB002B	3/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002B	3/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB002B	3/9/2015	BARIUM	10	ug/L					0.22	2
PSB002B	3/9/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002B	3/9/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB002B	3/9/2015	CALCIUM	1500	ug/L					68	100
PSB002B	3/9/2015	CHROMIUM	2	ug/L	J	J	21		1	10
PSB002B	3/9/2015	COBALT	2.3	ug/L					0.22	2
PSB002B	3/9/2015	COPPER	1	ug/L	U	U			0.68	1
PSB002B	3/9/2015	IRON	50	ug/L	U	U			33	50
PSB002B	3/9/2015	LEAD	0.38	ug/L	J	J	21		0.17	3
PSB002B	3/9/2015	MAGNESIUM	120	ug/L					5.6	50
PSB002B	3/9/2015	MANGANESE	31	ug/L					0.88	2
PSB002B	3/9/2015	NICKEL	1.3	ug/L	J	J	21		0.8	5
PSB002B	3/9/2015	POTASSIUM	1000	ug/L					42	100
PSB002B	3/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002B	3/9/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002B	3/9/2015	SODIUM	4400	ug/L			V		24	50
PSB002B	3/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002B	3/9/2015	VANADIUM	10	ug/L	U	U			2.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	ZINC	10	ug/L	U	U			9.3	10
PSB002B	3/9/2015	MERCURY	0.13	ug/L	J	U	21, V		0.06	0.2
PSB002B	3/9/2015	ALDRIN	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ALPHA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ALPHA-CHLORDANE	0.053	ug/L	U	U			0.016	0.053
PSB002B	3/9/2015	BETA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.014	0.053
PSB002B	3/9/2015	DDD	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	DDE	0.053	ug/L	U	U			0.015	0.053
PSB002B	3/9/2015	DDT	0.053	ug/L	U	U			0.024	0.053
PSB002B	3/9/2015	DELTA-BENZENE HEXACHLORIDE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	DIELDRIN	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ENDOSULFAN I	0.053	ug/L	U	U			0.02	0.053
PSB002B	3/9/2015	ENDOSULFAN II	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ENDOSULFAN SULFATE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ENDRIN	0.053	ug/L	U	U			0.019	0.053
PSB002B	3/9/2015	ENDRIN ALDEHYDE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	ENDRIN KETONE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	GAMMA-CHLORDANE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	HEPTACHLOR	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	HEPTACHLOR EPOXIDE	0.053	ug/L	U	U			0.018	0.053
PSB002B	3/9/2015	LINDANE	0.053	ug/L	U	U			0.011	0.053
PSB002B	3/9/2015	METHOXYCHLOR	0.53	ug/L	U	U			0.014	0.53
PSB002B	3/9/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PSB002B	3/9/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PSB002B	3/9/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PSB002B	3/9/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PSB002B	3/9/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PSB002B	3/9/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PSB002B	3/9/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PSB002B	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002B	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB002B	3/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002B	3/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002B	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002B	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002B	3/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002B	3/9/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002B	3/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB002B	3/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002B	3/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB002B	3/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB002B	3/9/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002B	3/9/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB002B	3/9/2015	ACETONE	2	ug/L	U	UJ	18		0.34	2
PSB002B	3/9/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002B	3/9/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002B	3/9/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002B	3/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002B	3/9/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB002B	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002B	3/9/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002B	3/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB002B	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002B	3/9/2015	CHLOROFORM	0.36	ug/L	J	J	21, 14		0.1	1
PSB002B	3/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002B	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002B	3/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002B	3/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002B	3/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002B	3/9/2015	DICHLORODIFLUOROMETHANE	0.38	ug/L	J	J	21, 14		0.08	2
PSB002B	3/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB002B	3/9/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002B	3/9/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB002B	3/9/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002B	3/9/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB002B	3/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002B	3/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002B	3/9/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002B	3/9/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002B	3/9/2015	STYRENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002B	3/9/2015	TOLUENE	0.16	ug/L	J	U	21, 8, 14		0.07	1
PSB002B	3/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002B	3/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002B	3/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB002B	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002B	3/9/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PSB002B	3/9/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	2,3,4,6-TETRACHLOROPHENOL	51	ug/L	U	UJ	14		1	51
PSB002B	3/9/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	2,4-DINITROPHENOL	51	ug/L	U	UJ	14		2	51
PSB002B	3/9/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.2	10
PSB002B	3/9/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PSB002B	3/9/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.5	10
PSB002B	3/9/2015	3,3-DICHLOROBENZIDINE	51	ug/L	U	U			1.3	51
PSB002B	3/9/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PSB002B	3/9/2015	4-CHLOROANILINE	10	ug/L	U	U			2	10
PSB002B	3/9/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2	10
PSB002B	3/9/2015	ACENAPHTHENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	ANTHRACENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	ATRAZINE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZO[A]PYRENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PSB002B	3/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			1.9	10
PSB002B	3/9/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	CAPROLACTAM	10	ug/L	U	U			2	10
PSB002B	3/9/2015	CARBAZOLE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	CHRYSENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002B	3/9/2015	FLUORANTHENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	FLUORENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	ISOPHORONE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PSB002B	3/9/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	NITROBENZENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.5	10
PSB002B	3/9/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PSB002B	3/9/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PSB002B	3/9/2015	PHENANTHRENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	PHENOL	10	ug/L	U	UJ	14		2	10
PSB002B	3/9/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	PYRENE	10	ug/L	U	U			1	10
PSB002B	3/9/2015	GROSS ALPHA	1.15	pCi/L	U	U		0.951	1.47	3.372
PSB002B	3/9/2015	NONVOLATILE BETA	1.29	pCi/L	J	J	21	0.561	0.755	1.877
PSB002B	3/9/2015	CYANIDE	10	ug/L	U	U			2.9	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	TRITIUM	0.239	pCi/mL	U	U		0.277	0.452	1.006
PSB002B	3/9/2015	STRONTIUM-90	0.0105	pCi/L	U	U		0.186	0.33	0.702
PSB002B	3/9/2015	IODINE-129	0.232	pCi/L	U	U		0.69	1.16	2.54
PSB002C	3/9/2015	ALUMINUM	340	ug/L					17	30
PSB002C	3/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002C	3/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB002C	3/9/2015	BARIUM	5.2	ug/L					0.22	2
PSB002C	3/9/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002C	3/9/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB002C	3/9/2015	CALCIUM	3300	ug/L					68	100
PSB002C	3/9/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB002C	3/9/2015	COBALT	2	ug/L	U	U			0.22	2
PSB002C	3/9/2015	COPPER	1.4	ug/L					0.68	1
PSB002C	3/9/2015	IRON	220	ug/L					33	50
PSB002C	3/9/2015	LEAD	0.51	ug/L	J	J	21		0.17	3
PSB002C	3/9/2015	MAGNESIUM	170	ug/L					5.6	50
PSB002C	3/9/2015	MANGANESE	2.5	ug/L					0.88	2
PSB002C	3/9/2015	NICKEL	5	ug/L	U	U			0.8	5
PSB002C	3/9/2015	POTASSIUM	7100	ug/L					42	100
PSB002C	3/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002C	3/9/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002C	3/9/2015	SODIUM	12000	ug/L			V		24	50
PSB002C	3/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002C	3/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB002C	3/9/2015	ZINC	12	ug/L					9.3	10
PSB002C	3/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB002C	3/9/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PSB002C	3/9/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PSB002C	3/9/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PSB002C	3/9/2015	DDT	0.051	ug/L	U	U			0.023	0.051
PSB002C	3/9/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PSB002C	3/9/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PSB002C	3/9/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PSB002C	3/9/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PSB002C	3/9/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PSB002C	3/9/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PSB002C	3/9/2015	AROCLOR 1016	1.1	ug/L	U	U			0.37	1.1
PSB002C	3/9/2015	AROCLOR 1221	1.1	ug/L	U	U			0.37	1.1
PSB002C	3/9/2015	AROCLOR 1232	1.1	ug/L	U	U			0.37	1.1
PSB002C	3/9/2015	AROCLOR 1242	1.1	ug/L	U	U			0.37	1.1
PSB002C	3/9/2015	AROCLOR 1248	1.1	ug/L	U	U			0.37	1.1
PSB002C	3/9/2015	AROCLOR 1254	1.1	ug/L	U	U			0.18	1.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	AROCLOR 1260	1.1	ug/L	U	U			0.18	1.1
PSB002C	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002C	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB002C	3/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002C	3/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002C	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002C	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002C	3/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002C	3/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002C	3/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002C	3/9/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002C	3/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB002C	3/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002C	3/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB002C	3/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002C	3/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB002C	3/9/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002C	3/9/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB002C	3/9/2015	ACETONE	2	ug/L	U	UJ	18		0.34	2
PSB002C	3/9/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002C	3/9/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002C	3/9/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002C	3/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB002C	3/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002C	3/9/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002C	3/9/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002C	3/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB002C	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002C	3/9/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PSB002C	3/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002C	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002C	3/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002C	3/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002C	3/9/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002C	3/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002C	3/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB002C	3/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB002C	3/9/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002C	3/9/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB002C	3/9/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002C	3/9/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB002C	3/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002C	3/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002C	3/9/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002C	3/9/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002C	3/9/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB002C	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002C	3/9/2015	TOLUENE	0.48	ug/L	J	U	21, 8, 14		0.07	1
PSB002C	3/9/2015	TRANS-1,2-	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
PSB002C	3/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB002C	3/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB002C	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002C	3/9/2015	1,1'-BIPHENYL	10	ug/L	U	U			1	10
PSB002C	3/9/2015	1,2,4,5-TETRACHLOROBENZENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	2,3,4,6-TETRACHLOROPHENOL	52	ug/L	U	UJ	14		1	52
PSB002C	3/9/2015	2,4,5-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	2,4,6-TRICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	2,4-DICHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	2,4-DIMETHYLPHENOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	2,4-DINITROPHENOL	52	ug/L	U	UJ	14		2.1	52
PSB002C	3/9/2015	2,4-DINITROTOLUENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	2,6-DINITROTOLUENE	10	ug/L	U	U			2.3	10
PSB002C	3/9/2015	2-CHLORONAPHTHALENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	2-CHLOROPHENOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	2-METHYLNAPHTHALENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	2-NITROANILINE	10	ug/L	U	U			1.1	10
PSB002C	3/9/2015	2-NITROPHENOL	10	ug/L	U	UJ	14		1.6	10
PSB002C	3/9/2015	3,3-DICHLOROBENZIDINE	52	ug/L	U	U			1.3	52
PSB002C	3/9/2015	4-BROMOPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PSB002C	3/9/2015	4-CHLOROANILINE	10	ug/L	U	U			2.1	10
PSB002C	3/9/2015	4-CHLOROPHENYL PHENYL ETHER	10	ug/L	U	U			1	10
PSB002C	3/9/2015	4-NITROPHENOL	10	ug/L	U	UJ	14		2.1	10
PSB002C	3/9/2015	ACENAPHTHENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	ACENAPHTHYLENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	ACETOPHENONE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	ANTHRACENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	ATRAZINE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZALDEHYDE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZO(G,H,I)PERYLENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZO[A]ANTHRACENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZO[A]PYRENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZO[B]FLUORANTHENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BENZO[K]FLUORANTHENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BIS(2-CHLOROETHOXY)METHANE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BIS(2-CHLOROETHYL)ETHER	10	ug/L	U	U			1	10
PSB002C	3/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	10	ug/L	U	U			1.9	10
PSB002C	3/9/2015	BUTYL BENZYL PHTHALATE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	CAPROLACTAM	10	ug/L	U	U			2.1	10
PSB002C	3/9/2015	CARBAZOLE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	CHRYSENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DIBENZ[AH]ANTHRACENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DIBENZOFURAN	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DIETHYL PHTHALATE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DIMETHYL PHTHALATE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DI-N-BUTYL PHTHALATE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	DINITRO-O-CRESOL	10	ug/L	U	UJ	14		1.3	10
PSB002C	3/9/2015	FLUORANTHENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	FLUORENE	10	ug/L	U	U			1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	HEXACHLOROBENZENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	HEXACHLOROBUTADIENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	HEXACHLOROCYCLOPENTADIENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	HEXACHLOROETHANE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	INDENO[1,2,3-CD]PYRENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	ISOPHORONE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PSB002C	3/9/2015	M-NITROANILINE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	NAPHTHALENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	N-DIOCTYL PHTHALATE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	NITROBENZENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	N-NITROSODIPROPYLAMINE	10	ug/L	U	U			1.6	10
PSB002C	3/9/2015	O-CRESOL (2-METHYLPHENOL)	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	P-CHLORO-M-CRESOL	10	ug/L	U	UJ	14		1	10
PSB002C	3/9/2015	PENTACHLOROPHENOL	10	ug/L	U	UJ	14		1.3	10
PSB002C	3/9/2015	PHENANTHRENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	PHENOL	10	ug/L	U	UJ	14		2.1	10
PSB002C	3/9/2015	P-NITROANILINE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	PYRENE	10	ug/L	U	U			1	10
PSB002C	3/9/2015	GROSS ALPHA	-0.215	pCi/L	U	U		0.893	1.74	3.526
PSB002C	3/9/2015	NONVOLATILE BETA	4.39	pCi/L				0.792	0.792	2.376
PSB002C	3/9/2015	CYANIDE	19	ug/L					2.9	10
PGW023 B	2/24/2015	TRITIUM	0.027	pCi/mL	U	U		0.208	0.371	0.787
PSB002C	3/9/2015	STRONTIUM-90	0.135	pCi/L	U	U		0.176	0.293	0.645

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002C	3/9/2015	IODINE-129	0.0506	pCi/L	U	U		0.667	1.16	2.494
PSB002DL	3/9/2015	ALUMINUM	35	ug/L					17	30
PSB002DL	3/9/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB002DL	3/9/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB002DL	3/9/2015	BARIUM	30	ug/L					0.22	2
PSB002DL	3/9/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB002DL	3/9/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB002DL	3/9/2015	CALCIUM	600	ug/L					68	100
PSB002DL	3/9/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB002DL	3/9/2015	COBALT	0.36	ug/L	J	J	21		0.22	2
PSB002DL	3/9/2015	COPPER	1	ug/L	U	U			0.68	1
PSB002DL	3/9/2015	IRON	50	ug/L	U	U			33	50
PSB002DL	3/9/2015	LEAD	3	ug/L	U	U			0.17	3
PSB002DL	3/9/2015	MAGNESIUM	780	ug/L					5.6	50
PSB002DL	3/9/2015	MANGANESE	20	ug/L					0.88	2
PSB002DL	3/9/2015	NICKEL	6.4	ug/L					0.8	5
PSB002DL	3/9/2015	POTASSIUM	1400	ug/L					42	100
PSB002DL	3/9/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB002DL	3/9/2015	SILVER	2	ug/L	U	U			0.82	2
PSB002DL	3/9/2015	SODIUM	7200	ug/L			V		24	50
PSB002DL	3/9/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB002DL	3/9/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB002DL	3/9/2015	ZINC	10	ug/L	U	U			9.3	10
PSB002DL	3/9/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB002DL	3/9/2015	ALDRIN	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ALPHA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ALPHA-CHLORDANE	0.052	ug/L	U	U			0.016	0.052

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	BETA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.014	0.052
PSB002DL	3/9/2015	DDD	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	DDE	0.052	ug/L	U	U			0.015	0.052
PSB002DL	3/9/2015	DDT	0.052	ug/L	U	U			0.024	0.052
PSB002DL	3/9/2015	DELTA-BENZENE HEXACHLORIDE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	DIELDRIN	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ENDOSULFAN I	0.052	ug/L	U	U			0.02	0.052
PSB002DL	3/9/2015	ENDOSULFAN II	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ENDOSULFAN SULFATE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ENDRIN	0.052	ug/L	U	U			0.019	0.052
PSB002DL	3/9/2015	ENDRIN ALDEHYDE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	ENDRIN KETONE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	GAMMA-CHLORDANE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	HEPTACHLOR	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	HEPTACHLOR EPOXIDE	0.052	ug/L	U	U			0.018	0.052
PSB002DL	3/9/2015	LINDANE	0.052	ug/L	U	U			0.01	0.052
PSB002DL	3/9/2015	METHOXYCHLOR	0.52	ug/L	U	U			0.014	0.52
PSB002DL	3/9/2015	TOXAPHENE	2.1	ug/L	U	U			0.28	2.1
PSB002DL	3/9/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PSB002DL	3/9/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PSB002DL	3/9/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
PSB002DL	3/9/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PSB002DL	3/9/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PSB002DL	3/9/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PSB002DL	3/9/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PSB002DL	3/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB002DL	3/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB002DL	3/9/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB002DL	3/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB002DL	3/9/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB002DL	3/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB002DL	3/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB002DL	3/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB002DL	3/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB002DL	3/9/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB002DL	3/9/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB002DL	3/9/2015	ACETONE	2	ug/L	U	UJ	18		0.34	2
PSB002DL	3/9/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB002DL	3/9/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002DL	3/9/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB002DL	3/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB002DL	3/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB002DL	3/9/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB002DL	3/9/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB002DL	3/9/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB002DL	3/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002DL	3/9/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PSB002DL	3/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB002DL	3/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB002DL	3/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB002DL	3/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB002DL	3/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB002DL	3/9/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB002DL	3/9/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB002DL	3/9/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB002DL	3/9/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB002DL	3/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB002DL	3/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB002DL	3/9/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB002DL	3/9/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB002DL	3/9/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB002DL	3/9/2015	TOLUENE	1	ug/L	U	U			0.07	1
PSB002DL	3/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB002DL	3/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
PSB002DL	3/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB002DL	3/9/2015	1,1'-BIPHENYL	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	1,2,4,5-TETRACHLOROBENZENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	2,3,4,6-TETRACHLOROPHENOL	53	ug/L	U	UJ	14		1.1	53
PSB002DL	3/9/2015	2,4,5-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	2,4,6-TRICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	2,4-DICHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	2,4-DIMETHYLPHENOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	2,4-DINITROPHENOL	53	ug/L	U	UJ	14		2.1	53
PSB002DL	3/9/2015	2,4-DINITROTOLUENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	2,6-DINITROTOLUENE	11	ug/L	U	U			2.3	11
PSB002DL	3/9/2015	2-CHLORONAPHTHALENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	2-CHLOROPHENOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	2-METHYLNAPHTHALENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	2-NITROANILINE	11	ug/L	U	U			1.2	11
PSB002DL	3/9/2015	2-NITROPHENOL	11	ug/L	U	UJ	14		1.6	11
PSB002DL	3/9/2015	3,3-DICHLOROBENZIDINE	53	ug/L	U	U	14		1.4	53
PSB002DL	3/9/2015	4-BROMOPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	4-CHLOROANILINE	11	ug/L	U	U			2.1	11
PSB002DL	3/9/2015	4-CHLOROPHENYL PHENYL ETHER	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	4-NITROPHENOL	11	ug/L	U	UJ	14		2.1	11
PSB002DL	3/9/2015	ACENAPHTHENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	ACENAPHTHYLENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	ACETOPHENONE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	ANTHRACENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	ATRAZINE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	BENZALDEHYDE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	BENZO(G,H,I)PERYLENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	BENZO[A]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	BENZO[A]PYRENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	BENZO[B]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	BENZO[K]FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	BIS(2-CHLOROETHOXY)METHANE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	BIS(2-CHLOROETHYL)ETHER	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	11	ug/L	U	U	14		2	11
PSB002DL	3/9/2015	BUTYL BENZYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	CAPROLACTAM	11	ug/L	U	U			2.1	11
PSB002DL	3/9/2015	CARBAZOLE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	CHRYSENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	DIBENZ[AH]ANTHRACENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	DIBENZOFURAN	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	DIETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	DIMETHYL PHTHALATE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	DI-N-BUTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	DINITRO-O-CRESOL	11	ug/L	U	UJ	14		1.3	11
PSB002DL	3/9/2015	FLUORANTHENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	FLUORENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	HEXACHLOROBENZENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	HEXACHLOROBUTADIENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	HEXACHLOROCYCLOPENTADIENE	11	ug/L	U	U			1.1	11

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB002DL	3/9/2015	HEXACHLOROETHANE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	INDENO[1,2,3-CD]PYRENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	ISOPHORONE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	M/P-CRESOL	21	ug/L	U	UJ	14		2.1	21
PSB002DL	3/9/2015	M-NITROANILINE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	NAPHTHALENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	N-DIOCTYL PHTHALATE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	NITROBENZENE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	N-NITROSODIPROPYLAMINE	11	ug/L	U	U			1.6	11
PSB002DL	3/9/2015	O-CRESOL (2-METHYLPHENOL)	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	P-CHLORO-M-CRESOL	11	ug/L	U	UJ	14		1.1	11
PSB002DL	3/9/2015	PENTACHLOROPHENOL	11	ug/L	U	UJ	14		1.3	11
PSB002DL	3/9/2015	PHENANTHRENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	PHENOL	11	ug/L	U	UJ	14		2.1	11
PSB002DL	3/9/2015	P-NITROANILINE	11	ug/L	U	U			1.1	11
PSB002DL	3/9/2015	PYRENE	11	ug/L	U	U	14		1.1	11
PSB002DL	3/9/2015	GROSS ALPHA	0.311	pCi/L	U	U		0.928	1.65	3.506
PSB002DL	3/9/2015	NONVOLATILE BETA	0.806	pCi/L	U	U		0.552	0.847	1.951
PSB002DL	3/9/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW016 B	2/25/2015	TRITIUM	0.00315	pCi/mL	U	U		0.17	0.314	0.654
PSB002DL	3/9/2015	STRONTIUM-90	0.0906	pCi/L	U	U		0.175	0.299	0.649
PSB002DL	3/9/2015	IODINE-129	0.271	pCi/L	U	U		0.358	0.593	1.309
PSB003DL	3/4/2015	ALUMINUM	44	ug/L					17	30
PSB003DL	3/4/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB003DL	3/4/2015	ARSENIC	10	ug/L	U	U			1.2	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	BARIUM	9.2	ug/L					0.22	2
PSB003DL	3/4/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB003DL	3/4/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB003DL	3/4/2015	CALCIUM	1400	ug/L					68	100
PSB003DL	3/4/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB003DL	3/4/2015	COBALT	2	ug/L	U	U			0.22	2
PSB003DL	3/4/2015	COPPER	1	ug/L	U	U			0.68	1
PSB003DL	3/4/2015	IRON	50	ug/L	U	U			33	50
PSB003DL	3/4/2015	LEAD	0.18	ug/L	J	J	21		0.17	3
PSB003DL	3/4/2015	MAGNESIUM	420	ug/L					5.6	50
PSB003DL	3/4/2015	MANGANESE	6	ug/L					0.88	2
PSB003DL	3/4/2015	NICKEL	5	ug/L	U	U			0.8	5
PSB003DL	3/4/2015	POTASSIUM	3000	ug/L					42	100
PSB003DL	3/4/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB003DL	3/4/2015	SILVER	2	ug/L	U	U			0.82	2
PSB003DL	3/4/2015	SODIUM	9300	ug/L					24	50
PSB003DL	3/4/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB003DL	3/4/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB003DL	3/4/2015	ZINC	10	ug/L	U	U			9.3	10
PSB003DL	3/4/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB003DL	3/4/2015	ALDRIN	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ALPHA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ALPHA-CHLORDANE	0.049	ug/L	U	U			0.015	0.049
PSB003DL	3/4/2015	BETA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.013	0.049
PSB003DL	3/4/2015	DDD	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	DDE	0.049	ug/L	U	U			0.014	0.049
PSB003DL	3/4/2015	DDT	0.049	ug/L	U	U			0.023	0.049

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	DELTA-BENZENE HEXACHLORIDE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	DIELDRIN	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ENDOSULFAN I	0.049	ug/L	U	U			0.019	0.049
PSB003DL	3/4/2015	ENDOSULFAN II	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ENDOSULFAN SULFATE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ENDRIN	0.049	ug/L	U	U			0.018	0.049
PSB003DL	3/4/2015	ENDRIN ALDEHYDE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	ENDRIN KETONE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	GAMMA-CHLORDANE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	HEPTACHLOR	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	HEPTACHLOR EPOXIDE	0.049	ug/L	U	U			0.017	0.049
PSB003DL	3/4/2015	LINDANE	0.049	ug/L	U	U			0.0098	0.049
PSB003DL	3/4/2015	METHOXYCHLOR	0.49	ug/L	U	U			0.013	0.49
PSB003DL	3/4/2015	TOXAPHENE	2	ug/L	U	U			0.26	2
PSB003DL	3/4/2015	AROCLOR 1016	0.96	ug/L	U	U			0.33	0.96
PSB003DL	3/4/2015	AROCLOR 1221	0.96	ug/L	U	U			0.33	0.96
PSB003DL	3/4/2015	AROCLOR 1232	0.96	ug/L	U	U			0.33	0.96
PSB003DL	3/4/2015	AROCLOR 1242	0.96	ug/L	U	U			0.33	0.96
PSB003DL	3/4/2015	AROCLOR 1248	0.96	ug/L	U	U			0.33	0.96
PSB003DL	3/4/2015	AROCLOR 1254	0.96	ug/L	U	U			0.16	0.96
PSB003DL	3/4/2015	AROCLOR 1260	0.96	ug/L	U	U			0.16	0.96
PSB003DL	3/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB003DL	3/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	11		0.1	1
PSB003DL	3/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB003DL	3/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB003DL	3/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB003DL	3/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB003DL	3/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB003DL	3/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB003DL	3/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB003DL	3/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB003DL	3/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB003DL	3/4/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB003DL	3/4/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB003DL	3/4/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB003DL	3/4/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB003DL	3/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB003DL	3/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB003DL	3/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB003DL	3/4/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB003DL	3/4/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB003DL	3/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB003DL	3/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB003DL	3/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB003DL	3/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB003DL	3/4/2015	CHLOROFORM	0.35	ug/L	J	J	21		0.1	1
PSB003DL	3/4/2015	CHLOROMETHANE (METHYL	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
PSB003DL	3/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB003DL	3/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB003DL	3/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB003DL	3/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB003DL	3/4/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB003DL	3/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB003DL	3/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB003DL	3/4/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB003DL	3/4/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB003DL	3/4/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB003DL	3/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB003DL	3/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB003DL	3/4/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB003DL	3/4/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB003DL	3/4/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB003DL	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB003DL	3/4/2015	TOLUENE	1	ug/L	U	U			0.07	1
PSB003DL	3/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
PSB003DL	3/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB003DL	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB003DL	3/4/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
PSB003DL	3/4/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49
PSB003DL	3/4/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PSB003DL	3/4/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PSB003DL	3/4/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
PSB003DL	3/4/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
PSB003DL	3/4/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PSB003DL	3/4/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB003DL	3/4/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PSB003DL	3/4/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7
PSB003DL	3/4/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB003DL	3/4/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB003DL	3/4/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB003DL	3/4/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
PSB003DL	3/4/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB003DL	3/4/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB003DL	3/4/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	PHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB003DL	3/4/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB003DL	3/4/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB003DL	3/4/2015	GROSS ALPHA	-0.497	pCi/L	U	U		0.484	1.23	2.198
PSB003DL	3/4/2015	NONVOLATILE BETA	2.29	pCi/L				0.67	0.853	2.193
PSB003DL	3/4/2015	CYANIDE	12	ug/L					2.9	10
PGW014 C	2/25/2015	TRITIUM	0	pCi/mL	U	U		0.205	0.368	0.778
PSB003DL	3/4/2015	STRONTIUM-90	0.171	pCi/L	U	U		0.176	0.287	0.639
PSB003DL	3/4/2015	IODINE-129	-0.3	pCi/L	U	U		0.377	0.655	1.409
PSB011A	3/3/2015	ALUMINUM	230	ug/L					17	30
PSB011A	3/3/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB011A	3/3/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB011A	3/3/2015	BARIUM	34	ug/L					0.22	2
PSB011A	3/3/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB011A	3/3/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	CALCIUM	8200	ug/L					68	100
PSB011A	3/3/2015	CHROMIUM	1.2	ug/L	J	J	21		1	10
PSB011A	3/3/2015	COBALT	2	ug/L	U	U			0.22	2
PSB011A	3/3/2015	COPPER	1	ug/L	U	U			0.68	1
PSB011A	3/3/2015	IRON	130	ug/L					33	50
PSB011A	3/3/2015	LEAD	0.36	ug/L	J	J	21		0.17	3
PSB011A	3/3/2015	MAGNESIUM	410	ug/L			V		5.6	50
PSB011A	3/3/2015	MANGANESE	19	ug/L					0.88	2
PSB011A	3/3/2015	NICKEL	1.3	ug/L	J	J	21		0.8	5
PSB011A	3/3/2015	POTASSIUM	590	ug/L					42	100
PSB011A	3/3/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB011A	3/3/2015	SILVER	2	ug/L	U	U			0.82	2
PSB011A	3/3/2015	SODIUM	2600	ug/L					24	50
PSB011A	3/3/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB011A	3/3/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB011A	3/3/2015	ZINC	13	ug/L					9.3	10
PSB011A	3/3/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB011A	3/3/2015	ALDRIN	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	ALPHA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	ALPHA-CHLORDANE	0.051	ug/L	U	U			0.015	0.051
PSB011A	3/3/2015	BETA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.013	0.051
PSB011A	3/3/2015	DDD	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	DDE	0.051	ug/L	U	U			0.014	0.051
PSB011A	3/3/2015	DDT	0.051	ug/L	U	U			0.024	0.051
PSB011A	3/3/2015	DELTA-BENZENE HEXACHLORIDE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	DIELDRIN	0.051	ug/L	U	U			0.01	0.051

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	ENDOSULFAN I	0.051	ug/L	U	U			0.019	0.051
PSB011A	3/3/2015	ENDOSULFAN II	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	ENDOSULFAN SULFATE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	ENDRIN	0.051	ug/L	U	U			0.018	0.051
PSB011A	3/3/2015	ENDRIN ALDEHYDE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	ENDRIN KETONE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	GAMMA-CHLORDANE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	HEPTACHLOR	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	HEPTACHLOR EPOXIDE	0.051	ug/L	U	U			0.017	0.051
PSB011A	3/3/2015	LINDANE	0.051	ug/L	U	U			0.01	0.051
PSB011A	3/3/2015	METHOXYCHLOR	0.51	ug/L	U	U			0.013	0.51
PSB011A	3/3/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PSB011A	3/3/2015	AROCLOR 1016	1	ug/L	U	U			0.36	1
PSB011A	3/3/2015	AROCLOR 1221	1	ug/L	U	U			0.36	1
PSB011A	3/3/2015	AROCLOR 1232	1	ug/L	U	U			0.36	1
PSB011A	3/3/2015	AROCLOR 1242	1	ug/L	U	U			0.36	1
PSB011A	3/3/2015	AROCLOR 1248	1	ug/L	U	U			0.36	1
PSB011A	3/3/2015	AROCLOR 1254	1	ug/L	U	U			0.17	1
PSB011A	3/3/2015	AROCLOR 1260	1	ug/L	U	U			0.17	1
PSB011A	3/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011A	3/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB011A	3/3/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB011A	3/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB011A	3/3/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011A	3/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011A	3/3/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB011A	3/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB011A	3/3/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB011A	3/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB011A	3/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB011A	3/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB011A	3/3/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011A	3/3/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB011A	3/3/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB011A	3/3/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB011A	3/3/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB011A	3/3/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB011A	3/3/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011A	3/3/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB011A	3/3/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB011A	3/3/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB011A	3/3/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB011A	3/3/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB011A	3/3/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB011A	3/3/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB011A	3/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011A	3/3/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PSB011A	3/3/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011A	3/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB011A	3/3/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB011A	3/3/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB011A	3/3/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011A	3/3/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB011A	3/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB011A	3/3/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB011A	3/3/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB011A	3/3/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB011A	3/3/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB011A	3/3/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB011A	3/3/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB011A	3/3/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB011A	3/3/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB011A	3/3/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB011A	3/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB011A	3/3/2015	TOLUENE	0.74	ug/L	J	U	21, 8		0.07	1
PSB011A	3/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011A	3/3/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PSB003DL	3/4/2015	TRICHLOROETHYLENE (TCE)	0.72	ug/L	J	U	21, 8, 11		0.25	1
PSB011A	3/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB011A	3/3/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB011A	3/3/2015	1,1'-BIPHENYL	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	1,2,4,5-TETRACHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	2,3,4,6-TETRACHLOROPHENOL	50	ug/L	U	UJ	14		0.99	50
PSB011A	3/3/2015	2,4,5-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	2,4,6-TRICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	2,4-DICHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	2,4-DIMETHYLPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	2,4-DINITROPHENOL	50	ug/L	U	UJ	14		2	50
PSB011A	3/3/2015	2,4-DINITROTOLUENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	2,6-DINITROTOLUENE	9.9	ug/L	U	U			2.1	9.9
PSB011A	3/3/2015	2-CHLORONAPHTHALENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	2-CHLOROPHENOL	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	2-METHYLNAPHTHALENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	2-NITROANILINE	9.9	ug/L	U	U			1.1	9.9
PSB011A	3/3/2015	2-NITROPHENOL	9.9	ug/L	U	UJ	14		1.5	9.9
PSB011A	3/3/2015	3,3-DICHLOROBENZIDINE	50	ug/L	U	U	14		1.3	50
PSB011A	3/3/2015	4-BROMOPHENYL PHENYL ETHER	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	4-CHLOROANILINE	9.9	ug/L	U	U			2	9.9
PSB011A	3/3/2015	4-CHLOROPHENYL PHENYL ETHER	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	4-NITROPHENOL	9.9	ug/L	U	UJ	11, 14		2	9.9
PSB011A	3/3/2015	ACENAPHTHENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	ACENAPHTHYLENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	ACETOPHENONE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	ATRAZINE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	BENZALDEHYDE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	BENZO(G,H,I)PERYLENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	BENZO[A]ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	BENZO[A]PYRENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	BENZO[B]FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	BENZO[K]FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	BIS(2-CHLOROETHOXY)METHANE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	BIS(2-CHLOROETHYL)ETHER	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.9	ug/L	U	U	14		1.8	9.9
PSB011A	3/3/2015	BUTYL BENZYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	CAPROLACTAM	9.9	ug/L	U	U			2	9.9
PSB011A	3/3/2015	CARBAZOLE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	CHRYSENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	DIBENZ[AH]ANTHRACENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	DIBENZOFURAN	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	DIETHYL PHTHALATE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	DIMETHYL PHTHALATE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	DI-N-BUTYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	DINITRO-O-CRESOL	9.9	ug/L	U	UJ	14		1.3	9.9
PSB011A	3/3/2015	FLUORANTHENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	FLUORENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	HEXACHLOROBENZENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	HEXACHLOROBUTADIENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	HEXACHLOROCYCLOPENTADIENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	HEXACHLOROETHANE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	INDENO[1,2,3-CD]PYRENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	ISOPHORONE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PSB011A	3/3/2015	M-NITROANILINE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	NAPHTHALENE	9.9	ug/L	U	U			0.99	9.9

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011A	3/3/2015	N-DIOCTYL PHTHALATE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	NITROBENZENE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	N-NITROSODIPROPYLAMINE	9.9	ug/L	U	U			1.5	9.9
PSB011A	3/3/2015	O-CRESOL (2-METHYLPHENOL)	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	P-CHLORO-M-CRESOL	9.9	ug/L	U	UJ	14		0.99	9.9
PSB011A	3/3/2015	PENTACHLOROPHENOL	9.9	ug/L	U	UJ	14		1.3	9.9
PSB011A	3/3/2015	PHENANTHRENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	PHENOL	9.9	ug/L	U	UJ	11, 14		2	9.9
PSB011A	3/3/2015	P-NITROANILINE	9.9	ug/L	U	U			0.99	9.9
PSB011A	3/3/2015	PYRENE	9.9	ug/L	U	U	14		0.99	9.9
PSB011A	3/3/2015	GROSS ALPHA	1.05	pCi/L	U	U		0.927	1.45	3.304
PSB011A	3/3/2015	NONVOLATILE BETA	0.191	pCi/L	U	U		0.612	1.04	2.264
PSB011A	3/3/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW030BL	3/2/2015	TRITIUM	0	pCi/mL	U	U		0.224	0.389	0.837
PSB011A	3/3/2015	STRONTIUM-90	-0.0768	pCi/L	U	U		0.143	0.273	0.559
PSB011A	3/3/2015	IODINE-129	-0.282	pCi/L	U	UJ	Q	0.404	0.702	1.51
PSB011B	3/3/2015	ALUMINUM	30	ug/L	U	U			17	30
PSB011B	3/3/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB011B	3/3/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB011B	3/3/2015	BARIUM	16	ug/L					0.22	2
PSB011B	3/3/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB011B	3/3/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB011B	3/3/2015	CALCIUM	390	ug/L					68	100
PSB011B	3/3/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB011B	3/3/2015	COBALT	2.3	ug/L					0.22	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	COPPER	1	ug/L	U	U			0.68	1
PSB011B	3/3/2015	IRON	50	ug/L	U	U			33	50
PSB011B	3/3/2015	LEAD	3	ug/L	U	U			0.17	3
PSB011B	3/3/2015	MAGNESIUM	180	ug/L			V		5.6	50
PSB011B	3/3/2015	MANGANESE	23	ug/L					0.88	2
PSB011B	3/3/2015	NICKEL	1.3	ug/L	J	J	21		0.8	5
PSB011B	3/3/2015	POTASSIUM	4300	ug/L					42	100
PSB011B	3/3/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB011B	3/3/2015	SILVER	2	ug/L	U	U			0.82	2
PSB011B	3/3/2015	SODIUM	3300	ug/L					24	50
PSB011B	3/3/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB011B	3/3/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB011B	3/3/2015	ZINC	10	ug/L	U	U			9.3	10
PSB011B	3/3/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB011B	3/3/2015	ALDRIN	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	ALPHA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	ALPHA-CHLORDANE	0.05	ug/L	U	U			0.015	0.05
PSB011B	3/3/2015	BETA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.013	0.05
PSB011B	3/3/2015	DDD	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	DDE	0.05	ug/L	U	U			0.014	0.05
PSB011B	3/3/2015	DDT	0.05	ug/L	U	U			0.023	0.05
PSB011B	3/3/2015	DELTA-BENZENE HEXACHLORIDE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	DIELDRIN	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	ENDOSULFAN I	0.05	ug/L	U	U			0.019	0.05
PSB011B	3/3/2015	ENDOSULFAN II	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	ENDOSULFAN SULFATE	0.05	ug/L	U	U			0.01	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	ENDRIN	0.05	ug/L	U	U			0.018	0.05
PSB011B	3/3/2015	ENDRIN ALDEHYDE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	ENDRIN KETONE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	GAMMA-CHLORDANE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	HEPTACHLOR	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	HEPTACHLOR EPOXIDE	0.05	ug/L	U	U			0.017	0.05
PSB011B	3/3/2015	LINDANE	0.05	ug/L	U	U			0.01	0.05
PSB011B	3/3/2015	METHOXYCHLOR	0.5	ug/L	U	U			0.013	0.5
PSB011B	3/3/2015	TOXAPHENE	2	ug/L	U	U			0.27	2
PSB011B	3/3/2015	AROCLOR 1016	0.99	ug/L	U	U			0.35	0.99
PSB011B	3/3/2015	AROCLOR 1221	0.99	ug/L	U	U			0.35	0.99
PSB011B	3/3/2015	AROCLOR 1232	0.99	ug/L	U	U			0.35	0.99
PSB011B	3/3/2015	AROCLOR 1242	0.99	ug/L	U	U			0.35	0.99
PSB011B	3/3/2015	AROCLOR 1248	0.99	ug/L	U	U			0.35	0.99
PSB011B	3/3/2015	AROCLOR 1254	0.99	ug/L	U	U			0.16	0.99
PSB011B	3/3/2015	AROCLOR 1260	0.99	ug/L	U	U			0.16	0.99
PSB011B	3/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011B	3/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB011B	3/3/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB011B	3/3/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB011B	3/3/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011B	3/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB011B	3/3/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB011B	3/3/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB011B	3/3/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB011B	3/3/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB011B	3/3/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB011B	3/3/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB011B	3/3/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB011B	3/3/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB011B	3/3/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB011B	3/3/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011B	3/3/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB011B	3/3/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB011B	3/3/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB011B	3/3/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB011B	3/3/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB011B	3/3/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB011B	3/3/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB011B	3/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011B	3/3/2015	CHLOROFORM	0.49	ug/L	J	J	21		0.1	1
PSB011B	3/3/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011B	3/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB011B	3/3/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB011B	3/3/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB011B	3/3/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB011B	3/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB011B	3/3/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB011B	3/3/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB011B	3/3/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB011B	3/3/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB011B	3/3/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB011B	3/3/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB011B	3/3/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB011B	3/3/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB011B	3/3/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB011B	3/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB011B	3/3/2015	TOLUENE	0.16	ug/L	J	U	21, 8		0.07	1
PSB011B	3/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011B	3/3/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW023DU	2/24/2015	TRICHLOROETHYLENE (TCE)	0.67	ug/L	J	J	21		0.25	1
PSB011B	3/3/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB011B	3/3/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB011B	3/3/2015	1,1'-BIPHENYL	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	1,2,4,5-TETRACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.97	49
PSB011B	3/3/2015	2,4,5-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	2,4,6-TRICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	2,4-DICHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	2,4-DIMETHYLPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		1.9	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	2,4-DINITROTOLUENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	2,6-DINITROTOLUENE	9.7	ug/L	U	U			2.1	9.7
PSB011B	3/3/2015	2-CHLORONAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	2-CHLOROPHENOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	2-METHYLNAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	2-NITROANILINE	9.7	ug/L	U	U			1.1	9.7
PSB011B	3/3/2015	2-NITROPHENOL	9.7	ug/L	U	UJ	14		1.5	9.7
PSB011B	3/3/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
PSB011B	3/3/2015	4-BROMOPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	4-CHLOROANILINE	9.7	ug/L	U	U			1.9	9.7
PSB011B	3/3/2015	4-CHLOROPHENYL PHENYL ETHER	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	4-NITROPHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB011B	3/3/2015	ACENAPHTHENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	ACENAPHTHYLENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	ACETOPHENONE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	ATRAZINE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	BENZALDEHYDE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	BENZO(G,H,I)PERYLENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	BENZO[A]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	BENZO[A]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	BENZO[B]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	BENZO[K]FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	BIS(2-CHLOROETHOXY)METHANE	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011B	3/3/2015	BIS(2-CHLOROETHYL)ETHER	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.7	ug/L	U	U	14		1.8	9.7
PSB011B	3/3/2015	BUTYL BENZYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	CAPROLACTAM	9.7	ug/L	U	U			1.9	9.7
PSB011B	3/3/2015	CARBAZOLE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	CHRYSENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	DIBENZ[AH]ANTHRACENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	DIBENZOFURAN	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	DIETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	DIMETHYL PHTHALATE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	DI-N-BUTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	DINITRO-O-CRESOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB011B	3/3/2015	FLUORANTHENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	FLUORENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	HEXACHLOROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	HEXACHLOROBUTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	HEXACHLOROCYCLOPENTADIENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	HEXACHLOROETHANE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	INDENO[1,2,3-CD]PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	ISOPHORONE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB011B	3/3/2015	M-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	NAPHTHALENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	N-DIOCTYL PHTHALATE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	NITROBENZENE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	N-NITROSODIPHENYLAMINE+DIP	9.7	ug/L	U	U			0.97	9.7

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		HENYLAMINE								
PSB011B	3/3/2015	N-NITROSODIPROPYLAMINE	9.7	ug/L	U	U			1.5	9.7
PSB011B	3/3/2015	O-CRESOL (2-METHYLPHENOL)	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	P-CHLORO-M-CRESOL	9.7	ug/L	U	UJ	14		0.97	9.7
PSB011B	3/3/2015	PENTACHLOROPHENOL	9.7	ug/L	U	UJ	14		1.2	9.7
PSB011B	3/3/2015	PHENANTHRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	PHENOL	9.7	ug/L	U	UJ	11, 14		1.9	9.7
PSB011B	3/3/2015	P-NITROANILINE	9.7	ug/L	U	U			0.97	9.7
PSB011B	3/3/2015	PYRENE	9.7	ug/L	U	U	14		0.97	9.7
PSB011B	3/3/2015	GROSS ALPHA	0.864	pCi/L	U	U		0.846	1.35	3.042
PSB011B	3/3/2015	NONVOLATILE BETA	3.31	pCi/L				0.766	0.898	2.43
PSB011B	3/3/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW-02CU	3/17/2015	TRITIUM	-0.036	pCi/mL	U	U		0.224	0.398	0.846
PSB011B	3/3/2015	STRONTIUM-90	0.178	pCi/L	U	U		0.159	0.254	0.572
PSB011B	3/3/2015	IODINE-129	-0.612	pCi/L	U	UJ	Q	0.439	0.779	1.657
PSB011C	3/10/2015	ALUMINUM	38	ug/L					17	30
PSB011C	3/10/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB011C	3/10/2015	ARSENIC	10	ug/L	U	U			1.2	10
PSB011C	3/10/2015	BARIUM	5.7	ug/L					0.22	2
PSB011C	3/10/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB011C	3/10/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB011C	3/10/2015	CALCIUM	380	ug/L					68	100
PSB011C	3/10/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB011C	3/10/2015	COBALT	0.62	ug/L	J	J	21		0.22	2
PSB011C	3/10/2015	COPPER	1	ug/L	U	U			0.68	1
PSB011C	3/10/2015	IRON	50	ug/L	U	U			33	50
PSB011C	3/10/2015	LEAD	0.9	ug/L	J	J	21		0.17	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	MAGNESIUM	210	ug/L					5.6	50
PSB011C	3/10/2015	MANGANESE	3.5	ug/L					0.88	2
PSB011C	3/10/2015	NICKEL	5	ug/L	U	U			0.8	5
PSB011C	3/10/2015	POTASSIUM	1300	ug/L					42	100
PSB011C	3/10/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB011C	3/10/2015	SILVER	2	ug/L	U	U			0.82	2
PSB011C	3/10/2015	SODIUM	3600	ug/L			V		24	50
PSB011C	3/10/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB011C	3/10/2015	VANADIUM	10	ug/L	U	U			2.4	10
PSB011C	3/10/2015	ZINC	10	ug/L	U	U			9.3	10
PSB011C	3/10/2015	MERCURY	0.098	ug/L	J	U	21, V		0.06	0.2
PSB011C	3/10/2015	ALDRIN	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.014	0.048
PSB011C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.012	0.048
PSB011C	3/10/2015	DDD	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	DDE	0.048	ug/L	U	U			0.013	0.048
PSB011C	3/10/2015	DDT	0.048	ug/L	U	U			0.022	0.048
PSB011C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	DIELDRIN	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
PSB011C	3/10/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
PSB011C	3/10/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	ENDRIN KETONE	0.048	ug/L	U	U			0.0096	0.048

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
PSB011C	3/10/2015	LINDANE	0.048	ug/L	U	U			0.0096	0.048
PSB011C	3/10/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.012	0.48
PSB011C	3/10/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PSB011C	3/10/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
PSB011C	3/10/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
PSB011C	3/10/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
PSB011C	3/10/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97
PSB011C	3/10/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
PSB011C	3/10/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
PSB011C	3/10/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
PSB011C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.1	1
PSB011C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB011C	3/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB011C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB011C	3/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB011C	3/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB011C	3/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB011C	3/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB011C	3/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB011C	3/10/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB011C	3/10/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB011C	3/10/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB011C	3/10/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB011C	3/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011C	3/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB011C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB011C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U	U			0.25	2
PSB011C	3/10/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB011C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB011C	3/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB011C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB011C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011C	3/10/2015	CHLOROFORM	0.23	ug/L	J	J	21		0.1	1
PSB011C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB011C	3/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB011C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB011C	3/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011C	3/10/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB011C	3/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB011C	3/10/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB011C	3/10/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB011C	3/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB011C	3/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB011C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB011C	3/10/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB011C	3/10/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB011C	3/10/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB011C	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
PSB011C	3/10/2015	TOLUENE	0.26	ug/L	J	J	21		0.07	1
PSB011C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PDB003C	2/23/2015	TRICHLOROETHYLENE (TCE)	0.58	ug/L	J	J	21		0.25	1
PSB011C	3/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB011C	3/10/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB011C	3/10/2015	1,1'-BIPHENYL	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	48	ug/L	U	UJ	14		0.96	48
PSB011C	3/10/2015	2,4,5-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	2,4,6-TRICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	2,4-DICHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	2,4-DIMETHYLPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	2,4-DINITROPHENOL	48	ug/L	U	UJ	14		1.9	48
PSB011C	3/10/2015	2,4-DINITROTOLUENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	2,6-DINITROTOLUENE	9.6	ug/L	U	U			2.1	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	2-CHLORONAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	2-CHLOROPHENOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	2-METHYLNAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	2-NITROANILINE	9.6	ug/L	U	U			1.1	9.6
PSB011C	3/10/2015	2-NITROPHENOL	9.6	ug/L	U	UJ	14		1.5	9.6
PSB011C	3/10/2015	3,3-DICHLOROBENZIDINE	48	ug/L	U	U			1.2	48
PSB011C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	4-CHLOROANILINE	9.6	ug/L	U	U			1.9	9.6
PSB011C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	4-NITROPHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
PSB011C	3/10/2015	ACENAPHTHENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	ACENAPHTHYLENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	ACETOPHENONE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	ATRAZINE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZALDEHYDE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZO(G,H,I)PERYLENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZO[A]ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZO[A]PYRENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZO[B]FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BENZO[K]FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BIS(2-CHLOROETHOXY)METHANE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.6	ug/L	U	U			1.8	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	BUTYL BENZYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	CAPROLACTAM	9.6	ug/L	U	U			1.9	9.6
PSB011C	3/10/2015	CARBAZOLE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	CHRYSENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DIBENZ[AH]ANTHRACENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DIBENZOFURAN	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DIETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DIMETHYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DI-N-BUTYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	DINITRO-O-CRESOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB011C	3/10/2015	FLUORANTHENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	FLUORENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	HEXACHLOROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	HEXACHLOROBUTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	HEXACHLOROETHANE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	INDENO[1,2,3-CD]PYRENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	ISOPHORONE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	M/P-CRESOL	19	ug/L	U	UJ	14		1.9	19
PSB011C	3/10/2015	M-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	NAPHTHALENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	N-DIOCTYL PHTHALATE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	NITROBENZENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	N-NITROSODIPROPYLAMINE	9.6	ug/L	U	U			1.4	9.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	P-CHLORO-M-CRESOL	9.6	ug/L	U	UJ	14		0.96	9.6
PSB011C	3/10/2015	PENTACHLOROPHENOL	9.6	ug/L	U	UJ	14		1.2	9.6
PSB011C	3/10/2015	PHENANTHRENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	PHENOL	9.6	ug/L	U	UJ	14		1.9	9.6
PSB011C	3/10/2015	P-NITROANILINE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	PYRENE	9.6	ug/L	U	U			0.96	9.6
PSB011C	3/10/2015	GROSS ALPHA	0.99	pCi/L	U	U		0.943	1.5	3.386
PSB011C	3/10/2015	NONVOLATILE BETA	0.649	pCi/L	U	U		0.569	0.892	2.03
PSB011C	3/10/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW014 A	3/4/2015	TRITIUM	-0.0402	pCi/mL	U	U		0.341	0.632	1.31
PSB011C	3/10/2015	STRONTIUM-90	0.029	pCi/L	U	U		0.169	0.298	0.636
PSB011C	3/10/2015	IODINE-129	-0.162	pCi/L	U	U		0.369	0.642	1.38
PSB011C	3/10/2015	ALUMINUM	200	ug/L	U	U			68	200
PSB011C	3/10/2015	BARIUM	6.56	ug/L					1	5
PSB011C	3/10/2015	CADMIUM	5	ug/L	U	U			1	5
PSB011C	3/10/2015	CALCIUM	380	ug/L					50	200
PSB011C	3/10/2015	CHROMIUM	5	ug/L	U	U			1	5
PSB011C	3/10/2015	COBALT	5	ug/L	U	U			1	5
PSB011C	3/10/2015	COPPER	10	ug/L	U	U			3	10
PSB011C	3/10/2015	IRON	100	ug/L	U	U			30	100
PSB011C	3/10/2015	LEAD	10	ug/L	U	U			3.3	10
PSB011C	3/10/2015	MAGNESIUM	202	ug/L	J	J	21		110	300
PSB011C	3/10/2015	MANGANESE	3.38	ug/L	J	J	21		2	10
PSB011C	3/10/2015	NICKEL	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	POTASSIUM	1020	ug/L					50	150
PSB011C	3/10/2015	SELENIUM	6.58	ug/L	J	J	21		6	30

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	SILVER	5	ug/L	U	U			1	5
PSB011C	3/10/2015	SODIUM	2920	ug/L					100	300
PSB011C	3/10/2015	VANADIUM	5	ug/L	U	U			1	5
PSB011C	3/10/2015	ZINC	10	ug/L	U	U			3.3	10
PSB011C	3/10/2015	ANTIMONY	3	ug/L	U	U			1	3
PSB011C	3/10/2015	ARSENIC	5	ug/L	U	U			1.7	5
PSB011C	3/10/2015	BERYLLIUM	0.5	ug/L	U	U			0.2	0.5
PSB011C	3/10/2015	THALLIUM	2	ug/L	U	U			0.45	2
PSB011C	3/10/2015	MERCURY	0.2	ug/L	U	U			0.067	0.2
PSB011C	3/10/2015	ALDRIN	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	ALDRIN	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	ALPHA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	ALPHA-CHLORDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	ALPHA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	DDD	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	DDD	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	DDE	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	DDE	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	DDT	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	DDT	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	DELTA-BENZENE HEXACHLORIDE	0.02	ug/L	U	U			0.00665	0.02

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	DIELDRIN	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	DIELDRIN	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	ENDOSULFAN I	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	ENDOSULFAN I	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	ENDOSULFAN II	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	ENDOSULFAN II	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	ENDOSULFAN SULFATE	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	ENDOSULFAN SULFATE	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	ENDRIN	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	ENDRIN	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	ENDRIN ALDEHYDE	0.04	ug/L	UJ	UJ	Q		0.00665	0.04
PSB011C	3/10/2015	ENDRIN ALDEHYDE	0.04	ug/L	U	U			0.00665	0.04
PSB011C	3/10/2015	ENDRIN KETONE	0.04	ug/L	UJ	UJ	Q		0.01	0.04
PSB011C	3/10/2015	ENDRIN KETONE	0.04	ug/L	U	U			0.01	0.04
PSB011C	3/10/2015	GAMMA-CHLORDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	GAMMA-CHLORDANE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	HEPTACHLOR	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	HEPTACHLOR	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	HEPTACHLOR EPOXIDE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	LINDANE	0.02	ug/L	UJ	UJ	Q		0.00665	0.02
PSB011C	3/10/2015	LINDANE	0.02	ug/L	U	U			0.00665	0.02
PSB011C	3/10/2015	METHOXYCHLOR	0.2	ug/L	UJ	UJ	Q		0.05	0.2
PSB011C	3/10/2015	METHOXYCHLOR	0.2	ug/L	U	U			0.05	0.2
PSB011C	3/10/2015	TOXAPHENE	0.5	ug/L	UJ	UJ	Q		0.15	0.5
PSB011C	3/10/2015	TOXAPHENE	0.5	ug/L	U	U			0.15	0.5
PSB011C	3/10/2015	AROCLOR 1016	0.1	ug/L	U	U			0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	AROCLOR 1221	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	AROCLOR 1232	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	AROCLOR 1242	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	AROCLOR 1248	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	AROCLOR 1254	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	AROCLOR 1260	0.1	ug/L	U	U			0.0333	0.1
PSB011C	3/10/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
PSB011C	3/10/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
PSB011C	3/10/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
PSB011C	3/10/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	ACETONE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	BENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
PSB011C	3/10/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
PSB011C	3/10/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
PSB011C	3/10/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	O-XYLENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	STYRENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	TOLUENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
PGW029C	2/24/2015	TRICHLOROETHYLENE (TCE)	0.51	ug/L	J	J	21		0.25	1
PSB011C	3/10/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
PSB011C	3/10/2015	1,1'-BIPHENYL	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	1,2,4,5-TETRACHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	2,3,4,6-TETRACHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2,4,5-TRICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2,4,6-TRICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2,4-DICHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2,4-DIMETHYLPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2,4-DINITROPHENOL	19.4	ug/L	U	UJ	14		4.85	19.4
PSB011C	3/10/2015	2,4-DINITROTOLUENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	2,6-DINITROTOLUENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	2-CHLORONAPHTHALENE	0.971	ug/L	U	U			0.398	0.971
PSB011C	3/10/2015	2-CHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	2-METHYLNAPHTHALENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	2-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	2-NITROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	3,3-DICHLOROBENZIDINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	4-BROMOPHENYL PHENYL ETHER	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	4-CHLOROANILINE	9.71	ug/L	U	U			3.2	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	4-CHLOROPHENYL PHENYL ETHER	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	4-NITROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	ACENAPHTHENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	ACENAPHTHYLENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	ACETOPHENONE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	ANTHRACENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	ATRAZINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BENZALDEHYDE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BENZO(G,H,I)PERYLENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	BENZO[A]ANTHRACENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	BENZO[A]PYRENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	BENZO[B]FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	BENZO[K]FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BIS(2-CHLOROETHOXY)METHANE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BIS(2-CHLOROETHYL)ETHER	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	BUTYL BENZYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	CAPROLACTAM	9.71	ug/L	U	U	22		2.91	9.71
PSB011C	3/10/2015	CARBAZOLE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	CHRYSENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	DIBENZ[AH]ANTHRACENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	DIBENZOFURAN	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	DIETHYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	DIMETHYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	DI-N-BUTYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	DINITRO-O-CRESOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	FLUORANTHENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	FLUORENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	HEXACHLOROBENZENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	HEXACHLOROBUTADIENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	HEXACHLOROCYCLOPENTADIENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	HEXACHLOROETHANE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	INDENO[1,2,3-CD]PYRENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	ISOPHORONE	9.71	ug/L	U	U			3.4	9.71
PSB011C	3/10/2015	M/P-CRESOL	9.71	ug/L	U	UJ	14		3.59	9.71
PSB011C	3/10/2015	M-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	NAPHTHALENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	N-DIOCTYL PHTHALATE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	NITROBENZENE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	N-NITROSODIPROPYLAMINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	O-CRESOL (2-METHYLPHENOL)	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	P-CHLORO-M-CRESOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	PENTACHLOROPHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	PHENANTHRENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	PHENOL	9.71	ug/L	U	UJ	14		2.91	9.71
PSB011C	3/10/2015	P-NITROANILINE	9.71	ug/L	U	U			2.91	9.71
PSB011C	3/10/2015	PYRENE	0.971	ug/L	U	U			0.291	0.971
PSB011C	3/10/2015	CYANIDE	5	ug/L	U	U			1.67	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011C	3/10/2015	GROSS ALPHA	0.956	pCi/L	U	U		0.713	1.16	2.59
PSB011C	3/10/2015	NONVOLATILE BETA	0.598	pCi/L	U	U		1.03	1.75	3.81
PGW-02C	3/17/2015	TRITIUM	-0.0586	pCi/mL	U	U		0.223	0.401	0.847
PSB011C	3/10/2015	STRONTIUM-90	-0.333	pCi/L	U	U		3.35	6.27	13
PSB011C	3/10/2015	IODINE-129	0.114	pCi/L	U	U		0.275	0.661	1.21
PSB011DL	3/4/2015	ALUMINUM	580	ug/L					17	30
PSB011DL	3/4/2015	ANTIMONY	5	ug/L	U	U			1.7	5
PSB011DL	3/4/2015	ARSENIC	2.4	ug/L	J	J	21		1.2	10
PSB011DL	3/4/2015	BARIUM	11	ug/L					0.22	2
PSB011DL	3/4/2015	BERYLLIUM	0.5	ug/L	U	U			0.35	0.5
PSB011DL	3/4/2015	CADMIUM	0.5	ug/L	U	U			0.1	0.5
PSB011DL	3/4/2015	CALCIUM	520	ug/L					68	100
PSB011DL	3/4/2015	CHROMIUM	10	ug/L	U	U			1	10
PSB011DL	3/4/2015	COBALT	0.5	ug/L	J	J	21		0.22	2
PSB011DL	3/4/2015	COPPER	1	ug/L	U	U			0.68	1
PSB011DL	3/4/2015	IRON	51	ug/L					33	50
PSB011DL	3/4/2015	LEAD	2.3	ug/L	J	J	21		0.17	3
PSB011DL	3/4/2015	MAGNESIUM	290	ug/L					5.6	50
PSB011DL	3/4/2015	MANGANESE	1.8	ug/L	J	J	21		0.88	2
PSB011DL	3/4/2015	NICKEL	5	ug/L	U	U			0.8	5
PSB011DL	3/4/2015	POTASSIUM	860	ug/L					42	100
PSB011DL	3/4/2015	SELENIUM	5	ug/L	U	U			1.6	5
PSB011DL	3/4/2015	SILVER	2	ug/L	U	U			0.82	2
PSB011DL	3/4/2015	SODIUM	9500	ug/L					24	50
PSB011DL	3/4/2015	THALLIUM	2	ug/L	U	U			0.55	2
PSB011DL	3/4/2015	VANADIUM	5	ug/L	J	J	21		2.4	10
PSB011DL	3/4/2015	ZINC	10	ug/L	U	U			9.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	MERCURY	0.2	ug/L	U	U			0.06	0.2
PSB011DL	3/4/2015	ALDRIN	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ALPHA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ALPHA-CHLORDANE	0.048	ug/L	U	U			0.015	0.048
PSB011DL	3/4/2015	BETA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.013	0.048
PSB011DL	3/4/2015	DDD	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	DDE	0.048	ug/L	U	U			0.014	0.048
PSB011DL	3/4/2015	DDT	0.048	ug/L	U	U			0.022	0.048
PSB011DL	3/4/2015	DELTA-BENZENE HEXACHLORIDE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	DIELDRIN	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ENDOSULFAN I	0.048	ug/L	U	U			0.018	0.048
PSB011DL	3/4/2015	ENDOSULFAN II	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ENDOSULFAN SULFATE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ENDRIN	0.048	ug/L	U	U			0.017	0.048
PSB011DL	3/4/2015	ENDRIN ALDEHYDE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	ENDRIN KETONE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	GAMMA-CHLORDANE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	HEPTACHLOR	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	HEPTACHLOR EPOXIDE	0.048	ug/L	U	U			0.016	0.048
PSB011DL	3/4/2015	LINDANE	0.048	ug/L	U	U			0.0097	0.048
PSB011DL	3/4/2015	METHOXYCHLOR	0.48	ug/L	U	U			0.013	0.48
PSB011DL	3/4/2015	TOXAPHENE	1.9	ug/L	U	U			0.26	1.9
PSB011DL	3/4/2015	AROCLOR 1016	0.97	ug/L	U	U			0.34	0.97
PSB011DL	3/4/2015	AROCLOR 1221	0.97	ug/L	U	U			0.34	0.97
PSB011DL	3/4/2015	AROCLOR 1232	0.97	ug/L	U	U			0.34	0.97
PSB011DL	3/4/2015	AROCLOR 1242	0.97	ug/L	U	U			0.34	0.97

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	AROCLOR 1248	0.97	ug/L	U	U			0.34	0.97
PSB011DL	3/4/2015	AROCLOR 1254	0.97	ug/L	U	U			0.16	0.97
PSB011DL	3/4/2015	AROCLOR 1260	0.97	ug/L	U	U			0.16	0.97
PSB011DL	3/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	R	11		0.1	1
PSB011DL	3/4/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U	U			0.1	1
PSB011DL	3/4/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.15	1
PSB011DL	3/4/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.09	1
PSB011DL	3/4/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.41	1
PSB011DL	3/4/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.13	1
PSB011DL	3/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.06	1
PSB011DL	3/4/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.1	1
PSB011DL	3/4/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.1	1
PSB011DL	3/4/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.12	1
PSB011DL	3/4/2015	1,4-DIOXANE	80	ug/L	U	U			7.6	80
PSB011DL	3/4/2015	2-HEXANONE	5	ug/L	U	U			0.22	5
PSB011DL	3/4/2015	ACETONE	2	ug/L	U	U			0.34	2
PSB011DL	3/4/2015	BENZENE	1	ug/L	U	U			0.06	1
PSB011DL	3/4/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011DL	3/4/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.09	1
PSB011DL	3/4/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.17	1
PSB011DL	3/4/2015	BROMOMETHANE (METHYL	2	ug/L	U	U			0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		BROMIDE)								
PSB011DL	3/4/2015	CARBON DISULFIDE	1	ug/L	U	U			0.05	1
PSB011DL	3/4/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
PSB011DL	3/4/2015	CHLOROBENZENE	1	ug/L	U	U			0.15	1
PSB011DL	3/4/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U	U			0.1	2
PSB011DL	3/4/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011DL	3/4/2015	CHLOROFORM	1	ug/L	U	U			0.1	1
PSB011DL	3/4/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
PSB011DL	3/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
PSB011DL	3/4/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	CYCLOHEXANE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.13	1
PSB011DL	3/4/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U	U			0.08	2
PSB011DL	3/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
PSB011DL	3/4/2015	ETHYLBENZENE	1	ug/L	U	U			0.09	1
PSB011DL	3/4/2015	M,P-XYLENE	2	ug/L	U	U			0.14	2
PSB011DL	3/4/2015	METHYL ACETATE	25	ug/L	U	U			0.37	25
PSB011DL	3/4/2015	METHYL ETHYL KETONE	5	ug/L	U	U			0.52	5
PSB011DL	3/4/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			0.12	5
PSB011DL	3/4/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U	U			0.11	2
PSB011DL	3/4/2015	METHYLCYCLOHEXANE	4	ug/L	U	U			0.1	4
PSB011DL	3/4/2015	O-XYLENE	1	ug/L	U	U			0.06	1
PSB011DL	3/4/2015	STYRENE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	TOLUENE	1	ug/L	U	U			0.07	1
PSB011DL	3/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.08	1
PSB011DL	3/4/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.08	1
PGW024 A	2/24/2015	TRICHLOROETHYLENE (TCE)	0.32	ug/L	J	J	21		0.25	1
PSB011DL	3/4/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.11	1
PSB011DL	3/4/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
PSB011DL	3/4/2015	1,1'-BIPHENYL	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	1,2,4,5-TETRACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	2,3,4,6-TETRACHLOROPHENOL	49	ug/L	U	UJ	14		0.98	49
PSB011DL	3/4/2015	2,4,5-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	2,4,6-TRICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	2,4-DICHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	2,4-DIMETHYLPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	2,4-DINITROPHENOL	49	ug/L	U	UJ	14		2	49
PSB011DL	3/4/2015	2,4-DINITROTOLUENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	2,6-DINITROTOLUENE	9.8	ug/L	U	U			2.1	9.8
PSB011DL	3/4/2015	2-CHLORONAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	2-CHLOROPHENOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	2-METHYLNAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	2-NITROANILINE	9.8	ug/L	U	U			1.1	9.8
PSB011DL	3/4/2015	2-NITROPHENOL	9.8	ug/L	U	UJ	14		1.5	9.8
PSB011DL	3/4/2015	3,3-DICHLOROBENZIDINE	49	ug/L	U	U	14		1.3	49
PSB011DL	3/4/2015	4-BROMOPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	4-CHLOROANILINE	9.8	ug/L	U	U			2	9.8
PSB011DL	3/4/2015	4-CHLOROPHENYL PHENYL ETHER	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	4-NITROPHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	ACENAPHTHENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	ACENAPHTHYLENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	ACETOPHENONE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	ATRAZINE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	BENZALDEHYDE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	BENZO(G,H,I)PERYLENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	BENZO[A]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	BENZO[A]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	BENZO[B]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	BENZO[K]FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	BIS(2-CHLOROETHOXY)METHANE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	BIS(2-CHLOROETHYL)ETHER	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	BIS(2-ETHYLHEXYL)PHTHALATE (DEHP)	9.8	ug/L	U	U	14		1.8	9.8
PSB011DL	3/4/2015	BUTYL BENZYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	CAPROLACTAM	9.8	ug/L	U	U			2	9.8
PSB011DL	3/4/2015	CARBAZOLE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	CHRYSENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	DIBENZ[AH]ANTHRACENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	DIBENZOFURAN	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	DIETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	DIMETHYL PHTHALATE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	DI-N-BUTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	DINITRO-O-CRESOL	9.8	ug/L	U	UJ	14		1.2	9.8
PSB011DL	3/4/2015	FLUORANTHENE	9.8	ug/L	U	U	14		0.98	9.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	FLUORENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	HEXACHLOROBENZENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	HEXACHLOROBUTADIENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	HEXACHLOROCYCLOPENTADIENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	HEXACHLOROETHANE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	INDENO[1,2,3-CD]PYRENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	ISOPHORONE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	M/P-CRESOL	20	ug/L	U	UJ	14		2	20
PSB011DL	3/4/2015	M-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	NAPHTHALENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	N-DIOCTYL PHTHALATE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	NITROBENZENE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	N-NITROSODIPHENYLAMINE+DIPHENYLAMINE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	N-NITROSODIPROPYLAMINE	9.8	ug/L	U	U			1.5	9.8
PSB011DL	3/4/2015	O-CRESOL (2-METHYLPHENOL)	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	P-CHLORO-M-CRESOL	9.8	ug/L	U	UJ	14		0.98	9.8
PSB011DL	3/4/2015	PENTACHLOROPHENOL	9.8	ug/L	U	UJ	14		1.2	9.8
PSB011DL	3/4/2015	PHENANTHRENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	PHENOL	9.8	ug/L	U	UJ	11, 14		2	9.8
PSB011DL	3/4/2015	P-NITROANILINE	9.8	ug/L	U	U			0.98	9.8
PSB011DL	3/4/2015	PYRENE	9.8	ug/L	U	U	14		0.98	9.8
PSB011DL	3/4/2015	GROSS ALPHA	1.57	pCi/L	J	J	21	0.862	1.11	2.834
PSB011DL	3/4/2015	NONVOLATILE BETA	1.62	pCi/L	J	J	21	0.628	0.832	2.088
PSB011DL	3/4/2015	CYANIDE	10	ug/L	U	U			2.9	10
PGW-02A	3/17/2015	TRITIUM	-0.0991	pCi/mL	U	U		0.22	0.401	0.841

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PSB011DL	3/4/2015	STRONTIUM-90	0.298	pCi/L	U	U		0.195	0.301	0.691
PSB011DL	3/4/2015	IODINE-129	-0.0211	pCi/L	U	U		0.388	0.656	1.432
PW 20A	3/24/2015	MERCURY	0.0005	ug/L	U	U	S, V		0.0002	0.0005
PW 20A	3/24/2015	TETRACHLOROETHYLENE (PCE)	24.2	ug/L					0.6	2
PW 20A	3/24/2015	TRICHLOROETHYLENE (TCE)	161	ug/L					0.6	2
PW 20A	5/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
PW 20A	5/4/2015	CHLOROFORM	0.44	ug/L	J		21		0.3	1
PW 20A	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1.86	ug/L					0.3	1
PW 20A	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
PW 20A	5/4/2015	TETRACHLOROETHYLENE (PCE)	27.3	ug/L					0.3	1
PW 20A	5/4/2015	TOLUENE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 20A	5/4/2015	TRICHLOROETHYLENE (TCE)	109	ug/L					0.6	2
PW 20A	5/11/2015	TETRACHLOROETHYLENE (PCE)	18.4	ug/L					0.6	2
PW 20A	5/11/2015	TRICHLOROETHYLENE (TCE)	91.1	ug/L					0.6	2
PW 20A	5/11/2015	TETRACHLOROETHYLENE (PCE)	18.1	ug/L					0.6	2
PW 20A	5/11/2015	TRICHLOROETHYLENE (TCE)	88.9	ug/L					0.6	2
PW 53A	3/24/2015	MERCURY	0.00126	ug/L	J	J	V, 9		0.0002	0.0005
PW 53A	3/24/2015	TETRACHLOROETHYLENE (PCE)	10.7	ug/L					0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 53A	3/24/2015	TRICHLOROETHYLENE (TCE)	109	ug/L					0.6	2
PW 53A	3/24/2015	MERCURY	0.000507	ug/L	J	J	V, 9		0.0002	0.0005
PW 53A	3/24/2015	TETRACHLOROETHYLENE (PCE)	12.2	ug/L					0.6	2
PW 53A	3/24/2015	TRICHLOROETHYLENE (TCE)	123	ug/L					0.6	2
PW 53A	6/15/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
PW 53A	6/15/2015	CHLOROFORM	1	ug/L	U				0.3	1
PW 53A	6/15/2015	CIS-1,2-DICHLOROETHYLENE	1.4	ug/L					0.3	1
PW 53A	6/15/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
PW 53A	6/15/2015	TETRACHLOROETHYLENE (PCE)	15.2	ug/L					0.3	1
PW 53A	6/15/2015	TOLUENE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 53A	6/15/2015	TRICHLOROETHYLENE (TCE)	97.9	ug/L					0.3	1
PW 96G	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.017	0.05
PW 96G	5/18/2015	TOTAL PHOSPHATES (AS P)	0.077	mg/L					0.017	0.05
PW 96G	5/18/2015	ALUMINUM	200	ug/L	U				68	200
PW 96G	5/18/2015	ANTIMONY	10	ug/L	U				3.5	10
PW 96G	5/18/2015	ARSENIC	30	ug/L	U				5	30
PW 96G	5/18/2015	BARIUM	69.6	ug/L					1	5
PW 96G	5/18/2015	BERYLLIUM	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 96G	5/18/2015	BORON	50	ug/L	U				15	50
PW 96G	5/18/2015	CADMIUM	5	ug/L	U				1	5
PW 96G	5/18/2015	CALCIUM	5080	ug/L					50	200
PW 96G	5/18/2015	CHROMIUM	5	ug/L	U				1	5
PW 96G	5/18/2015	COBALT	5	ug/L	U				1	5
PW 96G	5/18/2015	COPPER	10	ug/L	U				3	10
PW 96G	5/18/2015	IRON	1080	ug/L					30	100
PW 96G	5/18/2015	LEAD	10	ug/L	U				3.3	10
PW 96G	5/18/2015	MAGNESIUM	974	ug/L					110	300
PW 96G	5/18/2015	MANGANESE	36.7	ug/L					2	10
PW 96G	5/18/2015	MOLYBDENUM	10	ug/L	U				2	10
PW 96G	5/18/2015	NICKEL	5	ug/L	U				1.5	5
PW 96G	5/18/2015	POTASSIUM	3770	ug/L					50	150
PW 96G	5/18/2015	SELENIUM	30	ug/L	U				6	30
PW 96G	5/18/2015	SILICA	11700	ug/L					53	213
PW 96G	5/18/2015	SILICON	5420	ug/L					25	100
PW 96G	5/18/2015	SILVER	5	ug/L	U				1	5
PW 96G	5/18/2015	SODIUM	3090	ug/L					100	300
PW 96G	5/18/2015	STRONTIUM	35.4	ug/L					1	5
PW 96G	5/18/2015	THALLIUM	20	ug/L	U				5	20
PW 96G	5/18/2015	TIN	10	ug/L	U				2.5	10
PW 96G	5/18/2015	TITANIUM	5	ug/L	U				1	5
PW 96G	5/18/2015	URANIUM	50	ug/L	U				10	50
PW 96G	5/18/2015	VANADIUM	5	ug/L	U				1	5
PW 96G	5/18/2015	ZINC	10	ug/L	U				3.3	10
PW 96G	5/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 96G	5/18/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	1,4-DIOXANE	50	ug/L	U				15	50
PW 96G	5/18/2015	2-HEXANONE	5	ug/L	U				1.5	5
PW 96G	5/18/2015	ACETONE	5	ug/L	U				1.5	5
PW 96G	5/18/2015	BENZENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CARBON DISULFIDE	5	ug/L	U				1.5	5
PW 96G	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CHLOROFORM	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
PW 96G	5/18/2015	ETHYLBENZENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	METHYL ETHYL KETONE	5	ug/L	U				1.5	5
PW 96G	5/18/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				1.5	5
PW 96G	5/18/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 96G	5/18/2015	STYRENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	TOLUENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
PW 96G	5/18/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.3	1
PW 96G	5/18/2015	XYLENES	3	ug/L	U				0.3	3
PW 96G	5/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
PW 96G	5/18/2015	CHLORIDE	1.42	mg/L					0.067	0.2
PW 96G	5/18/2015	SULFATE	11.6	mg/L					0.133	0.4
PW 96G	5/18/2015	DISSOLVED ORGANIC CARBON	4.2	mg/L					0.33	1
PW 96G	5/18/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
PW 96G	5/18/2015	TOTAL ORGANIC CARBON	1	mg/L			S, A		0.093	1
PW 116G	2/17/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	2/17/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
PW 116G	2/17/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	2/17/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	2/17/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
PW 116G	2/17/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
PW 116G	2/17/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
PW 116G	2/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
PW 116G	2/17/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	2/17/2015	TRICHLOROETHYLENE (TCE)	2.2	ug/L					0.25	1
PW 116G	2/17/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
PW 116G	5/27/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	5/27/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 116G	5/27/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	5/27/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	5/27/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
PW 116G	5/27/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
PW 116G	5/27/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
PW 116G	5/27/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
PW 116G	5/27/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	5/27/2015	TRICHLOROETHYLENE (TCE)	0.36	ug/L	J		21		0.25	1
PW 116G	5/27/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
PW 116G	8/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
PW 116G	8/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	8/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	8/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
PW 116G	8/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
PW 116G	8/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
PW 116G	8/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
PW 116G	8/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	8/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
PW 116G	8/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
PW 116G	12/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	12/3/2015	1,1,2,2-TETRACHLOROETHANE	0.67	ug/L	U				0.1	0.67
PW 116G	12/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
PW 116G	12/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	12/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
PW 116G	12/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
PW 116G	12/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
PW 116G	12/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
PW 116G	12/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
PW 116G	12/3/2015	TRICHLOROETHYLENE (TCE)	3.9	ug/L					0.25	1
RAG002D	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RAG002D	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
RAG002D	11/20/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
RAG004B	11/20/2015	TRITIUM	0.154	pCi/mL	U	U		0.25	0.416	0.915
RAG004DL	11/20/2015	TRITIUM	4.76	pCi/mL				0.468	0.419	1.35
RAG006B	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RAG006B	11/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
RAG006B	11/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RAG006B	11/20/2015	TRITIUM	-0.0496	pCi/mL	U	U		0.24	0.424	0.905
RAG008B	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RAG008B	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG008B	11/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RAG008B	11/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG008B	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RAG008B	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RAG008B	11/20/2015	TRICHLOROETHYLENE (TCE)	13.2	ug/L					0.3	1
RAG008B	11/20/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RAG008B	11/20/2015	TRITIUM	0.0758	pCi/mL	U	U		0.246	0.418	0.91
RAG008DL	11/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RAG008DL	11/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG008DL	11/20/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RAG008DL	11/20/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAG008DL	11/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RAG008DL	11/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RAG008DL	11/20/2015	TRICHLOROETHYLENE (TCE)	11.5	ug/L					0.3	1
RAG008DL	11/20/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
RAG008DL	11/20/2015	TRITIUM	3.37	pCi/mL				0.417	0.422	1.26
RAG009DL	11/20/2015	TRITIUM	0.133	pCi/mL	U	U		0.249	0.418	0.916
RAG009DU	11/20/2015	TRITIUM	10.1	pCi/mL				0.627	0.413	1.67
RAG013	10/14/2015	TRITIUM	0.477	pCi/mL	J	J	21	0.295	0.458	1.05
RAG014	10/14/2015	TRITIUM	0.0699	pCi/mL	U	U		0.269	0.459	0.997
RAM009C	12/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RAM009C	12/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAM009C	12/8/2015	CHLOROFORM	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RAM009C	12/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RAM009C	12/8/2015	CIS-1,2-DICHLOROETHYLENE	2.14	ug/L					0.3	1
RAM009C	12/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RAM009C	12/8/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
RAM009C	12/8/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RAM009C	12/8/2015	TRITIUM	3.57	pCi/mL				0.429	0.418	1.28
RBP 11DL	10/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RBP 11DL	10/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP 11DL	10/14/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RBP 11DL	10/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP 11DL	10/14/2015	CIS-1,2-DICHLOROETHYLENE	0.57	ug/L	J	J	21		0.3	1
RBP 11DL	10/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RBP 11DL	10/14/2015	TRICHLOROETHYLENE (TCE)	8.42	ug/L					0.3	1
RBP 11DL	10/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RBP 11DL	10/14/2015	TRITIUM	9.12	pCi/mL				0.637	0.46	1.74
RBP 11DU	10/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RBP 11DU	10/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
RBP 11DU	10/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RBP 11DU	10/14/2015	TRITIUM	0.6	pCi/mL	J	J	21	0.303	0.46	1.07
RBP011B	6/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
RBP011B	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
RBP011B	6/8/2015	CHLOROFORM	0.15	ug/L	J	J	21		0.1	1
RBP011B	6/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
RBP011B	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
RBP011B	6/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
RBP011B	6/8/2015	TRICHLOROETHYLENE (TCE)	0.34	ug/L	J	J	21		0.25	1
RBP011B	6/8/2015	TRITIUM	-0.117	pCi/mL	U	U		0.242	0.473	0.957
RBP011B	6/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
RBP011B	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
RBP011B	6/8/2015	CHLOROFORM	0.43	ug/L	J	J	21		0.1	1
RBP011B	6/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U	U			0.08	2
RBP011B	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
RBP011B	6/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U	U			0.27	1
RBP011B	6/8/2015	TRICHLOROETHYLENE (TCE)	0.39	ug/L	J	J	21		0.25	1
RBP011B	6/8/2015	TRITIUM	0.171	pCi/mL	U	U		0.286	0.484	1.056
RBP011B	6/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RBP011B	6/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP011B	6/8/2015	CHLOROFORM	0.32	ug/L	J	J	21		0.3	1
RBP011B	6/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP011B	6/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RBP011B	6/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RBP011B	6/8/2015	TRICHLOROETHYLENE (TCE)	0.37	ug/L	J	J	21		0.3	1
RBP011B	6/8/2015	TRITIUM	0.0545	pCi/mL	U	U		0.432	0.779	1.64
RBP011B	10/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RBP011B	10/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP011B	10/14/2015	CHLOROFORM	0.43	ug/L	J	J	21		0.3	1
RBP011B	10/14/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RBP011B	10/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RBP011B	10/14/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RBP011B	10/14/2015	TRICHLOROETHYLENE (TCE)	1.69	ug/L					0.3	1
RBP011B	10/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RBP011B	10/14/2015	TRITIUM	0.212	pCi/mL	U	U		0.279	0.46	1.02
RCS003C	12/8/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RCS003C	12/8/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RCS003C	12/8/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RCS003C	12/8/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RCS003C	12/8/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
RCS003C	12/8/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RCS003C	12/8/2015	TRICHLOROETHYLENE (TCE)	2.42	ug/L					0.3	1
RCS003C	12/8/2015	1,4-DIOXANE	3	ug/L	UJ	U	14		0.85	3
RCS003C	12/8/2015	TRITIUM	1.41	pCi/mL				0.325	0.412	1.06
RDB004DL	11/20/2015	TRITIUM	0.652	pCi/mL	J	J	21	0.284	0.42	0.987
RDB005C	12/8/2015	TRITIUM	45	pCi/mL				1.29	0.417	2.99
RGW 2C	11/20/2015	TRITIUM	-0.119	pCi/mL	U	U		0.237	0.427	0.9
RGW 2D	11/20/2015	TRITIUM	2.91	pCi/mL				0.403	0.43	1.24

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RPC 2CL	10/14/2015	TRITIUM	-0.0512	pCi/mL	U	U		0.259	0.457	0.975
RPC 2CU	10/14/2015	TRITIUM	3.8	pCi/mL				0.456	0.456	1.37
RPC 2D	10/19/2015	TRITIUM	0.101	pCi/mL	U	U		0.264	0.447	0.975
RPC 3DL	11/13/2015	STRONTIUM-90	-0.0504	pCi/L	U	U		0.169	0.31	0.648
RPC 4DU	11/24/2015	STRONTIUM-90	0.131	pCi/L	U	U		0.222	0.375	0.819
RPC 5DL	11/13/2015	STRONTIUM-90	0.087	pCi/L	U	U		0.173	0.295	0.641
RPC 5DU	11/13/2015	STRONTIUM-90	0.225	pCi/L	U	U		0.196	0.314	0.706
RPC 11DU	11/20/2015	STRONTIUM-90	2.72	pCi/L		J	V	0.482	0.465	1.429
RPC 19C	10/19/2015	TRITIUM	0.106	pCi/mL	U	U		0.263	0.445	0.972
RPS004C	12/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	3.3	ug/L					0.3	1
RPS004C	12/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CIS-1,2-DICHLOROETHYLENE	22.2	ug/L					0.3	1
RPS004C	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RPS004C	12/7/2015	TRICHLOROETHYLENE (TCE)	1.95	ug/L					0.3	1
RPS004C	12/7/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RPS004C	12/7/2015	TRITIUM	574	pCi/mL				4.55	0.474	9.57
RPS004C	12/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	3.11	ug/L					0.3	1
RPS004C	12/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RPS004C	12/7/2015	CIS-1,2-DICHLOROETHYLENE	21.1	ug/L					0.3	1
RPS004C	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RPS004C	12/7/2015	TRICHLOROETHYLENE (TCE)	2.04	ug/L					0.3	1
RPS004C	12/7/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
RPS004C	12/7/2015	TRITIUM	575	pCi/mL				4.55	0.472	9.57
RSD002DL	11/20/2015	STRONTIUM-90	0.223	pCi/L	J	U	21	0.143	0.214	0.5
RSD002DL	11/20/2015	STRONTIUM-90	0.223	pCi/L	J	U	V	0.143	0.214	0.5
RSD002DU	11/20/2015	STRONTIUM-90	0.0455	pCi/L	U	U		0.203	0.352	0.758
RSE 1A	11/20/2015	STRONTIUM-90	2.82	pCi/L		J	V	0.317	0.245	0.879
RSE 1A	11/20/2015	STRONTIUM-90	0.531	pCi/L	U	U		1.13	1.96	4.22
RSE 10	11/13/2015	STRONTIUM-90	111	pCi/L				2.67	0.597	5.937
RSE 10DU	10/19/2015	TRITIUM	44	pCi/mL				1.3	0.445	3.04
RSE 26DL	11/20/2015	STRONTIUM-90	0.796	pCi/L		J	V	0.236	0.304	0.776
RSE 26DL	11/20/2015	STRONTIUM-90	1.03	pCi/L	U	U		0.909	1.45	3.27
RSE010DL	11/23/2015	STRONTIUM-90	-0.0631	pCi/L	U	U		0.161	0.298	0.62
RSE027C	11/20/2015	TRITIUM	0.0067	pCi/mL	U	U		0.24	0.416	0.895
RSE029D	11/20/2015	STRONTIUM-90	0.204	pCi/L	U	U		0.171	0.272	0.614
RSE032D	11/20/2015	STRONTIUM-90	0.159	pCi/L	U	U		0.171	0.28	0.622
RSE033D	11/23/2015	STRONTIUM-90	0.0993	pCi/L	U	U		0.164	0.277	0.605
RSE034D	11/23/2015	STRONTIUM-90	0.203	pCi/L	U	U		0.192	0.311	0.695
RSE035D	11/23/2015	STRONTIUM-90	0.291	pCi/L	J	J	21	0.184	0.283	0.651
RSE037D	11/23/2015	STRONTIUM-90	0.0643	pCi/L	U	U		0.165	0.285	0.615
RSP 4D	11/13/2015	STRONTIUM-90	-0.166	pCi/L	U	U		0.159	0.311	0.629
RSP 5DL	10/14/2015	TRITIUM	0.976	pCi/mL	J	J	21	0.323	0.455	1.1
RWM 1	3/2/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 1	3/2/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 1	3/2/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 1	3/2/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 1	3/2/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 1	3/2/2015	AROCLOR 1254	0.349	ug/L					0.0333	0.1
RWM 1	3/2/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 1	3/2/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				150	500
RWM 1	3/2/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				150	500
RWM 1	3/2/2015	1,1-DICHLOROETHANE	500	ug/L	U				150	500
RWM 1	3/2/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	3/2/2015	1,2-DICHLOROBENZENE	500	ug/L	U				150	500
RWM 1	3/2/2015	CARBON TETRACHLORIDE	500	ug/L	U				150	500
RWM 1	3/2/2015	CHLOROBENZENE	500	ug/L	U				150	500
RWM 1	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				150	500
RWM 1	3/2/2015	CHLOROFORM	500	ug/L	U				150	500
RWM 1	3/2/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2500	ug/L	U				500	2500
RWM 1	3/2/2015	TETRACHLOROETHYLENE (PCE)	26100	ug/L					150	500
RWM 1	3/2/2015	TOLUENE	500	ug/L	U				150	500
RWM 1	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	3/2/2015	TRICHLOROETHYLENE (TCE)	6290	ug/L					150	500
RWM 1	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 1	5/4/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				150	500
RWM 1	5/4/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				150	500
RWM 1	5/4/2015	1,1-DICHLOROETHANE	500	ug/L	U				150	500
RWM 1	5/4/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	5/4/2015	1,2-DICHLOROBENZENE	500	ug/L	U				150	500
RWM 1	5/4/2015	CARBON TETRACHLORIDE	500	ug/L	U				150	500
RWM 1	5/4/2015	CHLOROBENZENE	500	ug/L	U				150	500
RWM 1	5/4/2015	CHLOROETHENE (VINYL	500	ug/L	U				150	500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
RWM 1	5/4/2015	CHLOROFORM	500	ug/L	U				150	500
RWM 1	5/4/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	4380	ug/L					500	2500
RWM 1	5/4/2015	TETRACHLOROETHYLENE (PCE)	30700	ug/L					150	500
RWM 1	5/4/2015	TOLUENE	500	ug/L	U				150	500
RWM 1	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	5/4/2015	TRICHLOROETHYLENE (TCE)	6890	ug/L					150	500
RWM 1	8/3/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1254	0.183	ug/L					0.0333	0.1
RWM 1	8/3/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 1	8/3/2015	1,1,1-TRICHLOROETHANE	500	ug/L	U				150	500
RWM 1	8/3/2015	1,1,2,2-TETRACHLOROETHANE	500	ug/L	U				150	500
RWM 1	8/3/2015	1,1-DICHLOROETHANE	500	ug/L	U				150	500
RWM 1	8/3/2015	1,1-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	8/3/2015	1,2-DICHLOROBENZENE	500	ug/L	U				150	500
RWM 1	8/3/2015	CARBON TETRACHLORIDE	500	ug/L	U				150	500
RWM 1	8/3/2015	CHLOROBENZENE	500	ug/L	U				150	500
RWM 1	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	500	ug/L	U				150	500
RWM 1	8/3/2015	CHLOROFORM	500	ug/L	U				150	500
RWM 1	8/3/2015	CIS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	8/3/2015	DICHLOROMETHANE	2500	ug/L	U				500	2500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		(METHYLENE CHLORIDE)								
RWM 1	8/3/2015	TETRACHLOROETHYLENE (PCE)	7990	ug/L					150	500
RWM 1	8/3/2015	TOLUENE	500	ug/L	U				150	500
RWM 1	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	500	ug/L	U				150	500
RWM 1	8/3/2015	TRICHLOROETHYLENE (TCE)	20300	ug/L					150	500
RWM 1	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 1	11/18/2015	MERCURY	0.588	ug/L					0.02	0.2
RWM 1	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1254	0.241	ug/L					0.0333	0.1
RWM 1	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 1	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	1,1-DICHLOROETHYLENE	0.52	ug/L	J		21		0.3	1
RWM 1	11/18/2015	1,2-DICHLOROBENZENE	1.73	ug/L					0.3	1
RWM 1	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 1	11/18/2015	CHLOROFORM	0.41	ug/L	J		21		0.3	1
RWM 1	11/18/2015	CIS-1,2-DICHLOROETHYLENE	2.37	ug/L					0.3	1
RWM 1	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 1	11/18/2015	TETRACHLOROETHYLENE (PCE)	24200	ug/L					150	500

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 1	11/18/2015	TOLUENE	0.42	ug/L	J		21		0.3	1
RWM 1	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 1	11/18/2015	TRICHLOROETHYLENE (TCE)	1270	ug/L					150	500
RWM 1	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 2	3/2/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 2	3/2/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 2	3/2/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 2	3/2/2015	TETRACHLOROETHYLENE (PCE)	2060	ug/L					7.5	25
RWM 2	3/2/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	3/2/2015	TRICHLOROETHYLENE (TCE)	635	ug/L					7.5	25
RWM 2	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 2	5/4/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 2	5/4/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 2	5/4/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 2	5/4/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	213	ug/L					25	125
RWM 2	5/4/2015	TETRACHLOROETHYLENE (PCE)	1920	ug/L					7.5	25
RWM 2	5/4/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	5/4/2015	TRICHLOROETHYLENE (TCE)	532	ug/L					7.5	25
RWM 2	8/3/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 2	8/3/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 2	8/3/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 2	8/3/2015	TETRACHLOROETHYLENE (PCE)	2080	ug/L					7.5	25
RWM 2	8/3/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 2	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 2	8/3/2015	TRICHLOROETHYLENE (TCE)	533	ug/L					7.5	25
RWM 2	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 2	11/19/2015	MERCURY	0.584	ug/L					0.02	0.2
RWM 2	11/19/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1254	0.0525	ug/L	J		21		0.0333	0.1
RWM 2	11/19/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 2	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 2	11/19/2015	CHLOROFORM	0.41	ug/L	J		21		0.3	1
RWM 2	11/19/2015	CIS-1,2-DICHLOROETHYLENE	0.9	ug/L	J		21		0.3	1
RWM 2	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 2	11/19/2015	TETRACHLOROETHYLENE (PCE)	1920	ug/L					6	20
RWM 2	11/19/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 2	11/19/2015	TRICHLOROETHYLENE (TCE)	505	ug/L					6	20
RWM 2	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 3	3/2/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	1,1-DICHLOROETHANE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	1,2-DICHLOROBENZENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	CARBON TETRACHLORIDE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	CHLOROBENZENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				1.5	5
RWM 3	3/2/2015	CHLOROFORM	5	ug/L	U				1.5	5
RWM 3	3/2/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				5	25
RWM 3	3/2/2015	TETRACHLOROETHYLENE (PCE)	380	ug/L					1.5	5
RWM 3	3/2/2015	TOLUENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				1.5	5
RWM 3	3/2/2015	TRICHLOROETHYLENE (TCE)	446	ug/L					1.5	5
RWM 3	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 3	5/4/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				3	10
RWM 3	5/4/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				3	10
RWM 3	5/4/2015	1,1-DICHLOROETHANE	10	ug/L	U				3	10
RWM 3	5/4/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	5/4/2015	1,2-DICHLOROBENZENE	10	ug/L	U				3	10
RWM 3	5/4/2015	CARBON TETRACHLORIDE	10	ug/L	U				3	10
RWM 3	5/4/2015	CHLOROBENZENE	10	ug/L	U				3	10
RWM 3	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				3	10
RWM 3	5/4/2015	CHLOROFORM	10	ug/L	U				3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 3	5/4/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	13.5	ug/L	J		21		10	50
RWM 3	5/4/2015	TETRACHLOROETHYLENE (PCE)	575	ug/L					3	10
RWM 3	5/4/2015	TOLUENE	10	ug/L	U				3	10
RWM 3	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	5/4/2015	TRICHLOROETHYLENE (TCE)	734	ug/L					3	10
RWM 3	8/3/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				3	10
RWM 3	8/3/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				3	10
RWM 3	8/3/2015	1,1-DICHLOROETHANE	10	ug/L	U				3	10
RWM 3	8/3/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	8/3/2015	1,2-DICHLOROBENZENE	10	ug/L	U				3	10
RWM 3	8/3/2015	CARBON TETRACHLORIDE	10	ug/L	U				3	10
RWM 3	8/3/2015	CHLOROBENZENE	10	ug/L	U				3	10
RWM 3	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				3	10
RWM 3	8/3/2015	CHLOROFORM	10	ug/L	U				3	10
RWM 3	8/3/2015	CIS-1,2-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	50	ug/L	U				10	50
RWM 3	8/3/2015	TETRACHLOROETHYLENE (PCE)	636	ug/L					3	10
RWM 3	8/3/2015	TOLUENE	10	ug/L	U				3	10
RWM 3	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				3	10
RWM 3	8/3/2015	TRICHLOROETHYLENE (TCE)	782	ug/L					3	10
RWM 3	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 3	11/19/2015	MERCURY	0.483	ug/L					0.02	0.2
RWM 3	11/19/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 3	11/19/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 3	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	CARBON TETRACHLORIDE	0.36	ug/L	J		21		0.3	1
RWM 3	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 3	11/19/2015	CHLOROFORM	0.32	ug/L	J		21		0.3	1
RWM 3	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1.75	ug/L					0.3	1
RWM 3	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 3	11/19/2015	TETRACHLOROETHYLENE (PCE)	512	ug/L					3	10
RWM 3	11/19/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 3	11/19/2015	TRICHLOROETHYLENE (TCE)	668	ug/L					3	10
RWM 3	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 4	3/2/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 4	3/2/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 4	3/2/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 4	3/2/2015	CIS-1,2-DICHLOROETHYLENE	7.5	ug/L	J		21		7.5	25
RWM 4	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 4	3/2/2015	TETRACHLOROETHYLENE (PCE)	1120	ug/L					7.5	25
RWM 4	3/2/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 4	3/2/2015	TRICHLOROETHYLENE (TCE)	2080	ug/L					7.5	25
RWM 4	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 4	5/4/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 4	5/4/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 4	5/4/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	28	ug/L	J		21		25	125
RWM 4	5/4/2015	TETRACHLOROETHYLENE (PCE)	1090	ug/L					7.5	25
RWM 4	5/4/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 4	5/4/2015	TRANS-1,2-	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
RWM 4	5/4/2015	TRICHLOROETHYLENE (TCE)	1960	ug/L					7.5	25
RWM 4	8/3/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				15	50
RWM 4	8/3/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				15	50
RWM 4	8/3/2015	1,1-DICHLOROETHANE	50	ug/L	U				15	50
RWM 4	8/3/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 4	8/3/2015	1,2-DICHLOROBENZENE	50	ug/L	U				15	50
RWM 4	8/3/2015	CARBON TETRACHLORIDE	50	ug/L	U				15	50
RWM 4	8/3/2015	CHLOROBENZENE	50	ug/L	U				15	50
RWM 4	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				15	50
RWM 4	8/3/2015	CHLOROFORM	50	ug/L	U				15	50
RWM 4	8/3/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 4	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	250	ug/L	U				50	250
RWM 4	8/3/2015	TETRACHLOROETHYLENE (PCE)	1310	ug/L					15	50
RWM 4	8/3/2015	TOLUENE	50	ug/L	U				15	50
RWM 4	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 4	8/3/2015	TRICHLOROETHYLENE (TCE)	2250	ug/L					15	50
RWM 4	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 4	11/19/2015	MERCURY	0.213	ug/L					0.02	0.2
RWM 4	11/19/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 4	11/19/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 4	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	1,1-DICHLOROETHYLENE	1.58	ug/L					0.3	1
RWM 4	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 4	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 4	11/19/2015	CIS-1,2-DICHLOROETHYLENE	6.36	ug/L					0.3	1
RWM 4	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 4	11/19/2015	TETRACHLOROETHYLENE (PCE)	1250	ug/L					15	50
RWM 4	11/19/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 4	11/19/2015	TRICHLOROETHYLENE (TCE)	1970	ug/L					15	50
RWM 4	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 5	3/2/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 5	3/2/2015	CHLOROFORM	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 5	3/2/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 5	3/2/2015	TETRACHLOROETHYLENE (PCE)	953	ug/L					7.5	25
RWM 5	3/2/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	3/2/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					7.5	25
RWM 5	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 5	5/4/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 5	5/4/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 5	5/4/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	202	ug/L					25	125
RWM 5	5/4/2015	TETRACHLOROETHYLENE (PCE)	924	ug/L					7.5	25
RWM 5	5/4/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 5	5/4/2015	TRICHLOROETHYLENE (TCE)	1300	ug/L					7.5	25
RWM 5	8/3/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
RWM 5	8/3/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
RWM 5	8/3/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 5	8/3/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 5	8/3/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
RWM 5	8/3/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
RWM 5	8/3/2015	CHLOROBENZENE	20	ug/L	U				6	20
RWM 5	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
RWM 5	8/3/2015	CHLOROFORM	20	ug/L	U				6	20
RWM 5	8/3/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 5	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	100	ug/L	U				20	100
RWM 5	8/3/2015	TETRACHLOROETHYLENE (PCE)	928	ug/L					6	20
RWM 5	8/3/2015	TOLUENE	20	ug/L	U				6	20
RWM 5	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 5	8/3/2015	TRICHLOROETHYLENE (TCE)	1270	ug/L					6	20
RWM 5	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 5	11/19/2015	MERCURY	0.0267	ug/L	J		21		0.02	0.2
RWM 5	11/19/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 5	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	1,1-DICHLOROETHYLENE	0.49	ug/L	J		21		0.3	1
RWM 5	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 5	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 5	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 5	11/19/2015	CIS-1,2-DICHLOROETHYLENE	1.37	ug/L					0.3	1
RWM 5	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 5	11/19/2015	TETRACHLOROETHYLENE (PCE)	876	ug/L					6	20
RWM 5	11/19/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 5	11/19/2015	TRICHLOROETHYLENE (TCE)	1320	ug/L					6	20
RWM 5	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 6	3/2/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 6	3/2/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	CHLOROETHENE (VINYL	25	ug/L	U				7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
RWM 6	3/2/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 6	3/2/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 6	3/2/2015	TETRACHLOROETHYLENE (PCE)	1660	ug/L					7.5	25
RWM 6	3/2/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	3/2/2015	TRICHLOROETHYLENE (TCE)	510	ug/L					7.5	25
RWM 6	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 6	5/4/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 6	5/4/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 6	5/4/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	199	ug/L					25	125
RWM 6	5/4/2015	TETRACHLOROETHYLENE (PCE)	1840	ug/L					7.5	25
RWM 6	5/4/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	5/4/2015	TRICHLOROETHYLENE (TCE)	507	ug/L					7.5	25
RWM 6	8/3/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 6	8/3/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 6	8/3/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
RWM 6	8/3/2015	CHLOROFORM	25	ug/L	U				7.5	25
RWM 6	8/3/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
RWM 6	8/3/2015	TETRACHLOROETHYLENE (PCE)	1950	ug/L					7.5	25
RWM 6	8/3/2015	TOLUENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
RWM 6	8/3/2015	TRICHLOROETHYLENE (TCE)	535	ug/L					7.5	25
RWM 6	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 6	11/18/2015	MERCURY	0.0385	ug/L	J		21		0.02	0.2
RWM 6	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 6	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 6	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 6	11/18/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 6	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.48	ug/L	J		21		0.3	1
RWM 6	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 6	11/18/2015	TETRACHLOROETHYLENE (PCE)	2080	ug/L					15	50
RWM 6	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 6	11/18/2015	TRICHLOROETHYLENE (TCE)	474	ug/L					15	50
RWM 6	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 7	3/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 7	3/30/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 7	3/30/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 7	3/30/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 7	3/30/2015	TETRACHLOROETHYLENE (PCE)	20.2	ug/L					0.3	1
RWM 7	3/30/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 7	3/30/2015	TRICHLOROETHYLENE (TCE)	20.6	ug/L					0.3	1
RWM 7	3/30/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 7	5/4/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				30	100
RWM 7	5/4/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				30	100
RWM 7	5/4/2015	1,1-DICHLOROETHANE	100	ug/L	U				30	100
RWM 7	5/4/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				30	100
RWM 7	5/4/2015	1,2-DICHLOROBENZENE	100	ug/L	U				30	100
RWM 7	5/4/2015	CARBON TETRACHLORIDE	100	ug/L	U				30	100
RWM 7	5/4/2015	CHLOROBENZENE	100	ug/L	U				30	100
RWM 7	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				30	100
RWM 7	5/4/2015	CHLOROFORM	100	ug/L	U				30	100
RWM 7	5/4/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L	U				30	100
RWM 7	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	820	ug/L					100	500
RWM 7	5/4/2015	TETRACHLOROETHYLENE (PCE)	6880	ug/L					30	100
RWM 7	5/4/2015	TOLUENE	100	ug/L	U				30	100
RWM 7	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				30	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 7	5/4/2015	TRICHLOROETHYLENE (TCE)	4880	ug/L					30	100
RWM 7	8/3/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				30	100
RWM 7	8/3/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				30	100
RWM 7	8/3/2015	1,1-DICHLOROETHANE	100	ug/L	U				30	100
RWM 7	8/3/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				30	100
RWM 7	8/3/2015	1,2-DICHLOROBENZENE	100	ug/L	U				30	100
RWM 7	8/3/2015	CARBON TETRACHLORIDE	100	ug/L	U				30	100
RWM 7	8/3/2015	CHLOROBENZENE	100	ug/L	U				30	100
RWM 7	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				30	100
RWM 7	8/3/2015	CHLOROFORM	100	ug/L	U				30	100
RWM 7	8/3/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L	U				30	100
RWM 7	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	500	ug/L	U				100	500
RWM 7	8/3/2015	TETRACHLOROETHYLENE (PCE)	7810	ug/L					30	100
RWM 7	8/3/2015	TOLUENE	100	ug/L	U				30	100
RWM 7	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				30	100
RWM 7	8/3/2015	TRICHLOROETHYLENE (TCE)	5700	ug/L					30	100
RWM 7	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 7	11/18/2015	MERCURY	0.351	ug/L					0.02	0.2
RWM 7	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 7	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 7	11/18/2015	1,1,2,2-TETRACHLOROETHANE	0.41	ug/L	J		21		0.3	1
RWM 7	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 7	11/18/2015	1,1-DICHLOROETHYLENE	5.73	ug/L					0.3	1
RWM 7	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 7	11/18/2015	CARBON TETRACHLORIDE	0.8	ug/L	J		21		0.3	1
RWM 7	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 7	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 7	11/18/2015	CHLOROFORM	0.61	ug/L	J		21		0.3	1
RWM 7	11/18/2015	CIS-1,2-DICHLOROETHYLENE	5.66	ug/L					0.3	1
RWM 7	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 7	11/18/2015	TETRACHLOROETHYLENE (PCE)	6330	ug/L					30	100
RWM 7	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 7	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 7	11/18/2015	TRICHLOROETHYLENE (TCE)	5000	ug/L					30	100
RWM 7	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 8	3/2/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
RWM 8	3/2/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
RWM 8	3/2/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20
RWM 8	3/2/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 8	3/2/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
RWM 8	3/2/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
RWM 8	3/2/2015	CHLOROBENZENE	20	ug/L	U				6	20
RWM 8	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
RWM 8	3/2/2015	CHLOROFORM	20	ug/L	U				6	20
RWM 8	3/2/2015	CIS-1,2-DICHLOROETHYLENE	13.4	ug/L	J		21		6	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 8	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	100	ug/L	U				20	100
RWM 8	3/2/2015	TETRACHLOROETHYLENE (PCE)	808	ug/L					6	20
RWM 8	3/2/2015	TOLUENE	20	ug/L	U				6	20
RWM 8	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 8	3/2/2015	TRICHLOROETHYLENE (TCE)	2240	ug/L					15	50
RWM 8	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 8	5/4/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
RWM 8	5/4/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
RWM 8	5/4/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20
RWM 8	5/4/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 8	5/4/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
RWM 8	5/4/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
RWM 8	5/4/2015	CHLOROBENZENE	20	ug/L	U				6	20
RWM 8	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
RWM 8	5/4/2015	CHLOROFORM	20	ug/L	U				6	20
RWM 8	5/4/2015	CIS-1,2-DICHLOROETHYLENE	13.6	ug/L	J		21		6	20
RWM 8	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	156	ug/L					20	100
RWM 8	5/4/2015	TETRACHLOROETHYLENE (PCE)	814	ug/L					6	20
RWM 8	5/4/2015	TOLUENE	20	ug/L	U				6	20
RWM 8	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
RWM 8	5/4/2015	TRICHLOROETHYLENE (TCE)	2180	ug/L					15	50
RWM 8	8/3/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				15	50
RWM 8	8/3/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				15	50
RWM 8	8/3/2015	1,1-DICHLOROETHANE	50	ug/L	U				15	50
RWM 8	8/3/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 8	8/3/2015	1,2-DICHLOROBENZENE	50	ug/L	U				15	50
RWM 8	8/3/2015	CARBON TETRACHLORIDE	50	ug/L	U				15	50
RWM 8	8/3/2015	CHLOROBENZENE	50	ug/L	U				15	50
RWM 8	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				15	50
RWM 8	8/3/2015	CHLOROFORM	50	ug/L	U				15	50
RWM 8	8/3/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 8	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	250	ug/L	U				50	250
RWM 8	8/3/2015	TETRACHLOROETHYLENE (PCE)	866	ug/L					15	50
RWM 8	8/3/2015	TOLUENE	50	ug/L	U				15	50
RWM 8	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 8	8/3/2015	TRICHLOROETHYLENE (TCE)	2290	ug/L					15	50
RWM 8	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 8	11/19/2015	MERCURY	0.111	ug/L	J		21		0.02	0.2
RWM 8	11/19/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 8	11/19/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	1,1-DICHLOROETHYLENE	0.4	ug/L	J		21		0.3	1
RWM 8	11/19/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 8	11/19/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 8	11/19/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 8	11/19/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L					0.3	1
RWM 8	11/19/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 8	11/19/2015	TETRACHLOROETHYLENE (PCE)	947	ug/L					15	50
RWM 8	11/19/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 8	11/19/2015	TRICHLOROETHYLENE (TCE)	2270	ug/L					15	50
RWM 8	11/19/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 9	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	CARBON TETRACHLORIDE	0.33	ug/L	J		21		0.3	1
RWM 9	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 9	3/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 9	3/2/2015	CIS-1,2-DICHLOROETHYLENE	0.32	ug/L	J		21		0.3	1
RWM 9	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 9	3/2/2015	TETRACHLOROETHYLENE (PCE)	41.5	ug/L					0.3	1
RWM 9	3/2/2015	TOLUENE	0.54	ug/L	J		21		0.3	1
RWM 9	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 9	3/2/2015	TRICHLOROETHYLENE (TCE)	142	ug/L					0.6	2
RWM 9	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 9	5/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 9	5/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 9	5/4/2015	CIS-1,2-DICHLOROETHYLENE	0.34	ug/L	J		21		0.3	1
RWM 9	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 9	5/4/2015	TETRACHLOROETHYLENE (PCE)	40.1	ug/L					0.3	1
RWM 9	5/4/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 9	5/4/2015	TRICHLOROETHYLENE (TCE)	112	ug/L					0.6	2
RWM 9	8/3/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	1,2-DICHLOROBENZENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	CHLOROBENZENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 9	8/3/2015	CHLOROFORM	2	ug/L	U				0.6	2
RWM 9	8/3/2015	CIS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2	10
RWM 9	8/3/2015	TETRACHLOROETHYLENE (PCE)	37.2	ug/L					0.6	2
RWM 9	8/3/2015	TOLUENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
RWM 9	8/3/2015	TRICHLOROETHYLENE (TCE)	126	ug/L					0.6	2
RWM 9	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 9	11/18/2015	MERCURY	0.0733	ug/L	J		21		0.02	0.2
RWM 9	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 9	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 9	11/18/2015	CHLOROFORM	1	ug/L	U				0.3	1
RWM 9	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 9	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 9	11/18/2015	TETRACHLOROETHYLENE (PCE)	32.2	ug/L					0.6	2
RWM 9	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 9	11/18/2015	TRICHLOROETHYLENE (TCE)	101	ug/L					0.6	2
RWM 9	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 10	3/2/2015	MERCURY	1.24	ug/L					0.02	0.2
RWM 10	3/2/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1254	0.291	ug/L					0.0333	0.1
RWM 10	3/2/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 10	3/2/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				15	50
RWM 10	3/2/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				15	50
RWM 10	3/2/2015	1,1-DICHLOROETHANE	50	ug/L	U				15	50
RWM 10	3/2/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 10	3/2/2015	1,2-DICHLOROBENZENE	50	ug/L	U				15	50
RWM 10	3/2/2015	CARBON TETRACHLORIDE	50	ug/L	U				15	50
RWM 10	3/2/2015	CHLOROBENZENE	50	ug/L	U				15	50
RWM 10	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				15	50
RWM 10	3/2/2015	CHLOROFORM	50	ug/L	U				15	50
RWM 10	3/2/2015	CIS-1,2-DICHLOROETHYLENE	16	ug/L	J		21		15	50
RWM 10	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	250	ug/L	U				50	250

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 10	3/2/2015	TETRACHLOROETHYLENE (PCE)	9880	ug/L					60	200
RWM 10	3/2/2015	TOLUENE	50	ug/L	U				15	50
RWM 10	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 10	3/2/2015	TRICHLOROETHYLENE (TCE)	3980	ug/L					15	50
RWM 10	3/2/2015	1,4-DIOXANE	5.4	ug/L					0.85	3
RWM 10	5/4/2015	MERCURY	1.28	ug/L					0.02	0.2
RWM 10	5/4/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				15	50
RWM 10	5/4/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				15	50
RWM 10	5/4/2015	1,1-DICHLOROETHANE	50	ug/L	U				15	50
RWM 10	5/4/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 10	5/4/2015	1,2-DICHLOROBENZENE	50	ug/L	U				15	50
RWM 10	5/4/2015	CARBON TETRACHLORIDE	50	ug/L	U				15	50
RWM 10	5/4/2015	CHLOROBENZENE	50	ug/L	U				15	50
RWM 10	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				15	50
RWM 10	5/4/2015	CHLOROFORM	50	ug/L	U				15	50
RWM 10	5/4/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	J		21		15	50
RWM 10	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	474	ug/L					50	250
RWM 10	5/4/2015	TETRACHLOROETHYLENE (PCE)	10100	ug/L					60	200
RWM 10	5/4/2015	TOLUENE	50	ug/L	U				15	50
RWM 10	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
RWM 10	5/4/2015	TRICHLOROETHYLENE (TCE)	4180	ug/L					15	50
RWM 10	8/3/2015	MERCURY	1.45	ug/L					0.02	0.2
RWM 10	8/3/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 10	8/3/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 10	8/3/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 10	8/3/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 10	8/3/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 10	8/3/2015	AROCLOR 1254	0.201	ug/L					0.0333	0.1
RWM 10	8/3/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 10	8/3/2015	1,1,1-TRICHLOROETHANE	200	ug/L	U				60	200
RWM 10	8/3/2015	1,1,2,2-TETRACHLOROETHANE	200	ug/L	U				60	200
RWM 10	8/3/2015	1,1-DICHLOROETHANE	200	ug/L	U				60	200
RWM 10	8/3/2015	1,1-DICHLOROETHYLENE	200	ug/L	U				60	200
RWM 10	8/3/2015	1,2-DICHLOROBENZENE	200	ug/L	U				60	200
RWM 10	8/3/2015	CARBON TETRACHLORIDE	200	ug/L	U				60	200
RWM 10	8/3/2015	CHLOROBENZENE	200	ug/L	U				60	200
RWM 10	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				60	200
RWM 10	8/3/2015	CHLOROFORM	200	ug/L	U				60	200
RWM 10	8/3/2015	CIS-1,2-DICHLOROETHYLENE	200	ug/L	U				60	200
RWM 10	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1000	ug/L	U				200	1000
RWM 10	8/3/2015	TETRACHLOROETHYLENE (PCE)	14100	ug/L					60	200
RWM 10	8/3/2015	TOLUENE	200	ug/L	U				60	200
RWM 10	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	200	ug/L	U				60	200
RWM 10	8/3/2015	TRICHLOROETHYLENE (TCE)	5850	ug/L					60	200
RWM 10	8/3/2015	1,4-DIOXANE	4.6	ug/L					0.85	3
RWM 10	11/18/2015	MERCURY	1.75	ug/L					0.02	0.2
RWM 10	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 10	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 10	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 10	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 10	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 10	11/18/2015	AROCLOR 1254	0.165	ug/L					0.0333	0.1
RWM 10	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 10	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 10	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1.04	ug/L					0.3	1
RWM 10	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 10	11/18/2015	1,1-DICHLOROETHYLENE	4.51	ug/L					0.3	1
RWM 10	11/18/2015	1,2-DICHLOROBENZENE	1.71	ug/L					0.3	1
RWM 10	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 10	11/18/2015	CHLOROBENZENE	1.66	ug/L					0.3	1
RWM 10	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	0.78	ug/L	J		21		0.3	1
RWM 10	11/18/2015	CHLOROFORM	1.48	ug/L					0.3	1
RWM 10	11/18/2015	CIS-1,2-DICHLOROETHYLENE	29.6	ug/L					0.3	1
RWM 10	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 10	11/18/2015	TETRACHLOROETHYLENE (PCE)	14200	ug/L					75	250
RWM 10	11/18/2015	TOLUENE	0.93	ug/L	J		21		0.3	1
RWM 10	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 10	11/18/2015	TRICHLOROETHYLENE (TCE)	6100	ug/L					75	250
RWM 10	11/18/2015	1,4-DIOXANE	5	ug/L					0.85	3
RWM 11	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	CHLOROETHENE (VINYL	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
RWM 11	3/2/2015	CHLOROFORM	0.81	ug/L	J		21		0.3	1
RWM 11	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1.06	ug/L					0.3	1
RWM 11	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 11	3/2/2015	TETRACHLOROETHYLENE (PCE)	13.1	ug/L					0.3	1
RWM 11	3/2/2015	TOLUENE	0.47	ug/L	J		21		0.3	1
RWM 11	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	3/2/2015	TRICHLOROETHYLENE (TCE)	195	ug/L					1.5	5
RWM 11	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 11	5/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 11	5/4/2015	CHLOROFORM	0.81	ug/L	J		21		0.3	1
RWM 11	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1.09	ug/L					0.3	1
RWM 11	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 11	5/4/2015	TETRACHLOROETHYLENE (PCE)	14	ug/L					0.3	1
RWM 11	5/4/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	5/4/2015	TRICHLOROETHYLENE (TCE)	161	ug/L					1.5	5
RWM 11	8/3/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 11	8/3/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	1,2-DICHLOROBENZENE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	CHLOROBENZENE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.6	2
RWM 11	8/3/2015	CHLOROFORM	0.78	ug/L	J		21		0.6	2
RWM 11	8/3/2015	CIS-1,2-DICHLOROETHYLENE	0.88	ug/L	J		21		0.6	2
RWM 11	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2	10
RWM 11	8/3/2015	TETRACHLOROETHYLENE (PCE)	12.8	ug/L					0.6	2
RWM 11	8/3/2015	TOLUENE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.6	2
RWM 11	8/3/2015	TRICHLOROETHYLENE (TCE)	161	ug/L					0.6	2
RWM 11	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 11	11/18/2015	MERCURY	0.0319	ug/L	J		21		0.02	0.2
RWM 11	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 11	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 11	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 11	11/18/2015	CHLOROFORM	0.67	ug/L	J		21		0.3	1
RWM 11	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.76	ug/L	J		21		0.3	1
RWM 11	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 11	11/18/2015	TETRACHLOROETHYLENE (PCE)	10.9	ug/L					0.6	2
RWM 11	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 11	11/18/2015	TRICHLOROETHYLENE (TCE)	150	ug/L					0.6	2
RWM 11	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 12	2/17/2015	TETRACHLOROETHYLENE (PCE)	0.98	ug/L	J		21		0.18	1
RWM 12	2/17/2015	TRICHLOROETHYLENE (TCE)	180	ug/L					2.5	10
RWM 12	5/20/2015	TETRACHLOROETHYLENE (PCE)	0.91	ug/L	J		21		0.18	1
RWM 12	5/20/2015	TRICHLOROETHYLENE (TCE)	160	ug/L					2.5	10
RWM 12	12/3/2015	TETRACHLOROETHYLENE (PCE)	0.83	ug/L	J		21		0.18	1
RWM 12	12/3/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					6.3	25
RWM 13B	2/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
RWM 13B	2/17/2015	TRICHLOROETHYLENE (TCE)	25	ug/L					0.25	1
RWM 13B	5/20/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J		21		0.18	1
RWM 13B	5/20/2015	TRICHLOROETHYLENE (TCE)	28	ug/L					0.25	1
RWM 13B	12/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
RWM 13B	12/3/2015	TRICHLOROETHYLENE (TCE)	23	ug/L					0.25	1
RWM 13C	2/17/2015	TETRACHLOROETHYLENE (PCE)	0.64	ug/L	J		21		0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 13C	2/17/2015	TRICHLOROETHYLENE (TCE)	55	ug/L					1.3	5
RWM 13C	5/20/2015	TETRACHLOROETHYLENE (PCE)	0.42	ug/L	J		21		0.18	1
RWM 13C	5/20/2015	TRICHLOROETHYLENE (TCE)	40	ug/L					1.3	5
RWM 14B	2/17/2015	TETRACHLOROETHYLENE (PCE)	5.1	ug/L					0.18	1
RWM 14B	2/17/2015	TRICHLOROETHYLENE (TCE)	260	ug/L					2.5	10
RWM 14B	5/20/2015	TETRACHLOROETHYLENE (PCE)	6.7	ug/L					0.45	2.5
RWM 14B	5/20/2015	TRICHLOROETHYLENE (TCE)	340	ug/L					6.3	25
RWM 14B	12/3/2015	TETRACHLOROETHYLENE (PCE)	2.7	ug/L					0.45	2.5
RWM 14B	12/3/2015	TRICHLOROETHYLENE (TCE)	200	ug/L					6.3	25
RWM 14C	2/17/2015	TETRACHLOROETHYLENE (PCE)	2.9	ug/L					0.45	2.5
RWM 14C	2/17/2015	TRICHLOROETHYLENE (TCE)	480	ug/L					6.3	25
RWM 14C	5/20/2015	TETRACHLOROETHYLENE (PCE)	3	ug/L	J		21		0.9	5
RWM 14C	5/20/2015	TRICHLOROETHYLENE (TCE)	390	ug/L					13	50
RWM 14C	12/3/2015	TETRACHLOROETHYLENE (PCE)	3.6	ug/L	J		21		0.9	5
RWM 14C	12/3/2015	TRICHLOROETHYLENE (TCE)	480	ug/L					13	50
RWM 17B	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	CHLOROFORM	0.65	ug/L	J		21		0.3	1
RWM 17B	3/2/2015	CIS-1,2-DICHLOROETHYLENE	0.52	ug/L	J		21		0.3	1
RWM 17B	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 17B	3/2/2015	TETRACHLOROETHYLENE (PCE)	6.86	ug/L					0.3	1
RWM 17B	3/2/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	3/2/2015	TRICHLOROETHYLENE (TCE)	19.9	ug/L					0.3	1
RWM 17B	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 17B	5/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	CHLOROFORM	0.67	ug/L	J		21		0.3	1
RWM 17B	5/4/2015	CIS-1,2-DICHLOROETHYLENE	0.51	ug/L	J		21		0.3	1
RWM 17B	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 17B	5/4/2015	TETRACHLOROETHYLENE (PCE)	6.73	ug/L					0.3	1
RWM 17B	5/4/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	5/4/2015	TRICHLOROETHYLENE (TCE)	17.5	ug/L					0.3	1
RWM 17B	8/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 17B	8/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	CHLOROFORM	0.66	ug/L	J		21		0.3	1
RWM 17B	8/3/2015	CIS-1,2-DICHLOROETHYLENE	0.45	ug/L	J		21		0.3	1
RWM 17B	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 17B	8/3/2015	TETRACHLOROETHYLENE (PCE)	6.35	ug/L					0.3	1
RWM 17B	8/3/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	8/3/2015	TRICHLOROETHYLENE (TCE)	17.7	ug/L					0.3	1
RWM 17B	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWM 17B	11/18/2015	MERCURY	0.2	ug/L	U				0.02	0.2
RWM 17B	11/18/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1254	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
RWM 17B	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
RWM 17B	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	CHLOROFORM	0.72	ug/L	J		21		0.3	1
RWM 17B	11/18/2015	CIS-1,2-DICHLOROETHYLENE	0.61	ug/L	J		21		0.3	1
RWM 17B	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
RWM 17B	11/18/2015	TETRACHLOROETHYLENE (PCE)	7.55	ug/L					0.3	1
RWM 17B	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
RWM 17B	11/18/2015	TRICHLOROETHYLENE (TCE)	18.4	ug/L					0.3	1
RWM 17B	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
RWT003C	12/7/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
RWT003C	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
RWT003C	12/7/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
RWT003C	12/7/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
RWT003C	12/7/2015	CIS-1,2-DICHLOROETHYLENE	1.19	ug/L					0.3	1
RWT003C	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
RWT003C	12/7/2015	TRICHLOROETHYLENE (TCE)	3.78	ug/L					0.3	1
RWT003C	12/7/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
SEP001MD	7/22/2015	ETHANE	0.0025	ug/L	J		21		0.002	0.1
SEP001MD	7/22/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
SEP001MD	7/22/2015	ANTIMONY	10	ug/L	U				1	10
SEP001MD	7/22/2015	ARSENIC	50	ug/L	U				5	50
SEP001MD	7/22/2015	BARIUM	42.5	ug/L					2	20
SEP001MD	7/22/2015	BERYLLIUM	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	CHROMIUM	100	ug/L	U				10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP001MD	7/22/2015	COBALT	5	ug/L	U				0.5	5
SEP001MD	7/22/2015	COPPER	1.83	ug/L	J		21		0.5	5
SEP001MD	7/22/2015	LEAD	0.681	ug/L	J		21		0.5	5
SEP001MD	7/22/2015	NICKEL	1.06	ug/L	J		21		0.5	5
SEP001MD	7/22/2015	SELENIUM	20	ug/L	U				2	20
SEP001MD	7/22/2015	SILVER	5	ug/L	U				0.5	5
SEP001MD	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	TIN	10	ug/L	U				1	10
SEP001MD	7/22/2015	VANADIUM	50	ug/L	U				5	50
SEP001MD	7/22/2015	ZINC	4.86	ug/L	J		21		4	40
SEP001MD	7/22/2015	MERCURY	0.2	ug/L	U				0.02	0.2
SEP001MD	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SEP001MD	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SEP001MD	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SEP001MD	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SEP001MD	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SEP001MD	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SEP001MD	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SEP001MD	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP001MD	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
SEP001MD	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SEP001MD	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SEP001MD	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SEP001MD	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SEP001MD	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SEP001MD	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SEP001MD	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
SEP001MD	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SEP001MD	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SEP001MD	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SEP001MD	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP001MD	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SEP001MD	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SEP001MD	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SEP001MD	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SEP001MD	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SEP001MD	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SEP001MD	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SEP001MD	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SEP001MD	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	CHLOROMETHANE (METHYL	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
SEP001MD	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SEP001MD	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SEP001MD	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP001MD	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SEP001MD	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SEP001MD	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SEP001MD	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SEP001MD	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SEP001MD	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SEP001MD	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SEP001MD	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SEP001MD	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SEP001MD	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SEP001MD	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SEP001MD	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SEP001MD	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SEP001MD	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SEP001MD	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SEP001MD	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SEP001MD	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SEP001MD	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP001MD	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SEP001MD	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SEP001MD	7/22/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
SEP001MD	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP001MD	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SEP001MD	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SEP001MD	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SEP001MD	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SEP001MD	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SEP001MD	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SEP001MD	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	1.04	pCi/L				0.18	0.148	0.508
SEP001MD	7/22/2015	RADIUM-226	0.689	pCi/L				0.104	0.056	0.2644
SEP001MD	7/22/2015	URANIUM-233/234	0.113	pCi/L	J		21	0.103	0.0615	0.267
SEP001MD	7/22/2015	URANIUM-235	-0.007	pCi/L	U			0.014	0.141	0.169
SEP001MD	7/22/2015	URANIUM-238	0.0453	pCi/L	U		V	0.064	0.0614	0.19
SEP001MD	7/22/2015	GROSS ALPHA	3.14	pCi/L	J		21	2.32	2.12	6.76
SEP001MD	7/22/2015	NONVOLATILE BETA	2.29	pCi/L	U			2.61	4.02	9.23
SEP001MD	7/22/2015	STRONTIUM-90	0.856	pCi/L	U			1.68	3.13	6.49
SEP001MD	7/22/2015	CARBON-14	38	pCi/L				4.93	6.86	16.7
SEP001MD	7/22/2015	TECHNETIUM-99	0.656	pCi/L	U			2.49	4.17	9.15
SEP001MD	7/22/2015	TRITIUM	33.7	pCi/mL				1.13	0.521	2.77
SEP001MD	7/22/2015	IODINE-129	0.0626	pCi/L	U			0.555	0.961	2.07
SEP002B	7/22/2015	ETHANE	0.012	ug/L	J		21		0.002	0.1
SEP002B	7/22/2015	ETHYLENE	0.017	ug/L	J		21		0.003	0.1
SEP002B	7/22/2015	ANTIMONY	10	ug/L	U				1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002B	7/22/2015	ARSENIC	50	ug/L	U				5	50
SEP002B	7/22/2015	BARIUM	21	ug/L					2	20
SEP002B	7/22/2015	BERYLLIUM	0.184	ug/L	J		21		0.1	1
SEP002B	7/22/2015	CHROMIUM	100	ug/L	U				10	100
SEP002B	7/22/2015	COBALT	0.959	ug/L	J		21		0.5	5
SEP002B	7/22/2015	COPPER	3.99	ug/L	J		21		0.5	5
SEP002B	7/22/2015	LEAD	5	ug/L	U				0.5	5
SEP002B	7/22/2015	NICKEL	2.83	ug/L	J		21		0.5	5
SEP002B	7/22/2015	SELENIUM	20	ug/L	U				2	20
SEP002B	7/22/2015	SILVER	5	ug/L	U				0.5	5
SEP002B	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
SEP002B	7/22/2015	TIN	10	ug/L	U				1	10
SEP002B	7/22/2015	VANADIUM	50	ug/L	U				5	50
SEP002B	7/22/2015	ZINC	6.56	ug/L	J		21		4	40
SEP002B	7/22/2015	MERCURY	1.63	ug/L					0.02	0.2
SEP002B	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SEP002B	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SEP002B	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SEP002B	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SEP002B	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SEP002B	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SEP002B	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	1,2-DIBROMO-3-	1	ug/L	U				0.41	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLOROPROPANE								
SEP002B	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SEP002B	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SEP002B	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SEP002B	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
SEP002B	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SEP002B	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SEP002B	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SEP002B	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SEP002B	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SEP002B	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SEP002B	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SEP002B	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
SEP002B	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SEP002B	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SEP002B	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SEP002B	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP002B	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SEP002B	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SEP002B	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SEP002B	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SEP002B	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SEP002B	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SEP002B	7/22/2015	CHLOROETHANE (ETHYL	2	ug/L	U				0.1	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
SEP002B	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SEP002B	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
SEP002B	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SEP002B	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SEP002B	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SEP002B	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SEP002B	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP002B	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SEP002B	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SEP002B	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SEP002B	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SEP002B	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SEP002B	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SEP002B	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SEP002B	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SEP002B	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SEP002B	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SEP002B	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SEP002B	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SEP002B	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SEP002B	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002B	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SEP002B	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SEP002B	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SEP002B	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SEP002B	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SEP002B	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SEP002B	7/22/2015	TOLUENE	0.19	ug/L	J		21		0.07	1
SEP002B	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP002B	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SEP002B	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SEP002B	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SEP002B	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SEP002B	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SEP002B	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SEP002B	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	0.961	pCi/L				0.164	0.104	0.432
SEP002B	7/22/2015	RADIUM-226	0.601	pCi/L				0.1	0.077	0.2766
SEP002B	7/22/2015	URANIUM-233/234	0.155	pCi/L	J		21	0.124	0.116	0.364
SEP002B	7/22/2015	URANIUM-235	0	pCi/L	U			0	0.0768	0.0768
SEP002B	7/22/2015	URANIUM-238	0.0401	pCi/L	U		V	0.066	0.115	0.248
SEP002B	7/22/2015	GROSS ALPHA	1.28	pCi/L	U			1.64	2.24	5.53
SEP002B	7/22/2015	NONVOLATILE BETA	44.5	pCi/L				6.82	3.99	17.6
SEP002B	7/22/2015	STRONTIUM-90	1.1	pCi/L	U			1.72	3.14	6.58
SEP002B	7/22/2015	CARBON-14	0.592	pCi/L	U			4.06	6.79	14.9
SEP002B	7/22/2015	TECHNETIUM-99	64.4	pCi/L				4.03	4.18	12.2
SEP002B	7/22/2015	TRITIUM	614	pCi/mL				4.66	0.526	9.84

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002B	7/22/2015	IODINE-129	0.888	pCi/L	U			0.651	1.16	2.46
SEP002D	7/22/2015	ETHANE	0.002	ug/L	J		21		0.002	0.1
SEP002D	7/22/2015	ETHYLENE	0.0087	ug/L	J		21		0.003	0.1
SEP002D	7/22/2015	ANTIMONY	10	ug/L	U				1	10
SEP002D	7/22/2015	ARSENIC	50	ug/L	U				5	50
SEP002D	7/22/2015	BARIUM	14.1	ug/L	J		21		2	20
SEP002D	7/22/2015	BERYLLIUM	0.177	ug/L	J		21		0.1	1
SEP002D	7/22/2015	CHROMIUM	100	ug/L	U				10	100
SEP002D	7/22/2015	COBALT	0.758	ug/L	J		21		0.5	5
SEP002D	7/22/2015	COPPER	8.57	ug/L					0.5	5
SEP002D	7/22/2015	LEAD	1.56	ug/L	J		21		0.5	5
SEP002D	7/22/2015	NICKEL	2.69	ug/L	J		21		0.5	5
SEP002D	7/22/2015	SELENIUM	20	ug/L	U				2	20
SEP002D	7/22/2015	SILVER	5	ug/L	U				0.5	5
SEP002D	7/22/2015	THALLIUM	1	ug/L	U				0.1	1
SEP002D	7/22/2015	TIN	10	ug/L	U				1	10
SEP002D	7/22/2015	VANADIUM	50	ug/L	U				5	50
SEP002D	7/22/2015	ZINC	24.1	ug/L	J		21		4	40
SEP002D	7/22/2015	MERCURY	1.85	ug/L					0.02	0.2
SEP002D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SEP002D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SEP002D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SEP002D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SEP002D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP002D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SEP002D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SEP002D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SEP002D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SEP002D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SEP002D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SEP002D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SEP002D	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
SEP002D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SEP002D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SEP002D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SEP002D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SEP002D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SEP002D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SEP002D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SEP002D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SEP002D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
SEP002D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SEP002D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SEP002D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SEP002D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP002D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SEP002D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SEP002D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SEP002D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SEP002D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SEP002D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SEP002D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SEP002D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
SEP002D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SEP002D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SEP002D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SEP002D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SEP002D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP002D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SEP002D	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SEP002D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SEP002D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SEP002D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SEP002D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SEP002D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SEP002D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SEP002D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SEP002D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SEP002D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SEP002D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SEP002D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SEP002D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SEP002D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SEP002D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SEP002D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SEP002D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SEP002D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SEP002D	7/22/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
SEP002D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP002D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP002D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SEP002D	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SEP002D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SEP002D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SEP002D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SEP002D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SEP002D	7/22/2015	RADIUM, TOTAL ALPHA-EMITTING	1.38	pCi/L				0.193	0.115	0.501
SEP002D	7/22/2015	RADIUM-226	1.05	pCi/L				0.131	0.084	0.3464
SEP002D	7/22/2015	URANIUM-233/234	0.0807	pCi/L	U		21, V	0.082	0.0547	0.218
SEP002D	7/22/2015	URANIUM-235	0	pCi/L	U			0	0.0675	0.0675
SEP002D	7/22/2015	URANIUM-238	0.0353	pCi/L	U		V	0.058	0.101	0.218
SEP002D	7/22/2015	GROSS ALPHA	4.88	pCi/L	J		21	2.91	2.24	8.05
SEP002D	7/22/2015	NONVOLATILE BETA	36	pCi/L				6.23	4.08	16.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP002D	7/22/2015	STRONTIUM-90	0.435	pCi/L	U			1.93	3.26	7.13
SEP002D	7/22/2015	CARBON-14	5.12	pCi/L	U			4.18	6.8	15.2
SEP002D	7/22/2015	TECHNETIUM-99	49.6	pCi/L				3.71	4.14	11.6
SEP002D	7/22/2015	TRITIUM	649	pCi/mL				4.77	0.522	10.1
SEP002D	7/22/2015	IODINE-129	5.89	pCi/L				1.6	1.11	4.31
SEP003CL	7/9/2015	ETHANE	0.0021	ug/L	J		21		0.002	0.1
SEP003CL	7/9/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
SEP003CL	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SEP003CL	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SEP003CL	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SEP003CL	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SEP003CL	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SEP003CL	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SEP003CL	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SEP003CL	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SEP003CL	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SEP003CL	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
SEP003CL	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CL	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SEP003CL	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SEP003CL	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SEP003CL	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
SEP003CL	7/9/2015	ACETONE	2	ug/L	U				0.34	2
SEP003CL	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SEP003CL	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
SEP003CL	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SEP003CL	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SEP003CL	7/9/2015	BENZENE	1	ug/L	U				0.06	1
SEP003CL	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP003CL	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SEP003CL	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SEP003CL	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SEP003CL	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SEP003CL	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SEP003CL	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SEP003CL	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SEP003CL	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SEP003CL	7/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SEP003CL	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SEP003CL	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SEP003CL	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CL	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SEP003CL	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP003CL	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SEP003CL	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SEP003CL	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.8	ug/L					0.27	1
SEP003CL	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SEP003CL	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SEP003CL	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SEP003CL	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
SEP003CL	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SEP003CL	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SEP003CL	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SEP003CL	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SEP003CL	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SEP003CL	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SEP003CL	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SEP003CL	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SEP003CL	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SEP003CL	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
SEP003CL	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SEP003CL	7/9/2015	STYRENE	1	ug/L	U				0.07	1
SEP003CL	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SEP003CL	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
SEP003CL	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CL	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP003CL	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SEP003CL	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SEP003CL	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SEP003CL	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SEP003CL	7/9/2015	XYLENES	3	ug/L	U				0.2	3
SEP003CL	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SEP003CL	7/9/2015	TRITIUM	50.8	pCi/mL				1.26	0.505	3.02
SEP003CU	7/9/2015	ETHANE	0.0027	ug/L	J		21		0.002	0.1
SEP003CU	7/9/2015	ETHYLENE	0.0063	ug/L	J		21		0.003	0.1
SEP003CU	7/9/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SEP003CU	7/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SEP003CU	7/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SEP003CU	7/9/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SEP003CU	7/9/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SEP003CU	7/9/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SEP003CU	7/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SEP003CU	7/9/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CU	7/9/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SEP003CU	7/9/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SEP003CU	7/9/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SEP003CU	7/9/2015	2-HEXANONE	5	ug/L	U				0.22	5
SEP003CU	7/9/2015	ACETONE	2	ug/L	U				0.34	2
SEP003CU	7/9/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SEP003CU	7/9/2015	ACROLEIN	10	ug/L	U				2.8	10
SEP003CU	7/9/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SEP003CU	7/9/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SEP003CU	7/9/2015	BENZENE	1	ug/L	U				0.06	1
SEP003CU	7/9/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP003CU	7/9/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SEP003CU	7/9/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SEP003CU	7/9/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SEP003CU	7/9/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SEP003CU	7/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SEP003CU	7/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SEP003CU	7/9/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SEP003CU	7/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SEP003CU	7/9/2015	CHLOROFORM	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CU	7/9/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SEP003CU	7/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SEP003CU	7/9/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SEP003CU	7/9/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SEP003CU	7/9/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SEP003CU	7/9/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	2	ug/L					0.27	1
SEP003CU	7/9/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SEP003CU	7/9/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SEP003CU	7/9/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SEP003CU	7/9/2015	ISOBUTANOL	80	ug/L	U		18		8.7	80
SEP003CU	7/9/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SEP003CU	7/9/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SEP003CU	7/9/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SEP003CU	7/9/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SEP003CU	7/9/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SEP003CU	7/9/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SEP003CU	7/9/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SEP003CU	7/9/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SEP003CU	7/9/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SEP003CU	7/9/2015	O-XYLENE	1	ug/L	U				0.06	1
SEP003CU	7/9/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SEP003CU	7/9/2015	STYRENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SEP003CU	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SEP003CU	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
SEP003CU	7/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SEP003CU	7/9/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SEP003CU	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SEP003CU	7/9/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SEP003CU	7/9/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SEP003CU	7/9/2015	XYLENES	3	ug/L	U				0.2	3
SEP003CU	7/9/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SEP003CU	7/9/2015	TRITIUM	279	pCi/mL				2.88	0.506	6.27
SRW 2A	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2A	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 2A	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2A	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2A	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SRW 2A	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 2A	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 2A	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 2A	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 2A	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 2A	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 2A	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2A	3/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 2A	9/3/2015	NITRATE-NITRITE AS NITROGEN	0.42	mg/L					0.0047	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 2A	9/3/2015	ALUMINUM	130	ug/L	J		21		40	400
SRW 2A	9/3/2015	BARIUM	5.41	ug/L	J		21		2	20
SRW 2A	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 2A	9/3/2015	CADMIUM	1	ug/L	U				0.1	1
SRW 2A	9/3/2015	CHROMIUM	100	ug/L	U				10	100
SRW 2A	9/3/2015	COBALT	5	ug/L	U				0.5	5
SRW 2A	9/3/2015	COPPER	1.75	ug/L	J		21		0.5	5
SRW 2A	9/3/2015	IRON	128	ug/L			V		10	100
SRW 2A	9/3/2015	LEAD	5	ug/L	U				0.5	5
SRW 2A	9/3/2015	MANGANESE	3.95	ug/L	J		21		1	10
SRW 2A	9/3/2015	NICKEL	5	ug/L	U				0.5	5
SRW 2A	9/3/2015	SELENIUM	20	ug/L	U				2	20
SRW 2A	9/3/2015	SODIUM	1510	ug/L					20	200
SRW 2A	9/3/2015	VANADIUM	50	ug/L	U				5	50
SRW 2A	9/3/2015	ZINC	12.2	ug/L	J		21		4	40
SRW 2A	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2A	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 2A	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2A	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2A	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 2A	9/3/2015	ACETONE	2.3	ug/L					0.34	2
SRW 2A	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 2A	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 2A	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 2A	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 2A	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 2A	9/3/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 2A	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2A	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 2A	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SRW 2B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 2B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SRW 2B	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 2B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 2B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 2B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 2B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 2B	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 2B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2B	3/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 2B	9/3/2015	NITRATE-NITRITE AS NITROGEN	0.43	mg/L					0.0047	0.05
SRW 2B	9/3/2015	ALUMINUM	69.1	ug/L	J		21		40	400
SRW 2B	9/3/2015	BARIUM	5.21	ug/L	J		21		2	20
SRW 2B	9/3/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 2B	9/3/2015	CADMIUM	0.32	ug/L	J		21		0.1	1
SRW 2B	9/3/2015	CHROMIUM	100	ug/L	U				10	100
SRW 2B	9/3/2015	COBALT	5	ug/L	U				0.5	5
SRW 2B	9/3/2015	COPPER	5	ug/L	U				0.5	5
SRW 2B	9/3/2015	IRON	27.3	ug/L	U		21, V		10	100
SRW 2B	9/3/2015	LEAD	5	ug/L	U				0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 2B	9/3/2015	MANGANESE	4.24	ug/L	J		21		1	10
SRW 2B	9/3/2015	NICKEL	5	ug/L	U				0.5	5
SRW 2B	9/3/2015	SELENIUM	20	ug/L	U				2	20
SRW 2B	9/3/2015	SODIUM	1430	ug/L					20	200
SRW 2B	9/3/2015	VANADIUM	6.56	ug/L	J		21		5	50
SRW 2B	9/3/2015	ZINC	40	ug/L	U				4	40
SRW 2B	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 2B	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 2B	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2B	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 2B	9/3/2015	ACETONE	2	ug/L	U				0.34	2
SRW 2B	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 2B	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 2B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 2B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 2B	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 2B	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
SRW 2B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 2B	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 2B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SRW 14A	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14A	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 14A	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14A	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14A	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 14A	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 14A	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 14A	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 14A	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 14A	3/12/2015	CIS-1,2-DICHLOROETHYLENE	0.71	ug/L	J		21		0.09	1
SRW 14A	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 14A	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14A	3/12/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
SRW 14A	9/9/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.0094	0.1
SRW 14A	9/9/2015	ALUMINUM	97.4	ug/L	U		21, V		40	400
SRW 14A	9/9/2015	BARIUM	6.21	ug/L	J		21		2	20
SRW 14A	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 14A	9/9/2015	CADMIUM	1	ug/L	U				0.1	1
SRW 14A	9/9/2015	CHROMIUM	100	ug/L	U				10	100
SRW 14A	9/9/2015	COBALT	5	ug/L	U				0.5	5
SRW 14A	9/9/2015	COPPER	5	ug/L	U				0.5	5
SRW 14A	9/9/2015	IRON	36.1	ug/L	U		21, V		10	100
SRW 14A	9/9/2015	LEAD	5	ug/L	U				0.5	5
SRW 14A	9/9/2015	MANGANESE	5.27	ug/L	J		21		1	10
SRW 14A	9/9/2015	NICKEL	5	ug/L	U				0.5	5
SRW 14A	9/9/2015	SELENIUM	20	ug/L	U				2	20
SRW 14A	9/9/2015	SODIUM	1640	ug/L					20	200
SRW 14A	9/9/2015	VANADIUM	50	ug/L	U				5	50
SRW 14A	9/9/2015	ZINC	8.83	ug/L	J		21		4	40
SRW 14A	9/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14A	9/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 14A	9/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14A	9/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14A	9/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 14A	9/9/2015	ACETONE	1.9	ug/L	J		21		0.34	2
SRW 14A	9/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 14A	9/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 14A	9/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 14A	9/9/2015	CIS-1,2-DICHLOROETHYLENE	0.67	ug/L	J		21		0.09	1
SRW 14A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 14A	9/9/2015	TOLUENE	1	ug/L	U				0.07	1
SRW 14A	9/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14A	9/9/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
SRW 14A	9/9/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SRW 14B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 14B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SRW 14B	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 14B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 14B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 14B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 14B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 14B	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 14B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 14B	3/12/2015	TRICHLOROETHYLENE (TCE)	4	ug/L					0.25	1
SRW 14B	9/9/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.0094	0.1
SRW 14B	9/9/2015	ALUMINUM	357	ug/L	U		21, V		40	400
SRW 14B	9/9/2015	BARIUM	9.17	ug/L	J		21		2	20
SRW 14B	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 14B	9/9/2015	CADMIUM	0.213	ug/L	J		21		0.1	1
SRW 14B	9/9/2015	CHROMIUM	100	ug/L	U				10	100
SRW 14B	9/9/2015	COBALT	5	ug/L	U				0.5	5
SRW 14B	9/9/2015	COPPER	49.6	ug/L					0.5	5
SRW 14B	9/9/2015	IRON	460	ug/L			V		10	100
SRW 14B	9/9/2015	LEAD	8.21	ug/L					0.5	5
SRW 14B	9/9/2015	MANGANESE	13.9	ug/L					1	10
SRW 14B	9/9/2015	NICKEL	0.862	ug/L	J		21		0.5	5
SRW 14B	9/9/2015	SELENIUM	20	ug/L	U				2	20
SRW 14B	9/9/2015	SODIUM	1570	ug/L					20	200
SRW 14B	9/9/2015	VANADIUM	50	ug/L	U				5	50
SRW 14B	9/9/2015	ZINC	201	ug/L					4	40
SRW 14B	9/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14B	9/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 14B	9/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 14B	9/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14B	9/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 14B	9/9/2015	ACETONE	5.8	ug/L					0.34	2
SRW 14B	9/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 14B	9/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 14B	9/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 14B	9/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 14B	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 14B	9/9/2015	TOLUENE	1	ug/L	U				0.07	1
SRW 14B	9/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 14B	9/9/2015	TRICHLOROETHYLENE (TCE)	5.4	ug/L					0.25	1
SRW 14B	9/9/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SRW 16A	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16A	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 16A	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16A	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16A	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SRW 16A	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 16A	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 16A	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 16A	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 16A	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 16A	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 16A	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16A	3/12/2015	TRICHLOROETHYLENE (TCE)	0.3	ug/L	J		21		0.25	1
SRW 16A	9/9/2015	NITRATE-NITRITE AS NITROGEN	0.71	mg/L					0.0047	0.05
SRW 16A	9/9/2015	ALUMINUM	115	ug/L	U		21, V		40	400
SRW 16A	9/9/2015	BARIUM	5.08	ug/L	J		21		2	20
SRW 16A	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 16A	9/9/2015	CADMIUM	1	ug/L	U				0.1	1
SRW 16A	9/9/2015	CHROMIUM	100	ug/L	U				10	100
SRW 16A	9/9/2015	COBALT	5	ug/L	U				0.5	5
SRW 16A	9/9/2015	COPPER	0.615	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 16A	9/9/2015	IRON	35.4	ug/L	U		21, V		10	100
SRW 16A	9/9/2015	LEAD	5	ug/L	U				0.5	5
SRW 16A	9/9/2015	MANGANESE	9.33	ug/L	J		21		1	10
SRW 16A	9/9/2015	NICKEL	5	ug/L	U				0.5	5
SRW 16A	9/9/2015	SELENIUM	20	ug/L	U				2	20
SRW 16A	9/9/2015	SODIUM	1610	ug/L					20	200
SRW 16A	9/9/2015	VANADIUM	50	ug/L	U				5	50
SRW 16A	9/9/2015	ZINC	40	ug/L	U				4	40
SRW 16A	9/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16A	9/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 16A	9/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16A	9/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16A	9/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 16A	9/9/2015	ACETONE	2	ug/L	U				0.34	2
SRW 16A	9/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 16A	9/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 16A	9/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 16A	9/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 16A	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 16A	9/9/2015	TOLUENE	1	ug/L	U				0.07	1
SRW 16A	9/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16A	9/9/2015	TRICHLOROETHYLENE (TCE)	0.33	ug/L	J		21		0.25	1
SRW 16A	9/9/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SRW 16B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 16B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 16B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SRW 16B	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SRW 16B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 16B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 16B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 16B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 16B	3/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 16B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16B	3/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 16B	9/9/2015	NITRATE-NITRITE AS NITROGEN	0.41	mg/L					0.0047	0.05
SRW 16B	9/9/2015	ALUMINUM	98.1	ug/L	U		21, V		40	400
SRW 16B	9/9/2015	BARIUM	4.96	ug/L	J		21		2	20
SRW 16B	9/9/2015	BERYLLIUM	1	ug/L	U				0.1	1
SRW 16B	9/9/2015	CADMIUM	1	ug/L	U				0.1	1
SRW 16B	9/9/2015	CHROMIUM	100	ug/L	U				10	100
SRW 16B	9/9/2015	COBALT	0.573	ug/L	J		21		0.5	5
SRW 16B	9/9/2015	COPPER	0.747	ug/L	J		21		0.5	5
SRW 16B	9/9/2015	IRON	40.9	ug/L	U		21, V		10	100
SRW 16B	9/9/2015	LEAD	5	ug/L	U				0.5	5
SRW 16B	9/9/2015	MANGANESE	7.99	ug/L	J		21		1	10
SRW 16B	9/9/2015	NICKEL	5	ug/L	U				0.5	5
SRW 16B	9/9/2015	SELENIUM	20	ug/L	U				2	20
SRW 16B	9/9/2015	SODIUM	1560	ug/L					20	200
SRW 16B	9/9/2015	VANADIUM	50	ug/L	U				5	50
SRW 16B	9/9/2015	ZINC	5.81	ug/L	J		21		4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SRW 16B	9/9/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16B	9/9/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SRW 16B	9/9/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SRW 16B	9/9/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16B	9/9/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SRW 16B	9/9/2015	ACETONE	10	ug/L					0.34	2
SRW 16B	9/9/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SRW 16B	9/9/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SRW 16B	9/9/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SRW 16B	9/9/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SRW 16B	9/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SRW 16B	9/9/2015	TOLUENE	1	ug/L	U				0.07	1
SRW 16B	9/9/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SRW 16B	9/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SRW 16B	9/9/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSL 13B	3/25/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.025
SSL 13B	3/25/2015	METHANE	110	ug/L					0.042	0.1
SSL 13B	3/25/2015	FERRIC IRON	0.38	mg/L	UJ		21, Q		0.13	0.5
SSL 13B	3/25/2015	FERROUS IRON	0.98	mg/L			Q		0.12	0.5
SSL 13B	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13B	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 13B	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13B	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13B	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSL 13B	3/25/2015	ACETONE	2	ug/L	U				0.34	2
SSL 13B	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 13B	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 13B	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 13B	3/25/2015	CIS-1,2-DICHLOROETHYLENE	0.26	ug/L	J		21		0.09	1
SSL 13B	3/25/2015	TETRACHLOROETHYLENE (PCE)	0.55	ug/L	J		21		0.18	1
SSL 13B	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13B	3/25/2015	TRICHLOROETHYLENE (TCE)	0.83	ug/L	J		21		0.25	1
SSL 13B	3/25/2015	CHLORIDE	3.4	mg/L					0.14	1
SSL 13B	3/25/2015	NITRATE	0.17	mg/L	J		21		0.077	0.5
SSL 13B	3/25/2015	NITRITES	0.5	mg/L	U				0.029	0.5
SSL 13B	3/25/2015	SULFATE	1.6	mg/L					0.28	1
SSL 13B	3/25/2015	DISSOLVED ORGANIC CARBON	1.7	mg/L			V		0.47	1
SSL 13B	3/25/2015	TOTAL ORGANIC CARBON	2.2	mg/L			V		0.35	1
SSL 13B	3/25/2015	SULFIDE	2	mg/L	U				1.3	2
SSL 13B	11/11/2015	ETHYLENE	0.0099	ug/L	J		21		0.004	0.1
SSL 13B	11/11/2015	METHANE	78	ug/L					0.037	0.5
SSL 13B	11/11/2015	FERRIC IRON	0.28	mg/L	J		21		0.13	0.5
SSL 13B	11/11/2015	FERROUS IRON	1.1	mg/L					0.12	0.5
SSL 13B	11/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13B	11/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 13B	11/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13B	11/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL 13B	11/11/2015	ACETONE	2	ug/L	U				0.34	2
SSL 13B	11/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 13B	11/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 13B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 13B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 13B	11/11/2015	TETRACHLOROETHYLENE (PCE)	0.35	ug/L	J		21		0.18	1
SSL 13B	11/11/2015	TOLUENE	1	ug/L	U				0.07	1
SSL 13B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13B	11/11/2015	TRICHLOROETHYLENE (TCE)	0.91	ug/L	J		21		0.25	1
SSL 13B	11/11/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSL 13B	11/11/2015	CHLORIDE	3.2	mg/L					0.14	1
SSL 13B	11/11/2015	NITRATE	0.14	mg/L	J		21		0.077	0.5
SSL 13B	11/11/2015	NITRITES	0.5	mg/L	U				0.029	0.5
SSL 13B	11/11/2015	SULFATE	1.6	mg/L					0.28	1
SSL 13B	11/11/2015	DISSOLVED ORGANIC CARBON	3.7	mg/L					0.35	1
SSL 13B	11/11/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 13B	11/11/2015	SULFIDE	1	mg/L	U				0.31	1
SSL 13C	3/25/2015	ETHYLENE	0.0078	ug/L	J		21		0.003	0.025
SSL 13C	3/25/2015	METHANE	3.9	ug/L					0.042	0.1
SSL 13C	3/25/2015	FERRIC IRON	0.55	mg/L			Q		0.13	0.5
SSL 13C	3/25/2015	FERROUS IRON	0.68	mg/L			Q		0.12	0.5
SSL 13C	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13C	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 13C	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13C	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13C	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSL 13C	3/25/2015	ACETONE	2	ug/L	U				0.34	2
SSL 13C	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 13C	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 13C	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 13C	3/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 13C	3/25/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSL 13C	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13C	3/25/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SSL 13C	3/25/2015	CHLORIDE	2.4	mg/L					0.14	1
SSL 13C	3/25/2015	NITRATE	2.3	mg/L					0.077	0.5
SSL 13C	3/25/2015	NITRITES	0.12	mg/L	J		21		0.029	0.5
SSL 13C	3/25/2015	SULFATE	4.6	mg/L					0.28	1
SSL 13C	3/25/2015	DISSOLVED ORGANIC CARBON	7.3	mg/L			V		0.47	1
SSL 13C	3/25/2015	TOTAL ORGANIC CARBON	1.6	mg/L			V		0.35	1
SSL 13C	3/25/2015	SULFIDE	2	mg/L	U				1.3	2
SSL 13C	11/11/2015	ETHYLENE	0.066	ug/L	J		21		0.004	0.1
SSL 13C	11/11/2015	METHANE	230	ug/L					0.037	0.5
SSL 13C	11/11/2015	FERRIC IRON	0.42	mg/L	J		21		0.13	0.5
SSL 13C	11/11/2015	FERROUS IRON	1.6	mg/L					0.12	0.5
SSL 13C	11/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13C	11/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 13C	11/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 13C	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13C	11/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL 13C	11/11/2015	ACETONE	1.8	ug/L	J		21		0.34	2
SSL 13C	11/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 13C	11/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 13C	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 13C	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 13C	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 13C	11/11/2015	TOLUENE	0.56	ug/L	J		21		0.07	1
SSL 13C	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 13C	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SSL 13C	11/11/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSL 13C	11/11/2015	CHLORIDE	2.6	mg/L					0.14	1
SSL 13C	11/11/2015	NITRATE	0.54	mg/L					0.077	0.5
SSL 13C	11/11/2015	NITRITES	0.099	mg/L	J		21		0.029	0.5
SSL 13C	11/11/2015	SULFATE	4.5	mg/L					0.28	1
SSL 13C	11/11/2015	DISSOLVED ORGANIC CARBON	6.2	mg/L					0.35	1
SSL 13C	11/11/2015	TOTAL ORGANIC CARBON	1.8	mg/L					0.35	1
SSL 13C	11/11/2015	SULFIDE	1	mg/L	U				0.31	1
SSL 20C	11/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 20C	11/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 20C	11/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 20C	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 20C	11/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL 20C	11/11/2015	ACETONE	1.2	ug/L	J		21		0.34	2
SSL 20C	11/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 20C	11/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 20C	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 20C	11/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 20C	11/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSL 20C	11/11/2015	TOLUENE	1	ug/L	U				0.07	1
SSL 20C	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 20C	11/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SSL 20C	11/11/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 33B	3/25/2015	ETHYLENE	0.006	ug/L	J		21		0.003	0.025
SSL 33B	3/25/2015	METHANE	0.1	ug/L	U				0.042	0.1
SSL 33B	3/25/2015	FERRIC IRON	0.5	mg/L	U		Q		0.13	0.5
SSL 33B	3/25/2015	FERROUS IRON	0.5	mg/L	U		Q		0.12	0.5
SSL 33B	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33B	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 33B	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33B	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33B	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSL 33B	3/25/2015	ACETONE	2	ug/L	U				0.34	2
SSL 33B	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 33B	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 33B	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 33B	3/25/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
SSL 33B	3/25/2015	TETRACHLOROETHYLENE (PCE)	12	ug/L					0.18	1
SSL 33B	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33B	3/25/2015	TRICHLOROETHYLENE (TCE)	9.4	ug/L					0.25	1
SSL 33B	3/25/2015	1,4-DIOXANE	3	ug/L			S		0.85	3
SSL 33B	3/25/2015	CHLORIDE	3.6	mg/L					0.14	1
SSL 33B	3/25/2015	NITRATE	3.8	mg/L			Q		0.077	0.5
SSL 33B	3/25/2015	NITRITES	0.5	mg/L	U				0.029	0.5
SSL 33B	3/25/2015	SULFATE	1.6	mg/L					0.28	1
SSL 33B	3/25/2015	DISSOLVED ORGANIC CARBON	1	mg/L	U				0.47	1
SSL 33B	3/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 33B	3/25/2015	SULFIDE	1	mg/L	U				0.67	1
SSL 33B	11/23/2015	ETHYLENE	0.0059	ug/L	J		21		0.005	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 33B	11/23/2015	METHANE	0.19	ug/L	J		21		0.033	0.5
SSL 33B	11/23/2015	FERRIC IRON	0.5	mg/L	U				0.13	0.5
SSL 33B	11/23/2015	FERROUS IRON	0.5	mg/L	U				0.12	0.5
SSL 33B	11/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33B	11/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 33B	11/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33B	11/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33B	11/23/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL 33B	11/23/2015	ACETONE	2	ug/L	U				0.34	2
SSL 33B	11/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 33B	11/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 33B	11/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 33B	11/23/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L					0.09	1
SSL 33B	11/23/2015	TETRACHLOROETHYLENE (PCE)	11	ug/L					0.18	1
SSL 33B	11/23/2015	TOLUENE	1	ug/L	U				0.07	1
SSL 33B	11/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33B	11/23/2015	TRICHLOROETHYLENE (TCE)	10	ug/L					0.25	1
SSL 33B	11/23/2015	1,4-DIOXANE	2.3	ug/L	J		21		1.2	5
SSL 33B	11/23/2015	CHLORIDE	3.6	mg/L					0.14	1
SSL 33B	11/23/2015	NITRATE	3.7	mg/L					0.077	0.5
SSL 33B	11/23/2015	NITRITES	0.5	mg/L	U				0.029	0.5
SSL 33B	11/23/2015	SULFATE	1.9	mg/L					0.28	1
SSL 33B	11/23/2015	DISSOLVED ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 33B	11/23/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 33B	11/23/2015	SULFIDE	1	mg/L	U				0.31	1
SSL 33C	3/25/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.025

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 33C	3/25/2015	METHANE	150	ug/L					0.042	0.1
SSL 33C	3/25/2015	FERRIC IRON	0.47	mg/L	UJ		21, Q		0.13	0.5
SSL 33C	3/25/2015	FERROUS IRON	0.5	mg/L	U		Q		0.12	0.5
SSL 33C	3/25/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33C	3/25/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 33C	3/25/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33C	3/25/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33C	3/25/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSL 33C	3/25/2015	ACETONE	2	ug/L	U				0.34	2
SSL 33C	3/25/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 33C	3/25/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 33C	3/25/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 33C	3/25/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 33C	3/25/2015	TETRACHLOROETHYLENE (PCE)	0.54	ug/L	J		21		0.18	1
SSL 33C	3/25/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33C	3/25/2015	TRICHLOROETHYLENE (TCE)	0.48	ug/L	J		21		0.25	1
SSL 33C	3/25/2015	CHLORIDE	4.4	mg/L					0.14	1
SSL 33C	3/25/2015	NITRATE	0.17	mg/L	UJ		21, Q		0.077	0.5
SSL 33C	3/25/2015	NITRITES	0.061	mg/L	J		21		0.029	0.5
SSL 33C	3/25/2015	SULFATE	0.73	mg/L	J		21		0.28	1
SSL 33C	3/25/2015	DISSOLVED ORGANIC CARBON	1	mg/L	U				0.47	1
SSL 33C	3/25/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 33C	3/25/2015	SULFIDE	1	mg/L	U				0.67	1
SSL 33C	10/14/2015	ETHYLENE	0.021	ug/L	J		21		0.005	0.1
SSL 33C	10/14/2015	METHANE	120	ug/L					0.033	0.5
SSL 33C	10/14/2015	FERRIC IRON	0.24	mg/L	J		21		0.13	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL 33C	10/14/2015	FERROUS IRON	0.24	mg/L	J		21		0.12	0.5
SSL 33C	10/14/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33C	10/14/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL 33C	10/14/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL 33C	10/14/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33C	10/14/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL 33C	10/14/2015	ACETONE	2	ug/L	U				0.34	2
SSL 33C	10/14/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL 33C	10/14/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL 33C	10/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL 33C	10/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSL 33C	10/14/2015	TETRACHLOROETHYLENE (PCE)	0.43	ug/L	J		21		0.18	1
SSL 33C	10/14/2015	TOLUENE	0.39	ug/L	J		21		0.07	1
SSL 33C	10/14/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL 33C	10/14/2015	TRICHLOROETHYLENE (TCE)	0.49	ug/L	J		21		0.25	1
SSL 33C	10/14/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSL 33C	10/14/2015	CHLORIDE	2.7	mg/L					0.14	1
SSL 33C	10/14/2015	NITRATE	0.11	mg/L	J		21		0.077	0.5
SSL 33C	10/14/2015	NITRITES	0.5	mg/L	U				0.029	0.5
SSL 33C	10/14/2015	SULFATE	0.95	mg/L	J		21		0.28	1
SSL 33C	10/14/2015	DISSOLVED ORGANIC CARBON	2.4	mg/L					0.47	1
SSL 33C	10/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.35	1
SSL 33C	10/14/2015	SULFIDE	1	mg/L	U				0.31	1
SSL020B	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL020B	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL020B	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL020B	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL020B	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL020B	10/13/2015	ACETONE	2	ug/L	U				0.34	2
SSL020B	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL020B	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL020B	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL020B	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L					0.09	1
SSL020B	10/13/2015	TETRACHLOROETHYLENE (PCE)	6.9	ug/L					0.18	1
SSL020B	10/13/2015	TOLUENE	0.27	ug/L	J		21		0.07	1
SSL020B	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL020B	10/13/2015	TRICHLOROETHYLENE (TCE)	11	ug/L					0.25	1
SSL020B	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSL030B	11/11/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSL030B	11/11/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSL030B	11/11/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSL030B	11/11/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSL030B	11/11/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSL030B	11/11/2015	ACETONE	2	ug/L	U				0.34	2
SSL030B	11/11/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSL030B	11/11/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSL030B	11/11/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSL030B	11/11/2015	CIS-1,2-DICHLOROETHYLENE	0.47	ug/L	J		21		0.09	1
SSL030B	11/11/2015	TETRACHLOROETHYLENE (PCE)	0.74	ug/L	J		21		0.18	1
SSL030B	11/11/2015	TOLUENE	1	ug/L	U				0.07	1
SSL030B	11/11/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSL030B	11/11/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
SSL030B	11/11/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 4B	3/12/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 4B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 4B	3/12/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 4B	3/12/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 4B	3/12/2015	1,4-DIOXANE	400	ug/L	U				38	400
SSM 4B	3/12/2015	ACETONE	10	ug/L	U				1.7	10
SSM 4B	3/12/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 4B	3/12/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 4B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 4B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	1.7	ug/L	J		21		0.45	5
SSM 4B	3/12/2015	TETRACHLOROETHYLENE (PCE)	3.5	ug/L	J		21		0.9	5
SSM 4B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 4B	3/12/2015	TRICHLOROETHYLENE (TCE)	250	ug/L					13	50
SSM 4B	9/28/2015	ALUMINUM	925	ug/L					40	400
SSM 4B	9/28/2015	BARIUM	11.2	ug/L	J		21		2	20
SSM 4B	9/28/2015	BERYLLIUM	1	ug/L	U				0.1	1
SSM 4B	9/28/2015	CADMIUM	1	ug/L	U				0.1	1
SSM 4B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
SSM 4B	9/28/2015	COBALT	0.719	ug/L	J		21		0.5	5
SSM 4B	9/28/2015	COPPER	0.904	ug/L	J		21		0.5	5
SSM 4B	9/28/2015	IRON	544	ug/L			V		10	100
SSM 4B	9/28/2015	LEAD	0.702	ug/L	J		21		0.5	5
SSM 4B	9/28/2015	MANGANESE	6.22	ug/L	J		21		1	10
SSM 4B	9/28/2015	NICKEL	1.02	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 4B	9/28/2015	SELENIUM	20	ug/L	U				2	20
SSM 4B	9/28/2015	SODIUM	1840	ug/L					20	200
SSM 4B	9/28/2015	VANADIUM	50	ug/L	U				5	50
SSM 4B	9/28/2015	ZINC	7.82	ug/L	J		21		4	40
SSM 4B	9/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 4B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 4B	9/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 4B	9/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 4B	9/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 4B	9/28/2015	ACETONE	10	ug/L	U				1.7	10
SSM 4B	9/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 4B	9/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 4B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 4B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L	J		21		0.45	5
SSM 4B	9/28/2015	TETRACHLOROETHYLENE (PCE)	4.5	ug/L	J		21		0.9	5
SSM 4B	9/28/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 4B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 4B	9/28/2015	TRICHLOROETHYLENE (TCE)	350	ug/L					13	50
SSM 4B	9/28/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
SSM 5B	3/12/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 5B	3/12/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 5B	3/12/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 5B	3/12/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 5B	3/12/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 5B	3/12/2015	ACETONE	2	ug/L	U				0.34	2
SSM 5B	3/12/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 5B	3/12/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 5B	3/12/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 5B	3/12/2015	CIS-1,2-DICHLOROETHYLENE	12	ug/L					0.09	1
SSM 5B	3/12/2015	TETRACHLOROETHYLENE (PCE)	0.31	ug/L	J		21		0.18	1
SSM 5B	3/12/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 5B	3/12/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					0.25	1
SSM 5B	9/28/2015	ALUMINUM	1030	ug/L					40	400
SSM 5B	9/28/2015	BARIUM	16.7	ug/L	J		21		2	20
SSM 5B	9/28/2015	BERYLLIUM	0.21	ug/L	J		21		0.1	1
SSM 5B	9/28/2015	CADMIUM	0.366	ug/L	J		21		0.1	1
SSM 5B	9/28/2015	CHROMIUM	100	ug/L	U				10	100
SSM 5B	9/28/2015	COBALT	0.588	ug/L	J		21		0.5	5
SSM 5B	9/28/2015	COPPER	1.27	ug/L	J		21		0.5	5
SSM 5B	9/28/2015	IRON	304	ug/L			V		10	100
SSM 5B	9/28/2015	LEAD	0.546	ug/L	J		21		0.5	5
SSM 5B	9/28/2015	MANGANESE	7.46	ug/L	J		21		1	10
SSM 5B	9/28/2015	NICKEL	1.87	ug/L	J		21		0.5	5
SSM 5B	9/28/2015	SELENIUM	20	ug/L	U				2	20
SSM 5B	9/28/2015	SODIUM	1510	ug/L					20	200
SSM 5B	9/28/2015	VANADIUM	50	ug/L	U				5	50
SSM 5B	9/28/2015	ZINC	10.8	ug/L	J		21		4	40
SSM 5B	9/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 5B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 5B	9/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 5B	9/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 5B	9/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 5B	9/28/2015	ACETONE	10	ug/L	U				1.7	10
SSM 5B	9/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 5B	9/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 5B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 5B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L	J		21		0.45	5
SSM 5B	9/28/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
SSM 5B	9/28/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 5B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 5B	9/28/2015	TRICHLOROETHYLENE (TCE)	6.8	ug/L					1.3	5
SSM 5B	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 10B2	3/23/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 10B2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 10B2	3/23/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 10B2	3/23/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 10B2	3/23/2015	1,4-DIOXANE	400	ug/L	U				38	400
SSM 10B2	3/23/2015	ACETONE	10	ug/L	U				1.7	10
SSM 10B2	3/23/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 10B2	3/23/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 10B2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 10B2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	8.3	ug/L					0.45	5
SSM 10B2	3/23/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.9	5
SSM 10B2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 10B2	3/23/2015	TRICHLOROETHYLENE (TCE)	600	ug/L					13	50
SSM 10B2	10/20/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
SSM 10B2	10/20/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 10B2	10/20/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
SSM 10B2	10/20/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM 10B2	10/20/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
SSM 10B2	10/20/2015	ACETONE	50	ug/L	U				8.5	50
SSM 10B2	10/20/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
SSM 10B2	10/20/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
SSM 10B2	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
SSM 10B2	10/20/2015	CIS-1,2-DICHLOROETHYLENE	13	ug/L	J		21		2.3	25
SSM 10B2	10/20/2015	TETRACHLOROETHYLENE (PCE)	230	ug/L					4.5	25
SSM 10B2	10/20/2015	TOLUENE	25	ug/L	U				1.8	25
SSM 10B2	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM 10B2	10/20/2015	TRICHLOROETHYLENE (TCE)	4100	ug/L					63	250
SSM 10B2	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 10C2	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 10C2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 10C2	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 10C2	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 10C2	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 10C2	3/23/2015	ACETONE	2	ug/L	U				0.34	2
SSM 10C2	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 10C2	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 10C2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 10C2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	5.8	ug/L					0.09	1
SSM 10C2	3/23/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L					0.18	1
SSM 10C2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 10C2	3/23/2015	TRICHLOROETHYLENE (TCE)	180	ug/L					1.3	5
SSM 10C2	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 10C2	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 10C2	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 10C2	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 10C2	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 10C2	10/20/2015	ACETONE	2	ug/L	U				0.34	2
SSM 10C2	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 10C2	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 10C2	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 10C2	10/20/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L					0.09	1
SSM 10C2	10/20/2015	TETRACHLOROETHYLENE (PCE)	4.8	ug/L					0.18	1
SSM 10C2	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 10C2	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 10C2	10/20/2015	TRICHLOROETHYLENE (TCE)	95	ug/L					1.3	5
SSM 10C2	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 11B2	3/23/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 11B2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 11B2	3/23/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 11B2	3/23/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 11B2	3/23/2015	1,4-DIOXANE	400	ug/L	U				38	400
SSM 11B2	3/23/2015	ACETONE	10	ug/L	U				1.7	10
SSM 11B2	3/23/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 11B2	3/23/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 11B2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 11B2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	30	ug/L					0.45	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 11B2	3/23/2015	TETRACHLOROETHYLENE (PCE)	4.2	ug/L	J		21		0.9	5
SSM 11B2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 11B2	3/23/2015	TRICHLOROETHYLENE (TCE)	1800	ug/L					13	50
SSM 11B2	10/6/2015	1,1,1-TRICHLOROETHANE	100	ug/L	U				7	100
SSM 11B2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	100	ug/L	U				10	100
SSM 11B2	10/6/2015	1,1-DICHLOROETHANE	100	ug/L	U				7	100
SSM 11B2	10/6/2015	1,1-DICHLOROETHYLENE	100	ug/L	U				8	100
SSM 11B2	10/6/2015	1,2-DICHLOROBENZENE	100	ug/L	U				6	100
SSM 11B2	10/6/2015	ACETONE	200	ug/L	U				34	200
SSM 11B2	10/6/2015	CARBON TETRACHLORIDE	100	ug/L	U				13	100
SSM 11B2	10/6/2015	CHLOROBENZENE	100	ug/L	U				15	100
SSM 11B2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				8	200
SSM 11B2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	100	ug/L	U				9	100
SSM 11B2	10/6/2015	TETRACHLOROETHYLENE (PCE)	100	ug/L	U				18	100
SSM 11B2	10/6/2015	TOLUENE	100	ug/L	U				7	100
SSM 11B2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	100	ug/L	U				8	100
SSM 11B2	10/6/2015	TRICHLOROETHYLENE (TCE)	770	ug/L					25	100
SSM 11B2	10/6/2015	1,4-DIOXANE	50	ug/L	U				12	50
SSM 11C2	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 11C2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 11C2	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 11C2	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 11C2	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 11C2	3/23/2015	ACETONE	2	ug/L	U				0.34	2
SSM 11C2	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 11C2	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 11C2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 11C2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	2.1	ug/L					0.09	1
SSM 11C2	3/23/2015	TETRACHLOROETHYLENE (PCE)	1.7	ug/L					0.18	1
SSM 11C2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 11C2	3/23/2015	TRICHLOROETHYLENE (TCE)	120	ug/L					2.5	10
SSM 11C2	10/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 11C2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 11C2	10/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 11C2	10/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 11C2	10/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 11C2	10/6/2015	ACETONE	2	ug/L	U				0.34	2
SSM 11C2	10/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 11C2	10/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 11C2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 11C2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	2.3	ug/L					0.09	1
SSM 11C2	10/6/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
SSM 11C2	10/6/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 11C2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 11C2	10/6/2015	TRICHLOROETHYLENE (TCE)	140	ug/L					2.5	10
SSM 11C2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 12B2	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12B2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 12B2	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12B2	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12B2	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 12B2	3/23/2015	ACETONE	2	ug/L	U				0.34	2
SSM 12B2	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 12B2	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 12B2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 12B2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	0.58	ug/L	J		21		0.09	1
SSM 12B2	3/23/2015	TETRACHLOROETHYLENE (PCE)	0.43	ug/L	J		21		0.18	1
SSM 12B2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12B2	3/23/2015	TRICHLOROETHYLENE (TCE)	2.7	ug/L					0.25	1
SSM 12B2	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12B2	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 12B2	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12B2	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12B2	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 12B2	10/5/2015	ACETONE	2	ug/L	U				0.34	2
SSM 12B2	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 12B2	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 12B2	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 12B2	10/5/2015	CIS-1,2-DICHLOROETHYLENE	0.65	ug/L	J		21		0.09	1
SSM 12B2	10/5/2015	TETRACHLOROETHYLENE (PCE)	0.39	ug/L	J		21		0.18	1
SSM 12B2	10/5/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 12B2	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12B2	10/5/2015	TRICHLOROETHYLENE (TCE)	0.81	ug/L	J		21		0.25	1
SSM 12B2	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 12C2	3/23/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12C2	3/23/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 12C2	3/23/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12C2	3/23/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12C2	3/23/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 12C2	3/23/2015	ACETONE	2	ug/L	U				0.34	2
SSM 12C2	3/23/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 12C2	3/23/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 12C2	3/23/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 12C2	3/23/2015	CIS-1,2-DICHLOROETHYLENE	0.78	ug/L	J		21		0.09	1
SSM 12C2	3/23/2015	TETRACHLOROETHYLENE (PCE)	0.71	ug/L	J		21		0.18	1
SSM 12C2	3/23/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12C2	3/23/2015	TRICHLOROETHYLENE (TCE)	1.9	ug/L					0.25	1
SSM 12C2	10/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12C2	10/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 12C2	10/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 12C2	10/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12C2	10/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 12C2	10/5/2015	ACETONE	2	ug/L	U				0.34	2
SSM 12C2	10/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 12C2	10/5/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 12C2	10/5/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 12C2	10/5/2015	CIS-1,2-DICHLOROETHYLENE	0.53	ug/L	J		21		0.09	1
SSM 12C2	10/5/2015	TETRACHLOROETHYLENE (PCE)	0.44	ug/L	J		21		0.18	1
SSM 12C2	10/5/2015	TOLUENE	0.14	ug/L	J		21		0.07	1
SSM 12C2	10/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 12C2	10/5/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 12C2	10/5/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 13B2	3/24/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
SSM 13B2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
SSM 13B2	3/24/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
SSM 13B2	3/24/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SSM 13B2	3/24/2015	1,4-DIOXANE	800	ug/L	U				76	800
SSM 13B2	3/24/2015	ACETONE	20	ug/L	U				3.4	20
SSM 13B2	3/24/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
SSM 13B2	3/24/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
SSM 13B2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
SSM 13B2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	70	ug/L					0.9	10
SSM 13B2	3/24/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L	U				1.8	10
SSM 13B2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SSM 13B2	3/24/2015	TRICHLOROETHYLENE (TCE)	730	ug/L					25	100
SSM 13B2	10/6/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
SSM 13B2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
SSM 13B2	10/6/2015	1,1-DICHLOROETHANE	10	ug/L	U				0.7	10
SSM 13B2	10/6/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SSM 13B2	10/6/2015	1,2-DICHLOROBENZENE	10	ug/L	U				0.6	10
SSM 13B2	10/6/2015	ACETONE	20	ug/L	U				3.4	20
SSM 13B2	10/6/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
SSM 13B2	10/6/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
SSM 13B2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				0.8	20
SSM 13B2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	67	ug/L					0.9	10
SSM 13B2	10/6/2015	TETRACHLOROETHYLENE (PCE)	2.9	ug/L	J		21		1.8	10
SSM 13B2	10/6/2015	TOLUENE	10	ug/L	U				0.7	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 13B2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SSM 13B2	10/6/2015	TRICHLOROETHYLENE (TCE)	300	ug/L					25	100
SSM 13B2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 13C2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 13C2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 13C2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 13C2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 13C2	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 13C2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 13C2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 13C2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 13C2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 13C2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	11	ug/L					0.09	1
SSM 13C2	3/24/2015	TETRACHLOROETHYLENE (PCE)	4.5	ug/L					0.18	1
SSM 13C2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 13C2	3/24/2015	TRICHLOROETHYLENE (TCE)	130	ug/L					1.3	5
SSM 13C2	10/6/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 13C2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 13C2	10/6/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 13C2	10/6/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 13C2	10/6/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 13C2	10/6/2015	ACETONE	10	ug/L	U				1.7	10
SSM 13C2	10/6/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 13C2	10/6/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 13C2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 13C2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	7.5	ug/L					0.45	5
SSM 13C2	10/6/2015	TETRACHLOROETHYLENE (PCE)	7.6	ug/L					0.9	5
SSM 13C2	10/6/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 13C2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 13C2	10/6/2015	TRICHLOROETHYLENE (TCE)	160	ug/L					1.3	5
SSM 13C2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 14B2	3/24/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM 14B2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
SSM 14B2	3/24/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM 14B2	3/24/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM 14B2	3/24/2015	1,4-DIOXANE	200	ug/L	U		18		19	200
SSM 14B2	3/24/2015	ACETONE	5	ug/L	U				0.85	5
SSM 14B2	3/24/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
SSM 14B2	3/24/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
SSM 14B2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
SSM 14B2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	7.6	ug/L					0.23	2.5
SSM 14B2	3/24/2015	TETRACHLOROETHYLENE (PCE)	0.72	ug/L	J		21		0.45	2.5
SSM 14B2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM 14B2	3/24/2015	TRICHLOROETHYLENE (TCE)	290	ug/L					6.3	25
SSM 14B2	10/6/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 14B2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 14B2	10/6/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 14B2	10/6/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 14B2	10/6/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 14B2	10/6/2015	ACETONE	10	ug/L	U				1.7	10
SSM 14B2	10/6/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 14B2	10/6/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 14B2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 14B2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	6.5	ug/L					0.45	5
SSM 14B2	10/6/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
SSM 14B2	10/6/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 14B2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 14B2	10/6/2015	TRICHLOROETHYLENE (TCE)	320	ug/L					6.3	25
SSM 14B2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 14C2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 14C2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 14C2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 14C2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 14C2	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 14C2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 14C2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 14C2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 14C2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 14C2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L					0.09	1
SSM 14C2	3/24/2015	TETRACHLOROETHYLENE (PCE)	0.33	ug/L	J		21		0.18	1
SSM 14C2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 14C2	3/24/2015	TRICHLOROETHYLENE (TCE)	21	ug/L					0.25	1
SSM 14C2	10/6/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 14C2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 14C2	10/6/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 14C2	10/6/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 14C2	10/6/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 14C2	10/6/2015	ACETONE	10	ug/L	U				1.7	10
SSM 14C2	10/6/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 14C2	10/6/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 14C2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 14C2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	0.81	ug/L	J		21		0.45	5
SSM 14C2	10/6/2015	TETRACHLOROETHYLENE (PCE)	5	ug/L	U				0.9	5
SSM 14C2	10/6/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 14C2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 14C2	10/6/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					1.3	5
SSM 14C2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 15B2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 15B2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 15B2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 15B2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 15B2	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 15B2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 15B2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 15B2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 15B2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 15B2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM 15B2	3/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM 15B2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 15B2	3/24/2015	TRICHLOROETHYLENE (TCE)	9.9	ug/L					0.25	1
SSM 15B2	10/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 15B2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 15B2	10/6/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 15B2	10/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 15B2	10/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 15B2	10/6/2015	ACETONE	2	ug/L	U				0.34	2
SSM 15B2	10/6/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 15B2	10/6/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 15B2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 15B2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM 15B2	10/6/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J		21		0.18	1
SSM 15B2	10/6/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 15B2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 15B2	10/6/2015	TRICHLOROETHYLENE (TCE)	18	ug/L					0.25	1
SSM 15B2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 15C2	3/24/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM 15C2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
SSM 15C2	3/24/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM 15C2	3/24/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM 15C2	3/24/2015	1,4-DIOXANE	200	ug/L	U				19	200
SSM 15C2	3/24/2015	ACETONE	5	ug/L	U				0.85	5
SSM 15C2	3/24/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
SSM 15C2	3/24/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
SSM 15C2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
SSM 15C2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1.6	ug/L	J		21		0.23	2.5
SSM 15C2	3/24/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.45	2.5
SSM 15C2	3/24/2015	TRANS-1,2-	2.5	ug/L	U				0.2	2.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
SSM 15C2	3/24/2015	TRICHLOROETHYLENE (TCE)	340	ug/L					6.3	25
SSM 15C2	10/6/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 15C2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 15C2	10/6/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 15C2	10/6/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 15C2	10/6/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 15C2	10/6/2015	ACETONE	10	ug/L	U				1.7	10
SSM 15C2	10/6/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 15C2	10/6/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 15C2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 15C2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	1.3	ug/L	J		21		0.45	5
SSM 15C2	10/6/2015	TETRACHLOROETHYLENE (PCE)	10	ug/L					0.9	5
SSM 15C2	10/6/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 15C2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 15C2	10/6/2015	TRICHLOROETHYLENE (TCE)	310	ug/L					6.3	25
SSM 15C2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 16B2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 16B2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 16B2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 16B2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 16B2	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 16B2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 16B2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 16B2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 16B2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 16B2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L			S		0.09	1
SSM 16B2	3/24/2015	TETRACHLOROETHYLENE (PCE)	2.6	ug/L					0.18	1
SSM 16B2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 16B2	3/24/2015	TRICHLOROETHYLENE (TCE)	24	ug/L					0.25	1
SSM 16B2	10/6/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 16B2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 16B2	10/6/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 16B2	10/6/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 16B2	10/6/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM 16B2	10/6/2015	ACETONE	10	ug/L	U				1.7	10
SSM 16B2	10/6/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM 16B2	10/6/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 16B2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 16B2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.45	5
SSM 16B2	10/6/2015	TETRACHLOROETHYLENE (PCE)	2.1	ug/L	J		21		0.9	5
SSM 16B2	10/6/2015	TOLUENE	5	ug/L	U				0.35	5
SSM 16B2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 16B2	10/6/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					1.3	5
SSM 16B2	10/6/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 16C2	3/24/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM 16C2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM 16C2	3/24/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM 16C2	3/24/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 16C2	3/24/2015	1,4-DIOXANE	400	ug/L	U				38	400
SSM 16C2	3/24/2015	ACETONE	10	ug/L	U				1.7	10
SSM 16C2	3/24/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 16C2	3/24/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM 16C2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM 16C2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	6.3	ug/L					0.45	5
SSM 16C2	3/24/2015	TETRACHLOROETHYLENE (PCE)	24	ug/L					0.9	5
SSM 16C2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM 16C2	3/24/2015	TRICHLOROETHYLENE (TCE)	1000	ug/L					13	50
SSM 16C2	10/6/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
SSM 16C2	10/6/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
SSM 16C2	10/6/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
SSM 16C2	10/6/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM 16C2	10/6/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
SSM 16C2	10/6/2015	ACETONE	50	ug/L	U				8.5	50
SSM 16C2	10/6/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
SSM 16C2	10/6/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
SSM 16C2	10/6/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
SSM 16C2	10/6/2015	CIS-1,2-DICHLOROETHYLENE	5.9	ug/L	J		21		2.3	25
SSM 16C2	10/6/2015	TETRACHLOROETHYLENE (PCE)	25	ug/L					4.5	25
SSM 16C2	10/6/2015	TOLUENE	25	ug/L	U				1.8	25
SSM 16C2	10/6/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM 16C2	10/6/2015	TRICHLOROETHYLENE (TCE)	1200	ug/L					63	250
SSM 16C2	10/6/2015	1,4-DIOXANE	10	ug/L	U				2.5	10
SSM 17B2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17B2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 17B2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17B2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 17B2	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM 17B2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 17B2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 17B2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 17B2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 17B2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM 17B2	3/24/2015	TETRACHLOROETHYLENE (PCE)	2	ug/L					0.18	1
SSM 17B2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17B2	3/24/2015	TRICHLOROETHYLENE (TCE)	4.2	ug/L					0.25	1
SSM 17B2	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17B2	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 17B2	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17B2	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17B2	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 17B2	10/20/2015	ACETONE	2	ug/L	U				0.34	2
SSM 17B2	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 17B2	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 17B2	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 17B2	10/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM 17B2	10/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM 17B2	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 17B2	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17B2	10/20/2015	TRICHLOROETHYLENE (TCE)	0.71	ug/L	J		21		0.25	1
SSM 17B2	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM 17C2	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 17C2	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 17C2	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17C2	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17C2	3/24/2015	1,4-DIOXANE	80	ug/L	U		18		7.6	80
SSM 17C2	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM 17C2	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 17C2	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 17C2	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 17C2	3/24/2015	CIS-1,2-DICHLOROETHYLENE	0.27	ug/L	J		21		0.09	1
SSM 17C2	3/24/2015	TETRACHLOROETHYLENE (PCE)	2.2	ug/L					0.18	1
SSM 17C2	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17C2	3/24/2015	TRICHLOROETHYLENE (TCE)	5.7	ug/L					0.25	1
SSM 17C2	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17C2	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM 17C2	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM 17C2	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM 17C2	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM 17C2	10/20/2015	ACETONE	2	ug/L	U				0.34	2
SSM 17C2	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM 17C2	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM 17C2	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM 17C2	10/20/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J		21		0.09	1
SSM 17C2	10/20/2015	TETRACHLOROETHYLENE (PCE)	1.3	ug/L					0.18	1
SSM 17C2	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
SSM 17C2	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM 17C2	10/20/2015	TRICHLOROETHYLENE (TCE)	6.9	ug/L					0.25	1
SSM 17C2	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM011A	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM011A	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM011A	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM011A	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM011A	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM011A	9/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM011A	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM011A	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM011A	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM011A	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM011A	9/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM011A	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
SSM011A	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM011A	9/24/2015	TRICHLOROETHYLENE (TCE)	0.85	ug/L	J		21		0.25	1
SSM011A	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM019B	3/24/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
SSM019B	3/24/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
SSM019B	3/24/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
SSM019B	3/24/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM019B	3/24/2015	1,4-DIOXANE	2000	ug/L	U				190	2000
SSM019B	3/24/2015	ACETONE	50	ug/L	U				8.5	50
SSM019B	3/24/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
SSM019B	3/24/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
SSM019B	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM019B	3/24/2015	CIS-1,2-DICHLOROETHYLENE	9.7	ug/L	J		21		2.3	25
SSM019B	3/24/2015	TETRACHLOROETHYLENE (PCE)	1200	ug/L					4.5	25
SSM019B	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
SSM019B	3/24/2015	TRICHLOROETHYLENE (TCE)	6100	ug/L					63	250
SSM019B	10/20/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				3.5	50
SSM019B	10/20/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				5	50
SSM019B	10/20/2015	1,1-DICHLOROETHANE	50	ug/L	U				3.5	50
SSM019B	10/20/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				4	50
SSM019B	10/20/2015	1,2-DICHLOROBENZENE	50	ug/L	U				3	50
SSM019B	10/20/2015	ACETONE	100	ug/L	U				17	100
SSM019B	10/20/2015	CARBON TETRACHLORIDE	50	ug/L	U				6.5	50
SSM019B	10/20/2015	CHLOROBENZENE	50	ug/L	U				7.5	50
SSM019B	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	100	ug/L	U				4	100
SSM019B	10/20/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				4.5	50
SSM019B	10/20/2015	TETRACHLOROETHYLENE (PCE)	700	ug/L					9	50
SSM019B	10/20/2015	TOLUENE	50	ug/L	U				3.5	50
SSM019B	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	50	ug/L	U				4	50
SSM019B	10/20/2015	TRICHLOROETHYLENE (TCE)	4900	ug/L					130	500
SSM019B	10/20/2015	1,4-DIOXANE	25	ug/L	U				6.2	25
SSM019C	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM019C	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM019C	3/24/2015	1,1-DICHLOROETHANE	1.7	ug/L					0.07	1
SSM019C	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM019C	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM019C	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM019C	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM019C	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM019C	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM019C	3/24/2015	CIS-1,2-DICHLOROETHYLENE	2.4	ug/L					0.09	1
SSM019C	3/24/2015	TETRACHLOROETHYLENE (PCE)	16	ug/L					0.18	1
SSM019C	3/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM019C	3/24/2015	TRICHLOROETHYLENE (TCE)	60	ug/L					1.3	5
SSM019C	10/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM019C	10/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM019C	10/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM019C	10/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM019C	10/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM019C	10/20/2015	ACETONE	2	ug/L	U				0.34	2
SSM019C	10/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM019C	10/20/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM019C	10/20/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM019C	10/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM019C	10/20/2015	TETRACHLOROETHYLENE (PCE)	5.9	ug/L					0.18	1
SSM019C	10/20/2015	TOLUENE	1	ug/L	U				0.07	1
SSM019C	10/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM019C	10/20/2015	TRICHLOROETHYLENE (TCE)	26	ug/L					0.25	1
SSM019C	10/20/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM019D	9/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM019D	9/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM019D	9/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM019D	9/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM019D	9/24/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM019D	9/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM019D	9/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM019D	9/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM019D	9/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM019D	9/24/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM019D	9/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM019D	9/24/2015	TOLUENE	1	ug/L	U				0.07	1
SSM019D	9/24/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM019D	9/24/2015	TRICHLOROETHYLENE (TCE)	0.47	ug/L	J		21		0.25	1
SSM019D	9/24/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM020A	3/19/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM020A	3/19/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
SSM020A	3/19/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM020A	3/19/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM020A	3/19/2015	1,4-DIOXANE	200	ug/L	U				19	200
SSM020A	3/19/2015	ACETONE	5	ug/L	U				0.85	5
SSM020A	3/19/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
SSM020A	3/19/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
SSM020A	3/19/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
SSM020A	3/19/2015	CIS-1,2-DICHLOROETHYLENE	3.6	ug/L					0.23	2.5
SSM020A	3/19/2015	TETRACHLOROETHYLENE (PCE)	9.3	ug/L					0.45	2.5
SSM020A	3/19/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM020A	3/19/2015	TRICHLOROETHYLENE (TCE)	500	ug/L					6.3	25
SSM020A	9/28/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM020A	9/28/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM020A	9/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM020A	9/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM020A	9/28/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM020A	9/28/2015	ACETONE	10	ug/L	U				1.7	10
SSM020A	9/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM020A	9/28/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM020A	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM020A	9/28/2015	CIS-1,2-DICHLOROETHYLENE	2.6	ug/L	J		21		0.45	5
SSM020A	9/28/2015	TETRACHLOROETHYLENE (PCE)	9	ug/L					0.9	5
SSM020A	9/28/2015	TOLUENE	5	ug/L	U				0.35	5
SSM020A	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM020A	9/28/2015	TRICHLOROETHYLENE (TCE)	470	ug/L					6.3	25
SSM020A	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM020B	3/24/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM020B	3/24/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM020B	3/24/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM020B	3/24/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM020B	3/24/2015	1,4-DIOXANE	80	ug/L	U				7.6	80
SSM020B	3/24/2015	ACETONE	2	ug/L	U				0.34	2
SSM020B	3/24/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM020B	3/24/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM020B	3/24/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM020B	3/24/2015	CIS-1,2-DICHLOROETHYLENE	0.19	ug/L	J		21		0.09	1
SSM020B	3/24/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM020B	3/24/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
SSM020B	3/24/2015	TRICHLOROETHYLENE (TCE)	0.63	ug/L	J		21		0.25	1
SSM020B	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM020B	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM020B	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM020B	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM020B	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM020B	10/13/2015	ACETONE	2	ug/L	U				0.34	2
SSM020B	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM020B	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM020B	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM020B	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM020B	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM020B	10/13/2015	TOLUENE	0.18	ug/L	J		21		0.07	1
SSM020B	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM020B	10/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SSM020B	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM020C	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM020C	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM020C	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM020C	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM020C	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM020C	10/13/2015	ACETONE	2	ug/L	U				0.34	2
SSM020C	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM020C	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM020C	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM020C	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM020C	10/13/2015	TETRACHLOROETHYLENE (PCE)	0.29	ug/L	J		21		0.18	1
SSM020C	10/13/2015	TOLUENE	0.46	ug/L	J		21		0.07	1
SSM020C	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM020C	10/13/2015	TRICHLOROETHYLENE (TCE)	8.2	ug/L					0.25	1
SSM020C	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM021A	9/28/2015	1,1,1-TRICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM021A	9/28/2015	1,1,2,2-TETRACHLOROETHANE	2.5	ug/L	U				0.25	2.5
SSM021A	9/28/2015	1,1-DICHLOROETHANE	2.5	ug/L	U				0.18	2.5
SSM021A	9/28/2015	1,1-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM021A	9/28/2015	1,2-DICHLOROBENZENE	2.5	ug/L	U				0.15	2.5
SSM021A	9/28/2015	ACETONE	5	ug/L	U				0.85	5
SSM021A	9/28/2015	CARBON TETRACHLORIDE	2.5	ug/L	U				0.33	2.5
SSM021A	9/28/2015	CHLOROBENZENE	2.5	ug/L	U				0.38	2.5
SSM021A	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	U				0.2	5
SSM021A	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1.2	ug/L	J		21		0.23	2.5
SSM021A	9/28/2015	TETRACHLOROETHYLENE (PCE)	4.9	ug/L					0.45	2.5
SSM021A	9/28/2015	TOLUENE	2.5	ug/L	U				0.18	2.5
SSM021A	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	2.5	ug/L	U				0.2	2.5
SSM021A	9/28/2015	TRICHLOROETHYLENE (TCE)	160	ug/L					6.3	25
SSM021A	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM021B	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM021B	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM021B	9/28/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM021B	9/28/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM021B	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM021B	9/28/2015	ACETONE	2	ug/L	U				0.34	2
SSM021B	9/28/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM021B	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM021B	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM021B	9/28/2015	CIS-1,2-DICHLOROETHYLENE	0.91	ug/L	J		21		0.09	1
SSM021B	9/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM021B	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
SSM021B	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM021B	9/28/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					1.3	5
SSM021B	9/28/2015	1,4-DIOXANE	28	ug/L					1.2	5
SSM021TA	9/28/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM021TA	9/28/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM021TA	9/28/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM021TA	9/28/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM021TA	9/28/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM021TA	9/28/2015	ACETONE	10	ug/L	U				1.7	10
SSM021TA	9/28/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM021TA	9/28/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM021TA	9/28/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM021TA	9/28/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L	J		21		0.45	5
SSM021TA	9/28/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM021TA	9/28/2015	TOLUENE	1	ug/L	U				0.07	1
SSM021TA	9/28/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM021TA	9/28/2015	TRICHLOROETHYLENE (TCE)	84	ug/L					1.3	5
SSM021TA	9/28/2015	1,4-DIOXANE	5	ug/L	U				1.2	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM022A	9/29/2015	1,1,1-TRICHLOROETHANE	2	ug/L	U				0.14	2
SSM022A	9/29/2015	1,1,2,2-TETRACHLOROETHANE	2	ug/L	U				0.2	2
SSM022A	9/29/2015	1,1-DICHLOROETHANE	2	ug/L	U				0.14	2
SSM022A	9/29/2015	1,1-DICHLOROETHYLENE	2	ug/L	U				0.16	2
SSM022A	9/29/2015	1,2-DICHLOROBENZENE	2	ug/L	U				0.12	2
SSM022A	9/29/2015	ACETONE	4	ug/L	U				0.68	4
SSM022A	9/29/2015	CARBON TETRACHLORIDE	2	ug/L	U				0.26	2
SSM022A	9/29/2015	CHLOROBENZENE	2	ug/L	U				0.3	2
SSM022A	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	4	ug/L	U				0.16	4
SSM022A	9/29/2015	CIS-1,2-DICHLOROETHYLENE	0.67	ug/L	J		21		0.18	2
SSM022A	9/29/2015	TETRACHLOROETHYLENE (PCE)	7.3	ug/L					0.36	2
SSM022A	9/29/2015	TOLUENE	2	ug/L	U				0.14	2
SSM022A	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	2	ug/L	U				0.16	2
SSM022A	9/29/2015	TRICHLOROETHYLENE (TCE)	110	ug/L					5	20
SSM022A	9/29/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM022B	10/13/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM022B	10/13/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM022B	10/13/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM022B	10/13/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM022B	10/13/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM022B	10/13/2015	ACETONE	10	ug/L	U				1.7	10
SSM022B	10/13/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM022B	10/13/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM022B	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM022B	10/13/2015	CIS-1,2-DICHLOROETHYLENE	3.2	ug/L	J		21		0.45	5
SSM022B	10/13/2015	TETRACHLOROETHYLENE (PCE)	36	ug/L					0.9	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM022B	10/13/2015	TOLUENE	5	ug/L	U				0.35	5
SSM022B	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM022B	10/13/2015	TRICHLOROETHYLENE (TCE)	830	ug/L					13	50
SSM022B	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM022C	10/13/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM022C	10/13/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM022C	10/13/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM022C	10/13/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM022C	10/13/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM022C	10/13/2015	ACETONE	2	ug/L	U				0.34	2
SSM022C	10/13/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM022C	10/13/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM022C	10/13/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM022C	10/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM022C	10/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM022C	10/13/2015	TOLUENE	0.29	ug/L	J		21		0.07	1
SSM022C	10/13/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM022C	10/13/2015	TRICHLOROETHYLENE (TCE)	4.3	ug/L					0.25	1
SSM022C	10/13/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM023B	9/30/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM023B	9/30/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM023B	9/30/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM023B	9/30/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM023B	9/30/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM023B	9/30/2015	ACETONE	2	ug/L	U				0.34	2
SSM023B	9/30/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM023B	9/30/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM023B	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM023B	9/30/2015	CIS-1,2-DICHLOROETHYLENE	0.44	ug/L	J		21		0.09	1
SSM023B	9/30/2015	TETRACHLOROETHYLENE (PCE)	4	ug/L					0.18	1
SSM023B	9/30/2015	TOLUENE	1	ug/L	U				0.07	1
SSM023B	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM023B	9/30/2015	TRICHLOROETHYLENE (TCE)	100	ug/L					2.5	10
SSM023B	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM023C	9/30/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SSM023C	9/30/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SSM023C	9/30/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SSM023C	9/30/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM023C	9/30/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SSM023C	9/30/2015	ACETONE	10	ug/L	U				1.7	10
SSM023C	9/30/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SSM023C	9/30/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SSM023C	9/30/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10
SSM023C	9/30/2015	CIS-1,2-DICHLOROETHYLENE	1.1	ug/L	J		21		0.45	5
SSM023C	9/30/2015	TETRACHLOROETHYLENE (PCE)	4.6	ug/L	J		21		0.9	5
SSM023C	9/30/2015	TOLUENE	5	ug/L	U				0.35	5
SSM023C	9/30/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SSM023C	9/30/2015	TRICHLOROETHYLENE (TCE)	200	ug/L					6.3	25
SSM023C	9/30/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM024AL	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM024AL	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM024AL	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM024AL	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM024AL	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM024AL	9/29/2015	ACETONE	2	ug/L	U				0.34	2
SSM024AL	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM024AL	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM024AL	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM024AL	9/29/2015	CIS-1,2-DICHLOROETHYLENE	3.6	ug/L					0.09	1
SSM024AL	9/29/2015	TETRACHLOROETHYLENE (PCE)	27	ug/L					0.18	1
SSM024AL	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
SSM024AL	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM024AL	9/29/2015	TRICHLOROETHYLENE (TCE)	55	ug/L					1.3	5
SSM024AL	9/29/2015	1,4-DIOXANE	1.3	ug/L	J		21		1.2	5
SSM024B	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM024B	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM024B	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM024B	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM024B	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM024B	9/29/2015	ACETONE	2	ug/L	U				0.34	2
SSM024B	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM024B	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM024B	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM024B	9/29/2015	CIS-1,2-DICHLOROETHYLENE	0.92	ug/L	J		21		0.09	1
SSM024B	9/29/2015	TETRACHLOROETHYLENE (PCE)	8.8	ug/L					0.18	1
SSM024B	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
SSM024B	9/29/2015	TRANS-1,2-	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
SSM024B	9/29/2015	TRICHLOROETHYLENE (TCE)	20	ug/L					0.25	1
SSM024B	9/29/2015	1,4-DIOXANE	2.2	ug/L	J		21		1.2	5
SSM025AL	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM025AL	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM025AL	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM025AL	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025AL	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM025AL	9/29/2015	ACETONE	2	ug/L	U				0.34	2
SSM025AL	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM025AL	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM025AL	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM025AL	9/29/2015	CIS-1,2-DICHLOROETHYLENE	1.9	ug/L					0.09	1
SSM025AL	9/29/2015	TETRACHLOROETHYLENE (PCE)	7.2	ug/L					0.18	1
SSM025AL	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
SSM025AL	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025AL	9/29/2015	TRICHLOROETHYLENE (TCE)	270	ug/L					2.5	10
SSM025AL	9/29/2015	1,4-DIOXANE	3.1	ug/L	J		21		1.2	5
SSM025B	9/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM025B	9/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM025B	9/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM025B	9/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025B	9/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM025B	9/3/2015	ACETONE	2	ug/L	U				0.34	2
SSM025B	9/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM025B	9/3/2015	CHLOROBENZENE	1	ug/L	U				0.15	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SSM025B	9/3/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM025B	9/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SSM025B	9/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SSM025B	9/3/2015	TOLUENE	1	ug/L	U				0.07	1
SSM025B	9/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025B	9/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SSM025B	9/3/2015	1,4-DIOXANE	5	ug/L	U				1.2	5
SSM025TA	9/29/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SSM025TA	9/29/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SSM025TA	9/29/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SSM025TA	9/29/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025TA	9/29/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SSM025TA	9/29/2015	ACETONE	2	ug/L	U				0.34	2
SSM025TA	9/29/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SSM025TA	9/29/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SSM025TA	9/29/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SSM025TA	9/29/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L					0.09	1
SSM025TA	9/29/2015	TETRACHLOROETHYLENE (PCE)	7.9	ug/L					0.18	1
SSM025TA	9/29/2015	TOLUENE	1	ug/L	U				0.07	1
SSM025TA	9/29/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SSM025TA	9/29/2015	TRICHLOROETHYLENE (TCE)	270	ug/L					2.5	10
SSM025TA	9/29/2015	1,4-DIOXANE	3	ug/L	J		21		1.2	5
SSV2A-1	1/28/2015	NITRATE-NITRITE AS NITROGEN	1.89	mg/L					0.085	0.25
STR114O	12/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
STR114O	12/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR118I	12/3/2015	TETRACHLOROETHYLENE (PCE)	1.4	ug/L					0.18	1
STR118I	12/3/2015	TRICHLOROETHYLENE (TCE)	150	ug/L					6.3	25
STR222O	1/5/2015	MERCURY	0.00097	ug/L	J		V		0.0002	0.0005
STR222O	1/5/2015	TIN	38	ug/L					1	10
STR222O	1/5/2015	ZINC	4.18	ug/L	J				4	40
STR222O	1/5/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	1/5/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	1/5/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	1/5/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	1/5/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	1/5/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	1/5/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	1/5/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	1/5/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	1/5/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	1/5/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	1/5/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
STR222O	1/5/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	2/2/2015	MERCURY	0.001	ug/L	J		V		0.0002	0.0005
STR222O	2/2/2015	TIN	240	ug/L					1	10
STR222O	2/2/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	2/2/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	2/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	2/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	2/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	2/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	2/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	2/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	2/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	2/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	2/2/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	2/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	2/2/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
STR222O	2/2/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	3/2/2015	MERCURY	0.00299	ug/L					0.0002	0.0005
STR222O	3/2/2015	TIN	83	ug/L					1	10
STR222O	3/2/2015	ZINC	40	ug/L	U				4	40
STR222O	3/2/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	3/2/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	3/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	3/2/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	3/2/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	3/2/2015	TOLUENE	0.58	ug/L	J		21		0.3	1
STR222O	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	3/2/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR222O	3/2/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	4/1/2015	MERCURY	0.000603	ug/L	J		V		0.0002	0.0005
STR222O	4/1/2015	TIN	130	ug/L					1	10
STR222O	4/1/2015	ZINC	40	ug/L	U				4	40
STR222O	4/1/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	4/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	4/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	4/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	4/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	4/1/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	4/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	4/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	4/1/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	4/1/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	4/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	4/1/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	5/4/2015	MERCURY	0.000848	ug/L	J		V		0.0002	0.0005
STR222O	5/4/2015	TIN	31.9	ug/L					1	10
STR222O	5/4/2015	ZINC	6.13	ug/L	U		21, V		4	40
STR222O	5/4/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	5/4/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	5/4/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	5/4/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	5/4/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	5/4/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	5/4/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	5/4/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	5/4/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	5/4/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	5/4/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	5/4/2015	TOLUENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	5/4/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	5/4/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	6/1/2015	MERCURY	0.00114	ug/L	J		V		0.0002	0.0005
STR222O	6/1/2015	TIN	24.9	ug/L					1	10
STR222O	6/1/2015	ZINC	7.12	ug/L	U		21, V		4	40
STR222O	6/1/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	6/1/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	6/1/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	6/1/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	6/1/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.51	ug/L	J		21		1	5
STR222O	6/1/2015	TETRACHLOROETHYLENE (PCE)	0.31	ug/L	J		21		0.3	1
STR222O	6/1/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	6/1/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	6/1/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	7/20/2015	MERCURY	0.277	ug/L					0.02	0.05
STR222O	7/20/2015	TIN	13.3	ug/L					1	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	7/20/2015	ZINC	40	ug/L	U				4	40
STR222O	7/20/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	7/20/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	7/20/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	7/20/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	7/20/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	7/20/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	7/20/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	7/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.35	ug/L	J		21		1	5
STR222O	7/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	7/20/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	7/20/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR222O	7/20/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	8/3/2015	MERCURY	0.00135	ug/L	U		V		0.0002	0.0005
STR222O	8/3/2015	TIN	58.5	ug/L					1	10
STR222O	8/3/2015	ZINC	7.2	ug/L	U		21, V		4	40
STR222O	8/3/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	8/3/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	8/3/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	8/3/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	8/3/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	8/3/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	8/3/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	8/3/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	8/3/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	8/3/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/3/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR222O	8/3/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	8/31/2015	MERCURY	0.0013	ug/L	J		V		0.0002	0.0005
STR222O	8/31/2015	TIN	24.3	ug/L					1	10
STR222O	8/31/2015	ZINC	40	ug/L	U				4	40
STR222O	8/31/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	8/31/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	8/31/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	8/31/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	8/31/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	8/31/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	CHLOROETHENE (VINYL	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
STR222O	8/31/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	8/31/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	8/31/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	8/31/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	8/31/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	8/31/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR222O	8/31/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	11/18/2015	MERCURY	0.000601	ug/L					0.0002	0.0005
STR222O	11/18/2015	TIN	17.2	ug/L					1	5
STR222O	11/18/2015	ZINC	10	ug/L	U				3.5	10
STR222O	11/18/2015	BETA-BENZENE HEXACHLORIDE	0.02	ug/L	U				0.00665	0.02
STR222O	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	11/18/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	11/18/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	11/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	11/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	11/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR222O	11/18/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR222O	12/7/2015	MERCURY	0.000967	ug/L	J		V		0.0002	0.0005
STR222O	12/7/2015	TIN	17.6	ug/L					1	5
STR222O	12/7/2015	ZINC	3.62	ug/L	J		21		3.5	10
STR222O	12/7/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	12/7/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR222O	12/7/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR222O	12/7/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR222O	12/7/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR222O	12/7/2015	CHLOROFORM	1	ug/L	U				0.3	1
STR222O	12/7/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR222O	12/7/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.3	1
STR222O	12/7/2015	TOLUENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR222O	12/7/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.3	1
STR222O	12/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR222O	12/7/2015	SULFIDE	0.1	mg/L	U				0.033	0.1
STR312I	1/5/2015	TIN	10	ug/L	U				1	10
STR312I	1/5/2015	ZINC	40	ug/L	U				4	40
STR312I	1/5/2015	MERCURY	0.221	ug/L					0.02	0.2
STR312I	1/5/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				3	10
STR312I	1/5/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				3	10
STR312I	1/5/2015	1,1-DICHLOROETHANE	10	ug/L	U				3	10
STR312I	1/5/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				3	10
STR312I	1/5/2015	1,2-DICHLOROBENZENE	10	ug/L	U				3	10
STR312I	1/5/2015	CARBON TETRACHLORIDE	10	ug/L	U				3	10
STR312I	1/5/2015	CHLOROBENZENE	10	ug/L	U				3	10
STR312I	1/5/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				3	10
STR312I	1/5/2015	CHLOROFORM	10	ug/L	U				3	10
STR312I	1/5/2015	CIS-1,2-DICHLOROETHYLENE	4.3	ug/L	J		21		3	10
STR312I	1/5/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	50	ug/L	U				10	50
STR312I	1/5/2015	TETRACHLOROETHYLENE (PCE)	926	ug/L					7.5	25
STR312I	1/5/2015	TOLUENE	10	ug/L	U				3	10
STR312I	1/5/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				3	10
STR312I	1/5/2015	TRICHLOROETHYLENE (TCE)	955	ug/L					3	10
STR312I	1/5/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
STR312I	2/2/2015	TIN	10	ug/L	U				1	10
STR312I	2/2/2015	ZINC	40	ug/L	U				4	40
STR312I	2/2/2015	MERCURY	0.349	ug/L					0.02	0.2
STR312I	2/2/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
STR312I	2/2/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
STR312I	2/2/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	2/2/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	2/2/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
STR312I	2/2/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
STR312I	2/2/2015	CHLOROBENZENE	20	ug/L	U				6	20
STR312I	2/2/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
STR312I	2/2/2015	CHLOROFORM	20	ug/L	U				6	20
STR312I	2/2/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	2/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	100	ug/L	U				20	100
STR312I	2/2/2015	TETRACHLOROETHYLENE (PCE)	1810	ug/L					6	20
STR312I	2/2/2015	TOLUENE	20	ug/L	U				6	20
STR312I	2/2/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	2/2/2015	TRICHLOROETHYLENE (TCE)	1130	ug/L					6	20
STR312I	2/2/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
STR312I	3/2/2015	TIN	10	ug/L	U				1	10
STR312I	3/2/2015	ZINC	40	ug/L	U				4	40
STR312I	3/2/2015	MERCURY	0.139	ug/L	J		21		0.02	0.2
STR312I	3/2/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
STR312I	3/2/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
STR312I	3/2/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20
STR312I	3/2/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	3/2/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
STR312I	3/2/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
STR312I	3/2/2015	CHLOROBENZENE	20	ug/L	U				6	20
STR312I	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
STR312I	3/2/2015	CHLOROFORM	20	ug/L	U				6	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	3/2/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	3/2/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	100	ug/L	U				20	100
STR312I	3/2/2015	TETRACHLOROETHYLENE (PCE)	1320	ug/L					6	20
STR312I	3/2/2015	TOLUENE	20	ug/L	U				6	20
STR312I	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	3/2/2015	TRICHLOROETHYLENE (TCE)	986	ug/L					6	20
STR312I	3/2/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR312I	4/1/2015	TIN	10	ug/L	U				1	10
STR312I	4/1/2015	ZINC	40	ug/L	U				4	40
STR312I	4/1/2015	MERCURY	0.202	ug/L					0.02	0.2
STR312I	4/1/2015	1,1,1-TRICHLOROETHANE	20	ug/L	U				6	20
STR312I	4/1/2015	1,1,2,2-TETRACHLOROETHANE	20	ug/L	U				6	20
STR312I	4/1/2015	1,1-DICHLOROETHANE	20	ug/L	U				6	20
STR312I	4/1/2015	1,1-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	4/1/2015	1,2-DICHLOROBENZENE	20	ug/L	U				6	20
STR312I	4/1/2015	CARBON TETRACHLORIDE	20	ug/L	U				6	20
STR312I	4/1/2015	CHLOROBENZENE	20	ug/L	U				6	20
STR312I	4/1/2015	CHLOROETHENE (VINYL CHLORIDE)	20	ug/L	U				6	20
STR312I	4/1/2015	CHLOROFORM	20	ug/L	U				6	20
STR312I	4/1/2015	CIS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	4/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	100	ug/L	U				20	100
STR312I	4/1/2015	TETRACHLOROETHYLENE (PCE)	1070	ug/L					6	20
STR312I	4/1/2015	TOLUENE	20	ug/L	U				6	20
STR312I	4/1/2015	TRANS-1,2-DICHLOROETHYLENE	20	ug/L	U				6	20
STR312I	4/1/2015	TRICHLOROETHYLENE (TCE)	804	ug/L					6	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	5/4/2015	TIN	10	ug/L	U				1	10
STR312I	5/4/2015	ZINC	12.6	ug/L	U		21, V		4	40
STR312I	5/4/2015	MERCURY	0.187	ug/L	J		21		0.02	0.2
STR312I	5/4/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	5/4/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
STR312I	5/4/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	5/4/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
STR312I	5/4/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
STR312I	5/4/2015	CHLOROFORM	25	ug/L	U				7.5	25
STR312I	5/4/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	27.8	ug/L	J		21		25	125
STR312I	5/4/2015	TETRACHLOROETHYLENE (PCE)	1800	ug/L					7.5	25
STR312I	5/4/2015	TOLUENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	5/4/2015	TRICHLOROETHYLENE (TCE)	1340	ug/L					7.5	25
STR312I	6/1/2015	TIN	10	ug/L	U				1	10
STR312I	6/1/2015	ZINC	4.68	ug/L	U		21, V		4	40
STR312I	6/1/2015	MERCURY	0.182	ug/L	J		21		0.02	0.2
STR312I	6/1/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR312I	6/1/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR312I	6/1/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR312I	6/1/2015	1,1-DICHLOROETHYLENE	1.26	ug/L					0.3	1
STR312I	6/1/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	6/1/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
STR312I	6/1/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
STR312I	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR312I	6/1/2015	CHLOROFORM	0.42	ug/L	J		21		0.3	1
STR312I	6/1/2015	CIS-1,2-DICHLOROETHYLENE	4.46	ug/L					0.3	1
STR312I	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.31	ug/L	J		21		1	5
STR312I	6/1/2015	TETRACHLOROETHYLENE (PCE)	1840	ug/L					7.5	25
STR312I	6/1/2015	TOLUENE	1	ug/L	U				0.3	1
STR312I	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR312I	6/1/2015	TRICHLOROETHYLENE (TCE)	1360	ug/L					7.5	25
STR312I	7/20/2015	TIN	10	ug/L	U				1	10
STR312I	7/20/2015	ZINC	40	ug/L	U				4	40
STR312I	7/20/2015	MERCURY	0.206	ug/L					0.02	0.2
STR312I	7/20/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	7/20/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
STR312I	7/20/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	7/20/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
STR312I	7/20/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
STR312I	7/20/2015	CHLOROFORM	25	ug/L	U				7.5	25
STR312I	7/20/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25.8	ug/L	J		21		25	125
STR312I	7/20/2015	TETRACHLOROETHYLENE (PCE)	1590	ug/L					7.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	7/20/2015	TOLUENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	7/20/2015	TRICHLOROETHYLENE (TCE)	680	ug/L					7.5	25
STR312I	7/20/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR312I	8/3/2015	TIN	10	ug/L	U				1	10
STR312I	8/3/2015	ZINC	4.22	ug/L	U		21, V		4	40
STR312I	8/3/2015	MERCURY	0.28	ug/L					0.02	0.2
STR312I	8/3/2015	1,1,1-TRICHLOROETHANE	200	ug/L	U				60	200
STR312I	8/3/2015	1,1,2,2-TETRACHLOROETHANE	200	ug/L	U				60	200
STR312I	8/3/2015	1,1-DICHLOROETHANE	200	ug/L	U				60	200
STR312I	8/3/2015	1,1-DICHLOROETHYLENE	200	ug/L	U				60	200
STR312I	8/3/2015	1,2-DICHLOROBENZENE	200	ug/L	U				60	200
STR312I	8/3/2015	CARBON TETRACHLORIDE	200	ug/L	U				60	200
STR312I	8/3/2015	CHLOROBENZENE	200	ug/L	U				60	200
STR312I	8/3/2015	CHLOROETHENE (VINYL CHLORIDE)	200	ug/L	U				60	200
STR312I	8/3/2015	CHLOROFORM	200	ug/L	U				60	200
STR312I	8/3/2015	CIS-1,2-DICHLOROETHYLENE	200	ug/L	U				60	200
STR312I	8/3/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1000	ug/L	U				200	1000
STR312I	8/3/2015	TETRACHLOROETHYLENE (PCE)	9790	ug/L					60	200
STR312I	8/3/2015	TOLUENE	200	ug/L	U				60	200
STR312I	8/3/2015	TRANS-1,2-DICHLOROETHYLENE	200	ug/L	U				60	200
STR312I	8/3/2015	TRICHLOROETHYLENE (TCE)	2030	ug/L					60	200
STR312I	8/3/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR312I	8/31/2015	TIN	10	ug/L	U				1	10
STR312I	8/31/2015	ZINC	40	ug/L	U				4	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	8/31/2015	MERCURY	0.334	ug/L					0.02	0.2
STR312I	8/31/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	8/31/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				7.5	25
STR312I	8/31/2015	1,1-DICHLOROETHANE	25	ug/L	U				7.5	25
STR312I	8/31/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	1,2-DICHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	CARBON TETRACHLORIDE	25	ug/L	U				7.5	25
STR312I	8/31/2015	CHLOROBENZENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	CHLOROETHENE (VINYL CHLORIDE)	25	ug/L	U				7.5	25
STR312I	8/31/2015	CHLOROFORM	25	ug/L	U				7.5	25
STR312I	8/31/2015	CIS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	125	ug/L	U				25	125
STR312I	8/31/2015	TETRACHLOROETHYLENE (PCE)	1990	ug/L					7.5	25
STR312I	8/31/2015	TOLUENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				7.5	25
STR312I	8/31/2015	TRICHLOROETHYLENE (TCE)	1280	ug/L					7.5	25
STR312I	8/31/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR312I	11/18/2015	TIN	5	ug/L	U				1	5
STR312I	11/18/2015	MERCURY	0.306	ug/L					0.02	0.2
STR312I	11/18/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
STR312I	11/18/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
STR312I	11/18/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
STR312I	11/18/2015	1,1-DICHLOROETHYLENE	1.53	ug/L					0.3	1
STR312I	11/18/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
STR312I	11/18/2015	CARBON TETRACHLORIDE	0.32	ug/L	J		21		0.3	1
STR312I	11/18/2015	CHLOROBENZENE	1	ug/L	U				0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
STR312I	11/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
STR312I	11/18/2015	CHLOROFORM	0.48	ug/L	J		21		0.3	1
STR312I	11/18/2015	CIS-1,2-DICHLOROETHYLENE	4.84	ug/L					0.3	1
STR312I	11/18/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1	5
STR312I	11/18/2015	TETRACHLOROETHYLENE (PCE)	2590	ug/L					15	50
STR312I	11/18/2015	TOLUENE	1	ug/L	U				0.3	1
STR312I	11/18/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
STR312I	11/18/2015	TRICHLOROETHYLENE (TCE)	1380	ug/L					15	50
STR312I	11/18/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
STR312I	12/7/2015	TIN	5	ug/L	U				1	5
STR312I	12/7/2015	MERCURY	0.297	ug/L					0.02	0.2
STR312I	12/7/2015	1,1,1-TRICHLOROETHANE	50	ug/L	U				15	50
STR312I	12/7/2015	1,1,2,2-TETRACHLOROETHANE	50	ug/L	U				15	50
STR312I	12/7/2015	1,1-DICHLOROETHANE	50	ug/L	U				15	50
STR312I	12/7/2015	1,1-DICHLOROETHYLENE	50	ug/L	U				15	50
STR312I	12/7/2015	1,2-DICHLOROBENZENE	50	ug/L	U				15	50
STR312I	12/7/2015	CARBON TETRACHLORIDE	50	ug/L	U				15	50
STR312I	12/7/2015	CHLOROBENZENE	50	ug/L	U				15	50
STR312I	12/7/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				15	50
STR312I	12/7/2015	CHLOROFORM	50	ug/L	U				15	50
STR312I	12/7/2015	CIS-1,2-DICHLOROETHYLENE	50	ug/L	U				15	50
STR312I	12/7/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	250	ug/L	U				50	250
STR312I	12/7/2015	TETRACHLOROETHYLENE (PCE)	2730	ug/L					15	50
STR312I	12/7/2015	TOLUENE	50	ug/L	U				15	50
STR312I	12/7/2015	TRANS-1,2-	50	ug/L	U				15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		DICHLOROETHYLENE								
STR312I	12/7/2015	TRICHLOROETHYLENE (TCE)	1680	ug/L					15	50
STR312I	12/7/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SWP 1C	1/14/2015	TETRACHLOROETHYLENE (PCE)	17	ug/L					0.45	2.5
SWP 1C	1/14/2015	TRICHLOROETHYLENE (TCE)	270	ug/L					6.3	25
SWP 1C	7/21/2015	ETHANE	0.016	ug/L	J		21		0.002	0.1
SWP 1C	7/21/2015	ETHYLENE	0.041	ug/L	J		21		0.003	0.1
SWP 1C	7/21/2015	ANTIMONY	10	ug/L	U				1	10
SWP 1C	7/21/2015	ARSENIC	50	ug/L	U				5	50
SWP 1C	7/21/2015	BARIUM	11.9	ug/L	J		21		2	20
SWP 1C	7/21/2015	BERYLLIUM	1	ug/L	U				0.1	1
SWP 1C	7/21/2015	CHROMIUM	100	ug/L	U				10	100
SWP 1C	7/21/2015	COBALT	1.57	ug/L	J		21		0.5	5
SWP 1C	7/21/2015	COPPER	1.38	ug/L	J		21		0.5	5
SWP 1C	7/21/2015	LEAD	5	ug/L	U				0.5	5
SWP 1C	7/21/2015	NICKEL	0.873	ug/L	J		21		0.5	5
SWP 1C	7/21/2015	SELENIUM	20	ug/L	U				2	20
SWP 1C	7/21/2015	SILVER	5	ug/L	U				0.5	5
SWP 1C	7/21/2015	THALLIUM	1	ug/L	U				0.1	1
SWP 1C	7/21/2015	TIN	10	ug/L	U				1	10
SWP 1C	7/21/2015	VANADIUM	50	ug/L	U				5	50
SWP 1C	7/21/2015	ZINC	7.61	ug/L	J		21		4	40
SWP 1C	7/21/2015	MERCURY	4.25	ug/L					0.02	0.2
SWP 1C	7/21/2015	1,1,1,2-TETRACHLOROETHANE	25	ug/L	U				2.3	25
SWP 1C	7/21/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
SWP 1C	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	25	ug/L	U				2.5	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 1C	7/21/2015	1,1,2-TRICHLOROETHANE	25	ug/L	U				3.8	25
SWP 1C	7/21/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	1,1-DICHLOROPROPENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	1,2,3-TRICHLOROBENZENE	25	ug/L	U				2.3	25
SWP 1C	7/21/2015	1,2,3-TRICHLOROPROPANE	25	ug/L	U				3.8	25
SWP 1C	7/21/2015	1,2,4-TRICHLOROBENZENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	25	ug/L	U				10	25
SWP 1C	7/21/2015	1,2-DIBROMOETHANE	25	ug/L	U				3.3	25
SWP 1C	7/21/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
SWP 1C	7/21/2015	1,2-DICHLOROETHANE (EDC)	25	ug/L	U				2.5	25
SWP 1C	7/21/2015	1,2-DICHLOROETHYLENE	400	ug/L					3.8	50
SWP 1C	7/21/2015	1,2-DICHLOROPROPANE	25	ug/L	U				2.5	25
SWP 1C	7/21/2015	1,3-DICHLOROBENZENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	1,3-DICHLOROPROPANE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	1,4-DICHLOROBENZENE	25	ug/L	U				3	25
SWP 1C	7/21/2015	2,2-DICHLOROPROPANE	25	ug/L	U				3.5	25
SWP 1C	7/21/2015	2-CHLOROETHYL VINYL ETHER	50	ug/L	U				4.3	50
SWP 1C	7/21/2015	2-HEXANONE	130	ug/L	U				5.5	130
SWP 1C	7/21/2015	ACETONE	50	ug/L	U				8.5	50
SWP 1C	7/21/2015	ACETONITRILE (METHYL CYANIDE)	250	ug/L	U				51	250
SWP 1C	7/21/2015	ACROLEIN	250	ug/L	U				69	250
SWP 1C	7/21/2015	ACRYLONITRILE	250	ug/L	U				15	250
SWP 1C	7/21/2015	ALLYL CHLORIDE	50	ug/L	U				2.8	50
SWP 1C	7/21/2015	BENZENE	25	ug/L	U				1.5	25
SWP 1C	7/21/2015	BROMOCHLOROMETHANE	25	ug/L	U				3.3	25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 1C	7/21/2015	BROMODICHLOROMETHANE	25	ug/L	U				2.3	25
SWP 1C	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	25	ug/L	U				4.3	25
SWP 1C	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	50	ug/L	U				6.3	50
SWP 1C	7/21/2015	CARBON DISULFIDE	25	ug/L	U				1.3	25
SWP 1C	7/21/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
SWP 1C	7/21/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
SWP 1C	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	50	ug/L	U				2.5	50
SWP 1C	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
SWP 1C	7/21/2015	CHLOROFORM	8.1	ug/L	J		21		2.5	25
SWP 1C	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	50	ug/L	U				2	50
SWP 1C	7/21/2015	CHLOROPRENE	25	ug/L	U				2.5	25
SWP 1C	7/21/2015	CIS-1,2-DICHLOROETHYLENE	400	ug/L					2.3	25
SWP 1C	7/21/2015	CIS-1,3-DICHLOROPROPENE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	CUMENE (ISOPROPYLBENZENE)	25	ug/L	U				2	25
SWP 1C	7/21/2015	CYCLOHEXANE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	DIBROMOCHLOROMETHANE	25	ug/L	U				3.3	25
SWP 1C	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	25	ug/L	U				5.3	25
SWP 1C	7/21/2015	DICHLORODIFLUOROMETHANE	11	ug/L	J		21		2	50
SWP 1C	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
SWP 1C	7/21/2015	ETHYL ACETATE	50	ug/L	U				4.5	50
SWP 1C	7/21/2015	ETHYLBENZENE	25	ug/L	U				2.3	25
SWP 1C	7/21/2015	IODOMETHANE (METHYL IODIDE)	50	ug/L	U				2.3	50
SWP 1C	7/21/2015	ISOBUTANOL	2000	ug/L	U				220	2000

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 1C	7/21/2015	M,P-XYLENE	50	ug/L	U				3.5	50
SWP 1C	7/21/2015	METHACRYLONITRILE	250	ug/L	U				13	250
SWP 1C	7/21/2015	METHYL ACETATE	630	ug/L	U				9.3	630
SWP 1C	7/21/2015	METHYL ETHYL KETONE	130	ug/L	U				13	130
SWP 1C	7/21/2015	METHYL ISOBUTYL KETONE	130	ug/L	U				3	130
SWP 1C	7/21/2015	METHYL METHACRYLATE	50	ug/L	U				6.5	50
SWP 1C	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	50	ug/L	U				2.8	50
SWP 1C	7/21/2015	METHYLCYCLOHEXANE	100	ug/L	U				2.5	100
SWP 1C	7/21/2015	NAPHTHALENE	25	ug/L	U				4	25
SWP 1C	7/21/2015	O-XYLENE	25	ug/L	U				1.5	25
SWP 1C	7/21/2015	PROPIONITRILE	250	ug/L	U				34	250
SWP 1C	7/21/2015	STYRENE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	TETRACHLOROETHYLENE (PCE)	19	ug/L	J		21		4.5	25
SWP 1C	7/21/2015	TOLUENE	25	ug/L	U				1.8	25
SWP 1C	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	TRANS-1,3-DICHLOROPROPENE	25	ug/L	U				2	25
SWP 1C	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	50	ug/L	U				7.3	50
SWP 1C	7/21/2015	TRICHLOROETHYLENE (TCE)	240	ug/L					6.3	25
SWP 1C	7/21/2015	TRICHLOROFLUOROMETHANE	25	ug/L	U				2.8	25
SWP 1C	7/21/2015	VINYL ACETATE	50	ug/L	U				4.5	50
SWP 1C	7/21/2015	XYLENES	75	ug/L	U				5	75
SWP 1C	7/21/2015	1,4-DIOXANE	140	ug/L					0.85	3
SWP 1C	7/21/2015	RADIUM, TOTAL ALPHA-EMITTING	0.968	pCi/L				0.162	0.092	0.4155
SWP 1C	7/21/2015	RADIUM-226	0.96	pCi/L				0.126	0.08	0.3319
SWP 1C	7/21/2015	URANIUM-233/234	0.0689	pCi/L	U			0.088	0.126	0.303

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 1C	7/21/2015	URANIUM-235	0.124	pCi/L	J		21	0.125	0.0838	0.334
SWP 1C	7/21/2015	URANIUM-238	0.0688	pCi/L	U		V	0.088	0.126	0.302
SWP 1C	7/21/2015	GROSS ALPHA	0.478	pCi/L	U			1.16	2.14	4.45
SWP 1C	7/21/2015	NONVOLATILE BETA	3.14	pCi/L	U			2.73	3.96	9.42
SWP 1C	7/21/2015	STRONTIUM-90	0.163	pCi/L	U			1.66	3.14	6.47
SWP 1C	7/21/2015	CARBON-14	2.28	pCi/L	U			4.28	7.08	15.6
SWP 1C	7/21/2015	TECHNETIUM-99	1.05	pCi/L	U			2.59	4.31	9.49
SWP 1C	7/21/2015	TRITIUM	16700	pCi/mL				24.7	0.456	49.8
SWP 1C	7/21/2015	IODINE-129	2.52	pCi/L	J		21	1.4	1.13	3.93
SWP 2C	1/14/2015	TETRACHLOROETHYLENE (PCE)	6	ug/L					0.18	1
SWP 2C	1/14/2015	TRICHLOROETHYLENE (TCE)	42	ug/L					1.3	5
SWP 2C	7/21/2015	ETHANE	0.0038	ug/L	J		21		0.002	0.1
SWP 2C	7/21/2015	ETHYLENE	0.0094	ug/L	J		21		0.003	0.1
SWP 2C	7/21/2015	1,1,1,2-TETRACHLOROETHANE	5	ug/L	U				0.45	5
SWP 2C	7/21/2015	1,1,1-TRICHLOROETHANE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	1,1,2,2-TETRACHLOROETHANE	5	ug/L	U				0.5	5
SWP 2C	7/21/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U				0.5	5
SWP 2C	7/21/2015	1,1,2-TRICHLOROETHANE	5	ug/L	U				0.75	5
SWP 2C	7/21/2015	1,1-DICHLOROETHANE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	1,1-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	1,1-DICHLOROPROPENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	1,2,3-TRICHLOROBENZENE	5	ug/L	U				0.45	5
SWP 2C	7/21/2015	1,2,3-TRICHLOROPROPANE	5	ug/L	U				0.75	5
SWP 2C	7/21/2015	1,2,4-TRICHLOROBENZENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	1,2-DIBROMO-3-CHLOROPROPANE	5	ug/L	U				2.1	5
SWP 2C	7/21/2015	1,2-DIBROMOETHANE	5	ug/L	U				0.65	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 2C	7/21/2015	1,2-DICHLOROBENZENE	5	ug/L	U				0.3	5
SWP 2C	7/21/2015	1,2-DICHLOROETHANE (EDC)	5	ug/L	U				0.5	5
SWP 2C	7/21/2015	1,2-DICHLOROETHYLENE	120	ug/L					0.75	10
SWP 2C	7/21/2015	1,2-DICHLOROPROPANE	5	ug/L	U				0.5	5
SWP 2C	7/21/2015	1,3-DICHLOROBENZENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	1,3-DICHLOROPROPANE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	1,4-DICHLOROBENZENE	5	ug/L	U				0.6	5
SWP 2C	7/21/2015	2,2-DICHLOROPROPANE	5	ug/L	U				0.7	5
SWP 2C	7/21/2015	2-CHLOROETHYL VINYL ETHER	10	ug/L	U				0.85	10
SWP 2C	7/21/2015	2-HEXANONE	25	ug/L	U				1.1	25
SWP 2C	7/21/2015	ACETONE	10	ug/L	U				1.7	10
SWP 2C	7/21/2015	ACETONITRILE (METHYL CYANIDE)	50	ug/L	U				10	50
SWP 2C	7/21/2015	ACROLEIN	50	ug/L	U				14	50
SWP 2C	7/21/2015	ACRYLONITRILE	50	ug/L	U				2.9	50
SWP 2C	7/21/2015	ALLYL CHLORIDE	10	ug/L	U				0.55	10
SWP 2C	7/21/2015	BENZENE	5	ug/L	U				0.3	5
SWP 2C	7/21/2015	BROMOCHLOROMETHANE	5	ug/L	U				0.65	5
SWP 2C	7/21/2015	BROMODICHLOROMETHANE	5	ug/L	U				0.45	5
SWP 2C	7/21/2015	BROMOFORM (TRIBROMOMETHANE)	5	ug/L	U				0.85	5
SWP 2C	7/21/2015	BROMOMETHANE (METHYL BROMIDE)	10	ug/L	U				1.3	10
SWP 2C	7/21/2015	CARBON DISULFIDE	5	ug/L	U				0.25	5
SWP 2C	7/21/2015	CARBON TETRACHLORIDE	5	ug/L	U				0.65	5
SWP 2C	7/21/2015	CHLOROBENZENE	5	ug/L	U				0.75	5
SWP 2C	7/21/2015	CHLOROETHANE (ETHYL CHLORIDE)	10	ug/L	U				0.5	10
SWP 2C	7/21/2015	CHLOROETHENE (VINYL CHLORIDE)	10	ug/L	U				0.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 2C	7/21/2015	CHLOROFORM	3.7	ug/L	J		21		0.5	5
SWP 2C	7/21/2015	CHLOROMETHANE (METHYL CHLORIDE)	10	ug/L	U				0.4	10
SWP 2C	7/21/2015	CHLOROPRENE	5	ug/L	U				0.5	5
SWP 2C	7/21/2015	CIS-1,2-DICHLOROETHYLENE	120	ug/L					0.45	5
SWP 2C	7/21/2015	CIS-1,3-DICHLOROPROPENE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	CUMENE (ISOPROPYLBENZENE)	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	CYCLOHEXANE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	DIBROMOCHLOROMETHANE	5	ug/L	U				0.65	5
SWP 2C	7/21/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	5	ug/L	U				1.1	5
SWP 2C	7/21/2015	DICHLORODIFLUOROMETHANE	4.3	ug/L	J		21		0.4	10
SWP 2C	7/21/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U				1.4	5
SWP 2C	7/21/2015	ETHYL ACETATE	10	ug/L	U				0.9	10
SWP 2C	7/21/2015	ETHYLBENZENE	5	ug/L	U				0.45	5
SWP 2C	7/21/2015	IODOMETHANE (METHYL IODIDE)	10	ug/L	U				0.45	10
SWP 2C	7/21/2015	ISOBUTANOL	400	ug/L	U				44	400
SWP 2C	7/21/2015	M,P-XYLENE	10	ug/L	U				0.7	10
SWP 2C	7/21/2015	METHACRYLONITRILE	50	ug/L	U				2.5	50
SWP 2C	7/21/2015	METHYL ACETATE	130	ug/L	U				1.9	130
SWP 2C	7/21/2015	METHYL ETHYL KETONE	6.4	ug/L	J		21		2.6	25
SWP 2C	7/21/2015	METHYL ISOBUTYL KETONE	25	ug/L	U				0.6	25
SWP 2C	7/21/2015	METHYL METHACRYLATE	10	ug/L	U				1.3	10
SWP 2C	7/21/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	10	ug/L	U				0.55	10
SWP 2C	7/21/2015	METHYLCYCLOHEXANE	20	ug/L	U				0.5	20
SWP 2C	7/21/2015	NAPHTHALENE	5	ug/L	U				0.8	5
SWP 2C	7/21/2015	O-XYLENE	5	ug/L	U				0.3	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 2C	7/21/2015	PROPIONITRILE	50	ug/L	U				6.8	50
SWP 2C	7/21/2015	STYRENE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	TETRACHLOROETHYLENE (PCE)	6.3	ug/L					0.9	5
SWP 2C	7/21/2015	TOLUENE	5	ug/L	U				0.35	5
SWP 2C	7/21/2015	TRANS-1,2-DICHLOROETHYLENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	TRANS-1,3-DICHLOROPROPENE	5	ug/L	U				0.4	5
SWP 2C	7/21/2015	TRANS-1,4-DICHLORO-2-BUTENE	10	ug/L	U				1.5	10
SWP 2C	7/21/2015	TRICHLOROETHYLENE (TCE)	44	ug/L					1.3	5
SWP 2C	7/21/2015	TRICHLOROFLUOROMETHANE	5	ug/L	U				0.55	5
SWP 2C	7/21/2015	VINYL ACETATE	10	ug/L	U				0.9	10
SWP 2C	7/21/2015	XYLENES	15	ug/L	U				1	15
SWP 2C	7/21/2015	1,4-DIOXANE	27	ug/L					0.85	3
SWP 2C	7/21/2015	TRITIUM	1530	pCi/mL				7.48	0.457	15.4
SWP 3D	1/14/2015	TETRACHLOROETHYLENE (PCE)	1.2	ug/L					0.18	1
SWP 3D	1/14/2015	TRICHLOROETHYLENE (TCE)	39	ug/L					0.25	1
SWP 3D	7/16/2015	ETHANE	0.0044	ug/L	J		21		0.002	0.1
SWP 3D	7/16/2015	ETHYLENE	0.01	ug/L	J		21		0.003	0.1
SWP 3D	7/16/2015	ANTIMONY	10	ug/L	U				1	10
SWP 3D	7/16/2015	ARSENIC	50	ug/L	U				5	50
SWP 3D	7/16/2015	BARIUM	36.1	ug/L					2	20
SWP 3D	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	CHROMIUM	13.1	ug/L	J		21		10	100
SWP 3D	7/16/2015	COBALT	1.24	ug/L	J		21		0.5	5
SWP 3D	7/16/2015	COPPER	8.87	ug/L					0.5	5
SWP 3D	7/16/2015	LEAD	1.32	ug/L	J		21		0.5	5
SWP 3D	7/16/2015	NICKEL	5.89	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 3D	7/16/2015	SELENIUM	20	ug/L	U				2	20
SWP 3D	7/16/2015	SILVER	5	ug/L	U				0.5	5
SWP 3D	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	TIN	10	ug/L	U				1	10
SWP 3D	7/16/2015	VANADIUM	50	ug/L	U				5	50
SWP 3D	7/16/2015	ZINC	8.93	ug/L	U		21, V		4	40
SWP 3D	7/16/2015	MERCURY	0.301	ug/L					0.02	0.2
SWP 3D	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SWP 3D	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SWP 3D	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SWP 3D	7/16/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SWP 3D	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SWP 3D	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SWP 3D	7/16/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SWP 3D	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SWP 3D	7/16/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SWP 3D	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	1,2-DICHLOROETHYLENE	24	ug/L					0.15	2
SWP 3D	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 3D	7/16/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SWP 3D	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SWP 3D	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SWP 3D	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
SWP 3D	7/16/2015	ACETONE	2	ug/L	U				0.34	2
SWP 3D	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SWP 3D	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
SWP 3D	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SWP 3D	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SWP 3D	7/16/2015	BENZENE	1	ug/L	U				0.06	1
SWP 3D	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP 3D	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SWP 3D	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SWP 3D	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SWP 3D	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SWP 3D	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SWP 3D	7/16/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SWP 3D	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SWP 3D	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SWP 3D	7/16/2015	CHLOROFORM	0.74	ug/L	J		21		0.1	1
SWP 3D	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SWP 3D	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SWP 3D	7/16/2015	CIS-1,2-DICHLOROETHYLENE	24	ug/L					0.09	1
SWP 3D	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 3D	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SWP 3D	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP 3D	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SWP 3D	7/16/2015	DICHLORODIFLUOROMETHANE	0.52	ug/L	J		21		0.08	2
SWP 3D	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SWP 3D	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SWP 3D	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SWP 3D	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SWP 3D	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SWP 3D	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SWP 3D	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SWP 3D	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SWP 3D	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SWP 3D	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SWP 3D	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SWP 3D	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SWP 3D	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SWP 3D	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SWP 3D	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
SWP 3D	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SWP 3D	7/16/2015	STYRENE	1	ug/L	U				0.07	1
SWP 3D	7/16/2015	TETRACHLOROETHYLENE (PCE)	0.56	ug/L	J		21		0.18	1
SWP 3D	7/16/2015	TOLUENE	1	ug/L	U				0.07	1
SWP 3D	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP 3D	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP 3D	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SWP 3D	7/16/2015	TRICHLOROETHYLENE (TCE)	16	ug/L					0.25	1
SWP 3D	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SWP 3D	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SWP 3D	7/16/2015	XYLENES	3	ug/L	U				0.2	3
SWP 3D	7/16/2015	1,4-DIOXANE	5.9	ug/L					0.85	3
SWP 3D	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	1.06	pCi/L				0.135	0.058	0.3279
SWP 3D	7/16/2015	RADIUM-226	1.14	pCi/L				0.129	0.049	0.3065
SWP 3D	7/16/2015	URANIUM-233/234	0.0363	pCi/L	U		V	0.06	0.104	0.224
SWP 3D	7/16/2015	URANIUM-235	0.0511	pCi/L	U		V	0.073	0.0693	0.215
SWP 3D	7/16/2015	URANIUM-238	0.0414	pCi/L	U			0.059	0.0561	0.174
SWP 3D	7/16/2015	GROSS ALPHA	1.97	pCi/L	U			1.94	2.29	6.17
SWP 3D	7/16/2015	NONVOLATILE BETA	1.92	pCi/L	U			2.74	4.39	9.87
SWP 3D	7/16/2015	STRONTIUM-90	1.18	pCi/L	U			2.27	3.12	7.66
SWP 3D	7/16/2015	CARBON-14	-0.573	pCi/L	UJ			4.35	7.31	16
SWP 3D	7/16/2015	TECHNETIUM-99	-2.42	pCi/L	U			2.52	4.37	9.41
SWP 3D	7/16/2015	TRITIUM	1730	pCi/mL				7.79	0.478	16.1
SWP 3D	7/16/2015	IODINE-129	0.541	pCi/L	U			0.609	1.06	2.28
SWP004MD	1/6/2015	TETRACHLOROETHYLENE (PCE)	73	ug/L					1.8	10
SWP004MD	1/6/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					2.5	10
SWP004MD	7/16/2015	ETHANE	0.0097	ug/L	J		21		0.002	0.1
SWP004MD	7/16/2015	ETHYLENE	0.11	ug/L					0.003	0.1
SWP004MD	7/16/2015	ANTIMONY	10	ug/L	U				1	10
SWP004MD	7/16/2015	ARSENIC	50	ug/L	U				5	50
SWP004MD	7/16/2015	BARIUM	4.14	ug/L	J		21		2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP004MD	7/16/2015	BERYLLIUM	1	ug/L	U				0.1	1
SWP004MD	7/16/2015	CHROMIUM	100	ug/L	U				10	100
SWP004MD	7/16/2015	COBALT	0.702	ug/L	J		21		0.5	5
SWP004MD	7/16/2015	COPPER	1.62	ug/L	J		21		0.5	5
SWP004MD	7/16/2015	LEAD	5	ug/L	U				0.5	5
SWP004MD	7/16/2015	NICKEL	0.624	ug/L	J		21		0.5	5
SWP004MD	7/16/2015	SELENIUM	20	ug/L	U				2	20
SWP004MD	7/16/2015	SILVER	5	ug/L	U				0.5	5
SWP004MD	7/16/2015	THALLIUM	1	ug/L	U				0.1	1
SWP004MD	7/16/2015	TIN	10	ug/L	U				1	10
SWP004MD	7/16/2015	VANADIUM	50	ug/L	U				5	50
SWP004MD	7/16/2015	ZINC	40	ug/L	U		V		4	40
SWP004MD	7/16/2015	MERCURY	0.0269	ug/L	J		21		0.02	0.2
SWP004MD	7/16/2015	1,1,1,2-TETRACHLOROETHANE	10	ug/L	U				0.9	10
SWP004MD	7/16/2015	1,1,1-TRICHLOROETHANE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	1,1,2,2-TETRACHLOROETHANE	10	ug/L	U				1	10
SWP004MD	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	ug/L	U				1	10
SWP004MD	7/16/2015	1,1,2-TRICHLOROETHANE	10	ug/L	U				1.5	10
SWP004MD	7/16/2015	1,1-DICHLOROETHANE	12	ug/L					0.7	10
SWP004MD	7/16/2015	1,1-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	1,1-DICHLOROPROPENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	1,2,3-TRICHLOROBENZENE	10	ug/L	U				0.9	10
SWP004MD	7/16/2015	1,2,3-TRICHLOROPROPANE	10	ug/L	U				1.5	10
SWP004MD	7/16/2015	1,2,4-TRICHLOROBENZENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	10	ug/L	U				4.1	10
SWP004MD	7/16/2015	1,2-DIBROMOETHANE	10	ug/L	U				1.3	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP004MD	7/16/2015	1,2-DICHLOROBENZENE	11	ug/L					0.6	10
SWP004MD	7/16/2015	1,2-DICHLOROETHANE (EDC)	10	ug/L	U				1	10
SWP004MD	7/16/2015	1,2-DICHLOROETHYLENE	930	ug/L					15	200
SWP004MD	7/16/2015	1,2-DICHLOROPROPANE	10	ug/L	U				1	10
SWP004MD	7/16/2015	1,3-DICHLOROBENZENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	1,3-DICHLOROPROPANE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	1,4-DICHLOROBENZENE	10	ug/L	U				1.2	10
SWP004MD	7/16/2015	2,2-DICHLOROPROPANE	10	ug/L	U				1.4	10
SWP004MD	7/16/2015	2-CHLOROETHYL VINYL ETHER	20	ug/L	U				1.7	20
SWP004MD	7/16/2015	2-HEXANONE	50	ug/L	U				2.2	50
SWP004MD	7/16/2015	ACETONE	20	ug/L	U				3.4	20
SWP004MD	7/16/2015	ACETONITRILE (METHYL CYANIDE)	100	ug/L	U				20	100
SWP004MD	7/16/2015	ACROLEIN	100	ug/L	U				28	100
SWP004MD	7/16/2015	ACRYLONITRILE	100	ug/L	U				5.8	100
SWP004MD	7/16/2015	ALLYL CHLORIDE	20	ug/L	U				1.1	20
SWP004MD	7/16/2015	BENZENE	10	ug/L	U				0.6	10
SWP004MD	7/16/2015	BROMOCHLOROMETHANE	10	ug/L	U				1.3	10
SWP004MD	7/16/2015	BROMODICHLOROMETHANE	10	ug/L	U				0.9	10
SWP004MD	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	10	ug/L	U				1.7	10
SWP004MD	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	20	ug/L	U				2.5	20
SWP004MD	7/16/2015	CARBON DISULFIDE	10	ug/L	U				0.5	10
SWP004MD	7/16/2015	CARBON TETRACHLORIDE	10	ug/L	U				1.3	10
SWP004MD	7/16/2015	CHLOROBENZENE	10	ug/L	U				1.5	10
SWP004MD	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	20	ug/L	U				1	20
SWP004MD	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	7.8	ug/L	J		21		0.8	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP004MD	7/16/2015	CHLOROFORM	1	ug/L	J		21		1	10
SWP004MD	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	20	ug/L	U				0.8	20
SWP004MD	7/16/2015	CHLOROPRENE	10	ug/L	U				1	10
SWP004MD	7/16/2015	CIS-1,2-DICHLOROETHYLENE	930	ug/L					9	100
SWP004MD	7/16/2015	CIS-1,3-DICHLOROPROPENE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	CUMENE (ISOPROPYLBENZENE)	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	CYCLOHEXANE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	DIBROMOCHLOROMETHANE	10	ug/L	U				1.3	10
SWP004MD	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	10	ug/L	U				2.1	10
SWP004MD	7/16/2015	DICHLORODIFLUOROMETHANE	20	ug/L	U				0.8	20
SWP004MD	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	10	ug/L	U				2.7	10
SWP004MD	7/16/2015	ETHYL ACETATE	20	ug/L	U				1.8	20
SWP004MD	7/16/2015	ETHYLBENZENE	10	ug/L	U				0.9	10
SWP004MD	7/16/2015	IODOMETHANE (METHYL IODIDE)	20	ug/L	U				0.9	20
SWP004MD	7/16/2015	ISOBUTANOL	800	ug/L	U				87	800
SWP004MD	7/16/2015	M,P-XYLENE	20	ug/L	U				1.4	20
SWP004MD	7/16/2015	METHACRYLONITRILE	100	ug/L	U				5	100
SWP004MD	7/16/2015	METHYL ACETATE	250	ug/L	U				3.7	250
SWP004MD	7/16/2015	METHYL ETHYL KETONE	50	ug/L	U				5.2	50
SWP004MD	7/16/2015	METHYL ISOBUTYL KETONE	50	ug/L	U				1.2	50
SWP004MD	7/16/2015	METHYL METHACRYLATE	20	ug/L	U				2.6	20
SWP004MD	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	20	ug/L	U				1.1	20
SWP004MD	7/16/2015	METHYLCYCLOHEXANE	40	ug/L	U				1	40
SWP004MD	7/16/2015	NAPHTHALENE	10	ug/L	U				1.6	10
SWP004MD	7/16/2015	O-XYLENE	10	ug/L	U				0.6	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP004MD	7/16/2015	PROPIONITRILE	100	ug/L	U				14	100
SWP004MD	7/16/2015	STYRENE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	TETRACHLOROETHYLENE (PCE)	63	ug/L					1.8	10
SWP004MD	7/16/2015	TOLUENE	10	ug/L	U				0.7	10
SWP004MD	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	TRANS-1,3-DICHLOROPROPENE	10	ug/L	U				0.8	10
SWP004MD	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	20	ug/L	U				2.9	20
SWP004MD	7/16/2015	TRICHLOROETHYLENE (TCE)	8.7	ug/L	J		21		2.5	10
SWP004MD	7/16/2015	TRICHLOROFLUOROMETHANE	10	ug/L	U				1.1	10
SWP004MD	7/16/2015	VINYL ACETATE	20	ug/L	U				1.8	20
SWP004MD	7/16/2015	XYLENES	30	ug/L	U				2	30
SWP004MD	7/16/2015	1,4-DIOXANE	310	ug/L					4.3	15
SWP004MD	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	0.737	pCi/L				0.115	0.058	0.2882
SWP004MD	7/16/2015	RADIUM-226	0.79	pCi/L				0.109	0.05	0.2676
SWP004MD	7/16/2015	URANIUM-233/234	0.0392	pCi/L	U		V	0.065	0.113	0.242
SWP004MD	7/16/2015	URANIUM-235	0.0207	pCi/L	U		V	0.057	0.139	0.254
SWP004MD	7/16/2015	URANIUM-238	0.0336	pCi/L	U			0.065	0.134	0.265
SWP004MD	7/16/2015	GROSS ALPHA	2.38	pCi/L	J		21	2.11	2.31	6.52
SWP004MD	7/16/2015	NONVOLATILE BETA	-0.322	pCi/L	U			2.35	4.45	9.15
SWP004MD	7/16/2015	STRONTIUM-90	0.219	pCi/L	U			2.06	3.13	7.24
SWP004MD	7/16/2015	CARBON-14	1.35E-05	pCi/L	UJ			4.43	7.43	16.3
SWP004MD	7/16/2015	TECHNETIUM-99	-1.6	pCi/L	U			2.53	4.34	9.39
SWP004MD	7/16/2015	TRITIUM	2580	pCi/mL				9.46	0.485	19.4
SWP004MD	7/16/2015	IODINE-129	0.806	pCi/L	U			0.831	1.03	2.69
SWP005C	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP005C	1/6/2015	TRICHLOROETHYLENE (TCE)	1.2	ug/L					0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005C	1/6/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
SWP005C	1/6/2015	TRITIUM	26.2	pCi/mL				0.984	0.413	2.38
SWP005C	7/22/2015	ETHANE	0.0045	ug/L	J		21		0.002	0.1
SWP005C	7/22/2015	ETHYLENE	0.016	ug/L	J		21		0.003	0.1
SWP005C	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SWP005C	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SWP005C	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SWP005C	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SWP005C	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SWP005C	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SWP005C	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SWP005C	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SWP005C	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SWP005C	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SWP005C	7/22/2015	1,2-DICHLOROETHYLENE	2.2	ug/L					0.15	2
SWP005C	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SWP005C	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SWP005C	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SWP005C	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005C	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SWP005C	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SWP005C	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SWP005C	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
SWP005C	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SWP005C	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SWP005C	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SWP005C	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP005C	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SWP005C	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SWP005C	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SWP005C	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SWP005C	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SWP005C	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SWP005C	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SWP005C	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SWP005C	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
SWP005C	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SWP005C	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SWP005C	7/22/2015	CIS-1,2-DICHLOROETHYLENE	2.2	ug/L					0.09	1
SWP005C	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SWP005C	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005C	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SWP005C	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SWP005C	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SWP005C	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SWP005C	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SWP005C	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SWP005C	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SWP005C	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SWP005C	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SWP005C	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SWP005C	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SWP005C	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SWP005C	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SWP005C	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SWP005C	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SWP005C	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SWP005C	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SWP005C	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SWP005C	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP005C	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
SWP005C	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP005C	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005C	7/22/2015	TRICHLOROETHYLENE (TCE)	0.98	ug/L	J		21		0.25	1
SWP005C	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SWP005C	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SWP005C	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SWP005C	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SWP005C	7/22/2015	TRITIUM	28.6	pCi/mL				1.04	0.523	2.61
SWP005D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP005D	1/6/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
SWP005D	1/6/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
SWP005D	1/6/2015	TRITIUM	56.4	pCi/mL				1.43	0.415	3.27
SWP005D	7/22/2015	ETHANE	0.0037	ug/L	J		21		0.002	0.1
SWP005D	7/22/2015	ETHYLENE	0.012	ug/L	J		21		0.003	0.1
SWP005D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SWP005D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SWP005D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SWP005D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SWP005D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SWP005D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SWP005D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SWP005D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SWP005D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SWP005D	7/22/2015	1,2-DICHLOROETHYLENE	9	ug/L					0.15	2
SWP005D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SWP005D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SWP005D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SWP005D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SWP005D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SWP005D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SWP005D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SWP005D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10
SWP005D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SWP005D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SWP005D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SWP005D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP005D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SWP005D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SWP005D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SWP005D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SWP005D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SWP005D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SWP005D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SWP005D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SWP005D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SWP005D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SWP005D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	9	ug/L					0.09	1
SWP005D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SWP005D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP005D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SWP005D	7/22/2015	DICHLORODIFLUOROMETHANE	0.86	ug/L	J		21		0.08	2
SWP005D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SWP005D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SWP005D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SWP005D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SWP005D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SWP005D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SWP005D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SWP005D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SWP005D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SWP005D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SWP005D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SWP005D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SWP005D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SWP005D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SWP005D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SWP005D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP005D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP005D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
SWP005D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP005D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SWP005D	7/22/2015	TRICHLOROETHYLENE (TCE)	3	ug/L					0.25	1
SWP005D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SWP005D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SWP005D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SWP005D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3
SWP005D	7/22/2015	TRITIUM	80.3	pCi/mL				1.7	0.52	3.91
SWP006C	1/6/2015	TETRACHLOROETHYLENE (PCE)	0.78	ug/L	J		21		0.18	1
SWP006C	1/6/2015	TRICHLOROETHYLENE (TCE)	13	ug/L					0.25	1
SWP006C	1/6/2015	1,4-DIOXANE	86	ug/L					0.48	3
SWP006C	1/6/2015	TRITIUM	2900	pCi/mL				10.1	0.414	20.6
SWP006C	7/16/2015	ETHANE	0.0051	ug/L	J		21		0.002	0.1
SWP006C	7/16/2015	ETHYLENE	0.013	ug/L	J		21		0.003	0.1
SWP006C	7/16/2015	ANTIMONY	10	ug/L	U				1	10
SWP006C	7/16/2015	ARSENIC	50	ug/L	U				5	50
SWP006C	7/16/2015	BARIUM	37	ug/L					2	20
SWP006C	7/16/2015	BERYLLIUM	0.303	ug/L	J		21		0.1	1
SWP006C	7/16/2015	CHROMIUM	100	ug/L	U				10	100
SWP006C	7/16/2015	COBALT	19	ug/L					0.5	5
SWP006C	7/16/2015	COPPER	4.27	ug/L	J		21		0.5	5
SWP006C	7/16/2015	LEAD	1.01	ug/L	J		21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006C	7/16/2015	NICKEL	5.56	ug/L					0.5	5
SWP006C	7/16/2015	SELENIUM	20	ug/L	U				2	20
SWP006C	7/16/2015	SILVER	5	ug/L	U				0.5	5
SWP006C	7/16/2015	THALLIUM	0.227	ug/L	J		21		0.1	1
SWP006C	7/16/2015	TIN	10	ug/L	U				1	10
SWP006C	7/16/2015	VANADIUM	50	ug/L	U				5	50
SWP006C	7/16/2015	ZINC	15.4	ug/L	U		21, V		4	40
SWP006C	7/16/2015	MERCURY	2.1	ug/L					0.02	0.2
SWP006C	7/16/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SWP006C	7/16/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SWP006C	7/16/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SWP006C	7/16/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.2	ug/L					0.1	1
SWP006C	7/16/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SWP006C	7/16/2015	1,1-DICHLOROETHANE	3.5	ug/L					0.07	1
SWP006C	7/16/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP006C	7/16/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP006C	7/16/2015	1,2,3-TRICHLOROBENZENE	0.56	ug/L	J		21		0.09	1
SWP006C	7/16/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SWP006C	7/16/2015	1,2,4-TRICHLOROBENZENE	0.52	ug/L	J		21		0.08	1
SWP006C	7/16/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SWP006C	7/16/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SWP006C	7/16/2015	1,2-DICHLOROBENZENE	0.25	ug/L	J		21		0.06	1
SWP006C	7/16/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SWP006C	7/16/2015	1,2-DICHLOROETHYLENE	48	ug/L					0.75	10
SWP006C	7/16/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SWP006C	7/16/2015	1,3-DICHLOROBENZENE	0.14	ug/L	J		21		0.08	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006C	7/16/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SWP006C	7/16/2015	1,4-DICHLOROBENZENE	0.89	ug/L	J		21		0.12	1
SWP006C	7/16/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SWP006C	7/16/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SWP006C	7/16/2015	2-HEXANONE	5	ug/L	U				0.22	5
SWP006C	7/16/2015	ACETONE	2	ug/L	U				0.34	2
SWP006C	7/16/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SWP006C	7/16/2015	ACROLEIN	10	ug/L	U				2.8	10
SWP006C	7/16/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SWP006C	7/16/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SWP006C	7/16/2015	BENZENE	1	ug/L	U				0.06	1
SWP006C	7/16/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP006C	7/16/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SWP006C	7/16/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SWP006C	7/16/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SWP006C	7/16/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SWP006C	7/16/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SWP006C	7/16/2015	CHLOROBENZENE	0.37	ug/L	J		21		0.15	1
SWP006C	7/16/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SWP006C	7/16/2015	CHLOROETHENE (VINYL CHLORIDE)	6.8	ug/L					0.08	2
SWP006C	7/16/2015	CHLOROFORM	0.16	ug/L	J		21		0.1	1
SWP006C	7/16/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SWP006C	7/16/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SWP006C	7/16/2015	CIS-1,2-DICHLOROETHYLENE	48	ug/L					0.45	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006C	7/16/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SWP006C	7/16/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SWP006C	7/16/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SWP006C	7/16/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP006C	7/16/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SWP006C	7/16/2015	DICHLORODIFLUOROMETHANE	3.4	ug/L					0.08	2
SWP006C	7/16/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SWP006C	7/16/2015	ETHYL ACETATE	2	ug/L	U				0.18	2
SWP006C	7/16/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SWP006C	7/16/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SWP006C	7/16/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SWP006C	7/16/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SWP006C	7/16/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SWP006C	7/16/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SWP006C	7/16/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SWP006C	7/16/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SWP006C	7/16/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SWP006C	7/16/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SWP006C	7/16/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SWP006C	7/16/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SWP006C	7/16/2015	O-XYLENE	1	ug/L	U				0.06	1
SWP006C	7/16/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SWP006C	7/16/2015	STYRENE	1	ug/L	U				0.07	1
SWP006C	7/16/2015	TETRACHLOROETHYLENE (PCE)	0.79	ug/L	J		21		0.18	1
SWP006C	7/16/2015	TOLUENE	1	ug/L	U				0.07	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006C	7/16/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP006C	7/16/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP006C	7/16/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SWP006C	7/16/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
SWP006C	7/16/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SWP006C	7/16/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SWP006C	7/16/2015	XYLENES	3	ug/L	U				0.2	3
SWP006C	7/16/2015	1,4-DIOXANE	70	ug/L					0.85	3
SWP006C	7/16/2015	RADIUM, TOTAL ALPHA-EMITTING	1.59	pCi/L				0.177	0.114	0.468
SWP006C	7/16/2015	RADIUM-226	1.73	pCi/L				0.157	0.053	0.367
SWP006C	7/16/2015	URANIUM-233/234	0.0782	pCi/L	J		21, V	0.079	0.053	0.211
SWP006C	7/16/2015	URANIUM-235	0	pCi/L	U		V	0	0.0654	0.0654
SWP006C	7/16/2015	URANIUM-238	0.117	pCi/L	J		21	0.097	0.0529	0.247
SWP006C	7/16/2015	GROSS ALPHA	2.51	pCi/L	J		21	2.17	2.2	6.53
SWP006C	7/16/2015	NONVOLATILE BETA	3.56	pCi/L	U			2.77	3.82	9.37
SWP006C	7/16/2015	STRONTIUM-90	-0.316	pCi/L	U			1.97	3.13	7.07
SWP006C	7/16/2015	CARBON-14	36.3	pCi/L	J			5.09	7.24	17.4
SWP006C	7/16/2015	TECHNETIUM-99	1.11	pCi/L	U			2.56	4.26	9.39
SWP006C	7/16/2015	TRITIUM	3010	pCi/mL				10.2	0.474	21
SWP006C	7/16/2015	IODINE-129	0.868	pCi/L	U			0.66	1.16	2.48
SWP006D	1/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP006D	1/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SWP006D	1/6/2015	1,4-DIOXANE	3	ug/L	U				0.48	3
SWP006D	1/6/2015	TRITIUM	15.2	pCi/mL				0.766	0.413	1.95
SWP006D	7/22/2015	ETHANE	0.003	ug/L	J		21		0.002	0.1
SWP006D	7/22/2015	ETHYLENE	0.015	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006D	7/22/2015	1,1,1,2-TETRACHLOROETHANE	1	ug/L	U				0.09	1
SWP006D	7/22/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.1	1
SWP006D	7/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1	ug/L	U				0.1	1
SWP006D	7/22/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U				0.15	1
SWP006D	7/22/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	1,1-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	1,1-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U				0.09	1
SWP006D	7/22/2015	1,2,3-TRICHLOROPROPANE	1	ug/L	U				0.15	1
SWP006D	7/22/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U				0.41	1
SWP006D	7/22/2015	1,2-DIBROMOETHANE	1	ug/L	U				0.13	1
SWP006D	7/22/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.06	1
SWP006D	7/22/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U				0.1	1
SWP006D	7/22/2015	1,2-DICHLOROETHYLENE	2	ug/L	U				0.15	2
SWP006D	7/22/2015	1,2-DICHLOROPROPANE	1	ug/L	U				0.1	1
SWP006D	7/22/2015	1,3-DICHLOROBENZENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	1,3-DICHLOROPROPANE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	1,4-DICHLOROBENZENE	1	ug/L	U				0.12	1
SWP006D	7/22/2015	2,2-DICHLOROPROPANE	1	ug/L	U				0.14	1
SWP006D	7/22/2015	2-CHLOROETHYL VINYL ETHER	2	ug/L	U				0.17	2
SWP006D	7/22/2015	2-HEXANONE	5	ug/L	U				0.22	5
SWP006D	7/22/2015	ACETONE	2	ug/L	U				0.34	2
SWP006D	7/22/2015	ACETONITRILE (METHYL CYANIDE)	10	ug/L	U				2	10
SWP006D	7/22/2015	ACROLEIN	10	ug/L	U				2.8	10

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006D	7/22/2015	ACRYLONITRILE	10	ug/L	U				0.58	10
SWP006D	7/22/2015	ALLYL CHLORIDE	2	ug/L	U				0.11	2
SWP006D	7/22/2015	BENZENE	1	ug/L	U				0.06	1
SWP006D	7/22/2015	BROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP006D	7/22/2015	BROMODICHLOROMETHANE	1	ug/L	U				0.09	1
SWP006D	7/22/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U				0.17	1
SWP006D	7/22/2015	BROMOMETHANE (METHYL BROMIDE)	2	ug/L	U				0.25	2
SWP006D	7/22/2015	CARBON DISULFIDE	1	ug/L	U				0.05	1
SWP006D	7/22/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.13	1
SWP006D	7/22/2015	CHLOROBENZENE	1	ug/L	U				0.15	1
SWP006D	7/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	2	ug/L	U				0.1	2
SWP006D	7/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U				0.08	2
SWP006D	7/22/2015	CHLOROFORM	1	ug/L	U				0.1	1
SWP006D	7/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	2	ug/L	U				0.08	2
SWP006D	7/22/2015	CHLOROPRENE	1	ug/L	U				0.1	1
SWP006D	7/22/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.09	1
SWP006D	7/22/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U				0.08	1
SWP006D	7/22/2015	CYCLOHEXANE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.13	1
SWP006D	7/22/2015	DIBROMOMETHANE (METHYLENE BROMIDE)	1	ug/L	U				0.21	1
SWP006D	7/22/2015	DICHLORODIFLUOROMETHANE	2	ug/L	U				0.08	2
SWP006D	7/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	ug/L	U				0.27	1
SWP006D	7/22/2015	ETHYL ACETATE	2	ug/L	U				0.18	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006D	7/22/2015	ETHYLBENZENE	1	ug/L	U				0.09	1
SWP006D	7/22/2015	IODOMETHANE (METHYL IODIDE)	2	ug/L	U				0.09	2
SWP006D	7/22/2015	ISOBUTANOL	80	ug/L	U				8.7	80
SWP006D	7/22/2015	M,P-XYLENE	2	ug/L	U				0.14	2
SWP006D	7/22/2015	METHACRYLONITRILE	10	ug/L	U				0.5	10
SWP006D	7/22/2015	METHYL ACETATE	25	ug/L	U				0.37	25
SWP006D	7/22/2015	METHYL ETHYL KETONE	5	ug/L	U				0.52	5
SWP006D	7/22/2015	METHYL ISOBUTYL KETONE	5	ug/L	U				0.12	5
SWP006D	7/22/2015	METHYL METHACRYLATE	2	ug/L	U				0.26	2
SWP006D	7/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	2	ug/L	U				0.11	2
SWP006D	7/22/2015	METHYLCYCLOHEXANE	4	ug/L	U				0.1	4
SWP006D	7/22/2015	NAPHTHALENE	1	ug/L	U				0.16	1
SWP006D	7/22/2015	O-XYLENE	1	ug/L	U				0.06	1
SWP006D	7/22/2015	PROPIONITRILE	10	ug/L	U				1.4	10
SWP006D	7/22/2015	STYRENE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
SWP006D	7/22/2015	TOLUENE	1	ug/L	U				0.07	1
SWP006D	7/22/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U				0.08	1
SWP006D	7/22/2015	TRANS-1,4-DICHLORO-2-BUTENE	2	ug/L	U				0.29	2
SWP006D	7/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
SWP006D	7/22/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U				0.11	1
SWP006D	7/22/2015	VINYL ACETATE	2	ug/L	U				0.18	2
SWP006D	7/22/2015	XYLENES	3	ug/L	U				0.2	3
SWP006D	7/22/2015	1,4-DIOXANE	3	ug/L	U				0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
SWP006D	7/22/2015	TRITIUM	11	pCi/mL				0.68	0.478	1.84
TBG 3	3/30/2015	CARBON TETRACHLORIDE	2.97	ug/L					0.3	1
TBG 3	3/30/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
TBG 3	3/30/2015	CIS-1,2-DICHLOROETHYLENE	5.57	ug/L					0.3	1
TBG 3	3/30/2015	TETRACHLOROETHYLENE (PCE)	0.49	ug/L	J		21		0.3	1
TBG 3	3/30/2015	TRICHLOROETHYLENE (TCE)	54.6	ug/L					0.3	1
TBG 3	5/14/2015	BUTANE	0.12	ug/L	J		21		0.008	0.2
TBG 3	5/14/2015	CARBON DIOXIDE	38	mg/L					0.36	5
TBG 3	5/14/2015	ETHANE	0.0038	ug/L	J		21		0.002	0.1
TBG 3	5/14/2015	ETHYLENE	0.0094	ug/L	J		21		0.003	0.1
TBG 3	5/14/2015	ISOBUTANE	0.066	ug/L	J		21		0.006	0.2
TBG 3	5/14/2015	METHANE	0.059	ug/L	J		21		0.042	0.5
TBG 3	5/14/2015	NITROGEN	15	mg/L					0.16	2
TBG 3	5/14/2015	OXYGEN	9	mg/L					0.048	0.5
TBG 3	5/14/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TBG 3	5/14/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
TBG 3	5/14/2015	NITRATE-NITRITE AS NITROGEN	9.65	mg/L					0.425	1.25
TBG 3	5/14/2015	IRON	124	ug/L					10	100
TBG 3	5/14/2015	URANIUM	0.255	ug/L					0.067	0.2
TBG 3	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TBG 3	5/14/2015	MERCURY	0.234	ug/L					0.02	0.2
TBG 3	5/14/2015	CARBON TETRACHLORIDE	6.97	ug/L					0.3	1
TBG 3	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TBG 3	5/14/2015	CIS-1,2-DICHLOROETHYLENE	13.3	ug/L					0.3	1
TBG 3	5/14/2015	TETRACHLOROETHYLENE (PCE)	0.99	ug/L	J	J	21		0.3	1
TBG 3	5/14/2015	TRICHLOROETHYLENE (TCE)	113	ug/L					0.6	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TBG 3	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TBG 3	5/14/2015	NITRATE	8.62	mg/L					0.165	0.5
TBG 3	5/14/2015	SULFATE	3.24	mg/L					0.133	0.4
TBG 3	5/14/2015	TOTAL ORGANIC CARBON	0.035	mg/L	J		21		0.035	1
TBG 3	5/14/2015	GROSS ALPHA	6.24	pCi/L	J	J	21	3.28	2.17	8.72
TBG 3	5/14/2015	NONVOLATILE BETA	5.13	pCi/L	J	J	21	3.02	3.88	9.92
TBG 3	5/14/2015	RADIUM-226	4.08	pCi/L	J	J	V	0.719	0.435	1.87
TBG 3	5/14/2015	RADIUM-228	0.72	pCi/L	J	J	21	0.37	0.525	1.27
TBG 3	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TBG 3	12/14/2015	BUTANE	0.24	ug/L					0.005	0.2
TBG 3	12/14/2015	CARBON DIOXIDE	130	mg/L					0.26	5
TBG 3	12/14/2015	ETHANE	2.8	ug/L					0.004	0.1
TBG 3	12/14/2015	ETHYLENE	1.7	ug/L					0.005	0.1
TBG 3	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TBG 3	12/14/2015	METHANE	830	ug/L					0.033	0.5
TBG 3	12/14/2015	NITROGEN	26	mg/L					0.2	2
TBG 3	12/14/2015	OXYGEN	3.9	mg/L					0.097	0.5
TBG 3	12/14/2015	PROPANE	0.16	ug/L					0.013	0.1
TBG 3	12/14/2015	PROPYLENE	0.36	ug/L					0.008	0.1
TBG 3	12/14/2015	ACETIC ACID	130	mg/L					0.89	5
TBG 3	12/14/2015	BUTYRIC ACID	98	mg/L					1.4	5
TBG 3	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TBG 3	12/14/2015	PROPIONIC ACID	100	mg/L					0.73	5
TBG 3	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TBG 3	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.082	mg/L					0.0047	0.05
TBG 3	12/14/2015	IRON	2170	ug/L			V		10	100
TBG 3	12/14/2015	URANIUM	0.947	ug/L	J	J	21		0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TBG 3	12/14/2015	MERCURY	0.0748	ug/L	J	J	21		0.02	0.2
TBG 3	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TBG 3	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TBG 3	12/14/2015	CIS-1,2-DICHLOROETHYLENE	0.25	ug/L	J	J	21, 14		0.09	1
TBG 3	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TBG 3	12/14/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L		J	14		0.25	1
TBG 3	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TBG 3	12/14/2015	RADIUM-226	0.0913	pCi/L	U	U		0.196	0.349	0.741
TBG 3	12/14/2015	RADIUM-228	0.311	pCi/L	U	U		1.19	2.08	4.46
TBG 3	12/14/2015	NITRATE	0.02	mg/L	U	UJ	Q		0.004	0.02
TBG 3	12/14/2015	SULFATE	1.8	mg/L					0.05	0.5
TBG 3	12/14/2015	TOTAL ORGANIC CARBON	890	mg/L			V		35	100
TBG 3	12/14/2015	GROSS ALPHA	3.22	pCi/L	U	U		3.67	4.72	12.1
TBG 3	12/14/2015	NONVOLATILE BETA	25.6	pCi/L				8.23	7.95	24.4
TBG 4	5/14/2015	BUTANE	0.051	ug/L	J		21		0.008	0.2
TBG 4	5/14/2015	CARBON DIOXIDE	3	mg/L	J		21		0.36	5
TBG 4	5/14/2015	ETHANE	0.085	ug/L	J		21		0.002	0.1
TBG 4	5/14/2015	ETHYLENE	0.47	ug/L					0.003	0.1
TBG 4	5/14/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TBG 4	5/14/2015	METHANE	8000	ug/L					0.042	0.5
TBG 4	5/14/2015	NITROGEN	14	mg/L					0.16	2
TBG 4	5/14/2015	OXYGEN	5.4	mg/L					0.048	0.5
TBG 4	5/14/2015	PROPANE	0.0086	ug/L	J		21		0.002	0.1
TBG 4	5/14/2015	PROPYLENE	0.068	ug/L	J		21		0.01	0.1
TBG 4	5/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
TBG 4	5/14/2015	IRON	1170	ug/L					10	100
TBG 4	5/14/2015	URANIUM	13.1	ug/L					0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TBG 4	5/14/2015	URANIUM	12.1	ug/L					0.067	0.2
TBG 4	5/14/2015	MERCURY	0.127	ug/L	J	J	21		0.02	0.2
TBG 4	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TBG 4	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TBG 4	5/14/2015	CIS-1,2-DICHLOROETHYLENE	8.18	ug/L					0.3	1
TBG 4	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TBG 4	5/14/2015	TRICHLOROETHYLENE (TCE)	1.33	ug/L					0.3	1
TBG 4	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TBG 4	5/14/2015	NITRATE	1	mg/L	U	U			0.33	1
TBG 4	5/14/2015	SULFATE	0.646	mg/L					0.133	0.4
TBG 4	5/14/2015	TOTAL ORGANIC CARBON	39	mg/L					0.035	1
TBG 4	5/14/2015	GROSS ALPHA	0.578	pCi/L	U	U		1.27	2.28	4.82
TBG 4	5/14/2015	NONVOLATILE BETA	3.28	pCi/L	U	U		2.66	3.76	9.08
TBG 4	5/14/2015	RADIUM-226	0.967	pCi/L	U	U	21, V	0.394	0.46	1.25
TBG 4	5/14/2015	RADIUM-228	0.0093	pCi/L	U	U		0.263	0.502	1.03
TBG 4	12/16/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TBG 4	12/16/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TBG 4	12/16/2015	CARBON DIOXIDE	240	mg/L					0.26	5
TBG 4	12/16/2015	ETHANE	0.48	ug/L					0.004	0.1
TBG 4	12/16/2015	ETHYLENE	0.97	ug/L					0.005	0.1
TBG 4	12/16/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TBG 4	12/16/2015	METHANE	7800	ug/L					0.033	0.5
TBG 4	12/16/2015	NITROGEN	16	mg/L					0.2	2
TBG 4	12/16/2015	OXYGEN	3.6	mg/L					0.097	0.5
TBG 4	12/16/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TBG 4	12/16/2015	PROPYLENE	0.17	ug/L					0.008	0.1
TBG 4	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	R	11		0.0047	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TBG 4	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TBG 4	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TBG 4	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1.5	ug/L					0.09	1
TBG 4	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TBG 4	12/16/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
TBG 4	12/16/2015	RADIUM-226	0.875	pCi/L				0.288	0.275	0.851
TBG 4	12/16/2015	RADIUM-228	0.502	pCi/L	U	U		1.29	2.21	4.79
TBG 4	12/16/2015	NITRATE	0.04	mg/L	U	U			0.008	0.04
TBG 4	12/16/2015	SULFATE	17	mg/L					0.1	1
TBG 4	12/16/2015	TOTAL ORGANIC CARBON	5000	mg/L			V		180	500
TBG 5	5/14/2015	BUTANE	0.027	ug/L	J		21		0.008	0.2
TBG 5	5/14/2015	CARBON DIOXIDE	310	mg/L					0.36	5
TBG 5	5/14/2015	ETHANE	0.046	ug/L	J		21		0.002	0.1
TBG 5	5/14/2015	ETHYLENE	0.28	ug/L					0.003	0.1
TBG 5	5/14/2015	ISOBUTANE	0.054	ug/L	J		21		0.006	0.2
TBG 5	5/14/2015	METHANE	12000	ug/L					0.042	0.5
TBG 5	5/14/2015	NITROGEN	8	mg/L					0.16	2
TBG 5	5/14/2015	OXYGEN	0.96	mg/L					0.048	0.5
TBG 5	5/14/2015	PROPANE	0.01	ug/L	J		21		0.002	0.1
TBG 5	5/14/2015	PROPYLENE	0.032	ug/L	J		21		0.01	0.1
TBG 5	5/14/2015	NITRATE-NITRITE AS NITROGEN	0.25	mg/L	U	U			0.085	0.25
TBG 5	5/14/2015	IRON	120000	ug/L					10	100
TBG 5	5/14/2015	URANIUM	0.097	ug/L	J	J	21		0.067	0.2
TBG 5	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TBG 5	5/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TBG 5	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TBG 5	5/14/2015	CHLOROETHENE (VINYL	1.67	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
TBG 5	5/14/2015	CIS-1,2-DICHLOROETHYLENE	106	ug/L					0.6	2
TBG 5	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TBG 5	5/14/2015	TRICHLOROETHYLENE (TCE)	0.35	ug/L	J	J	21		0.3	1
TBG 5	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TBG 5	5/14/2015	NITRATE	1	mg/L	U	U			0.33	1
TBG 5	5/14/2015	SULFATE	0.734	mg/L					0.133	0.4
TBG 5	5/14/2015	TOTAL ORGANIC CARBON	110	mg/L					0.18	5
TBG 5	5/14/2015	GROSS ALPHA	4.3	pCi/L	U	U		6.56	9.74	22.9
TBG 5	5/14/2015	NONVOLATILE BETA	8.25	pCi/L	U	U		9.79	15.2	34.8
TBG 5	5/14/2015	RADIUM-226	1.81	pCi/L	J	J	V	0.475	0.425	1.38
TBG 5	5/14/2015	RADIUM-228	0.529	pCi/L	U	U		0.354	0.545	1.25
TBG 5	12/16/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TBG 5	12/16/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TBG 5	12/16/2015	CARBON DIOXIDE	410	mg/L					0.26	5
TBG 5	12/16/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TBG 5	12/16/2015	ETHYLENE	0.26	ug/L					0.005	0.1
TBG 5	12/16/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TBG 5	12/16/2015	METHANE	5800	ug/L					0.033	0.5
TBG 5	12/16/2015	NITROGEN	20	mg/L					0.2	2
TBG 5	12/16/2015	OXYGEN	4.6	mg/L					0.097	0.5
TBG 5	12/16/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TBG 5	12/16/2015	PROPYLENE	3.7	ug/L					0.008	0.1
TBG 5	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.023	mg/L	J	J	21, 11		0.0047	0.05
TBG 5	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TBG 5	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	0.63	ug/L	J	J	21		0.08	2
TBG 5	12/16/2015	CIS-1,2-DICHLOROETHYLENE	28	ug/L					0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TBG 5	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TBG 5	12/16/2015	TRICHLOROETHYLENE (TCE)	3.5	ug/L					0.25	1
TBG 5	12/16/2015	RADIUM-226	0.0957	pCi/L	U	R	10, 2	1.26	2.5	5.02
TBG 5	12/16/2015	RADIUM-228	2.58	pCi/L	U	R	2	5.05	8.58	18.68
TBG 5	12/16/2015	NITRATE	0.02	mg/L	U	U			0.004	0.02
TBG 5	12/16/2015	SULFATE	18	mg/L					1	10
TBG 5	12/16/2015	TOTAL ORGANIC CARBON	2200	mg/L			V		71	200
TCM 5	5/11/2015	NITRATE-NITRITE AS NITROGEN	2.94	mg/L					0.085	0.25
TCM 5	5/11/2015	IRON	306	ug/L					10	100
TCM 5	5/11/2015	URANIUM	21.2	ug/L					0.5	5
TCM 5	5/11/2015	MERCURY	0.0345	ug/L	J	J	21		0.02	0.2
TCM 5	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TCM 5	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TCM 5	5/11/2015	CIS-1,2-DICHLOROETHYLENE	0.98	ug/L	J	J	21		0.3	1
TCM 5	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TCM 5	5/11/2015	TRICHLOROETHYLENE (TCE)	6.95	ug/L					0.3	1
TCM 5	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TCM 5	5/11/2015	GROSS ALPHA	7.64	pCi/L	J	J	21	3.65	2.24	9.54
TCM 5	5/11/2015	NONVOLATILE BETA	11.8	pCi/L	J	J	21	3.95	3.92	11.8
TCM 5	5/11/2015	RADIUM-226	0.6	pCi/L	J	J	21	0.366	0.51	1.24
TCM 5	5/11/2015	RADIUM-228	0.77	pCi/L	J	J	21	0.455	0.707	1.62
TCM 5	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.89	mg/L					0.0094	0.1
TCM 5	12/14/2015	IRON	1410	ug/L			V		10	100
TCM 5	12/14/2015	URANIUM	41.5	ug/L					0.5	5
TCM 5	12/14/2015	MERCURY	0.133	ug/L	J	J	21		0.02	0.2
TCM 5	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TCM 5	12/14/2015	CHLOROETHENE (VINYL	2	ug/L	U	U			0.08	2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
TCM 5	12/14/2015	CIS-1,2-DICHLOROETHYLENE	0.41	ug/L	J	J	21		0.09	1
TCM 5	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TCM 5	12/14/2015	TRICHLOROETHYLENE (TCE)	2.5	ug/L					0.25	1
TCM 5	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TCM 5	12/14/2015	RADIUM-226	0.0438	pCi/L	U	U		0.099	0.174	0.371
TCM 5	12/14/2015	RADIUM-228	0.116	pCi/L	U	U		0.282	0.485	1.049
TCM 5	12/14/2015	GROSS ALPHA	24.7	pCi/L				6.44	2.44	15.3
TCM 5	12/14/2015	NONVOLATILE BETA	19.5	pCi/L				4.97	4.51	14.5
TIR 1L	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.251	mg/L					0.017	0.05
TIR 1L	5/11/2015	IRON	31.8	ug/L	J	J	21		10	100
TIR 1L	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TIR 1L	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TIR 1L	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TIR 1L	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TIR 1L	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TIR 1L	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TIR 1L	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TIR 1L	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TIR 1L	5/11/2015	GROSS ALPHA	0.946	pCi/L	U	U		1.44	2.14	5.02
TIR 1L	5/11/2015	NONVOLATILE BETA	0.846	pCi/L	U	U		2.17	3.75	8.08
TIR 1L	5/11/2015	RADIUM-226	0.561	pCi/L	J	J	21	0.319	0.432	1.07
TIR 1L	5/11/2015	RADIUM-228	0.891	pCi/L	J	J	21	0.465	0.707	1.64
TIR 1L	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.02	mg/L	J	J	21		0.0047	0.05
TIR 1L	12/14/2015	IRON	283	ug/L	J	J	21, V		10	100
TIR 1L	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TIR 1L	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TIR 1L	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TIR 1L	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TIR 1L	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TIR 1L	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TIR 1L	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TIR 1L	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TIR 1L	12/14/2015	RADIUM-226	0.175	pCi/L	J	J	21	0.078	0.097	0.2519
TIR 1L	12/14/2015	RADIUM-228	0.215	pCi/L	U	UJ	2	0.25	0.412	0.912
TIR 1L	12/14/2015	GROSS ALPHA	0.409	pCi/L	U	U		1.18	2.3	4.67
TIR 1L	12/14/2015	NONVOLATILE BETA	2.27	pCi/L	U	U		2.64	3.94	9.21
TIR 1M	5/11/2015	NITRATE-NITRITE AS NITROGEN	3.79	mg/L					0.085	0.25
TIR 1M	5/11/2015	IRON	100	ug/L	U	U			10	100
TIR 1M	5/11/2015	URANIUM	0.658	ug/L	J	J	21		0.5	5
TIR 1M	5/11/2015	MERCURY	0.0969	ug/L	J	J	21		0.02	0.2
TIR 1M	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TIR 1M	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TIR 1M	5/11/2015	CIS-1,2-DICHLOROETHYLENE	0.36	ug/L	J	J	21		0.3	1
TIR 1M	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TIR 1M	5/11/2015	TRICHLOROETHYLENE (TCE)	3.08	ug/L					0.3	1
TIR 1M	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TIR 1M	5/11/2015	GROSS ALPHA	0.144	pCi/L	U	U		0.893	2.14	3.93
TIR 1M	5/11/2015	NONVOLATILE BETA	1.85	pCi/L	U	U		2.37	3.73	8.47
TIR 1M	5/11/2015	RADIUM-226	0.283	pCi/L	U	U		0.262	0.416	0.94
TIR 1M	5/11/2015	RADIUM-228	0.642	pCi/L	J	J	21	0.326	0.465	1.12
TIR 1M	12/14/2015	NITRATE-NITRITE AS NITROGEN	5.3	mg/L					0.047	0.5
TIR 1M	12/14/2015	IRON	36.4	ug/L	U	U	21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TIR 1M	12/14/2015	URANIUM	0.638	ug/L	J	J	21		0.5	5
TIR 1M	12/14/2015	MERCURY	0.0914	ug/L	J	J	21		0.02	0.2
TIR 1M	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TIR 1M	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TIR 1M	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TIR 1M	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TIR 1M	12/14/2015	TRICHLOROETHYLENE (TCE)	2.3	ug/L					0.25	1
TIR 1M	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TIR 1M	12/14/2015	RADIUM-226	0.132	pCi/L	J	J	21	0.057	0.065	0.1785
TIR 1M	12/14/2015	RADIUM-228	0.0224	pCi/L	U	UJ	2	0.172	0.303	0.647
TIR 1M	12/14/2015	GROSS ALPHA	3.18	pCi/L	J	J	21	2.41	2.34	7.16
TIR 1M	12/14/2015	NONVOLATILE BETA	0.232	pCi/L	U	U		2.29	4.01	8.58
TIR 1U	5/11/2015	NITRATE-NITRITE AS NITROGEN	5.1	mg/L					0.085	0.25
TIR 1U	5/11/2015	IRON	38.7	ug/L	J	J	21		10	100
TIR 1U	5/11/2015	URANIUM	6.5	ug/L					0.5	5
TIR 1U	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TIR 1U	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TIR 1U	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TIR 1U	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TIR 1U	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TIR 1U	5/11/2015	TRICHLOROETHYLENE (TCE)	6.64	ug/L					0.3	1
TIR 1U	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TIR 1U	5/11/2015	GROSS ALPHA	6.24	pCi/L	J	J	21	3.27	2.17	8.72
TIR 1U	5/11/2015	NONVOLATILE BETA	2.97	pCi/L	U	U		2.65	3.88	9.18
TIR 1U	5/11/2015	RADIUM-226	0.422	pCi/L	U	U		0.307	0.455	1.07
TIR 1U	5/11/2015	RADIUM-228	-0.147	pCi/L	U	U		0.372	0.715	1.46

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TIR 1U	12/14/2015	NITRATE-NITRITE AS NITROGEN	5.9	mg/L					0.047	0.5
TIR 1U	12/14/2015	IRON	104	ug/L	J	J	21, V		10	100
TIR 1U	12/14/2015	URANIUM	5.85	ug/L					0.5	5
TIR 1U	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TIR 1U	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TIR 1U	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TIR 1U	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TIR 1U	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TIR 1U	12/14/2015	TRICHLOROETHYLENE (TCE)	7.5	ug/L					0.25	1
TIR 1U	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TIR 1U	12/14/2015	RADIUM-226	0.142	pCi/L	J	J	21	0.071	0.088	0.2303
TIR 1U	12/14/2015	RADIUM-228	0.194	pCi/L	U	U		0.223	0.367	0.813
TIR 1U	12/14/2015	GROSS ALPHA	5.53	pCi/L	J	J	21	3.08	2.33	8.49
TIR 1U	12/14/2015	NONVOLATILE BETA	2.91	pCi/L	U	U		2.81	4.07	9.68
TNX 1D	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.472	mg/L					0.017	0.05
TNX 1D	5/11/2015	IRON	66	ug/L	J	J	21		10	100
TNX 1D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 1D	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 1D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 1D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 1D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 1D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 1D	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 1D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 1D	5/11/2015	GROSS ALPHA	1.33	pCi/L	U	U		1.63	2.11	5.36
TNX 1D	5/11/2015	NONVOLATILE BETA	1.78	pCi/L	U	U		2.37	3.76	8.49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 1D	5/11/2015	RADIUM-226	0.301	pCi/L	U	U		0.279	0.443	1
TNX 1D	5/11/2015	RADIUM-228	0.353	pCi/L	U	U		0.389	0.652	1.43
TNX 1D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.49	mg/L					0.0047	0.05
TNX 1D	12/14/2015	IRON	116	ug/L	J	J	21, V		10	100
TNX 1D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 1D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 1D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 1D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 1D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 1D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 1D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 1D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 1D	12/14/2015	RADIUM-226	0.105	pCi/L	U	U		0.084	0.129	0.2976
TNX 1D	12/14/2015	RADIUM-228	0.109	pCi/L	U	U		0.272	0.465	1.009
TNX 1D	12/14/2015	GROSS ALPHA	-0.362	pCi/L	U	U		0.426	2.25	3.1
TNX 1D	12/14/2015	NONVOLATILE BETA	0.435	pCi/L	U	U		2.27	3.91	8.46
TNX 3D	5/12/2015	BUTANE	0.12	ug/L	J		21		0.008	0.2
TNX 3D	5/12/2015	CARBON DIOXIDE	160	mg/L					0.36	5
TNX 3D	5/12/2015	ETHANE	0.045	ug/L	J		21		0.002	0.1
TNX 3D	5/12/2015	ETHYLENE	0.42	ug/L					0.003	0.1
TNX 3D	5/12/2015	ISOBUTANE	0.066	ug/L	J		21		0.006	0.2
TNX 3D	5/12/2015	METHANE	17000	ug/L					0.042	0.5
TNX 3D	5/12/2015	NITROGEN	7.6	mg/L					0.16	2
TNX 3D	5/12/2015	OXYGEN	2.5	mg/L					0.048	0.5
TNX 3D	5/12/2015	PROPANE	0.011	ug/L	J		21		0.002	0.1
TNX 3D	5/12/2015	PROPYLENE	0.031	ug/L	J		21		0.01	0.1
TNX 3D	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.25	mg/L	U	U			0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 3D	5/12/2015	IRON	48000	ug/L					10	100
TNX 3D	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TNX 3D	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 3D	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 3D	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 3D	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 3D	5/12/2015	CIS-1,2-DICHLOROETHYLENE	8.76	ug/L					0.3	1
TNX 3D	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 3D	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 3D	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 3D	5/12/2015	NITRATE	0.1	mg/L	U	U			0.033	0.1
TNX 3D	5/12/2015	SULFATE	0.611	mg/L					0.133	0.4
TNX 3D	5/12/2015	TOTAL ORGANIC CARBON	5	mg/L					0.035	1
TNX 3D	5/12/2015	GROSS ALPHA	2.35	pCi/L	J	J	21	2.19	2.33	6.71
TNX 3D	5/12/2015	NONVOLATILE BETA	-0.429	pCi/L	U	U		1.9	3.82	7.62
TNX 3D	5/12/2015	RADIUM-226	1.47	pCi/L				0.436	0.424	1.3
TNX 3D	5/12/2015	RADIUM-228	0.632	pCi/L	J	J	21	0.397	0.612	1.41
TNX 3D	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TNX 3D	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TNX 3D	12/14/2015	CARBON DIOXIDE	150	mg/L					0.26	5
TNX 3D	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TNX 3D	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TNX 3D	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TNX 3D	12/14/2015	METHANE	19000	ug/L					0.033	0.5
TNX 3D	12/14/2015	NITROGEN	10	mg/L					0.2	2
TNX 3D	12/14/2015	OXYGEN	3.3	mg/L					0.097	0.5
TNX 3D	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 3D	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TNX 3D	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
TNX 3D	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TNX 3D	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TNX 3D	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TNX 3D	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TNX 3D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.0047	0.05
TNX 3D	12/14/2015	IRON	49000	ug/L			V		10	100
TNX 3D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 3D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 3D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 3D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 3D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	5	ug/L					0.09	1
TNX 3D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 3D	12/14/2015	TRICHLOROETHYLENE (TCE)	0.42	ug/L	J	J	21		0.25	1
TNX 3D	12/14/2015	1,4-DIOXANE	5	ug/L	U	UJ	10		1.2	5
TNX 3D	12/14/2015	RADIUM-226	0.568	pCi/L				0.104	0.073	0.2813
TNX 3D	12/14/2015	RADIUM-228	0.0425	pCi/L	U	U		0.251	0.442	0.944
TNX 3D	12/14/2015	NITRATE	0.014	mg/L	J	J	21, Q		0.004	0.02
TNX 3D	12/14/2015	SULFATE	0.68	mg/L					0.05	0.5
TNX 3D	12/14/2015	TOTAL ORGANIC CARBON	3.1	mg/L		U	V		0.35	1
TNX 3D	12/14/2015	GROSS ALPHA	1.27	pCi/L	U	U		1.73	2.47	5.93
TNX 3D	12/14/2015	NONVOLATILE BETA	4.59	pCi/L	J	J	21	3.05	3.99	10.1
TNX 5D	5/11/2015	NITRATE-NITRITE AS NITROGEN	1.39	mg/L					0.085	0.25
TNX 5D	5/11/2015	IRON	262	ug/L					10	100
TNX 5D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 5D	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 5D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 5D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 5D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 5D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 5D	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 5D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 5D	5/11/2015	GROSS ALPHA	2.15	pCi/L	J	J	21	2	2.14	6.15
TNX 5D	5/11/2015	NONVOLATILE BETA	3.18	pCi/L	U	U		2.65	3.78	9.07
TNX 5D	5/11/2015	RADIUM-226	1.81	pCi/L				0.568	0.572	1.71
TNX 5D	5/11/2015	RADIUM-228	0.585	pCi/L	J	J	21	0.345	0.511	1.2
TNX 5D	12/14/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.0047	0.05
TNX 5D	12/14/2015	IRON	248	ug/L	J	J	21, V		10	100
TNX 5D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 5D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 5D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 5D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 5D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 5D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 5D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 5D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 5D	12/14/2015	RADIUM-226	0.797	pCi/L				0.146	0.111	0.403
TNX 5D	12/14/2015	RADIUM-228	0.542	pCi/L	J	J	21	0.244	0.353	0.841
TNX 5D	12/14/2015	GROSS ALPHA	1.18	pCi/L	U	U		1.6	2.28	5.49
TNX 5D	12/14/2015	NONVOLATILE BETA	0.815	pCi/L	U	U		2.37	3.95	8.7
TNX 8D	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.446	mg/L					0.017	0.05
TNX 8D	5/11/2015	IRON	556	ug/L					10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 8D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 8D	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 8D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 8D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 8D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 8D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 8D	5/11/2015	TRICHLOROETHYLENE (TCE)	0.8	ug/L	J	J	21		0.3	1
TNX 8D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 8D	5/11/2015	GROSS ALPHA	0.147	pCi/L	U	U		0.912	2.19	4.01
TNX 8D	5/11/2015	NONVOLATILE BETA	3.29	pCi/L	U	U		2.65	3.74	9.04
TNX 8D	5/11/2015	RADIUM-226	0.113	pCi/L	U	U		0.249	0.458	0.956
TNX 8D	5/11/2015	RADIUM-228	0.483	pCi/L	U	U		0.413	0.674	1.5
TNX 8D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.6	mg/L					0.0047	0.05
TNX 8D	12/14/2015	IRON	1780	ug/L		J	V, 9		10	100
TNX 8D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 8D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 8D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 8D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 8D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 8D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 8D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L			S		0.25	1
TNX 8D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 8D	12/14/2015	RADIUM-226	0.0808	pCi/L	U	U		0.071	0.109	0.2506
TNX 8D	12/14/2015	RADIUM-228	0.177	pCi/L	U	U		0.218	0.361	0.797
TNX 8D	12/14/2015	GROSS ALPHA	0.412	pCi/L	U	U		1.19	2.32	4.7
TNX 8D	12/14/2015	NONVOLATILE BETA	2.03	pCi/L	U	U		2.6	3.94	9.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 8D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.57	mg/L					0.0047	0.05
TNX 8D	12/14/2015	IRON	3530	ug/L		J	V, 9		10	100
TNX 8D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 8D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 8D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 8D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 8D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 8D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 8D	12/14/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
TNX 8D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 8D	12/14/2015	RADIUM-226	0.0856	pCi/L	U	U		0.07	0.105	0.2448
TNX 8D	12/14/2015	RADIUM-228	0.16	pCi/L	U	U		0.215	0.358	0.788
TNX 8D	12/14/2015	GROSS ALPHA	2	pCi/L	U	U		1.99	2.35	6.33
TNX 8D	12/14/2015	NONVOLATILE BETA	1.48	pCi/L	U	U		2.52	3.99	9.02
TNX 9D	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
TNX 9D	5/11/2015	IRON	1250	ug/L					10	100
TNX 9D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 9D	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 9D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 9D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 9D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 9D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 9D	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 9D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 9D	5/11/2015	GROSS ALPHA	2.97	pCi/L	J	J	21	2.32	2.16	6.81
TNX 9D	5/11/2015	NONVOLATILE BETA	4.82	pCi/L	J	J	21	2.94	3.8	9.68

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 9D	5/11/2015	RADIUM-226	0.84	pCi/L	J	J	21	0.372	0.452	1.2
TNX 9D	5/11/2015	RADIUM-228	0.751	pCi/L	J	J	21	0.31	0.398	1.02
TNX 9D	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.0048	mg/L	J	J	21		0.0047	0.05
TNX 9D	12/14/2015	IRON	1230	ug/L			V		10	100
TNX 9D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 9D	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 9D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 9D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 9D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 9D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 9D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 9D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 9D	12/14/2015	RADIUM-226	0.201	pCi/L	J	J	21	0.079	0.086	0.2443
TNX 9D	12/14/2015	RADIUM-228	0.569	pCi/L	J	J	21	0.214	0.296	0.724
TNX 9D	12/14/2015	GROSS ALPHA	2.34	pCi/L	J	J	21	2.09	2.29	6.47
TNX 9D	12/14/2015	NONVOLATILE BETA	2.15	pCi/L	U	U		2.64	3.98	9.26
TNX 11D	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.0978	mg/L					0.017	0.05
TNX 11D	5/11/2015	IRON	772	ug/L					10	100
TNX 11D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 11D	5/11/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 11D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 11D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 11D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 11D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 11D	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 11D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 11D	5/11/2015	GROSS ALPHA	0.935	pCi/L	U	U		1.43	2.12	4.98
TNX 11D	5/11/2015	NONVOLATILE BETA	4.2	pCi/L	J	J	21	2.81	3.75	9.37
TNX 11D	5/11/2015	RADIUM-226	1.18	pCi/L				0.393	0.386	1.17
TNX 11D	5/11/2015	RADIUM-228	0.402	pCi/L	U	U		0.428	0.714	1.57
TNX 11D	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.071	mg/L		J	11		0.0047	0.05
TNX 11D	12/16/2015	IRON	1370	ug/L					10	100
TNX 11D	12/16/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 11D	12/16/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 11D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 11D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 11D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 11D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 11D	12/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 11D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 11D	12/16/2015	RADIUM-226	0.12	pCi/L	U	U		0.114	0.179	0.407
TNX 11D	12/16/2015	RADIUM-228	0.334	pCi/L	U	U		0.219	0.337	0.775
TNX 11D	12/16/2015	GROSS ALPHA	-0.362	pCi/L	U	U		0.426	2.25	3.1
TNX 11D	12/16/2015	NONVOLATILE BETA	1.37	pCi/L	U	U		2.46	3.91	8.83
TNX 12D	5/11/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
TNX 12D	5/11/2015	IRON	4610	ug/L					10	100
TNX 12D	5/11/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 12D	5/11/2015	MERCURY	0.0605	ug/L	J	J	21		0.02	0.2
TNX 12D	5/11/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 12D	5/11/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 12D	5/11/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 12D	5/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 12D	5/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 12D	5/11/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 12D	5/11/2015	GROSS ALPHA	1.35	pCi/L	U	U		1.66	2.15	5.46
TNX 12D	5/11/2015	NONVOLATILE BETA	4.9	pCi/L	J	J	21	2.93	3.76	9.63
TNX 12D	5/11/2015	RADIUM-226	0.956	pCi/L	J	J	21	0.382	0.441	1.21
TNX 12D	5/11/2015	RADIUM-228	-0.139	pCi/L	U	U		0.373	0.71	1.46
TNX 12D	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.014	mg/L	J	J	21, 11		0.0047	0.05
TNX 12D	12/16/2015	IRON	4250	ug/L					10	100
TNX 12D	12/16/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 12D	12/16/2015	MERCURY	0.157	ug/L	J	J	21		0.02	0.2
TNX 12D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 12D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 12D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 12D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 12D	12/16/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 12D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 12D	12/16/2015	RADIUM-226	1.13	pCi/L				0.136	0.071	0.3431
TNX 12D	12/16/2015	RADIUM-228	0.202	pCi/L	U	U		0.223	0.366	0.812
TNX 12D	12/16/2015	GROSS ALPHA	3.11	pCi/L	J	J	21	2.36	2.29	7.01
TNX 12D	12/16/2015	NONVOLATILE BETA	4.69	pCi/L	J	J	21	3.06	4	10.1
TNX 13D	5/13/2015	NITRATE-NITRITE AS NITROGEN	0.235	mg/L					0.017	0.05
TNX 13D	5/13/2015	IRON	547	ug/L					10	100
TNX 13D	5/13/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 13D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 13D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 13D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 13D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 13D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 13D	5/13/2015	TRICHLOROETHYLENE (TCE)	0.54	ug/L	J	J	21		0.3	1
TNX 13D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 13D	5/13/2015	GROSS ALPHA	0.968	pCi/L	U	U		1.48	2.19	5.14
TNX 13D	5/13/2015	NONVOLATILE BETA	1.33	pCi/L	U	U		2.27	3.76	8.31
TNX 13D	5/13/2015	RADIUM-226	0.166	pCi/L	U	U		0.23	0.399	0.859
TNX 13D	5/13/2015	RADIUM-228	-0.072	pCi/L	U	U		0.297	0.584	1.18
TNX 13D	12/15/2015	NITRATE-NITRITE AS NITROGEN	0.92	mg/L					0.0047	0.05
TNX 13D	12/15/2015	IRON	316	ug/L					10	100
TNX 13D	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 13D	12/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 13D	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 13D	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 13D	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 13D	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 13D	12/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 13D	12/15/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 13D	12/15/2015	RADIUM-226	0.0262	pCi/L	U	U		0.047	0.082	0.1771
TNX 13D	12/15/2015	RADIUM-228	0.0912	pCi/L	U	UJ	2	0.169	0.288	0.626
TNX 13D	12/15/2015	GROSS ALPHA	0.402	pCi/L	U	U		1.16	2.26	4.59
TNX 13D	12/15/2015	NONVOLATILE BETA	2.26	pCi/L	U	U		2.63	3.93	9.2
TNX 15D	5/13/2015	NITRATE-NITRITE AS NITROGEN	2.03	mg/L					0.085	0.25
TNX 15D	5/13/2015	IRON	21.3	ug/L	J	J	21		10	100
TNX 15D	5/13/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 15D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 15D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 15D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	TRICHLOROETHYLENE (TCE)	4.61	ug/L					0.3	1
TNX 15D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 15D	5/13/2015	GROSS ALPHA	0.962	pCi/L	U	U		1.47	2.18	5.11
TNX 15D	5/13/2015	NONVOLATILE BETA	2.05	pCi/L	U	U		2.42	3.76	8.6
TNX 15D	5/13/2015	RADIUM-226	0.154	pCi/L	U	U		0.236	0.414	0.886
TNX 15D	5/13/2015	RADIUM-228	0.501	pCi/L	U	U		0.338	0.52	1.2
TNX 15D	5/13/2015	NITRATE-NITRITE AS NITROGEN	2.09	mg/L					0.085	0.25
TNX 15D	5/13/2015	IRON	26.3	ug/L	J	J	21		10	100
TNX 15D	5/13/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 15D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 15D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 15D	5/13/2015	TRICHLOROETHYLENE (TCE)	4.68	ug/L					0.3	1
TNX 15D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 15D	5/13/2015	GROSS ALPHA	-0.262	pCi/L	U	U		0.4	2.19	2.99
TNX 15D	5/13/2015	NONVOLATILE BETA	1.39	pCi/L	U	U		2.27	3.73	8.28
TNX 15D	5/13/2015	RADIUM-226	0.136	pCi/L	U	U		0.243	0.438	0.924
TNX 15D	5/13/2015	RADIUM-228	0.271	pCi/L	U	U		0.325	0.548	1.2
TNX 15D	12/15/2015	NITRATE-NITRITE AS NITROGEN	2.4	mg/L					0.0094	0.1
TNX 15D	12/15/2015	IRON	87.4	ug/L	J	J	21		10	100
TNX 15D	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 15D	12/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 15D	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 15D	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 15D	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 15D	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 15D	12/15/2015	TRICHLOROETHYLENE (TCE)	0.8	ug/L	J	J	21		0.25	1
TNX 15D	12/15/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 15D	12/15/2015	RADIUM-226	0.0367	pCi/L	U	U		0.1	0.181	0.381
TNX 15D	12/15/2015	RADIUM-228	-0.1	pCi/L	U	U		0.173	0.333	0.679
TNX 15D	12/15/2015	GROSS ALPHA	0.411	pCi/L	U	U		1.19	2.31	4.68
TNX 15D	12/15/2015	NONVOLATILE BETA	0.861	pCi/L	U	U		2.37	3.94	8.69
TNX 16D	5/20/2015	NITRATE-NITRITE AS NITROGEN	1.83	mg/L					0.085	0.25
TNX 16D	5/20/2015	IRON	162	ug/L					10	100
TNX 16D	5/20/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 16D	5/20/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 16D	5/20/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 16D	5/20/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 16D	5/20/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 16D	5/20/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 16D	5/20/2015	TRICHLOROETHYLENE (TCE)	4.24	ug/L					0.3	1
TNX 16D	5/20/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
TNX 16D	5/20/2015	GROSS ALPHA	0.151	pCi/L	U	U		0.929	2.23	4.09
TNX 16D	5/20/2015	NONVOLATILE BETA	1.37	pCi/L	U	U		2.28	3.75	8.3
TNX 16D	5/20/2015	RADIUM-226	0.498	pCi/L	J	J	21	0.33	0.473	1.13
TNX 16D	5/20/2015	RADIUM-228	0.384	pCi/L	U	U		0.302	0.473	1.08
TNX 20D	5/13/2015	NITRATE-NITRITE AS NITROGEN	1.17	mg/L					0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 20D	5/13/2015	IRON	38.4	ug/L	J	J	21		10	100
TNX 20D	5/13/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 20D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 20D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 20D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 20D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 20D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 20D	5/13/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 20D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 20D	5/13/2015	GROSS ALPHA	0.95	pCi/L	U	U		1.45	2.15	5.04
TNX 20D	5/13/2015	NONVOLATILE BETA	1.09	pCi/L	U	U		2.22	3.75	8.19
TNX 20D	5/13/2015	RADIUM-226	0.788	pCi/L	U	U	21, V	0.433	0.578	1.44
TNX 20D	5/13/2015	RADIUM-228	0.5	pCi/L	J	J	21	0.314	0.47	1.1
TNX 20D	12/15/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.0047	0.05
TNX 20D	12/15/2015	IRON	34.5	ug/L	J	J	21		10	100
TNX 20D	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 20D	12/15/2015	MERCURY	0.0219	ug/L	J	J	21		0.02	0.2
TNX 20D	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 20D	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 20D	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 20D	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 20D	12/15/2015	TRICHLOROETHYLENE (TCE)	1.1	ug/L					0.25	1
TNX 20D	12/15/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 20D	12/15/2015	RADIUM-226	0.0225	pCi/L	U	U		0.047	0.082	0.1753
TNX 20D	12/15/2015	RADIUM-228	0.204	pCi/L	U	UJ	2	0.171	0.273	0.615
TNX 20D	12/15/2015	GROSS ALPHA	0.0203	pCi/L	U	U		0.91	2.35	4.17

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 20D	12/15/2015	NONVOLATILE BETA	1.12	pCi/L	U	U		2.42	3.94	8.79
TNX 22D	5/13/2015	NITRATE-NITRITE AS NITROGEN	0.0299	mg/L	J	J	21		0.017	0.05
TNX 22D	5/13/2015	IRON	94.8	ug/L	J	J	21		10	100
TNX 22D	5/13/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 22D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 22D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 22D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 22D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 22D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 22D	5/13/2015	TRICHLOROETHYLENE (TCE)	0.54	ug/L	J	J	21		0.3	1
TNX 22D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 22D	5/13/2015	GROSS ALPHA	0.552	pCi/L	U	U		1.21	2.17	4.59
TNX 22D	5/13/2015	NONVOLATILE BETA	1.83	pCi/L	U	U		2.37	3.75	8.49
TNX 22D	5/13/2015	RADIUM-226	0.541	pCi/L	U	U	21, V	0.307	0.416	1.03
TNX 22D	5/13/2015	RADIUM-228	-0.0539	pCi/L	U	U		0.279	0.546	1.1
TNX 22D	12/15/2015	NITRATE-NITRITE AS NITROGEN	0.013	mg/L	J	J	21		0.0047	0.05
TNX 22D	12/15/2015	IRON	72.7	ug/L	J	J	21		10	100
TNX 22D	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 22D	12/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 22D	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 22D	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 22D	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 22D	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 22D	12/15/2015	TRICHLOROETHYLENE (TCE)	0.31	ug/L	J	J	21		0.25	1
TNX 22D	12/15/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 22D	12/15/2015	RADIUM-226	0.111	pCi/L	J	J	21	0.06	0.079	0.1981

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 22D	12/15/2015	RADIUM-228	0.087	pCi/L	U	UJ	2	0.175	0.299	0.649
TNX 22D	12/15/2015	GROSS ALPHA	0.0203	pCi/L	U	U		0.916	2.36	4.2
TNX 22D	12/15/2015	NONVOLATILE BETA	1.83	pCi/L	U	U		2.56	3.94	9.06
TNX 24D	5/14/2015	NITRATE-NITRITE AS NITROGEN	0.774	mg/L					0.017	0.05
TNX 24D	5/14/2015	IRON	33.3	ug/L	J	J	21		10	100
TNX 24D	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 24D	5/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 24D	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 24D	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 24D	5/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 24D	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 24D	5/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 24D	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 24D	5/14/2015	GROSS ALPHA	-0.26	pCi/L	U	U		0.395	2.17	2.96
TNX 24D	5/14/2015	NONVOLATILE BETA	3.07	pCi/L	U	U		2.6	3.73	8.93
TNX 24D	5/14/2015	RADIUM-226	0.734	pCi/L	U	U	21, V	0.391	0.516	1.3
TNX 24D	5/14/2015	RADIUM-228	0.389	pCi/L	U	U		0.324	0.518	1.17
TNX 24D	12/15/2015	NITRATE-NITRITE AS NITROGEN	0.47	mg/L					0.0047	0.05
TNX 24D	12/15/2015	IRON	98.8	ug/L	J	J	21		10	100
TNX 24D	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 24D	12/15/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 24D	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 24D	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 24D	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 24D	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 24D	12/15/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 24D	12/15/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 24D	12/15/2015	RADIUM-226	0.167	pCi/L	J	J	21	0.068	0.076	0.2109
TNX 24D	12/15/2015	RADIUM-228	0.139	pCi/L	U	U		0.254	0.43	0.938
TNX 24D	12/15/2015	GROSS ALPHA	0.803	pCi/L	U	U		1.43	2.32	5.17
TNX 24D	12/15/2015	NONVOLATILE BETA	1.54	pCi/L	U	U		2.51	3.95	8.97
TNX 27D	5/14/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TNX 27D	5/14/2015	CARBON DIOXIDE	53	mg/L					0.36	5
TNX 27D	5/14/2015	ETHANE	0.0037	ug/L	J		21		0.002	0.1
TNX 27D	5/14/2015	ETHYLENE	0.0047	ug/L	J		21		0.003	0.1
TNX 27D	5/14/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TNX 27D	5/14/2015	METHANE	360	ug/L					0.042	0.5
TNX 27D	5/14/2015	NITROGEN	19	mg/L					0.16	2
TNX 27D	5/14/2015	OXYGEN	7.5	mg/L					0.048	0.5
TNX 27D	5/14/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TNX 27D	5/14/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
TNX 27D	5/14/2015	NITRATE-NITRITE AS NITROGEN	1.98	mg/L					0.085	0.25
TNX 27D	5/14/2015	IRON	552	ug/L					10	100
TNX 27D	5/14/2015	URANIUM	0.087	ug/L	J	J	21		0.067	0.2
TNX 27D	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 27D	5/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 27D	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 27D	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 27D	5/14/2015	CIS-1,2-DICHLOROETHYLENE	1.37	ug/L					0.3	1
TNX 27D	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 27D	5/14/2015	TRICHLOROETHYLENE (TCE)	0.85	ug/L	J	J	21		0.3	1
TNX 27D	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 27D	5/14/2015	NITRATE	1.76	mg/L					0.033	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 27D	5/14/2015	SULFATE	5.23	mg/L					0.133	0.4
TNX 27D	5/14/2015	TOTAL ORGANIC CARBON	0.29	mg/L	J		21		0.035	1
TNX 27D	5/14/2015	GROSS ALPHA	0.143	pCi/L	U	U		0.895	2.15	3.94
TNX 27D	5/14/2015	NONVOLATILE BETA	4.72	pCi/L	J	J	21	2.89	3.73	9.52
TNX 27D	5/14/2015	RADIUM-226	0.697	pCi/L	U	U	21, V	0.36	0.47	1.19
TNX 27D	5/14/2015	RADIUM-228	0.36	pCi/L	U	U		0.422	0.712	1.56
TNX 27D	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TNX 27D	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TNX 27D	12/14/2015	CARBON DIOXIDE	60	mg/L					0.26	5
TNX 27D	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TNX 27D	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TNX 27D	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TNX 27D	12/14/2015	METHANE	2.7	ug/L					0.033	0.5
TNX 27D	12/14/2015	NITROGEN	22	mg/L					0.2	2
TNX 27D	12/14/2015	OXYGEN	8.9	mg/L					0.097	0.5
TNX 27D	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TNX 27D	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TNX 27D	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
TNX 27D	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TNX 27D	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TNX 27D	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TNX 27D	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TNX 27D	12/14/2015	NITRATE-NITRITE AS NITROGEN	1.7	mg/L					0.0094	0.1
TNX 27D	12/14/2015	IRON	1360	ug/L			V		10	100
TNX 27D	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 27D	12/14/2015	MERCURY	0.0304	ug/L	J	J	21		0.02	0.2
TNX 27D	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 27D	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 27D	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 27D	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 27D	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TNX 27D	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 27D	12/14/2015	RADIUM-226	0.0951	pCi/L	J	J	21	0.046	0.056	0.1479
TNX 27D	12/14/2015	RADIUM-228	0.308	pCi/L	U	U		0.212	0.328	0.752
TNX 27D	12/14/2015	NITRATE	1.6	mg/L		J	Q		0.04	0.2
TNX 27D	12/14/2015	SULFATE	4.9	mg/L					0.05	0.5
TNX 27D	12/14/2015	TOTAL ORGANIC CARBON	0.48	mg/L	J	U	21, V		0.35	1
TNX 27D	12/14/2015	GROSS ALPHA	1.57	pCi/L	U	U		1.79	2.3	5.88
TNX 27D	12/14/2015	NONVOLATILE BETA	2.43	pCi/L	U	U		2.68	3.97	9.33
TNX 28D	5/13/2015	NITRATE-NITRITE AS NITROGEN	1.66	mg/L					0.085	0.25
TNX 28D	5/13/2015	IRON	19.8	ug/L	J	J	21		10	100
TNX 28D	5/13/2015	URANIUM	3.61	ug/L	J	J	21		0.5	5
TNX 28D	5/13/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 28D	5/13/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 28D	5/13/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 28D	5/13/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 28D	5/13/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 28D	5/13/2015	TRICHLOROETHYLENE (TCE)	3.12	ug/L					0.3	1
TNX 28D	5/13/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 28D	5/13/2015	GROSS ALPHA	3.38	pCi/L	J	J	21	2.46	2.16	7.07
TNX 28D	5/13/2015	NONVOLATILE BETA	1.44	pCi/L	U	U		2.32	3.81	8.46
TNX 28D	5/13/2015	RADIUM-226	0.572	pCi/L	U	U	21, V	0.325	0.44	1.09
TNX 28D	5/13/2015	RADIUM-228	0.0172	pCi/L	U	U		0.246	0.473	0.965

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 28D	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.77	mg/L					0.0047	0.05
TNX 28D	12/16/2015	IRON	687	ug/L					10	100
TNX 28D	12/16/2015	URANIUM	13.4	ug/L					0.5	5
TNX 28D	12/16/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 28D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 28D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 28D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	0.21	ug/L	J	J	21		0.09	1
TNX 28D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 28D	12/16/2015	TRICHLOROETHYLENE (TCE)	2.6	ug/L					0.25	1
TNX 28D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 28D	12/16/2015	RADIUM-226	0.186	pCi/L	J	J	21	0.124	0.181	0.429
TNX 28D	12/16/2015	RADIUM-228	0.145	pCi/L	U	U		0.209	0.349	0.767
TNX 28D	12/16/2015	GROSS ALPHA	9.2	pCi/L	J	J	21	3.85	2.27	9.97
TNX 28D	12/16/2015	NONVOLATILE BETA	9.48	pCi/L	J	J	21	3.77	4.14	11.7
TNX 30D	5/18/2015	NITRATE-NITRITE AS NITROGEN	2.48	mg/L					0.085	0.25
TNX 30D	5/18/2015	IRON	292	ug/L					10	100
TNX 30D	5/18/2015	URANIUM	11.8	ug/L					0.5	5
TNX 30D	5/18/2015	MERCURY	0.0844	ug/L	J	J	21		0.02	0.2
TNX 30D	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 30D	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 30D	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 30D	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 30D	5/18/2015	TRICHLOROETHYLENE (TCE)	4.43	ug/L					0.3	1
TNX 30D	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 30D	5/18/2015	GROSS ALPHA	6.25	pCi/L	J	J	21	3.28	2.18	8.73
TNX 30D	5/18/2015	NONVOLATILE BETA	4.89	pCi/L	J	J	21	2.98	3.88	9.84

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 30D	5/18/2015	RADIUM-226	0.478	pCi/L	U	U		0.331	0.482	1.14
TNX 30D	5/18/2015	RADIUM-228	0.127	pCi/L	U	U		0.222	0.394	0.838
TNX 30D	12/16/2015	NITRATE-NITRITE AS NITROGEN	3.1	mg/L					0.019	0.2
TNX 30D	12/16/2015	IRON	493	ug/L					10	100
TNX 30D	12/16/2015	URANIUM	19.9	ug/L					0.5	5
TNX 30D	12/16/2015	MERCURY	0.0711	ug/L	J	J	21		0.02	0.2
TNX 30D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 30D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 30D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 30D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 30D	12/16/2015	TRICHLOROETHYLENE (TCE)	5.3	ug/L					0.25	1
TNX 30D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 30D	12/16/2015	RADIUM-226	0.206	pCi/L	J	J	21, 10	0.114	0.15	0.378
TNX 30D	12/16/2015	RADIUM-228	0.127	pCi/L	U	U		0.202	0.341	0.745
TNX 30D	12/16/2015	GROSS ALPHA	13.1	pCi/L				4.64	2.35	11.6
TNX 30D	12/16/2015	NONVOLATILE BETA	10.5	pCi/L	J	J	21	3.93	4.24	12.1
TNX 35D	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.589	mg/L					0.017	0.05
TNX 35D	5/18/2015	IRON	2070	ug/L					10	100
TNX 35D	5/18/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 35D	5/18/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 35D	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 35D	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 35D	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 35D	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 35D	5/18/2015	TRICHLOROETHYLENE (TCE)	1.32	ug/L					0.3	1
TNX 35D	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 35D	5/18/2015	GROSS ALPHA	0.992	pCi/L	U	U		1.51	2.25	5.28
TNX 35D	5/18/2015	NONVOLATILE BETA	3.26	pCi/L	U	U		2.66	3.77	9.08
TNX 35D	5/18/2015	RADIUM-226	0.519	pCi/L	J	J	21	0.305	0.42	1.03
TNX 35D	5/18/2015	RADIUM-228	0.273	pCi/L	U	U		0.336	0.569	1.24
TNX 35D	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.62	mg/L		J	11		0.0047	0.05
TNX 35D	12/16/2015	IRON	1880	ug/L					10	100
TNX 35D	12/16/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 35D	12/16/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 35D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 35D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 35D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 35D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 35D	12/16/2015	TRICHLOROETHYLENE (TCE)	0.52	ug/L	J	J	21		0.25	1
TNX 35D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 35D	12/16/2015	RADIUM-226	0.187	pCi/L	U	U		0.147	0.224	0.518
TNX 35D	12/16/2015	RADIUM-228	0.171	pCi/L	U	U		0.21	0.348	0.768
TNX 35D	12/16/2015	GROSS ALPHA	1.24	pCi/L	U	U		1.69	2.4	5.78
TNX 35D	12/16/2015	NONVOLATILE BETA	-0.596	pCi/L	U	U		2.09	3.98	8.15
TNX 37D	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.696	mg/L					0.017	0.05
TNX 37D	5/18/2015	IRON	481	ug/L					10	100
TNX 37D	5/18/2015	URANIUM	10.1	ug/L					0.5	5
TNX 37D	5/18/2015	MERCURY	0.0272	ug/L	J	J	21		0.02	0.2
TNX 37D	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 37D	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 37D	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 37D	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 37D	5/18/2015	TRICHLOROETHYLENE (TCE)	2.95	ug/L					0.3	1
TNX 37D	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 37D	5/18/2015	GROSS ALPHA	9.53	pCi/L	J	J	21	4.02	2.18	10.2
TNX 37D	5/18/2015	NONVOLATILE BETA	5.68	pCi/L	J	J	21	3.13	3.96	10.2
TNX 37D	5/18/2015	RADIUM-226	0.304	pCi/L	U	U		0.263	0.41	0.936
TNX 37D	5/18/2015	RADIUM-228	0.593	pCi/L	J	J	21	0.318	0.44	1.08
TNX 37D	12/16/2015	NITRATE-NITRITE AS NITROGEN	0.47	mg/L		J	11		0.0047	0.05
TNX 37D	12/16/2015	IRON	500	ug/L					10	100
TNX 37D	12/16/2015	URANIUM	7.65	ug/L					0.5	5
TNX 37D	12/16/2015	MERCURY	0.042	ug/L	J	J	21		0.02	0.2
TNX 37D	12/16/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TNX 37D	12/16/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TNX 37D	12/16/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TNX 37D	12/16/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TNX 37D	12/16/2015	TRICHLOROETHYLENE (TCE)	2.1	ug/L					0.25	1
TNX 37D	12/16/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TNX 37D	12/16/2015	RADIUM-226	0.00239	pCi/L	U	U		0.108	0.213	0.429
TNX 37D	12/16/2015	RADIUM-228	0.231	pCi/L	U	U		0.248	0.405	0.901
TNX 37D	12/16/2015	GROSS ALPHA	3.96	pCi/L	J	J	21	2.65	2.33	7.64
TNX 37D	12/16/2015	NONVOLATILE BETA	4.65	pCi/L	J	J	21	3.07	4.03	10.2
TNX 72D	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.584	mg/L					0.017	0.05
TNX 72D	5/18/2015	IRON	20200	ug/L					10	100
TNX 72D	5/18/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 72D	5/18/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 72D	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 72D	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX 72D	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 72D	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 72D	5/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 72D	5/18/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
TNX 72D	5/18/2015	GROSS ALPHA	0.148	pCi/L	U	U		0.908	2.18	3.99
TNX 72D	5/18/2015	NONVOLATILE BETA	0.41	pCi/L	U	U		2.06	3.74	7.86
TNX 72D	5/18/2015	RADIUM-226	0.398	pCi/L	U	U		0.29	0.429	1.01
TNX 72M	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.439	mg/L					0.017	0.05
TNX 72M	5/18/2015	IRON	13200	ug/L					10	100
TNX 72M	5/18/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX 72M	5/18/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX 72M	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX 72M	5/18/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX 72M	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX 72M	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX 72M	5/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX 72M	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX 72M	5/18/2015	GROSS ALPHA	0.981	pCi/L	U	U		1.49	2.21	5.2
TNX 72M	5/18/2015	NONVOLATILE BETA	0.126	pCi/L	U	U		2.01	3.77	7.78
TNX 72M	5/18/2015	RADIUM-226	0.741	pCi/L	J	J	21	0.362	0.461	1.19
TNX 72M	5/18/2015	RADIUM-228	0.31	pCi/L	U	U		0.318	0.527	1.16
TNX073D	5/18/2015	NITRATE-NITRITE AS NITROGEN	0.218	mg/L					0.017	0.05
TNX073D	5/18/2015	IRON	496	ug/L					10	100
TNX073D	5/18/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX073D	5/18/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX073D	5/18/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX073D	5/18/2015	CHLOROETHENE (VINYL	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
		CHLORIDE)								
TNX073D	5/18/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX073D	5/18/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX073D	5/18/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX073D	5/18/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TNX073D	5/18/2015	GROSS ALPHA	0.997	pCi/L	U	U		1.52	2.26	5.31
TNX073D	5/18/2015	NONVOLATILE BETA	3.5	pCi/L	U	U		2.7	3.77	9.17
TNX073D	5/18/2015	RADIUM-226	0.548	pCi/L	J	J	21	0.322	0.443	1.09
TNX073D	5/18/2015	RADIUM-228	0.285	pCi/L	U	U		0.291	0.479	1.06
TNX074D	5/19/2015	NITRATE-NITRITE AS NITROGEN	0.0272	mg/L	J	J	21		0.017	0.05
TNX074D	5/19/2015	IRON	2820	ug/L					10	100
TNX074D	5/19/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX074D	5/19/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TNX074D	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX074D	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX074D	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX074D	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX074D	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX074D	5/19/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
TNX074D	5/19/2015	GROSS ALPHA	0.586	pCi/L	U	U		1.29	2.3	4.88
TNX074D	5/19/2015	NONVOLATILE BETA	2.32	pCi/L	U	U		2.48	3.77	8.73
TNX074D	5/19/2015	RADIUM-226	0.753	pCi/L	J	J	21	0.334	0.406	1.07
TNX074D	5/19/2015	RADIUM-228	-0.288	pCi/L	U	U		0.404	0.791	1.6
TNX075D	5/19/2015	NITRATE-NITRITE AS NITROGEN	0.123	mg/L					0.017	0.05
TNX075D	5/19/2015	IRON	317	ug/L					10	100
TNX075D	5/19/2015	URANIUM	5	ug/L	U	U			0.5	5
TNX075D	5/19/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TNX075D	5/19/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TNX075D	5/19/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TNX075D	5/19/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TNX075D	5/19/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TNX075D	5/19/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TNX075D	5/19/2015	1,4-DIOXANE	3	ug/L	U	UJ	14		0.85	3
TNX075D	5/19/2015	GROSS ALPHA	1.01	pCi/L	U	U		1.54	2.29	5.37
TNX075D	5/19/2015	NONVOLATILE BETA	3.98	pCi/L	J	J	21	2.79	3.78	9.35
TNX075D	5/19/2015	RADIUM-226	1.22	pCi/L	J	J	21	0.428	0.396	1.25
TNX075D	5/19/2015	RADIUM-228	0.244	pCi/L	U	U		0.293	0.494	1.08
MPTW 2	9/8/2015	TRITIUM	0.00598	pCi/mL	U			0.311	0.531	1.15
TR92 5B	9/10/2015	TRITIUM	0.00372	pCi/mL	U			0.262	0.456	0.98
TR92 1C	9/9/2015	TRITIUM	-0.00183	pCi/mL	U			0.274	0.475	1.02
GSTW 2	9/2/2015	TRITIUM	-0.00676	pCi/mL	U			0.249	0.434	0.933
TR92 6D	9/8/2015	TRITIUM	-0.00742	pCi/mL	U			0.308	0.527	1.14
TR92 1M	9/9/2015	TRITIUM	-0.0164	pCi/mL	U			0.271	0.473	1.02
MHTW 5	9/1/2015	TRITIUM	-0.0218	pCi/mL	U			0.257	0.45	0.963
TR92 1D	9/9/2015	TRITIUM	-0.0472	pCi/mL	U			0.268	0.471	1.01
TR92 4B	9/2/2015	TRITIUM	-0.0491	pCi/mL	U			0.247	0.434	0.928
TR92 1K	9/9/2015	TRITIUM	-0.0548	pCi/mL	U			0.27	0.474	1.01
TR92 1L	9/9/2015	TRITIUM	-0.0797	pCi/mL	U			0.266	0.47	1
MHTW 3	9/1/2015	TRITIUM	-0.08	pCi/mL	U			0.252	0.449	0.954
MPTW 4	9/3/2015	TRITIUM	-0.086	pCi/mL	U			0.243	0.433	0.919
TR92 1G	9/9/2015	TRITIUM	-0.0891	pCi/mL	U			0.266	0.472	1
TR92 3B	9/10/2015	TRITIUM	-0.105	pCi/mL	U			0.253	0.453	0.958
BLTW 1	9/2/2015	TRITIUM	-0.108	pCi/mL	U			0.253	0.452	0.958
TR92 5C	9/10/2015	TRITIUM	-0.139	pCi/mL	U			0.251	0.453	0.954

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TR92 5A	9/10/2015	TRITIUM	-0.14	pCi/mL	U			0.252	0.457	0.962
GSTW 1	9/2/2015	TRITIUM	-0.144	pCi/mL	U			0.24	0.434	0.915
MPTW 7	9/3/2015	TRITIUM	-0.158	pCi/mL	U			0.24	0.436	0.917
MPTW 5	9/3/2015	TRITIUM	-0.195	pCi/mL	U			0.236	0.434	0.907
TR92 1B	9/9/2015	TRITIUM	-0.253	pCi/mL	U			0.255	0.473	0.984
TR92 2B	9/9/2015	TRITIUM	-0.271	pCi/mL	U			0.253	0.472	0.978
MPTW 1	9/3/2015	TRITIUM	-0.292	pCi/mL	U			0.23	0.435	0.895
TRW 1	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TRW 1	5/12/2015	CARBON DIOXIDE	46	mg/L					0.36	5
TRW 1	5/12/2015	ETHANE	0.0041	ug/L	J		21		0.002	0.1
TRW 1	5/12/2015	ETHYLENE	0.0066	ug/L	J		21		0.003	0.1
TRW 1	5/12/2015	ISOBUTANE	0.055	ug/L	J		21		0.006	0.2
TRW 1	5/12/2015	METHANE	49	ug/L					0.042	0.5
TRW 1	5/12/2015	NITROGEN	22	mg/L					0.16	2
TRW 1	5/12/2015	OXYGEN	9.3	mg/L					0.048	0.5
TRW 1	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TRW 1	5/12/2015	PROPYLENE	0.02	ug/L	J		21		0.01	0.1
TRW 1	5/12/2015	NITRATE-NITRITE AS NITROGEN	3.66	mg/L					0.085	0.25
TRW 1	5/12/2015	IRON	35.1	ug/L	J	J	21		10	100
TRW 1	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 1	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TRW 1	5/12/2015	MERCURY	0.0384	ug/L	J	J	21		0.02	0.2
TRW 1	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	TRICHLOROETHYLENE (TCE)	0.46	ug/L	J	J	21		0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 1	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TRW 1	5/12/2015	NITRATE	3.43	mg/L					0.033	0.1
TRW 1	5/12/2015	SULFATE	2.93	mg/L					0.133	0.4
TRW 1	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
TRW 1	5/12/2015	GROSS ALPHA	0.951	pCi/L	U	U		1.45	2.15	5.05
TRW 1	5/12/2015	NONVOLATILE BETA	2.05	pCi/L	U	U		2.42	3.75	8.59
TRW 1	5/12/2015	RADIUM-226	0.309	pCi/L	U	U		0.25	0.383	0.883
TRW 1	5/12/2015	RADIUM-228	0.0115	pCi/L	U	U		0.366	0.669	1.4
TRW 1	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TRW 1	5/12/2015	CARBON DIOXIDE	48	mg/L					0.36	5
TRW 1	5/12/2015	ETHANE	0.0034	ug/L	J		21		0.002	0.1
TRW 1	5/12/2015	ETHYLENE	0.0046	ug/L	J		21		0.003	0.1
TRW 1	5/12/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TRW 1	5/12/2015	METHANE	47	ug/L					0.042	0.5
TRW 1	5/12/2015	NITROGEN	23	mg/L					0.16	2
TRW 1	5/12/2015	OXYGEN	9.9	mg/L					0.048	0.5
TRW 1	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TRW 1	5/12/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
TRW 1	5/12/2015	NITRATE-NITRITE AS NITROGEN	3.64	mg/L					0.085	0.25
TRW 1	5/12/2015	IRON	10.6	ug/L	J	J	21		10	100
TRW 1	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TRW 1	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 1	5/12/2015	MERCURY	0.0396	ug/L	J	J	21		0.02	0.2
TRW 1	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TRW 1	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 1	5/12/2015	TRICHLOROETHYLENE (TCE)	0.38	ug/L	J	J	21		0.3	1
TRW 1	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TRW 1	5/12/2015	NITRATE	3.42	mg/L					0.033	0.1
TRW 1	5/12/2015	SULFATE	2.9	mg/L					0.133	0.4
TRW 1	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
TRW 1	5/12/2015	GROSS ALPHA	-0.257	pCi/L	U	U		0.391	2.14	2.93
TRW 1	5/12/2015	NONVOLATILE BETA	2.59	pCi/L	U	U		2.51	3.72	8.74
TRW 1	5/12/2015	RADIUM-226	0.347	pCi/L	J	J	21	0.236	0.333	0.805
TRW 1	5/12/2015	RADIUM-228	0.384	pCi/L	U	U		0.388	0.643	1.42
TRW 1	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TRW 1	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TRW 1	12/14/2015	CARBON DIOXIDE	42	mg/L					0.26	5
TRW 1	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TRW 1	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TRW 1	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TRW 1	12/14/2015	METHANE	93	ug/L					0.033	0.5
TRW 1	12/14/2015	NITROGEN	23	mg/L					0.2	2
TRW 1	12/14/2015	OXYGEN	9.9	mg/L					0.097	0.5
TRW 1	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TRW 1	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TRW 1	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
TRW 1	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TRW 1	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TRW 1	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TRW 1	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TRW 1	12/14/2015	NITRATE-NITRITE AS NITROGEN	4.1	mg/L					0.047	0.5
TRW 1	12/14/2015	IRON	256	ug/L	J	J	21, V		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 1	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 1	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TRW 1	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TRW 1	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TRW 1	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TRW 1	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TRW 1	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L			S		0.25	1
TRW 1	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TRW 1	12/14/2015	RADIUM-226	0.133	pCi/L	J	J	21	0.081	0.12	0.2814
TRW 1	12/14/2015	RADIUM-228	0.357	pCi/L	U	U		0.289	0.458	1.036
TRW 1	12/14/2015	NITRATE	3.8	mg/L		J	Q		0.08	0.4
TRW 1	12/14/2015	SULFATE	2.4	mg/L					0.05	0.5
TRW 1	12/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
TRW 1	12/14/2015	GROSS ALPHA	0.0201	pCi/L	U	U		0.894	2.31	4.1
TRW 1	12/14/2015	NONVOLATILE BETA	0.649	pCi/L	U	U		2.33	3.93	8.59
TRW 2	5/12/2015	BUTANE	0.02	ug/L	J		21		0.008	0.2
TRW 2	5/12/2015	CARBON DIOXIDE	61	mg/L					0.36	5
TRW 2	5/12/2015	ETHANE	0.1	ug/L	U				0.002	0.1
TRW 2	5/12/2015	ETHYLENE	0.1	ug/L	U				0.003	0.1
TRW 2	5/12/2015	ISOBUTANE	0.03	ug/L	J		21		0.006	0.2
TRW 2	5/12/2015	METHANE	2500	ug/L					0.042	0.5
TRW 2	5/12/2015	NITROGEN	18	mg/L					0.16	2
TRW 2	5/12/2015	OXYGEN	5.2	mg/L					0.048	0.5
TRW 2	5/12/2015	PROPANE	0.0038	ug/L	J		21		0.002	0.1
TRW 2	5/12/2015	PROPYLENE	0.017	ug/L	J		21		0.01	0.1
TRW 2	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.16	mg/L					0.017	0.05
TRW 2	5/12/2015	IRON	46.1	ug/L	J	J	21		10	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 2	5/12/2015	URANIUM	0.068	ug/L	J	J	21		0.067	0.2
TRW 2	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 2	5/12/2015	MERCURY	0.237	ug/L					0.02	0.2
TRW 2	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TRW 2	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TRW 2	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1.4	ug/L					0.3	1
TRW 2	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TRW 2	5/12/2015	TRICHLOROETHYLENE (TCE)	1.4	ug/L					0.3	1
TRW 2	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TRW 2	5/12/2015	NITRATE	0.167	mg/L					0.033	0.1
TRW 2	5/12/2015	SULFATE	4.21	mg/L					0.133	0.4
TRW 2	5/12/2015	TOTAL ORGANIC CARBON	0.21	mg/L	J		21		0.035	1
TRW 2	5/12/2015	GROSS ALPHA	1.73	pCi/L	U	U		1.82	2.12	5.75
TRW 2	5/12/2015	NONVOLATILE BETA	-0.872	pCi/L	U	U		1.76	3.77	7.28
TRW 2	5/12/2015	RADIUM-226	8.95	pCi/L				0.939	0.397	2.28
TRW 2	5/12/2015	RADIUM-228	0.704	pCi/L	J	J	21	0.418	0.636	1.47
TRW 2	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TRW 2	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TRW 2	12/14/2015	CARBON DIOXIDE	94	mg/L					0.26	5
TRW 2	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TRW 2	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TRW 2	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TRW 2	12/14/2015	METHANE	4000	ug/L					0.033	0.5
TRW 2	12/14/2015	NITROGEN	22	mg/L					0.2	2
TRW 2	12/14/2015	OXYGEN	5.4	mg/L					0.097	0.5
TRW 2	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TRW 2	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 2	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
TRW 2	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TRW 2	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TRW 2	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TRW 2	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TRW 2	12/14/2015	NITRATE-NITRITE AS NITROGEN	3.3	mg/L					0.047	0.5
TRW 2	12/14/2015	IRON	156	ug/L	J	J	21, V		10	100
TRW 2	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 2	12/14/2015	MERCURY	1.26	ug/L					0.02	0.2
TRW 2	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TRW 2	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TRW 2	12/14/2015	CIS-1,2-DICHLOROETHYLENE	23	ug/L					0.09	1
TRW 2	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TRW 2	12/14/2015	TRICHLOROETHYLENE (TCE)	28	ug/L					0.25	1
TRW 2	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TRW 2	12/14/2015	RADIUM-226	0.776	pCi/L				0.118	0.09	0.326
TRW 2	12/14/2015	RADIUM-228	1.11	pCi/L				0.318	0.416	1.052
TRW 2	12/14/2015	NITRATE	2.7	mg/L		J	Q		0.08	0.4
TRW 2	12/14/2015	SULFATE	5.8	mg/L					0.05	0.5
TRW 2	12/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
TRW 2	12/14/2015	GROSS ALPHA	5.17	pCi/L	J	J	21	3	2.34	8.34
TRW 2	12/14/2015	NONVOLATILE BETA	1.29	pCi/L	U	U		2.52	4.06	9.1
TRW 3	5/14/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TRW 3	5/14/2015	CARBON DIOXIDE	51	mg/L					0.36	5
TRW 3	5/14/2015	ETHANE	0.0021	ug/L	J		21		0.002	0.1
TRW 3	5/14/2015	ETHYLENE	0.005	ug/L	J		21		0.003	0.1
TRW 3	5/14/2015	ISOBUTANE	0.095	ug/L	J		21		0.006	0.2

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 3	5/14/2015	METHANE	43	ug/L					0.042	0.5
TRW 3	5/14/2015	NITROGEN	17	mg/L					0.16	2
TRW 3	5/14/2015	OXYGEN	5.1	mg/L					0.048	0.5
TRW 3	5/14/2015	PROPANE	0.0021	ug/L	J		21		0.002	0.1
TRW 3	5/14/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
TRW 3	5/14/2015	NITRATE-NITRITE AS NITROGEN	2.31	mg/L					0.085	0.25
TRW 3	5/14/2015	IRON	100	ug/L	U	U			10	100
TRW 3	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 3	5/14/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TRW 3	5/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TRW 3	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TRW 3	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TRW 3	5/14/2015	CIS-1,2-DICHLOROETHYLENE	0.96	ug/L	J	J	21		0.3	1
TRW 3	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TRW 3	5/14/2015	TRICHLOROETHYLENE (TCE)	18.7	ug/L					0.3	1
TRW 3	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TRW 3	5/14/2015	NITRATE	2.07	mg/L					0.033	0.1
TRW 3	5/14/2015	SULFATE	3.54	mg/L					0.133	0.4
TRW 3	5/14/2015	TOTAL ORGANIC CARBON	1.7	mg/L					0.035	1
TRW 3	5/14/2015	GROSS ALPHA	1.72	pCi/L	U	U		1.81	2.1	5.72
TRW 3	5/14/2015	NONVOLATILE BETA	0.0864	pCi/L	U	U		2	3.76	7.76
TRW 3	5/14/2015	RADIUM-226	0.838	pCi/L	U	U	21, V	0.363	0.416	1.14
TRW 3	5/14/2015	RADIUM-228	0.315	pCi/L	U	U		0.322	0.53	1.17
TRW 3	12/15/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TRW 3	12/15/2015	BUTANE	0.23	ug/L					0.005	0.2
TRW 3	12/15/2015	CARBON DIOXIDE	120	mg/L					0.26	5
TRW 3	12/15/2015	ETHANE	1.6	ug/L					0.004	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 3	12/15/2015	ETHYLENE	1.2	ug/L					0.005	0.1
TRW 3	12/15/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TRW 3	12/15/2015	METHANE	1700	ug/L					0.033	0.5
TRW 3	12/15/2015	NITROGEN	20	mg/L					0.2	2
TRW 3	12/15/2015	OXYGEN	2.7	mg/L					0.097	0.5
TRW 3	12/15/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TRW 3	12/15/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TRW 3	12/15/2015	ACETIC ACID	190	mg/L					0.89	5
TRW 3	12/15/2015	BUTYRIC ACID	38	mg/L					1.4	5
TRW 3	12/15/2015	LACTIC ACID	10	mg/L	U				2.4	10
TRW 3	12/15/2015	PROPIONIC ACID	120	mg/L					0.73	5
TRW 3	12/15/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TRW 3	12/15/2015	NITRATE-NITRITE AS NITROGEN	0.035	mg/L	J	J	21		0.0047	0.05
TRW 3	12/15/2015	IRON	44200	ug/L					10	100
TRW 3	12/15/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 3	12/15/2015	MERCURY	0.0324	ug/L	J	J	21		0.02	0.2
TRW 3	12/15/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TRW 3	12/15/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TRW 3	12/15/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TRW 3	12/15/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TRW 3	12/15/2015	TRICHLOROETHYLENE (TCE)	0.34	ug/L	J	J	21, 14		0.25	1
TRW 3	12/15/2015	1,4-DIOXANE	25	ug/L	U	U			6.2	25
TRW 3	12/15/2015	RADIUM-226	0.157	pCi/L	U	U		0.117	0.168	0.402
TRW 3	12/15/2015	RADIUM-228	0.167	pCi/L	U	UJ	2	0.46	0.799	1.719
TRW 3	12/15/2015	NITRATE	0.0067	mg/L	J	J	21		0.004	0.02
TRW 3	12/15/2015	SULFATE	0.22	mg/L	J	J	21		0.05	0.5
TRW 3	12/15/2015	TOTAL ORGANIC CARBON	530	mg/L			V		35	100

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 3	12/15/2015	GROSS ALPHA	3.3	pCi/L	U	U		3.76	4.84	12.4
TRW 3	12/15/2015	NONVOLATILE BETA	19	pCi/L	J	J	21	7.46	7.98	22.9
TRW 4R	5/14/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TRW 4R	5/14/2015	CARBON DIOXIDE	42	mg/L					0.36	5
TRW 4R	5/14/2015	ETHANE	0.1	ug/L	U				0.002	0.1
TRW 4R	5/14/2015	ETHYLENE	0.009	ug/L	J		21		0.003	0.1
TRW 4R	5/14/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TRW 4R	5/14/2015	METHANE	5300	ug/L					0.042	0.5
TRW 4R	5/14/2015	NITROGEN	17	mg/L					0.16	2
TRW 4R	5/14/2015	OXYGEN	2	mg/L					0.048	0.5
TRW 4R	5/14/2015	PROPANE	0.004	ug/L	J		21		0.002	0.1
TRW 4R	5/14/2015	PROPYLENE	0.1	ug/L	U				0.01	0.1
TRW 4R	5/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
TRW 4R	5/14/2015	IRON	7720	ug/L					10	100
TRW 4R	5/14/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TRW 4R	5/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 4R	5/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TRW 4R	5/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TRW 4R	5/14/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TRW 4R	5/14/2015	CIS-1,2-DICHLOROETHYLENE	2.99	ug/L					0.3	1
TRW 4R	5/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TRW 4R	5/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TRW 4R	5/14/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TRW 4R	5/14/2015	NITRATE	0.1	mg/L	U	U			0.033	0.1
TRW 4R	5/14/2015	SULFATE	7.14	mg/L					0.133	0.4
TRW 4R	5/14/2015	TOTAL ORGANIC CARBON	0.061	mg/L	J		21		0.035	1
TRW 4R	5/14/2015	GROSS ALPHA	1.34	pCi/L	U	U		1.64	2.14	5.42

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 4R	5/14/2015	NONVOLATILE BETA	3.94	pCi/L	J	J	21	2.77	3.76	9.3
TRW 4R	5/14/2015	RADIUM-226	1.29	pCi/L	J	J	21, V	0.508	0.58	1.6
TRW 4R	5/14/2015	RADIUM-228	0.302	pCi/L	U	U		0.262	0.417	0.941
TRW 4R	12/22/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TRW 4R	12/22/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TRW 4R	12/22/2015	CARBON DIOXIDE	150	mg/L					0.26	5
TRW 4R	12/22/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TRW 4R	12/22/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TRW 4R	12/22/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TRW 4R	12/22/2015	METHANE	18000	ug/L					0.033	0.5
TRW 4R	12/22/2015	NITROGEN	11	mg/L					0.2	2
TRW 4R	12/22/2015	OXYGEN	2.6	mg/L					0.097	0.5
TRW 4R	12/22/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TRW 4R	12/22/2015	PROPYLENE	0.1	ug/L	J				0.008	0.1
TRW 4R	12/22/2015	ACETIC ACID	32	mg/L					0.89	5
TRW 4R	12/22/2015	BUTYRIC ACID	9.6	mg/L					1.4	5
TRW 4R	12/22/2015	LACTIC ACID	10	mg/L	U				2.4	10
TRW 4R	12/22/2015	PROPIONIC ACID	47	mg/L					0.73	5
TRW 4R	12/22/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TRW 4R	12/22/2015	NITRATE-NITRITE AS NITROGEN	0.0061	mg/L	J	J	21, 11		0.0047	0.05
TRW 4R	12/22/2015	IRON	23300	ug/L					10	100
TRW 4R	12/22/2015	URANIUM	5	ug/L	U	U			0.5	5
TRW 4R	12/22/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TRW 4R	12/22/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TRW 4R	12/22/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TRW 4R	12/22/2015	CIS-1,2-DICHLOROETHYLENE	6.3	ug/L					0.09	1
TRW 4R	12/22/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TRW 4R	12/22/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TRW 4R	12/22/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TRW 4R	12/22/2015	RADIUM-226	0.513	pCi/L	J	J	21, 10	0.29	0.384	0.964
TRW 4R	12/22/2015	RADIUM-228	1.09	pCi/L	U	UJ	2	0.962	1.54	3.464
TRW 4R	12/22/2015	NITRATE	0.017	mg/L	J	J	21		0.004	0.02
TRW 4R	12/22/2015	SULFATE	0.2	mg/L	J	J	21		0.05	0.5
TRW 4R	12/22/2015	TOTAL ORGANIC CARBON	86	mg/L			V		3.5	10
TRW 4R	12/22/2015	GROSS ALPHA	2.06	pCi/L	U	U		2.05	2.42	6.52
TRW 4R	12/22/2015	NONVOLATILE BETA	1.24	pCi/L	U	U		2.48	4	8.95
TVM 1M	5/12/2015	BUTANE	0.015	ug/L	J		21		0.008	0.2
TVM 1M	5/12/2015	CARBON DIOXIDE	39	mg/L					0.36	5
TVM 1M	5/12/2015	ETHANE	0.0087	ug/L	J		21		0.002	0.1
TVM 1M	5/12/2015	ETHYLENE	0.0095	ug/L	J		21		0.003	0.1
TVM 1M	5/12/2015	ISOBUTANE	0.029	ug/L	J		21		0.006	0.2
TVM 1M	5/12/2015	METHANE	50	ug/L					0.042	0.5
TVM 1M	5/12/2015	NITROGEN	22	mg/L					0.16	2
TVM 1M	5/12/2015	OXYGEN	9.6	mg/L					0.048	0.5
TVM 1M	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TVM 1M	5/12/2015	PROPYLENE	0.012	ug/L	J		21		0.01	0.1
TVM 1M	5/12/2015	NITRATE-NITRITE AS NITROGEN	1.89	mg/L					0.085	0.25
TVM 1M	5/12/2015	IRON	88.5	ug/L	J	J	21		10	100
TVM 1M	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TVM 1M	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 1M	5/12/2015	MERCURY	0.0345	ug/L	J	J	21		0.02	0.2
TVM 1M	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TVM 1M	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TVM 1M	5/12/2015	CIS-1,2-DICHLOROETHYLENE	4.11	ug/L					0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 1M	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TVM 1M	5/12/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.3	1
TVM 1M	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TVM 1M	5/12/2015	NITRATE	1.72	mg/L					0.033	0.1
TVM 1M	5/12/2015	SULFATE	2.13	mg/L					0.133	0.4
TVM 1M	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
TVM 1M	5/12/2015	GROSS ALPHA	1.34	pCi/L	U	U		1.64	2.12	5.39
TVM 1M	5/12/2015	NONVOLATILE BETA	0.586	pCi/L	U	U		2.11	3.76	7.98
TVM 1M	5/12/2015	RADIUM-226	0.806	pCi/L	J	J	21	0.335	0.394	1.06
TVM 1M	5/12/2015	RADIUM-228	0.404	pCi/L	U	U		0.355	0.574	1.28
TVM 1M	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TVM 1M	12/14/2015	BUTANE	0.95	ug/L					0.005	0.2
TVM 1M	12/14/2015	CARBON DIOXIDE	89	mg/L					0.26	5
TVM 1M	12/14/2015	ETHANE	0.93	ug/L					0.004	0.1
TVM 1M	12/14/2015	ETHYLENE	0.43	ug/L					0.005	0.1
TVM 1M	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TVM 1M	12/14/2015	METHANE	5100	ug/L					0.033	0.5
TVM 1M	12/14/2015	NITROGEN	22	mg/L					0.2	2
TVM 1M	12/14/2015	OXYGEN	6	mg/L					0.097	0.5
TVM 1M	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TVM 1M	12/14/2015	PROPYLENE	0.13	ug/L					0.008	0.1
TVM 1M	12/14/2015	ACETIC ACID	240	mg/L					0.89	5
TVM 1M	12/14/2015	BUTYRIC ACID	30	mg/L					1.4	5
TVM 1M	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TVM 1M	12/14/2015	PROPIONIC ACID	170	mg/L					0.73	5
TVM 1M	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TVM 1M	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.022	mg/L	J	J	21		0.0047	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 1M	12/14/2015	IRON	126000	ug/L			V		10	100
TVM 1M	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 1M	12/14/2015	MERCURY	0.837	ug/L					0.02	0.2
TVM 1M	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TVM 1M	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	0.63	ug/L	J	J	21		0.08	2
TVM 1M	12/14/2015	CIS-1,2-DICHLOROETHYLENE	35	ug/L					0.09	1
TVM 1M	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TVM 1M	12/14/2015	TRICHLOROETHYLENE (TCE)	12	ug/L					0.25	1
TVM 1M	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TVM 1M	12/14/2015	RADIUM-226	1.36	pCi/L				0.239	0.205	0.683
TVM 1M	12/14/2015	RADIUM-228	0.814	pCi/L	U	U		0.562	0.877	2.001
TVM 1M	12/14/2015	NITRATE	0.013	mg/L	J	J	21, Q		0.004	0.02
TVM 1M	12/14/2015	SULFATE	2.9	mg/L					0.05	0.5
TVM 1M	12/14/2015	TOTAL ORGANIC CARBON	290	mg/L		U	V		35	100
TVM 1M	12/14/2015	GROSS ALPHA	4.69	pCi/L	J	J	21	3.33	3.07	9.72
TVM 1M	12/14/2015	NONVOLATILE BETA	4.74	pCi/L	J	J	21	3.15	4.15	10.5
TVM 2M	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TVM 2M	5/12/2015	CARBON DIOXIDE	93	mg/L					0.36	5
TVM 2M	5/12/2015	ETHANE	0.1	ug/L	U				0.002	0.1
TVM 2M	5/12/2015	ETHYLENE	0.12	ug/L					0.003	0.1
TVM 2M	5/12/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TVM 2M	5/12/2015	METHANE	19000	ug/L					0.042	0.5
TVM 2M	5/12/2015	NITROGEN	11	mg/L					0.16	2
TVM 2M	5/12/2015	OXYGEN	2.3	mg/L					0.048	0.5
TVM 2M	5/12/2015	PROPANE	0.012	ug/L	J		21		0.002	0.1
TVM 2M	5/12/2015	PROPYLENE	0.018	ug/L	J		21		0.01	0.1
TVM 2M	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.25	mg/L	U	U			0.085	0.25

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 2M	5/12/2015	IRON	50600	ug/L					10	100
TVM 2M	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TVM 2M	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 2M	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVM 2M	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TVM 2M	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TVM 2M	5/12/2015	CIS-1,2-DICHLOROETHYLENE	0.64	ug/L	J	J	21		0.3	1
TVM 2M	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TVM 2M	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TVM 2M	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TVM 2M	5/12/2015	NITRATE	0.0396	mg/L	J	J	21		0.033	0.1
TVM 2M	5/12/2015	SULFATE	0.178	mg/L	J	J	21		0.133	0.4
TVM 2M	5/12/2015	TOTAL ORGANIC CARBON	1.1	mg/L					0.035	1
TVM 2M	5/12/2015	GROSS ALPHA	0.155	pCi/L	U	U		0.971	2.33	4.28
TVM 2M	5/12/2015	NONVOLATILE BETA	4.28	pCi/L	J	J	21	2.83	3.76	9.43
TVM 2M	5/12/2015	RADIUM-226	0.625	pCi/L	J	J	21	0.306	0.375	0.987
TVM 2M	5/12/2015	RADIUM-228	0.48	pCi/L	U	U		0.427	0.696	1.55
TVM 2M	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TVM 2M	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TVM 2M	12/14/2015	CARBON DIOXIDE	26	mg/L					0.26	5
TVM 2M	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TVM 2M	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TVM 2M	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TVM 2M	12/14/2015	METHANE	120	ug/L					0.033	0.5
TVM 2M	12/14/2015	NITROGEN	24	mg/L					0.2	2
TVM 2M	12/14/2015	OXYGEN	4.7	mg/L					0.097	0.5
TVM 2M	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 2M	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TVM 2M	12/14/2015	ACETIC ACID	6.1	mg/L					0.89	5
TVM 2M	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TVM 2M	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TVM 2M	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TVM 2M	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TVM 2M	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.0047	0.05
TVM 2M	12/14/2015	IRON	19300	ug/L			V		10	100
TVM 2M	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 2M	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVM 2M	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TVM 2M	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TVM 2M	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TVM 2M	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TVM 2M	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TVM 2M	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TVM 2M	12/14/2015	RADIUM-226	0.188	pCi/L	J	J	21	0.068	0.071	0.2067
TVM 2M	12/14/2015	RADIUM-228	0.124	pCi/L	U	U		0.301	0.517	1.119
TVM 2M	12/14/2015	NITRATE	0.018	mg/L	J	J	21, Q		0.004	0.02
TVM 2M	12/14/2015	SULFATE	0.53	mg/L					0.05	0.5
TVM 2M	12/14/2015	TOTAL ORGANIC CARBON	1.1	mg/L		U	V		0.35	1
TVM 2M	12/14/2015	GROSS ALPHA	0.408	pCi/L	U	U		1.18	2.3	4.66
TVM 2M	12/14/2015	NONVOLATILE BETA	2.74	pCi/L	U	U		2.72	3.94	9.38
TVM 4M	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TVM 4M	5/12/2015	CARBON DIOXIDE	36	mg/L					0.36	5
TVM 4M	5/12/2015	ETHANE	0.006	ug/L	J		21		0.002	0.1
TVM 4M	5/12/2015	ETHYLENE	0.034	ug/L	J		21		0.003	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 4M	5/12/2015	ISOBUTANE	0.024	ug/L	J		21		0.006	0.2
TVM 4M	5/12/2015	METHANE	630	ug/L					0.042	0.5
TVM 4M	5/12/2015	NITROGEN	23	mg/L					0.16	2
TVM 4M	5/12/2015	OXYGEN	4.7	mg/L					0.048	0.5
TVM 4M	5/12/2015	PROPANE	0.1	ug/L	U				0.002	0.1
TVM 4M	5/12/2015	PROPYLENE	0.025	ug/L	J		21		0.01	0.1
TVM 4M	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	U			0.017	0.05
TVM 4M	5/12/2015	IRON	17800	ug/L					10	100
TVM 4M	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 4M	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TVM 4M	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVM 4M	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TVM 4M	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TVM 4M	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TVM 4M	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TVM 4M	5/12/2015	TRICHLOROETHYLENE (TCE)	0.4	ug/L	J	J	21		0.3	1
TVM 4M	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TVM 4M	5/12/2015	NITRATE	0.1	mg/L	U	U			0.033	0.1
TVM 4M	5/12/2015	SULFATE	0.271	mg/L	J	J	21		0.133	0.4
TVM 4M	5/12/2015	TOTAL ORGANIC CARBON	1	mg/L	U				0.035	1
TVM 4M	5/12/2015	GROSS ALPHA	2.99	pCi/L	J	J	21	2.33	2.17	6.83
TVM 4M	5/12/2015	NONVOLATILE BETA	2.42	pCi/L	U	U		2.51	3.8	8.83
TVM 4M	5/12/2015	RADIUM-226	1.32	pCi/L				0.385	0.312	1.08
TVM 4M	5/12/2015	RADIUM-228	0.596	pCi/L	U	U		0.412	0.646	1.47
TVM 4M	12/14/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TVM 4M	12/14/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TVM 4M	12/14/2015	CARBON DIOXIDE	25	mg/L					0.26	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 4M	12/14/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TVM 4M	12/14/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TVM 4M	12/14/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TVM 4M	12/14/2015	METHANE	13	ug/L					0.033	0.5
TVM 4M	12/14/2015	NITROGEN	26	mg/L					0.2	2
TVM 4M	12/14/2015	OXYGEN	4.1	mg/L					0.097	0.5
TVM 4M	12/14/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TVM 4M	12/14/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TVM 4M	12/14/2015	ACETIC ACID	5	mg/L	U				0.89	5
TVM 4M	12/14/2015	BUTYRIC ACID	5	mg/L	U				1.4	5
TVM 4M	12/14/2015	LACTIC ACID	10	mg/L	U				2.4	10
TVM 4M	12/14/2015	PROPIONIC ACID	5	mg/L	U				0.73	5
TVM 4M	12/14/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TVM 4M	12/14/2015	NITRATE-NITRITE AS NITROGEN	0.023	mg/L	J	J	21		0.0047	0.05
TVM 4M	12/14/2015	IRON	17900	ug/L			V		10	100
TVM 4M	12/14/2015	URANIUM	5	ug/L	U	U			0.5	5
TVM 4M	12/14/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVM 4M	12/14/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TVM 4M	12/14/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TVM 4M	12/14/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.09	1
TVM 4M	12/14/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TVM 4M	12/14/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TVM 4M	12/14/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TVM 4M	12/14/2015	RADIUM-226	0.721	pCi/L				0.111	0.063	0.2845
TVM 4M	12/14/2015	RADIUM-228	0.54	pCi/L	J	J	21	0.277	0.412	0.966
TVM 4M	12/14/2015	NITRATE	0.034	mg/L		J	Q		0.004	0.02
TVM 4M	12/14/2015	SULFATE	0.6	mg/L					0.05	0.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVM 4M	12/14/2015	TOTAL ORGANIC CARBON	1	mg/L	U	U			0.35	1
TVM 4M	12/14/2015	GROSS ALPHA	1.96	pCi/L	U	U		1.95	2.29	6.18
TVM 4M	12/14/2015	NONVOLATILE BETA	4.05	pCi/L	J	J	21	2.95	3.97	9.88
TVR 1A	5/12/2015	BUTANE	0.2	ug/L	U				0.008	0.2
TVR 1A	5/12/2015	CARBON DIOXIDE	36	mg/L					0.36	5
TVR 1A	5/12/2015	ETHANE	0.023	ug/L	J		21		0.002	0.1
TVR 1A	5/12/2015	ETHYLENE	0.011	ug/L	J		21		0.003	0.1
TVR 1A	5/12/2015	ISOBUTANE	0.2	ug/L	U				0.006	0.2
TVR 1A	5/12/2015	METHANE	10000	ug/L					0.042	0.5
TVR 1A	5/12/2015	NITROGEN	16	mg/L					0.16	2
TVR 1A	5/12/2015	OXYGEN	2.7	mg/L					0.048	0.5
TVR 1A	5/12/2015	PROPANE	0.01	ug/L	J		21		0.002	0.1
TVR 1A	5/12/2015	PROPYLENE	0.014	ug/L	J		21		0.01	0.1
TVR 1A	5/12/2015	NITRATE-NITRITE AS NITROGEN	0.0187	mg/L	J	J	21		0.017	0.05
TVR 1A	5/12/2015	IRON	13100	ug/L					10	100
TVR 1A	5/12/2015	URANIUM	5	ug/L	U	U			0.5	5
TVR 1A	5/12/2015	URANIUM	0.2	ug/L	U	U			0.067	0.2
TVR 1A	5/12/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVR 1A	5/12/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
TVR 1A	5/12/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
TVR 1A	5/12/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
TVR 1A	5/12/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
TVR 1A	5/12/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
TVR 1A	5/12/2015	1,4-DIOXANE	3	ug/L	U	U			0.85	3
TVR 1A	5/12/2015	NITRATE	0.0766	mg/L	J	J	21		0.033	0.1
TVR 1A	5/12/2015	SULFATE	2.97	mg/L					0.133	0.4
TVR 1A	5/12/2015	TOTAL ORGANIC CARBON	0.044	mg/L	J		21		0.035	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVR 1A	5/12/2015	GROSS ALPHA	-0.259	pCi/L	U	U		0.394	2.16	2.95
TVR 1A	5/12/2015	NONVOLATILE BETA	1.15	pCi/L	U	U		2.22	3.73	8.16
TVR 1A	5/12/2015	RADIUM-226	0.945	pCi/L	J	J	21	0.364	0.413	1.14
TVR 1A	5/12/2015	RADIUM-228	0.495	pCi/L	U	U		0.357	0.549	1.26
TVR 1A	12/17/2015	ACETYLENE	0.5	ug/L	U				0.029	0.5
TVR 1A	12/17/2015	BUTANE	0.2	ug/L	U				0.005	0.2
TVR 1A	12/17/2015	CARBON DIOXIDE	62	mg/L					0.26	5
TVR 1A	12/17/2015	ETHANE	0.1	ug/L	U				0.004	0.1
TVR 1A	12/17/2015	ETHYLENE	0.1	ug/L	U				0.005	0.1
TVR 1A	12/17/2015	ISOBUTANE	0.2	ug/L	U				0.007	0.2
TVR 1A	12/17/2015	METHANE	4200	ug/L					0.033	0.5
TVR 1A	12/17/2015	NITROGEN	24	mg/L					0.2	2
TVR 1A	12/17/2015	OXYGEN	4.3	mg/L					0.097	0.5
TVR 1A	12/17/2015	PROPANE	0.1	ug/L	U				0.013	0.1
TVR 1A	12/17/2015	PROPYLENE	0.1	ug/L	U				0.008	0.1
TVR 1A	12/17/2015	ACETIC ACID	24	mg/L					0.89	5
TVR 1A	12/17/2015	BUTYRIC ACID	15	mg/L					1.4	5
TVR 1A	12/17/2015	LACTIC ACID	10	mg/L	U				2.4	10
TVR 1A	12/17/2015	PROPIONIC ACID	8.2	mg/L					0.73	5
TVR 1A	12/17/2015	PYRUVIC ACID	5	mg/L	U				0.41	5
TVR 1A	12/17/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U	R	11		0.0047	0.05
TVR 1A	12/17/2015	IRON	20200	ug/L					10	100
TVR 1A	12/17/2015	URANIUM	5	ug/L	U	U			0.5	5
TVR 1A	12/17/2015	MERCURY	0.2	ug/L	U	U			0.02	0.2
TVR 1A	12/17/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.13	1
TVR 1A	12/17/2015	CHLOROETHENE (VINYL CHLORIDE)	2	ug/L	U	U			0.08	2
TVR 1A	12/17/2015	CIS-1,2-DICHLOROETHYLENE	0.35	ug/L	J	J	21		0.09	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
TVR 1A	12/17/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.18	1
TVR 1A	12/17/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.25	1
TVR 1A	12/17/2015	1,4-DIOXANE	5	ug/L	U	U			1.2	5
TVR 1A	12/17/2015	RADIUM-226	0.839	pCi/L				0.113	0.069	0.2946
TVR 1A	12/17/2015	RADIUM-228	1.04	pCi/L		J	V	0.301	0.401	1.003
TVR 1A	12/17/2015	SULFATE	5.6	mg/L					0.25	2.5
TVR 1A	12/17/2015	TOTAL ORGANIC CARBON	45	mg/L			V		3.5	10
TVR 1A	12/17/2015	GROSS ALPHA	2.81	pCi/L	J	J	21	2.3	2.36	6.95
TVR 1A	12/17/2015	NONVOLATILE BETA	3.31	pCi/L	U	U		2.85	4.01	9.7
UTR 6	5/6/2015	NITRATE-NITRITE AS NITROGEN	0.139	mg/L					0.017	0.05
UTR 6	5/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
UTR 6	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
UTR 6	5/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	1,4-DIOXANE	50	ug/L	U	U			15	50

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
UTR 6	5/6/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
UTR 6	5/6/2015	ACETONE	5	ug/L	U	U			1.5	5
UTR 6	5/6/2015	BENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
UTR 6	5/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
UTR 6	5/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
UTR 6	5/6/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
UTR 6	5/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
UTR 6	5/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
UTR 6	5/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	O-XYLENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	STYRENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TOLUENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
UTR 6	5/6/2015	GROSS ALPHA	0.927	pCi/L	UJ	UJ	11	1.41	2.1	4.93
UTR 6	5/6/2015	NONVOLATILE BETA	3.24	pCi/L	U	U		2.64	3.74	9.02
UTR 6	5/6/2015	STRONTIUM-90	1.97	pCi/L	U	U		2.18	3.29	7.65
UTR 6	5/6/2015	TRITIUM	2.17	pCi/mL				0.387	0.464	1.24
UTR 6	5/6/2015	IODINE-129	0.468	pCi/L	U	U		0.575	1	2.15
UTR-016	5/6/2015	NITRATE-NITRITE AS NITROGEN	1.29	mg/L					0.017	0.05
UTR-016	5/6/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	ug/L	U	U			2	5
UTR-016	5/6/2015	1,1,2-TRICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,1-DICHLOROETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,1-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,2,3-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,2,4-TRICHLOROBENZENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
UTR-016	5/6/2015	1,2-DIBROMO-3-CHLOROPROPANE	1	ug/L	U	U			0.5	1
UTR-016	5/6/2015	1,2-DIBROMOETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,2-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,2-DICHLOROETHANE (EDC)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,2-DICHLOROPROPANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,3-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,4-DICHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	1,4-DIOXANE	50	ug/L	U	U			15	50
UTR-016	5/6/2015	2-HEXANONE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	ACETONE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	BENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	BROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	BROMODICHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	BROMOFORM (TRIBROMOMETHANE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	BROMOMETHANE (METHYL BROMIDE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CARBON DISULFIDE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	CARBON TETRACHLORIDE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CHLOROBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CHLOROETHANE (ETHYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CHLOROFORM	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CHLOROMETHANE (METHYL CHLORIDE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CIS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CIS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
UTR-016	5/6/2015	CUMENE (ISOPROPYLBENZENE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	CYCLOHEXANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	DIBROMOCHLOROMETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	DICHLORODIFLUOROMETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	ug/L	U	U			1	5
UTR-016	5/6/2015	ETHYLBENZENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	M,P-XYLENE	2	ug/L	U	U			0.3	2
UTR-016	5/6/2015	METHYL ACETATE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	METHYL ETHYL KETONE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	METHYL ISOBUTYL KETONE	5	ug/L	U	U			1.5	5
UTR-016	5/6/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	METHYLCYCLOHEXANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	O-XYLENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	STYRENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	TOLUENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	TRANS-1,3-DICHLOROPROPENE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	TRICHLOROETHYLENE (TCE)	0.53	ug/L	J	J	21		0.3	1
UTR-016	5/6/2015	TRICHLOROFLUOROMETHANE	1	ug/L	U	U			0.3	1
UTR-016	5/6/2015	GROSS ALPHA	2.1	pCi/L	UJ	UJ	11	1.96	2.12	6.05
UTR-016	5/6/2015	NONVOLATILE BETA	17.3	pCi/L				4.55	3.77	12.9
UTR-016	5/6/2015	STRONTIUM-90	8.51	pCi/L	J	J	21	3.19	3.29	9.66
UTR-016	5/6/2015	TRITIUM	6.32	pCi/mL				0.551	0.47	1.57
UTR-016	5/6/2015	IODINE-129	1.41	pCi/L	J	J	21	0.811	0.92	2.54
V-374	3/2/2015	AROCLOR 1016	0.1	ug/L	U				0.0333	0.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
V-374	3/2/2015	AROCLOR 1221	0.1	ug/L	U				0.0333	0.1
V-374	3/2/2015	AROCLOR 1232	0.1	ug/L	U				0.0333	0.1
V-374	3/2/2015	AROCLOR 1242	0.1	ug/L	U				0.0333	0.1
V-374	3/2/2015	AROCLOR 1248	0.1	ug/L	U				0.0333	0.1
V-374	3/2/2015	AROCLOR 1254	1.14	ug/L					0.0333	0.1
V-374	3/2/2015	AROCLOR 1260	0.1	ug/L	U				0.0333	0.1
V-374	3/2/2015	1,1,1-TRICHLOROETHANE	1	ug/L	U				0.3	1
V-374	3/2/2015	1,1,2,2-TETRACHLOROETHANE	1	ug/L	U				0.3	1
V-374	3/2/2015	1,1-DICHLOROETHANE	1	ug/L	U				0.3	1
V-374	3/2/2015	1,1-DICHLOROETHYLENE	0.65	ug/L	J		21		0.3	1
V-374	3/2/2015	1,2-DICHLOROBENZENE	1	ug/L	U				0.3	1
V-374	3/2/2015	CARBON TETRACHLORIDE	1	ug/L	U				0.3	1
V-374	3/2/2015	CHLOROBENZENE	1	ug/L	U				0.3	1
V-374	3/2/2015	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	U				0.3	1
V-374	3/2/2015	CHLOROFORM	1	ug/L	U				0.3	1
V-374	3/2/2015	CIS-1,2-DICHLOROETHYLENE	8.63	ug/L					0.3	1
V-374	3/2/2015	DIBROMOCHLOROMETHANE	1	ug/L	U				0.3	1
V-374	3/2/2015	TETRACHLOROETHYLENE (PCE)	2200	ug/L					7.5	25
V-374	3/2/2015	TOLUENE	1.27	ug/L					0.3	1
V-374	3/2/2015	TRANS-1,2-DICHLOROETHYLENE	1	ug/L	U				0.3	1
V-374	3/2/2015	TRICHLOROETHYLENE (TCE)	1030	ug/L					7.5	25
V-374	6/1/2015	AROCLOR 1016	0.98	ug/L	U				0.34	0.98
V-374	6/1/2015	AROCLOR 1221	0.98	ug/L	U				0.34	0.98
V-374	6/1/2015	AROCLOR 1232	0.98	ug/L	U				0.34	0.98
V-374	6/1/2015	AROCLOR 1242	0.98	ug/L	U				0.34	0.98
V-374	6/1/2015	AROCLOR 1248	0.98	ug/L	U				0.34	0.98

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
V-374	6/1/2015	AROCLOR 1254	0.95	ug/L	J		21		0.16	0.98
V-374	6/1/2015	AROCLOR 1260	0.98	ug/L	U				0.16	0.98
V-374	6/1/2015	1,1,1-TRICHLOROETHANE	25	ug/L	U				1.8	25
V-374	6/1/2015	1,1,2,2-TETRACHLOROETHANE	25	ug/L	U				2.5	25
V-374	6/1/2015	1,1-DICHLOROETHANE	25	ug/L	U				1.8	25
V-374	6/1/2015	1,1-DICHLOROETHYLENE	25	ug/L	U				2	25
V-374	6/1/2015	1,2-DICHLOROBENZENE	25	ug/L	U				1.5	25
V-374	6/1/2015	CARBON TETRACHLORIDE	25	ug/L	U				3.3	25
V-374	6/1/2015	CHLOROBENZENE	25	ug/L	U				3.8	25
V-374	6/1/2015	CHLOROETHENE (VINYL CHLORIDE)	50	ug/L	U				2	50
V-374	6/1/2015	CHLOROFORM	25	ug/L	U				2.5	25
V-374	6/1/2015	CIS-1,2-DICHLOROETHYLENE	15	ug/L	J		21		2.3	25
V-374	6/1/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	25	ug/L	U				6.8	25
V-374	6/1/2015	TETRACHLOROETHYLENE (PCE)	2200	ug/L					45	250
V-374	6/1/2015	TOLUENE	7	ug/L	J		21		1.8	25
V-374	6/1/2015	TRANS-1,2-DICHLOROETHYLENE	25	ug/L	U				2	25
V-374	6/1/2015	TRICHLOROETHYLENE (TCE)	850	ug/L					6.3	25
ZBG 1	2/9/2015	CARBON-14	-2.34	pCi/L	U			6.24	10.8	23.28
ZBG 1	2/9/2015	NITRATE-NITRITE AS NITROGEN	1.8	mg/L			V		0.019	0.2
ZBG 1	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 1	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 1	2/9/2015	TOLUENE	0.81	ug/L	J		21		0.07	1
ZBG 1	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 1	2/9/2015	GROSS ALPHA	0.947	pCi/L	U			0.887	1.39	3.164
ZBG 1	2/9/2015	NONVOLATILE BETA	1.72	pCi/L	J		21	0.638	0.85	2.126
ZBG 1	2/9/2015	RADIUM-226	0.536	pCi/L				0.136	0.129	0.401

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 1	2/9/2015	RADIUM-228	0.248	pCi/L	U			0.204	0.324	0.732
ZBG 1	2/9/2015	ACTINIUM-228	13.8	pCi/L	U			22.9	38.8	84.6
ZBG 1	2/9/2015	ANTIMONY-125	9.6	pCi/L	U			14.7	24.7	54.1
ZBG 1	2/9/2015	BISMUTH-214	55.3	pCi/L	J		21	22.7	26.7	72.1
ZBG 1	2/9/2015	CESIUM-137	3.15	pCi/L	U			6.7	11.6	25
ZBG 1	2/9/2015	COBALT-60	-3.41	pCi/L	U			8.94	15.8	33.68
ZBG 1	2/9/2015	LEAD-212	-2.68	pCi/L	U			21	24.3	66.3
ZBG 1	2/9/2015	LEAD-214	57.4	pCi/L	J		21	19.9	24.7	64.5
ZBG 1	2/9/2015	NIOBIUM-94	-0.313	pCi/L	U			2.08	13.3	17.46
ZBG 1	2/9/2015	POTASSIUM-40	-13	pCi/L	U			115	196	426
ZBG 1	2/9/2015	RUTHENIUM-106	21.4	pCi/L	U			42.2	110	194.4
ZBG 1	2/9/2015	THALLIUM-208	1.36	pCi/L	U			3.6	12.7	19.9
ZBG 1	2/9/2015	TRITIUM	1.76	pCi/mL				0.331	0.379	1.04
ZBG 1	2/9/2015	IODINE-129	-0.159	pCi/L	U			0.368	0.621	1.36
ZBG 1	2/9/2015	STRONTIUM-90	0.258	pCi/L	U			0.2	0.315	0.715
ZBG 1	2/9/2015	NICKEL-59	0	pCi/L	U			1.34	2.26	4.94
ZBG 1	2/9/2015	NICKEL-63	1.38	pCi/L	U			1.91	3.23	7.05
ZBG 1	2/9/2015	PLUTONIUM-241	3.99	pCi/L	U			2.66	4.89	10.21
ZDPT-12	7/20/2015	TECHNETIUM-99	329	pCi/L				7.57	4.16	19.3
ZBG 1	8/5/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L			V		0.0094	0.1
ZBG 1	8/5/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG 1	8/5/2015	GROSS ALPHA	0.985	pCi/L	U			1.03	1.66	3.72
ZBG 1	8/5/2015	NONVOLATILE BETA	0.43	pCi/L	U			0.549	0.89	1.988
ZBG 1	8/5/2015	ACTINIUM-228	11.3	pCi/L	U			30.4	54.2	115
ZBG 1	8/5/2015	BISMUTH-214	75.8	pCi/L				22.2	16.6	61
ZBG 1	8/5/2015	CESIUM-137	0	pCi/L	U			1.47	14.7	17.64
ZBG 1	8/5/2015	COBALT-60	1.04	pCi/L	U			9.57	18.5	37.64

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 1	8/5/2015	LEAD-212	-10.1	pCi/L	U			500	22.9	1022.9
ZBG 1	8/5/2015	LEAD-214	77.1	pCi/L				19.4	18.1	56.9
ZBG 1	8/5/2015	POTASSIUM-40	-9.19	pCi/L	U			120	226	466
ZBG 1	8/5/2015	THALLIUM-208	-1.25	pCi/L	U			12.3	16.6	41.2
ZBG 1	8/5/2015	TRITIUM	1.34	pCi/mL				0.355	0.487	1.2
ZBG 1	8/5/2015	IODINE-129	-0.0178	pCi/L	U			0.462	0.769	1.69
ZBG 1	8/5/2015	STRONTIUM-90	0.0102	pCi/L	U			0.184	0.327	0.695
ZBG 2	2/9/2015	TECHNETIUM-99	238	pCi/L				4.66	2.04	11.36
ZBG 2	2/9/2015	CARBON-14	-5.29	pCi/L	U			6.06	10.7	22.82
ZBG 2	2/9/2015	NITRATE-NITRITE AS NITROGEN	9.9	mg/L			V		0.047	0.5
ZBG 2	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 2	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 2	2/9/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG 2	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 2	2/9/2015	GROSS ALPHA	3.13	pCi/L	J		21	1.39	1.84	4.62
ZBG 2	2/9/2015	NONVOLATILE BETA	158	pCi/L				4.07	1.01	9.15
ZBG 2	2/9/2015	RADIUM-226	0.9	pCi/L				0.163	0.106	0.432
ZBG 2	2/9/2015	RADIUM-228	0.285	pCi/L	U			0.222	0.352	0.796
ZBG 2	2/9/2015	ACTINIUM-228	8.02	pCi/L	U			12.3	45.1	69.7
ZBG 2	2/9/2015	ANTIMONY-125	1.45	pCi/L	U			12.8	41.8	67.4
ZBG 2	2/9/2015	BISMUTH-214	303	pCi/L				38	29.5	105.5
ZBG 2	2/9/2015	CESIUM-137	0.0168	pCi/L	U			6.73	12.4	25.86
ZBG 2	2/9/2015	COBALT-60	0	pCi/L	U			2.07	5.38	9.52
ZBG 2	2/9/2015	LEAD-212	-1.64	pCi/L	U			19.7	24.8	64.2
ZBG 2	2/9/2015	LEAD-214	327	pCi/L				32.1	25.3	89.5
ZBG 2	2/9/2015	NIOBIUM-94	2.44	pCi/L	U			2.55	9.37	14.47
ZBG 2	2/9/2015	POTASSIUM-40	-43.1	pCi/L	U			255	200	710

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 2	2/9/2015	RUTHENIUM-106	18.3	pCi/L	U			46.2	81.5	173.9
ZBG 2	2/9/2015	THALLIUM-208	-0.82	pCi/L	U			1.85	12	15.7
ZBG 2	2/9/2015	TRITIUM	2.42	pCi/mL				0.366	0.38	1.11
ZBG 2	2/9/2015	IODINE-129	-0.0392	pCi/L	U			0.392	0.671	1.46
ZBG 2	2/9/2015	STRONTIUM-90	0.0122	pCi/L	U			0.171	0.305	0.647
ZBG 2	2/9/2015	NICKEL-59	0	pCi/L	U			1.41	2.28	5.1
ZBG 2	2/9/2015	NICKEL-63	2.11	pCi/L	U			1.97	3.27	7.21
ZBG 2	2/9/2015	PLUTONIUM-241	-0.414	pCi/L	U			2.25	3.9	8.4
ZBG002D	8/10/2015	TECHNETIUM-99	230	pCi/L				5.14	2.6	12.88
ZBG 3	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.88	mg/L			V		0.0047	0.05
ZBG 3	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 3	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 3	2/9/2015	TOLUENE	0.17	ug/L	J		21		0.07	1
ZBG 3	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 3	2/9/2015	RADIUM-226	0.235	pCi/L	J		21	0.117	0.16	0.394
ZBG 3	2/9/2015	RADIUM-228	0.111	pCi/L	U			0.22	0.374	0.814
ZBG 3	2/9/2015	GROSS ALPHA	0.426	pCi/L	U			1.12	2.26	4.51
ZBG 3	2/9/2015	NONVOLATILE BETA	-0.541	pCi/L	U			2.19	4.19	8.57
ZBG 3	2/9/2015	TRITIUM	1.86	pCi/mL				0.349	0.412	1.11
ZBG 3	2/9/2015	ACTINIUM-228	3.4	pCi/L	U			19.1	37.1	75.2
ZBG 3	2/9/2015	BISMUTH-214	35.4	pCi/L	J		21	20.7	25.2	66.6
ZBG 3	2/9/2015	CESIUM-137	-1.89	pCi/L	U			5.16	8.96	19.3
ZBG 3	2/9/2015	COBALT-60	0.711	pCi/L	U			4.68	8.99	18.4
ZBG 3	2/9/2015	IODINE-129	0.314	pCi/L	U			0.467	0.702	1.64
ZBG 3	2/9/2015	LEAD-212	-9.32	pCi/L	U			10.8	17.6	39.3
ZBG 3	2/9/2015	LEAD-214	34.3	pCi/L	J		21	17.8	26.2	61.8
ZBG 3	2/9/2015	POTASSIUM-40	-64.5	pCi/L	U			75	161	311

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 3	2/9/2015	THALLIUM-208	-1.01	pCi/L	U			5.65	10.3	21.7
ZBG002D	7/9/2015	TECHNETIUM-99	118	pCi/L				5	4.42	14.4
ZBG 3	8/4/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L					0.0047	0.05
ZBG 3	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG 3	8/4/2015	GROSS ALPHA	0.0242	pCi/L	U			0.849	2.28	3.98
ZBG 3	8/4/2015	NONVOLATILE BETA	1.03	pCi/L	U			2.43	4.12	8.98
ZDPT-05	7/21/2015	TECHNETIUM-99	77.8	pCi/L				4.21	4.04	12.5
ZBG 3	8/4/2015	TRITIUM	2.16	pCi/mL				0.382	0.451	1.21
ZBG 3	8/4/2015	ACTINIUM-228	-3.2	pCi/L	U			20.3	36.2	76.8
ZBG 3	8/4/2015	BISMUTH-214	41.4	pCi/L	J		21	20.9	19.4	61.1
ZBG 3	8/4/2015	CESIUM-137	-1.62	pCi/L	U			4.98	8.66	18.6
ZBG 3	8/4/2015	COBALT-60	3.15	pCi/L	U			4.67	9.5	18.8
ZBG 3	8/4/2015	IODINE-129	0.254	pCi/L	UJ		V	0.465	0.789	1.72
ZBG 3	8/4/2015	LEAD-212	1.7	pCi/L	U			11.1	19	41.2
ZBG 3	8/4/2015	LEAD-214	42.4	pCi/L	J		21	21.4	20.3	63.1
ZBG 3	8/4/2015	POTASSIUM-40	-45.8	pCi/L	U			80.9	173	334
ZBG 3	8/4/2015	THALLIUM-208	-2.29	pCi/L	U			5.84	10.4	22.1
ZBG 4	2/9/2015	NITRATE-NITRITE AS NITROGEN	1.1	mg/L			V		0.0094	0.1
ZBG 4	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 4	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 4	2/9/2015	TOLUENE	1.1	ug/L					0.07	1
ZBG 4	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 4	2/9/2015	RADIUM-226	0.201	pCi/L	J		21	0.102	0.136	0.34
ZBG 4	2/9/2015	RADIUM-228	0.225	pCi/L	U			0.239	0.391	0.869
ZBG 4	2/9/2015	GROSS ALPHA	-0.36	pCi/L	U			0.246	2.3	2.79
ZBG 4	2/9/2015	NONVOLATILE BETA	3.71	pCi/L	U			2.92	4.08	9.92
ZBG 4	2/9/2015	TRITIUM	1.92	pCi/mL				0.341	0.381	1.06

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 4	2/9/2015	ACTINIUM-228	2.55	pCi/L	U			23	43.6	89.7
ZBG 4	2/9/2015	BISMUTH-214	17.3	pCi/L	U			16.1	26.7	59
ZBG 4	2/9/2015	CESIUM-137	4.67	pCi/L	U			6.36	12.1	24.8
ZBG 4	2/9/2015	COBALT-60	-0.0513	pCi/L	U			6.24	11.5	23.9
ZBG 4	2/9/2015	IODINE-129	0.271	pCi/L	U			0.385	0.674	1.44
ZBG 4	2/9/2015	LEAD-212	-2.41	pCi/L	U			11.8	20	43.6
ZBG 4	2/9/2015	LEAD-214	10	pCi/L	U			14.5	25.7	54.7
ZBG 4	2/9/2015	POTASSIUM-40	-123	pCi/L	U			87.1	183	357
ZBG 4	2/9/2015	THALLIUM-208	-2.02	pCi/L	U			6.93	12.3	26.2
ZDPT-04	7/21/2015	TECHNETIUM-99	58.2	pCi/L				3.84	4.05	11.7
ZDPT-06	7/20/2015	TECHNETIUM-99	27.5	pCi/L				3.21	4.14	10.6
ZBG 4	8/4/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.0094	0.1
ZBG 4	8/4/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG 4	8/4/2015	GROSS ALPHA	-0.37	pCi/L	U			0.347	2.3	2.99
ZBG 4	8/4/2015	NONVOLATILE BETA	4.93	pCi/L	J		21	3.08	4.06	10.2
ZDPT-14	7/23/2015	TECHNETIUM-99	19	pCi/L				3.75	5.38	12.9
ZBG 4	8/4/2015	TRITIUM	1.88	pCi/mL				0.37	0.455	1.2
ZBG 4	8/4/2015	ACTINIUM-228	1.13	pCi/L	U			21.7	39.1	82.5
ZBG 4	8/4/2015	BISMUTH-214	50	pCi/L	J		21	20.6	16.5	57.8
ZBG 4	8/4/2015	CESIUM-137	4.76	pCi/L	U			5.19	10	20.4
ZBG 4	8/4/2015	COBALT-60	-2.94	pCi/L	U			4.93	8.5	18.4
ZBG 4	8/4/2015	IODINE-129	0.26	pCi/L	UJ		V	0.486	0.822	1.79
ZBG 4	8/4/2015	LEAD-212	-6.68	pCi/L	U			12.2	18.1	42.6
ZBG 4	8/4/2015	LEAD-214	35.1	pCi/L	J		21	20.8	19.2	60.9
ZBG 4	8/4/2015	POTASSIUM-40	-54.3	pCi/L	U			83.2	175	341
ZBG 4	8/4/2015	THALLIUM-208	1.32	pCi/L	U			6.49	11.9	24.9
ZBG 5	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.39	mg/L			V		0.0047	0.05

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 5	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 5	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 5	2/9/2015	TOLUENE	0.62	ug/L	J		21		0.07	1
ZBG 5	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 5	2/9/2015	RADIUM-226	0.0335	pCi/L	U			0.066	0.117	0.249
ZBG 5	2/9/2015	RADIUM-228	-0.034	pCi/L	U			0.195	0.352	0.742
ZBG 5	2/9/2015	GROSS ALPHA	0.0362	pCi/L	U			0.838	2.33	4.01
ZBG 5	2/9/2015	NONVOLATILE BETA	1.47	pCi/L	U			2.57	4.14	9.27
ZBG 5	2/9/2015	TRITIUM	0.559	pCi/mL	J		21	0.276	0.414	0.965
ZBG 5	2/9/2015	ACTINIUM-228	-11.3	pCi/L	U			21.1	34.2	76.4
ZBG 5	2/9/2015	BISMUTH-214	3.65	pCi/L	U			10.9	20.1	41.9
ZBG 5	2/9/2015	CESIUM-137	0.154	pCi/L	U			4.94	8.95	18.8
ZBG 5	2/9/2015	COBALT-60	-0.407	pCi/L	U			3.94	7.47	15.4
ZBG 5	2/9/2015	IODINE-129	0.0579	pCi/L	U			0.378	0.636	1.39
ZBG 5	2/9/2015	LEAD-212	-0.228	pCi/L	U			10.7	18.3	39.8
ZBG 5	2/9/2015	LEAD-214	5.08	pCi/L	U			12.6	21.9	47.1
ZBG 5	2/9/2015	POTASSIUM-40	-34.1	pCi/L	U			78.7	170	328
ZBG 5	2/9/2015	THALLIUM-208	-0.0378	pCi/L	U			5.85	10.8	22.5
ZBG002C	8/3/2015	TECHNETIUM-99	11	pCi/L				1.7	2.3	5.7
ZBG 4	2/9/2015	TECHNETIUM-99	6.9	pCi/L				1.61	2.38	5.6
ZBG 5	8/3/2015	NITRATE-NITRITE AS NITROGEN	0.38	mg/L					0.0047	0.05
ZBG 5	8/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG 5	8/3/2015	GROSS ALPHA	2.42	pCi/L	J		21	2.14	2.35	6.63
ZBG 5	8/3/2015	NONVOLATILE BETA	0.157	pCi/L	U			2.45	4.45	9.35
ZBG 4	2/9/2015	TECHNETIUM-99	5.55	pCi/L				1.44	2.13	5.01
ZBG 5	8/3/2015	TRITIUM	0.45	pCi/mL	J		21	0.27	0.416	0.957
ZBG 5	8/3/2015	ACTINIUM-228	3.54	pCi/L	U			21.8	41.8	85.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 5	8/3/2015	BISMUTH-214	38	pCi/L	J		21, V	18.3	28	64.7
ZBG 5	8/3/2015	CESIUM-137	0.776	pCi/L	U			5.01	9.16	19.2
ZBG 5	8/3/2015	COBALT-60	1.01	pCi/L	U			4.59	8.87	18
ZBG 5	8/3/2015	IODINE-129	0.705	pCi/L	UJ		V	0.561	0.828	1.95
ZBG 5	8/3/2015	LEAD-212	-12.3	pCi/L	U			10.9	18	39.8
ZBG 5	8/3/2015	LEAD-214	45.2	pCi/L	J		21	20.2	18.9	59.3
ZBG 5	8/3/2015	POTASSIUM-40	-19.5	pCi/L	U			91.8	197	380
ZBG 5	8/3/2015	THALLIUM-208	-2.5	pCi/L	U			5.6	9.97	21.2
ZBG 6	3/10/2015	NITRATE-NITRITE AS NITROGEN	0.39	mg/L					0.0047	0.05
ZBG 6	3/10/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 6	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 6	3/10/2015	TOLUENE	0.25	ug/L	J		21		0.07	1
ZBG 6	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 6	3/10/2015	RADIUM-226	0.815	pCi/L				0.115	0.084	0.3143
ZBG 6	3/10/2015	RADIUM-228	0.566	pCi/L	J		21	0.246	0.346	0.838
ZBG 6	3/10/2015	GROSS ALPHA	1.55	pCi/L	U			1.71	2.15	5.57
ZBG 6	3/10/2015	NONVOLATILE BETA	0.803	pCi/L	U			2.27	3.95	8.49
ZBG 6	3/10/2015	TRITIUM	1.96	pCi/mL				0.365	0.437	1.17
ZBG 6	3/10/2015	ACTINIUM-228	-4.38	pCi/L	U			20.8	38	79.6
ZBG 6	3/10/2015	BISMUTH-214	13.7	pCi/L	U			12.7	23.7	49
ZBG 6	3/10/2015	CESIUM-137	0.646	pCi/L	U			4.84	8.86	18.5
ZBG 6	3/10/2015	COBALT-60	1.6	pCi/L	U			4.4	8.7	17.5
ZBG 6	3/10/2015	IODINE-129	0.216	pCi/L	U			0.389	0.662	1.44
ZBG 6	3/10/2015	LEAD-212	-8.1	pCi/L	U			11.3	18.1	40.7
ZBG 6	3/10/2015	LEAD-214	1.49	pCi/L	U			13.1	22.5	48.6
ZBG 6	3/10/2015	POTASSIUM-40	24.6	pCi/L	U			90.3	200	381
ZBG 6	3/10/2015	THALLIUM-208	-2.33	pCi/L	U			5.89	10.5	22.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-15	7/23/2015	TECHNETIUM-99	5.11	pCi/L	J		21	2.63	4.18	9.44
ZBG 6	8/3/2015	NITRATE-NITRITE AS NITROGEN	0.39	mg/L					0.0047	0.05
ZBG 6	8/3/2015	GROSS ALPHA	0.807	pCi/L	U			1.4	2.31	5.11
ZBG 6	8/3/2015	NONVOLATILE BETA	1.53	pCi/L	U			2.59	4.23	9.41
ZBG 4	8/4/2015	TECHNETIUM-99	4.54	pCi/L	J		21	2.62	4.19	9.44
ZBG 6	8/3/2015	TRITIUM	2.95	pCi/mL				0.416	0.434	1.27
ZBG 6	8/3/2015	ACTINIUM-228	6.32	pCi/L	U			21.9	42.3	86.1
ZBG 6	8/3/2015	BISMUTH-214	101	pCi/L				24.9	17.6	67.3
ZBG 6	8/3/2015	CESIUM-137	-1.54	pCi/L	U			5.18	9.05	19.4
ZBG 6	8/3/2015	COBALT-60	0.636	pCi/L	U			4.53	8.69	17.7
ZBG 6	8/3/2015	IODINE-129	0.847	pCi/L	J		21, V	0.724	0.744	2.19
ZBG 6	8/3/2015	LEAD-212	-0.646	pCi/L	U			12.1	19	43.2
ZBG 6	8/3/2015	LEAD-214	89.9	pCi/L				28.8	19	76.7
ZBG 6	8/3/2015	POTASSIUM-40	-47.3	pCi/L	U			87.5	188	363
ZBG 6	8/3/2015	THALLIUM-208	-0.208	pCi/L	U			5.96	10.9	22.8
ZBG 7	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.95	mg/L			V		0.0094	0.1
ZBG 7	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 7	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 7	2/9/2015	TOLUENE	0.8	ug/L	J		21		0.07	1
ZBG 7	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG 7	2/9/2015	RADIUM-226	0.527	pCi/L				0.127	0.106	0.36
ZBG 7	2/9/2015	RADIUM-228	0.142	pCi/L	U			0.22	0.37	0.81
ZBG 7	2/9/2015	GROSS ALPHA	0.81	pCi/L	U			1.36	2.26	4.99
ZBG 7	2/9/2015	NONVOLATILE BETA	1.25	pCi/L	U			2.58	4.24	9.4
ZBG 7	2/9/2015	TRITIUM	3.02	pCi/mL				0.392	0.377	1.16
ZBG 7	2/9/2015	ACTINIUM-228	5.62	pCi/L	U			20.8	39.9	81.5
ZBG 7	2/9/2015	BISMUTH-214	19	pCi/L	U			13.4	22.7	49.4

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 7	2/9/2015	CESIUM-137	-1.52	pCi/L	U			4.46	7.82	16.7
ZBG 7	2/9/2015	COBALT-60	3.89	pCi/L	U			4.27	9.06	17.6
ZBG 7	2/9/2015	IODINE-129	0.63	pCi/L	U			0.61	0.699	1.92
ZBG 7	2/9/2015	LEAD-212	-8.13	pCi/L	U			10.5	17.2	38.3
ZBG 7	2/9/2015	LEAD-214	19.6	pCi/L	U			17	23.7	57.7
ZBG 7	2/9/2015	POTASSIUM-40	-48.3	pCi/L	U			78.2	168	324
ZBG 7	2/9/2015	THALLIUM-208	0.948	pCi/L	U			5.63	10.6	21.8
ZDPT-13	7/21/2015	TECHNETIUM-99	4.07	pCi/L	J		21	2.5	4.01	9.02
ZBG 7	8/3/2015	NITRATE-NITRITE AS NITROGEN	0.98	mg/L					0.0047	0.05
ZBG 7	8/3/2015	GROSS ALPHA	0.793	pCi/L	U			1.38	2.27	5.02
ZBG 7	8/3/2015	NONVOLATILE BETA	1.29	pCi/L	U			2.54	4.23	9.31
ZBG 5	2/9/2015	TECHNETIUM-99	2.96	pCi/L	J		21	1.29	2.02	4.6
ZBG 7	8/3/2015	TRITIUM	2.91	pCi/mL				0.417	0.438	1.27
ZBG 7	8/3/2015	ACTINIUM-228	-16.7	pCi/L	U			20.4	36.2	77
ZBG 7	8/3/2015	BISMUTH-214	22.1	pCi/L	U		V	21.3	26.2	68.9
ZBG 7	8/3/2015	CESIUM-137	1.31	pCi/L	U			5.32	9.73	20.4
ZBG 7	8/3/2015	COBALT-60	4.19	pCi/L	U			5.08	10.3	20.4
ZBG 7	8/3/2015	IODINE-129	0.127	pCi/L	UJ		V	0.465	0.771	1.7
ZBG 7	8/3/2015	LEAD-212	-11.2	pCi/L	U			10.9	18.1	39.8
ZBG 7	8/3/2015	LEAD-214	24.7	pCi/L	U			15.5	25.3	56.3
ZBG 7	8/3/2015	POTASSIUM-40	-61.5	pCi/L	U			89.1	188	366
ZBG 7	8/3/2015	THALLIUM-208	2.67	pCi/L	U			5.99	11.3	23.2
ZBG 8	3/10/2015	NITRATE-NITRITE AS NITROGEN	0.92	mg/L					0.0047	0.05
ZBG 8	3/10/2015	BENZENE	1	ug/L	U				0.06	1
ZBG 8	3/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG 8	3/10/2015	TOLUENE	0.2	ug/L	J		21		0.07	1
ZBG 8	3/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 8	3/10/2015	RADIUM-226	0.848	pCi/L				0.117	0.084	0.3182
ZBG 8	3/10/2015	RADIUM-228	0.145	pCi/L	U			0.241	0.406	0.888
ZBG 8	3/10/2015	GROSS ALPHA	1.56	pCi/L	U			1.72	2.16	5.6
ZBG 8	3/10/2015	NONVOLATILE BETA	0.57	pCi/L	U			2.22	3.95	8.4
ZBG 8	3/10/2015	TRITIUM	2.35	pCi/mL				0.382	0.435	1.2
ZBG 8	3/10/2015	ACTINIUM-228	12.6	pCi/L	U			21.4	41.5	84.4
ZBG 8	3/10/2015	BISMUTH-214	26.2	pCi/L	J		21	21.2	16.3	58.6
ZBG 8	3/10/2015	CESIUM-137	-0.18	pCi/L	U			5.17	9.26	19.6
ZBG 8	3/10/2015	COBALT-60	1.77	pCi/L	U			4.9	9.55	19.4
ZBG 8	3/10/2015	IODINE-129	0.0272	pCi/L	U			0.415	0.694	1.52
ZBG 8	3/10/2015	LEAD-212	-15.6	pCi/L	U			11.3	17.3	39.9
ZBG 8	3/10/2015	LEAD-214	32.6	pCi/L	J		21	23.8	25.9	73.6
ZBG 8	3/10/2015	POTASSIUM-40	-21.2	pCi/L	U			91.7	197	380
ZBG 8	3/10/2015	THALLIUM-208	-2.57	pCi/L	U			5.69	10.1	21.5
ZBG 5	2/9/2015	TECHNETIUM-99	2.68	pCi/L	J		21	1.42	2.26	5.1
ZBG 8	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.95	mg/L					0.0047	0.05
ZBG 8	8/4/2015	GROSS ALPHA	0.0217	pCi/L	U			0.852	2.29	4
ZBG 8	8/4/2015	NONVOLATILE BETA	2.69	pCi/L	U			2.74	4.12	9.59
ZBG016C	8/5/2015	TECHNETIUM-99	2.38	pCi/L	U			2.58	4.23	9.39
ZBG 8	8/4/2015	TRITIUM	2.4	pCi/mL				0.392	0.451	1.24
ZBG 8	8/4/2015	ACTINIUM-228	17.3	pCi/L	U			22	42	86
ZBG 8	8/4/2015	BISMUTH-214	254	pCi/L				39.4	18.5	97.3
ZBG 8	8/4/2015	CESIUM-137	-6.5	pCi/L	U			6.09	9.8	22
ZBG 8	8/4/2015	COBALT-60	2.85	pCi/L	U			5.01	9.98	20
ZBG 8	8/4/2015	IODINE-129	0.407	pCi/L	U			0.422	0.736	1.58
ZBG 8	8/4/2015	LEAD-212	4.22	pCi/L	U			11.8	20.5	44.1
ZBG 8	8/4/2015	LEAD-214	254	pCi/L				37.5	22.3	97.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG 8	8/4/2015	POTASSIUM-40	-114	pCi/L	U			83.3	166	333
ZBG 8	8/4/2015	THALLIUM-208	-2.28	pCi/L	U			6.68	11.8	25.2
ZBG002C	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.75	mg/L			V		0.0047	0.05
ZBG002C	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG002C	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG002C	2/9/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG002C	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG002C	2/9/2015	RADIUM-226	0.0524	pCi/L	U			0.078	0.133	0.2892
ZBG002C	2/9/2015	RADIUM-228	-0.0872	pCi/L	U			0.193	0.357	0.743
ZBG002C	2/9/2015	GROSS ALPHA	-0.363	pCi/L	U			0.251	2.33	2.84
ZBG002C	2/9/2015	NONVOLATILE BETA	1.34	pCi/L	U			2.51	4.09	9.11
ZBG002C	2/9/2015	TRITIUM	1.63	pCi/mL				0.323	0.378	1.03
ZBG002C	2/9/2015	ACTINIUM-228	-22.2	pCi/L	U			21.8	36.1	79.6
ZBG002C	2/9/2015	BISMUTH-214	6.46	pCi/L	U			14.7	27.3	56.8
ZBG002C	2/9/2015	CESIUM-137	3.64	pCi/L	U			5.5	10.6	21.6
ZBG002C	2/9/2015	COBALT-60	3.57	pCi/L	U			5.14	10.7	20.9
ZBG002C	2/9/2015	IODINE-129	0.245	pCi/L	U			0.392	0.684	1.47
ZBG002C	2/9/2015	LEAD-212	-7.08	pCi/L	U			11.6	19.1	42.3
ZBG002C	2/9/2015	LEAD-214	14.5	pCi/L	U			14.9	26.6	56.3
ZBG002C	2/9/2015	POTASSIUM-40	-5.64	pCi/L	U			102	222	426
ZBG002C	2/9/2015	THALLIUM-208	-2.8	pCi/L	U			7.14	12.5	26.8
ZBG010D	8/4/2015	TECHNETIUM-99	2.37	pCi/L	U			2.56	4.19	9.3
ZBG002C	8/3/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L					0.0047	0.05
ZBG002C	8/3/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG002C	8/3/2015	GROSS ALPHA	0.607	pCi/L	U			1.02	1.75	3.79
ZBG002C	8/3/2015	NONVOLATILE BETA	6.93	pCi/L				1.02	1.03	3.07
ZBG002C	8/3/2015	ACTINIUM-228	15	pCi/L	U			18.9	32	69.8

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG002C	8/3/2015	ANTIMONY-125	5.84	pCi/L	U			19.3	26.1	64.7
ZBG002C	8/3/2015	BISMUTH-214	69	pCi/L				21.2	25.1	67.5
ZBG002C	8/3/2015	CESIUM-137	0.06	pCi/L	U			6.44	12	24.88
ZBG002C	8/3/2015	COBALT-60	-0.798	pCi/L	U			7.74	14.6	30.08
ZBG002C	8/3/2015	LEAD-212	-5.01	pCi/L	U			24.6	23.5	72.7
ZBG002C	8/3/2015	LEAD-214	61.1	pCi/L				18.6	22.9	60.1
ZBG002C	8/3/2015	NIOBIUM-94	0.984	pCi/L	U			3.2	10.9	17.3
ZBG002C	8/3/2015	POTASSIUM-40	-27.4	pCi/L	U			150	207	507
ZBG002C	8/3/2015	RUTHENIUM-106	-7.89	pCi/L	U			55	99.7	209.7
ZBG002C	8/3/2015	THALLIUM-208	0.786	pCi/L	U			1.85	13.7	17.4
ZBG002C	8/3/2015	TRITIUM	1.82	pCi/mL				0.362	0.435	1.16
ZBG002C	8/3/2015	IODINE-129	-0.0767	pCi/L	UJ		V	0.472	0.782	1.73
ZBG013D	8/5/2015	TECHNETIUM-99	2.04	pCi/L	U			2.57	4.23	9.37
ZBG002D	7/9/2015	TOTAL SUSPENDED SOLIDS	260	mg/L					4	4
ZBG002D	7/9/2015	NITRATE-NITRITE AS NITROGEN	6.8	mg/L					0.094	1
ZBG002D	7/9/2015	TOTAL PHOSPHATES (AS P)	430	ug/L					6	50
ZBG002D	7/9/2015	ANTIMONY	10	ug/L	U				1	10
ZBG002D	7/9/2015	ARSENIC	50	ug/L	U				5	50
ZBG002D	7/9/2015	BARIUM	722	ug/L					2	20
ZBG002D	7/9/2015	BERYLLIUM	2.07	ug/L					0.1	1
ZBG002D	7/9/2015	CADMIUM	0.283	ug/L	J		21		0.1	1
ZBG002D	7/9/2015	CHROMIUM	100	ug/L	U				10	100
ZBG002D	7/9/2015	COBALT	3.28	ug/L	J		21		0.5	5
ZBG002D	7/9/2015	COPPER	5.77	ug/L					0.5	5
ZBG002D	7/9/2015	LEAD	6.87	ug/L					0.5	5
ZBG002D	7/9/2015	NICKEL	5.85	ug/L					0.5	5
ZBG002D	7/9/2015	SELENIUM	20	ug/L	U				2	20

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG002D	7/9/2015	SILVER	5	ug/L	U				0.5	5
ZBG002D	7/9/2015	THALLIUM	1	ug/L	U				0.1	1
ZBG002D	7/9/2015	TIN	1.21	ug/L	J		21		1	10
ZBG002D	7/9/2015	VANADIUM	7.62	ug/L	J		21		5	50
ZBG002D	7/9/2015	ZINC	14.8	ug/L	J		21		4	40
ZBG002D	7/9/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG002D	7/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG002D	7/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG002D	7/9/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG002D	7/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG002D	7/9/2015	RADIUM-226	1.21	pCi/L				0.229	0.15	0.608
ZBG002D	7/9/2015	RADIUM-228	0.199	pCi/L	U			0.689	1.19	2.568
ZBG002D	7/9/2015	CHLORIDE	5.9	mg/L					0.04	0.4
ZBG002D	7/9/2015	SULFATE	2.6	mg/L					0.1	1
ZBG002D	7/9/2015	GROSS ALPHA	2.47	pCi/L	J		21	2.15	2.27	6.58
ZBG002D	7/9/2015	NONVOLATILE BETA	97.3	pCi/L				9.84	4.02	23.7
ZBG002D	7/9/2015	STRONTIUM-90	0.884	pCi/L	U			2.12	3.29	7.53
ZBG 8	8/4/2015	TECHNETIUM-99	1.86	pCi/L	U			2.56	4.23	9.36
ZBG002D	7/9/2015	TRITIUM	1.52	pCi/mL				0.423	0.606	1.45
ZBG002D	7/9/2015	ACTINIUM-228	5.74	pCi/L	U			21.5	39.5	82.5
ZBG002D	7/9/2015	ANTIMONY-125	-15	pCi/L	U			15.1	23.5	53.8
ZBG002D	7/9/2015	BARIUM-133	12.4	pCi/L	U			7.87	13.2	28.9
ZBG002D	7/9/2015	BISMUTH-214	137	pCi/L				31	18	80
ZBG002D	7/9/2015	CESIUM-134	-1.28	pCi/L	U			5.53	8.36	19.4
ZBG002D	7/9/2015	CESIUM-137	1.4	pCi/L	U			5.04	9.31	19.4
ZBG002D	7/9/2015	COBALT-60	-0.4	pCi/L	U			4.92	9.12	19
ZBG002D	7/9/2015	EUROPIUM-152	3.25	pCi/L	U			65.9	99.8	232

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG002D	7/9/2015	EUROPIUM-154	-4.63	pCi/L	U			10.2	17.5	37.8
ZBG002D	7/9/2015	EUROPIUM-155	3.84	pCi/L	U			16.1	26.7	58.8
ZBG002D	7/9/2015	IODINE-129	-0.125	pCi/L	U			0.449	0.741	1.64
ZBG002D	7/9/2015	LEAD-212	1.84	pCi/L	U			11.3	19.5	42
ZBG002D	7/9/2015	LEAD-214	117	pCi/L				28.4	20.6	77.4
ZBG002D	7/9/2015	POTASSIUM-40	-42.6	pCi/L	U			78	163	319
ZBG002D	7/9/2015	PROMETHIUM-146	0.696	pCi/L	U			7.01	12	26
ZBG002D	7/9/2015	SODIUM-22	2.96	pCi/L	U			4.28	8.94	17.5
ZBG002D	7/9/2015	THALLIUM-208	-1.3	pCi/L	U			5.74	10.3	21.8
ZBG002D	8/10/2015	CARBON-14	-1.02	pCi/L	U			5.67	9.78	21.12
ZBG002D	8/10/2015	NITRATE-NITRITE AS NITROGEN	6.7	mg/L			V		0.047	0.5
ZBG002D	8/10/2015	MERCURY	0.2	ug/L	U				0.02	0.2
ZBG002D	8/10/2015	BENZENE	1	ug/L	U				0.06	1
ZBG002D	8/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG002D	8/10/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG002D	8/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG002D	8/10/2015	GROSS ALPHA	23.3	pCi/L				3.95	2.34	10.24
ZBG002D	8/10/2015	NONVOLATILE BETA	132	pCi/L				3.92	1.25	9.09
ZBG002D	8/10/2015	RADIUM-226	0.602	pCi/L				0.186	0.172	0.544
ZBG002D	8/10/2015	RADIUM-228	-0.00841	pCi/L	U			0.488	0.866	1.842
ZBG002D	8/10/2015	ACTINIUM-228	7.07	pCi/L	U			13.7	49.5	76.9
ZBG002D	8/10/2015	ANTIMONY-125	-1.02	pCi/L	U			16.7	30.1	63.5
ZBG002D	8/10/2015	BISMUTH-214	128	pCi/L				27.8	27.2	82.8
ZBG002D	8/10/2015	CESIUM-137	1.77	pCi/L	U			7.23	12.9	27.36
ZBG002D	8/10/2015	COBALT-60	1.08	pCi/L	U			3.28	15.9	22.46
ZBG002D	8/10/2015	LEAD-212	4.96	pCi/L	U			15	27	57
ZBG002D	8/10/2015	LEAD-214	131	pCi/L				24	29.5	77.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG002D	8/10/2015	NIOBIUM-94	0.442	pCi/L	U			6.1	11.2	23.4
ZBG002D	8/10/2015	POTASSIUM-40	-22	pCi/L	U			138	208	484
ZBG002D	8/10/2015	RUTHENIUM-106	-20.9	pCi/L	U			62.7	110	235.4
ZBG002D	8/10/2015	THALLIUM-208	2.39	pCi/L	U			9	13.5	31.5
ZBG002D	8/10/2015	TRITIUM	1.93	pCi/mL				0.376	0.458	1.21
ZBG002D	8/10/2015	IODINE-129	-0.0712	pCi/L	U			0.457	0.759	1.67
ZBG002D	8/10/2015	STRONTIUM-90	-0.74	pCi/L	U			0.81	1.56	3.18
ZBG002D	8/10/2015	NICKEL-59	0	pCi/L	U			0.404	0.686	1.494
ZBG002D	8/10/2015	NICKEL-63	4.75	pCi/L	J		V	0.621	1.07	2.312
ZBG002D	8/10/2015	PLUTONIUM-241	2.39	pCi/L	U			2.87	4.81	10.55
ZBG011D	8/4/2015	TECHNETIUM-99	1.84	pCi/L	U			2.54	4.19	9.26
ZBG009D	2/10/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L			V		0.019	0.2
ZBG009D	2/10/2015	BENZENE	1	ug/L	U				0.06	1
ZBG009D	2/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG009D	2/10/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG009D	2/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG009D	2/10/2015	RADIUM-226	0.214	pCi/L	J		21	0.102	0.132	0.336
ZBG009D	2/10/2015	RADIUM-228	0.0107	pCi/L	U			0.175	0.313	0.663
ZBG009D	2/10/2015	GROSS ALPHA	0.862	pCi/L	U			1.41	2.24	5.06
ZBG009D	2/10/2015	NONVOLATILE BETA	0.314	pCi/L	U			2.06	3.77	7.89
ZBG009D	2/10/2015	TRITIUM	2.36	pCi/mL				0.376	0.416	1.17
ZBG009D	2/10/2015	ACTINIUM-228	-16.9	pCi/L	U			19.8	34.2	73.7
ZBG009D	2/10/2015	BISMUTH-214	25.3	pCi/L	J		21	13.5	22.5	49.5
ZBG009D	2/10/2015	CESIUM-137	4.33	pCi/L	U			5.66	10.7	22
ZBG009D	2/10/2015	COBALT-60	-1.01	pCi/L	U			4.73	8.65	18.1
ZBG009D	2/10/2015	IODINE-129	-0.177	pCi/L	U			0.407	0.667	1.48
ZBG009D	2/10/2015	LEAD-212	3.89	pCi/L	U			11.2	19.3	41.6

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG009D	2/10/2015	LEAD-214	-0.0667	pCi/L	U			12.1	20.5	44.8
ZBG009D	2/10/2015	POTASSIUM-40	-28.7	pCi/L	U			81.6	175	338
ZBG009D	2/10/2015	THALLIUM-208	-1.57	pCi/L	U			6.21	10.2	22.6
ZBG 3	2/9/2015	TECHNETIUM-99	1.8	pCi/L	U			1.32	2.14	4.78
ZBG009D	8/4/2015	NITRATE-NITRITE AS NITROGEN	1.6	mg/L					0.0094	0.1
ZBG009D	8/4/2015	GROSS ALPHA	1.2	pCi/L	U			1.6	2.3	5.51
ZBG009D	8/4/2015	NONVOLATILE BETA	1.9	pCi/L	U			2.68	4.29	9.65
ZBG012D	8/5/2015	TECHNETIUM-99	1.63	pCi/L	U			2.5	4.13	9.12
ZBG009D	8/4/2015	TRITIUM	2.05	pCi/mL				0.376	0.451	1.2
ZBG009D	8/4/2015	ACTINIUM-228	-9.82	pCi/L	U			22.7	41.1	86.4
ZBG009D	8/4/2015	BISMUTH-214	42.5	pCi/L	J		21, V	19.2	28.6	67.1
ZBG009D	8/4/2015	CESIUM-137	-1.07	pCi/L	U			5.33	9.38	20
ZBG009D	8/4/2015	COBALT-60	0.729	pCi/L	U			4.55	8.74	17.8
ZBG009D	8/4/2015	IODINE-129	0.617	pCi/L	U			0.552	0.683	1.79
ZBG009D	8/4/2015	LEAD-212	8.03	pCi/L	U			11.1	19.9	42.2
ZBG009D	8/4/2015	LEAD-214	17.4	pCi/L	U			14.1	25.3	53.5
ZBG009D	8/4/2015	POTASSIUM-40	4.38	pCi/L	U			95	204	394
ZBG009D	8/4/2015	THALLIUM-208	2.59	pCi/L	U			5.81	11	22.6
ZBG010D	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.4	mg/L			V		0.0047	0.05
ZBG010D	2/10/2015	BENZENE	1	ug/L	U				0.06	1
ZBG010D	2/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG010D	2/10/2015	TOLUENE	0.38	ug/L	J		21		0.07	1
ZBG010D	2/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG010D	2/10/2015	RADIUM-226	0.457	pCi/L				0.126	0.125	0.377
ZBG010D	2/10/2015	RADIUM-228	0.298	pCi/L	U			0.198	0.304	0.7
ZBG010D	2/10/2015	GROSS ALPHA	0.0744	pCi/L	U			0.876	2.26	4.01
ZBG010D	2/10/2015	NONVOLATILE BETA	-1.08	pCi/L	U			1.69	3.75	7.14

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG010D	2/10/2015	TRITIUM	1.67	pCi/mL				0.341	0.415	1.1
ZBG010D	2/10/2015	ACTINIUM-228	-12.4	pCi/L	U			18.7	33.4	70.7
ZBG010D	2/10/2015	BISMUTH-214	15.5	pCi/L	U			15.6	16.4	47.5
ZBG010D	2/10/2015	CESIUM-137	-0.0347	pCi/L	U			5.03	9.07	19.1
ZBG010D	2/10/2015	COBALT-60	1.9	pCi/L	U			5.16	10	20.4
ZBG010D	2/10/2015	IODINE-129	-0.142	pCi/L	U			0.461	0.637	1.56
ZBG010D	2/10/2015	LEAD-212	6.53	pCi/L	U			10.8	18.9	40.6
ZBG010D	2/10/2015	LEAD-214	31	pCi/L	J		21	18.8	24.8	62.5
ZBG010D	2/10/2015	POTASSIUM-40	-62.8	pCi/L	U			77.7	165	320
ZBG010D	2/10/2015	THALLIUM-208	-1.51	pCi/L	U			6.14	11.1	23.3
ZDPT-08	8/5/2015	TECHNETIUM-99	1.35	pCi/L	U			2.68	4.44	9.8
ZBG010D	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.52	mg/L					0.0047	0.05
ZBG010D	8/4/2015	GROSS ALPHA	1.19	pCi/L	U			1.59	2.29	5.47
ZBG010D	8/4/2015	NONVOLATILE BETA	2.61	pCi/L	U			2.8	4.28	9.89
ZBG 3	8/4/2015	TECHNETIUM-99	1.23	pCi/L	U			2.54	4.22	9.3
ZBG010D	8/4/2015	TRITIUM	1.52	pCi/mL				0.35	0.451	1.15
ZBG010D	8/4/2015	ACTINIUM-228	4.15	pCi/L	U			22.5	42.9	87.9
ZBG010D	8/4/2015	BISMUTH-214	182	pCi/L				37.8	19.2	94.8
ZBG010D	8/4/2015	CESIUM-137	-5.87	pCi/L	U			5.67	9.12	20.5
ZBG010D	8/4/2015	COBALT-60	0.801	pCi/L	U			5.02	9.53	19.6
ZBG010D	8/4/2015	IODINE-129	0.0664	pCi/L	U			0.412	0.706	1.53
ZBG010D	8/4/2015	LEAD-212	-2.32	pCi/L	U			13.2	20.4	46.9
ZBG010D	8/4/2015	LEAD-214	161	pCi/L				34.1	20.5	88.6
ZBG010D	8/4/2015	POTASSIUM-40	-69.4	pCi/L	U			87.2	184	359
ZBG010D	8/4/2015	THALLIUM-208	-1.14	pCi/L	U			6.29	11.3	23.9
ZBG011D	2/10/2015	NITRATE-NITRITE AS NITROGEN	0.15	mg/L			V		0.0047	0.05
ZBG011D	2/10/2015	BENZENE	1	ug/L	U				0.06	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG011D	2/10/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG011D	2/10/2015	TOLUENE	0.31	ug/L	J		21		0.07	1
ZBG011D	2/10/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG011D	2/10/2015	RADIUM-226	0.125	pCi/L	U			0.098	0.152	0.3488
ZBG011D	2/10/2015	RADIUM-228	0.124	pCi/L	U			0.208	0.352	0.768
ZBG011D	2/10/2015	GROSS ALPHA	0.0762	pCi/L	U			0.908	2.34	4.16
ZBG011D	2/10/2015	NONVOLATILE BETA	0.357	pCi/L	U			2.07	3.77	7.9
ZBG011D	2/10/2015	TRITIUM	0.444	pCi/mL	J		21	0.268	0.413	0.949
ZBG011D	2/10/2015	ACTINIUM-228	32.6	pCi/L	U			22.2	42.3	86.6
ZBG011D	2/10/2015	BISMUTH-214	-0.489	pCi/L	U			11.5	20.7	43.7
ZBG011D	2/10/2015	CESIUM-137	3.03	pCi/L	U			5.15	9.75	20.1
ZBG011D	2/10/2015	COBALT-60	2.2	pCi/L	U			4.41	8.9	17.7
ZBG011D	2/10/2015	IODINE-129	-0.198	pCi/L	U			0.371	0.606	1.35
ZBG011D	2/10/2015	LEAD-212	5.55	pCi/L	U			10.8	18.8	40.4
ZBG011D	2/10/2015	LEAD-214	-9.81	pCi/L	U			12.9	20.6	46.4
ZBG011D	2/10/2015	POTASSIUM-40	-71.5	pCi/L	U			75.2	160	310
ZBG011D	2/10/2015	THALLIUM-208	-1.12	pCi/L	U			5.8	10.6	22.2
ZBG 5	8/3/2015	TECHNETIUM-99	1.08	pCi/L	U			2.55	4.24	9.33
ZBG011D	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.19	mg/L					0.0047	0.05
ZBG011D	8/4/2015	GROSS ALPHA	0.829	pCi/L	U			1.43	2.36	5.22
ZBG011D	8/4/2015	NONVOLATILE BETA	-0.607	pCi/L	U			2.16	4.24	8.57
ZBG016C	2/9/2015	TECHNETIUM-99	0.982	pCi/L	U			1.22	2.02	4.46
ZBG011D	8/4/2015	TRITIUM	0.297	pCi/mL	U			0.278	0.45	1.01
ZBG011D	8/4/2015	ACTINIUM-228	1.4	pCi/L	U			19.1	34.1	72.3
ZBG011D	8/4/2015	BISMUTH-214	1.75	pCi/L	U			11.8	21.4	44.9
ZBG011D	8/4/2015	CESIUM-137	-1.29	pCi/L	U			4.73	8.29	17.7
ZBG011D	8/4/2015	COBALT-60	1.11	pCi/L	U			4.32	8.5	17.1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG011D	8/4/2015	IODINE-129	-0.144	pCi/L	U			0.501	0.711	1.71
ZBG011D	8/4/2015	LEAD-212	2.77	pCi/L	U			10.7	18.5	39.8
ZBG011D	8/4/2015	LEAD-214	0.749	pCi/L	U			13	22.2	48.2
ZBG011D	8/4/2015	POTASSIUM-40	-38.4	pCi/L	U			80.8	174	335
ZBG011D	8/4/2015	THALLIUM-208	0.864	pCi/L	U			5.71	10.6	22
ZBG012D	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.35	mg/L			V		0.0047	0.05
ZBG012D	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG012D	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG012D	2/9/2015	TOLUENE	0.97	ug/L	J		21		0.07	1
ZBG012D	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG012D	2/9/2015	RADIUM-226	0.0491	pCi/L	U			0.079	0.135	0.292
ZBG012D	2/9/2015	RADIUM-228	0.15	pCi/L	U			0.192	0.319	0.703
ZBG012D	2/9/2015	GROSS ALPHA	0.034	pCi/L	U			0.859	2.4	4.12
ZBG012D	2/9/2015	NONVOLATILE BETA	3.38	pCi/L	U			2.9	4.15	9.96
ZBG012D	2/9/2015	TRITIUM	1.83	pCi/mL				0.335	0.379	1.05
ZBG012D	2/9/2015	ACTINIUM-228	-7.98	pCi/L	U			18.6	34.2	71.4
ZBG012D	2/9/2015	BISMUTH-214	1.08	pCi/L	U			10.6	19.3	40.4
ZBG012D	2/9/2015	CESIUM-137	0.791	pCi/L	U			4.55	8.42	17.5
ZBG012D	2/9/2015	COBALT-60	-3.37	pCi/L	U			4.78	8.09	17.6
ZBG012D	2/9/2015	IODINE-129	1.27	pCi/L	J		21	0.693	0.666	2.05
ZBG012D	2/9/2015	LEAD-212	8.58	pCi/L	U			10.9	19.1	41
ZBG012D	2/9/2015	LEAD-214	-0.222	pCi/L	U			12.2	20.6	44.9
ZBG012D	2/9/2015	POTASSIUM-40	-63	pCi/L	U			75.2	161	312
ZBG012D	2/9/2015	THALLIUM-208	-2.39	pCi/L	U			5.92	10.6	22.4
ZDPT-10	8/5/2015	TECHNETIUM-99	0.959	pCi/L	U			2.74	4.57	10.1
ZBG012D	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.44	mg/L					0.0047	0.05
ZBG012D	8/5/2015	GROSS ALPHA	0.425	pCi/L	U			1.2	2.4	4.81

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG012D	8/5/2015	NONVOLATILE BETA	5.21	pCi/L	J		21	3.18	4.19	10.5
ZBG009D	8/4/2015	TECHNETIUM-99	0.917	pCi/L	U			2.5	4.17	9.18
ZBG012D	8/5/2015	TRITIUM	1.85	pCi/mL				0.375	0.48	1.23
ZBG012D	8/5/2015	ACTINIUM-228	4.91	pCi/L	U			20.9	38.5	80.3
ZBG012D	8/5/2015	BISMUTH-214	27.5	pCi/L	J		21	19	25.5	63.6
ZBG012D	8/5/2015	CESIUM-137	-0.329	pCi/L	U			4.96	8.89	18.8
ZBG012D	8/5/2015	COBALT-60	-0.13	pCi/L	U			4.56	8.56	17.7
ZBG012D	8/5/2015	IODINE-129	0.266	pCi/L	U			0.404	0.702	1.51
ZBG012D	8/5/2015	LEAD-212	-3.51	pCi/L	U			11.3	19.1	41.6
ZBG012D	8/5/2015	LEAD-214	14.3	pCi/L	U			13.6	24.3	51.5
ZBG012D	8/5/2015	POTASSIUM-40	5.65	pCi/L	U			86.5	187	360
ZBG012D	8/5/2015	THALLIUM-208	-3.25	pCi/L	U			6.74	10.6	24.1
ZBG013D	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.12	mg/L			V		0.0047	0.05
ZBG013D	2/11/2015	BENZENE	1	ug/L	U				0.06	1
ZBG013D	2/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG013D	2/11/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG013D	2/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG013D	2/11/2015	RADIUM-226	0.0269	pCi/L	U			0.088	0.157	0.3326
ZBG013D	2/11/2015	RADIUM-228	0.147	pCi/L	U			0.174	0.287	0.635
ZBG013D	2/11/2015	GROSS ALPHA	0.451	pCi/L	U			1.2	2.43	4.83
ZBG013D	2/11/2015	NONVOLATILE BETA	2.32	pCi/L	U			2.75	4.21	9.72
ZBG013D	2/11/2015	TRITIUM	-0.0295	pCi/mL	U			0.272	0.473	1.02
ZBG013D	2/11/2015	ACTINIUM-228	-9.19	pCi/L	U			19.2	35	73.5
ZBG013D	2/11/2015	BISMUTH-214	6.52	pCi/L	U			14	23.4	51.4
ZBG013D	2/11/2015	CESIUM-137	-1.16	pCi/L	U			5.34	9.4	20.1
ZBG013D	2/11/2015	COBALT-60	2.82	pCi/L	U			4.92	9.83	19.7
ZBG013D	2/11/2015	IODINE-129	0.451	pCi/L	U			0.41	0.702	1.52

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG013D	2/11/2015	LEAD-212	-1.73	pCi/L	U			10.5	17.8	38.9
ZBG013D	2/11/2015	LEAD-214	3.2	pCi/L	U			13.1	22.5	48.7
ZBG013D	2/11/2015	POTASSIUM-40	13.4	pCi/L	U			84.1	184	352
ZBG013D	2/11/2015	THALLIUM-208	-1.58	pCi/L	U			5.95	10.8	22.7
ZBG 7	8/3/2015	TECHNETIUM-99	0.867	pCi/L	U			2.53	4.21	9.27
ZBG013D	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.26	mg/L					0.0047	0.05
ZBG013D	8/5/2015	GROSS ALPHA	0.848	pCi/L	U			1.47	2.43	5.38
ZBG013D	8/5/2015	NONVOLATILE BETA	2.26	pCi/L	U			2.73	4.25	9.7
ZBG002C	2/9/2015	TECHNETIUM-99	0.8	pCi/L	U			1.21	2.01	4.43
ZBG013D	8/5/2015	TRITIUM	0.333	pCi/mL	U			0.303	0.489	1.1
ZBG013D	8/5/2015	ACTINIUM-228	26.7	pCi/L	U			30.2	42.4	103
ZBG013D	8/5/2015	BISMUTH-214	23.7	pCi/L	J		21	17.4	22.9	57.7
ZBG013D	8/5/2015	CESIUM-137	-3.57	pCi/L	U			4.78	7.95	17.5
ZBG013D	8/5/2015	COBALT-60	1.36	pCi/L	U			4.83	9.34	19
ZBG013D	8/5/2015	IODINE-129	0.119	pCi/L	U			0.442	0.746	1.63
ZBG013D	8/5/2015	LEAD-212	-4.62	pCi/L	U			10.6	18.2	39.3
ZBG013D	8/5/2015	LEAD-214	-8.57	pCi/L	U			12.9	21.2	47.1
ZBG013D	8/5/2015	POTASSIUM-40	-80.6	pCi/L	U			87	182	356
ZBG013D	8/5/2015	THALLIUM-208	-1.41	pCi/L	U			5.58	10.1	21.2
ZBG014D	2/11/2015	NITRATE-NITRITE AS NITROGEN	0.37	mg/L					0.0047	0.05
ZBG014D	2/11/2015	BENZENE	1	ug/L	U				0.06	1
ZBG014D	2/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG014D	2/11/2015	TOLUENE	1	ug/L	U				0.07	1
ZBG014D	2/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG014D	2/11/2015	RADIUM-226	0.0483	pCi/L	U			0.046	0.073	0.1643
ZBG014D	2/11/2015	RADIUM-228	-0.23	pCi/L	U			0.204	0.397	0.805
ZBG014D	2/11/2015	GROSS ALPHA	0.0411	pCi/L	U			0.863	2.4	4.12

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG014D	2/11/2015	NONVOLATILE BETA	-0.913	pCi/L	U			2.08	4.15	8.32
ZBG014D	2/11/2015	TRITIUM	0.649	pCi/mL	J		21	0.314	0.476	1.1
ZBG014D	2/11/2015	ACTINIUM-228	5.51	pCi/L	U			21.5	40.9	83.9
ZBG014D	2/11/2015	BISMUTH-214	-7.03	pCi/L	U			12.4	21.4	46.2
ZBG014D	2/11/2015	CESIUM-137	1.8	pCi/L	U			4.96	9.25	19.2
ZBG014D	2/11/2015	COBALT-60	-2.22	pCi/L	U			4.54	8	17.1
ZBG014D	2/11/2015	IODINE-129	0.219	pCi/L	U			0.458	0.661	1.58
ZBG014D	2/11/2015	LEAD-212	6.75	pCi/L	U			10.7	18.6	39.9
ZBG014D	2/11/2015	LEAD-214	2.6	pCi/L	U			12.6	21.5	46.7
ZBG014D	2/11/2015	POTASSIUM-40	-56.6	pCi/L	U			83.7	174	341
ZBG014D	2/11/2015	THALLIUM-208	-3.05	pCi/L	U			6.13	10.9	23.1
ZBG016C	2/9/2015	TECHNETIUM-99	0.721	pCi/L	U			1.23	2.04	4.5
ZBG014D	8/4/2015	NITRATE-NITRITE AS NITROGEN	0.42	mg/L					0.0047	0.05
ZBG014D	8/4/2015	GROSS ALPHA	0.845	pCi/L	U			1.47	2.43	5.37
ZBG014D	8/4/2015	NONVOLATILE BETA	2.73	pCi/L	U			2.81	4.25	9.86
ZBG 1	2/9/2015	TECHNETIUM-99	0.578	pCi/L	U			1.3	2.17	4.77
ZBG014D	8/4/2015	TRITIUM	0.713	pCi/mL	J		21	0.306	0.453	1.07
ZBG014D	8/4/2015	ACTINIUM-228	-8.35	pCi/L	U			20.3	35.1	75.8
ZBG014D	8/4/2015	BISMUTH-214	7.41	pCi/L	U		V	12.7	23.5	48.9
ZBG014D	8/4/2015	CESIUM-137	2.04	pCi/L	U			5.09	9.48	19.7
ZBG014D	8/4/2015	COBALT-60	0.479	pCi/L	U			4.43	8.52	17.4
ZBG014D	8/4/2015	IODINE-129	0.165	pCi/L	U			0.409	0.707	1.53
ZBG014D	8/4/2015	LEAD-212	6.53	pCi/L	U			11.2	19.4	41.8
ZBG014D	8/4/2015	LEAD-214	-10.7	pCi/L	U			12.6	20.2	45.4
ZBG014D	8/4/2015	POTASSIUM-40	138	pCi/L	J		21	97	77.6	272
ZBG014D	8/4/2015	THALLIUM-208	0.183	pCi/L	U			6.04	11	23.1
ZBG015D	2/11/2015	CARBON-14	-3.48	pCi/L	U			6.19	10.8	23.18

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG015D	2/11/2015	NITRATE-NITRITE AS NITROGEN	1.3	mg/L					0.019	0.2
ZBG015D	2/11/2015	BENZENE	1	ug/L	U				0.06	1
ZBG015D	2/11/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG015D	2/11/2015	TOLUENE	0.77	ug/L	J		21		0.07	1
ZBG015D	2/11/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG015D	2/11/2015	GROSS ALPHA	0.436	pCi/L	U			0.785	1.37	2.94
ZBG015D	2/11/2015	NONVOLATILE BETA	1.19	pCi/L	J		21	0.582	0.836	2
ZBG015D	2/11/2015	RADIUM-226	0.298	pCi/L				0.084	0.094	0.2611
ZBG015D	2/11/2015	RADIUM-228	0.311	pCi/L	U			0.245	0.388	0.878
ZBG015D	2/11/2015	ACTINIUM-228	3.62	pCi/L	U			11.9	35.4	59.2
ZBG015D	2/11/2015	ANTIMONY-125	2.55	pCi/L	U			10.2	21.2	41.6
ZBG015D	2/11/2015	BISMUTH-214	37	pCi/L	J		21	14.7	22.5	51.9
ZBG015D	2/11/2015	CESIUM-137	0.0676	pCi/L	U			5.63	10.6	21.86
ZBG015D	2/11/2015	COBALT-60	0.526	pCi/L	U			3.02	12.2	18.24
ZBG015D	2/11/2015	LEAD-212	-7.67	pCi/L	U			156	22.9	334.9
ZBG015D	2/11/2015	LEAD-214	53.3	pCi/L				16.6	19.1	52.3
ZBG015D	2/11/2015	NIOBIUM-94	3.51	pCi/L	U			4.8	7.95	17.55
ZBG015D	2/11/2015	POTASSIUM-40	-47.2	pCi/L	U			262	190	714
ZBG015D	2/11/2015	RUTHENIUM-106	-7.52	pCi/L	U			47.6	87	182.2
ZBG015D	2/11/2015	THALLIUM-208	-0.876	pCi/L	U			9.22	12.1	30.54
ZBG015D	2/11/2015	TRITIUM	2.93	pCi/mL				0.421	0.474	1.32
ZBG015D	2/11/2015	IODINE-129	-0.146	pCi/L	U			0.396	0.652	1.44
ZBG015D	2/11/2015	STRONTIUM-90	0.221	pCi/L	U			0.187	0.296	0.67
ZBG015D	2/11/2015	NICKEL-59	0	pCi/L	U			1.35	2.22	4.92
ZBG015D	2/11/2015	NICKEL-63	0.191	pCi/L	U			1.81	3.15	6.77
ZBG015D	2/11/2015	PLUTONIUM-241	-1.16	pCi/L	U			2.3	4.17	8.77
ZBG012D	2/9/2015	TECHNETIUM-99	0.552	pCi/L	U			1.25	2.09	4.59

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG015D	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.84	mg/L					0.0047	0.05
ZBG015D	8/5/2015	MERCURY	0.125	ug/L	J		21		0.02	0.2
ZBG015D	8/5/2015	GROSS ALPHA	0.758	pCi/L	U			0.695	1.07	2.46
ZBG015D	8/5/2015	NONVOLATILE BETA	0.663	pCi/L	U			0.543	0.845	1.931
ZBG015D	8/5/2015	ACTINIUM-228	7.69	pCi/L	U			14.8	33	62.6
ZBG015D	8/5/2015	BISMUTH-214	36.4	pCi/L	J		21	20.6	26.5	67.7
ZBG015D	8/5/2015	CESIUM-137	0.67	pCi/L	U			6.61	12.3	25.52
ZBG015D	8/5/2015	COBALT-60	0	pCi/L	U			1.84	6.79	10.47
ZBG015D	8/5/2015	LEAD-212	3.05	pCi/L	U			12.1	16.9	41.1
ZBG015D	8/5/2015	LEAD-214	36.9	pCi/L	J		21	15.7	25.5	56.9
ZBG015D	8/5/2015	POTASSIUM-40	-37.8	pCi/L	U			222	217	661
ZBG015D	8/5/2015	THALLIUM-208	3.68	pCi/L	U			6.61	12.3	25.52
ZBG015D	8/5/2015	TRITIUM	3.23	pCi/mL				0.439	0.489	1.37
ZBG015D	8/5/2015	IODINE-129	0.223	pCi/L	U			0.441	0.748	1.63
ZBG015D	8/5/2015	STRONTIUM-90	-0.00404	pCi/L	U			0.234	0.416	0.884
ZBG014D	8/4/2015	TECHNETIUM-99	0.413	pCi/L	U			2.49	4.18	9.17
ZBG016C	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.05	mg/L	U				0.0047	0.05
ZBG016C	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG016C	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG016C	2/9/2015	TOLUENE	0.15	ug/L	J		21		0.07	1
ZBG016C	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG016C	2/9/2015	RADIUM-226	0.0772	pCi/L	U			0.103	0.172	0.378
ZBG016C	2/9/2015	RADIUM-228	0.0233	pCi/L	U			0.189	0.334	0.712
ZBG016C	2/9/2015	GROSS ALPHA	0.0355	pCi/L	U			0.814	2.27	3.89
ZBG016C	2/9/2015	NONVOLATILE BETA	1.23	pCi/L	U			2.51	4.13	9.16
ZBG016C	2/9/2015	TRITIUM	1.68	pCi/mL				0.327	0.379	1.03
ZBG016C	2/9/2015	ACTINIUM-228	-12.4	pCi/L	U			19.4	34.6	73.5

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG016C	2/9/2015	BISMUTH-214	27.1	pCi/L	J		21	18.3	17.4	53.9
ZBG016C	2/9/2015	CESIUM-137	1.82	pCi/L	U			5.23	9.69	20.1
ZBG016C	2/9/2015	COBALT-60	5.49	pCi/L	U			4.35	9.49	18.2
ZBG016C	2/9/2015	IODINE-129	0.322	pCi/L	U			0.389	0.672	1.45
ZBG016C	2/9/2015	LEAD-212	8.44	pCi/L	U			11.3	19.8	42.4
ZBG016C	2/9/2015	LEAD-214	30.8	pCi/L	J		21	19.3	18.1	56.8
ZBG016C	2/9/2015	POTASSIUM-40	-70.5	pCi/L	U			77.8	164	319
ZBG016C	2/9/2015	THALLIUM-208	-4.87	pCi/L	U			6.08	10.5	22.6
ZBG 8	3/10/2015	TECHNETIUM-99	-0.338	pCi/L	U			1.17	2.01	4.35
ZBG016C	2/9/2015	NITRATE-NITRITE AS NITROGEN	0.0092	mg/L	J		21, V		0.0047	0.05
ZBG016C	2/9/2015	BENZENE	1	ug/L	U				0.06	1
ZBG016C	2/9/2015	TETRACHLOROETHYLENE (PCE)	1	ug/L	U				0.18	1
ZBG016C	2/9/2015	TOLUENE	0.54	ug/L	J		21		0.07	1
ZBG016C	2/9/2015	TRICHLOROETHYLENE (TCE)	1	ug/L	U				0.25	1
ZBG016C	2/9/2015	RADIUM-226	0.102	pCi/L	U			0.076	0.111	0.2624
ZBG016C	2/9/2015	RADIUM-228	0.0206	pCi/L	U			0.175	0.31	0.66
ZBG016C	2/9/2015	GROSS ALPHA	-0.355	pCi/L	U			0.244	2.27	2.76
ZBG016C	2/9/2015	NONVOLATILE BETA	2.52	pCi/L	U			2.72	4.07	9.52
ZBG016C	2/9/2015	TRITIUM	1.44	pCi/mL				0.328	0.415	1.07
ZBG016C	2/9/2015	ACTINIUM-228	-2.62	pCi/L	U			21.1	39.1	81.3
ZBG016C	2/9/2015	BISMUTH-214	22.1	pCi/L	U			16.9	24.2	58
ZBG016C	2/9/2015	CESIUM-137	3.21	pCi/L	U			5.07	9.64	19.8
ZBG016C	2/9/2015	COBALT-60	-3.7	pCi/L	U			4.53	7.52	16.6
ZBG016C	2/9/2015	IODINE-129	0.0138	pCi/L	U			0.49	0.69	1.67
ZBG016C	2/9/2015	LEAD-212	-6.91	pCi/L	U			10.8	17.8	39.5
ZBG016C	2/9/2015	LEAD-214	8.64	pCi/L	U			13	22.7	48.7
ZBG016C	2/9/2015	POTASSIUM-40	-70.6	pCi/L	U			76.2	161	314

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZBG016C	2/9/2015	THALLIUM-208	1.15	pCi/L	U			5.69	10.7	22.1
ZBG015D	2/11/2015	TECHNETIUM-99	-0.357	pCi/L	U			1.32	2.26	4.9
ZBG016C	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.012	mg/L	J		21		0.0047	0.05
ZBG016C	8/5/2015	GROSS ALPHA	1.18	pCi/L	U			1.58	2.27	5.44
ZBG016C	8/5/2015	NONVOLATILE BETA	0.945	pCi/L	U			2.5	4.28	9.29
ZBG 6	3/10/2015	TECHNETIUM-99	-0.358	pCi/L	U			1.1	1.9	4.1
ZBG016C	8/5/2015	TRITIUM	1.24	pCi/mL				0.348	0.483	1.18
ZBG016C	8/5/2015	ACTINIUM-228	-11	pCi/L	U			22	39.7	83.7
ZBG016C	8/5/2015	BISMUTH-214	93.5	pCi/L				25.1	17.1	67.4
ZBG016C	8/5/2015	CESIUM-137	-3.15	pCi/L	U			5.71	9.68	21.1
ZBG016C	8/5/2015	COBALT-60	-2.02	pCi/L	U			4.32	7.64	16.3
ZBG016C	8/5/2015	IODINE-129	0.266	pCi/L	U			0.45	0.765	1.66
ZBG016C	8/5/2015	LEAD-212	-6.99	pCi/L	U			11.2	19	41.4
ZBG016C	8/5/2015	LEAD-214	85.8	pCi/L				28.5	20.2	77.2
ZBG016C	8/5/2015	POTASSIUM-40	-18.9	pCi/L	U			90.5	195	376
ZBG016C	8/5/2015	THALLIUM-208	-1.05	pCi/L	U			5.86	10.6	22.3
ZDPT-04	7/21/2015	NITRATE-NITRITE AS NITROGEN	2.5	mg/L					0.047	0.5
ZDPT-04	7/21/2015	GROSS ALPHA	20.2	pCi/L				5.73	2.23	13.7
ZDPT-04	7/21/2015	NONVOLATILE BETA	52.6	pCi/L				7.53	4.21	19.3
ZDPT-11	8/5/2015	TECHNETIUM-99	-0.399	pCi/L	U			2.64	4.47	9.76
ZDPT-04	7/21/2015	TRITIUM	1.71	pCi/mL				0.377	0.486	1.24
ZDPT-04	7/21/2015	ACTINIUM-228	-1.1	pCi/L	U			20.5	39.1	80.1
ZDPT-04	7/21/2015	BISMUTH-214	45	pCi/L	J		21	20.5	15.6	56.7
ZDPT-04	7/21/2015	CESIUM-137	3.11	pCi/L	U			5.32	9.99	20.6
ZDPT-04	7/21/2015	COBALT-60	1.13	pCi/L	U			4.53	8.81	17.9
ZDPT-04	7/21/2015	IODINE-129	-0.0562	pCi/L	U			0.503	0.772	1.78
ZDPT-04	7/21/2015	LEAD-212	12.2	pCi/L	U			10.5	19	40

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-04	7/21/2015	LEAD-214	32.7	pCi/L	J		21	19	19	56.9
ZDPT-04	7/21/2015	POTASSIUM-40	-66.8	pCi/L	U			82.4	178	343
ZDPT-04	7/21/2015	RUTHENIUM-106	-4.87	pCi/L	U			45.7	81.3	173
ZDPT-04	7/21/2015	THALLIUM-208	3.35	pCi/L	U			5.74	10.9	22.4
ZDPT-05	7/21/2015	NITRATE-NITRITE AS NITROGEN	2.7	mg/L					0.0094	0.1
ZDPT-05	7/21/2015	GROSS ALPHA	46.4	pCi/L				8.66	2.27	19.6
ZDPT-05	7/21/2015	NONVOLATILE BETA	83.3	pCi/L				9.43	4.72	23.6
ZBG009D	2/10/2015	TECHNETIUM-99	-0.414	pCi/L	U			1.24	2.12	4.6
ZDPT-05	7/21/2015	TRITIUM	1.5	pCi/mL				0.363	0.48	1.21
ZDPT-05	7/21/2015	ACTINIUM-228	-3.56	pCi/L	U			19.5	37.3	76.4
ZDPT-05	7/21/2015	BISMUTH-214	21.9	pCi/L	U			14.1	26.9	55.1
ZDPT-05	7/21/2015	CESIUM-137	-2.69	pCi/L	U			5.38	9.18	19.9
ZDPT-05	7/21/2015	COBALT-60	1.1	pCi/L	U			4.32	8.46	17.1
ZDPT-05	7/21/2015	IODINE-129	0.0231	pCi/L	U			0.534	0.756	1.82
ZDPT-05	7/21/2015	LEAD-212	10.7	pCi/L	U			10.9	19.7	41.6
ZDPT-05	7/21/2015	LEAD-214	36.7	pCi/L	J		21	25.1	18.6	68.8
ZDPT-05	7/21/2015	POTASSIUM-40	-69.8	pCi/L	U			87.8	185	361
ZDPT-05	7/21/2015	RUTHENIUM-106	20.4	pCi/L	U			45	83.9	174
ZDPT-05	7/21/2015	THALLIUM-208	0.17	pCi/L	U			5.96	10.9	22.8
ZDPT-06	7/20/2015	NITRATE-NITRITE AS NITROGEN	1.2	mg/L					0.0047	0.05
ZDPT-06	7/20/2015	GROSS ALPHA	51.2	pCi/L				8.95	2.16	20.1
ZDPT-06	7/20/2015	NONVOLATILE BETA	43.3	pCi/L				6.97	5.01	18.9
ZBG011D	2/10/2015	TECHNETIUM-99	-0.478	pCi/L	U			1.24	2.13	4.61
ZDPT-06	7/20/2015	TRITIUM	1.6	pCi/mL				0.364	0.472	1.2
ZDPT-06	7/20/2015	ACTINIUM-228	35.8	pCi/L	U			23.9	43.8	91.6
ZDPT-06	7/20/2015	BISMUTH-214	117	pCi/L				29.1	18.2	76.4
ZDPT-06	7/20/2015	CESIUM-137	0.675	pCi/L	U			5.59	10.1	21.3

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-06	7/20/2015	COBALT-60	4.29	pCi/L	U			4.77	9.88	19.4
ZDPT-06	7/20/2015	IODINE-129	-0.0214	pCi/L	U			0.457	0.762	1.68
ZDPT-06	7/20/2015	LEAD-212	-4.11	pCi/L	U			12.7	19.3	44.8
ZDPT-06	7/20/2015	LEAD-214	101	pCi/L				27.3	21.9	76.5
ZDPT-06	7/20/2015	POTASSIUM-40	-45.6	pCi/L	U			81.8	174	338
ZDPT-06	7/20/2015	RUTHENIUM-106	25.6	pCi/L	U			46.6	87.2	180
ZDPT-06	7/20/2015	THALLIUM-208	0.919	pCi/L	U			6.2	11.4	23.8
ZDPT-07	8/6/2015	NITRATE-NITRITE AS NITROGEN	0.13	mg/L			V		0.0094	0.1
ZDPT-08	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.98	mg/L			V		0.0094	0.1
ZDPT-08	8/5/2015	GROSS ALPHA	3.53	pCi/L	J		21	2.49	2.3	7.29
ZDPT-08	8/5/2015	NONVOLATILE BETA	2.2	pCi/L	U			2.89	4.6	10.4
ZBG 6	8/3/2015	TECHNETIUM-99	-0.526	pCi/L	U			2.49	4.22	9.2
ZDPT-08	8/5/2015	TRITIUM	0.768	pCi/mL	J		21	0.319	0.471	1.11
ZDPT-08	8/5/2015	ACTINIUM-228	-8.23	pCi/L	U			20.9	38.6	80.4
ZDPT-08	8/5/2015	BISMUTH-214	86.2	pCi/L	U		V	24.5	16.9	65.8
ZDPT-08	8/5/2015	CESIUM-137	1.51	pCi/L	U			5.34	9.8	20.5
ZDPT-08	8/5/2015	COBALT-60	-1.15	pCi/L	U			4.75	8.64	18.1
ZDPT-08	8/5/2015	IODINE-129	-0.0662	pCi/L	U			0.538	0.754	1.83
ZDPT-08	8/5/2015	LEAD-212	-18.8	pCi/L	U			11.6	18.4	41.7
ZDPT-08	8/5/2015	LEAD-214	71.2	pCi/L	J		21	27	18.5	72.5
ZDPT-08	8/5/2015	POTASSIUM-40	-9.15	pCi/L	U			93.3	200	387
ZDPT-08	8/5/2015	RUTHENIUM-106	-26.5	pCi/L	U			45.1	76.6	167
ZDPT-08	8/5/2015	THALLIUM-208	-2.1	pCi/L	U			5.44	9.77	20.7
ZDPT-10	8/5/2015	NITRATE-NITRITE AS NITROGEN	0.41	mg/L			V		0.0094	0.1
ZDPT-10	8/5/2015	GROSS ALPHA	14.1	pCi/L				4.83	2.37	12
ZDPT-10	8/5/2015	NONVOLATILE BETA	2.08	pCi/L	U			3.47	5.74	12.7
ZBG 7	2/9/2015	TECHNETIUM-99	-0.526	pCi/L	U			1.28	2.21	4.77

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-10	8/5/2015	TRITIUM	0.957	pCi/mL	J		21	0.336	0.483	1.15
ZDPT-10	8/5/2015	ACTINIUM-228	8.39	pCi/L	U			23.3	44.7	91.3
ZDPT-10	8/5/2015	BISMUTH-214	91.4	pCi/L	U		V	24.7	16.2	65.6
ZDPT-10	8/5/2015	CESIUM-137	3.65	pCi/L	U			5.37	10.1	20.9
ZDPT-10	8/5/2015	COBALT-60	4.74	pCi/L	U			5.26	10.6	21.2
ZDPT-10	8/5/2015	IODINE-129	-0.219	pCi/L	U			0.447	0.731	1.62
ZDPT-10	8/5/2015	LEAD-212	-1.08	pCi/L	U			12.2	19.1	43.5
ZDPT-10	8/5/2015	LEAD-214	93.1	pCi/L				28.2	19.1	75.5
ZDPT-10	8/5/2015	POTASSIUM-40	-63.5	pCi/L	U			90.3	189	370
ZDPT-10	8/5/2015	RUTHENIUM-106	-29.4	pCi/L	U			45.7	77	168
ZDPT-10	8/5/2015	THALLIUM-208	1.52	pCi/L	U			6.17	11.4	23.8
ZDPT-11	8/5/2015	NITRATE-NITRITE AS NITROGEN	1.5	mg/L			V		0.0094	0.1
ZDPT-11	8/5/2015	GROSS ALPHA	28.4	pCi/L				6.76	2.34	15.9
ZDPT-11	8/5/2015	NONVOLATILE BETA	9.51	pCi/L	J		21	4.96	7.02	16.9
ZBG010D	2/10/2015	TECHNETIUM-99	-0.612	pCi/L	U			1.23	2.12	4.58
ZDPT-11	8/5/2015	TRITIUM	0.658	pCi/mL	J		21	0.316	0.477	1.11
ZDPT-11	8/5/2015	ACTINIUM-228	-2.86	pCi/L	U			20.8	39.3	80.8
ZDPT-11	8/5/2015	BISMUTH-214	111	pCi/L	U		V	25	17.8	67.7
ZDPT-11	8/5/2015	CESIUM-137	-4.07	pCi/L	U			5.3	8.79	19.4
ZDPT-11	8/5/2015	COBALT-60	1.84	pCi/L	U			4.53	8.97	18
ZDPT-11	8/5/2015	IODINE-129	0.632	pCi/L	U			0.539	0.796	1.87
ZDPT-11	8/5/2015	LEAD-212	7	pCi/L	U			12	19.5	43.5
ZDPT-11	8/5/2015	LEAD-214	98.5	pCi/L				28.4	19.7	76.5
ZDPT-11	8/5/2015	POTASSIUM-40	18.8	pCi/L	U			93.7	204	391
ZDPT-11	8/5/2015	RUTHENIUM-106	11.8	pCi/L	U			46.3	84.8	177
ZDPT-11	8/5/2015	THALLIUM-208	1.21	pCi/L	U			5.97	11.1	23
ZDPT-12	7/20/2015	NITRATE-NITRITE AS NITROGEN	13	mg/L					0.094	1

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-12	7/20/2015	GROSS ALPHA	40.5	pCi/L				8.19	2.4	18.8
ZDPT-12	7/20/2015	NONVOLATILE BETA	263	pCi/L				16.1	4.84	36.9
ZBG015D	8/5/2015	TECHNETIUM-99	-0.765	pCi/L	U			1.3	2.25	4.85
ZDPT-12	7/20/2015	TRITIUM	2.02	pCi/mL				0.384	0.472	1.24
ZDPT-12	7/20/2015	ACTINIUM-228	19.2	pCi/L	U			22.9	38.9	84.6
ZDPT-12	7/20/2015	BISMUTH-214	90.5	pCi/L				26.1	18.7	70.9
ZDPT-12	7/20/2015	CESIUM-137	-1.06	pCi/L	U			5	8.82	18.8
ZDPT-12	7/20/2015	COBALT-60	-3.84	pCi/L	U			5.21	8.77	19.2
ZDPT-12	7/20/2015	IODINE-129	0.0739	pCi/L	U			0.46	0.772	1.69
ZDPT-12	7/20/2015	LEAD-212	-10.9	pCi/L	U			12.9	18.7	44.5
ZDPT-12	7/20/2015	LEAD-214	119	pCi/L				30.9	20.1	81.8
ZDPT-12	7/20/2015	POTASSIUM-40	-95.5	pCi/L	U			82.4	167	332
ZDPT-12	7/20/2015	RUTHENIUM-106	-1.3	pCi/L	U			46.7	83.6	177
ZDPT-12	7/20/2015	THALLIUM-208	3.44	pCi/L	U			6.02	11.4	23.4
ZDPT-13	7/21/2015	NITRATE-NITRITE AS NITROGEN	0.56	mg/L					0.0047	0.05
ZDPT-13	7/21/2015	GROSS ALPHA	13	pCi/L				4.67	2.22	11.6
ZDPT-13	7/21/2015	NONVOLATILE BETA	8.28	pCi/L	J		21	3.58	4.06	11.2
ZBG014D	2/11/2015	TECHNETIUM-99	-1.23	pCi/L	U			1.13	2	4.26
ZDPT-13	7/21/2015	TRITIUM	1.71	pCi/mL				0.371	0.476	1.22
ZDPT-13	7/21/2015	ACTINIUM-228	24.2	pCi/L	U			23.5	44.3	91.4
ZDPT-13	7/21/2015	BISMUTH-214	23.9	pCi/L	J		21	19.2	17.1	55.5
ZDPT-13	7/21/2015	CESIUM-137	1.04	pCi/L	U			4.99	9.17	19.2
ZDPT-13	7/21/2015	COBALT-60	2.31	pCi/L	U			4.62	9.21	18.5
ZDPT-13	7/21/2015	IODINE-129	-0.0514	pCi/L	U			0.449	0.746	1.64
ZDPT-13	7/21/2015	LEAD-212	-7.37	pCi/L	U			11	18.7	40.7
ZDPT-13	7/21/2015	LEAD-214	21.5	pCi/L	J		21	17.1	18.5	52.7
ZDPT-13	7/21/2015	POTASSIUM-40	-13.9	pCi/L	U			94.2	201	389

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-13	7/21/2015	RUTHENIUM-106	-15.8	pCi/L	U			42.5	74.1	159
ZDPT-13	7/21/2015	THALLIUM-208	-0.0576	pCi/L	U			5.72	10.5	22
ZDPT-14	7/23/2015	NITRATE-NITRITE AS NITROGEN	0.68	mg/L					0.0047	0.05
ZDPT-14	7/23/2015	GROSS ALPHA	4.71	pCi/L	J		21	2.85	2.35	8.05
ZDPT-14	7/23/2015	NONVOLATILE BETA	14.7	pCi/L				4.56	4.75	13.9
ZBG 1	8/5/2015	TECHNETIUM-99	-1.4	pCi/L	U			1.34	2.35	5.03
ZDPT-14	7/23/2015	TRITIUM	1.55	pCi/mL				0.363	0.476	1.2
ZDPT-14	7/23/2015	ACTINIUM-228	-15.2	pCi/L	U			20.3	36.3	76.9
ZDPT-14	7/23/2015	BISMUTH-214	1.79	pCi/L	U			11.9	22.1	45.9
ZDPT-14	7/23/2015	CESIUM-137	-0.629	pCi/L	U			5.32	9.45	20.1
ZDPT-14	7/23/2015	COBALT-60	-1.57	pCi/L	U			4.79	8.61	18.2
ZDPT-14	7/23/2015	LEAD-212	-3.08	pCi/L	U			10.8	18.7	40.3
ZDPT-14	7/23/2015	LEAD-214	22.5	pCi/L	U			19.9	23.6	63.4
ZDPT-14	7/23/2015	POTASSIUM-40	-98.3	pCi/L	U			85.7	178	349
ZDPT-14	7/23/2015	RUTHENIUM-106	28.3	pCi/L	U			41.2	78.8	161
ZDPT-14	7/23/2015	THALLIUM-208	-0.715	pCi/L	U			5.74	10.5	21.9
ZDPT-15	7/23/2015	NITRATE-NITRITE AS NITROGEN	0.48	mg/L					0.0047	0.05
ZDPT-15	7/23/2015	GROSS ALPHA	6.72	pCi/L	J		21	3.37	2.34	9.08
ZDPT-15	7/23/2015	NONVOLATILE BETA	6.58	pCi/L	J		21	3.7	4.98	12.4
ZBG013D	2/11/2015	TECHNETIUM-99	-1.52	pCi/L	U			1.46	2.57	5.49
ZDPT-15	7/23/2015	TRITIUM	0.994	pCi/mL	J		21	0.335	0.478	1.15
ZDPT-15	7/23/2015	ACTINIUM-228	-9.97	pCi/L	U			20.5	37.7	78.8
ZDPT-15	7/23/2015	BISMUTH-214	12.5	pCi/L	U			11.9	23.1	46.9
ZDPT-15	7/23/2015	CESIUM-137	-1.3	pCi/L	U			5.41	9.47	20.3
ZDPT-15	7/23/2015	COBALT-60	0.986	pCi/L	U			4.5	8.73	17.7
ZDPT-15	7/23/2015	LEAD-212	-1.1	pCi/L	U			10.5	18.3	39.3
ZDPT-15	7/23/2015	LEAD-214	6.24	pCi/L	U			13	22.9	49

Location	Collection Date	Analyte	Result	Units	Lab Qualifier	Review Qualifier	Qualification Code	Error	Detection Limit	Sample Quantitation Limit
ZDPT-15	7/23/2015	POTASSIUM-40	-68	pCi/L	U			83.1	179	345
ZDPT-15	7/23/2015	RUTHENIUM-106	24.6	pCi/L	U			44.1	83	171
ZDPT-15	7/23/2015	THALLIUM-208	2.16	pCi/L	U			5.59	10.6	21.7