

LIST OF FIGURES

Figure 1-1	SRS Organization	1-3
Figure 1-2	The Savannah River Site and Surrounding Area.....	1-7
Figure 3-1	Pathway for Processing and Dispositioning of Radioactive Liquid Waste at SRS.....	3-4
Figure 4-1	Types and Typical Locations of Nonradiological Sampling.....	4-3
Figure 4-2	NPDES Industrial Wastewater Outfall Sampling Locations	4-6
Figure 4-3	NPDES Industrial Stormwater Outfall Sampling Locations	4-7
Figure 4-4	Nonradiological Surface Water Sampling Locations	4-9
Figure 4-5	Nonradiological Sediment Sampling Locations.....	4-10
Figure 4-6	Mercury in Sediment Locations	4-11
Figure 4-7	Mercury in Fish by Location and Species	4-12
Figure 5-1	Radiological Air and Liquid Pathway Samples.....	5-3
Figure 5-2	SRS Offsite Sampling Media Locations for Georgia and South Carolina	5-5
Figure 5-3	Ten-Year History of SRS Annual Tritium Releases to the Atmosphere	5-7
Figure 5-4	Percent of Tritium Released to the Atmosphere for 2014 and 2015.....	5-8
Figure 5-5	Air Sampling Locations Surrounding SRS up to 25 Miles	5-9
Figure 5-6	Radiological Liquid Effluent Sampling Locations.....	5-14
Figure 5-7	Ten-Year History of Direct Releases of Tritium to SRS Streams.....	5-15
Figure 5-8	Radiological Surface Water Sampling Locations	5-16
Figure 5-9	Ten-Year Trend of Tritium in Pen Branch and Fourmile Branch (pCi/L).....	5-19
Figure 5-10	Tritium Migration from SRS Seepage Basins and SWDF to SRS Streams	5-20
Figure 5-11	SRS Tritium Transport Summary	5-23
Figure 5-12	Offsite Drinking Water Sampling Locations	5-24
Figure 5-13	Tritium in Offsite Drinking Water and River Mile 118.8 (pCi/L).....	5-25
Figure 5-14	Historical Trend of Cesium-137 Concentration in Deer (pCi/g)	5-29
Figure 6-1	Exposure Pathways to Humans from Atmospheric and Liquid Effluents.....	6-3
Figure 6-2	2007 – 2011 Wind Rose for H Area.....	6-5
Figure 6-3	Savannah River Annual Average Flow Rates at River Mile 118.8.....	6-7
Figure 6-4	Radionuclide Contributions to the 2015 SRS Total Liquid Pathway Dose of 0.15 mrem (0.0015 mSv)	6-10
Figure 6-5	Radionuclide Contributions to the 2015 SRS Air Pathway Dose of 0.032 mrem (0.00032 mSv)	6-12
Figure 6-6	Ten-Year History of SRS Maximum Potential All-Pathway Doses	6-14
Figure 6-7	Comparison of DOE’s 100 mrem/re Dose Standard to SRS’s 2015 All-Pathway Dose of 0.18 mrem	6-15
Figure 7-1	Groundwater at SRS.....	7-3

Figure 7-2	How Contamination Gets to Soil and Groundwater	7-5
Figure 7-3	Groundwater Plumes at SRS	7-6
Figure 7-4	Location of Site Boundary Wells at SRS – Between A/M Areas and Jackson, South Carolina	7-8
Figure 7-5	Location of Monitoring Wells Sampled for Tritium in Burke and Screven Counties, Georgia	7-12
Figure 7-6	Tritium Concentration in Wells Sampled in Burke and Screven Counties, Georgia	7-13
Figure 8-1	Interrelationship between QA/QC Activities.....	8-3